

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2013	0.60	59,800	15.30	TLC-107 SONDA 1
22/10/2013	0.80	61,700	15.30	TLC-107 SONDA 1
22/10/2013	1.00	62,100	15.30	TLC-107 SONDA 1
22/10/2013	1.20	62,700	15.30	TLC-107 SONDA 1
22/10/2013	1.40	63,200	15.30	TLC-107 SONDA 1
22/10/2013	1.60	63,700	15.30	TLC-107 SONDA 1
22/10/2013	1.80	64,300	15.30	TLC-107 SONDA 1
22/10/2013	2.00	64,900	15.20	TLC-107 SONDA 1
22/10/2013	2.20	74,400	15.20	TLC-107 SONDA 1
22/10/2013	2.40	75,600	15.20	TLC-107 SONDA 1
22/10/2013	2.60	78,400	15.20	TLC-107 SONDA 1
22/10/2013	2.80	79,700	15.20	TLC-107 SONDA 1
22/10/2013	3.00	80,700	15.20	TLC-107 SONDA 1
22/10/2013	3.20	82,400	15.20	TLC-107 SONDA 1
22/10/2013	3.40	83,100	15.20	TLC-107 SONDA 1
22/10/2013	3.60	83,900	15.20	TLC-107 SONDA 1
22/10/2013	3.80	85,400	15.20	TLC-107 SONDA 1
22/10/2013	4.00	86,700	15.20	TLC-107 SONDA 1
22/10/2013	4.20	87,200	15.20	TLC-107 SONDA 1
22/10/2013	4.40	89,000	15.20	TLC-107 SONDA 1
22/10/2013	4.60	90,200	15.20	TLC-107 SONDA 1
22/10/2013	4.80	90,900	15.20	TLC-107 SONDA 1
22/10/2013	5.00	93,100	15.20	TLC-107 SONDA 1
22/10/2013	5.20	95,100	15.20	TLC-107 SONDA 1
22/10/2013	5.40	96,000	15.20	TLC-107 SONDA 1
22/10/2013	5.60	97,300	15.20	TLC-107 SONDA 1
22/10/2013	5.80	98,500	15.20	TLC-107 SONDA 1
22/10/2013	6.00	100,100	15.20	TLC-107 SONDA 1
22/10/2013	6.50	103,000	15.20	TLC-107 SONDA 1
22/10/2013	7.00	104,600	15.20	TLC-107 SONDA 1
22/10/2013	7.50	105,800	15.20	TLC-107 SONDA 1
22/10/2013	8.00	107,700	15.20	TLC-107 SONDA 1
22/10/2013	8.50	110,800	15.20	TLC-107 SONDA 1
22/10/2013	9.00	118,600	15.20	TLC-107 SONDA 1
22/10/2013	9.50	122,600	15.20	TLC-107 SONDA 1
22/10/2013	10.00	131,100	15.10	TLC-107 SONDA 1
22/10/2013	10.50	138,800	15.10	TLC-107 SONDA 1
22/10/2013	11.00	148,300	15.10	TLC-107 SONDA 1
22/10/2013	11.50	269,800	15.20	TLC-107 SONDA 1
22/10/2013	12.00	270,700	15.20	TLC-107 SONDA 1
22/10/2013	12.50	270,800	15.20	TLC-107 SONDA 1
22/10/2013	13.00	270,800	15.20	TLC-107 SONDA 1
22/10/2013	13.50	270,600	15.20	TLC-107 SONDA 1
22/10/2013	14.00	270,600	15.20	TLC-107 SONDA 1
22/10/2013	15.00	265,500	15.20	TLC-107 SONDA 1
22/10/2013	16.00	265,100	15.20	TLC-107 SONDA 1
22/10/2013	17.00	263,800	15.20	TLC-107 SONDA 1
22/10/2013	18.00	263,400	15.20	TLC-107 SONDA 1
22/10/2013	19.00	262,400	15.20	TLC-107 SONDA 1
22/10/2013	20.00	260,800	15.20	TLC-107 SONDA 1
22/10/2013	21.00	260,800	15.20	TLC-107 SONDA 1
22/10/2013	26.00	260,000	15.10	TLC-107 SONDA 1
22/10/2013	30.47	238,300	15.10	TLC-107 SONDA 1
22/11/2013	0.70	30,900	15.80	TLC-107 SONDA 1
22/11/2013	0.90	30,800	15.40	TLC-107 SONDA 1
22/11/2013	1.10	31,400	15.30	TLC-107 SONDA 1
22/11/2013	1.30	28,600	15.30	TLC-107 SONDA 1
22/11/2013	1.50	28,000	15.30	TLC-107 SONDA 1
22/11/2013	1.70	27,600	15.20	TLC-107 SONDA 1
22/11/2013	1.90	27,400	15.20	TLC-107 SONDA 1
22/11/2013	2.10	27,900	15.20	TLC-107 SONDA 1
22/11/2013	2.30	28,900	15.20	TLC-107 SONDA 1
22/11/2013	2.50	29,200	15.20	TLC-107 SONDA 1
22/11/2013	2.70	29,300	15.20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/11/2013	2.90	29,500	15.20	TLC-107 SONDA 1
22/11/2013	3.10	29,800	15.20	TLC-107 SONDA 1
22/11/2013	3.30	29,900	15.20	TLC-107 SONDA 1
22/11/2013	3.50	30,000	15.20	TLC-107 SONDA 1
22/11/2013	4.00	30,900	15.20	TLC-107 SONDA 1
22/11/2013	4.50	31,600	15.20	TLC-107 SONDA 1
22/11/2013	5.50	32,900	15.20	TLC-107 SONDA 1
22/11/2013	6.00	34,100	15.20	TLC-107 SONDA 1
22/11/2013	6.50	35,100	15.20	TLC-107 SONDA 1
22/11/2013	7.00	35,400	15.20	TLC-107 SONDA 1
22/11/2013	8.00	37,300	15.20	TLC-107 SONDA 1
22/11/2013	9.00	41,600	15.20	TLC-107 SONDA 1
22/11/2013	10.00	45,700	15.10	TLC-107 SONDA 1
22/11/2013	10.20	91,150	15.10	TLC-107 SONDA 1
22/11/2013	10.40	93,200	15.10	TLC-107 SONDA 1
22/11/2013	10.60	101,300	15.00	TLC-107 SONDA 1
22/11/2013	10.80	109,700	15.00	TLC-107 SONDA 1
22/11/2013	11.00	120,900	15.00	TLC-107 SONDA 1
22/11/2013	11.20	138,600	15.00	TLC-107 SONDA 1
22/11/2013	11.40	163,200	15.00	TLC-107 SONDA 1
22/11/2013	11.60	177,300	15.00	TLC-107 SONDA 1
22/11/2013	11.80	187,700	15.20	TLC-107 SONDA 1
22/11/2013	12.00	194,200	15.20	TLC-107 SONDA 1
22/11/2013	12.20	206,800	15.20	TLC-107 SONDA 1
22/11/2013	12.40	210,600	15.20	TLC-107 SONDA 1
22/11/2013	12.60	211,600	15.20	TLC-107 SONDA 1
22/11/2013	12.80	212,200	15.20	TLC-107 SONDA 1
22/11/2013	13.00	212,400	15.20	TLC-107 SONDA 1
22/11/2013	13.50	212,500	15.20	TLC-107 SONDA 1
22/11/2013	14.00	210,600	15.20	TLC-107 SONDA 1
22/11/2013	14.50	206,400	15.20	TLC-107 SONDA 1
22/11/2013	15.00	203,100	15.20	TLC-107 SONDA 1
22/11/2013	15.50	199,200	15.20	TLC-107 SONDA 1
22/11/2013	16.00	194,900	15.20	TLC-107 SONDA 1
22/11/2013	16.50	191,800	15.20	TLC-107 SONDA 1
22/11/2013	17.00	185,000	15.20	TLC-107 SONDA 1
22/11/2013	18.00	181,400	15.20	TLC-107 SONDA 1
22/11/2013	19.00	174,400	15.20	TLC-107 SONDA 1
22/11/2013	20.00	163,500	15.20	TLC-107 SONDA 1
22/11/2013	21.00	157,800	15.20	TLC-107 SONDA 1
22/11/2013	22.00	147,800	15.20	TLC-107 SONDA 1
22/11/2013	23.00	149,100	15.10	TLC-107 SONDA 1
22/11/2013	24.00	144,500	15.10	TLC-107 SONDA 1
22/11/2013	25.00	140,600	15.10	TLC-107 SONDA 1
22/11/2013	26.00	133,400	15.10	TLC-107 SONDA 1
22/11/2013	27.00	127,900	15.10	TLC-107 SONDA 1
22/11/2013	28.00	126,800	15.10	TLC-107 SONDA 1
22/11/2013	29.00	126,800	15.10	TLC-107 SONDA 1
22/11/2013	30.00	204,800	15.10	TLC-107 SONDA 1
16/01/2014	0.80	51,300	15.70	ALT FTC
16/01/2014	1.00	51,600	15.40	ALT FTC
16/01/2014	1.50	51,600	15.40	ALT FTC
16/01/2014	2.00	51,100	15.40	ALT FTC
16/01/2014	2.50	51,800	15.40	ALT FTC
16/01/2014	3.00	52,300	15.40	ALT FTC
16/01/2014	4.00	53,500	15.40	ALT FTC
16/01/2014	5.00	55,600	15.30	ALT FTC
16/01/2014	6.00	57,500	15.30	ALT FTC
16/01/2014	7.00	57,900	15.30	ALT FTC
16/01/2014	8.00	59,000	15.30	ALT FTC
16/01/2014	9.00	62,400	15.30	ALT FTC
16/01/2014	10.00	64,700	15.30	ALT FTC
16/01/2014	11.00	68,900	15.20	ALT FTC
16/01/2014	11.20	71,800	15.20	ALT FTC

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/01/2014	11.40	75,600	15.20	ALT FTC
16/01/2014	11.60	127,700	15.00	ALT FTC
16/01/2014	11.80	230,200	15.30	ALT FTC
16/01/2014	12.00	230,000	15.30	ALT FTC
16/01/2014	12.20	230,600	15.30	ALT FTC
16/01/2014	12.40	230,200	15.30	ALT FTC
16/01/2014	12.60	230,600	15.30	ALT FTC
16/01/2014	12.80	231,300	15.30	ALT FTC
16/01/2014	13.00	232,000	15.30	ALT FTC
16/01/2014	13.50	232,000	15.30	ALT FTC
16/01/2014	14.00	232,000	15.30	ALT FTC
16/01/2014	15.00	232,000	15.30	ALT FTC
16/01/2014	16.00	232,700	15.30	ALT FTC
16/01/2014	17.00	233,700	15.30	ALT FTC
16/01/2014	18.00	234,000	15.30	ALT FTC
16/01/2014	19.00	232,700	15.30	ALT FTC
16/01/2014	20.00	232,700	15.30	ALT FTC
16/01/2014	21.00	234,700	15.30	ALT FTC
16/01/2014	22.00	234,000	15.30	ALT FTC
16/01/2014	24.00	235,400	15.30	ALT FTC
16/01/2014	26.00	236,100	15.20	ALT FTC
16/01/2014	28.00	236,100	15.20	ALT FTC
16/01/2014	29.00	236,800	15.20	ALT FTC
16/01/2014	29.50	236,800	15.20	ALT FTC
16/01/2014	29.70	234,700	15.20	ALT FTC
16/01/2014	29.80	128,000	15.20	ALT FTC
23/03/2014	0.80	47,000	15.40	TLC-107 SONDA 1
23/03/2014	1.00	47,700	15.40	TLC-107 SONDA 1
23/03/2014	1.20	48,100	15.40	TLC-107 SONDA 1
23/03/2014	1.40	48,500	15.40	TLC-107 SONDA 1
23/03/2014	1.60	48,800	15.30	TLC-107 SONDA 1
23/03/2014	1.80	49,000	15.30	TLC-107 SONDA 1
23/03/2014	2.00	49,400	15.30	TLC-107 SONDA 1
23/03/2014	2.50	50,200	15.30	TLC-107 SONDA 1
23/03/2014	3.00	51,500	15.30	TLC-107 SONDA 1
23/03/2014	3.50	52,200	15.30	TLC-107 SONDA 1
23/03/2014	4.00	53,900	15.30	TLC-107 SONDA 1
23/03/2014	5.00	55,800	15.30	TLC-107 SONDA 1
23/03/2014	6.00	57,900	15.30	TLC-107 SONDA 1
23/03/2014	7.00	60,400	15.30	TLC-107 SONDA 1
23/03/2014	8.00	64,100	15.30	TLC-107 SONDA 1
23/03/2014	10.00	69,600	15.20	TLC-107 SONDA 1
23/03/2014	10.50	75,300	15.20	TLC-107 SONDA 1
23/03/2014	11.00	79,500	15.20	TLC-107 SONDA 1
23/03/2014	11.20	82,800	15.20	TLC-107 SONDA 1
23/03/2014	11.40	88,300	15.20	TLC-107 SONDA 1
23/03/2014	11.60	111,900	15.10	TLC-107 SONDA 1
23/03/2014	11.80	251,800	15.20	TLC-107 SONDA 1
23/03/2014	12.00	262,400	15.30	TLC-107 SONDA 1
23/03/2014	12.20	269,900	15.30	TLC-107 SONDA 1
23/03/2014	12.40	286,500	15.30	TLC-107 SONDA 1
23/03/2014	12.60	294,600	15.30	TLC-107 SONDA 1
23/03/2014	12.80	294,600	15.30	TLC-107 SONDA 1
23/03/2014	13.00	305,500	15.30	TLC-107 SONDA 1
23/03/2014	13.50	317,100	15.30	TLC-107 SONDA 1
23/03/2014	14.00	321,100	15.30	TLC-107 SONDA 1
23/03/2014	15.00	326,200	15.30	TLC-107 SONDA 1
23/03/2014	16.00	333,600	15.30	TLC-107 SONDA 1
23/03/2014	17.00	345,800	15.30	TLC-107 SONDA 1
23/03/2014	18.00	361,000	15.30	TLC-107 SONDA 1
23/03/2014	19.00	355,900	15.30	TLC-107 SONDA 1
23/03/2014	20.00	372,300	15.30	TLC-107 SONDA 1
23/03/2014	21.00	371,000	15.30	TLC-107 SONDA 1
23/03/2014	22.00	373,100	15.30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/03/2014	24.00	385,400	15.30	TLC-107 SONDA 1
23/03/2014	26.00	381,100	15.20	TLC-107 SONDA 1
23/03/2014	28.00	387,800	15.20	TLC-107 SONDA 1
23/03/2014	29.50	345,600	15.20	TLC-107 SONDA 1
23/03/2014	29.85	160,700	15.20	TLC-107 SONDA 1
17/04/2014	0.80	145,400	15.40	TLC-107 SONDA 1
17/04/2014	1.00	146,000	15.40	TLC-107 SONDA 1
17/04/2014	1.20	146,500	15.40	TLC-107 SONDA 1
17/04/2014	1.40	146,400	15.40	TLC-107 SONDA 1
17/04/2014	1.60	146,600	15.40	TLC-107 SONDA 1
17/04/2014	2.00	146,600	15.40	TLC-107 SONDA 1
17/04/2014	2.50	147,700	15.30	TLC-107 SONDA 1
17/04/2014	3.00	149,300	15.40	TLC-107 SONDA 1
17/04/2014	3.50	150,800	15.30	TLC-107 SONDA 1
17/04/2014	4.00	152,600	15.30	TLC-107 SONDA 1
17/04/2014	4.50	154,500	15.30	TLC-107 SONDA 1
17/04/2014	5.00	154,700	15.30	TLC-107 SONDA 1
17/04/2014	5.50	154,600	15.30	TLC-107 SONDA 1
17/04/2014	6.00	158,000	15.30	TLC-107 SONDA 1
17/04/2014	6.50	159,900	15.30	TLC-107 SONDA 1
17/04/2014	7.00	161,800	15.30	TLC-107 SONDA 1
17/04/2014	8.00	167,300	15.30	TLC-107 SONDA 1
17/04/2014	9.00	167,600	15.30	TLC-107 SONDA 1
17/04/2014	10.00	171,600	15.30	TLC-107 SONDA 1
17/04/2014	11.00	176,400	15.30	TLC-107 SONDA 1
17/04/2014	11.20	178,500	15.20	TLC-107 SONDA 1
17/04/2014	11.40	184,000	15.20	TLC-107 SONDA 1
17/04/2014	11.60	203,400	15.20	TLC-107 SONDA 1
17/04/2014	11.80	213,500	15.20	TLC-107 SONDA 1
17/04/2014	12.00	400,000	15.30	TLC-107 SONDA 1
17/04/2014	12.20	400,000	15.30	TLC-107 SONDA 1
17/04/2014	12.40	400,000	15.30	TLC-107 SONDA 1
17/04/2014	12.60	400,000	15.30	TLC-107 SONDA 1
17/04/2014	12.80	400,000	15.30	TLC-107 SONDA 1
17/04/2014	13.00	400,000	15.30	TLC-107 SONDA 1
17/04/2014	13.50	400,000	15.30	TLC-107 SONDA 1
17/04/2014	14.00	400,000	15.30	TLC-107 SONDA 1
17/04/2014	15.00	400,000	15.30	TLC-107 SONDA 1
17/04/2014	16.00	400,000	15.30	TLC-107 SONDA 1
17/04/2014	17.00	400,000	15.30	TLC-107 SONDA 1
17/04/2014	18.00	400,000	15.30	TLC-107 SONDA 1
17/04/2014	19.00	400,000	15.30	TLC-107 SONDA 1
17/04/2014	20.00	400,000	15.30	TLC-107 SONDA 1
17/04/2014	21.00	400,000	15.30	TLC-107 SONDA 1
17/04/2014	23.00	400,000	15.30	TLC-107 SONDA 1
17/04/2014	25.00	400,000	15.30	TLC-107 SONDA 1
17/04/2014	27.00	400,000	15.20	TLC-107 SONDA 1
17/04/2014	29.00	400,000	15.20	TLC-107 SONDA 1
17/04/2014	29.80	281,500	15.20	TLC-107 SONDA 1
17/05/2014	0.60	94,200	15.40	TLC-107 SONDA 1
17/05/2014	0.80	96,800	15.40	TLC-107 SONDA 1
17/05/2014	1.00	98,000	15.40	TLC-107 SONDA 1
17/05/2014	1.50	99,300	15.40	TLC-107 SONDA 1
17/05/2014	2.00	99,900	15.40	TLC-107 SONDA 1
17/05/2014	2.50	101,000	15.30	TLC-107 SONDA 1
17/05/2014	3.00	102,100	15.30	TLC-107 SONDA 1
17/05/2014	3.50	104,100	15.30	TLC-107 SONDA 1
17/05/2014	4.00	104,600	15.30	TLC-107 SONDA 1
17/05/2014	4.50	106,900	15.30	TLC-107 SONDA 1
17/05/2014	5.00	107,000	15.30	TLC-107 SONDA 1
17/05/2014	6.00	110,700	15.30	TLC-107 SONDA 1
17/05/2014	7.00	112,400	15.30	TLC-107 SONDA 1
17/05/2014	8.00	116,600	15.30	TLC-107 SONDA 1
17/05/2014	9.00	118,100	15.30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/05/2014	10.00	122,100	15.30	TLC-107 SONDA 1
17/05/2014	11.00	129,000	15.20	TLC-107 SONDA 1
17/05/2014	11.20	131,400	15.20	TLC-107 SONDA 1
17/05/2014	11.40	139,500	15.20	TLC-107 SONDA 1
17/05/2014	11.60	138,100	15.20	TLC-107 SONDA 1
17/05/2014	11.80	155,700	15.10	TLC-107 SONDA 1
17/05/2014	12.00	263,000	15.30	TLC-107 SONDA 1
17/05/2014	12.20	269,500	15.30	TLC-107 SONDA 1
17/05/2014	12.40	266,200	15.30	TLC-107 SONDA 1
17/05/2014	12.60	270,600	15.30	TLC-107 SONDA 1
17/05/2014	12.80	271,100	15.30	TLC-107 SONDA 1
17/05/2014	13.00	271,300	15.30	TLC-107 SONDA 1
17/05/2014	13.50	273,900	15.30	TLC-107 SONDA 1
17/05/2014	14.00	283,400	15.30	TLC-107 SONDA 1
17/05/2014	15.00	282,800	15.30	TLC-107 SONDA 1
17/05/2014	16.00	286,400	15.30	TLC-107 SONDA 1
17/05/2014	17.00	287,100	15.30	TLC-107 SONDA 1
17/05/2014	18.00	292,100	15.30	TLC-107 SONDA 1
17/05/2014	19.00	302,900	15.30	TLC-107 SONDA 1
17/05/2014	20.00	304,600	15.30	TLC-107 SONDA 1
17/05/2014	21.00	306,000	15.30	TLC-107 SONDA 1
17/05/2014	22.00	313,000	15.30	TLC-107 SONDA 1
17/05/2014	23.00	322,500	15.30	TLC-107 SONDA 1
17/05/2014	24.00	323,700	15.30	TLC-107 SONDA 1
17/05/2014	25.00	326,200	15.20	TLC-107 SONDA 1
17/05/2014	26.00	332,000	15.20	TLC-107 SONDA 1
17/05/2014	27.00	332,800	15.20	TLC-107 SONDA 1
17/05/2014	28.00	333,700	15.20	TLC-107 SONDA 1
17/05/2014	29.00	337,900	15.20	TLC-107 SONDA 1
17/05/2014	29.30	227,500	15.20	TLC-107 SONDA 1
10/06/2014	0.60	36,100	15.40	TLC-107 SONDA 1
10/06/2014	0.80	35,900	15.40	TLC-107 SONDA 1
10/06/2014	1.00	35,000	15.40	TLC-107 SONDA 1
10/06/2014	1.20	34,500	15.40	TLC-107 SONDA 1
10/06/2014	1.40	32,700	15.40	TLC-107 SONDA 1
10/06/2014	1.60	32,600	15.40	TLC-107 SONDA 1
10/06/2014	1.80	32,500	15.40	TLC-107 SONDA 1
10/06/2014	2.00	32,400	15.40	TLC-107 SONDA 1
10/06/2014	2.50	32,400	15.40	TLC-107 SONDA 1
10/06/2014	3.00	32,500	15.40	TLC-107 SONDA 1
10/06/2014	3.50	32,500	15.40	TLC-107 SONDA 1
10/06/2014	4.00	32,500	15.30	TLC-107 SONDA 1
10/06/2014	5.00	33,000	15.40	TLC-107 SONDA 1
10/06/2014	6.00	34,300	15.30	TLC-107 SONDA 1
10/06/2014	7.00	34,600	15.30	TLC-107 SONDA 1
10/06/2014	8.00	35,400	15.30	TLC-107 SONDA 1
10/06/2014	10.00	36,600	15.30	TLC-107 SONDA 1
10/06/2014	10.50	41,800	15.30	TLC-107 SONDA 1
10/06/2014	11.00	44,700	15.30	TLC-107 SONDA 1
10/06/2014	11.20	55,400	15.20	TLC-107 SONDA 1
10/06/2014	11.40	75,200	15.10	TLC-107 SONDA 1
10/06/2014	11.60	95,100	15.00	TLC-107 SONDA 1
10/06/2014	11.80	112,500	15.30	TLC-107 SONDA 1
10/06/2014	12.00	111,500	15.30	TLC-107 SONDA 1
10/06/2014	12.20	118,300	15.30	TLC-107 SONDA 1
10/06/2014	12.40	114,800	15.30	TLC-107 SONDA 1
10/06/2014	12.60	113,400	15.30	TLC-107 SONDA 1
10/06/2014	12.80	112,300	15.30	TLC-107 SONDA 1
10/06/2014	13.00	113,200	15.30	TLC-107 SONDA 1
10/06/2014	13.50	112,800	15.30	TLC-107 SONDA 1
10/06/2014	14.00	112,600	15.30	TLC-107 SONDA 1
10/06/2014	14.50	112,300	15.30	TLC-107 SONDA 1
10/06/2014	15.00	112,000	15.30	TLC-107 SONDA 1
10/06/2014	16.00	111,700	15.30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
10/06/2014	17.00	111,300	15.30	TLC-107 SONDA 1
10/06/2014	19.00	111,700	15.30	TLC-107 SONDA 1
10/06/2014	21.00	112,100	15.30	TLC-107 SONDA 1
10/06/2014	23.00	112,100	15.30	TLC-107 SONDA 1
10/06/2014	25.00	113,000	15.20	TLC-107 SONDA 1
10/06/2014	26.00	126,700	15.20	TLC-107 SONDA 1
10/06/2014	27.00	125,000	15.20	TLC-107 SONDA 1
10/06/2014	28.00	125,400	15.20	TLC-107 SONDA 1
10/06/2014	29.00	127,000	15.20	TLC-107 SONDA 1
10/06/2014	29.80	108,500	15.20	TLC-107 SONDA 1
17/07/2014	0.80	45,700	15.30	TLC-107 SONDA 1
17/07/2014	1.00	46,700	15.30	TLC-107 SONDA 1
17/07/2014	1.50	47,600	15.30	TLC-107 SONDA 1
17/07/2014	2.50	48,400	15.40	TLC-107 SONDA 1
17/07/2014	3.50	49,700	15.40	TLC-107 SONDA 1
17/07/2014	4.50	50,700	15.30	TLC-107 SONDA 1
17/07/2014	6.00	51,400	15.30	TLC-107 SONDA 1
17/07/2014	8.00	54,100	15.30	TLC-107 SONDA 1
17/07/2014	10.00	56,500	15.30	TLC-107 SONDA 1
17/07/2014	11.00	62,500	15.20	TLC-107 SONDA 1
17/07/2014	11.50	96,400	15.00	TLC-107 SONDA 1
17/07/2014	12.00	122,400	15.30	TLC-107 SONDA 1
17/07/2014	12.50	122,600	15.30	TLC-107 SONDA 1
17/07/2014	13.00	123,500	15.30	TLC-107 SONDA 1
17/07/2014	14.00	124,400	15.30	TLC-107 SONDA 1
17/07/2014	16.00	126,200	15.30	TLC-107 SONDA 1
17/07/2014	18.00	128,600	15.30	TLC-107 SONDA 1
17/07/2014	20.00	130,000	15.30	TLC-107 SONDA 1
17/07/2014	22.00	130,600	15.30	TLC-107 SONDA 1
17/07/2014	24.00	131,500	15.30	TLC-107 SONDA 1
17/07/2014	26.00	132,700	15.20	TLC-107 SONDA 1
17/07/2014	28.00	132,900	15.20	TLC-107 SONDA 1
17/07/2014	30.00	95,300	15.20	TLC-107 SONDA 1
12/08/2014	0.70	60,300	15.40	TLC-107 SONDA 1
12/08/2014	1.00	61,000	15.40	TLC-107 SONDA 1
12/08/2014	3.00	63,700	15.40	TLC-107 SONDA 1
12/08/2014	5.00	65,900	15.30	TLC-107 SONDA 1
12/08/2014	7.00	67,300	15.30	TLC-107 SONDA 1
12/08/2014	9.00	70,300	15.30	TLC-107 SONDA 1
12/08/2014	10.00	71,900	15.30	TLC-107 SONDA 1
12/08/2014	11.00	81,500	15.20	TLC-107 SONDA 1
12/08/2014	11.50	116,900	15.20	TLC-107 SONDA 1
12/08/2014	12.00	161,000	15.30	TLC-107 SONDA 1
12/08/2014	12.20	160,800	15.30	TLC-107 SONDA 1
12/08/2014	12.40	162,000	15.30	TLC-107 SONDA 1
12/08/2014	12.60	162,700	15.30	TLC-107 SONDA 1
12/08/2014	12.80	163,700	15.30	TLC-107 SONDA 1
12/08/2014	13.00	166,000	15.30	TLC-107 SONDA 1
12/08/2014	13.20	170,800	15.30	TLC-107 SONDA 1
12/08/2014	13.40	173,500	15.30	TLC-107 SONDA 1
12/08/2014	13.60	177,400	15.30	TLC-107 SONDA 1
12/08/2014	13.80	182,600	15.30	TLC-107 SONDA 1
12/08/2014	14.00	186,700	15.30	TLC-107 SONDA 1
12/08/2014	14.20	191,700	15.30	TLC-107 SONDA 1
12/08/2014	14.40	197,900	15.30	TLC-107 SONDA 1
12/08/2014	14.60	205,400	15.30	TLC-107 SONDA 1
12/08/2014	14.80	208,400	15.30	TLC-107 SONDA 1
12/08/2014	15.00	214,500	15.30	TLC-107 SONDA 1
12/08/2014	15.50	229,800	15.30	TLC-107 SONDA 1
12/08/2014	16.00	244,700	15.30	TLC-107 SONDA 1
12/08/2014	16.50	252,100	15.30	TLC-107 SONDA 1
12/08/2014	17.00	270,300	15.30	TLC-107 SONDA 1
12/08/2014	18.00	305,900	15.30	TLC-107 SONDA 1
12/08/2014	19.00	318,600	15.30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/08/2014	20.00	333,500	15.30	TLC-107 SONDA 1
12/08/2014	22.00	344,600	15.30	TLC-107 SONDA 1
12/08/2014	24.00	353,300	15.30	TLC-107 SONDA 1
12/08/2014	26.00	360,300	15.20	TLC-107 SONDA 1
12/08/2014	28.00	365,200	15.20	TLC-107 SONDA 1
12/08/2014	29.00	368,200	15.20	TLC-107 SONDA 1
12/08/2014	29.92	204,200	15.20	TLC-107 SONDA 1
06/09/2014	0.70	51,700	15.00	TLC-107 SONDA 1
06/09/2014	1.00	52,700	15.30	TLC-107 SONDA 1
06/09/2014	2.00	53,300	15.30	TLC-107 SONDA 1
06/09/2014	3.00	53,900	15.30	TLC-107 SONDA 1
06/09/2014	5.00	58,000	15.30	TLC-107 SONDA 1
06/09/2014	7.00	59,100	15.30	TLC-107 SONDA 1
06/09/2014	9.00	61,700	15.30	TLC-107 SONDA 1
06/09/2014	10.00	62,100	15.30	TLC-107 SONDA 1
06/09/2014	11.00	65,300	15.20	TLC-107 SONDA 1
06/09/2014	11.20	64,300	15.20	TLC-107 SONDA 1
06/09/2014	11.40	65,700	15.20	TLC-107 SONDA 1
06/09/2014	11.60	67,100	15.20	TLC-107 SONDA 1
06/09/2014	11.80	71,600	15.20	TLC-107 SONDA 1
06/09/2014	12.00	141,100	15.30	TLC-107 SONDA 1
06/09/2014	12.20	144,200	15.30	TLC-107 SONDA 1
06/09/2014	12.40	146,100	15.30	TLC-107 SONDA 1
06/09/2014	12.60	149,900	15.30	TLC-107 SONDA 1
06/09/2014	12.80	152,600	15.30	TLC-107 SONDA 1
06/09/2014	13.00	155,900	15.30	TLC-107 SONDA 1
06/09/2014	13.20	161,100	15.30	TLC-107 SONDA 1
06/09/2014	13.40	164,900	15.30	TLC-107 SONDA 1
06/09/2014	13.60	174,600	15.30	TLC-107 SONDA 1
06/09/2014	13.80	182,800	15.30	TLC-107 SONDA 1
06/09/2014	14.00	190,900	15.30	TLC-107 SONDA 1
06/09/2014	14.50	204,000	15.30	TLC-107 SONDA 1
06/09/2014	15.00	208,800	15.30	TLC-107 SONDA 1
06/09/2014	16.00	217,900	15.30	TLC-107 SONDA 1
06/09/2014	17.00	221,800	15.30	TLC-107 SONDA 1
06/09/2014	19.00	228,600	15.30	TLC-107 SONDA 1
06/09/2014	21.00	237,700	15.30	TLC-107 SONDA 1
06/09/2014	23.00	238,600	15.30	TLC-107 SONDA 1
06/09/2014	25.00	240,600	15.30	TLC-107 SONDA 1
06/09/2014	27.00	241,900	15.20	TLC-107 SONDA 1
06/09/2014	28.00	245,900	15.20	TLC-107 SONDA 1
06/09/2014	29.00	246,200	15.20	TLC-107 SONDA 1
06/09/2014	29.80	141,100	15.20	TLC-107 SONDA 1
07/10/2014	0.70	86,900	16.00	TLC-107 SONDA 1
07/10/2014	1.00	91,200	15.70	TLC-107 SONDA 1
07/10/2014	1.50	95,000	15.40	TLC-107 SONDA 1
07/10/2014	2.00	99,000	15.40	TLC-107 SONDA 1
07/10/2014	2.50	99,300	15.40	TLC-107 SONDA 1
07/10/2014	3.00	100,700	15.30	TLC-107 SONDA 1
07/10/2014	3.50	101,900	15.30	TLC-107 SONDA 1
07/10/2014	4.00	106,900	15.30	TLC-107 SONDA 1
07/10/2014	4.50	109,000	15.30	TLC-107 SONDA 1
07/10/2014	5.00	109,700	15.30	TLC-107 SONDA 1
07/10/2014	5.50	110,600	15.30	TLC-107 SONDA 1
07/10/2014	6.00	112,400	15.30	TLC-107 SONDA 1
07/10/2014	6.50	112,600	15.30	TLC-107 SONDA 1
07/10/2014	7.00	113,800	15.30	TLC-107 SONDA 1
07/10/2014	7.50	115,600	15.30	TLC-107 SONDA 1
07/10/2014	8.00	117,900	15.30	TLC-107 SONDA 1
07/10/2014	8.50	119,200	15.30	TLC-107 SONDA 1
07/10/2014	9.00	120,900	15.30	TLC-107 SONDA 1
07/10/2014	9.50	121,000	15.30	TLC-107 SONDA 1
07/10/2014	10.00	122,200	15.30	TLC-107 SONDA 1
07/10/2014	10.50	123,600	15.30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/10/2014	11.00	124,900	15.30	TLC-107 SONDA 1
07/10/2014	11.50	134,000	15.20	TLC-107 SONDA 1
07/10/2014	11.70	141,100	15.20	TLC-107 SONDA 1
07/10/2014	11.90	393,000	15.30	TLC-107 SONDA 1
07/10/2014	12.00	400,000	15.30	TLC-107 SONDA 1
07/10/2014	12.20	400,000	15.30	TLC-107 SONDA 1
07/10/2014	12.40	400,000	15.30	TLC-107 SONDA 1
07/10/2014	12.60	400,000	15.30	TLC-107 SONDA 1
07/10/2014	12.80	400,000	15.30	TLC-107 SONDA 1
07/10/2014	13.00	400,000	15.30	TLC-107 SONDA 1
07/10/2014	14.00	400,000	15.30	TLC-107 SONDA 1
07/10/2014	15.00	400,000	15.30	TLC-107 SONDA 1
07/10/2014	17.00	400,000	15.30	TLC-107 SONDA 1
07/10/2014	19.00	400,000	15.30	TLC-107 SONDA 1
07/10/2014	21.00	400,000	15.30	TLC-107 SONDA 1
07/10/2014	23.00	400,000	15.30	TLC-107 SONDA 1
07/10/2014	25.00	400,000	15.20	TLC-107 SONDA 1
07/10/2014	27.00	400,000	15.20	TLC-107 SONDA 1
07/10/2014	29.00	400,000	15.20	TLC-107 SONDA 1
07/10/2014	29.80	215,000	15.20	TLC-107 SONDA 1
04/11/2014	0.60	50,300	15.40	TLC-107 SONDA 1
04/11/2014	1.00	52,300	15.40	TLC-107 SONDA 1
04/11/2014	1.50	52,500	15.30	TLC-107 SONDA 1
04/11/2014	2.00	52,400	15.30	TLC-107 SONDA 1
04/11/2014	2.50	52,700	15.30	TLC-107 SONDA 1
04/11/2014	3.00	53,000	15.30	TLC-107 SONDA 1
04/11/2014	3.50	54,200	15.30	TLC-107 SONDA 1
04/11/2014	4.00	58,800	15.30	TLC-107 SONDA 1
04/11/2014	4.50	60,100	15.30	TLC-107 SONDA 1
04/11/2014	5.00	60,600	15.30	TLC-107 SONDA 1
04/11/2014	5.50	62,000	15.30	TLC-107 SONDA 1
04/11/2014	6.00	63,200	15.30	TLC-107 SONDA 1
04/11/2014	6.50	63,800	15.30	TLC-107 SONDA 1
04/11/2014	7.50	64,500	15.30	TLC-107 SONDA 1
04/11/2014	8.50	65,500	15.30	TLC-107 SONDA 1
04/11/2014	9.50	66,700	15.30	TLC-107 SONDA 1
04/11/2014	10.50	68,600	15.30	TLC-107 SONDA 1
04/11/2014	11.50	76,900	15.20	TLC-107 SONDA 1
04/11/2014	11.70	93,800	15.10	TLC-107 SONDA 1
04/11/2014	11.90	173,000	15.30	TLC-107 SONDA 1
04/11/2014	12.10	184,400	15.30	TLC-107 SONDA 1
04/11/2014	12.30	192,900	15.30	TLC-107 SONDA 1
04/11/2014	12.50	202,000	15.30	TLC-107 SONDA 1
04/11/2014	13.00	213,900	15.30	TLC-107 SONDA 1
04/11/2014	14.00	230,100	15.30	TLC-107 SONDA 1
04/11/2014	15.00	241,900	15.30	TLC-107 SONDA 1
04/11/2014	17.00	254,900	15.30	TLC-107 SONDA 1
04/11/2014	19.00	266,700	15.30	TLC-107 SONDA 1
04/11/2014	21.00	281,900	15.30	TLC-107 SONDA 1
04/11/2014	23.00	300,000	15.30	TLC-107 SONDA 1
04/11/2014	25.00	314,100	15.20	TLC-107 SONDA 1
04/11/2014	27.00	324,400	15.20	TLC-107 SONDA 1
04/11/2014	29.00	334,400	15.20	TLC-107 SONDA 1
04/11/2014	29.90	215,600	15.20	TLC-107 SONDA 1
02/12/2014	7.00	60,100	15.30	TLC-107 SONDA 1
02/12/2014	7.50	63,200	15.30	TLC-107 SONDA 1
02/12/2014	8.00	64,500	15.30	TLC-107 SONDA 1
02/12/2014	9.00	64,900	15.30	TLC-107 SONDA 1
02/12/2014	10.00	65,500	15.30	TLC-107 SONDA 1
02/12/2014	11.00	67,500	15.30	TLC-107 SONDA 1
02/12/2014	11.20	68,300	15.30	TLC-107 SONDA 1
02/12/2014	11.40	73,700	15.10	TLC-107 SONDA 1
02/12/2014	11.60	80,900	15.10	TLC-107 SONDA 1
02/12/2014	11.80	96,200	15.00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/12/2014	12.00	150,500	15.30	TLC-107 SONDA 1
02/12/2014	12.20	148,300	15.30	TLC-107 SONDA 1
02/12/2014	12.40	146,700	15.30	TLC-107 SONDA 1
02/12/2014	12.60	145,800	15.30	TLC-107 SONDA 1
02/12/2014	12.80	145,600	15.30	TLC-107 SONDA 1
02/12/2014	13.00	144,300	15.30	TLC-107 SONDA 1
02/12/2014	13.50	144,100	15.30	TLC-107 SONDA 1
02/12/2014	14.00	143,600	15.30	TLC-107 SONDA 1
02/12/2014	14.50	143,200	15.30	TLC-107 SONDA 1
02/12/2014	15.00	143,000	15.30	TLC-107 SONDA 1
02/12/2014	15.50	142,100	15.30	TLC-107 SONDA 1
02/12/2014	16.00	141,900	15.30	TLC-107 SONDA 1
02/12/2014	17.00	140,500	15.30	TLC-107 SONDA 1
02/12/2014	18.00	140,000	15.30	TLC-107 SONDA 1
02/12/2014	19.00	138,800	15.30	TLC-107 SONDA 1
02/12/2014	20.00	137,800	15.30	TLC-107 SONDA 1
02/12/2014	21.00	136,800	15.30	TLC-107 SONDA 1
02/12/2014	22.00	136,200	15.30	TLC-107 SONDA 1
02/12/2014	23.00	136,000	15.30	TLC-107 SONDA 1
02/12/2014	24.00	136,200	15.30	TLC-107 SONDA 1
02/12/2014	25.00	135,800	15.10	TLC-107 SONDA 1
02/12/2014	26.00	137,000	15.10	TLC-107 SONDA 1
02/12/2014	27.00	136,200	15.10	TLC-107 SONDA 1
02/12/2014	28.00	132,000	15.10	TLC-107 SONDA 1
02/12/2014	29.00	133,300	15.10	TLC-107 SONDA 1
02/12/2014	29.80	96,700	15.10	TLC-107 SONDA 1
02/12/2014	0.70	43,500	15.40	TLC-107 SONDA 1
02/12/2014	1.00	43,700	15.30	TLC-107 SONDA 1
02/12/2014	1.50	43,900	15.30	TLC-107 SONDA 1
02/12/2014	2.00	43,800	15.30	TLC-107 SONDA 1
02/12/2014	3.00	46,600	15.30	TLC-107 SONDA 1
02/12/2014	4.00	51,000	15.30	TLC-107 SONDA 1
02/12/2014	4.50	55,800	15.30	TLC-107 SONDA 1
02/12/2014	5.00	57,200	15.30	TLC-107 SONDA 1
02/12/2014	6.00	60,000	15.30	TLC-107 SONDA 1
02/12/2014	6.50	61,200	15.30	TLC-107 SONDA 1
09/01/2015	0.60	50,700	15.70	TLC-107 SONDA 1
09/01/2015	1.00	50,400	15.40	TLC-107 SONDA 1
09/01/2015	1.50	50,300	15.40	TLC-107 SONDA 1
09/01/2015	2.00	50,400	15.40	TLC-107 SONDA 1
09/01/2015	3.00	51,100	15.40	TLC-107 SONDA 1
09/01/2015	4.00	54,600	15.40	TLC-107 SONDA 1
09/01/2015	4.50	56,100	15.40	TLC-107 SONDA 1
09/01/2015	5.00	56,500	15.40	TLC-107 SONDA 1
09/01/2015	6.00	58,700	15.40	TLC-107 SONDA 1
09/01/2015	7.00	59,100	15.30	TLC-107 SONDA 1
09/01/2015	8.00	60,600	15.30	TLC-107 SONDA 1
09/01/2015	9.00	60,900	15.30	TLC-107 SONDA 1
09/01/2015	10.00	61,500	15.30	TLC-107 SONDA 1
09/01/2015	10.50	61,600	15.30	TLC-107 SONDA 1
09/01/2015	11.00	61,700	15.30	TLC-107 SONDA 1
09/01/2015	11.20	66,900	15.30	TLC-107 SONDA 1
09/01/2015	11.40	65,500	15.30	TLC-107 SONDA 1
09/01/2015	11.60	76,600	15.30	TLC-107 SONDA 1
09/01/2015	11.80	136,100	15.30	TLC-107 SONDA 1
09/01/2015	12.00	152,500	15.40	TLC-107 SONDA 1
09/01/2015	12.20	156,000	15.30	TLC-107 SONDA 1
09/01/2015	12.40	164,900	15.30	TLC-107 SONDA 1
09/01/2015	12.60	167,500	15.30	TLC-107 SONDA 1
09/01/2015	12.80	170,300	15.40	TLC-107 SONDA 1
09/01/2015	13.00	178,000	15.30	TLC-107 SONDA 1
09/01/2015	13.20	178,700	15.40	TLC-107 SONDA 1
09/01/2015	13.40	179,400	15.30	TLC-107 SONDA 1
09/01/2015	13.60	179,600	15.30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/01/2015	13.80	179,900	15.30	TLC-107 SONDA 1
09/01/2015	14.00	181,100	15.30	TLC-107 SONDA 1
09/01/2015	14.50	181,100	15.30	TLC-107 SONDA 1
09/01/2015	15.00	182,100	15.30	TLC-107 SONDA 1
09/01/2015	15.50	185,100	15.30	TLC-107 SONDA 1
09/01/2015	16.00	188,400	15.30	TLC-107 SONDA 1
09/01/2015	16.50	189,800	15.30	TLC-107 SONDA 1
09/01/2015	17.00	189,500	15.30	TLC-107 SONDA 1
09/01/2015	17.50	195,300	15.30	TLC-107 SONDA 1
09/01/2015	18.00	198,200	15.30	TLC-107 SONDA 1
09/01/2015	19.00	202,100	15.30	TLC-107 SONDA 1
09/01/2015	20.00	203,600	15.30	TLC-107 SONDA 1
09/01/2015	21.00	205,900	15.30	TLC-107 SONDA 1
09/01/2015	23.00	214,600	15.30	TLC-107 SONDA 1
09/01/2015	25.00	234,500	15.20	TLC-107 SONDA 1
09/01/2015	27.00	236,900	15.20	TLC-107 SONDA 1
09/01/2015	29.00	239,300	15.20	TLC-107 SONDA 1
09/01/2015	29.90	149,900	15.20	TLC-107 SONDA 1
10/02/2015	24.00	340,000	15.30	TLC-107 SONDA 1
10/02/2015	26.00	357,400	15.20	TLC-107 SONDA 1
10/02/2015	28.00	374,600	15.20	TLC-107 SONDA 1
10/02/2015	29.78	194,700	15.20	TLC-107 SONDA 1
10/02/2015	0.60	45,000	16.00	TLC-107 SONDA 1
10/02/2015	1.00	47,800	15.50	TLC-107 SONDA 1
10/02/2015	1.50	51,300	15.40	TLC-107 SONDA 1
10/02/2015	2.00	51,700	15.40	TLC-107 SONDA 1
10/02/2015	3.00	52,300	15.40	TLC-107 SONDA 1
10/02/2015	4.00	55,700	15.40	TLC-107 SONDA 1
10/02/2015	5.00	57,000	15.40	TLC-107 SONDA 1
10/02/2015	6.00	58,600	15.40	TLC-107 SONDA 1
10/02/2015	7.00	58,400	15.40	TLC-107 SONDA 1
10/02/2015	8.00	60,200	15.40	TLC-107 SONDA 1
10/02/2015	9.00	60,800	15.40	TLC-107 SONDA 1
10/02/2015	10.00	61,400	15.30	TLC-107 SONDA 1
10/02/2015	10.50	62,500	15.30	TLC-107 SONDA 1
10/02/2015	11.00	63,600	15.30	TLC-107 SONDA 1
10/02/2015	11.20	64,100	15.30	TLC-107 SONDA 1
10/02/2015	11.40	70,300	15.30	TLC-107 SONDA 1
10/02/2015	11.60	85,400	15.20	TLC-107 SONDA 1
10/02/2015	11.80	180,300	15.20	TLC-107 SONDA 1
10/02/2015	12.00	200,200	15.40	TLC-107 SONDA 1
10/02/2015	12.50	211,000	15.30	TLC-107 SONDA 1
10/02/2015	13.00	223,000	15.30	TLC-107 SONDA 1
10/02/2015	14.00	240,700	15.30	TLC-107 SONDA 1
10/02/2015	16.00	263,200	15.30	TLC-107 SONDA 1
10/02/2015	18.00	284,300	15.30	TLC-107 SONDA 1
10/02/2015	20.00	304,600	15.30	TLC-107 SONDA 1
10/02/2015	22.00	324,100	15.30	TLC-107 SONDA 1
04/03/2015	0.60	59,400	15.50	TLC-107 SONDA 1
04/03/2015	1.00	61,300	15.40	TLC-107 SONDA 1
04/03/2015	1.50	61,500	15.40	TLC-107 SONDA 1
04/03/2015	2.00	61,600	15.40	TLC-107 SONDA 1
04/03/2015	3.00	62,700	15.40	TLC-107 SONDA 1
04/03/2015	4.00	65,200	15.40	TLC-107 SONDA 1
04/03/2015	5.00	65,700	15.40	TLC-107 SONDA 1
04/03/2015	6.00	67,700	15.40	TLC-107 SONDA 1
04/03/2015	8.00	69,000	15.40	TLC-107 SONDA 1
04/03/2015	10.00	70,000	15.40	TLC-107 SONDA 1
04/03/2015	10.50	70,800	15.30	TLC-107 SONDA 1
04/03/2015	11.00	72,400	15.30	TLC-107 SONDA 1
04/03/2015	11.20	72,300	15.30	TLC-107 SONDA 1
04/03/2015	11.40	76,000	15.30	TLC-107 SONDA 1
04/03/2015	11.60	88,800	15.20	TLC-107 SONDA 1
04/03/2015	11.80	118,500	15.10	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/03/2015	12.00	157,600	15.30	TLC-107 SONDA 1
04/03/2015	12.20	159,200	15.40	TLC-107 SONDA 1
04/03/2015	12.40	159,200	15.40	TLC-107 SONDA 1
04/03/2015	12.60	158,800	15.30	TLC-107 SONDA 1
04/03/2015	12.80	159,800	15.40	TLC-107 SONDA 1
04/03/2015	13.00	158,800	15.40	TLC-107 SONDA 1
04/03/2015	13.20	160,400	15.40	TLC-107 SONDA 1
04/03/2015	13.40	159,300	15.40	TLC-107 SONDA 1
04/03/2015	13.60	159,300	15.40	TLC-107 SONDA 1
04/03/2015	13.80	159,300	15.40	TLC-107 SONDA 1
04/03/2015	14.00	159,500	15.30	TLC-107 SONDA 1
04/03/2015	14.20	160,700	15.40	TLC-107 SONDA 1
04/03/2015	14.40	165,000	15.30	TLC-107 SONDA 1
04/03/2015	14.60	164,800	15.40	TLC-107 SONDA 1
04/03/2015	14.80	165,400	15.40	TLC-107 SONDA 1
04/03/2015	15.00	167,800	15.30	TLC-107 SONDA 1
04/03/2015	15.20	164,800	15.30	TLC-107 SONDA 1
04/03/2015	15.40	166,600	15.40	TLC-107 SONDA 1
04/03/2015	15.60	165,200	15.40	TLC-107 SONDA 1
04/03/2015	15.80	165,800	15.40	TLC-107 SONDA 1
04/03/2015	16.00	165,600	15.30	TLC-107 SONDA 1
04/03/2015	16.50	165,400	15.40	TLC-107 SONDA 1
04/03/2015	17.00	167,800	15.30	TLC-107 SONDA 1
04/03/2015	17.50	167,800	15.30	TLC-107 SONDA 1
04/03/2015	18.00	166,800	15.30	TLC-107 SONDA 1
04/03/2015	18.50	168,900	15.30	TLC-107 SONDA 1
04/03/2015	19.00	182,200	15.30	TLC-107 SONDA 1
04/03/2015	19.50	185,800	15.30	TLC-107 SONDA 1
04/03/2015	20.00	188,100	15.30	TLC-107 SONDA 1
04/03/2015	20.50	188,400	15.30	TLC-107 SONDA 1
04/03/2015	21.00	191,200	15.30	TLC-107 SONDA 1
04/03/2015	21.50	190,700	15.30	TLC-107 SONDA 1
04/03/2015	22.00	191,500	15.30	TLC-107 SONDA 1
04/03/2015	23.00	192,600	15.30	TLC-107 SONDA 1
04/03/2015	24.00	195,900	15.30	TLC-107 SONDA 1
04/03/2015	25.00	197,900	15.30	TLC-107 SONDA 1
04/03/2015	26.00	202,900	15.20	TLC-107 SONDA 1
04/03/2015	27.00	207,100	15.20	TLC-107 SONDA 1
04/03/2015	28.00	210,600	15.20	TLC-107 SONDA 1
04/03/2015	29.00	212,600	15.20	TLC-107 SONDA 1
04/03/2015	29.80	140,900	15.20	TLC-107 SONDA 1
05/05/2015	0.60	74,800	15.50	TLC-107 SONDA 2
05/05/2015	0.80	78,800	15.50	TLC-107 SONDA 2
05/05/2015	1.00	79,300	15.50	TLC-107 SONDA 2
05/05/2015	1.20	80,100	15.50	TLC-107 SONDA 2
05/05/2015	1.50	81,400	15.50	TLC-107 SONDA 2
05/05/2015	1.80	82,600	15.50	TLC-107 SONDA 2
05/05/2015	2.00	82,900	15.50	TLC-107 SONDA 2
05/05/2015	2.50	83,600	15.50	TLC-107 SONDA 2
05/05/2015	3.00	86,100	15.50	TLC-107 SONDA 2
05/05/2015	3.20	92,900	15.50	TLC-107 SONDA 2
05/05/2015	3.40	93,800	15.50	TLC-107 SONDA 2
05/05/2015	3.60	95,000	15.50	TLC-107 SONDA 2
05/05/2015	3.80	98,900	15.50	TLC-107 SONDA 2
05/05/2015	4.00	103,400	15.50	TLC-107 SONDA 2
05/05/2015	4.20	105,100	15.50	TLC-107 SONDA 2
05/05/2015	4.40	105,600	15.50	TLC-107 SONDA 2
05/05/2015	4.60	106,200	15.50	TLC-107 SONDA 2
05/05/2015	4.80	106,000	15.50	TLC-107 SONDA 2
05/05/2015	5.00	106,800	15.50	TLC-107 SONDA 2
05/05/2015	5.50	109,600	15.50	TLC-107 SONDA 2
05/05/2015	6.00	113,300	15.30	TLC-107 SONDA 2
05/05/2015	6.50	113,900	15.30	TLC-107 SONDA 2
05/05/2015	7.00	114,000	15.30	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/05/2015	7.50	118,900	15.30	TLC-107 SONDA 2
05/05/2015	8.00	121,000	15.30	TLC-107 SONDA 2
05/05/2015	8.50	122,300	15.30	TLC-107 SONDA 2
05/05/2015	9.00	122,500	15.30	TLC-107 SONDA 2
05/05/2015	9.50	125,900	15.30	TLC-107 SONDA 2
05/05/2015	10.00	126,500	15.30	TLC-107 SONDA 2
05/05/2015	11.00	130,100	15.30	TLC-107 SONDA 2
05/05/2015	11.20	154,900	15.30	TLC-107 SONDA 2
05/05/2015	11.40	171,900	15.20	TLC-107 SONDA 2
05/05/2015	11.60	209,000	15.10	TLC-107 SONDA 2
05/05/2015	11.80	359,500	15.10	TLC-107 SONDA 2
05/05/2015	12.00	359,000	15.00	TLC-107 SONDA 2
05/05/2015	13.00	355,000	15.50	TLC-107 SONDA 2
05/05/2015	14.00	352,500	15.50	TLC-107 SONDA 2
05/05/2015	15.00	354,900	15.50	TLC-107 SONDA 2
05/05/2015	17.00	353,100	15.50	TLC-107 SONDA 2
05/05/2015	19.00	351,100	15.50	TLC-107 SONDA 2
05/05/2015	21.00	350,100	15.30	TLC-107 SONDA 2
05/05/2015	23.00	351,100	15.30	TLC-107 SONDA 2
05/05/2015	25.00	350,100	15.30	TLC-107 SONDA 2
05/05/2015	27.00	349,600	15.30	TLC-107 SONDA 2
05/05/2015	29.00	349,900	15.30	TLC-107 SONDA 2
05/05/2015	29.80	212,200	15.30	TLC-107 SONDA 2
02/06/2015	0.60	61,200	15.30	TLC-107 SONDA 2
02/06/2015	1.00	61,600	15.50	TLC-107 SONDA 2
02/06/2015	1.20	61,700	15.50	TLC-107 SONDA 2
02/06/2015	1.40	61,900	15.50	TLC-107 SONDA 2
02/06/2015	1.60	62,100	15.50	TLC-107 SONDA 2
02/06/2015	1.80	62,300	15.50	TLC-107 SONDA 2
02/06/2015	2.00	65,300	15.50	TLC-107 SONDA 2
02/06/2015	2.50	65,800	15.50	TLC-107 SONDA 2
02/06/2015	3.00	67,300	15.50	TLC-107 SONDA 2
02/06/2015	3.20	69,300	15.50	TLC-107 SONDA 2
02/06/2015	3.40	71,400	15.50	TLC-107 SONDA 2
02/06/2015	3.60	71,700	15.50	TLC-107 SONDA 2
02/06/2015	3.80	73,100	15.50	TLC-107 SONDA 2
02/06/2015	4.00	75,300	15.50	TLC-107 SONDA 2
02/06/2015	4.20	75,500	15.50	TLC-107 SONDA 2
02/06/2015	4.40	75,900	15.50	TLC-107 SONDA 2
02/06/2015	4.60	77,000	15.50	TLC-107 SONDA 2
02/06/2015	4.80	76,600	15.50	TLC-107 SONDA 2
02/06/2015	5.00	81,000	15.50	TLC-107 SONDA 2
02/06/2015	5.50	83,400	15.30	TLC-107 SONDA 2
02/06/2015	6.00	84,900	15.30	TLC-107 SONDA 2
02/06/2015	6.50	85,200	15.30	TLC-107 SONDA 2
02/06/2015	7.00	83,300	15.30	TLC-107 SONDA 2
02/06/2015	7.50	85,000	15.30	TLC-107 SONDA 2
02/06/2015	8.00	86,700	15.30	TLC-107 SONDA 2
02/06/2015	8.50	88,200	15.30	TLC-107 SONDA 2
02/06/2015	9.00	89,200	15.30	TLC-107 SONDA 2
02/06/2015	9.50	86,100	15.30	TLC-107 SONDA 2
02/06/2015	10.00	88,300	15.30	TLC-107 SONDA 2
02/06/2015	10.50	92,100	15.30	TLC-107 SONDA 2
02/06/2015	11.00	93,900	15.30	TLC-107 SONDA 2
02/06/2015	11.20	91,500	15.30	TLC-107 SONDA 2
02/06/2015	11.40	106,400	15.20	TLC-107 SONDA 2
02/06/2015	11.60	142,700	15.10	TLC-107 SONDA 2
02/06/2015	11.80	200,900	15.10	TLC-107 SONDA 2
02/06/2015	12.00	245,900	15.30	TLC-107 SONDA 2
02/06/2015	12.50	245,700	15.30	TLC-107 SONDA 2
02/06/2015	13.00	245,500	15.50	TLC-107 SONDA 2
02/06/2015	14.00	245,300	15.50	TLC-107 SONDA 2
02/06/2015	16.00	245,300	15.50	TLC-107 SONDA 2
02/06/2015	18.00	244,600	15.50	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/06/2015	20.00	244,300	15.50	TLC-107 SONDA 2
02/06/2015	22.00	244,800	15.30	TLC-107 SONDA 2
02/06/2015	24.00	244,500	15.30	TLC-107 SONDA 2
02/06/2015	26.00	244,300	15.30	TLC-107 SONDA 2
02/06/2015	28.00	243,800	15.30	TLC-107 SONDA 2
02/06/2015	29.80	156,200	15.30	TLC-107 SONDA 2
07/07/2015	0.60	60,300	15.00	TLC-107 SONDA 1
07/07/2015	1.00	62,200	15.30	TLC-107 SONDA 1
07/07/2015	2.00	64,400	15.50	TLC-107 SONDA 1
07/07/2015	3.00	67,900	15.50	TLC-107 SONDA 1
07/07/2015	4.00	77,200	15.30	TLC-107 SONDA 1
07/07/2015	4.50	79,900	15.30	TLC-107 SONDA 1
07/07/2015	5.00	85,600	15.30	TLC-107 SONDA 1
07/07/2015	5.50	84,800	15.30	TLC-107 SONDA 1
07/07/2015	6.00	91,000	15.30	TLC-107 SONDA 1
07/07/2015	6.50	92,400	15.30	TLC-107 SONDA 1
07/07/2015	7.00	93,300	15.30	TLC-107 SONDA 1
07/07/2015	7.50	96,300	15.30	TLC-107 SONDA 1
07/07/2015	8.00	97,300	15.30	TLC-107 SONDA 1
07/07/2015	9.00	100,400	15.30	TLC-107 SONDA 1
07/07/2015	10.00	101,600	15.30	TLC-107 SONDA 1
07/07/2015	11.00	109,200	15.30	TLC-107 SONDA 1
07/07/2015	11.20	112,600	15.30	TLC-107 SONDA 1
07/07/2015	11.40	120,200	15.20	TLC-107 SONDA 1
07/07/2015	11.60	145,000	15.20	TLC-107 SONDA 1
07/07/2015	11.80	187,600	15.10	TLC-107 SONDA 1
07/07/2015	12.00	229,900	15.20	TLC-107 SONDA 1
07/07/2015	13.00	235,200	15.50	TLC-107 SONDA 1
07/07/2015	14.00	235,000	15.50	TLC-107 SONDA 1
07/07/2015	16.00	234,800	15.50	TLC-107 SONDA 1
07/07/2015	18.00	235,200	15.50	TLC-107 SONDA 1
07/07/2015	20.00	235,200	15.50	TLC-107 SONDA 1
07/07/2015	22.00	236,400	15.30	TLC-107 SONDA 1
07/07/2015	24.00	236,200	15.30	TLC-107 SONDA 1
07/07/2015	26.00	236,400	15.30	TLC-107 SONDA 1
07/07/2015	27.00	236,200	15.30	TLC-107 SONDA 1
07/07/2015	28.00	236,000	15.30	TLC-107 SONDA 1
07/07/2015	29.00	236,000	15.30	TLC-107 SONDA 1
07/07/2015	29.80	188,100	15.30	TLC-107 SONDA 1
05/08/2015	0.70	63,912	15.20	SEBA MPS-D3
05/08/2015	1.00	63,819	15.20	SEBA MPS-D3
05/08/2015	1.50	64,022	15.20	SEBA MPS-D3
05/08/2015	2.00	63,883	15.20	SEBA MPS-D3
05/08/2015	2.50	64,080	15.19	SEBA MPS-D3
05/08/2015	3.00	64,173	15.19	SEBA MPS-D3
05/08/2015	3.50	64,127	15.19	SEBA MPS-D3
05/08/2015	4.00	68,870	15.15	SEBA MPS-D3
05/08/2015	4.50	69,161	15.14	SEBA MPS-D3
05/08/2015	5.00	69,301	15.14	SEBA MPS-D3
05/08/2015	5.50	70,353	15.14	SEBA MPS-D3
05/08/2015	6.00	70,296	15.13	SEBA MPS-D3
05/08/2015	6.50	70,883	15.12	SEBA MPS-D3
05/08/2015	7.00	70,953	15.12	SEBA MPS-D3
05/08/2015	7.50	71,650	15.12	SEBA MPS-D3
05/08/2015	8.00	72,168	15.12	SEBA MPS-D3
05/08/2015	8.50	72,849	15.12	SEBA MPS-D3
05/08/2015	9.00	73,001	15.11	SEBA MPS-D3
05/08/2015	9.50	73,380	15.11	SEBA MPS-D3
05/08/2015	10.00	74,327	15.11	SEBA MPS-D3
05/08/2015	10.50	75,603	15.10	SEBA MPS-D3
05/08/2015	11.00	77,768	15.07	SEBA MPS-D3
05/08/2015	11.50	95,494	14.99	SEBA MPS-D3
05/08/2015	11.70	108,075	14.92	SEBA MPS-D3
05/08/2015	11.90	131,768	14.85	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/08/2015	12.10	233,941	15.17	SEBA MPS-D3
05/08/2015	12.50	234,050	15.20	SEBA MPS-D3
05/08/2015	13.00	233,707	15.20	SEBA MPS-D3
05/08/2015	15.00	233,670	15.19	SEBA MPS-D3
05/08/2015	17.00	232,842	15.17	SEBA MPS-D3
05/08/2015	19.00	232,836	15.16	SEBA MPS-D3
05/08/2015	21.00	232,694	15.16	SEBA MPS-D3
05/08/2015	23.00	232,686	15.12	SEBA MPS-D3
05/08/2015	25.00	232,642	15.09	SEBA MPS-D3
05/08/2015	27.00	232,645	15.07	SEBA MPS-D3
05/08/2015	29.00	232,660	15.06	SEBA MPS-D3
05/08/2015	29.75	230,012	15.07	SEBA MPS-D3
01/09/2015	0.80	63,620	15.20	SEBA MPS-D3
01/09/2015	1.50	63,530	15.20	SEBA MPS-D3
01/09/2015	2.00	63,670	15.20	SEBA MPS-D3
01/09/2015	3.00	64,080	15.19	SEBA MPS-D3
01/09/2015	4.00	67,620	15.17	SEBA MPS-D3
01/09/2015	4.50	68,010	15.16	SEBA MPS-D3
01/09/2015	5.00	68,040	15.16	SEBA MPS-D3
01/09/2015	5.50	68,760	15.16	SEBA MPS-D3
01/09/2015	6.00	69,060	15.15	SEBA MPS-D3
01/09/2015	7.00	69,760	15.15	SEBA MPS-D3
01/09/2015	8.00	69,910	15.15	SEBA MPS-D3
01/09/2015	9.00	70,390	15.15	SEBA MPS-D3
01/09/2015	10.00	71,150	15.14	SEBA MPS-D3
01/09/2015	11.00	78,430	15.09	SEBA MPS-D3
01/09/2015	11.20	87,050	15.05	SEBA MPS-D3
01/09/2015	11.40	91,880	15.03	SEBA MPS-D3
01/09/2015	11.60	105,300	14.95	SEBA MPS-D3
01/09/2015	11.80	122,700	14.89	SEBA MPS-D3
01/09/2015	12.00	239,000	15.15	SEBA MPS-D3
01/09/2015	13.00	239,100	15.20	SEBA MPS-D3
01/09/2015	15.00	239,100	15.19	SEBA MPS-D3
01/09/2015	17.00	238,400	15.17	SEBA MPS-D3
01/09/2015	19.00	238,400	15.18	SEBA MPS-D3
01/09/2015	21.00	238,400	15.15	SEBA MPS-D3
01/09/2015	23.00	238,400	15.10	SEBA MPS-D3
01/09/2015	25.00	238,300	15.10	SEBA MPS-D3
01/09/2015	27.00	238,400	15.06	SEBA MPS-D3
01/09/2015	29.00	238,400	15.06	SEBA MPS-D3
01/09/2015	29.79	120,300	15.06	SEBA MPS-D3
07/10/2015	0.70	62,879	15.19	SEBA MPS-D3
07/10/2015	1.50	62,879	15.19	SEBA MPS-D3
07/10/2015	2.00	62,995	15.19	SEBA MPS-D3
07/10/2015	3.00	63,083	15.19	SEBA MPS-D3
07/10/2015	4.00	65,772	15.18	SEBA MPS-D3
07/10/2015	4.50	66,196	15.17	SEBA MPS-D3
07/10/2015	5.00	66,446	15.18	SEBA MPS-D3
07/10/2015	6.00	66,969	15.17	SEBA MPS-D3
07/10/2015	8.00	67,039	15.17	SEBA MPS-D3
07/10/2015	9.00	67,841	15.16	SEBA MPS-D3
07/10/2015	9.50	68,080	15.16	SEBA MPS-D3
07/10/2015	10.00	69,179	15.16	SEBA MPS-D3
07/10/2015	11.00	78,183	15.11	SEBA MPS-D3
07/10/2015	11.20	80,796	15.09	SEBA MPS-D3
07/10/2015	11.40	86,471	15.05	SEBA MPS-D3
07/10/2015	11.60	94,990	15.01	SEBA MPS-D3
07/10/2015	11.80	101,500	14.97	SEBA MPS-D3
07/10/2015	12.00	124,723	14.88	SEBA MPS-D3
07/10/2015	12.20	236,459	15.17	SEBA MPS-D3
07/10/2015	12.40	236,412	15.20	SEBA MPS-D3
07/10/2015	13.00	236,410	15.20	SEBA MPS-D3
07/10/2015	15.00	236,425	15.19	SEBA MPS-D3
07/10/2015	17.00	235,701	15.19	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/10/2015	19.00	235,761	15.17	SEBA MPS-D3
07/10/2015	21.00	235,786	15.14	SEBA MPS-D3
07/10/2015	23.00	235,726	15.12	SEBA MPS-D3
07/10/2015	25.00	235,656	15.09	SEBA MPS-D3
07/10/2015	27.00	235,687	15.07	SEBA MPS-D3
07/10/2015	29.00	235,700	15.06	SEBA MPS-D3
07/10/2015	29.80	148,268	15.06	SEBA MPS-D3
04/11/2015	0.70	56,774	15.22	SEBA MPS-D3
04/11/2015	1.00	56,848	15.22	SEBA MPS-D3
04/11/2015	3.00	57,008	15.22	SEBA MPS-D3
04/11/2015	4.00	58,995	15.22	SEBA MPS-D3
04/11/2015	5.00	59,178	15.22	SEBA MPS-D3
04/11/2015	7.00	59,886	15.22	SEBA MPS-D3
04/11/2015	9.00	60,302	15.21	SEBA MPS-D3
04/11/2015	9.50	62,026	15.21	SEBA MPS-D3
04/11/2015	10.00	62,997	15.20	SEBA MPS-D3
04/11/2015	10.20	64,042	15.19	SEBA MPS-D3
04/11/2015	10.40	66,808	15.19	SEBA MPS-D3
04/11/2015	10.60	70,600	15.16	SEBA MPS-D3
04/11/2015	10.80	71,765	15.14	SEBA MPS-D3
04/11/2015	11.00	75,990	15.13	SEBA MPS-D3
04/11/2015	11.20	80,012	15.09	SEBA MPS-D3
04/11/2015	11.40	87,805	15.06	SEBA MPS-D3
04/11/2015	11.60	109,118	14.93	SEBA MPS-D3
04/11/2015	11.80	141,934	14.83	SEBA MPS-D3
04/11/2015	12.00	233,873	15.16	SEBA MPS-D3
04/11/2015	14.00	234,139	15.18	SEBA MPS-D3
04/11/2015	16.00	233,963	15.19	SEBA MPS-D3
04/11/2015	18.00	232,822	15.16	SEBA MPS-D3
04/11/2015	20.00	232,585	15.15	SEBA MPS-D3
04/11/2015	22.00	232,392	15.14	SEBA MPS-D3
04/11/2015	24.00	232,249	15.13	SEBA MPS-D3
04/11/2015	26.00	232,479	15.06	SEBA MPS-D3
04/11/2015	28.00	232,384	15.06	SEBA MPS-D3
04/11/2015	29.80	119,556	15.06	SEBA MPS-D3
02/12/2015	0.70	56,648	15.23	SEBA MPS-D3
02/12/2015	1.00	56,461	15.23	SEBA MPS-D3
02/12/2015	3.00	56,901	15.24	SEBA MPS-D3
02/12/2015	4.00	58,558	15.24	SEBA MPS-D3
02/12/2015	5.00	58,676	15.24	SEBA MPS-D3
02/12/2015	7.00	59,313	15.24	SEBA MPS-D3
02/12/2015	9.00	60,630	15.23	SEBA MPS-D3
02/12/2015	9.50	63,151	15.21	SEBA MPS-D3
02/12/2015	10.00	66,308	15.20	SEBA MPS-D3
02/12/2015	10.20	67,439	15.20	SEBA MPS-D3
02/12/2015	10.40	70,096	15.18	SEBA MPS-D3
02/12/2015	10.60	72,631	15.16	SEBA MPS-D3
02/12/2015	10.80	74,193	15.16	SEBA MPS-D3
02/12/2015	11.00	79,590	15.12	SEBA MPS-D3
02/12/2015	11.20	82,492	15.10	SEBA MPS-D3
02/12/2015	11.40	89,543	15.08	SEBA MPS-D3
02/12/2015	11.60	112,805	14.95	SEBA MPS-D3
02/12/2015	11.80	193,444	14.89	SEBA MPS-D3
02/12/2015	12.00	239,815	15.14	SEBA MPS-D3
02/12/2015	14.00	239,813	15.20	SEBA MPS-D3
02/12/2015	16.00	239,834	15.20	SEBA MPS-D3
02/12/2015	18.00	238,990	15.16	SEBA MPS-D3
02/12/2015	20.00	239,097	15.15	SEBA MPS-D3
02/12/2015	22.00	238,933	15.15	SEBA MPS-D3
02/12/2015	24.00	238,970	15.10	SEBA MPS-D3
02/12/2015	26.00	238,989	15.06	SEBA MPS-D3
02/12/2015	28.00	238,923	15.07	SEBA MPS-D3
02/12/2015	29.80	123,651	15.06	SEBA MPS-D3
21/01/2016	0.70	54,866	15.26	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/01/2016	1.00	55,265	15.25	SEBA MPS-D3
21/01/2016	3.00	55,427	15.25	SEBA MPS-D3
21/01/2016	4.00	56,827	15.26	SEBA MPS-D3
21/01/2016	5.00	57,059	15.26	SEBA MPS-D3
21/01/2016	7.00	57,551	15.26	SEBA MPS-D3
21/01/2016	9.00	58,331	15.25	SEBA MPS-D3
21/01/2016	9.50	61,264	15.24	SEBA MPS-D3
21/01/2016	10.00	63,688	15.23	SEBA MPS-D3
21/01/2016	10.20	64,564	15.22	SEBA MPS-D3
21/01/2016	10.40	67,378	15.21	SEBA MPS-D3
21/01/2016	10.60	68,528	15.20	SEBA MPS-D3
21/01/2016	10.80	70,179	15.19	SEBA MPS-D3
21/01/2016	11.00	73,371	15.17	SEBA MPS-D3
21/01/2016	11.20	78,247	15.15	SEBA MPS-D3
21/01/2016	11.40	83,452	15.10	SEBA MPS-D3
21/01/2016	11.60	105,469	15.00	SEBA MPS-D3
21/01/2016	11.80	148,934	14.86	SEBA MPS-D3
21/01/2016	12.00	238,356	15.16	SEBA MPS-D3
21/01/2016	14.00	238,936	15.19	SEBA MPS-D3
21/01/2016	16.00	238,982	15.19	SEBA MPS-D3
21/01/2016	18.00	238,037	15.17	SEBA MPS-D3
21/01/2016	20.00	238,019	15.17	SEBA MPS-D3
21/01/2016	22.00	238,060	15.13	SEBA MPS-D3
21/01/2016	24.00	238,003	15.12	SEBA MPS-D3
21/01/2016	26.00	237,937	15.09	SEBA MPS-D3
21/01/2016	28.00	238,029	15.05	SEBA MPS-D3
21/01/2016	29.75	117,611	15.06	SEBA MPS-D3
09/02/2016	0.70	55,618	15.28	SEBA MPS-D3
09/02/2016	1.00	55,335	15.27	SEBA MPS-D3
09/02/2016	3.00	55,713	15.27	SEBA MPS-D3
09/02/2016	4.00	57,154	15.27	SEBA MPS-D3
09/02/2016	5.00	57,692	15.27	SEBA MPS-D3
09/02/2016	7.00	57,891	15.26	SEBA MPS-D3
09/02/2016	9.00	58,458	15.26	SEBA MPS-D3
09/02/2016	9.50	62,028	15.25	SEBA MPS-D3
09/02/2016	10.00	63,651	15.23	SEBA MPS-D3
09/02/2016	10.20	65,341	15.23	SEBA MPS-D3
09/02/2016	10.40	67,339	15.22	SEBA MPS-D3
09/02/2016	10.60	69,208	15.21	SEBA MPS-D3
09/02/2016	10.80	71,213	15.20	SEBA MPS-D3
09/02/2016	11.00	73,085	15.18	SEBA MPS-D3
09/02/2016	11.20	78,632	15.15	SEBA MPS-D3
09/02/2016	11.40	87,931	15.10	SEBA MPS-D3
09/02/2016	11.60	103,668	15.01	SEBA MPS-D3
09/02/2016	11.80	150,637	14.86	SEBA MPS-D3
09/02/2016	12.00	240,356	15.17	SEBA MPS-D3
09/02/2016	14.00	244,034	15.20	SEBA MPS-D3
09/02/2016	16.00	244,034	15.20	SEBA MPS-D3
09/02/2016	18.00	243,049	15.18	SEBA MPS-D3
09/02/2016	20.00	243,025	15.18	SEBA MPS-D3
09/02/2016	22.00	243,117	15.14	SEBA MPS-D3
09/02/2016	24.00	243,055	15.12	SEBA MPS-D3
09/02/2016	26.00	243,075	15.08	SEBA MPS-D3
09/02/2016	28.00	243,111	15.06	SEBA MPS-D3
09/02/2016	29.75	153,147	15.07	SEBA MPS-D3
08/03/2016	0.70	53,710	15.29	SEBA MPS-D3
08/03/2016	1.00	53,910	15.28	SEBA MPS-D3
08/03/2016	3.00	53,890	15.28	SEBA MPS-D3
08/03/2016	4.00	55,120	15.28	SEBA MPS-D3
08/03/2016	5.00	55,280	15.28	SEBA MPS-D3
08/03/2016	7.00	55,760	15.27	SEBA MPS-D3
08/03/2016	9.00	56,170	15.27	SEBA MPS-D3
08/03/2016	9.50	58,140	15.27	SEBA MPS-D3
08/03/2016	10.00	58,430	15.26	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/03/2016	10.20	60,200	15.26	SEBA MPS-D3
08/03/2016	10.40	61,990	15.25	SEBA MPS-D3
08/03/2016	10.60	62,590	15.25	SEBA MPS-D3
08/03/2016	10.80	64,360	15.23	SEBA MPS-D3
08/03/2016	11.00	66,590	15.22	SEBA MPS-D3
08/03/2016	11.20	71,670	15.20	SEBA MPS-D3
08/03/2016	11.40	76,300	15.13	SEBA MPS-D3
08/03/2016	11.60	98,710	15.03	SEBA MPS-D3
08/03/2016	11.80	150,300	14.86	SEBA MPS-D3
08/03/2016	12.00	241,300	15.16	SEBA MPS-D3
08/03/2016	14.00	241,600	15.20	SEBA MPS-D3
08/03/2016	16.00	241,600	15.21	SEBA MPS-D3
08/03/2016	18.00	240,600	15.18	SEBA MPS-D3
08/03/2016	20.00	240,800	15.17	SEBA MPS-D3
08/03/2016	22.00	240,600	15.15	SEBA MPS-D3
08/03/2016	24.00	240,700	15.12	SEBA MPS-D3
08/03/2016	26.00	240,800	15.08	SEBA MPS-D3
08/03/2016	28.00	240,900	15.05	SEBA MPS-D3
08/03/2016	29.75	157,300	15.05	SEBA MPS-D3
06/05/2016	0.70	57,110	15.23	SEBA KLL-Q
06/05/2016	1.00	56,830	15.24	SEBA KLL-Q
06/05/2016	2.00	56,900	15.24	SEBA KLL-Q
06/05/2016	3.00	57,290	15.23	SEBA KLL-Q
06/05/2016	4.00	58,670	15.22	SEBA KLL-Q
06/05/2016	5.00	58,580	15.22	SEBA KLL-Q
06/05/2016	6.00	58,810	15.22	SEBA KLL-Q
06/05/2016	7.00	58,970	15.22	SEBA KLL-Q
06/05/2016	8.00	59,470	15.21	SEBA KLL-Q
06/05/2016	9.00	59,570	15.21	SEBA KLL-Q
06/05/2016	10.00	61,380	15.21	SEBA KLL-Q
06/05/2016	11.00	66,980	15.19	SEBA KLL-Q
06/05/2016	11.50	72,710	15.14	SEBA KLL-Q
06/05/2016	12.00	82,610	15.06	SEBA KLL-Q
06/05/2016	12.25	237,200	15.19	SEBA KLL-Q
06/05/2016	12.50	237,300	15.20	SEBA KLL-Q
06/05/2016	12.75	237,400	15.19	SEBA KLL-Q
06/05/2016	13.00	237,500	15.15	SEBA KLL-Q
06/05/2016	14.00	237,500	15.19	SEBA KLL-Q
06/05/2016	16.00	237,500	15.18	SEBA KLL-Q
06/05/2016	18.00	236,700	15.16	SEBA KLL-Q
06/05/2016	20.00	236,800	15.15	SEBA KLL-Q
06/05/2016	22.00	236,700	15.12	SEBA KLL-Q
06/05/2016	24.00	236,600	15.09	SEBA KLL-Q
06/05/2016	29.00	236,600	15.04	SEBA KLL-Q
06/05/2016	29.75	163,900	15.04	SEBA KLL-Q
12/07/2016	0.70	54,900	15.24	SEBA KLL-Q
12/07/2016	1.00	54,600	15.25	SEBA KLL-Q
12/07/2016	1.50	54,990	15.24	SEBA KLL-Q
12/07/2016	2.00	54,820	15.24	SEBA KLL-Q
12/07/2016	3.00	54,850	15.24	SEBA KLL-Q
12/07/2016	4.00	56,550	15.22	SEBA KLL-Q
12/07/2016	4.50	56,460	15.22	SEBA KLL-Q
12/07/2016	5.00	56,660	15.22	SEBA KLL-Q
12/07/2016	6.00	56,480	15.22	SEBA KLL-Q
12/07/2016	7.00	56,730	15.21	SEBA KLL-Q
12/07/2016	8.00	57,340	15.21	SEBA KLL-Q
12/07/2016	8.50	56,600	15.21	SEBA KLL-Q
12/07/2016	9.00	57,360	15.21	SEBA KLL-Q
12/07/2016	10.00	59,270	15.20	SEBA KLL-Q
12/07/2016	10.50	60,630	15.20	SEBA KLL-Q
12/07/2016	11.00	65,750	15.18	SEBA KLL-Q
12/07/2016	11.25	66,360	15.16	SEBA KLL-Q
12/07/2016	11.50	74,210	15.13	SEBA KLL-Q
12/07/2016	11.75	81,150	15.09	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/07/2016	12.00	96,920	15.00	SEBA KLL-Q
12/07/2016	12.25	180,500	14.94	SEBA KLL-Q
12/07/2016	12.50	228,800	15.16	SEBA KLL-Q
12/07/2016	12.75	228,800	15.19	SEBA KLL-Q
12/07/2016	13.00	228,700	15.21	SEBA KLL-Q
12/07/2016	13.50	228,800	15.19	SEBA KLL-Q
12/07/2016	14.00	228,700	15.19	SEBA KLL-Q
12/07/2016	15.00	228,700	15.19	SEBA KLL-Q
12/07/2016	16.00	228,600	15.19	SEBA KLL-Q
12/07/2016	18.00	228,000	15.18	SEBA KLL-Q
12/07/2016	20.00	228,000	15.16	SEBA KLL-Q
12/07/2016	25.00	227,800	15.09	SEBA KLL-Q
12/07/2016	28.70	176,100	15.05	SEBA KLL-Q
10/10/2016	0.70	55,168	15.27	SEBA KLL-Q
10/10/2016	2.00	55,275	15.27	SEBA KLL-Q
10/10/2016	3.00	55,732	15.27	SEBA KLL-Q
10/10/2016	4.00	56,168	15.26	SEBA KLL-Q
10/10/2016	5.00	56,620	15.26	SEBA KLL-Q
10/10/2016	6.00	56,836	15.26	SEBA KLL-Q
10/10/2016	7.00	56,345	15.26	SEBA KLL-Q
10/10/2016	8.00	57,061	15.26	SEBA KLL-Q
10/10/2016	9.00	56,522	15.26	SEBA KLL-Q
10/10/2016	10.00	58,682	15.25	SEBA KLL-Q
10/10/2016	10.20	59,161	15.25	SEBA KLL-Q
10/10/2016	10.40	57,475	15.25	SEBA KLL-Q
10/10/2016	10.60	60,060	15.25	SEBA KLL-Q
10/10/2016	10.80	61,779	15.24	SEBA KLL-Q
10/10/2016	11.00	62,781	15.24	SEBA KLL-Q
10/10/2016	11.20	65,079	15.21	SEBA KLL-Q
10/10/2016	11.40	69,312	15.21	SEBA KLL-Q
10/10/2016	11.60	75,383	15.18	SEBA KLL-Q
10/10/2016	11.80	82,896	15.13	SEBA KLL-Q
10/10/2016	12.00	98,976	15.03	SEBA KLL-Q
10/10/2016	12.20	159,134	14.88	SEBA KLL-Q
10/10/2016	12.40	236,164	15.20	SEBA KLL-Q
10/10/2016	12.60	236,664	15.21	SEBA KLL-Q
10/10/2016	12.80	236,796	15.22	SEBA KLL-Q
10/10/2016	13.00	236,837	15.21	SEBA KLL-Q
10/10/2016	13.50	236,776	15.23	SEBA KLL-Q
10/10/2016	14.00	236,861	15.23	SEBA KLL-Q
10/10/2016	15.00	236,900	15.21	SEBA KLL-Q
10/10/2016	16.00	236,922	15.21	SEBA KLL-Q
10/10/2016	18.00	236,141	15.20	SEBA KLL-Q
10/10/2016	20.00	236,141	15.20	SEBA KLL-Q
10/10/2016	22.00	236,192	15.14	SEBA KLL-Q
10/10/2016	24.00	236,142	15.12	SEBA KLL-Q
10/10/2016	26.00	236,216	15.07	SEBA KLL-Q
10/10/2016	28.00	236,193	15.06	SEBA KLL-Q
10/10/2016	29.72	208,607	15.06	SEBA KLL-Q
18/11/2016	0.70	55,760	15.28	SEBA KLL-Q
18/11/2016	1.00	55,750	15.28	SEBA KLL-Q
18/11/2016	2.00	55,770	15.27	SEBA KLL-Q
18/11/2016	3.00	56,210	15.27	SEBA KLL-Q
18/11/2016	4.00	56,800	15.27	SEBA KLL-Q
18/11/2016	5.00	57,430	15.27	SEBA KLL-Q
18/11/2016	6.00	57,140	15.27	SEBA KLL-Q
18/11/2016	7.00	57,040	15.27	SEBA KLL-Q
18/11/2016	8.00	57,290	15.27	SEBA KLL-Q
18/11/2016	9.00	57,880	15.27	SEBA KLL-Q
18/11/2016	10.00	59,530	15.26	SEBA KLL-Q
18/11/2016	10.20	59,730	15.26	SEBA KLL-Q
18/11/2016	10.40	60,620	15.25	SEBA KLL-Q
18/11/2016	10.60	61,800	15.25	SEBA KLL-Q
18/11/2016	10.80	62,700	15.24	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/11/2016	11.00	64,410	15.24	SEBA KLL-Q
18/11/2016	11.20	64,470	15.23	SEBA KLL-Q
18/11/2016	11.40	67,930	15.21	SEBA KLL-Q
18/11/2016	11.60	74,440	15.18	SEBA KLL-Q
18/11/2016	11.80	78,230	15.15	SEBA KLL-Q
18/11/2016	12.00	102,700	15.04	SEBA KLL-Q
18/11/2016	12.20	143,200	14.94	SEBA KLL-Q
18/11/2016	12.40	235,600	15.13	SEBA KLL-Q
18/11/2016	12.60	235,400	15.21	SEBA KLL-Q
18/11/2016	12.80	235,600	15.21	SEBA KLL-Q
18/11/2016	13.00	235,400	15.21	SEBA KLL-Q
18/11/2016	13.50	235,700	15.21	SEBA KLL-Q
18/11/2016	14.00	235,400	15.21	SEBA KLL-Q
18/11/2016	16.00	235,300	15.21	SEBA KLL-Q
18/11/2016	18.00	234,700	15.19	SEBA KLL-Q
18/11/2016	20.00	234,500	15.19	SEBA KLL-Q
18/11/2016	22.00	234,500	15.15	SEBA KLL-Q
18/11/2016	24.00	234,500	15.11	SEBA KLL-Q
18/11/2016	26.00	234,600	15.07	SEBA KLL-Q
18/11/2016	28.00	234,600	15.05	SEBA KLL-Q
18/11/2016	29.70	212,200	15.06	SEBA KLL-Q
17/01/2017	0.70	59,790	15.30	SEBA KLL-Q
17/01/2017	1.00	59,710	15.30	SEBA KLL-Q
17/01/2017	2.00	59,690	15.29	SEBA KLL-Q
17/01/2017	4.00	60,690	15.30	SEBA KLL-Q
17/01/2017	6.00	61,180	15.30	SEBA KLL-Q
17/01/2017	8.00	61,190	15.30	SEBA KLL-Q
17/01/2017	10.00	63,640	15.29	SEBA KLL-Q
17/01/2017	11.00	68,160	15.26	SEBA KLL-Q
17/01/2017	11.50	75,850	15.23	SEBA KLL-Q
17/01/2017	12.00	107,400	15.05	SEBA KLL-Q
17/01/2017	12.20	178,500	14.90	SEBA KLL-Q
17/01/2017	12.40	259,100	15.21	SEBA KLL-Q
17/01/2017	12.60	259,100	15.23	SEBA KLL-Q
17/01/2017	12.80	259,100	15.23	SEBA KLL-Q
17/01/2017	13.00	259,100	15.23	SEBA KLL-Q
17/01/2017	13.50	259,100	15.22	SEBA KLL-Q
17/01/2017	14.00	259,100	15.23	SEBA KLL-Q
17/01/2017	16.00	259,100	15.22	SEBA KLL-Q
17/01/2017	18.00	258,100	15.20	SEBA KLL-Q
17/01/2017	20.00	258,200	15.19	SEBA KLL-Q
17/01/2017	22.00	258,100	15.16	SEBA KLL-Q
17/01/2017	24.00	258,100	15.12	SEBA KLL-Q
17/01/2017	26.00	258,100	15.08	SEBA KLL-Q
17/01/2017	28.00	258,100	15.07	SEBA KLL-Q
17/01/2017	29.50	257,500	15.07	SEBA KLL-Q
17/01/2017	29.72	212,100	15.07	SEBA KLL-Q
05/04/2017	0.60	56,700	15.80	TLC-107 SONDA 1
05/04/2017	1.00	63,400	15.70	TLC-107 SONDA 1
05/04/2017	1.50	65,900	15.70	TLC-107 SONDA 1
05/04/2017	2.00	69,100	15.70	TLC-107 SONDA 1
05/04/2017	2.50	74,400	15.60	TLC-107 SONDA 1
05/04/2017	3.00	76,800	15.60	TLC-107 SONDA 1
05/04/2017	3.50	79,700	15.60	TLC-107 SONDA 1
05/04/2017	4.00	81,100	15.60	TLC-107 SONDA 1
05/04/2017	4.50	81,400	15.60	TLC-107 SONDA 1
05/04/2017	5.00	81,700	15.60	TLC-107 SONDA 1
05/04/2017	5.50	82,300	15.60	TLC-107 SONDA 1
05/04/2017	6.00	82,100	15.60	TLC-107 SONDA 1
05/04/2017	6.50	82,500	15.60	TLC-107 SONDA 1
05/04/2017	7.00	82,400	15.60	TLC-107 SONDA 1
05/04/2017	7.50	82,900	15.60	TLC-107 SONDA 1
05/04/2017	8.00	83,100	15.60	TLC-107 SONDA 1
05/04/2017	9.00	84,000	15.60	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/04/2017	10.00	83,400	15.60	TLC-107 SONDA 1
05/04/2017	11.00	92,300	15.50	TLC-107 SONDA 1
05/04/2017	11.50	85,200	15.50	TLC-107 SONDA 1
05/04/2017	12.00	93,600	15.60	TLC-107 SONDA 1
05/04/2017	12.20	83,100	15.60	TLC-107 SONDA 1
05/04/2017	12.40	122,900	15.50	TLC-107 SONDA 1
05/04/2017	12.60	285,600	15.50	TLC-107 SONDA 1
05/04/2017	12.80	285,600	15.50	TLC-107 SONDA 1
05/04/2017	13.00	285,600	15.50	TLC-107 SONDA 1
05/04/2017	14.00	285,800	15.50	TLC-107 SONDA 1
05/04/2017	16.00	285,800	15.50	TLC-107 SONDA 1
05/04/2017	18.00	285,400	15.50	TLC-107 SONDA 1
05/04/2017	20.00	285,400	15.50	TLC-107 SONDA 1
05/04/2017	22.00	285,300	15.30	TLC-107 SONDA 1
05/04/2017	24.00	286,100	15.30	TLC-107 SONDA 1
05/04/2017	26.00	286,000	15.30	TLC-107 SONDA 1
05/04/2017	28.00	285,600	15.30	TLC-107 SONDA 1
17/07/2017	2.00	57,620	15.21	SEBA KLL-Q
17/07/2017	4.00	57,600	15.20	SEBA KLL-Q
17/07/2017	6.00	58,730	15.20	SEBA KLL-Q
17/07/2017	8.00	58,890	15.20	SEBA KLL-Q
17/07/2017	10.00	59,200	15.20	SEBA KLL-Q
17/07/2017	10.50	60,490	15.19	SEBA KLL-Q
17/07/2017	11.00	61,420	15.19	SEBA KLL-Q
17/07/2017	11.50	64,580	15.18	SEBA KLL-Q
17/07/2017	12.00	68,980	15.16	SEBA KLL-Q
17/07/2017	12.50	172,600	14.88	SEBA KLL-Q
17/07/2017	13.00	240,600	15.10	SEBA KLL-Q
17/07/2017	14.00	241,100	15.17	SEBA KLL-Q
17/07/2017	16.00	241,500	15.18	SEBA KLL-Q
17/07/2017	18.00	241,100	15.14	SEBA KLL-Q
17/07/2017	20.00	241,500	15.13	SEBA KLL-Q
17/07/2017	22.00	241,400	15.10	SEBA KLL-Q
17/07/2017	24.00	241,600	15.07	SEBA KLL-Q
17/07/2017	26.00	241,600	15.02	SEBA KLL-Q
17/07/2017	28.00	241,400	15.01	SEBA KLL-Q
17/07/2017	29.50	234,000	15.01	SEBA KLL-Q
07/10/2017	0.70	57,020	15.20	SEBA KLL-Q
07/10/2017	1.00	57,270	15.20	SEBA KLL-Q
07/10/2017	1.50	57,220	15.20	SEBA KLL-Q
07/10/2017	2.00	57,210	15.20	SEBA KLL-Q
07/10/2017	3.00	57,860	15.20	SEBA KLL-Q
07/10/2017	4.00	58,290	15.20	SEBA KLL-Q
07/10/2017	5.00	58,320	15.20	SEBA KLL-Q
07/10/2017	6.00	58,550	15.20	SEBA KLL-Q
07/10/2017	7.00	58,460	15.20	SEBA KLL-Q
07/10/2017	8.00	58,610	15.20	SEBA KLL-Q
07/10/2017	9.00	58,810	15.20	SEBA KLL-Q
07/10/2017	10.00	59,880	15.19	SEBA KLL-Q
07/10/2017	10.50	60,430	15.19	SEBA KLL-Q
07/10/2017	11.00	60,700	15.19	SEBA KLL-Q
07/10/2017	11.50	64,100	15.17	SEBA KLL-Q
07/10/2017	12.00	69,920	15.14	SEBA KLL-Q
07/10/2017	12.20	81,100	15.06	SEBA KLL-Q
07/10/2017	12.40	115,500	14.92	SEBA KLL-Q
07/10/2017	12.60	250,100	15.14	SEBA KLL-Q
07/10/2017	12.80	250,500	15.15	SEBA KLL-Q
07/10/2017	13.00	250,700	15.14	SEBA KLL-Q
07/10/2017	13.50	250,700	15.16	SEBA KLL-Q
07/10/2017	14.00	251,300	15.16	SEBA KLL-Q
07/10/2017	15.00	251,500	15.16	SEBA KLL-Q
07/10/2017	16.00	251,700	15.15	SEBA KLL-Q
07/10/2017	18.00	250,800	15.11	SEBA KLL-Q
07/10/2017	20.00	250,800	15.11	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/10/2017	22.00	250,900	15.08	SEBA KLL-Q
07/10/2017	24.00	251,000	15.04	SEBA KLL-Q
07/10/2017	26.00	251,500	14.99	SEBA KLL-Q
07/10/2017	28.00	251,100	14.99	SEBA KLL-Q
07/10/2017	29.75	239,800	14.98	SEBA KLL-Q
26/01/2018	1.0	56,410	15.38	SEBA KLL-Q
26/01/2018	2.0	56,290	15.37	SEBA KLL-Q
26/01/2018	4.0	57,040	15.38	SEBA KLL-Q
26/01/2018	6.0	57,360	15.37	SEBA KLL-Q
26/01/2018	8.0	57,630	15.37	SEBA KLL-Q
26/01/2018	10.0	57,930	15.37	SEBA KLL-Q
26/01/2018	12.0	69,850	15.30	SEBA KLL-Q
26/01/2018	12.5	189,900	15.24	SEBA KLL-Q
26/01/2018	12.8	234,200	15.30	SEBA KLL-Q
26/01/2018	13.0	234,500	15.33	SEBA KLL-Q
26/01/2018	13.5	234,300	15.31	SEBA KLL-Q
26/01/2018	14.0	234,300	15.32	SEBA KLL-Q
26/01/2018	16.0	233,500	15.31	SEBA KLL-Q
26/01/2018	18.0	232,300	15.29	SEBA KLL-Q
26/01/2018	20.0	232,200	15.30	SEBA KLL-Q
26/01/2018	22.0	231,600	15.24	SEBA KLL-Q
26/01/2018	24.0	231,500	15.20	SEBA KLL-Q
26/01/2018	26.0	231,600	15.16	SEBA KLL-Q
26/01/2018	28.0	231,500	15.15	SEBA KLL-Q
26/01/2018	30.0	218,500	15.15	SEBA KLL-Q
11/04/2018	0.8	50,530	15.33	SEBA KLL-Q
11/04/2018	1.0	50,620	15.32	SEBA KLL-Q
11/04/2018	1.2	50,510	15.32	SEBA KLL-Q
11/04/2018	1.4	50,600	15.32	SEBA KLL-Q
11/04/2018	1.6	50,380	15.32	SEBA KLL-Q
11/04/2018	1.8	50,680	15.32	SEBA KLL-Q
11/04/2018	2.0	50,540	15.32	SEBA KLL-Q
11/04/2018	2.5	50,570	15.32	SEBA KLL-Q
11/04/2018	3.0	50,950	15.31	SEBA KLL-Q
11/04/2018	4.0	51,290	15.31	SEBA KLL-Q
11/04/2018	6.0	51,120	15.31	SEBA KLL-Q
11/04/2018	8.0	51,810	15.31	SEBA KLL-Q
11/04/2018	10.0	52,110	15.31	SEBA KLL-Q
11/04/2018	11.0	52,310	15.31	SEBA KLL-Q
11/04/2018	11.5	53,880	15.31	SEBA KLL-Q
11/04/2018	12.0	55,820	15.28	SEBA KLL-Q
11/04/2018	12.2	61,880	15.24	SEBA KLL-Q
11/04/2018	12.4	88,070	15.13	SEBA KLL-Q
11/04/2018	12.6	213,800	15.25	SEBA KLL-Q
11/04/2018	12.8	213,800	15.26	SEBA KLL-Q
11/04/2018	13.0	213,800	15.26	SEBA KLL-Q
11/04/2018	13.5	213,800	15.26	SEBA KLL-Q
11/04/2018	14.0	213,800	15.26	SEBA KLL-Q
11/04/2018	15.0	213,800	15.25	SEBA KLL-Q
11/04/2018	16.0	213,700	15.25	SEBA KLL-Q
11/04/2018	18.0	213,100	15.22	SEBA KLL-Q
11/04/2018	20.0	213,200	15.22	SEBA KLL-Q
11/04/2018	22.0	213,100	15.16	SEBA KLL-Q
11/04/2018	24.0	213,100	15.11	SEBA KLL-Q
11/04/2018	26.0	213,100	15.08	SEBA KLL-Q
11/04/2018	28.0	213,100	15.07	SEBA KLL-Q
30/07/2018	1.0	68,630	15.36	SEBA KLL-Q
30/07/2018	1.2	68,590	15.33	SEBA KLL-Q
30/07/2018	1.4	68,800	15.32	SEBA KLL-Q
30/07/2018	1.6	68,940	15.31	SEBA KLL-Q
30/07/2018	1.8	69,300	15.31	SEBA KLL-Q
30/07/2018	2.0	68,950	15.30	SEBA KLL-Q
30/07/2018	2.5	68,940	15.32	SEBA KLL-Q
30/07/2018	3.0	69,530	15.31	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
30/07/2018	4.0	69,750	15.30	SEBA KLL-Q
30/07/2018	6.0	69,600	15.31	SEBA KLL-Q
30/07/2018	8.0	70,260	15.31	SEBA KLL-Q
30/07/2018	10.0	70,060	15.30	SEBA KLL-Q
30/07/2018	10.5	70,250	15.30	SEBA KLL-Q
30/07/2018	11.0	71,050	15.23	SEBA KLL-Q
30/07/2018	11.5	71,400	15.29	SEBA KLL-Q
30/07/2018	12.0	73,060	15.28	SEBA KLL-Q
30/07/2018	12.5	90,190	15.28	SEBA KLL-Q
30/07/2018	13.0	287,800	15.27	SEBA KLL-Q
30/07/2018	13.2	287,500	15.27	SEBA KLL-Q
30/07/2018	13.4	287,200	15.27	SEBA KLL-Q
30/07/2018	13.6	286,900	15.28	SEBA KLL-Q
30/07/2018	13.8	286,300	15.27	SEBA KLL-Q
30/07/2018	14.0	287,500	15.28	SEBA KLL-Q
30/07/2018	15.0	284,900	15.26	SEBA KLL-Q
30/07/2018	16.0	283,700	15.25	SEBA KLL-Q
30/07/2018	18.0	281,800	15.22	SEBA KLL-Q
30/07/2018	20.0	280,700	15.22	SEBA KLL-Q
30/07/2018	22.0	280,100	15.18	SEBA KLL-Q
30/07/2018	24.0	279,200	15.15	SEBA KLL-Q
30/07/2018	26.0	277,700	15.10	SEBA KLL-Q
30/07/2018	28.0	276,600	15.08	SEBA KLL-Q
25/08/2018	1.0	60,720	15.29	SEBA KLL-Q
25/08/2018	1.5	60,810	15.30	SEBA KLL-Q
25/08/2018	2.0	60,630	15.30	SEBA KLL-Q
25/08/2018	2.5	61,130	15.30	SEBA KLL-Q
25/08/2018	3.0	60,740	15.30	SEBA KLL-Q
25/08/2018	4.0	61,270	15.31	SEBA KLL-Q
25/08/2018	5.0	61,390	15.30	SEBA KLL-Q
25/08/2018	6.0	61,450	15.30	SEBA KLL-Q
25/08/2018	8.0	61,740	15.30	SEBA KLL-Q
25/08/2018	10.0	61,620	15.30	SEBA KLL-Q
25/08/2018	12.0	67,290	15.27	SEBA KLL-Q
25/08/2018	14.0	246,100	15.27	SEBA KLL-Q
25/08/2018	14.2	246,100	15.27	SEBA KLL-Q
25/08/2018	14.4	246,200	15.28	SEBA KLL-Q
25/08/2018	14.6	246,100	15.28	SEBA KLL-Q
25/08/2018	14.8	246,200	15.27	SEBA KLL-Q
25/08/2018	15.0	246,200	15.26	SEBA KLL-Q
25/08/2018	15.5	246,000	15.26	SEBA KLL-Q
25/08/2018	16.0	246,000	15.25	SEBA KLL-Q
25/08/2018	17.0	245,600	15.25	SEBA KLL-Q
25/08/2018	18.0	245,800	15.26	SEBA KLL-Q
25/08/2018	20.0	245,600	15.21	SEBA KLL-Q
25/08/2018	22.0	246,200	15.17	SEBA KLL-Q
25/08/2018	24.0	246,300	15.15	SEBA KLL-Q
25/08/2018	26.0	246,200	15.09	SEBA KLL-Q
25/08/2018	28.0	246,100	15.08	SEBA KLL-Q
25/08/2018	29.0	246,100	15.08	SEBA KLL-Q
25/08/2018	29.7	210,800	15.07	SEBA KLL-Q
04/09/2018	0.5	61,360	15.45	SEBA KLL-Q
04/09/2018	1.0	61,750	15.45	SEBA KLL-Q
04/09/2018	1.5	62,020	15.47	SEBA KLL-Q
04/09/2018	2.0	62,080	15.48	SEBA KLL-Q
04/09/2018	2.5	62,320	15.48	SEBA KLL-Q
04/09/2018	3.0	62,220	15.46	SEBA KLL-Q
04/09/2018	3.5	62,840	15.46	SEBA KLL-Q
04/09/2018	4.0	62,890	15.46	SEBA KLL-Q
04/09/2018	5.0	62,820	15.45	SEBA KLL-Q
04/09/2018	6.0	62,820	15.47	SEBA KLL-Q
04/09/2018	7.0	63,170	15.48	SEBA KLL-Q
04/09/2018	8.0	63,450	15.46	SEBA KLL-Q
04/09/2018	8.5	63,350	15.46	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/09/2018	9.0	63,540	15.45	SEBA KLL-Q
04/09/2018	9.5	63,540	15.45	SEBA KLL-Q
04/09/2018	10.0	63,760	15.45	SEBA KLL-Q
04/09/2018	10.5	64,190	15.45	SEBA KLL-Q
04/09/2018	11.0	64,060	15.47	SEBA KLL-Q
04/09/2018	11.5	64,470	15.45	SEBA KLL-Q
04/09/2018	12.0	68,000	15.45	SEBA KLL-Q
04/09/2018	12.5	81,110	15.45	SEBA KLL-Q
04/09/2018	12.7	80,120	15.45	SEBA KLL-Q
04/09/2018	13.1	260,200	15.38	SEBA KLL-Q
04/09/2018	13.3	260,300	15.40	SEBA KLL-Q
04/09/2018	13.5	260,000	15.44	SEBA KLL-Q
04/09/2018	13.7	259,800	15.44	SEBA KLL-Q
04/09/2018	14.0	259,800	15.41	SEBA KLL-Q
04/09/2018	14.5	259,400	15.42	SEBA KLL-Q
04/09/2018	15.0	258,900	15.42	SEBA KLL-Q
04/09/2018	15.5	258,500	15.42	SEBA KLL-Q
04/09/2018	16.0	257,900	15.42	SEBA KLL-Q
04/09/2018	17.0	256,900	15.40	SEBA KLL-Q
04/09/2018	18.0	256,100	15.40	SEBA KLL-Q
04/09/2018	19.0	255,500	15.37	SEBA KLL-Q
04/09/2018	20.0	254,700	15.37	SEBA KLL-Q
04/09/2018	22.0	253,100	15.37	SEBA KLL-Q
04/09/2018	24.0	247,500	15.31	SEBA KLL-Q
04/09/2018	26.0	247,200	15.32	SEBA KLL-Q
04/09/2018	28.0	247,300	15.28	SEBA KLL-Q
04/09/2018	29.0	247,300	15.25	SEBA KLL-Q
04/09/2018	29.7	246,500	15.17	SEBA KLL-Q
14/11/2018	1.0	64,540	15.33	SEBA KLL-Q
14/11/2018	1.5	64,650	15.34	SEBA KLL-Q
14/11/2018	2.0	64,110	15.33	SEBA KLL-Q
14/11/2018	2.5	64,360	15.33	SEBA KLL-Q
14/11/2018	3.0	64,400	15.34	SEBA KLL-Q
14/11/2018	4.0	65,010	15.33	SEBA KLL-Q
14/11/2018	5.0	64,860	15.33	SEBA KLL-Q
14/11/2018	6.0	64,910	15.32	SEBA KLL-Q
14/11/2018	8.0	65,330	15.33	SEBA KLL-Q
14/11/2018	10.0	65,490	15.33	SEBA KLL-Q
14/11/2018	12.0	71,450	15.30	SEBA KLL-Q
14/11/2018	12.2	74,220	15.28	SEBA KLL-Q
14/11/2018	12.4	86,770	15.27	SEBA KLL-Q
14/11/2018	12.6	91,960	15.08	SEBA KLL-Q
14/11/2018	12.8	96,450	15.11	SEBA KLL-Q
14/11/2018	13.0	248,100	15.13	SEBA KLL-Q
14/11/2018	13.2	247,800	15.30	SEBA KLL-Q
14/11/2018	13.4	245,900	15.38	SEBA KLL-Q
14/11/2018	13.6	245,700	15.30	SEBA KLL-Q
14/11/2018	13.8	246,800	15.31	SEBA KLL-Q
14/11/2018	14.0	247,500	15.32	SEBA KLL-Q
14/11/2018	14.5	245,800	15.30	SEBA KLL-Q
14/11/2018	15.0	245,800	15.30	SEBA KLL-Q
14/11/2018	16.0	245,600	15.29	SEBA KLL-Q
14/11/2018	18.0	245,100	15.28	SEBA KLL-Q
14/11/2018	20.0	244,900	15.29	SEBA KLL-Q
14/11/2018	22.0	244,900	15.26	SEBA KLL-Q
14/11/2018	24.0	244,900	15.27	SEBA KLL-Q
14/11/2018	26.0	244,900	15.23	SEBA KLL-Q
14/11/2018	28.0	245,000	15.22	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2013	0.7	9,258	14.70	TLC-107 SONDA 1
22/10/2013	0.9	9,373	14.40	TLC-107 SONDA 1
22/10/2013	1.1	9,380	14.20	TLC-107 SONDA 1
22/10/2013	1.3	9,541	14.10	TLC-107 SONDA 1
22/10/2013	1.5	9,554	14.10	TLC-107 SONDA 1
22/10/2013	1.7	9,635	14.10	TLC-107 SONDA 1
22/10/2013	1.9	9,675	14.10	TLC-107 SONDA 1
22/10/2013	2.1	9,690	14.10	TLC-107 SONDA 1
22/10/2013	2.3	9,682	14.10	TLC-107 SONDA 1
22/10/2013	2.5	9,716	14.10	TLC-107 SONDA 1
22/10/2013	2.7	9,782	14.10	TLC-107 SONDA 1
22/10/2013	2.9	9,782	14.10	TLC-107 SONDA 1
22/10/2013	3.1	9,744	14.10	TLC-107 SONDA 1
22/10/2013	3.3	9,788	14.10	TLC-107 SONDA 1
22/10/2013	3.5	9,788	14.10	TLC-107 SONDA 1
22/10/2013	4.0	9,796	14.00	TLC-107 SONDA 1
22/10/2013	4.5	9,764	14.00	TLC-107 SONDA 1
22/10/2013	5.0	9,763	14.00	TLC-107 SONDA 1
22/10/2013	5.5	9,747	14.00	TLC-107 SONDA 1
22/10/2013	6.0	9,738	14.00	TLC-107 SONDA 1
22/10/2013	6.5	9,724	14.10	TLC-107 SONDA 1
22/10/2013	7.0	9,724	14.10	TLC-107 SONDA 1
22/10/2013	8.0	9,718	14.10	TLC-107 SONDA 1
22/10/2013	9.0	9,779	14.10	TLC-107 SONDA 1
22/10/2013	10.0	9,762	14.30	TLC-107 SONDA 1
22/10/2013	11.0	9,769	14.60	TLC-107 SONDA 1
22/10/2013	12.0	9,780	14.60	TLC-107 SONDA 1
22/10/2013	13.0	9,787	14.60	TLC-107 SONDA 1
22/10/2013	14.0	9,822	14.70	TLC-107 SONDA 1
22/10/2013	15.0	9,831	14.80	TLC-107 SONDA 1
22/10/2013	16.0	9,846	14.90	TLC-107 SONDA 1
22/10/2013	17.0	10,500	14.90	TLC-107 SONDA 1
22/10/2013	18.0	58,200	15.10	TLC-107 SONDA 1
22/10/2013	19.0	230,200	15.20	TLC-107 SONDA 1
22/10/2013	20.0	230,500	15.20	TLC-107 SONDA 1
22/10/2013	20.5	233,300	15.20	TLC-107 SONDA 1
22/10/2013	21.0	266,200	15.20	TLC-107 SONDA 1
22/10/2013	21.5	270,600	15.20	TLC-107 SONDA 1
22/10/2013	22.0	267,200	15.20	TLC-107 SONDA 1
22/10/2013	22.5	267,700	15.20	TLC-107 SONDA 1
22/10/2013	23.0	267,100	15.20	TLC-107 SONDA 1
22/10/2013	23.2	266,000	15.10	TLC-107 SONDA 1
22/10/2013	23.4	266,000	15.10	TLC-107 SONDA 1
22/10/2013	23.6	266,200	15.10	TLC-107 SONDA 1
22/10/2013	23.8	266,200	15.10	TLC-107 SONDA 1
22/10/2013	24.0	266,000	15.10	TLC-107 SONDA 1
22/10/2013	24.5	265,400	15.10	TLC-107 SONDA 1
22/10/2013	25.0	265,600	15.10	TLC-107 SONDA 1
22/10/2013	25.5	264,600	15.10	TLC-107 SONDA 1
22/10/2013	26.0	265,000	15.10	TLC-107 SONDA 1
22/10/2013	27.0	264,800	15.10	TLC-107 SONDA 1
22/10/2013	28.0	261,100	15.10	TLC-107 SONDA 1
22/10/2013	28.9	242,100	15.10	TLC-107 SONDA 1
22/11/2013	0.6	6,880	15.80	TLC-107 SONDA 1
22/11/2013	0.8	7,370	14.30	TLC-107 SONDA 1
22/11/2013	1.0	7,790	14.20	TLC-107 SONDA 1
22/11/2013	1.2	8,200	14.10	TLC-107 SONDA 1
22/11/2013	1.4	8,210	14.10	TLC-107 SONDA 1
22/11/2013	1.6	8,860	14.10	TLC-107 SONDA 1
22/11/2013	1.8	8,970	14.10	TLC-107 SONDA 1
22/11/2013	2.0	8,970	14.00	TLC-107 SONDA 1
22/11/2013	2.2	9,040	14.00	TLC-107 SONDA 1
22/11/2013	2.4	9,080	14.00	TLC-107 SONDA 1
22/11/2013	2.6	9,140	14.00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/11/2013	2.8	9,170	14.00	TLC-107 SONDA 1
22/11/2013	3.0	9,190	14.00	TLC-107 SONDA 1
22/11/2013	3.5	9,210	14.00	TLC-107 SONDA 1
22/11/2013	4.0	9,220	14.00	TLC-107 SONDA 1
22/11/2013	4.5	9,290	14.00	TLC-107 SONDA 1
22/11/2013	5.0	9,290	14.00	TLC-107 SONDA 1
22/11/2013	5.5	9,300	14.00	TLC-107 SONDA 1
22/11/2013	6.0	9,320	14.00	TLC-107 SONDA 1
22/11/2013	7.0	9,320	14.00	TLC-107 SONDA 1
22/11/2013	8.0	9,440	14.00	TLC-107 SONDA 1
22/11/2013	9.0	9,390	14.00	TLC-107 SONDA 1
22/11/2013	10.0	9,440	14.10	TLC-107 SONDA 1
22/11/2013	15.0	9,440	14.30	TLC-107 SONDA 1
22/11/2013	16.0	9,440	14.60	TLC-107 SONDA 1
22/11/2013	17.0	9,460	14.60	TLC-107 SONDA 1
22/11/2013	17.5	12,300	14.70	TLC-107 SONDA 1
22/11/2013	18.0	47,600	15.00	TLC-107 SONDA 1
22/11/2013	18.2	57,400	15.10	TLC-107 SONDA 1
22/11/2013	18.4	68,100	15.10	TLC-107 SONDA 1
22/11/2013	18.6	156,900	15.10	TLC-107 SONDA 1
22/11/2013	18.8	174,100	15.10	TLC-107 SONDA 1
22/11/2013	19.0	197,700	15.10	TLC-107 SONDA 1
22/11/2013	19.2	199,100	15.10	TLC-107 SONDA 1
22/11/2013	19.4	199,500	15.10	TLC-107 SONDA 1
22/11/2013	19.6	200,600	15.10	TLC-107 SONDA 1
22/11/2013	19.8	200,800	15.20	TLC-107 SONDA 1
22/11/2013	20.0	201,500	15.10	TLC-107 SONDA 1
22/11/2013	20.5	203,800	15.20	TLC-107 SONDA 1
22/11/2013	21.0	205,400	15.10	TLC-107 SONDA 1
22/11/2013	22.0	210,300	15.10	TLC-107 SONDA 1
22/11/2013	23.0	209,400	15.10	TLC-107 SONDA 1
22/11/2013	24.0	153,500	15.10	TLC-107 SONDA 1
22/11/2013	25.0	142,600	15.10	TLC-107 SONDA 1
22/11/2013	26.0	129,000	15.10	TLC-107 SONDA 1
22/11/2013	27.0	117,300	15.10	TLC-107 SONDA 1
22/11/2013	28.0	105,700	15.10	TLC-107 SONDA 1
22/11/2013	28.9	91,600	15.10	TLC-107 SONDA 1
16/01/2014	0.8	7,881	14.70	ALT FTC
16/01/2014	1.0	8,023	14.30	ALT FTC
16/01/2014	1.5	8,023	14.10	ALT FTC
16/01/2014	2.0	8,023	14.10	ALT FTC
16/01/2014	2.5	8,022	14.10	ALT FTC
16/01/2014	3.0	8,022	14.10	ALT FTC
16/01/2014	4.0	8,024	14.10	ALT FTC
16/01/2014	5.0	8,026	14.10	ALT FTC
16/01/2014	6.0	8,026	14.10	ALT FTC
16/01/2014	7.0	8,034	14.10	ALT FTC
16/01/2014	8.0	8,042	14.10	ALT FTC
16/01/2014	9.0	8,053	14.10	ALT FTC
16/01/2014	10.0	8,053	14.10	ALT FTC
16/01/2014	11.0	8,059	14.10	ALT FTC
16/01/2014	12.0	8,063	14.20	ALT FTC
16/01/2014	13.0	8,041	14.20	ALT FTC
16/01/2014	14.0	8,064	14.20	ALT FTC
16/01/2014	15.0	8,068	14.30	ALT FTC
16/01/2014	16.0	8,095	14.40	ALT FTC
16/01/2014	17.0	8,090	14.60	ALT FTC
16/01/2014	18.0	8,084	14.70	ALT FTC
16/01/2014	18.2	23,400	15.00	ALT FTC
16/01/2014	18.4	52,900	15.10	ALT FTC
16/01/2014	18.6	86,600	15.20	ALT FTC
16/01/2014	18.8	109,400	15.20	ALT FTC
16/01/2014	19.0	125,900	15.20	ALT FTC
16/01/2014	19.2	128,500	15.20	ALT FTC

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/01/2014	19.4	130,100	15.20	ALT FTC
16/01/2014	19.6	129,100	15.20	ALT FTC
16/01/2014	20.0	129,900	15.20	ALT FTC
16/01/2014	20.5	129,700	15.20	ALT FTC
16/01/2014	20.7	162,600	15.20	ALT FTC
16/01/2014	20.9	172,300	15.20	ALT FTC
16/01/2014	21.0	190,100	15.20	ALT FTC
16/01/2014	21.2	217,600	15.20	ALT FTC
16/01/2014	21.4	227,800	15.20	ALT FTC
16/01/2014	21.6	233,900	15.20	ALT FTC
16/01/2014	21.8	238,200	15.20	ALT FTC
16/01/2014	22.0	240,500	15.20	ALT FTC
16/01/2014	22.5	250,100	15.20	ALT FTC
16/01/2014	23.0	250,100	15.20	ALT FTC
16/01/2014	23.5	250,100	15.20	ALT FTC
16/01/2014	24.0	250,100	15.20	ALT FTC
16/01/2014	25.0	250,100	15.20	ALT FTC
16/01/2014	26.0	250,100	15.20	ALT FTC
16/01/2014	27.0	253,300	15.20	ALT FTC
16/01/2014	28.0	254,100	15.20	ALT FTC
16/01/2014	28.3	146,100	15.20	ALT FTC
19/03/2014	0.8	6,384	14.40	TLC-107 SONDA 1
19/03/2014	1.0	6,387	14.30	TLC-107 SONDA 1
19/03/2014	1.5	6,399	14.20	TLC-107 SONDA 1
19/03/2014	2.0	6,415	14.10	TLC-107 SONDA 1
19/03/2014	2.5	6,421	14.10	TLC-107 SONDA 1
19/03/2014	3.0	6,408	14.10	TLC-107 SONDA 1
19/03/2014	3.5	6,416	14.10	TLC-107 SONDA 1
19/03/2014	4.0	6,417	14.10	TLC-107 SONDA 1
19/03/2014	4.5	6,412	14.10	TLC-107 SONDA 1
19/03/2014	5.0	6,417	14.10	TLC-107 SONDA 1
19/03/2014	6.0	6,446	14.10	TLC-107 SONDA 1
19/03/2014	7.0	6,434	14.10	TLC-107 SONDA 1
19/03/2014	8.0	6,545	14.10	TLC-107 SONDA 1
19/03/2014	9.0	6,482	14.10	TLC-107 SONDA 1
19/03/2014	10.0	6,535	14.10	TLC-107 SONDA 1
19/03/2014	11.0	6,585	14.10	TLC-107 SONDA 1
19/03/2014	12.0	6,586	14.10	TLC-107 SONDA 1
19/03/2014	13.0	6,623	14.20	TLC-107 SONDA 1
19/03/2014	14.0	6,744	14.20	TLC-107 SONDA 1
19/03/2014	15.0	6,882	14.30	TLC-107 SONDA 1
19/03/2014	16.0	6,897	14.30	TLC-107 SONDA 1
19/03/2014	17.0	6,914	14.60	TLC-107 SONDA 1
19/03/2014	18.0	6,925	14.60	TLC-107 SONDA 1
19/03/2014	18.5	57,400	15.00	TLC-107 SONDA 1
19/03/2014	19.0	98,100	15.20	TLC-107 SONDA 1
19/03/2014	19.5	99,000	15.20	TLC-107 SONDA 1
19/03/2014	20.0	99,300	15.20	TLC-107 SONDA 1
19/03/2014	20.5	101,300	15.20	TLC-107 SONDA 1
19/03/2014	21.0	125,700	15.20	TLC-107 SONDA 1
19/03/2014	21.5	149,900	15.20	TLC-107 SONDA 1
19/03/2014	22.0	151,000	15.20	TLC-107 SONDA 1
19/03/2014	22.5	149,900	15.20	TLC-107 SONDA 1
19/03/2014	23.0	147,300	15.20	TLC-107 SONDA 1
19/03/2014	23.5	146,500	15.20	TLC-107 SONDA 1
19/03/2014	24.0	144,500	15.20	TLC-107 SONDA 1
19/03/2014	24.5	142,800	15.20	TLC-107 SONDA 1
19/03/2014	25.0	140,600	15.20	TLC-107 SONDA 1
19/03/2014	25.5	139,000	15.20	TLC-107 SONDA 1
19/03/2014	26.0	138,100	15.20	TLC-107 SONDA 1
19/03/2014	26.5	137,600	15.20	TLC-107 SONDA 1
19/03/2014	27.0	136,100	15.20	TLC-107 SONDA 1
19/03/2014	27.5	137,400	15.20	TLC-107 SONDA 1
19/03/2014	28.0	137,600	15.20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/03/2014	28.5	94,200	15.20	TLC-107 SONDA 1
17/04/2014	0.8	10,800	14.40	TLC-107 SONDA 1
17/04/2014	1.0	10,700	14.20	TLC-107 SONDA 1
17/04/2014	1.2	10,600	14.20	TLC-107 SONDA 1
17/04/2014	1.4	10,500	14.20	TLC-107 SONDA 1
17/04/2014	1.6	10,500	14.20	TLC-107 SONDA 1
17/04/2014	1.8	10,500	14.20	TLC-107 SONDA 1
17/04/2014	2.0	10,400	14.10	TLC-107 SONDA 1
17/04/2014	2.5	10,400	14.20	TLC-107 SONDA 1
17/04/2014	3.0	10,400	14.20	TLC-107 SONDA 1
17/04/2014	4.0	10,300	14.20	TLC-107 SONDA 1
17/04/2014	5.0	10,300	14.20	TLC-107 SONDA 1
17/04/2014	6.0	10,300	14.20	TLC-107 SONDA 1
17/04/2014	7.0	10,200	14.20	TLC-107 SONDA 1
17/04/2014	8.0	10,200	14.20	TLC-107 SONDA 1
17/04/2014	9.0	10,300	14.20	TLC-107 SONDA 1
17/04/2014	10.0	10,200	14.20	TLC-107 SONDA 1
17/04/2014	11.0	10,200	14.20	TLC-107 SONDA 1
17/04/2014	12.0	10,200	14.20	TLC-107 SONDA 1
17/04/2014	13.0	10,100	14.20	TLC-107 SONDA 1
17/04/2014	14.0	10,100	14.20	TLC-107 SONDA 1
17/04/2014	15.0	10,100	14.20	TLC-107 SONDA 1
17/04/2014	16.0	10,100	14.20	TLC-107 SONDA 1
17/04/2014	17.0	10,100	14.20	TLC-107 SONDA 1
17/04/2014	18.0	10,000	14.20	TLC-107 SONDA 1
17/04/2014	18.2	57,700	15.00	TLC-107 SONDA 1
17/04/2014	18.4	99,900	15.00	TLC-107 SONDA 1
17/04/2014	18.6	195,400	15.10	TLC-107 SONDA 1
17/04/2014	18.8	266,000	15.10	TLC-107 SONDA 1
17/04/2014	19.0	288,700	15.20	TLC-107 SONDA 1
17/04/2014	19.2	299,000	15.20	TLC-107 SONDA 1
17/04/2014	19.4	301,700	15.20	TLC-107 SONDA 1
17/04/2014	19.6	307,600	15.20	TLC-107 SONDA 1
17/04/2014	19.8	313,800	15.20	TLC-107 SONDA 1
17/04/2014	20.0	321,200	15.20	TLC-107 SONDA 1
17/04/2014	20.5	335,600	15.20	TLC-107 SONDA 1
17/04/2014	21.0	400,000	15.20	TLC-107 SONDA 1
17/04/2014	21.5	400,000	15.20	TLC-107 SONDA 1
17/04/2014	22.0	400,000	15.20	TLC-107 SONDA 1
17/04/2014	23.0	400,000	15.20	TLC-107 SONDA 1
17/04/2014	24.0	400,000	15.20	TLC-107 SONDA 1
17/04/2014	25.0	400,000	15.20	TLC-107 SONDA 1
17/04/2014	26.0	400,000	15.20	TLC-107 SONDA 1
17/04/2014	27.0	400,000	15.20	TLC-107 SONDA 1
17/04/2014	28.0	400,000	15.20	TLC-107 SONDA 1
17/04/2014	28.1	400,000	15.20	TLC-107 SONDA 1
18/05/2014	0.7	9,468	9.80	TLC-107 SONDA 1
18/05/2014	1.0	9,397	14.00	TLC-107 SONDA 1
18/05/2014	1.2	9,350	14.10	TLC-107 SONDA 1
18/05/2014	1.4	9,312	14.20	TLC-107 SONDA 1
18/05/2014	1.6	9,306	14.20	TLC-107 SONDA 1
18/05/2014	1.8	9,299	14.20	TLC-107 SONDA 1
18/05/2014	2.0	9,290	14.20	TLC-107 SONDA 1
18/05/2014	2.5	9,282	14.20	TLC-107 SONDA 1
18/05/2014	3.0	9,278	14.20	TLC-107 SONDA 1
18/05/2014	3.5	9,277	14.20	TLC-107 SONDA 1
18/05/2014	4.0	9,278	14.20	TLC-107 SONDA 1
18/05/2014	4.5	9,271	14.20	TLC-107 SONDA 1
18/05/2014	5.0	9,271	14.20	TLC-107 SONDA 1
18/05/2014	5.5	9,264	14.20	TLC-107 SONDA 1
18/05/2014	6.0	9,271	14.20	TLC-107 SONDA 1
18/05/2014	7.0	9,251	14.20	TLC-107 SONDA 1
18/05/2014	7.5	9,375	14.20	TLC-107 SONDA 1
18/05/2014	8.0	9,242	14.20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/05/2014	8.5	9,249	14.20	TLC-107 SONDA 1
18/05/2014	9.0	9,230	14.20	TLC-107 SONDA 1
18/05/2014	9.5	9,211	14.20	TLC-107 SONDA 1
18/05/2014	10.0	9,284	14.20	TLC-107 SONDA 1
18/05/2014	10.5	9,224	14.20	TLC-107 SONDA 1
18/05/2014	11.0	9,234	14.20	TLC-107 SONDA 1
18/05/2014	11.5	9,245	14.30	TLC-107 SONDA 1
18/05/2014	12.0	9,258	14.20	TLC-107 SONDA 1
18/05/2014	12.5	9,247	14.20	TLC-107 SONDA 1
18/05/2014	13.0	9,242	14.30	TLC-107 SONDA 1
18/05/2014	13.5	9,260	14.20	TLC-107 SONDA 1
18/05/2014	14.0	9,193	14.20	TLC-107 SONDA 1
18/05/2014	14.5	9,247	14.20	TLC-107 SONDA 1
18/05/2014	15.0	9,232	14.20	TLC-107 SONDA 1
18/05/2014	15.5	9,236	14.20	TLC-107 SONDA 1
18/05/2014	16.0	9,329	14.20	TLC-107 SONDA 1
18/05/2014	16.5	9,288	14.30	TLC-107 SONDA 1
18/05/2014	17.0	9,234	14.30	TLC-107 SONDA 1
18/05/2014	17.5	9,230	14.30	TLC-107 SONDA 1
18/05/2014	18.0	9,235	14.30	TLC-107 SONDA 1
18/05/2014	18.2	9,740	14.30	TLC-107 SONDA 1
18/05/2014	18.4	41,500	14.80	TLC-107 SONDA 1
18/05/2014	18.6	144,200	15.00	TLC-107 SONDA 1
18/05/2014	18.8	187,300	15.10	TLC-107 SONDA 1
18/05/2014	19.0	196,500	15.10	TLC-107 SONDA 1
18/05/2014	19.2	198,200	15.20	TLC-107 SONDA 1
18/05/2014	19.4	200,300	15.20	TLC-107 SONDA 1
18/05/2014	19.6	201,900	15.20	TLC-107 SONDA 1
18/05/2014	19.8	201,500	15.20	TLC-107 SONDA 1
18/05/2014	20.0	201,900	15.20	TLC-107 SONDA 1
18/05/2014	20.5	204,100	15.20	TLC-107 SONDA 1
18/05/2014	21.0	239,200	15.20	TLC-107 SONDA 1
18/05/2014	21.5	277,000	15.20	TLC-107 SONDA 1
18/05/2014	22.0	271,600	15.20	TLC-107 SONDA 1
18/05/2014	22.5	271,900	15.20	TLC-107 SONDA 1
18/05/2014	23.0	270,200	15.20	TLC-107 SONDA 1
18/05/2014	23.5	270,000	15.20	TLC-107 SONDA 1
18/05/2014	24.0	271,400	15.20	TLC-107 SONDA 1
18/05/2014	24.5	275,000	15.20	TLC-107 SONDA 1
18/05/2014	25.0	280,000	15.20	TLC-107 SONDA 1
18/05/2014	25.5	275,000	15.20	TLC-107 SONDA 1
18/05/2014	26.0	272,200	15.20	TLC-107 SONDA 1
18/05/2014	26.5	272,800	15.20	TLC-107 SONDA 1
18/05/2014	27.0	282,700	15.20	TLC-107 SONDA 1
18/05/2014	27.5	279,400	15.20	TLC-107 SONDA 1
18/05/2014	28.0	280,300	15.20	TLC-107 SONDA 1
18/05/2014	28.5	211,700	15.20	TLC-107 SONDA 1
12/06/2014	0.6	6,874	14.40	TLC-107 SONDA 1
12/06/2014	0.8	6,908	14.30	TLC-107 SONDA 1
12/06/2014	1.0	6,959	14.30	TLC-107 SONDA 1
12/06/2014	1.2	6,993	14.30	TLC-107 SONDA 1
12/06/2014	1.4	7,063	14.30	TLC-107 SONDA 1
12/06/2014	1.6	7,082	14.30	TLC-107 SONDA 1
12/06/2014	1.8	7,111	14.30	TLC-107 SONDA 1
12/06/2014	2.0	7,129	14.30	TLC-107 SONDA 1
12/06/2014	2.5	7,189	14.30	TLC-107 SONDA 1
12/06/2014	3.0	7,253	14.30	TLC-107 SONDA 1
12/06/2014	3.5	7,291	14.30	TLC-107 SONDA 1
12/06/2014	4.0	7,309	14.30	TLC-107 SONDA 1
12/06/2014	5.0	7,383	14.30	TLC-107 SONDA 1
12/06/2014	6.0	7,406	14.30	TLC-107 SONDA 1
12/06/2014	7.0	7,431	14.30	TLC-107 SONDA 1
12/06/2014	8.0	7,461	14.30	TLC-107 SONDA 1
12/06/2014	9.0	7,468	14.30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/06/2014	10.0	7,475	14.30	TLC-107 SONDA 1
12/06/2014	12.0	7,485	14.30	TLC-107 SONDA 1
12/06/2014	14.0	7,499	14.30	TLC-107 SONDA 1
12/06/2014	16.0	7,513	14.30	TLC-107 SONDA 1
12/06/2014	18.0	7,587	14.40	TLC-107 SONDA 1
12/06/2014	18.2	8,027	14.40	TLC-107 SONDA 1
12/06/2014	18.4	16,800	14.70	TLC-107 SONDA 1
12/06/2014	18.6	109,100	15.00	TLC-107 SONDA 1
12/06/2014	18.8	147,200	15.10	TLC-107 SONDA 1
12/06/2014	19.0	156,200	15.10	TLC-107 SONDA 1
12/06/2014	19.2	161,000	15.10	TLC-107 SONDA 1
12/06/2014	19.4	163,900	15.20	TLC-107 SONDA 1
12/06/2014	19.6	167,600	15.20	TLC-107 SONDA 1
12/06/2014	19.8	169,800	15.20	TLC-107 SONDA 1
12/06/2014	20.0	172,300	15.20	TLC-107 SONDA 1
12/06/2014	20.5	181,700	15.20	TLC-107 SONDA 1
12/06/2014	21.0	227,800	15.20	TLC-107 SONDA 1
12/06/2014	21.5	260,300	15.20	TLC-107 SONDA 1
12/06/2014	22.0	267,700	15.20	TLC-107 SONDA 1
12/06/2014	22.5	274,200	15.20	TLC-107 SONDA 1
12/06/2014	23.0	276,900	15.20	TLC-107 SONDA 1
12/06/2014	23.5	282,700	15.20	TLC-107 SONDA 1
12/06/2014	24.0	288,000	15.20	TLC-107 SONDA 1
12/06/2014	25.0	291,800	15.20	TLC-107 SONDA 1
12/06/2014	26.0	296,800	15.20	TLC-107 SONDA 1
12/06/2014	27.0	301,400	15.20	TLC-107 SONDA 1
12/06/2014	28.0	308,400	15.20	TLC-107 SONDA 1
12/06/2014	28.7	24,900	15.20	TLC-107 SONDA 1
17/07/2014	0.7	6,487	15.30	TLC-107 SONDA 1
17/07/2014	1.0	6,510	14.90	TLC-107 SONDA 1
17/07/2014	2.0	6,607	14.60	TLC-107 SONDA 1
17/07/2014	4.0	6,662	14.40	TLC-107 SONDA 1
17/07/2014	6.0	6,691	14.40	TLC-107 SONDA 1
17/07/2014	8.0	6,740	14.40	TLC-107 SONDA 1
17/07/2014	10.0	6,836	14.40	TLC-107 SONDA 1
17/07/2014	12.0	6,893	14.40	TLC-107 SONDA 1
17/07/2014	14.0	6,928	14.40	TLC-107 SONDA 1
17/07/2014	16.0	6,957	14.40	TLC-107 SONDA 1
17/07/2014	18.0	6,967	14.60	TLC-107 SONDA 1
17/07/2014	18.2	7,667	14.60	TLC-107 SONDA 1
17/07/2014	18.4	21,300	14.80	TLC-107 SONDA 1
17/07/2014	18.6	74,200	15.10	TLC-107 SONDA 1
17/07/2014	18.8	95,900	15.10	TLC-107 SONDA 1
17/07/2014	19.0	98,300	15.10	TLC-107 SONDA 1
17/07/2014	19.2	100,300	15.20	TLC-107 SONDA 1
17/07/2014	19.4	101,700	15.20	TLC-107 SONDA 1
17/07/2014	19.6	102,600	15.20	TLC-107 SONDA 1
17/07/2014	19.8	103,300	15.20	TLC-107 SONDA 1
17/07/2014	20.0	104,100	15.20	TLC-107 SONDA 1
17/07/2014	20.2	105,100	15.20	TLC-107 SONDA 1
17/07/2014	20.4	106,000	15.20	TLC-107 SONDA 1
17/07/2014	20.6	110,100	15.20	TLC-107 SONDA 1
17/07/2014	20.8	117,300	15.20	TLC-107 SONDA 1
17/07/2014	21.0	129,600	15.20	TLC-107 SONDA 1
17/07/2014	21.2	139,200	15.20	TLC-107 SONDA 1
17/07/2014	21.4	145,700	15.20	TLC-107 SONDA 1
17/07/2014	21.6	146,900	15.20	TLC-107 SONDA 1
17/07/2014	21.8	147,700	15.20	TLC-107 SONDA 1
17/07/2014	22.0	148,500	15.20	TLC-107 SONDA 1
17/07/2014	22.5	149,500	15.20	TLC-107 SONDA 1
17/07/2014	23.0	150,000	15.20	TLC-107 SONDA 1
17/07/2014	23.5	150,000	15.20	TLC-107 SONDA 1
17/07/2014	24.0	150,700	15.20	TLC-107 SONDA 1
17/07/2014	24.5	150,700	15.20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/07/2014	25.0	151,000	15.20	TLC-107 SONDA 1
17/07/2014	26.0	153,100	15.20	TLC-107 SONDA 1
17/07/2014	27.0	153,700	15.20	TLC-107 SONDA 1
17/07/2014	28.0	154,000	15.20	TLC-107 SONDA 1
17/07/2014	28.9	114,200	15.20	TLC-107 SONDA 1
12/08/2014	0.6	6,807	14.70	TLC-107 SONDA 1
12/08/2014	1.0	6,805	14.40	TLC-107 SONDA 1
12/08/2014	3.0	6,800	14.40	TLC-107 SONDA 1
12/08/2014	5.0	6,816	14.40	TLC-107 SONDA 1
12/08/2014	7.0	6,820	14.40	TLC-107 SONDA 1
12/08/2014	9.0	6,865	14.40	TLC-107 SONDA 1
12/08/2014	11.0	6,884	14.40	TLC-107 SONDA 1
12/08/2014	13.0	6,894	14.40	TLC-107 SONDA 1
12/08/2014	15.0	6,928	14.40	TLC-107 SONDA 1
12/08/2014	16.0	6,948	14.40	TLC-107 SONDA 1
12/08/2014	17.0	6,932	14.60	TLC-107 SONDA 1
12/08/2014	18.0	6,949	14.60	TLC-107 SONDA 1
12/08/2014	18.5	69,600	15.10	TLC-107 SONDA 1
12/08/2014	19.0	114,700	15.20	TLC-107 SONDA 1
12/08/2014	19.2	118,200	15.20	TLC-107 SONDA 1
12/08/2014	19.4	120,000	15.20	TLC-107 SONDA 1
12/08/2014	19.6	122,500	15.20	TLC-107 SONDA 1
12/08/2014	19.8	123,700	15.20	TLC-107 SONDA 1
12/08/2014	20.0	126,100	15.20	TLC-107 SONDA 1
12/08/2014	20.2	128,300	15.20	TLC-107 SONDA 1
12/08/2014	20.4	132,900	15.20	TLC-107 SONDA 1
12/08/2014	20.6	137,100	15.20	TLC-107 SONDA 1
12/08/2014	20.8	144,100	15.20	TLC-107 SONDA 1
12/08/2014	21.0	160,700	15.20	TLC-107 SONDA 1
12/08/2014	21.2	171,000	15.20	TLC-107 SONDA 1
12/08/2014	21.4	182,300	15.20	TLC-107 SONDA 1
12/08/2014	21.6	192,300	15.20	TLC-107 SONDA 1
12/08/2014	21.8	198,500	15.20	TLC-107 SONDA 1
12/08/2014	22.0	202,800	15.20	TLC-107 SONDA 1
12/08/2014	24.0	217,900	15.20	TLC-107 SONDA 1
12/08/2014	26.0	238,000	15.20	TLC-107 SONDA 1
12/08/2014	28.0	239,100	15.20	TLC-107 SONDA 1
12/08/2014	28.4	335,000	15.20	TLC-107 SONDA 1
06/09/2014	0.7	7,676	15.10	TLC-107 SONDA 1
06/09/2014	1.0	7,651	14.40	TLC-107 SONDA 1
06/09/2014	3.0	7,652	14.40	TLC-107 SONDA 1
06/09/2014	5.0	7,643	14.40	TLC-107 SONDA 1
06/09/2014	7.0	7,627	14.40	TLC-107 SONDA 1
06/09/2014	9.0	7,630	14.40	TLC-107 SONDA 1
06/09/2014	11.0	7,627	14.40	TLC-107 SONDA 1
06/09/2014	13.0	7,620	14.40	TLC-107 SONDA 1
06/09/2014	15.0	7,608	14.60	TLC-107 SONDA 1
06/09/2014	17.0	7,601	14.70	TLC-107 SONDA 1
06/09/2014	17.5	31,600	15.10	TLC-107 SONDA 1
06/09/2014	17.7	33,700	15.20	TLC-107 SONDA 1
06/09/2014	17.9	33,800	15.20	TLC-107 SONDA 1
06/09/2014	18.1	34,100	15.20	TLC-107 SONDA 1
06/09/2014	18.3	38,400	15.20	TLC-107 SONDA 1
06/09/2014	18.5	59,900	15.20	TLC-107 SONDA 1
06/09/2014	18.7	95,600	15.20	TLC-107 SONDA 1
06/09/2014	18.9	104,500	15.20	TLC-107 SONDA 1
06/09/2014	19.1	106,900	15.20	TLC-107 SONDA 1
06/09/2014	19.3	108,500	15.20	TLC-107 SONDA 1
06/09/2014	19.5	109,700	15.20	TLC-107 SONDA 1
06/09/2014	19.7	112,900	15.20	TLC-107 SONDA 1
06/09/2014	19.9	116,100	15.20	TLC-107 SONDA 1
06/09/2014	20.1	120,000	15.20	TLC-107 SONDA 1
06/09/2014	20.3	123,900	15.20	TLC-107 SONDA 1
06/09/2014	20.5	127,500	15.20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/09/2014	21.0	160,300	15.20	TLC-107 SONDA 1
06/09/2014	21.5	193,500	15.20	TLC-107 SONDA 1
06/09/2014	22.0	207,300	15.20	TLC-107 SONDA 1
06/09/2014	22.5	219,300	15.20	TLC-107 SONDA 1
06/09/2014	23.5	228,400	15.20	TLC-107 SONDA 1
06/09/2014	24.5	237,900	15.20	TLC-107 SONDA 1
06/09/2014	25.5	250,600	15.20	TLC-107 SONDA 1
06/09/2014	26.5	258,900	15.20	TLC-107 SONDA 1
06/09/2014	27.5	271,900	15.20	TLC-107 SONDA 1
06/09/2014	28.5	169,800	15.20	TLC-107 SONDA 1
07/10/2014	0.7	8,627	15.00	TLC-107 SONDA 1
07/10/2014	1.0	8,667	14.70	TLC-107 SONDA 1
07/10/2014	1.5	8,668	14.40	TLC-107 SONDA 1
07/10/2014	2.0	8,780	14.40	TLC-107 SONDA 1
07/10/2014	3.0	8,715	14.40	TLC-107 SONDA 1
07/10/2014	4.0	8,748	14.40	TLC-107 SONDA 1
07/10/2014	5.0	8,751	14.30	TLC-107 SONDA 1
07/10/2014	6.0	8,765	14.30	TLC-107 SONDA 1
07/10/2014	7.0	8,774	14.30	TLC-107 SONDA 1
07/10/2014	8.0	8,782	14.30	TLC-107 SONDA 1
07/10/2014	9.0	8,798	14.30	TLC-107 SONDA 1
07/10/2014	10.0	8,785	14.40	TLC-107 SONDA 1
07/10/2014	11.0	8,794	14.40	TLC-107 SONDA 1
07/10/2014	12.0	8,817	14.40	TLC-107 SONDA 1
07/10/2014	13.0	8,823	14.40	TLC-107 SONDA 1
07/10/2014	14.0	8,850	14.40	TLC-107 SONDA 1
07/10/2014	15.0	8,897	14.40	TLC-107 SONDA 1
07/10/2014	16.0	8,884	14.70	TLC-107 SONDA 1
07/10/2014	17.0	8,914	14.70	TLC-107 SONDA 1
07/10/2014	17.2	9,006	14.70	TLC-107 SONDA 1
07/10/2014	17.4	42,900	15.00	TLC-107 SONDA 1
07/10/2014	17.6	49,200	15.10	TLC-107 SONDA 1
07/10/2014	17.8	50,200	15.20	TLC-107 SONDA 1
07/10/2014	18.0	50,900	15.20	TLC-107 SONDA 1
07/10/2014	18.2	53,200	15.20	TLC-107 SONDA 1
07/10/2014	18.4	67,100	15.20	TLC-107 SONDA 1
07/10/2014	18.6	146,500	15.20	TLC-107 SONDA 1
07/10/2014	18.8	168,600	15.20	TLC-107 SONDA 1
07/10/2014	19.0	176,300	15.20	TLC-107 SONDA 1
07/10/2014	19.2	180,100	15.20	TLC-107 SONDA 1
07/10/2014	19.4	184,500	15.20	TLC-107 SONDA 1
07/10/2014	19.6	188,200	15.20	TLC-107 SONDA 1
07/10/2014	19.8	192,300	15.20	TLC-107 SONDA 1
07/10/2014	20.0	197,800	15.20	TLC-107 SONDA 1
07/10/2014	20.5	207,200	15.20	TLC-107 SONDA 1
07/10/2014	21.0	278,100	15.20	TLC-107 SONDA 1
07/10/2014	22.0	353,200	15.20	TLC-107 SONDA 1
07/10/2014	24.0	370,500	15.20	TLC-107 SONDA 1
07/10/2014	26.0	382,000	15.20	TLC-107 SONDA 1
07/10/2014	28.0	393,200	15.20	TLC-107 SONDA 1
07/10/2014	28.3	221,900	15.20	TLC-107 SONDA 1
04/11/2014	0.7	8,889	14.90	TLC-107 SONDA 1
04/11/2014	1.0	8,743	14.70	TLC-107 SONDA 1
04/11/2014	2.0	8,800	14.30	TLC-107 SONDA 1
04/11/2014	3.0	8,729	14.30	TLC-107 SONDA 1
04/11/2014	4.0	8,727	14.30	TLC-107 SONDA 1
04/11/2014	5.0	8,728	14.30	TLC-107 SONDA 1
04/11/2014	6.0	8,731	14.30	TLC-107 SONDA 1
04/11/2014	7.0	8,735	14.30	TLC-107 SONDA 1
04/11/2014	8.0	8,737	14.30	TLC-107 SONDA 1
04/11/2014	9.0	8,748	14.30	TLC-107 SONDA 1
04/11/2014	10.0	8,777	14.30	TLC-107 SONDA 1
04/11/2014	11.0	8,805	14.30	TLC-107 SONDA 1
04/11/2014	12.0	8,797	14.30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/11/2014	13.0	8,808	14.30	TLC-107 SONDA 1
04/11/2014	14.0	8,842	14.30	TLC-107 SONDA 1
04/11/2014	15.0	8,846	14.30	TLC-107 SONDA 1
04/11/2014	16.0	8,875	14.40	TLC-107 SONDA 1
04/11/2014	17.0	8,903	14.60	TLC-107 SONDA 1
04/11/2014	17.5	9,062	14.60	TLC-107 SONDA 1
04/11/2014	17.7	9,035	14.60	TLC-107 SONDA 1
04/11/2014	17.9	37,300	15.00	TLC-107 SONDA 1
04/11/2014	18.1	41,200	15.10	TLC-107 SONDA 1
04/11/2014	18.3	47,200	15.20	TLC-107 SONDA 1
04/11/2014	18.5	82,800	15.20	TLC-107 SONDA 1
04/11/2014	18.7	124,100	15.20	TLC-107 SONDA 1
04/11/2014	18.9	147,900	15.20	TLC-107 SONDA 1
04/11/2014	19.1	151,700	15.20	TLC-107 SONDA 1
04/11/2014	19.3	157,000	15.20	TLC-107 SONDA 1
04/11/2014	19.5	158,700	15.20	TLC-107 SONDA 1
04/11/2014	19.7	161,000	15.20	TLC-107 SONDA 1
04/11/2014	19.9	163,900	15.30	TLC-107 SONDA 1
04/11/2014	20.1	165,900	15.30	TLC-107 SONDA 1
04/11/2014	20.5	174,400	15.20	TLC-107 SONDA 1
04/11/2014	21.0	252,200	15.20	TLC-107 SONDA 1
04/11/2014	22.0	331,900	15.20	TLC-107 SONDA 1
04/11/2014	24.0	357,900	15.20	TLC-107 SONDA 1
04/11/2014	26.0	381,900	15.20	TLC-107 SONDA 1
04/11/2014	28.0	400,000	15.20	TLC-107 SONDA 1
04/11/2014	28.6	239,400	15.20	TLC-107 SONDA 1
02/12/2014	0.7	8,771	14.30	TLC-107 SONDA 1
02/12/2014	1.0	8,789	14.20	TLC-107 SONDA 1
02/12/2014	1.5	8,808	14.20	TLC-107 SONDA 1
02/12/2014	2.0	8,818	14.20	TLC-107 SONDA 1
02/12/2014	2.5	8,859	14.20	TLC-107 SONDA 1
02/12/2014	3.0	8,875	14.20	TLC-107 SONDA 1
02/12/2014	4.0	8,850	14.20	TLC-107 SONDA 1
02/12/2014	5.0	8,877	14.20	TLC-107 SONDA 1
02/12/2014	6.0	8,898	14.20	TLC-107 SONDA 1
02/12/2014	7.0	8,899	14.20	TLC-107 SONDA 1
02/12/2014	8.0	8,890	14.20	TLC-107 SONDA 1
02/12/2014	9.0	8,889	14.20	TLC-107 SONDA 1
02/12/2014	10.0	8,833	14.20	TLC-107 SONDA 1
02/12/2014	11.0	8,748	14.30	TLC-107 SONDA 1
02/12/2014	12.0	8,643	14.30	TLC-107 SONDA 1
02/12/2014	13.0	8,634	14.30	TLC-107 SONDA 1
02/12/2014	14.0	8,636	14.30	TLC-107 SONDA 1
02/12/2014	15.0	8,711	14.30	TLC-107 SONDA 1
02/12/2014	16.0	8,738	14.30	TLC-107 SONDA 1
02/12/2014	17.0	8,749	14.40	TLC-107 SONDA 1
02/12/2014	17.2	8,745	14.50	TLC-107 SONDA 1
02/12/2014	17.4	8,751	14.50	TLC-107 SONDA 1
02/12/2014	17.6	8,790	14.50	TLC-107 SONDA 1
02/12/2014	17.8	9,530	14.50	TLC-107 SONDA 1
02/12/2014	18.0	29,500	14.80	TLC-107 SONDA 1
02/12/2014	18.2	37,900	15.00	TLC-107 SONDA 1
02/12/2014	18.4	45,900	15.00	TLC-107 SONDA 1
02/12/2014	18.6	80,500	15.10	TLC-107 SONDA 1
02/12/2014	18.8	112,200	15.10	TLC-107 SONDA 1
02/12/2014	19.0	127,300	15.10	TLC-107 SONDA 1
02/12/2014	19.5	129,200	15.10	TLC-107 SONDA 1
02/12/2014	20.0	130,100	15.10	TLC-107 SONDA 1
02/12/2014	20.5	131,700	15.10	TLC-107 SONDA 1
02/12/2014	21.0	151,700	15.10	TLC-107 SONDA 1
02/12/2014	21.5	204,100	15.10	TLC-107 SONDA 1
02/12/2014	22.0	205,300	15.10	TLC-107 SONDA 1
02/12/2014	23.0	206,900	15.10	TLC-107 SONDA 1
02/12/2014	24.0	206,500	15.10	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/12/2014	26.0	208,200	15.10	TLC-107 SONDA 1
02/12/2014	28.0	206,100	15.10	TLC-107 SONDA 1
02/12/2014	28.3	131,100	15.10	TLC-107 SONDA 1
09/01/2015	0.7	6,439	14.80	TLC-107 SONDA 1
09/01/2015	1.0	7,262	14.40	TLC-107 SONDA 1
09/01/2015	1.5	7,245	14.20	TLC-107 SONDA 1
09/01/2015	2.0	7,230	14.20	TLC-107 SONDA 1
09/01/2015	3.0	7,232	14.20	TLC-107 SONDA 1
09/01/2015	4.0	7,215	14.20	TLC-107 SONDA 1
09/01/2015	5.0	7,224	14.20	TLC-107 SONDA 1
09/01/2015	6.0	7,224	14.20	TLC-107 SONDA 1
09/01/2015	8.0	7,224	14.20	TLC-107 SONDA 1
09/01/2015	10.0	7,237	14.20	TLC-107 SONDA 1
09/01/2015	12.0	7,222	14.30	TLC-107 SONDA 1
09/01/2015	14.0	7,251	14.30	TLC-107 SONDA 1
09/01/2015	16.0	7,237	14.30	TLC-107 SONDA 1
09/01/2015	17.0	7,318	14.40	TLC-107 SONDA 1
09/01/2015	17.2	7,370	14.40	TLC-107 SONDA 1
09/01/2015	17.4	7,493	14.40	TLC-107 SONDA 1
09/01/2015	17.6	7,578	14.40	TLC-107 SONDA 1
09/01/2015	17.8	7,526	14.40	TLC-107 SONDA 1
09/01/2015	18.0	31,500	14.90	TLC-107 SONDA 1
09/01/2015	18.2	38,000	15.10	TLC-107 SONDA 1
09/01/2015	18.4	49,900	15.20	TLC-107 SONDA 1
09/01/2015	18.6	95,900	15.20	TLC-107 SONDA 1
09/01/2015	18.8	109,900	15.20	TLC-107 SONDA 1
09/01/2015	19.0	117,800	15.20	TLC-107 SONDA 1
09/01/2015	19.2	122,900	15.20	TLC-107 SONDA 1
09/01/2015	19.4	126,700	15.20	TLC-107 SONDA 1
09/01/2015	19.6	130,100	15.20	TLC-107 SONDA 1
09/01/2015	19.8	133,600	15.20	TLC-107 SONDA 1
09/01/2015	20.0	135,700	15.30	TLC-107 SONDA 1
09/01/2015	20.2	136,500	15.30	TLC-107 SONDA 1
09/01/2015	20.4	137,400	15.20	TLC-107 SONDA 1
09/01/2015	20.6	145,400	15.20	TLC-107 SONDA 1
09/01/2015	20.8	161,600	15.20	TLC-107 SONDA 1
09/01/2015	21.0	175,900	15.20	TLC-107 SONDA 1
09/01/2015	21.2	192,800	15.20	TLC-107 SONDA 1
09/01/2015	21.4	205,100	15.20	TLC-107 SONDA 1
09/01/2015	21.6	211,900	15.20	TLC-107 SONDA 1
09/01/2015	21.8	214,600	15.20	TLC-107 SONDA 1
09/01/2015	22.0	217,700	15.20	TLC-107 SONDA 1
09/01/2015	24.0	227,600	15.20	TLC-107 SONDA 1
09/01/2015	26.0	228,700	15.20	TLC-107 SONDA 1
09/01/2015	28.0	233,900	15.20	TLC-107 SONDA 1
09/01/2015	28.3	156,600	15.20	TLC-107 SONDA 1
11/02/2015	0.7	7,801	15.20	TLC-107 SONDA 1
11/02/2015	1.0	7,951	14.60	TLC-107 SONDA 1
11/02/2015	1.5	8,036	14.40	TLC-107 SONDA 1
11/02/2015	2.0	8,088	14.20	TLC-107 SONDA 1
11/02/2015	3.0	8,093	14.20	TLC-107 SONDA 1
11/02/2015	4.0	8,126	14.20	TLC-107 SONDA 1
11/02/2015	6.0	8,191	14.20	TLC-107 SONDA 1
11/02/2015	8.0	8,239	14.20	TLC-107 SONDA 1
11/02/2015	10.0	8,284	14.20	TLC-107 SONDA 1
11/02/2015	12.0	8,344	14.20	TLC-107 SONDA 1
11/02/2015	14.0	8,381	14.20	TLC-107 SONDA 1
11/02/2015	16.0	8,440	14.20	TLC-107 SONDA 1
11/02/2015	17.0	8,450	14.40	TLC-107 SONDA 1
11/02/2015	17.2	8,483	14.40	TLC-107 SONDA 1
11/02/2015	17.4	8,500	14.40	TLC-107 SONDA 1
11/02/2015	17.6	8,520	14.40	TLC-107 SONDA 1
11/02/2015	17.8	8,541	14.40	TLC-107 SONDA 1
11/02/2015	18.0	24,000	14.80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/02/2015	18.2	46,000	15.10	TLC-107 SONDA 1
11/02/2015	18.4	63,300	15.10	TLC-107 SONDA 1
11/02/2015	18.6	122,800	15.20	TLC-107 SONDA 1
11/02/2015	18.8	150,600	15.20	TLC-107 SONDA 1
11/02/2015	19.0	173,500	15.20	TLC-107 SONDA 1
11/02/2015	19.2	235,900	15.20	TLC-107 SONDA 1
11/02/2015	19.4	261,300	15.20	TLC-107 SONDA 1
11/02/2015	19.6	337,900	15.20	TLC-107 SONDA 1
11/02/2015	19.8	366,300	15.20	TLC-107 SONDA 1
11/02/2015	20.0	393,100	15.20	TLC-107 SONDA 1
11/02/2015	22.0	400,000	15.20	TLC-107 SONDA 1
11/02/2015	24.0	400,000	15.20	TLC-107 SONDA 1
11/02/2015	26.0	400,000	15.20	TLC-107 SONDA 1
11/02/2015	28.0	400,000	15.20	TLC-107 SONDA 1
11/02/2015	28.5	400,000	15.20	TLC-107 SONDA 1
04/03/2015	26.0	242,000	15.20	TLC-107 SONDA 1
04/03/2015	28.0	251,000	15.20	TLC-107 SONDA 1
04/03/2015	28.5	161,500	15.20	TLC-107 SONDA 1
04/03/2015	0.7	23,400	15.00	TLC-107 SONDA 1
04/03/2015	1.0	23,300	14.20	TLC-107 SONDA 1
04/03/2015	2.0	23,200	14.20	TLC-107 SONDA 1
04/03/2015	3.0	23,200	14.20	TLC-107 SONDA 1
04/03/2015	4.0	23,200	14.20	TLC-107 SONDA 1
04/03/2015	6.0	23,300	14.20	TLC-107 SONDA 1
04/03/2015	8.0	23,300	14.20	TLC-107 SONDA 1
04/03/2015	10.0	23,300	14.20	TLC-107 SONDA 1
04/03/2015	11.0	23,300	14.20	TLC-107 SONDA 1
04/03/2015	12.0	23,300	14.20	TLC-107 SONDA 1
04/03/2015	13.0	23,300	14.20	TLC-107 SONDA 1
04/03/2015	14.0	23,300	14.20	TLC-107 SONDA 1
04/03/2015	15.0	23,400	14.20	TLC-107 SONDA 1
04/03/2015	15.5	23,300	14.20	TLC-107 SONDA 1
04/03/2015	16.0	23,400	14.30	TLC-107 SONDA 1
04/03/2015	16.5	23,400	14.30	TLC-107 SONDA 1
04/03/2015	17.0	23,500	14.30	TLC-107 SONDA 1
04/03/2015	17.5	23,500	14.40	TLC-107 SONDA 1
04/03/2015	17.7	23,700	14.40	TLC-107 SONDA 1
04/03/2015	17.9	23,700	14.40	TLC-107 SONDA 1
04/03/2015	18.0	47,600	14.90	TLC-107 SONDA 1
04/03/2015	18.2	55,400	15.10	TLC-107 SONDA 1
04/03/2015	18.4	66,400	15.20	TLC-107 SONDA 1
04/03/2015	18.6	110,100	15.20	TLC-107 SONDA 1
04/03/2015	18.8	134,000	15.20	TLC-107 SONDA 1
04/03/2015	19.0	147,200	15.20	TLC-107 SONDA 1
04/03/2015	19.2	147,000	15.20	TLC-107 SONDA 1
04/03/2015	19.4	147,600	15.20	TLC-107 SONDA 1
04/03/2015	19.6	149,400	15.20	TLC-107 SONDA 1
04/03/2015	19.8	152,400	15.20	TLC-107 SONDA 1
04/03/2015	20.0	151,000	15.20	TLC-107 SONDA 1
04/03/2015	20.2	153,000	15.20	TLC-107 SONDA 1
04/03/2015	20.4	152,000	15.20	TLC-107 SONDA 1
04/03/2015	20.6	157,100	15.20	TLC-107 SONDA 1
04/03/2015	20.8	165,700	15.20	TLC-107 SONDA 1
04/03/2015	21.0	186,300	15.20	TLC-107 SONDA 1
04/03/2015	21.5	229,600	15.20	TLC-107 SONDA 1
04/03/2015	22.0	234,000	15.20	TLC-107 SONDA 1
04/03/2015	24.0	240,200	15.20	TLC-107 SONDA 1
05/05/2015	0.7	7,996	14.70	TLC-107 SONDA 2
05/05/2015	1.0	8,742	14.60	TLC-107 SONDA 2
05/05/2015	1.5	8,897	14.50	TLC-107 SONDA 2
05/05/2015	2.0	8,943	14.40	TLC-107 SONDA 2
05/05/2015	3.0	8,985	14.40	TLC-107 SONDA 2
05/05/2015	4.0	9,005	14.40	TLC-107 SONDA 2
05/05/2015	5.0	9,026	14.40	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/05/2015	7.0	9,099	14.40	TLC-107 SONDA 2
05/05/2015	9.0	9,148	14.40	TLC-107 SONDA 2
05/05/2015	11.0	9,202	14.40	TLC-107 SONDA 2
05/05/2015	13.0	9,252	14.40	TLC-107 SONDA 2
05/05/2015	15.0	9,258	14.50	TLC-107 SONDA 2
05/05/2015	17.0	9,283	14.60	TLC-107 SONDA 2
05/05/2015	17.2	9,432	14.70	TLC-107 SONDA 2
05/05/2015	17.4	10,600	14.70	TLC-107 SONDA 2
05/05/2015	17.6	62,600	15.10	TLC-107 SONDA 2
05/05/2015	17.8	66,200	15.20	TLC-107 SONDA 2
05/05/2015	18.0	68,600	15.20	TLC-107 SONDA 2
05/05/2015	18.2	71,500	15.30	TLC-107 SONDA 2
05/05/2015	18.4	119,700	15.30	TLC-107 SONDA 2
05/05/2015	18.6	311,200	15.30	TLC-107 SONDA 2
05/05/2015	18.8	348,200	15.30	TLC-107 SONDA 2
05/05/2015	19.0	365,000	15.30	TLC-107 SONDA 2
05/05/2015	21.0	400,000	15.30	TLC-107 SONDA 2
05/05/2015	23.0	400,000	15.30	TLC-107 SONDA 2
05/05/2015	25.0	400,000	15.30	TLC-107 SONDA 2
05/05/2015	27.0	400,000	15.20	TLC-107 SONDA 2
05/05/2015	28.4	377,600	15.20	TLC-107 SONDA 2
03/06/2015	0.6	7,654	13.40	TLC-107 SONDA 2
03/06/2015	1.0	7,784	14.00	TLC-107 SONDA 2
03/06/2015	1.5	8,037	14.20	TLC-107 SONDA 2
03/06/2015	2.0	8,101	14.40	TLC-107 SONDA 2
03/06/2015	3.0	8,196	14.40	TLC-107 SONDA 2
03/06/2015	4.0	8,222	14.40	TLC-107 SONDA 2
03/06/2015	6.0	8,222	14.40	TLC-107 SONDA 2
03/06/2015	8.0	8,202	14.40	TLC-107 SONDA 2
03/06/2015	10.0	8,198	14.50	TLC-107 SONDA 2
03/06/2015	11.0	8,232	14.50	TLC-107 SONDA 2
03/06/2015	12.0	8,262	14.50	TLC-107 SONDA 2
03/06/2015	12.5	8,272	14.50	TLC-107 SONDA 2
03/06/2015	13.0	8,309	14.50	TLC-107 SONDA 2
03/06/2015	15.0	8,261	14.60	TLC-107 SONDA 2
03/06/2015	16.0	8,292	14.60	TLC-107 SONDA 2
03/06/2015	17.0	8,309	14.70	TLC-107 SONDA 2
03/06/2015	17.5	9,663	14.70	TLC-107 SONDA 2
03/06/2015	17.7	38,000	15.00	TLC-107 SONDA 2
03/06/2015	17.9	39,800	15.20	TLC-107 SONDA 2
03/06/2015	18.0	40,600	15.20	TLC-107 SONDA 2
03/06/2015	18.2	43,600	15.20	TLC-107 SONDA 2
03/06/2015	18.4	59,600	15.30	TLC-107 SONDA 2
03/06/2015	18.6	162,000	15.30	TLC-107 SONDA 2
03/06/2015	18.8	187,600	15.30	TLC-107 SONDA 2
03/06/2015	19.0	196,600	15.30	TLC-107 SONDA 2
03/06/2015	19.5	202,500	15.30	TLC-107 SONDA 2
03/06/2015	20.0	210,200	15.30	TLC-107 SONDA 2
03/06/2015	21.0	247,500	15.30	TLC-107 SONDA 2
03/06/2015	23.0	259,900	15.30	TLC-107 SONDA 2
03/06/2015	25.0	259,800	15.30	TLC-107 SONDA 2
03/06/2015	27.0	259,700	15.30	TLC-107 SONDA 2
03/06/2015	28.0	260,300	15.30	TLC-107 SONDA 2
03/06/2015	28.8	214,400	15.30	TLC-107 SONDA 2
07/07/2015	0.6	8,809	14.20	TLC-107 SONDA 1
07/07/2015	1.0	8,815	14.40	TLC-107 SONDA 1
07/07/2015	1.5	8,806	14.50	TLC-107 SONDA 1
07/07/2015	2.0	8,805	14.50	TLC-107 SONDA 1
07/07/2015	3.0	8,802	14.50	TLC-107 SONDA 1
07/07/2015	4.0	8,810	14.30	TLC-107 SONDA 1
07/07/2015	5.0	8,810	14.50	TLC-107 SONDA 1
07/07/2015	6.0	8,809	14.50	TLC-107 SONDA 1
07/07/2015	7.0	8,810	14.50	TLC-107 SONDA 1
07/07/2015	9.0	8,815	14.50	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/07/2015	11.0	8,801	14.60	TLC-107 SONDA 1
07/07/2015	13.0	8,792	14.60	TLC-107 SONDA 1
07/07/2015	15.0	8,805	14.60	TLC-107 SONDA 1
07/07/2015	17.0	8,808	14.70	TLC-107 SONDA 1
07/07/2015	17.2	9,894	14.80	TLC-107 SONDA 1
07/07/2015	17.4	30,000	15.00	TLC-107 SONDA 1
07/07/2015	17.6	44,500	15.20	TLC-107 SONDA 1
07/07/2015	17.8	46,100	15.20	TLC-107 SONDA 1
07/07/2015	18.0	46,800	15.20	TLC-107 SONDA 1
07/07/2015	18.2	50,600	15.30	TLC-107 SONDA 1
07/07/2015	18.4	76,800	15.40	TLC-107 SONDA 1
07/07/2015	18.6	199,100	15.30	TLC-107 SONDA 1
07/07/2015	18.8	223,000	15.30	TLC-107 SONDA 1
07/07/2015	19.0	225,900	15.30	TLC-107 SONDA 1
07/07/2015	20.0	231,100	15.30	TLC-107 SONDA 1
07/07/2015	21.0	267,200	15.30	TLC-107 SONDA 1
07/07/2015	23.0	280,500	15.30	TLC-107 SONDA 1
07/07/2015	25.0	281,100	15.30	TLC-107 SONDA 1
07/07/2015	27.0	282,200	15.30	TLC-107 SONDA 1
07/07/2015	28.8	237,800	15.20	TLC-107 SONDA 1
05/08/2015	0.8	7,896	13.82	SEBA MPS-D3
05/08/2015	1.0	7,849	13.95	SEBA MPS-D3
05/08/2015	2.0	7,831	14.24	SEBA MPS-D3
05/08/2015	3.0	7,829	14.26	SEBA MPS-D3
05/08/2015	4.0	7,829	14.25	SEBA MPS-D3
05/08/2015	6.0	7,830	14.26	SEBA MPS-D3
05/08/2015	8.0	7,836	14.27	SEBA MPS-D3
05/08/2015	10.0	7,827	14.32	SEBA MPS-D3
05/08/2015	12.0	7,826	14.33	SEBA MPS-D3
05/08/2015	14.0	7,828	14.35	SEBA MPS-D3
05/08/2015	16.0	7,827	14.49	SEBA MPS-D3
05/08/2015	17.0	7,825	14.56	SEBA MPS-D3
05/08/2015	17.5	34,287	14.97	SEBA MPS-D3
05/08/2015	17.7	34,389	15.04	SEBA MPS-D3
05/08/2015	17.9	34,595	15.07	SEBA MPS-D3
05/08/2015	18.1	35,816	15.09	SEBA MPS-D3
05/08/2015	18.3	43,299	15.09	SEBA MPS-D3
05/08/2015	18.5	81,279	15.09	SEBA MPS-D3
05/08/2015	18.7	133,239	15.10	SEBA MPS-D3
05/08/2015	18.9	138,874	15.09	SEBA MPS-D3
05/08/2015	19.1	139,036	15.10	SEBA MPS-D3
05/08/2015	19.3	139,130	15.09	SEBA MPS-D3
05/08/2015	19.5	139,059	15.10	SEBA MPS-D3
05/08/2015	19.7	139,176	15.10	SEBA MPS-D3
05/08/2015	19.9	139,281	15.09	SEBA MPS-D3
05/08/2015	20.1	139,247	15.09	SEBA MPS-D3
05/08/2015	20.3	139,258	15.09	SEBA MPS-D3
05/08/2015	20.5	141,563	15.09	SEBA MPS-D3
05/08/2015	20.7	152,253	15.09	SEBA MPS-D3
05/08/2015	20.9	172,647	15.08	SEBA MPS-D3
05/08/2015	21.1	197,688	15.08	SEBA MPS-D3
05/08/2015	21.3	215,119	15.07	SEBA MPS-D3
05/08/2015	21.5	220,487	15.07	SEBA MPS-D3
05/08/2015	22.0	225,933	15.07	SEBA MPS-D3
05/08/2015	24.0	234,683	15.05	SEBA MPS-D3
05/08/2015	26.0	234,719	15.04	SEBA MPS-D3
05/08/2015	28.0	237,046	15.03	SEBA MPS-D3
05/08/2015	28.3	155,010	15.03	SEBA MPS-D3
01/09/2015	0.8	8,098	14.27	SEBA MPS-D3
01/09/2015	1.0	8,070	14.24	SEBA MPS-D3
01/09/2015	3.0	8,039	14.27	SEBA MPS-D3
01/09/2015	5.0	8,037	14.28	SEBA MPS-D3
01/09/2015	7.0	8,044	14.28	SEBA MPS-D3
01/09/2015	9.0	8,040	14.32	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
01/09/2015	11.0	8,040	14.34	SEBA MPS-D3
01/09/2015	13.0	8,040	14.35	SEBA MPS-D3
01/09/2015	15.0	8,040	14.40	SEBA MPS-D3
01/09/2015	16.0	8,040	14.47	SEBA MPS-D3
01/09/2015	17.0	8,040	14.53	SEBA MPS-D3
01/09/2015	17.2	8,038	14.55	SEBA MPS-D3
01/09/2015	17.4	35,140	14.95	SEBA MPS-D3
01/09/2015	17.6	35,230	15.02	SEBA MPS-D3
01/09/2015	17.8	35,390	15.05	SEBA MPS-D3
01/09/2015	18.0	35,890	15.08	SEBA MPS-D3
01/09/2015	18.2	38,860	15.09	SEBA MPS-D3
01/09/2015	18.4	55,550	15.10	SEBA MPS-D3
01/09/2015	18.6	125,200	15.09	SEBA MPS-D3
01/09/2015	18.8	139,600	15.10	SEBA MPS-D3
01/09/2015	19.0	142,300	15.10	SEBA MPS-D3
01/09/2015	19.5	142,500	15.10	SEBA MPS-D3
01/09/2015	20.0	142,600	15.10	SEBA MPS-D3
01/09/2015	20.5	144,700	15.09	SEBA MPS-D3
01/09/2015	21.0	189,300	15.08	SEBA MPS-D3
01/09/2015	21.5	226,100	15.08	SEBA MPS-D3
01/09/2015	22.0	232,900	15.08	SEBA MPS-D3
01/09/2015	24.0	240,400	15.05	SEBA MPS-D3
01/09/2015	26.0	240,500	15.04	SEBA MPS-D3
01/09/2015	28.0	242,800	15.03	SEBA MPS-D3
01/09/2015	28.3	151,000	15.03	SEBA MPS-D3
07/10/2015	0.7	7,979	14.40	SEBA MPS-D3
07/10/2015	1.0	7,962	14.35	SEBA MPS-D3
07/10/2015	3.0	7,962	14.26	SEBA MPS-D3
07/10/2015	5.0	7,961	14.26	SEBA MPS-D3
07/10/2015	7.0	7,958	14.26	SEBA MPS-D3
07/10/2015	9.0	7,967	14.28	SEBA MPS-D3
07/10/2015	11.0	7,961	14.30	SEBA MPS-D3
07/10/2015	13.0	7,962	14.30	SEBA MPS-D3
07/10/2015	15.0	7,961	14.34	SEBA MPS-D3
07/10/2015	17.0	7,962	14.44	SEBA MPS-D3
07/10/2015	17.2	7,962	14.44	SEBA MPS-D3
07/10/2015	17.4	34,669	14.97	SEBA MPS-D3
07/10/2015	17.6	34,712	15.00	SEBA MPS-D3
07/10/2015	17.8	34,705	15.01	SEBA MPS-D3
07/10/2015	18.0	34,833	15.02	SEBA MPS-D3
07/10/2015	18.2	40,300	15.09	SEBA MPS-D3
07/10/2015	18.4	51,843	15.09	SEBA MPS-D3
07/10/2015	18.6	117,554	15.10	SEBA MPS-D3
07/10/2015	18.8	136,567	15.11	SEBA MPS-D3
07/10/2015	19.0	140,356	15.09	SEBA MPS-D3
07/10/2015	19.5	140,577	15.10	SEBA MPS-D3
07/10/2015	20.0	140,576	15.10	SEBA MPS-D3
07/10/2015	20.5	142,316	15.09	SEBA MPS-D3
07/10/2015	21.0	187,547	15.07	SEBA MPS-D3
07/10/2015	21.5	223,587	15.08	SEBA MPS-D3
07/10/2015	22.0	230,572	15.06	SEBA MPS-D3
07/10/2015	24.0	237,581	15.08	SEBA MPS-D3
07/10/2015	26.0	237,720	15.04	SEBA MPS-D3
07/10/2015	28.0	239,992	15.02	SEBA MPS-D3
07/10/2015	28.3	144,394	15.03	SEBA MPS-D3
04/11/2015	0.7	7,883	14.29	SEBA MPS-D3
04/11/2015	1.0	7,856	14.25	SEBA MPS-D3
04/11/2015	3.0	7,850	14.22	SEBA MPS-D3
04/11/2015	5.0	7,846	14.22	SEBA MPS-D3
04/11/2015	7.0	7,848	14.22	SEBA MPS-D3
04/11/2015	9.0	7,852	14.25	SEBA MPS-D3
04/11/2015	11.0	7,852	14.26	SEBA MPS-D3
04/11/2015	13.0	7,851	14.28	SEBA MPS-D3
04/11/2015	15.0	7,852	14.30	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/11/2015	17.0	7,852	14.39	SEBA MPS-D3
04/11/2015	17.2	7,851	14.40	SEBA MPS-D3
04/11/2015	17.4	33,965	14.89	SEBA MPS-D3
04/11/2015	17.6	34,126	14.97	SEBA MPS-D3
04/11/2015	17.8	34,222	15.02	SEBA MPS-D3
04/11/2015	18.0	34,267	15.05	SEBA MPS-D3
04/11/2015	18.2	36,989	15.08	SEBA MPS-D3
04/11/2015	18.4	55,831	15.09	SEBA MPS-D3
04/11/2015	18.6	102,167	15.09	SEBA MPS-D3
04/11/2015	18.8	132,862	15.09	SEBA MPS-D3
04/11/2015	19.0	138,430	15.11	SEBA MPS-D3
04/11/2015	20.0	138,697	15.09	SEBA MPS-D3
04/11/2015	20.5	141,620	15.09	SEBA MPS-D3
04/11/2015	21.0	180,194	15.10	SEBA MPS-D3
04/11/2015	21.5	219,538	15.07	SEBA MPS-D3
04/11/2015	22.0	226,317	15.08	SEBA MPS-D3
04/11/2015	24.0	234,420	15.05	SEBA MPS-D3
04/11/2015	26.0	234,221	15.06	SEBA MPS-D3
04/11/2015	28.0	236,657	15.03	SEBA MPS-D3
04/11/2015	28.3	137,504	15.03	SEBA MPS-D3
02/12/2015	1.0	8,102	14.25	SEBA MPS-D3
02/12/2015	3.0	8,082	14.18	SEBA MPS-D3
02/12/2015	5.0	8,076	14.18	SEBA MPS-D3
02/12/2015	7.0	8,079	14.18	SEBA MPS-D3
02/12/2015	9.0	8,088	14.21	SEBA MPS-D3
02/12/2015	11.0	8,079	14.24	SEBA MPS-D3
02/12/2015	13.0	8,081	14.26	SEBA MPS-D3
02/12/2015	15.0	8,081	14.28	SEBA MPS-D3
02/12/2015	17.0	8,082	14.39	SEBA MPS-D3
02/12/2015	17.2	8,090	14.40	SEBA MPS-D3
02/12/2015	17.4	34,733	14.93	SEBA MPS-D3
02/12/2015	17.6	34,926	14.98	SEBA MPS-D3
02/12/2015	17.8	35,074	15.03	SEBA MPS-D3
02/12/2015	18.0	35,322	15.07	SEBA MPS-D3
02/12/2015	18.2	39,066	15.09	SEBA MPS-D3
02/12/2015	18.4	53,891	15.09	SEBA MPS-D3
02/12/2015	18.6	112,536	15.09	SEBA MPS-D3
02/12/2015	18.8	136,251	15.10	SEBA MPS-D3
02/12/2015	19.0	142,233	15.11	SEBA MPS-D3
02/12/2015	20.0	142,517	15.10	SEBA MPS-D3
02/12/2015	20.5	143,447	15.10	SEBA MPS-D3
02/12/2015	21.0	190,497	15.10	SEBA MPS-D3
02/12/2015	21.5	226,978	15.06	SEBA MPS-D3
02/12/2015	22.0	231,836	15.10	SEBA MPS-D3
02/12/2015	24.0	241,286	15.05	SEBA MPS-D3
02/12/2015	26.0	241,235	15.04	SEBA MPS-D3
02/12/2015	28.0	243,558	15.03	SEBA MPS-D3
02/12/2015	28.3	145,417	15.03	SEBA MPS-D3
12/01/2016	0.8	8,118	14.30	SEBA MPS-D3
12/01/2016	1.0	8,092	14.19	SEBA MPS-D3
12/01/2016	3.0	8,067	14.16	SEBA MPS-D3
12/01/2016	5.0	8,061	14.14	SEBA MPS-D3
12/01/2016	7.0	8,062	14.15	SEBA MPS-D3
12/01/2016	9.0	8,067	14.18	SEBA MPS-D3
12/01/2016	11.0	8,063	14.22	SEBA MPS-D3
12/01/2016	13.0	8,062	14.22	SEBA MPS-D3
12/01/2016	15.0	8,062	14.27	SEBA MPS-D3
12/01/2016	17.0	8,062	14.38	SEBA MPS-D3
12/01/2016	17.2	10,306	14.55	SEBA MPS-D3
12/01/2016	17.4	34,821	14.92	SEBA MPS-D3
12/01/2016	17.6	35,074	15.00	SEBA MPS-D3
12/01/2016	17.8	35,177	15.05	SEBA MPS-D3
12/01/2016	18.0	35,545	15.08	SEBA MPS-D3
12/01/2016	18.2	38,652	15.09	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/01/2016	18.4	51,031	15.10	SEBA MPS-D3
12/01/2016	18.6	108,657	15.10	SEBA MPS-D3
12/01/2016	18.8	135,316	15.10	SEBA MPS-D3
12/01/2016	19.0	141,512	15.10	SEBA MPS-D3
12/01/2016	20.0	141,745	15.10	SEBA MPS-D3
12/01/2016	20.5	142,481	15.09	SEBA MPS-D3
12/01/2016	21.0	187,938	15.09	SEBA MPS-D3
12/01/2016	21.5	226,238	15.09	SEBA MPS-D3
12/01/2016	22.0	230,771	15.08	SEBA MPS-D3
12/01/2016	24.0	240,134	15.06	SEBA MPS-D3
12/01/2016	26.0	240,260	15.04	SEBA MPS-D3
12/01/2016	28.0	242,544	15.03	SEBA MPS-D3
12/01/2016	28.3	145,479	15.04	SEBA MPS-D3
09/02/2016	1.0	8,339	14.45	SEBA MPS-D3
09/02/2016	3.0	8,239	14.17	SEBA MPS-D3
09/02/2016	5.0	8,238	14.15	SEBA MPS-D3
09/02/2016	7.0	8,238	14.16	SEBA MPS-D3
09/02/2016	9.0	8,236	14.20	SEBA MPS-D3
09/02/2016	11.0	8,232	14.23	SEBA MPS-D3
09/02/2016	13.0	8,232	14.26	SEBA MPS-D3
09/02/2016	15.0	8,233	14.35	SEBA MPS-D3
09/02/2016	17.0	30,974	14.89	SEBA MPS-D3
09/02/2016	17.2	35,878	15.02	SEBA MPS-D3
09/02/2016	17.4	36,043	15.05	SEBA MPS-D3
09/02/2016	17.6	36,078	15.07	SEBA MPS-D3
09/02/2016	17.8	36,140	15.08	SEBA MPS-D3
09/02/2016	18.0	36,805	15.10	SEBA MPS-D3
09/02/2016	18.2	40,377	15.11	SEBA MPS-D3
09/02/2016	18.4	55,283	15.11	SEBA MPS-D3
09/02/2016	18.6	115,847	15.11	SEBA MPS-D3
09/02/2016	18.8	138,478	15.11	SEBA MPS-D3
09/02/2016	19.0	144,503	15.11	SEBA MPS-D3
09/02/2016	19.5	144,683	15.10	SEBA MPS-D3
09/02/2016	20.0	144,767	15.10	SEBA MPS-D3
09/02/2016	20.5	146,191	15.10	SEBA MPS-D3
09/02/2016	21.0	193,041	15.09	SEBA MPS-D3
09/02/2016	21.5	230,419	15.09	SEBA MPS-D3
09/02/2016	22.0	236,449	15.08	SEBA MPS-D3
09/02/2016	24.0	244,765	15.05	SEBA MPS-D3
09/02/2016	26.0	245,267	15.05	SEBA MPS-D3
09/02/2016	28.0	247,681	15.04	SEBA MPS-D3
09/02/2016	28.3	140,765	15.04	SEBA MPS-D3
08/03/2016	1.0	8,198	14.25	SEBA MPS-D3
08/03/2016	3.0	8,161	14.17	SEBA MPS-D3
08/03/2016	5.0	8,161	14.16	SEBA MPS-D3
08/03/2016	7.0	8,164	14.19	SEBA MPS-D3
08/03/2016	9.0	8,161	14.21	SEBA MPS-D3
08/03/2016	11.0	8,153	14.25	SEBA MPS-D3
08/03/2016	13.0	8,154	14.26	SEBA MPS-D3
08/03/2016	15.0	8,155	14.31	SEBA MPS-D3
08/03/2016	17.0	13,560	14.53	SEBA MPS-D3
08/03/2016	17.2	35,480	14.92	SEBA MPS-D3
08/03/2016	17.4	35,790	15.02	SEBA MPS-D3
08/03/2016	17.6	35,810	15.06	SEBA MPS-D3
08/03/2016	17.8	35,910	15.08	SEBA MPS-D3
08/03/2016	18.0	36,290	15.10	SEBA MPS-D3
08/03/2016	18.2	41,010	15.11	SEBA MPS-D3
08/03/2016	18.4	52,210	15.11	SEBA MPS-D3
08/03/2016	18.6	110,100	15.11	SEBA MPS-D3
08/03/2016	18.8	135,200	15.11	SEBA MPS-D3
08/03/2016	19.0	143,000	15.10	SEBA MPS-D3
08/03/2016	19.2	143,100	15.12	SEBA MPS-D3
08/03/2016	19.4	143,200	15.11	SEBA MPS-D3
08/03/2016	19.6	143,200	15.11	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/03/2016	19.8	143,200	15.10	SEBA MPS-D3
08/03/2016	20.0	143,300	15.10	SEBA MPS-D3
08/03/2016	20.2	143,300	15.01	SEBA MPS-D3
08/03/2016	20.4	143,300	15.10	SEBA MPS-D3
08/03/2016	20.6	150,500	15.10	SEBA MPS-D3
08/03/2016	20.8	169,500	15.09	SEBA MPS-D3
08/03/2016	21.0	190,600	15.09	SEBA MPS-D3
08/03/2016	21.2	213,400	15.09	SEBA MPS-D3
08/03/2016	21.4	225,700	15.08	SEBA MPS-D3
08/03/2016	22.0	232,700	15.08	SEBA MPS-D3
08/03/2016	24.0	242,700	15.06	SEBA MPS-D3
08/03/2016	26.0	242,900	15.04	SEBA MPS-D3
06/05/2016	0.7	8,032	14.53	SEBA KLL-Q
06/05/2016	1.0	8,014	14.27	SEBA KLL-Q
06/05/2016	2.0	8,013	14.23	SEBA KLL-Q
06/05/2016	3.0	8,007	14.24	SEBA KLL-Q
06/05/2016	4.0	8,003	14.22	SEBA KLL-Q
06/05/2016	5.0	8,003	14.22	SEBA KLL-Q
06/05/2016	6.0	8,003	14.22	SEBA KLL-Q
06/05/2016	8.0	8,006	14.22	SEBA KLL-Q
06/05/2016	10.0	8,004	14.26	SEBA KLL-Q
06/05/2016	12.0	8,003	14.27	SEBA KLL-Q
06/05/2016	14.0	8,004	14.27	SEBA KLL-Q
06/05/2016	16.0	8,002	14.38	SEBA KLL-Q
06/05/2016	17.0	8,003	14.38	SEBA KLL-Q
06/05/2016	18.0	35,580	14.98	SEBA KLL-Q
06/05/2016	18.5	88,930	15.06	SEBA KLL-Q
06/05/2016	18.8	144,800	15.07	SEBA KLL-Q
06/05/2016	19.0	140,200	15.09	SEBA KLL-Q
06/05/2016	19.3	140,400	15.08	SEBA KLL-Q
06/05/2016	19.5	140,400	15.08	SEBA KLL-Q
06/05/2016	20.0	140,400	15.09	SEBA KLL-Q
06/05/2016	20.5	143,700	15.08	SEBA KLL-Q
06/05/2016	21.0	188,300	15.07	SEBA KLL-Q
06/05/2016	21.3	215,040	15.07	SEBA KLL-Q
06/05/2016	21.5	225,800	15.06	SEBA KLL-Q
06/05/2016	21.8	226,300	15.06	SEBA KLL-Q
06/05/2016	22.0	228,100	15.06	SEBA KLL-Q
06/05/2016	22.5	233,900	15.06	SEBA KLL-Q
06/05/2016	23.0	235,300	15.05	SEBA KLL-Q
06/05/2016	23.5	239,900	15.04	SEBA KLL-Q
06/05/2016	24.0	236,300	15.04	SEBA KLL-Q
06/05/2016	25.0	237,300	15.04	SEBA KLL-Q
06/05/2016	26.0	238,100	15.02	SEBA KLL-Q
06/05/2016	27.0	238,700	15.01	SEBA KLL-Q
06/05/2016	28.0	240,500	15.01	SEBA KLL-Q
06/05/2016	28.3	141,100	15.01	SEBA KLL-Q
12/07/2016	0.7	7,733	14.61	SEBA KLL-Q
12/07/2016	1.0	7,712	14.48	SEBA KLL-Q
12/07/2016	2.0	7,710	14.38	SEBA KLL-Q
12/07/2016	3.0	7,700	14.38	SEBA KLL-Q
12/07/2016	4.0	7,707	14.38	SEBA KLL-Q
12/07/2016	5.0	7,707	14.38	SEBA KLL-Q
12/07/2016	6.0	7,707	14.38	SEBA KLL-Q
12/07/2016	7.0	7,711	14.38	SEBA KLL-Q
12/07/2016	8.0	7,709	14.38	SEBA KLL-Q
12/07/2016	9.0	7,706	14.41	SEBA KLL-Q
12/07/2016	10.0	7,705	14.42	SEBA KLL-Q
12/07/2016	11.0	7,706	14.42	SEBA KLL-Q
12/07/2016	12.0	7,708	14.42	SEBA KLL-Q
12/07/2016	12.0	7,705	14.42	SEBA KLL-Q
12/07/2016	13.0	7,705	14.43	SEBA KLL-Q
12/07/2016	14.0	7,704	14.45	SEBA KLL-Q
12/07/2016	15.0	7,704	14.52	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/07/2016	16.0	7,705	14.54	SEBA KLL-Q
12/07/2016	18.0	34,380	15.04	SEBA KLL-Q
12/07/2016	18.3	39,640	15.07	SEBA KLL-Q
12/07/2016	18.5	86,400	15.09	SEBA KLL-Q
12/07/2016	18.8	133,600	15.09	SEBA KLL-Q
12/07/2016	19.0	135,400	15.09	SEBA KLL-Q
12/07/2016	19.3	135,500	15.09	SEBA KLL-Q
12/07/2016	19.5	135,400	15.09	SEBA KLL-Q
12/07/2016	19.8	135,500	15.08	SEBA KLL-Q
12/07/2016	20.0	135,500	15.09	SEBA KLL-Q
12/07/2016	20.5	138,400	15.08	SEBA KLL-Q
12/07/2016	21.0	180,200	15.08	SEBA KLL-Q
12/07/2016	21.3	207,100	15.07	SEBA KLL-Q
12/07/2016	21.5	215,900	15.06	SEBA KLL-Q
12/07/2016	22.0	221,000	15.06	SEBA KLL-Q
12/07/2016	23.0	226,900	15.05	SEBA KLL-Q
12/07/2016	24.0	227,300	15.06	SEBA KLL-Q
12/07/2016	26.0	229,700	15.02	SEBA KLL-Q
12/07/2016	28.0	232,200	15.00	SEBA KLL-Q
12/07/2016	28.3	130,400	15.02	SEBA KLL-Q
10/10/2016	0.7	7,891	14.36	SEBA KLL-Q
10/10/2016	1.0	7,881	14.34	SEBA KLL-Q
10/10/2016	2.0	7,824	14.42	SEBA KLL-Q
10/10/2016	3.0	7,808	14.43	SEBA KLL-Q
10/10/2016	4.0	7,805	14.42	SEBA KLL-Q
10/10/2016	5.0	7,803	14.42	SEBA KLL-Q
10/10/2016	6.0	7,804	14.43	SEBA KLL-Q
10/10/2016	7.0	7,802	14.43	SEBA KLL-Q
10/10/2016	8.0	7,797	14.43	SEBA KLL-Q
10/10/2016	9.0	7,798	14.46	SEBA KLL-Q
10/10/2016	10.0	7,797	14.47	SEBA KLL-Q
10/10/2016	11.0	7,798	14.48	SEBA KLL-Q
10/10/2016	12.0	7,797	14.49	SEBA KLL-Q
10/10/2016	13.0	7,796	14.50	SEBA KLL-Q
10/10/2016	14.0	7,796	14.50	SEBA KLL-Q
10/10/2016	15.0	7,797	14.53	SEBA KLL-Q
10/10/2016	16.0	7,798	14.57	SEBA KLL-Q
10/10/2016	16.2	7,796	14.58	SEBA KLL-Q
10/10/2016	16.4	7,796	14.60	SEBA KLL-Q
10/10/2016	16.6	7,796	14.61	SEBA KLL-Q
10/10/2016	16.8	7,796	14.62	SEBA KLL-Q
10/10/2016	17.0	7,795	14.63	SEBA KLL-Q
10/10/2016	17.2	34,226	14.95	SEBA KLL-Q
10/10/2016	17.4	34,247	15.03	SEBA KLL-Q
10/10/2016	17.6	34,325	15.07	SEBA KLL-Q
10/10/2016	17.8	34,436	15.09	SEBA KLL-Q
10/10/2016	18.0	34,986	15.10	SEBA KLL-Q
10/10/2016	18.2	37,573	15.11	SEBA KLL-Q
10/10/2016	18.4	56,499	15.12	SEBA KLL-Q
10/10/2016	18.6	126,344	15.11	SEBA KLL-Q
10/10/2016	18.8	136,509	15.12	SEBA KLL-Q
10/10/2016	19.0	138,610	15.11	SEBA KLL-Q
10/10/2016	19.2	138,706	15.11	SEBA KLL-Q
10/10/2016	19.4	138,805	15.11	SEBA KLL-Q
10/10/2016	19.6	139,095	15.11	SEBA KLL-Q
10/10/2016	19.8	139,173	15.11	SEBA KLL-Q
10/10/2016	20.0	139,228	15.11	SEBA KLL-Q
10/10/2016	20.2	139,284	15.10	SEBA KLL-Q
10/10/2016	20.4	139,348	15.10	SEBA KLL-Q
10/10/2016	20.6	145,770	15.09	SEBA KLL-Q
10/10/2016	20.8	164,437	15.10	SEBA KLL-Q
10/10/2016	21.0	186,413	15.09	SEBA KLL-Q
10/10/2016	21.2	209,110	15.09	SEBA KLL-Q
10/10/2016	21.4	220,996	15.09	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
10/10/2016	21.6	225,563	15.08	SEBA KLL-Q
10/10/2016	21.8	227,126	15.09	SEBA KLL-Q
10/10/2016	22.0	228,919	15.08	SEBA KLL-Q
10/10/2016	22.2	232,535	15.08	SEBA KLL-Q
10/10/2016	22.4	235,047	15.07	SEBA KLL-Q
10/10/2016	22.6	236,044	15.08	SEBA KLL-Q
10/10/2016	22.8	236,627	15.07	SEBA KLL-Q
10/10/2016	23.0	236,651	15.08	SEBA KLL-Q
10/10/2016	23.2	236,908	15.06	SEBA KLL-Q
10/10/2016	23.4	237,233	15.06	SEBA KLL-Q
10/10/2016	23.6	237,666	15.06	SEBA KLL-Q
10/10/2016	23.8	238,013	15.06	SEBA KLL-Q
10/10/2016	24.0	238,188	15.07	SEBA KLL-Q
10/10/2016	24.2	238,468	15.06	SEBA KLL-Q
10/10/2016	24.4	238,662	15.06	SEBA KLL-Q
10/10/2016	24.6	238,833	15.05	SEBA KLL-Q
10/10/2016	24.8	238,985	15.05	SEBA KLL-Q
10/10/2016	25.0	238,986	15.05	SEBA KLL-Q
10/10/2016	26.0	239,331	15.04	SEBA KLL-Q
10/10/2016	27.0	239,785	15.03	SEBA KLL-Q
10/10/2016	28.0	241,540	15.03	SEBA KLL-Q
10/10/2016	28.3	130,132	15.03	SEBA KLL-Q
08/11/2016	1.0	7,996	14.33	SEBA KLL-Q
08/11/2016	2.0	7,811	14.36	SEBA KLL-Q
08/11/2016	3.0	7,796	14.37	SEBA KLL-Q
08/11/2016	4.0	7,793	14.37	SEBA KLL-Q
08/11/2016	5.0	7,797	14.37	SEBA KLL-Q
08/11/2016	6.0	7,796	14.38	SEBA KLL-Q
08/11/2016	7.0	7,794	14.37	SEBA KLL-Q
08/11/2016	8.0	7,791	14.38	SEBA KLL-Q
08/11/2016	9.0	7,790	14.41	SEBA KLL-Q
08/11/2016	10.0	7,789	14.44	SEBA KLL-Q
08/11/2016	11.0	7,786	14.45	SEBA KLL-Q
08/11/2016	12.0	7,788	14.45	SEBA KLL-Q
08/11/2016	13.0	7,788	14.44	SEBA KLL-Q
08/11/2016	14.0	7,787	14.46	SEBA KLL-Q
08/11/2016	15.0	7,788	14.47	SEBA KLL-Q
08/11/2016	16.0	7,784	14.50	SEBA KLL-Q
08/11/2016	16.2	7,786	14.52	SEBA KLL-Q
08/11/2016	16.4	7,785	14.53	SEBA KLL-Q
08/11/2016	16.6	7,786	14.55	SEBA KLL-Q
08/11/2016	16.8	7,785	14.56	SEBA KLL-Q
08/11/2016	17.0	7,796	14.56	SEBA KLL-Q
08/11/2016	17.2	7,785	14.57	SEBA KLL-Q
08/11/2016	17.4	33,960	14.87	SEBA KLL-Q
08/11/2016	17.6	34,260	15.00	SEBA KLL-Q
08/11/2016	17.8	34,370	15.05	SEBA KLL-Q
08/11/2016	18.0	34,670	15.08	SEBA KLL-Q
08/11/2016	18.2	40,230	15.09	SEBA KLL-Q
08/11/2016	18.4	53,290	15.10	SEBA KLL-Q
08/11/2016	18.6	122,400	15.11	SEBA KLL-Q
08/11/2016	18.8	135,500	15.10	SEBA KLL-Q
08/11/2016	19.0	138,800	15.10	SEBA KLL-Q
08/11/2016	19.2	138,900	15.10	SEBA KLL-Q
08/11/2016	19.4	139,000	15.11	SEBA KLL-Q
08/11/2016	19.6	139,100	15.10	SEBA KLL-Q
08/11/2016	19.8	139,100	15.10	SEBA KLL-Q
08/11/2016	20.0	139,100	15.10	SEBA KLL-Q
08/11/2016	20.2	139,200	15.09	SEBA KLL-Q
08/11/2016	20.4	139,200	15.09	SEBA KLL-Q
08/11/2016	20.6	144,900	15.08	SEBA KLL-Q
08/11/2016	20.8	163,500	15.08	SEBA KLL-Q
08/11/2016	21.0	184,800	15.09	SEBA KLL-Q
08/11/2016	21.2	208,300	15.08	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/11/2016	21.4	220,900	15.08	SEBA KLL-Q
08/11/2016	21.6	225,700	15.08	SEBA KLL-Q
08/11/2016	21.8	227,300	15.07	SEBA KLL-Q
08/11/2016	22.0	229,600	15.07	SEBA KLL-Q
08/11/2016	22.2	232,800	15.07	SEBA KLL-Q
08/11/2016	22.4	234,900	15.06	SEBA KLL-Q
08/11/2016	22.6	235,800	15.07	SEBA KLL-Q
08/11/2016	22.8	236,800	15.05	SEBA KLL-Q
08/11/2016	23.0	237,000	15.06	SEBA KLL-Q
08/11/2016	24.0	238,400	15.05	SEBA KLL-Q
08/11/2016	25.0	239,200	15.04	SEBA KLL-Q
08/11/2016	26.0	239,500	15.03	SEBA KLL-Q
08/11/2016	27.0	239,900	15.02	SEBA KLL-Q
08/11/2016	28.0	241,900	15.02	SEBA KLL-Q
08/11/2016	28.4	139,000	15.02	SEBA KLL-Q
17/01/2017	0.7	8,780	14.35	SEBA KLL-Q
17/01/2017	1.0	8,771	14.39	SEBA KLL-Q
17/01/2017	2.0	8,770	14.33	SEBA KLL-Q
17/01/2017	4.0	8,769	14.30	SEBA KLL-Q
17/01/2017	6.0	8,771	14.30	SEBA KLL-Q
17/01/2017	8.0	8,768	14.30	SEBA KLL-Q
17/01/2017	10.0	8,765	14.38	SEBA KLL-Q
17/01/2017	11.0	8,765	14.37	SEBA KLL-Q
17/01/2017	12.0	8,766	14.38	SEBA KLL-Q
17/01/2017	13.0	8,767	14.38	SEBA KLL-Q
17/01/2017	14.0	8,767	14.38	SEBA KLL-Q
17/01/2017	15.0	8,765	14.41	SEBA KLL-Q
17/01/2017	16.0	8,765	14.44	SEBA KLL-Q
17/01/2017	17.0	8,767	14.50	SEBA KLL-Q
17/01/2017	18.0	38,330	15.07	SEBA KLL-Q
17/01/2017	18.2	43,330	15.10	SEBA KLL-Q
17/01/2017	18.4	68,800	15.11	SEBA KLL-Q
17/01/2017	18.6	132,700	15.11	SEBA KLL-Q
17/01/2017	18.8	148,100	15.12	SEBA KLL-Q
17/01/2017	19.0	152,000	15.12	SEBA KLL-Q
17/01/2017	19.2	152,000	15.11	SEBA KLL-Q
17/01/2017	19.4	152,300	15.12	SEBA KLL-Q
17/01/2017	19.6	152,500	15.11	SEBA KLL-Q
17/01/2017	19.8	152,500	15.11	SEBA KLL-Q
17/01/2017	20.0	152,600	15.11	SEBA KLL-Q
17/01/2017	20.2	152,600	15.10	SEBA KLL-Q
17/01/2017	20.4	152,600	15.11	SEBA KLL-Q
17/01/2017	20.6	160,600	15.10	SEBA KLL-Q
17/01/2017	20.8	183,000	15.10	SEBA KLL-Q
17/01/2017	21.0	208,400	15.09	SEBA KLL-Q
17/01/2017	21.2	232,600	15.09	SEBA KLL-Q
17/01/2017	21.4	243,100	15.09	SEBA KLL-Q
17/01/2017	21.6	247,300	15.09	SEBA KLL-Q
17/01/2017	21.8	248,900	15.09	SEBA KLL-Q
17/01/2017	22.0	250,800	15.09	SEBA KLL-Q
17/01/2017	23.0	258,300	15.08	SEBA KLL-Q
17/01/2017	24.0	259,900	15.06	SEBA KLL-Q
17/01/2017	25.0	260,800	15.06	SEBA KLL-Q
17/01/2017	26.0	261,400	15.05	SEBA KLL-Q
17/01/2017	28.0	262,000	15.04	SEBA KLL-Q
05/04/2017	1.0	7,337	16.10	TLC-107 SONDA 1
05/04/2017	2.0	7,827	15.00	TLC-107 SONDA 1
05/04/2017	4.0	7,960	14.80	TLC-107 SONDA 1
05/04/2017	6.0	8,022	14.70	TLC-107 SONDA 1
05/04/2017	8.0	8,032	14.70	TLC-107 SONDA 1
05/04/2017	10.0	8,083	14.70	TLC-107 SONDA 1
05/04/2017	12.0	8,129	14.70	TLC-107 SONDA 1
05/04/2017	14.0	8,146	14.70	TLC-107 SONDA 1
05/04/2017	16.0	8,175	14.80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/04/2017	18.0	36,200	15.30	TLC-107 SONDA 1
05/04/2017	18.5	129,000	15.30	TLC-107 SONDA 1
05/04/2017	18.7	191,800	15.30	TLC-107 SONDA 1
05/04/2017	18.9	204,000	15.30	TLC-107 SONDA 1
05/04/2017	19.1	210,500	15.30	TLC-107 SONDA 1
05/04/2017	19.3	212,800	15.30	TLC-107 SONDA 1
05/04/2017	19.5	214,600	15.30	TLC-107 SONDA 1
05/04/2017	19.7	215,400	15.30	TLC-107 SONDA 1
05/04/2017	19.9	220,200	15.30	TLC-107 SONDA 1
05/04/2017	20.1	221,400	15.30	TLC-107 SONDA 1
05/04/2017	20.3	222,000	15.30	TLC-107 SONDA 1
05/04/2017	20.5	222,600	15.30	TLC-107 SONDA 1
05/04/2017	21.0	269,600	15.30	TLC-107 SONDA 1
05/04/2017	21.5	284,100	15.30	TLC-107 SONDA 1
05/04/2017	22.0	285,700	15.30	TLC-107 SONDA 1
05/04/2017	24.0	286,900	15.30	TLC-107 SONDA 1
05/04/2017	26.0	286,900	15.30	TLC-107 SONDA 1
05/04/2017	28.0	286,900	15.30	TLC-107 SONDA 1
17/07/2017	2.0	7,668	14.47	SEBA KLL-Q
17/07/2017	4.0	7,627	14.46	SEBA KLL-Q
17/07/2017	6.0	7,624	14.46	SEBA KLL-Q
17/07/2017	8.0	7,623	14.46	SEBA KLL-Q
17/07/2017	10.0	7,618	14.49	SEBA KLL-Q
17/07/2017	12.0	7,611	14.51	SEBA KLL-Q
17/07/2017	14.0	7,617	14.53	SEBA KLL-Q
17/07/2017	16.0	7,612	14.64	SEBA KLL-Q
17/07/2017	17.0	29,020	14.90	SEBA KLL-Q
17/07/2017	17.5	33,540	15.02	SEBA KLL-Q
17/07/2017	18.0	34,700	15.06	SEBA KLL-Q
17/07/2017	18.2	39,250	15.07	SEBA KLL-Q
17/07/2017	18.4	67,170	15.06	SEBA KLL-Q
17/07/2017	18.6	133,700	15.07	SEBA KLL-Q
17/07/2017	18.8	138,000	15.08	SEBA KLL-Q
17/07/2017	19.0	139,400	15.07	SEBA KLL-Q
17/07/2017	19.5	139,700	15.07	SEBA KLL-Q
17/07/2017	20.0	139,900	15.07	SEBA KLL-Q
17/07/2017	20.5	143,000	15.06	SEBA KLL-Q
17/07/2017	21.0	191,600	15.05	SEBA KLL-Q
17/07/2017	21.5	229,200	15.06	SEBA KLL-Q
17/07/2017	22.0	236,600	15.04	SEBA KLL-Q
17/07/2017	22.5	242,800	15.05	SEBA KLL-Q
17/07/2017	23.0	243,500	15.01	SEBA KLL-Q
17/07/2017	24.0	245,000	15.02	SEBA KLL-Q
17/07/2017	26.0	245,200	14.99	SEBA KLL-Q
17/07/2017	28.0	247,600	14.96	SEBA KLL-Q
08/10/2017	0.8	7,873	14.26	SEBA KLL-Q
08/10/2017	1.0	7,859	14.29	SEBA KLL-Q
08/10/2017	2.0	7,847	14.38	SEBA KLL-Q
08/10/2017	4.0	7,844	14.41	SEBA KLL-Q
08/10/2017	6.0	7,845	14.41	SEBA KLL-Q
08/10/2017	8.0	7,846	14.41	SEBA KLL-Q
08/10/2017	10.0	7,841	14.46	SEBA KLL-Q
08/10/2017	12.0	7,840	14.48	SEBA KLL-Q
08/10/2017	14.0	7,840	14.48	SEBA KLL-Q
08/10/2017	16.0	7,841	14.51	SEBA KLL-Q
08/10/2017	16.5	7,841	14.54	SEBA KLL-Q
08/10/2017	17.0	7,841	14.57	SEBA KLL-Q
08/10/2017	17.2	7,843	14.57	SEBA KLL-Q
08/10/2017	17.4	33,860	14.89	SEBA KLL-Q
08/10/2017	17.6	34,420	14.96	SEBA KLL-Q
08/10/2017	17.8	34,630	15.01	SEBA KLL-Q
08/10/2017	18.0	34,780	15.03	SEBA KLL-Q
08/10/2017	18.2	39,830	15.05	SEBA KLL-Q
08/10/2017	18.4	66,890	15.05	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/10/2017	18.6	136,200	15.05	SEBA KLL-Q
08/10/2017	18.8	144,100	15.05	SEBA KLL-Q
08/10/2017	19.0	145,100	15.06	SEBA KLL-Q
08/10/2017	19.2	145,100	15.05	SEBA KLL-Q
08/10/2017	19.4	145,000	15.05	SEBA KLL-Q
08/10/2017	19.6	145,000	15.05	SEBA KLL-Q
08/10/2017	19.8	145,100	15.05	SEBA KLL-Q
08/10/2017	20.0	145,300	15.04	SEBA KLL-Q
08/10/2017	20.2	145,400	15.04	SEBA KLL-Q
08/10/2017	20.4	145,500	15.04	SEBA KLL-Q
08/10/2017	20.6	153,300	15.03	SEBA KLL-Q
08/10/2017	20.8	175,000	15.03	SEBA KLL-Q
08/10/2017	21.0	200,500	15.03	SEBA KLL-Q
08/10/2017	21.2	226,700	15.03	SEBA KLL-Q
08/10/2017	21.4	237,600	15.02	SEBA KLL-Q
08/10/2017	21.6	242,800	15.02	SEBA KLL-Q
08/10/2017	22.0	247,100	15.01	SEBA KLL-Q
08/10/2017	22.5	253,800	15.00	SEBA KLL-Q
08/10/2017	23.0	255,900	15.00	SEBA KLL-Q
08/10/2017	24.0	257,100	14.99	SEBA KLL-Q
08/10/2017	25.0	257,100	14.99	SEBA KLL-Q
08/10/2017	27.0	257,500	14.97	SEBA KLL-Q
08/10/2017	28.0	259,600	14.96	SEBA KLL-Q
14/01/2018	0.8	7,484	14.51	SEBA KLL-Q
14/01/2018	1.0	7,463	14.46	SEBA KLL-Q
14/01/2018	2.0	7,481	14.34	SEBA KLL-Q
14/01/2018	4.0	7,471	14.34	SEBA KLL-Q
14/01/2018	6.0	7,435	14.38	SEBA KLL-Q
14/01/2018	8.0	7,469	14.35	SEBA KLL-Q
14/01/2018	10.0	7,463	14.39	SEBA KLL-Q
14/01/2018	12.0	7,466	14.40	SEBA KLL-Q
14/01/2018	14.0	7,469	14.39	SEBA KLL-Q
14/01/2018	16.0	7,468	14.43	SEBA KLL-Q
14/01/2018	17.0	7,466	14.51	SEBA KLL-Q
14/01/2018	17.2	7,469	14.52	SEBA KLL-Q
14/01/2018	17.4	7,467	14.52	SEBA KLL-Q
14/01/2018	17.6	31,420	14.52	SEBA KLL-Q
14/01/2018	17.8	32,430	15.00	SEBA KLL-Q
14/01/2018	18.0	32,640	15.08	SEBA KLL-Q
14/01/2018	18.2	36,100	15.11	SEBA KLL-Q
14/01/2018	18.4	59,020	15.14	SEBA KLL-Q
14/01/2018	18.6	120,800	15.15	SEBA KLL-Q
14/01/2018	18.8	129,600	15.15	SEBA KLL-Q
14/01/2018	19.0	132,200	15.15	SEBA KLL-Q
14/01/2018	19.2	134,800	15.15	SEBA KLL-Q
14/01/2018	19.4	134,800	15.15	SEBA KLL-Q
14/01/2018	19.6	134,800	15.16	SEBA KLL-Q
14/01/2018	19.8	134,800	15.15	SEBA KLL-Q
14/01/2018	20.0	134,800	15.16	SEBA KLL-Q
14/01/2018	20.2	134,600	15.16	SEBA KLL-Q
14/01/2018	20.4	137,800	15.16	SEBA KLL-Q
14/01/2018	20.6	140,500	15.14	SEBA KLL-Q
14/01/2018	20.8	160,200	15.15	SEBA KLL-Q
14/01/2018	21.0	182,500	15.13	SEBA KLL-Q
14/01/2018	21.2	208,100	15.13	SEBA KLL-Q
14/01/2018	21.4	217,100	15.14	SEBA KLL-Q
14/01/2018	21.6	223,300	15.14	SEBA KLL-Q
14/01/2018	21.8	224,900	15.13	SEBA KLL-Q
14/01/2018	22.0	226,300	15.12	SEBA KLL-Q
14/01/2018	23.0	234,200	15.13	SEBA KLL-Q
14/01/2018	24.0	235,800	15.09	SEBA KLL-Q
14/01/2018	25.0	236,800	15.08	SEBA KLL-Q
14/01/2018	26.0	237,800	15.07	SEBA KLL-Q
14/01/2018	28.0	239,300	15.06	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/04/2018	0.7	7,403	14.25	SEBA KLL-Q
11/04/2018	0.9	7,408	14.27	SEBA KLL-Q
11/04/2018	1.0	7,407	14.26	SEBA KLL-Q
11/04/2018	1.2	7,404	14.26	SEBA KLL-Q
11/04/2018	1.4	7,404	14.28	SEBA KLL-Q
11/04/2018	1.6	7,403	14.29	SEBA KLL-Q
11/04/2018	1.8	7,403	14.31	SEBA KLL-Q
11/04/2018	2.0	7,402	14.31	SEBA KLL-Q
11/04/2018	2.5	7,403	14.32	SEBA KLL-Q
11/04/2018	3.0	7,402	14.32	SEBA KLL-Q
11/04/2018	4.0	7,403	14.32	SEBA KLL-Q
11/04/2018	6.0	7,403	14.32	SEBA KLL-Q
11/04/2018	8.0	7,396	14.32	SEBA KLL-Q
11/04/2018	10.0	7,397	14.35	SEBA KLL-Q
11/04/2018	12.0	7,397	14.36	SEBA KLL-Q
11/04/2018	14.0	7,397	14.35	SEBA KLL-Q
11/04/2018	16.0	7,397	14.38	SEBA KLL-Q
11/04/2018	17.0	7,397	14.44	SEBA KLL-Q
11/04/2018	17.5	7,397	14.47	SEBA KLL-Q
11/04/2018	18.0	32,080	14.99	SEBA KLL-Q
11/04/2018	18.2	36,700	15.07	SEBA KLL-Q
11/04/2018	18.4	62,210	15.10	SEBA KLL-Q
11/04/2018	18.6	113,700	15.11	SEBA KLL-Q
11/04/2018	18.8	121,400	15.12	SEBA KLL-Q
11/04/2018	19.0	123,100	15.12	SEBA KLL-Q
11/04/2018	19.2	122,700	15.13	SEBA KLL-Q
11/04/2018	19.4	122,200	15.13	SEBA KLL-Q
11/04/2018	19.6	122,000	15.12	SEBA KLL-Q
11/04/2018	19.8	121,900	15.12	SEBA KLL-Q
11/04/2018	20.0	121,900	15.12	SEBA KLL-Q
11/04/2018	20.2	121,900	15.13	SEBA KLL-Q
11/04/2018	20.4	121,800	15.13	SEBA KLL-Q
11/04/2018	20.6	129,300	15.12	SEBA KLL-Q
11/04/2018	20.8	147,400	15.11	SEBA KLL-Q
11/04/2018	21.0	168,800	15.11	SEBA KLL-Q
11/04/2018	21.2	187,400	15.12	SEBA KLL-Q
11/04/2018	21.4	196,400	15.11	SEBA KLL-Q
11/04/2018	21.6	200,000	15.11	SEBA KLL-Q
11/04/2018	21.8	201,600	15.10	SEBA KLL-Q
11/04/2018	22.0	202,600	15.11	SEBA KLL-Q
11/04/2018	22.5	207,500	15.09	SEBA KLL-Q
11/04/2018	23.0	208,700	15.09	SEBA KLL-Q
11/04/2018	24.0	209,700	15.07	SEBA KLL-Q
11/04/2018	26.0	211,800	15.06	SEBA KLL-Q
11/04/2018	28.0	213,900	15.04	SEBA KLL-Q
30/07/2018	1.0	9,329	14.97	SEBA KLL-Q
30/07/2018	1.2	9,275	14.59	SEBA KLL-Q
30/07/2018	1.4	9,266	14.54	SEBA KLL-Q
30/07/2018	1.6	9,227	14.52	SEBA KLL-Q
30/07/2018	1.8	9,239	14.51	SEBA KLL-Q
30/07/2018	2.0	9,232	14.50	SEBA KLL-Q
30/07/2018	2.5	9,214	14.50	SEBA KLL-Q
30/07/2018	3.0	9,228	14.51	SEBA KLL-Q
30/07/2018	4.0	9,218	14.51	SEBA KLL-Q
30/07/2018	6.0	9,214	14.50	SEBA KLL-Q
30/07/2018	8.0	9,209	14.50	SEBA KLL-Q
30/07/2018	10.0	9,211	14.52	SEBA KLL-Q
30/07/2018	12.0	9,207	14.54	SEBA KLL-Q
30/07/2018	14.0	9,206	14.58	SEBA KLL-Q
30/07/2018	16.0	9,205	14.67	SEBA KLL-Q
30/07/2018	17.0	9,199	14.71	SEBA KLL-Q
30/07/2018	17.5	39,910	15.02	SEBA KLL-Q
30/07/2018	18.0	40,120	15.12	SEBA KLL-Q
30/07/2018	18.2	45,330	15.14	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
30/07/2018	18.4	81,940	15.14	SEBA KLL-Q
30/07/2018	18.6	162,400	15.15	SEBA KLL-Q
30/07/2018	18.8	162,800	15.15	SEBA KLL-Q
30/07/2018	19.0	163,200	15.15	SEBA KLL-Q
30/07/2018	19.5	163,200	15.15	SEBA KLL-Q
30/07/2018	20.0	163,100	15.14	SEBA KLL-Q
30/07/2018	20.5	166,300	15.13	SEBA KLL-Q
30/07/2018	21.0	166,000	15.13	SEBA KLL-Q
30/07/2018	21.2	247,800	15.11	SEBA KLL-Q
30/07/2018	21.4	263,800	15.12	SEBA KLL-Q
30/07/2018	21.6	270,200	15.11	SEBA KLL-Q
30/07/2018	21.8	271,700	15.11	SEBA KLL-Q
30/07/2018	22.0	274,300	15.12	SEBA KLL-Q
30/07/2018	23.0	282,100	15.10	SEBA KLL-Q
30/07/2018	24.0	283,000	15.11	SEBA KLL-Q
30/07/2018	25.0	283,300	15.07	SEBA KLL-Q
30/07/2018	27.0	285,700	15.06	SEBA KLL-Q
25/08/2018	1.0	8,489	14.52	SEBA KLL-Q
25/08/2018	1.5	8,485	14.50	SEBA KLL-Q
25/08/2018	2.0	8,485	14.50	SEBA KLL-Q
25/08/2018	2.5	8,484	14.49	SEBA KLL-Q
25/08/2018	3.0	8,482	14.49	SEBA KLL-Q
25/08/2018	4.0	8,483	14.49	SEBA KLL-Q
25/08/2018	6.0	8,483	14.50	SEBA KLL-Q
25/08/2018	8.0	8,471	14.50	SEBA KLL-Q
25/08/2018	10.0	8,465	14.53	SEBA KLL-Q
25/08/2018	12.0	8,466	14.58	SEBA KLL-Q
25/08/2018	14.0	8,465	14.64	SEBA KLL-Q
25/08/2018	15.0	8,464	14.64	SEBA KLL-Q
25/08/2018	16.0	8,463	14.80	SEBA KLL-Q
25/08/2018	16.5	11,290	15.00	SEBA KLL-Q
25/08/2018	17.0	30,100	15.13	SEBA KLL-Q
25/08/2018	17.2	35,090	15.15	SEBA KLL-Q
25/08/2018	17.4	35,610	15.16	SEBA KLL-Q
25/08/2018	17.6	35,890	15.16	SEBA KLL-Q
25/08/2018	17.8	36,030	15.16	SEBA KLL-Q
25/08/2018	18.0	36,130	15.16	SEBA KLL-Q
25/08/2018	18.2	43,520	15.16	SEBA KLL-Q
25/08/2018	18.4	63,430	15.16	SEBA KLL-Q
25/08/2018	18.6	141,400	15.16	SEBA KLL-Q
25/08/2018	18.8	141,800	15.17	SEBA KLL-Q
25/08/2018	19.0	142,100	15.15	SEBA KLL-Q
25/08/2018	19.2	142,100	15.15	SEBA KLL-Q
25/08/2018	19.4	142,100	15.15	SEBA KLL-Q
25/08/2018	19.6	142,300	15.14	SEBA KLL-Q
25/08/2018	19.8	142,200	15.15	SEBA KLL-Q
25/08/2018	20.0	142,300	15.14	SEBA KLL-Q
25/08/2018	20.5	145,900	15.13	SEBA KLL-Q
25/08/2018	21.0	194,400	15.12	SEBA KLL-Q
25/08/2018	21.2	218,000	15.11	SEBA KLL-Q
25/08/2018	21.4	228,900	15.11	SEBA KLL-Q
25/08/2018	21.6	233,000	15.11	SEBA KLL-Q
25/08/2018	21.8	235,400	15.12	SEBA KLL-Q
25/08/2018	22.0	237,800	15.11	SEBA KLL-Q
25/08/2018	22.5	243,100	15.10	SEBA KLL-Q
25/08/2018	23.0	244,100	15.09	SEBA KLL-Q
25/08/2018	23.5	244,500	15.10	SEBA KLL-Q
25/08/2018	24.0	245,400	15.10	SEBA KLL-Q
25/08/2018	25.0	246,500	15.07	SEBA KLL-Q
25/08/2018	26.0	247,300	15.06	SEBA KLL-Q
25/08/2018	27.0	247,700	15.05	SEBA KLL-Q
25/08/2018	28.0	249,700	15.05	SEBA KLL-Q
25/08/2018	28.2	142,900	15.05	SEBA KLL-Q
04/09/2018	0.6	8,501	16.41	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/09/2018	1.0	8,439	14.82	SEBA KLL-Q
04/09/2018	1.5	8,409	14.70	SEBA KLL-Q
04/09/2018	2.0	8,400	14.68	SEBA KLL-Q
04/09/2018	3.0	8,400	14.66	SEBA KLL-Q
04/09/2018	4.0	8,392	14.66	SEBA KLL-Q
04/09/2018	6.0	8,393	14.67	SEBA KLL-Q
04/09/2018	8.0	8,385	14.65	SEBA KLL-Q
04/09/2018	10.0	8,379	14.65	SEBA KLL-Q
04/09/2018	12.0	8,377	14.72	SEBA KLL-Q
04/09/2018	14.0	8,376	14.74	SEBA KLL-Q
04/09/2018	15.0	8,379	14.80	SEBA KLL-Q
04/09/2018	16.0	8,378	14.89	SEBA KLL-Q
04/09/2018	17.0	29,100	15.02	SEBA KLL-Q
04/09/2018	17.5	35,970	15.31	SEBA KLL-Q
04/09/2018	18.0	36,550	15.31	SEBA KLL-Q
04/09/2018	18.5	120,400	15.29	SEBA KLL-Q
04/09/2018	18.7	148,000	15.32	SEBA KLL-Q
04/09/2018	18.9	148,800	15.32	SEBA KLL-Q
04/09/2018	19.2	149,200	15.32	SEBA KLL-Q
04/09/2018	19.4	149,100	15.32	SEBA KLL-Q
04/09/2018	20.0	149,200	15.29	SEBA KLL-Q
04/09/2018	20.5	149,900	15.27	SEBA KLL-Q
04/09/2018	21.0	197,700	15.27	SEBA KLL-Q
04/09/2018	21.2	225,100	15.26	SEBA KLL-Q
04/09/2018	21.4	240,600	15.27	SEBA KLL-Q
04/09/2018	21.6	246,100	15.27	SEBA KLL-Q
04/09/2018	22.0	250,000	15.27	SEBA KLL-Q
04/09/2018	23.0	257,000	15.20	SEBA KLL-Q
04/09/2018	24.0	257,900	15.24	SEBA KLL-Q
04/09/2018	26.0	258,500	15.24	SEBA KLL-Q
04/09/2018	28.0	260,600	15.22	SEBA KLL-Q
14/11/2018	1.0	8,798	14.47	SEBA KLL-Q
14/11/2018	1.5	8,791	14.42	SEBA KLL-Q
14/11/2018	2.0	8,789	14.41	SEBA KLL-Q
14/11/2018	2.5	8,798	14.43	SEBA KLL-Q
14/11/2018	3.0	8,788	14.42	SEBA KLL-Q
14/11/2018	5.0	8,787	14.42	SEBA KLL-Q
14/11/2018	7.0	8,789	14.42	SEBA KLL-Q
14/11/2018	9.0	8,782	14.43	SEBA KLL-Q
14/11/2018	11.0	8,782	14.42	SEBA KLL-Q
14/11/2018	13.0	8,781	14.43	SEBA KLL-Q
14/11/2018	15.0	8,779	14.45	SEBA KLL-Q
14/11/2018	17.0	8,782	14.46	SEBA KLL-Q
14/11/2018	17.5	36,550	15.01	SEBA KLL-Q
14/11/2018	18.0	36,830	15.21	SEBA KLL-Q
14/11/2018	18.2	47,550	15.20	SEBA KLL-Q
14/11/2018	18.4	84,740	15.21	SEBA KLL-Q
14/11/2018	18.6	141,900	15.17	SEBA KLL-Q
14/11/2018	18.8	142,800	15.18	SEBA KLL-Q
14/11/2018	19.0	143,800	15.19	SEBA KLL-Q
14/11/2018	19.2	144,000	15.21	SEBA KLL-Q
14/11/2018	19.4	144,100	15.21	SEBA KLL-Q
14/11/2018	19.6	144,000	15.18	SEBA KLL-Q
14/11/2018	19.8	144,000	15.17	SEBA KLL-Q
14/11/2018	20.0	144,100	15.17	SEBA KLL-Q
14/11/2018	20.2	144,100	15.17	SEBA KLL-Q
14/11/2018	20.4	144,300	15.20	SEBA KLL-Q
14/11/2018	20.6	152,300	15.21	SEBA KLL-Q
14/11/2018	20.8	174,200	15.16	SEBA KLL-Q
14/11/2018	21.0	199,100	15.17	SEBA KLL-Q
14/11/2018	21.2	224,400	15.18	SEBA KLL-Q
14/11/2018	21.4	233,800	15.18	SEBA KLL-Q
14/11/2018	21.6	230,300	15.14	SEBA KLL-Q
14/11/2018	21.8	239,900	15.14	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/11/2018	22.0	242,100	15.13	SEBA KLL-Q
14/11/2018	22.5	248,000	15.13	SEBA KLL-Q
14/11/2018	23.0	249,400	15.14	SEBA KLL-Q
14/11/2018	23.5	250,000	15.15	SEBA KLL-Q
14/11/2018	24.0	250,700	15.16	SEBA KLL-Q
14/11/2018	25.0	251,100	15.10	SEBA KLL-Q
14/11/2018	27.0	252,200	15.09	SEBA KLL-Q
14/11/2018	28.0	254,300	15.00	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2013	1.20	4,591	25.60	TLC-107 SONDA 1
22/10/2013	1.40	4,629	25.60	TLC-107 SONDA 1
22/10/2013	1.60	4,685	25.60	TLC-107 SONDA 1
22/10/2013	1.80	4,699	25.60	TLC-107 SONDA 1
22/10/2013	2.00	4,725	25.60	TLC-107 SONDA 1
22/10/2013	2.20	4,730	25.60	TLC-107 SONDA 1
22/10/2013	2.40	4,742	25.60	TLC-107 SONDA 1
22/10/2013	2.60	4,746	25.60	TLC-107 SONDA 1
22/10/2013	2.80	4,748	25.60	TLC-107 SONDA 1
22/10/2013	3.00	4,758	25.60	TLC-107 SONDA 1
22/10/2013	3.20	4,783	25.60	TLC-107 SONDA 1
22/10/2013	3.40	4,790	25.60	TLC-107 SONDA 1
22/10/2013	3.60	4,795	25.60	TLC-107 SONDA 1
22/10/2013	3.80	4,820	25.60	TLC-107 SONDA 1
22/10/2013	4.00	4,856	25.60	TLC-107 SONDA 1
22/10/2013	4.50	4,814	25.60	TLC-107 SONDA 1
22/10/2013	5.00	4,774	25.60	TLC-107 SONDA 1
22/10/2013	5.50	4,774	25.60	TLC-107 SONDA 1
22/10/2013	6.00	4,769	25.60	TLC-107 SONDA 1
22/10/2013	6.50	4,764	25.60	TLC-107 SONDA 1
22/10/2013	7.00	4,781	25.60	TLC-107 SONDA 1
22/10/2013	7.50	4,799	25.60	TLC-107 SONDA 1
22/10/2013	8.00	4,804	25.60	TLC-107 SONDA 1
22/10/2013	9.00	4,808	25.60	TLC-107 SONDA 1
22/10/2013	10.00	4,796	25.60	TLC-107 SONDA 1
22/10/2013	11.00	4,786	25.60	TLC-107 SONDA 1
22/10/2013	12.00	4,751	25.60	TLC-107 SONDA 1
22/10/2013	13.00	4,751	25.60	TLC-107 SONDA 1
22/10/2013	14.00	4,791	25.40	TLC-107 SONDA 1
22/10/2013	15.00	4,855	25.40	TLC-107 SONDA 1
22/10/2013	20.00	8,537	25.50	TLC-107 SONDA 1
22/10/2013	25.00	10,100	25.50	TLC-107 SONDA 1
22/10/2013	30.00	10,800	25.50	TLC-107 SONDA 1
22/10/2013	35.00	11,700	25.60	TLC-107 SONDA 1
22/10/2013	40.00	13,500	25.60	TLC-107 SONDA 1
22/10/2013	45.00	20,700	25.60	TLC-107 SONDA 1
22/10/2013	46.00	26,600	25.60	TLC-107 SONDA 1
22/10/2013	47.00	28,800	25.60	TLC-107 SONDA 1
22/10/2013	48.00	47,200	25.60	TLC-107 SONDA 1
22/10/2013	49.00	84,700	25.60	TLC-107 SONDA 1
22/10/2013	50.00	118,500	25.50	TLC-107 SONDA 1
22/10/2013	55.00	213,000	25.50	TLC-107 SONDA 1
22/10/2013	56.00	209,300	25.60	TLC-107 SONDA 1
22/10/2013	57.00	208,100	25.80	TLC-107 SONDA 1
22/10/2013	58.00	206,300	25.90	TLC-107 SONDA 1
22/10/2013	59.00	205,000	25.90	TLC-107 SONDA 1
22/10/2013	60.00	204,700	26.00	TLC-107 SONDA 1
22/10/2013	60.50	200,500	26.10	TLC-107 SONDA 1
22/10/2013	61.00	199,900	26.10	TLC-107 SONDA 1
22/10/2013	61.50	200,200	26.10	TLC-107 SONDA 1
22/10/2013	62.00	200,200	26.10	TLC-107 SONDA 1
22/10/2013	62.50	200,100	26.20	TLC-107 SONDA 1
22/10/2013	63.00	200,100	26.20	TLC-107 SONDA 1
22/10/2013	63.20	199,800	26.20	TLC-107 SONDA 1
22/10/2013	63.40	199,500	26.20	TLC-107 SONDA 1
22/10/2013	63.60	199,500	26.20	TLC-107 SONDA 1
22/10/2013	63.80	199,800	26.20	TLC-107 SONDA 1
22/10/2013	64.00	199,500	26.20	TLC-107 SONDA 1
22/10/2013	64.20	198,900	26.20	TLC-107 SONDA 1
22/10/2013	64.40	198,900	26.20	TLC-107 SONDA 1
22/10/2013	64.60	198,900	26.20	TLC-107 SONDA 1
22/10/2013	64.80	199,200	26.20	TLC-107 SONDA 1
22/10/2013	65.00	199,200	26.20	TLC-107 SONDA 1
22/10/2013	65.50	198,900	26.20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2013	66.00	198,500	26.20	TLC-107 SONDA 1
22/10/2013	66.50	197,900	26.20	TLC-107 SONDA 1
22/10/2013	67.00	197,900	26.20	TLC-107 SONDA 1
22/10/2013	67.50	194,400	26.20	TLC-107 SONDA 1
22/10/2013	68.00	191,100	26.20	TLC-107 SONDA 1
22/10/2013	69.00	190,400	26.30	TLC-107 SONDA 1
22/10/2013	70.00	188,600	26.30	TLC-107 SONDA 1
22/10/2013	71.00	188,200	26.30	TLC-107 SONDA 1
22/10/2013	72.00	188,200	26.30	TLC-107 SONDA 1
22/10/2013	73.00	187,200	26.30	TLC-107 SONDA 1
22/10/2013	74.00	186,800	26.30	TLC-107 SONDA 1
22/10/2013	75.00	186,700	26.50	TLC-107 SONDA 1
22/10/2013	80.00	182,400	26.60	TLC-107 SONDA 1
22/10/2013	85.00	181,000	26.60	TLC-107 SONDA 1
22/10/2013	90.00	179,900	26.70	TLC-107 SONDA 1
22/10/2013	95.00	178,400	26.80	TLC-107 SONDA 1
22/10/2013	100.00	170,900	26.90	TLC-107 SONDA 1
22/10/2013	105.00	163,800	27.00	TLC-107 SONDA 1
22/10/2013	110.00	160,500	27.20	TLC-107 SONDA 1
22/10/2013	115.00	159,800	27.20	TLC-107 SONDA 1
22/10/2013	120.00	193,300	27.20	TLC-107 SONDA 1
22/10/2013	121.93	193,100	27.20	TLC-107 SONDA 1
20/11/2013	1.10	3,710	24.80	TLC-107 SONDA 1
20/11/2013	1.20	4,150	25.00	TLC-107 SONDA 1
20/11/2013	1.40	4,180	25.40	TLC-107 SONDA 1
20/11/2013	1.60	4,120	25.50	TLC-107 SONDA 1
20/11/2013	1.80	4,060	25.60	TLC-107 SONDA 1
20/11/2013	2.00	4,020	25.60	TLC-107 SONDA 1
20/11/2013	2.50	3,980	25.60	TLC-107 SONDA 1
20/11/2013	3.00	3,870	25.60	TLC-107 SONDA 1
20/11/2013	3.50	3,740	25.60	TLC-107 SONDA 1
20/11/2013	4.00	3,600	25.60	TLC-107 SONDA 1
20/11/2013	5.00	3,500	25.60	TLC-107 SONDA 1
20/11/2013	6.00	3,440	25.60	TLC-107 SONDA 1
20/11/2013	7.00	3,370	25.60	TLC-107 SONDA 1
20/11/2013	8.00	3,300	25.60	TLC-107 SONDA 1
20/11/2013	9.00	3,270	25.60	TLC-107 SONDA 1
20/11/2013	10.00	3,257	25.60	TLC-107 SONDA 1
20/11/2013	15.00	3,360	25.40	TLC-107 SONDA 1
20/11/2013	20.00	4,640	25.50	TLC-107 SONDA 1
20/11/2013	25.00	5,460	25.50	TLC-107 SONDA 1
20/11/2013	30.00	5,760	25.60	TLC-107 SONDA 1
20/11/2013	35.00	6,230	25.60	TLC-107 SONDA 1
20/11/2013	40.00	7,290	25.80	TLC-107 SONDA 1
20/11/2013	45.00	11,100	25.60	TLC-107 SONDA 1
20/11/2013	50.00	35,500	25.60	TLC-107 SONDA 1
20/11/2013	51.00	73,500	25.60	TLC-107 SONDA 1
20/11/2013	52.00	98,500	25.60	TLC-107 SONDA 1
20/11/2013	53.00	11,100	25.60	TLC-107 SONDA 1
20/11/2013	54.00	117,700	25.60	TLC-107 SONDA 1
20/11/2013	55.00	123,300	25.60	TLC-107 SONDA 1
20/11/2013	56.00	126,100	25.70	TLC-107 SONDA 1
20/11/2013	57.00	130,400	25.90	TLC-107 SONDA 1
20/11/2013	58.00	128,400	25.90	TLC-107 SONDA 1
20/11/2013	59.00	130,200	26.00	TLC-107 SONDA 1
20/11/2013	60.00	129,600	26.10	TLC-107 SONDA 1
20/11/2013	61.00	128,500	26.10	TLC-107 SONDA 1
20/11/2013	62.00	125,500	26.10	TLC-107 SONDA 1
20/11/2013	63.00	123,700	26.20	TLC-107 SONDA 1
20/11/2013	64.00	125,300	26.20	TLC-107 SONDA 1
20/11/2013	65.00	126,100	26.20	TLC-107 SONDA 1
20/11/2013	70.00	125,700	26.20	TLC-107 SONDA 1
20/11/2013	75.00	141,200	26.30	TLC-107 SONDA 1
20/11/2013	80.00	146,100	26.50	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/11/2013	85.00	133,400	26.60	TLC-107 SONDA 1
20/11/2013	86.00	131,800	26.60	TLC-107 SONDA 1
20/11/2013	87.00	130,700	26.00	TLC-107 SONDA 1
20/11/2013	88.00	126,700	26.60	TLC-107 SONDA 1
20/11/2013	89.00	119,800	26.70	TLC-107 SONDA 1
20/11/2013	90.00	110,300	26.80	TLC-107 SONDA 1
20/11/2013	95.00	105,600	26.80	TLC-107 SONDA 1
20/11/2013	100.00	102,800	26.90	TLC-107 SONDA 1
20/11/2013	105.00	100,900	27.00	TLC-107 SONDA 1
20/11/2013	110.00	101,600	27.20	TLC-107 SONDA 1
20/11/2013	115.00	98,800	27.20	TLC-107 SONDA 1
20/11/2013	116.00	106,200	27.20	TLC-107 SONDA 1
20/11/2013	117.00	103,000	27.20	TLC-107 SONDA 1
20/11/2013	118.00	98,800	27.20	TLC-107 SONDA 1
20/11/2013	119.00	160,200	27.20	TLC-107 SONDA 1
20/11/2013	120.00	160,400	27.20	TLC-107 SONDA 1
20/11/2013	121.00	160,500	27.20	TLC-107 SONDA 1
17/12/2013	1.30	4,941	25.60	TLC-107 SONDA 1
17/12/2013	1.50	4,764	25.60	TLC-107 SONDA 1
17/12/2013	1.70	4,689	25.80	TLC-107 SONDA 1
17/12/2013	1.90	4,699	25.80	TLC-107 SONDA 1
17/12/2013	2.10	4,688	25.80	TLC-107 SONDA 1
17/12/2013	2.30	4,672	25.80	TLC-107 SONDA 1
17/12/2013	2.50	4,638	25.80	TLC-107 SONDA 1
17/12/2013	2.70	4,651	25.80	TLC-107 SONDA 1
17/12/2013	2.90	4,658	25.80	TLC-107 SONDA 1
17/12/2013	3.10	4,534	25.80	TLC-107 SONDA 1
17/12/2013	3.30	4,579	25.80	TLC-107 SONDA 1
17/12/2013	3.50	4,770	25.80	TLC-107 SONDA 1
17/12/2013	4.00	4,604	25.80	TLC-107 SONDA 1
17/12/2013	4.50	4,583	25.80	TLC-107 SONDA 1
17/12/2013	5.00	4,577	25.80	TLC-107 SONDA 1
17/12/2013	5.50	4,575	25.80	TLC-107 SONDA 1
17/12/2013	6.00	4,577	25.80	TLC-107 SONDA 1
17/12/2013	7.00	4,560	25.80	TLC-107 SONDA 1
17/12/2013	8.00	4,565	25.80	TLC-107 SONDA 1
17/12/2013	9.00	4,522	25.80	TLC-107 SONDA 1
17/12/2013	10.00	4,545	25.80	TLC-107 SONDA 1
17/12/2013	15.00	4,826	25.60	TLC-107 SONDA 1
17/12/2013	20.00	6,091	25.60	TLC-107 SONDA 1
17/12/2013	25.00	7,246	25.60	TLC-107 SONDA 1
17/12/2013	30.00	7,637	25.80	TLC-107 SONDA 1
17/12/2013	35.00	8,369	25.80	TLC-107 SONDA 1
17/12/2013	40.00	9,945	25.90	TLC-107 SONDA 1
17/12/2013	45.00	14,900	25.90	TLC-107 SONDA 1
17/12/2013	50.00	77,800	25.90	TLC-107 SONDA 1
17/12/2013	51.00	132,100	25.80	TLC-107 SONDA 1
17/12/2013	52.00	201,500	25.80	TLC-107 SONDA 1
17/12/2013	53.00	242,300	25.80	TLC-107 SONDA 1
17/12/2013	54.00	250,400	25.90	TLC-107 SONDA 1
17/12/2013	55.00	273,700	25.90	TLC-107 SONDA 1
17/12/2013	56.00	279,100	26.00	TLC-107 SONDA 1
17/12/2013	57.00	285,400	26.00	TLC-107 SONDA 1
17/12/2013	58.00	290,000	26.10	TLC-107 SONDA 1
17/12/2013	59.00	291,300	26.10	TLC-107 SONDA 1
17/12/2013	60.00	292,900	26.20	TLC-107 SONDA 1
17/12/2013	65.00	299,000	26.30	TLC-107 SONDA 1
17/12/2013	70.00	298,800	26.80	TLC-107 SONDA 1
17/12/2013	75.00	296,500	26.60	TLC-107 SONDA 1
17/12/2013	80.00	295,300	26.60	TLC-107 SONDA 1
17/12/2013	85.00	298,100	26.70	TLC-107 SONDA 1
17/12/2013	90.00	297,400	26.80	TLC-107 SONDA 1
17/12/2013	95.00	298,500	26.80	TLC-107 SONDA 1
17/12/2013	100.00	285,600	26.90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/12/2013	105.00	287,200	27.00	TLC-107 SONDA 1
17/12/2013	110.00	288,500	27.20	TLC-107 SONDA 1
17/12/2013	115.00	287,000	27.30	TLC-107 SONDA 1
17/12/2013	116.00	287,000	27.30	TLC-107 SONDA 1
17/12/2013	117.00	289,200	27.30	TLC-107 SONDA 1
17/12/2013	118.00	258,300	27.30	TLC-107 SONDA 1
17/12/2013	119.00	162,000	27.30	TLC-107 SONDA 1
17/01/2014	1.20	4,688	26.20	ALT FTC
17/01/2014	1.40	4,499	25.90	ALT FTC
17/01/2014	1.60	4,515	25.90	ALT FTC
17/01/2014	1.80	4,498	25.90	ALT FTC
17/01/2014	2.00	4,492	25.90	ALT FTC
17/01/2014	2.50	4,487	25.80	ALT FTC
17/01/2014	3.00	4,480	25.90	ALT FTC
17/01/2014	4.00	4,487	25.80	ALT FTC
17/01/2014	5.00	4,483	25.80	ALT FTC
17/01/2014	6.00	4,486	25.80	ALT FTC
17/01/2014	8.00	4,495	25.80	ALT FTC
17/01/2014	10.00	4,588	25.80	ALT FTC
17/01/2014	15.00	5,328	25.60	ALT FTC
17/01/2014	20.00	6,658	25.60	ALT FTC
17/01/2014	25.00	7,258	25.80	ALT FTC
17/01/2014	30.00	8,199	25.80	ALT FTC
17/01/2014	35.00	9,655	25.80	ALT FTC
17/01/2014	40.00	12,200	25.90	ALT FTC
17/01/2014	42.00	14,000	25.90	ALT FTC
17/01/2014	44.00	15,800	25.90	ALT FTC
17/01/2014	46.00	18,100	25.90	ALT FTC
17/01/2014	48.00	28,800	25.90	ALT FTC
17/01/2014	49.00	43,300	25.90	ALT FTC
17/01/2014	50.00	70,400	25.90	ALT FTC
17/01/2014	50.50	100,500	25.90	ALT FTC
17/01/2014	51.00	129,200	25.90	ALT FTC
17/01/2014	51.50	151,800	25.90	ALT FTC
17/01/2014	52.00	192,800	25.90	ALT FTC
17/01/2014	52.20	216,400	25.90	ALT FTC
17/01/2014	52.40	218,700	25.90	ALT FTC
17/01/2014	52.60	222,400	25.90	ALT FTC
17/01/2014	52.80	226,800	25.90	ALT FTC
17/01/2014	53.00	237,800	25.90	ALT FTC
17/01/2014	53.20	240,300	25.90	ALT FTC
17/01/2014	53.40	241,900	25.90	ALT FTC
17/01/2014	53.60	247,700	25.90	ALT FTC
17/01/2014	53.80	252,300	25.90	ALT FTC
17/01/2014	54.00	255,900	25.90	ALT FTC
17/01/2014	54.20	260,500	25.90	ALT FTC
17/01/2014	54.40	261,500	25.90	ALT FTC
17/01/2014	54.60	264,300	25.90	ALT FTC
17/01/2014	54.80	270,100	25.90	ALT FTC
17/01/2014	55.00	272,100	26.00	ALT FTC
17/01/2014	55.20	273,100	26.00	ALT FTC
17/01/2014	55.40	275,500	26.00	ALT FTC
17/01/2014	55.60	278,600	26.00	ALT FTC
17/01/2014	55.80	281,700	26.00	ALT FTC
17/01/2014	56.00	281,700	26.00	ALT FTC
17/01/2014	56.20	282,800	26.00	ALT FTC
17/01/2014	56.40	281,900	26.00	ALT FTC
17/01/2014	56.60	287,000	26.00	ALT FTC
17/01/2014	56.80	286,400	26.00	ALT FTC
17/01/2014	57.00	287,500	26.10	ALT FTC
17/01/2014	57.20	286,400	26.10	ALT FTC
17/01/2014	57.40	289,600	26.10	ALT FTC
17/01/2014	57.60	289,600	26.10	ALT FTC
17/01/2014	57.80	291,900	26.10	ALT FTC

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/01/2014	58.00	295,700	26.10	ALT FTC
17/01/2014	58.20	296,100	26.10	ALT FTC
17/01/2014	58.40	293,100	26.10	ALT FTC
17/01/2014	58.60	293,000	26.10	ALT FTC
17/01/2014	58.80	297,500	26.10	ALT FTC
17/01/2014	59.00	295,700	26.10	ALT FTC
17/01/2014	59.50	296,800	26.10	ALT FTC
17/01/2014	60.00	296,800	26.20	ALT FTC
17/01/2014	61.00	302,600	26.20	ALT FTC
17/01/2014	62.00	300,200	26.20	ALT FTC
17/01/2014	63.00	304,200	26.30	ALT FTC
17/01/2014	64.00	303,100	26.30	ALT FTC
17/01/2014	66.00	307,800	26.30	ALT FTC
17/01/2014	68.00	306,600	26.60	ALT FTC
17/01/2014	70.00	304,700	26.60	ALT FTC
17/01/2014	75.00	304,400	26.60	ALT FTC
17/01/2014	80.00	310,000	26.60	ALT FTC
17/01/2014	85.00	308,100	26.70	ALT FTC
17/01/2014	90.00	305,000	26.80	ALT FTC
17/01/2014	95.00	301,500	26.80	ALT FTC
17/01/2014	100.00	290,500	26.90	ALT FTC
17/01/2014	105.00	296,700	27.00	ALT FTC
17/01/2014	110.00	303,000	27.20	ALT FTC
17/01/2014	115.00	300,000	27.30	ALT FTC
17/01/2014	118.00	302,300	27.30	ALT FTC
17/01/2014	118.20	156,000	27.30	ALT FTC
18/03/2014	1.20	3,009	25.60	TLC-107 SONDA 1
18/03/2014	1.40	3,155	25.80	TLC-107 SONDA 1
18/03/2014	1.60	3,177	25.80	TLC-107 SONDA 1
18/03/2014	1.80	3,197	25.80	TLC-107 SONDA 1
18/03/2014	2.00	3,230	25.80	TLC-107 SONDA 1
18/03/2014	2.50	3,236	25.90	TLC-107 SONDA 1
18/03/2014	3.00	3,236	25.90	TLC-107 SONDA 1
18/03/2014	4.00	3,242	25.90	TLC-107 SONDA 1
18/03/2014	5.00	3,248	25.90	TLC-107 SONDA 1
18/03/2014	6.00	3,253	25.90	TLC-107 SONDA 1
18/03/2014	7.00	3,256	25.90	TLC-107 SONDA 1
18/03/2014	8.00	3,258	25.90	TLC-107 SONDA 1
18/03/2014	10.00	3,271	25.90	TLC-107 SONDA 1
18/03/2014	12.00	3,323	25.80	TLC-107 SONDA 1
18/03/2014	14.00	3,486	25.80	TLC-107 SONDA 1
18/03/2014	16.00	3,563	25.80	TLC-107 SONDA 1
18/03/2014	18.00	3,568	25.80	TLC-107 SONDA 1
18/03/2014	20.00	4,246	25.80	TLC-107 SONDA 1
18/03/2014	25.00	4,591	25.80	TLC-107 SONDA 1
18/03/2014	30.00	5,301	25.80	TLC-107 SONDA 1
18/03/2014	35.00	5,817	25.80	TLC-107 SONDA 1
18/03/2014	40.00	7,172	25.90	TLC-107 SONDA 1
18/03/2014	42.00	9,417	25.90	TLC-107 SONDA 1
18/03/2014	44.00	10,900	25.90	TLC-107 SONDA 1
18/03/2014	46.00	12,000	25.90	TLC-107 SONDA 1
18/03/2014	47.00	13,000	25.90	TLC-107 SONDA 1
18/03/2014	48.00	30,600	25.90	TLC-107 SONDA 1
18/03/2014	49.00	40,100	25.90	TLC-107 SONDA 1
18/03/2014	49.50	57,700	25.90	TLC-107 SONDA 1
18/03/2014	50.00	91,800	25.90	TLC-107 SONDA 1
18/03/2014	50.50	125,400	25.90	TLC-107 SONDA 1
18/03/2014	51.00	156,400	25.90	TLC-107 SONDA 1
18/03/2014	51.50	194,200	25.90	TLC-107 SONDA 1
18/03/2014	52.00	223,200	25.90	TLC-107 SONDA 1
18/03/2014	52.50	256,900	25.90	TLC-107 SONDA 1
18/03/2014	53.00	274,100	25.90	TLC-107 SONDA 1
18/03/2014	53.50	284,300	26.00	TLC-107 SONDA 1
18/03/2014	54.00	295,400	26.00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/03/2014	54.50	300,500	26.00	TLC-107 SONDA 1
18/03/2014	55.00	306,900	26.00	TLC-107 SONDA 1
18/03/2014	56.00	309,000	26.00	TLC-107 SONDA 1
18/03/2014	57.00	313,800	26.10	TLC-107 SONDA 1
18/03/2014	58.00	318,300	26.10	TLC-107 SONDA 1
18/03/2014	59.00	320,600	26.10	TLC-107 SONDA 1
18/03/2014	60.00	323,300	26.20	TLC-107 SONDA 1
18/03/2014	62.00	328,000	26.20	TLC-107 SONDA 1
18/03/2014	64.00	328,400	26.30	TLC-107 SONDA 1
18/03/2014	66.00	334,500	26.30	TLC-107 SONDA 1
18/03/2014	68.00	335,700	26.30	TLC-107 SONDA 1
18/03/2014	70.00	355,700	26.50	TLC-107 SONDA 1
18/03/2014	72.00	386,200	26.50	TLC-107 SONDA 1
18/03/2014	74.00	400,000	26.50	TLC-107 SONDA 1
18/03/2014	76.00	400,000	26.50	TLC-107 SONDA 1
18/03/2014	78.00	400,000	27.70	TLC-107 SONDA 1
16/04/2014	1.20	3,180	25.40	TLC-107 SONDA 1
16/04/2014	1.40	3,567	25.60	TLC-107 SONDA 1
16/04/2014	1.60	3,570	25.60	TLC-107 SONDA 1
16/04/2014	1.80	3,632	25.80	TLC-107 SONDA 1
16/04/2014	2.00	3,642	25.80	TLC-107 SONDA 1
16/04/2014	2.50	3,646	25.80	TLC-107 SONDA 1
16/04/2014	3.00	3,642	25.80	TLC-107 SONDA 1
16/04/2014	3.50	3,646	25.90	TLC-107 SONDA 1
16/04/2014	4.00	3,662	25.90	TLC-107 SONDA 1
16/04/2014	5.00	3,659	25.90	TLC-107 SONDA 1
16/04/2014	6.00	3,667	25.90	TLC-107 SONDA 1
16/04/2014	7.00	3,671	25.90	TLC-107 SONDA 1
16/04/2014	8.00	3,687	25.90	TLC-107 SONDA 1
16/04/2014	9.00	3,726	25.80	TLC-107 SONDA 1
16/04/2014	10.00	3,769	25.80	TLC-107 SONDA 1
16/04/2014	11.00	3,804	25.80	TLC-107 SONDA 1
16/04/2014	12.00	3,849	25.80	TLC-107 SONDA 1
16/04/2014	13.00	3,856	25.80	TLC-107 SONDA 1
16/04/2014	14.00	3,953	25.80	TLC-107 SONDA 1
16/04/2014	15.00	4,056	25.80	TLC-107 SONDA 1
16/04/2014	16.00	4,149	25.80	TLC-107 SONDA 1
16/04/2014	18.00	4,249	25.80	TLC-107 SONDA 1
16/04/2014	20.00	4,793	25.80	TLC-107 SONDA 1
16/04/2014	22.00	5,540	25.80	TLC-107 SONDA 1
16/04/2014	24.00	5,552	25.80	TLC-107 SONDA 1
16/04/2014	26.00	5,557	25.80	TLC-107 SONDA 1
16/04/2014	28.00	6,440	25.80	TLC-107 SONDA 1
16/04/2014	30.00	7,491	25.80	TLC-107 SONDA 1
16/04/2014	32.00	7,420	25.80	TLC-107 SONDA 1
16/04/2014	34.00	7,501	25.90	TLC-107 SONDA 1
16/04/2014	36.00	8,558	25.90	TLC-107 SONDA 1
16/04/2014	38.00	8,966	25.90	TLC-107 SONDA 1
16/04/2014	40.00	10,300	25.90	TLC-107 SONDA 1
16/04/2014	42.00	13,100	25.90	TLC-107 SONDA 1
16/04/2014	44.00	16,900	25.90	TLC-107 SONDA 1
16/04/2014	46.00	20,900	25.90	TLC-107 SONDA 1
16/04/2014	48.00	40,300	25.90	TLC-107 SONDA 1
16/04/2014	48.50	48,900	25.90	TLC-107 SONDA 1
16/04/2014	49.00	64,800	25.90	TLC-107 SONDA 1
16/04/2014	49.20	77,400	25.90	TLC-107 SONDA 1
16/04/2014	49.40	97,300	25.90	TLC-107 SONDA 1
16/04/2014	49.60	115,700	25.90	TLC-107 SONDA 1
16/04/2014	49.80	125,700	25.90	TLC-107 SONDA 1
16/04/2014	50.00	138,400	25.90	TLC-107 SONDA 1
16/04/2014	50.20	150,600	25.90	TLC-107 SONDA 1
16/04/2014	50.40	166,400	25.90	TLC-107 SONDA 1
16/04/2014	50.60	181,800	25.90	TLC-107 SONDA 1
16/04/2014	50.80	195,200	25.90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/04/2014	51.00	201,500	25.90	TLC-107 SONDA 1
16/04/2014	51.20	212,500	25.90	TLC-107 SONDA 1
16/04/2014	51.40	218,700	25.90	TLC-107 SONDA 1
16/04/2014	51.60	238,400	25.90	TLC-107 SONDA 1
16/04/2014	51.80	249,000	25.90	TLC-107 SONDA 1
16/04/2014	52.00	270,000	25.90	TLC-107 SONDA 1
16/04/2014	52.20	290,300	25.90	TLC-107 SONDA 1
16/04/2014	52.40	293,600	25.90	TLC-107 SONDA 1
16/04/2014	52.60	294,600	25.90	TLC-107 SONDA 1
16/04/2014	52.80	298,400	25.90	TLC-107 SONDA 1
16/04/2014	53.00	301,700	26.00	TLC-107 SONDA 1
16/04/2014	53.50	305,700	26.00	TLC-107 SONDA 1
16/04/2014	54.00	311,900	26.00	TLC-107 SONDA 1
16/04/2014	54.50	316,600	26.00	TLC-107 SONDA 1
16/04/2014	55.00	318,500	26.00	TLC-107 SONDA 1
16/04/2014	56.00	321,000	26.00	TLC-107 SONDA 1
16/04/2014	57.00	320,600	26.10	TLC-107 SONDA 1
16/04/2014	58.00	319,600	26.10	TLC-107 SONDA 1
16/04/2014	59.00	319,600	26.10	TLC-107 SONDA 1
16/04/2014	60.00	318,200	26.20	TLC-107 SONDA 1
16/04/2014	62.00	318,300	26.20	TLC-107 SONDA 1
16/04/2014	64.00	314,400	26.30	TLC-107 SONDA 1
16/04/2014	66.00	313,800	26.30	TLC-107 SONDA 1
16/04/2014	68.00	316,300	26.50	TLC-107 SONDA 1
16/04/2014	70.00	314,900	26.50	TLC-107 SONDA 1
16/04/2014	72.00	315,100	26.50	TLC-107 SONDA 1
16/04/2014	74.00	314,300	26.50	TLC-107 SONDA 1
16/04/2014	76.00	321,100	26.60	TLC-107 SONDA 1
16/04/2014	78.00	332,100	26.60	TLC-107 SONDA 1
16/04/2014	80.00	336,700	26.60	TLC-107 SONDA 1
16/04/2014	85.00	358,300	26.70	TLC-107 SONDA 1
16/04/2014	90.00	400,000	26.80	TLC-107 SONDA 1
16/04/2014	95.00	400,000	26.80	TLC-107 SONDA 1
16/04/2014	100.00	400,000	26.90	TLC-107 SONDA 1
16/04/2014	105.00	400,000	27.00	TLC-107 SONDA 1
16/04/2014	110.00	400,000	27.20	TLC-107 SONDA 1
16/04/2014	115.00	400,000	27.30	TLC-107 SONDA 1
16/04/2014	120.00	400,000	27.30	TLC-107 SONDA 1
14/05/2014	1.20	3,148	25.30	TLC-107 SONDA 1
14/05/2014	1.40	3,291	25.60	TLC-107 SONDA 1
14/05/2014	1.60	3,444	25.80	TLC-107 SONDA 1
14/05/2014	1.80	3,463	25.80	TLC-107 SONDA 1
14/05/2014	2.00	3,492	25.80	TLC-107 SONDA 1
14/05/2014	2.50	3,501	25.80	TLC-107 SONDA 1
14/05/2014	3.00	3,505	25.80	TLC-107 SONDA 1
14/05/2014	4.00	3,512	25.80	TLC-107 SONDA 1
14/05/2014	5.00	3,512	25.80	TLC-107 SONDA 1
14/05/2014	6.00	3,517	25.80	TLC-107 SONDA 1
14/05/2014	8.00	3,549	25.80	TLC-107 SONDA 1
14/05/2014	10.00	3,619	25.80	TLC-107 SONDA 1
14/05/2014	12.00	3,680	25.80	TLC-107 SONDA 1
14/05/2014	14.00	3,744	25.80	TLC-107 SONDA 1
14/05/2014	16.00	3,893	25.80	TLC-107 SONDA 1
14/05/2014	18.00	3,994	25.80	TLC-107 SONDA 1
14/05/2014	20.00	4,615	25.80	TLC-107 SONDA 1
14/05/2014	22.00	4,888	25.80	TLC-107 SONDA 1
14/05/2014	24.00	4,994	25.80	TLC-107 SONDA 1
14/05/2014	26.00	5,102	25.80	TLC-107 SONDA 1
14/05/2014	28.00	6,068	25.80	TLC-107 SONDA 1
14/05/2014	30.00	7,385	25.80	TLC-107 SONDA 1
14/05/2014	32.00	7,649	25.90	TLC-107 SONDA 1
14/05/2014	34.00	7,841	25.90	TLC-107 SONDA 1
14/05/2014	36.00	9,141	25.90	TLC-107 SONDA 1
14/05/2014	38.00	9,681	25.90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/05/2014	40.00	10,800	25.90	TLC-107 SONDA 1
14/05/2014	41.00	14,400	25.90	TLC-107 SONDA 1
14/05/2014	42.00	16,100	25.90	TLC-107 SONDA 1
14/05/2014	43.00	17,000	25.90	TLC-107 SONDA 1
14/05/2014	44.00	18,600	25.90	TLC-107 SONDA 1
14/05/2014	45.00	19,800	25.90	TLC-107 SONDA 1
14/05/2014	46.00	21,400	25.90	TLC-107 SONDA 1
14/05/2014	47.00	22,700	25.90	TLC-107 SONDA 1
14/05/2014	48.00	44,300	25.90	TLC-107 SONDA 1
14/05/2014	49.00	64,200	25.90	TLC-107 SONDA 1
14/05/2014	49.20	77,300	25.90	TLC-107 SONDA 1
14/05/2014	49.40	87,300	25.90	TLC-107 SONDA 1
14/05/2014	49.60	102,100	25.90	TLC-107 SONDA 1
14/05/2014	49.80	111,700	25.90	TLC-107 SONDA 1
14/05/2014	50.00	119,700	25.90	TLC-107 SONDA 1
14/05/2014	50.20	127,900	25.90	TLC-107 SONDA 1
14/05/2014	50.40	140,600	25.90	TLC-107 SONDA 1
14/05/2014	50.60	149,500	25.90	TLC-107 SONDA 1
14/05/2014	50.80	159,500	25.90	TLC-107 SONDA 1
14/05/2014	51.00	167,400	25.90	TLC-107 SONDA 1
14/05/2014	51.20	176,200	25.90	TLC-107 SONDA 1
14/05/2014	51.40	180,900	25.90	TLC-107 SONDA 1
14/05/2014	51.60	193,800	26.00	TLC-107 SONDA 1
14/05/2014	51.80	205,600	26.00	TLC-107 SONDA 1
14/05/2014	52.00	209,700	26.00	TLC-107 SONDA 1
14/05/2014	52.20	225,800	26.00	TLC-107 SONDA 1
14/05/2014	52.40	232,200	26.00	TLC-107 SONDA 1
14/05/2014	52.60	235,700	26.00	TLC-107 SONDA 1
14/05/2014	52.80	240,500	26.00	TLC-107 SONDA 1
14/05/2014	53.00	244,800	26.00	TLC-107 SONDA 1
14/05/2014	53.50	251,200	26.00	TLC-107 SONDA 1
14/05/2014	54.00	256,300	26.00	TLC-107 SONDA 1
14/05/2014	54.50	270,600	26.00	TLC-107 SONDA 1
14/05/2014	55.00	273,900	26.00	TLC-107 SONDA 1
14/05/2014	56.00	274,000	26.10	TLC-107 SONDA 1
14/05/2014	57.00	274,000	26.10	TLC-107 SONDA 1
14/05/2014	58.00	275,500	26.10	TLC-107 SONDA 1
14/05/2014	60.00	275,900	26.10	TLC-107 SONDA 1
14/05/2014	62.00	279,800	26.10	TLC-107 SONDA 1
14/05/2014	64.00	279,100	26.30	TLC-107 SONDA 1
14/05/2014	66.00	281,400	26.30	TLC-107 SONDA 1
14/05/2014	68.00	282,300	26.30	TLC-107 SONDA 1
14/05/2014	70.00	285,100	26.50	TLC-107 SONDA 1
14/05/2014	72.00	288,400	26.50	TLC-107 SONDA 1
14/05/2014	74.00	300,400	26.50	TLC-107 SONDA 1
14/05/2014	76.00	371,900	26.60	TLC-107 SONDA 1
14/05/2014	78.00	400,000	26.60	TLC-107 SONDA 1
14/05/2014	80.00	400,000	26.60	TLC-107 SONDA 1
14/05/2014	82.00	400,000	26.60	TLC-107 SONDA 1
14/05/2014	84.00	400,000	26.70	TLC-107 SONDA 1
14/05/2014	86.00	400,000	26.70	TLC-107 SONDA 1
11/06/2014	1.20	2,461	25.60	TLC-107 SONDA 1
11/06/2014	1.40	2,461	25.60	TLC-107 SONDA 1
11/06/2014	1.60	2,473	25.80	TLC-107 SONDA 1
11/06/2014	1.80	2,500	25.80	TLC-107 SONDA 1
11/06/2014	2.00	2,501	25.80	TLC-107 SONDA 1
11/06/2014	2.50	2,514	25.80	TLC-107 SONDA 1
11/06/2014	3.00	2,517	25.80	TLC-107 SONDA 1
11/06/2014	3.50	2,549	25.80	TLC-107 SONDA 1
11/06/2014	4.00	2,547	25.80	TLC-107 SONDA 1
11/06/2014	5.00	2,638	25.90	TLC-107 SONDA 1
11/06/2014	6.00	2,644	25.90	TLC-107 SONDA 1
11/06/2014	8.00	2,680	25.90	TLC-107 SONDA 1
11/06/2014	10.00	2,751	25.90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/06/2014	12.00	2,884	25.80	TLC-107 SONDA 1
11/06/2014	14.00	2,929	25.80	TLC-107 SONDA 1
11/06/2014	16.00	3,125	25.80	TLC-107 SONDA 1
11/06/2014	18.00	3,325	25.80	TLC-107 SONDA 1
11/06/2014	20.00	3,956	25.80	TLC-107 SONDA 1
11/06/2014	22.00	4,469	25.80	TLC-107 SONDA 1
11/06/2014	24.00	4,552	25.80	TLC-107 SONDA 1
11/06/2014	26.00	4,567	25.80	TLC-107 SONDA 1
11/06/2014	28.00	4,930	25.80	TLC-107 SONDA 1
11/06/2014	30.00	5,677	25.90	TLC-107 SONDA 1
11/06/2014	32.00	5,769	25.90	TLC-107 SONDA 1
11/06/2014	36.00	6,547	25.90	TLC-107 SONDA 1
11/06/2014	40.00	7,830	25.90	TLC-107 SONDA 1
11/06/2014	42.00	10,200	25.90	TLC-107 SONDA 1
11/06/2014	44.00	11,200	25.90	TLC-107 SONDA 1
11/06/2014	46.00	12,200	25.90	TLC-107 SONDA 1
11/06/2014	47.00	13,000	25.90	TLC-107 SONDA 1
11/06/2014	47.50	14,300	25.90	TLC-107 SONDA 1
11/06/2014	48.00	26,900	25.90	TLC-107 SONDA 1
11/06/2014	48.20	30,500	25.90	TLC-107 SONDA 1
11/06/2014	48.40	31,100	25.90	TLC-107 SONDA 1
11/06/2014	48.60	32,200	25.90	TLC-107 SONDA 1
11/06/2014	48.80	34,800	25.90	TLC-107 SONDA 1
11/06/2014	49.00	40,100	25.90	TLC-107 SONDA 1
11/06/2014	49.20	44,600	25.90	TLC-107 SONDA 1
11/06/2014	49.40	53,500	25.90	TLC-107 SONDA 1
11/06/2014	49.60	60,600	26.00	TLC-107 SONDA 1
11/06/2014	49.80	66,600	26.00	TLC-107 SONDA 1
11/06/2014	50.00	72,600	26.00	TLC-107 SONDA 1
11/06/2014	50.20	78,400	26.00	TLC-107 SONDA 1
11/06/2014	50.40	85,400	26.00	TLC-107 SONDA 1
11/06/2014	50.60	92,100	26.00	TLC-107 SONDA 1
11/06/2014	50.79	98,000	26.00	TLC-107 SONDA 1
11/06/2014	50.99	101,700	26.00	TLC-107 SONDA 1
11/06/2014	51.19	107,200	26.00	TLC-107 SONDA 1
11/06/2014	51.39	113,600	26.00	TLC-107 SONDA 1
11/06/2014	51.59	117,900	26.00	TLC-107 SONDA 1
11/06/2014	51.79	119,400	26.00	TLC-107 SONDA 1
11/06/2014	51.99	121,700	26.00	TLC-107 SONDA 1
11/06/2014	52.50	136,100	26.00	TLC-107 SONDA 1
11/06/2014	53.00	139,500	26.00	TLC-107 SONDA 1
11/06/2014	53.50	141,700	26.00	TLC-107 SONDA 1
11/06/2014	54.00	145,800	26.00	TLC-107 SONDA 1
11/06/2014	54.50	147,900	26.00	TLC-107 SONDA 1
11/06/2014	55.00	149,400	26.00	TLC-107 SONDA 1
11/06/2014	56.00	149,900	26.10	TLC-107 SONDA 1
11/06/2014	56.99	149,900	26.10	TLC-107 SONDA 1
11/06/2014	57.99	149,900	26.10	TLC-107 SONDA 1
11/06/2014	58.99	149,900	26.10	TLC-107 SONDA 1
11/06/2014	59.99	149,700	26.20	TLC-107 SONDA 1
11/06/2014	60.99	150,200	26.20	TLC-107 SONDA 1
11/06/2014	61.99	151,500	26.20	TLC-107 SONDA 1
11/06/2014	62.99	152,000	26.30	TLC-107 SONDA 1
11/06/2014	63.99	152,600	26.30	TLC-107 SONDA 1
11/06/2014	64.99	152,400	26.30	TLC-107 SONDA 1
11/06/2014	67.00	153,100	26.30	TLC-107 SONDA 1
11/06/2014	69.00	154,000	26.30	TLC-107 SONDA 1
11/06/2014	71.00	154,500	26.50	TLC-107 SONDA 1
11/06/2014	73.00	155,400	26.50	TLC-107 SONDA 1
11/06/2014	75.00	157,400	26.60	TLC-107 SONDA 1
11/06/2014	77.00	165,200	26.60	TLC-107 SONDA 1
11/06/2014	79.00	167,300	26.60	TLC-107 SONDA 1
11/06/2014	81.00	168,400	26.60	TLC-107 SONDA 1
11/06/2014	83.00	169,900	26.60	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/06/2014	85.00	171,000	26.70	TLC-107 SONDA 1
11/06/2014	87.00	170,800	26.70	TLC-107 SONDA 1
11/06/2014	87.20	219,600	26.70	TLC-107 SONDA 1
11/06/2014	87.40	217,100	26.70	TLC-107 SONDA 1
11/06/2014	87.60	217,100	26.70	TLC-107 SONDA 1
11/06/2014	87.80	216,600	26.70	TLC-107 SONDA 1
11/06/2014	88.00	220,500	26.80	TLC-107 SONDA 1
11/06/2014	88.20	246,900	26.80	TLC-107 SONDA 1
11/06/2014	88.40	271,100	26.80	TLC-107 SONDA 1
11/06/2014	88.60	271,600	26.80	TLC-107 SONDA 1
11/06/2014	88.80	270,500	26.80	TLC-107 SONDA 1
11/06/2014	89.00	271,600	26.80	TLC-107 SONDA 1
11/06/2014	86.50	270,000	26.80	TLC-107 SONDA 1
11/06/2014	90.00	267,400	26.80	TLC-107 SONDA 1
11/06/2014	91.00	269,500	26.80	TLC-107 SONDA 1
11/06/2014	92.00	268,400	26.80	TLC-107 SONDA 1
11/06/2014	93.00	267,400	26.80	TLC-107 SONDA 1
11/06/2014	94.00	264,200	26.80	TLC-107 SONDA 1
11/06/2014	96.00	257,100	26.90	TLC-107 SONDA 1
11/06/2014	98.00	252,800	26.90	TLC-107 SONDA 1
11/06/2014	100.00	254,700	26.90	TLC-107 SONDA 1
11/06/2014	102.00	256,000	27.00	TLC-107 SONDA 1
11/06/2014	106.00	257,000	27.00	TLC-107 SONDA 1
11/06/2014	110.00	257,400	27.20	TLC-107 SONDA 1
11/06/2014	114.00	258,900	27.20	TLC-107 SONDA 1
11/06/2014	118.00	231,400	27.30	TLC-107 SONDA 1
11/06/2014	119.00	229,400	27.30	TLC-107 SONDA 1
11/06/2014	120.00	230,600	27.30	TLC-107 SONDA 1
11/06/2014	120.70	234,300	27.30	TLC-107 SONDA 1
21/07/2014	1.30	3,320	25.30	TLC-107 SONDA 1
21/07/2014	2.00	3,309	25.60	TLC-107 SONDA 1
21/07/2014	3.00	3,306	25.60	TLC-107 SONDA 1
21/07/2014	5.00	3,317	25.80	TLC-107 SONDA 1
21/07/2014	7.00	3,318	25.80	TLC-107 SONDA 1
21/07/2014	9.00	3,356	25.80	TLC-107 SONDA 1
21/07/2014	11.00	3,463	25.80	TLC-107 SONDA 1
21/07/2014	13.00	3,518	25.80	TLC-107 SONDA 1
21/07/2014	15.00	3,570	25.80	TLC-107 SONDA 1
21/07/2014	17.00	3,711	25.80	TLC-107 SONDA 1
21/07/2014	19.00	3,996	25.80	TLC-107 SONDA 1
21/07/2014	21.00	4,394	25.80	TLC-107 SONDA 1
21/07/2014	23.00	4,626	25.80	TLC-107 SONDA 1
21/07/2014	25.00	4,633	25.80	TLC-107 SONDA 1
21/07/2014	27.00	4,703	25.80	TLC-107 SONDA 1
21/07/2014	29.00	5,271	25.90	TLC-107 SONDA 1
21/07/2014	31.00	5,309	25.90	TLC-107 SONDA 1
21/07/2014	33.00	5,238	25.90	TLC-107 SONDA 1
21/07/2014	35.00	5,383	25.90	TLC-107 SONDA 1
21/07/2014	37.00	5,639	25.90	TLC-107 SONDA 1
21/07/2014	39.00	5,853	25.90	TLC-107 SONDA 1
21/07/2014	41.00	7,665	25.90	TLC-107 SONDA 1
21/07/2014	43.00	7,975	25.90	TLC-107 SONDA 1
21/07/2014	45.00	8,666	25.90	TLC-107 SONDA 1
21/07/2014	46.00	9,037	25.90	TLC-107 SONDA 1
21/07/2014	47.00	9,296	25.90	TLC-107 SONDA 1
21/07/2014	47.50	10,900	25.90	TLC-107 SONDA 1
21/07/2014	48.00	15,200	26.00	TLC-107 SONDA 1
21/07/2014	48.50	16,700	26.00	TLC-107 SONDA 1
21/07/2014	49.00	19,400	26.00	TLC-107 SONDA 1
21/07/2014	49.50	25,200	26.00	TLC-107 SONDA 1
21/07/2014	50.00	30,600	26.00	TLC-107 SONDA 1
21/07/2014	50.50	35,100	26.00	TLC-107 SONDA 1
21/07/2014	51.00	40,400	26.00	TLC-107 SONDA 1
21/07/2014	51.50	44,600	26.00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/07/2014	52.00	47,700	26.00	TLC-107 SONDA 1
21/07/2014	52.50	51,400	26.00	TLC-107 SONDA 1
21/07/2014	53.00	53,400	26.00	TLC-107 SONDA 1
21/07/2014	53.50	54,600	26.00	TLC-107 SONDA 1
21/07/2014	54.00	55,500	26.00	TLC-107 SONDA 1
21/07/2014	54.50	56,100	26.00	TLC-107 SONDA 1
21/07/2014	55.00	56,300	26.10	TLC-107 SONDA 1
21/07/2014	55.50	56,600	26.10	TLC-107 SONDA 1
21/07/2014	56.00	56,700	26.10	TLC-107 SONDA 1
21/07/2014	56.50	56,600	26.10	TLC-107 SONDA 1
21/07/2014	57.00	56,700	26.10	TLC-107 SONDA 1
21/07/2014	57.50	56,800	26.10	TLC-107 SONDA 1
21/07/2014	58.00	56,900	26.10	TLC-107 SONDA 1
21/07/2014	58.50	57,000	26.10	TLC-107 SONDA 1
21/07/2014	59.00	57,100	26.20	TLC-107 SONDA 1
21/07/2014	59.50	57,300	26.20	TLC-107 SONDA 1
21/07/2014	60.00	57,500	26.20	TLC-107 SONDA 1
21/07/2014	61.00	57,800	26.20	TLC-107 SONDA 1
21/07/2014	62.00	58,100	26.20	TLC-107 SONDA 1
21/07/2014	63.00	58,200	26.30	TLC-107 SONDA 1
21/07/2014	64.00	58,600	26.30	TLC-107 SONDA 1
21/07/2014	66.00	59,000	26.30	TLC-107 SONDA 1
21/07/2014	68.00	59,400	26.30	TLC-107 SONDA 1
21/07/2014	70.00	59,700	26.50	TLC-107 SONDA 1
21/07/2014	72.00	60,800	26.50	TLC-107 SONDA 1
21/07/2014	74.00	62,800	26.50	TLC-107 SONDA 1
21/07/2014	75.00	81,700	26.60	TLC-107 SONDA 1
21/07/2014	76.00	90,500	26.60	TLC-107 SONDA 1
21/07/2014	76.50	93,800	26.60	TLC-107 SONDA 1
21/07/2014	77.00	99,600	26.60	TLC-107 SONDA 1
21/07/2014	77.50	103,800	26.60	TLC-107 SONDA 1
21/07/2014	78.00	108,400	26.60	TLC-107 SONDA 1
21/07/2014	78.50	108,200	26.60	TLC-107 SONDA 1
21/07/2014	79.00	111,300	26.60	TLC-107 SONDA 1
21/07/2014	79.50	114,800	26.60	TLC-107 SONDA 1
21/07/2014	80.00	116,000	26.60	TLC-107 SONDA 1
21/07/2014	80.50	118,100	26.60	TLC-107 SONDA 1
21/07/2014	81.00	118,000	26.60	TLC-107 SONDA 1
21/07/2014	81.50	118,800	26.60	TLC-107 SONDA 1
21/07/2014	82.00	119,500	26.60	TLC-107 SONDA 1
21/07/2014	83.00	122,300	26.60	TLC-107 SONDA 1
21/07/2014	84.00	121,500	26.60	TLC-107 SONDA 1
21/07/2014	85.00	121,400	26.60	TLC-107 SONDA 1
21/07/2014	86.00	122,700	26.70	TLC-107 SONDA 1
21/07/2014	87.00	123,600	26.70	TLC-107 SONDA 1
21/07/2014	88.00	121,600	26.70	TLC-107 SONDA 1
21/07/2014	89.00	230,100	26.80	TLC-107 SONDA 1
21/07/2014	90.00	239,500	26.80	TLC-107 SONDA 1
21/07/2014	91.00	252,000	26.80	TLC-107 SONDA 1
21/07/2014	92.00	250,900	26.80	TLC-107 SONDA 1
21/07/2014	94.00	253,200	26.80	TLC-107 SONDA 1
21/07/2014	96.00	255,700	26.90	TLC-107 SONDA 1
21/07/2014	98.00	261,900	26.90	TLC-107 SONDA 1
21/07/2014	100.00	257,500	27.00	TLC-107 SONDA 1
21/07/2014	102.00	257,500	27.00	TLC-107 SONDA 1
21/07/2014	104.00	255,700	27.00	TLC-107 SONDA 1
21/07/2014	106.00	258,800	27.00	TLC-107 SONDA 1
21/07/2014	108.00	257,600	27.20	TLC-107 SONDA 1
21/07/2014	110.00	258,800	27.20	TLC-107 SONDA 1
21/07/2014	112.00	260,700	27.20	TLC-107 SONDA 1
21/07/2014	114.00	259,700	27.30	TLC-107 SONDA 1
21/07/2014	116.00	258,700	27.30	TLC-107 SONDA 1
21/07/2014	118.00	224,100	27.30	TLC-107 SONDA 1
21/07/2014	119.00	219,300	27.30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/07/2014	119.90	221,700	27.30	TLC-107 SONDA 1
12/08/2014	1.20	4,125	25.30	TLC-107 SONDA 1
12/08/2014	3.00	4,082	25.80	TLC-107 SONDA 1
12/08/2014	5.00	4,081	25.80	TLC-107 SONDA 1
12/08/2014	7.00	4,079	25.80	TLC-107 SONDA 1
12/08/2014	9.00	4,101	25.80	TLC-107 SONDA 1
12/08/2014	11.00	4,192	25.80	TLC-107 SONDA 1
12/08/2014	13.00	4,267	25.80	TLC-107 SONDA 1
12/08/2014	15.00	4,294	25.80	TLC-107 SONDA 1
12/08/2014	17.00	4,545	25.80	TLC-107 SONDA 1
12/08/2014	19.00	4,832	25.80	TLC-107 SONDA 1
12/08/2014	21.00	6,120	25.80	TLC-107 SONDA 1
12/08/2014	23.00	7,058	25.80	TLC-107 SONDA 1
12/08/2014	25.00	7,291	25.80	TLC-107 SONDA 1
12/08/2014	27.00	7,322	25.80	TLC-107 SONDA 1
12/08/2014	29.00	9,315	25.80	TLC-107 SONDA 1
12/08/2014	31.00	9,898	25.90	TLC-107 SONDA 1
12/08/2014	33.00	9,925	25.90	TLC-107 SONDA 1
12/08/2014	34.00	10,000	25.90	TLC-107 SONDA 1
12/08/2014	35.00	10,300	25.90	TLC-107 SONDA 1
12/08/2014	36.00	10,600	25.90	TLC-107 SONDA 1
12/08/2014	38.00	11,300	25.90	TLC-107 SONDA 1
12/08/2014	40.00	14,100	25.90	TLC-107 SONDA 1
12/08/2014	41.00	18,100	25.90	TLC-107 SONDA 1
12/08/2014	42.00	18,800	25.90	TLC-107 SONDA 1
12/08/2014	43.00	19,700	25.90	TLC-107 SONDA 1
12/08/2014	44.00	21,200	25.90	TLC-107 SONDA 1
12/08/2014	45.00	22,200	25.90	TLC-107 SONDA 1
12/08/2014	46.00	24,200	25.90	TLC-107 SONDA 1
12/08/2014	47.00	25,900	26.00	TLC-107 SONDA 1
12/08/2014	48.00	50,900	26.00	TLC-107 SONDA 1
12/08/2014	49.00	68,800	26.00	TLC-107 SONDA 1
12/08/2014	49.20	74,600	26.00	TLC-107 SONDA 1
12/08/2014	49.40	87,200	26.00	TLC-107 SONDA 1
12/08/2014	49.60	102,500	26.00	TLC-107 SONDA 1
12/08/2014	49.80	110,900	26.00	TLC-107 SONDA 1
12/08/2014	50.00	121,400	26.00	TLC-107 SONDA 1
12/08/2014	50.20	127,200	26.00	TLC-107 SONDA 1
12/08/2014	50.40	138,500	26.00	TLC-107 SONDA 1
12/08/2014	50.60	150,200	26.00	TLC-107 SONDA 1
12/08/2014	50.80	159,800	26.00	TLC-107 SONDA 1
12/08/2014	51.00	167,000	26.00	TLC-107 SONDA 1
12/08/2014	51.20	176,100	26.00	TLC-107 SONDA 1
12/08/2014	51.40	182,400	26.00	TLC-107 SONDA 1
12/08/2014	51.60	189,500	26.00	TLC-107 SONDA 1
12/08/2014	51.80	197,900	26.00	TLC-107 SONDA 1
12/08/2014	52.00	207,100	26.00	TLC-107 SONDA 1
12/08/2014	53.00	250,700	26.00	TLC-107 SONDA 1
12/08/2014	54.00	264,000	26.00	TLC-107 SONDA 1
12/08/2014	55.00	269,300	26.10	TLC-107 SONDA 1
12/08/2014	57.00	269,300	26.10	TLC-107 SONDA 1
12/08/2014	59.00	268,300	26.20	TLC-107 SONDA 1
12/08/2014	61.00	266,700	26.20	TLC-107 SONDA 1
12/08/2014	63.00	268,700	26.30	TLC-107 SONDA 1
12/08/2014	65.00	269,100	26.30	TLC-107 SONDA 1
12/08/2014	68.00	271,100	26.30	TLC-107 SONDA 1
12/08/2014	71.00	275,700	26.50	TLC-107 SONDA 1
12/08/2014	74.00	281,600	26.50	TLC-107 SONDA 1
12/08/2014	77.00	292,300	26.60	TLC-107 SONDA 1
12/08/2014	80.00	295,900	26.60	TLC-107 SONDA 1
12/08/2014	83.00	303,300	26.60	TLC-107 SONDA 1
12/08/2014	86.00	307,700	26.70	TLC-107 SONDA 1
12/08/2014	89.00	314,900	26.80	TLC-107 SONDA 1
12/08/2014	92.00	319,000	26.80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/08/2014	95.00	315,900	26.60	TLC-107 SONDA 1
12/08/2014	98.00	308,500	26.90	TLC-107 SONDA 1
12/08/2014	101.00	309,400	27.00	TLC-107 SONDA 1
12/08/2014	104.00	311,400	27.00	TLC-107 SONDA 1
12/08/2014	107.00	309,400	27.20	TLC-107 SONDA 1
12/08/2014	110.00	310,700	27.20	TLC-107 SONDA 1
12/08/2014	113.00	310,000	27.20	TLC-107 SONDA 1
12/08/2014	116.00	312,000	27.30	TLC-107 SONDA 1
12/08/2014	119.00	231,000	27.30	TLC-107 SONDA 1
02/09/2014	1.10	3,826	25.50	TLC-107 SONDA 1
02/09/2014	2.00	3,919	25.60	TLC-107 SONDA 1
02/09/2014	4.00	3,914	25.80	TLC-107 SONDA 1
02/09/2014	6.00	3,921	25.80	TLC-107 SONDA 1
02/09/2014	8.00	3,925	25.80	TLC-107 SONDA 1
02/09/2014	10.00	3,943	25.80	TLC-107 SONDA 1
02/09/2014	12.00	3,961	25.80	TLC-107 SONDA 1
02/09/2014	14.00	3,969	25.80	TLC-107 SONDA 1
02/09/2014	16.00	4,466	25.80	TLC-107 SONDA 1
02/09/2014	18.00	4,676	25.80	TLC-107 SONDA 1
02/09/2014	20.00	5,594	25.80	TLC-107 SONDA 1
02/09/2014	22.00	6,005	25.80	TLC-107 SONDA 1
02/09/2014	24.00	6,165	25.80	TLC-107 SONDA 1
02/09/2014	26.00	6,152	25.80	TLC-107 SONDA 1
02/09/2014	28.00	6,752	25.90	TLC-107 SONDA 1
02/09/2014	30.00	7,301	25.90	TLC-107 SONDA 1
02/09/2014	32.00	7,346	25.90	TLC-107 SONDA 1
02/09/2014	34.00	7,312	25.90	TLC-107 SONDA 1
02/09/2014	36.00	7,701	25.90	TLC-107 SONDA 1
02/09/2014	38.00	7,895	25.90	TLC-107 SONDA 1
02/09/2014	40.00	9,120	25.90	TLC-107 SONDA 1
02/09/2014	42.00	10,900	25.90	TLC-107 SONDA 1
02/09/2014	44.00	11,800	25.90	TLC-107 SONDA 1
02/09/2014	46.00	12,800	25.90	TLC-107 SONDA 1
02/09/2014	48.00	22,200	26.00	TLC-107 SONDA 1
02/09/2014	49.00	31,500	26.00	TLC-107 SONDA 1
02/09/2014	49.50	42,500	26.00	TLC-107 SONDA 1
02/09/2014	50.00	53,300	26.00	TLC-107 SONDA 1
02/09/2014	50.20	59,600	26.00	TLC-107 SONDA 1
02/09/2014	50.40	62,100	26.00	TLC-107 SONDA 1
02/09/2014	50.60	65,200	26.00	TLC-107 SONDA 1
02/09/2014	50.80	67,300	26.00	TLC-107 SONDA 1
02/09/2014	51.00	70,600	26.00	TLC-107 SONDA 1
02/09/2014	51.20	72,700	26.00	TLC-107 SONDA 1
02/09/2014	51.40	75,500	26.00	TLC-107 SONDA 1
02/09/2014	51.60	77,300	26.00	TLC-107 SONDA 1
02/09/2014	51.80	81,400	26.00	TLC-107 SONDA 1
02/09/2014	52.00	83,400	26.00	TLC-107 SONDA 1
02/09/2014	52.20	84,800	26.00	TLC-107 SONDA 1
02/09/2014	52.40	86,500	26.00	TLC-107 SONDA 1
02/09/2014	52.60	87,400	26.00	TLC-107 SONDA 1
02/09/2014	52.80	89,100	26.00	TLC-107 SONDA 1
02/09/2014	53.00	96,100	26.00	TLC-107 SONDA 1
02/09/2014	53.20	94,400	26.00	TLC-107 SONDA 1
02/09/2014	53.40	92,200	26.00	TLC-107 SONDA 1
02/09/2014	53.60	92,000	26.00	TLC-107 SONDA 1
02/09/2014	53.80	92,700	26.00	TLC-107 SONDA 1
02/09/2014	54.00	91,500	26.10	TLC-107 SONDA 1
02/09/2014	54.20	91,400	26.00	TLC-107 SONDA 1
02/09/2014	54.40	90,700	26.10	TLC-107 SONDA 1
02/09/2014	54.60	90,400	26.10	TLC-107 SONDA 1
02/09/2014	54.80	91,100	26.10	TLC-107 SONDA 1
02/09/2014	55.00	92,000	26.10	TLC-107 SONDA 1
02/09/2014	55.20	92,100	26.10	TLC-107 SONDA 1
02/09/2014	55.40	92,100	26.10	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/09/2014	55.60	88,400	26.10	TLC-107 SONDA 1
02/09/2014	55.80	86,200	26.10	TLC-107 SONDA 1
02/09/2014	56.00	86,000	26.10	TLC-107 SONDA 1
02/09/2014	56.20	87,200	26.10	TLC-107 SONDA 1
02/09/2014	56.40	87,000	26.10	TLC-107 SONDA 1
02/09/2014	56.60	87,400	26.10	TLC-107 SONDA 1
02/09/2014	56.80	87,600	26.10	TLC-107 SONDA 1
02/09/2014	57.00	86,900	26.10	TLC-107 SONDA 1
02/09/2014	57.20	86,400	26.10	TLC-107 SONDA 1
02/09/2014	57.40	86,500	26.10	TLC-107 SONDA 1
02/09/2014	57.60	86,200	26.10	TLC-107 SONDA 1
02/09/2014	57.80	86,300	26.10	TLC-107 SONDA 1
02/09/2014	58.00	86,200	26.10	TLC-107 SONDA 1
02/09/2014	58.20	86,900	26.10	TLC-107 SONDA 1
02/09/2014	58.40	88,400	26.10	TLC-107 SONDA 1
02/09/2014	58.60	87,700	26.10	TLC-107 SONDA 1
02/09/2014	58.80	89,400	26.20	TLC-107 SONDA 1
02/09/2014	59.00	90,200	26.20	TLC-107 SONDA 1
02/09/2014	59.20	91,300	26.20	TLC-107 SONDA 1
02/09/2014	59.40	89,600	26.20	TLC-107 SONDA 1
02/09/2014	59.60	88,500	26.20	TLC-107 SONDA 1
02/09/2014	59.80	88,100	26.20	TLC-107 SONDA 1
02/09/2014	60.00	88,100	26.20	TLC-107 SONDA 1
02/09/2014	60.20	87,800	26.20	TLC-107 SONDA 1
02/09/2014	60.40	88,700	26.20	TLC-107 SONDA 1
02/09/2014	60.60	90,400	26.20	TLC-107 SONDA 1
02/09/2014	60.80	91,600	26.20	TLC-107 SONDA 1
02/09/2014	61.00	94,000	26.20	TLC-107 SONDA 1
02/09/2014	61.20	96,100	26.20	TLC-107 SONDA 1
02/09/2014	61.40	96,800	26.20	TLC-107 SONDA 1
02/09/2014	61.60	92,800	26.20	TLC-107 SONDA 1
02/09/2014	61.80	91,900	26.20	TLC-107 SONDA 1
02/09/2014	62.00	91,300	26.20	TLC-107 SONDA 1
02/09/2014	62.20	90,300	26.20	TLC-107 SONDA 1
02/09/2014	62.40	94,500	26.20	TLC-107 SONDA 1
02/09/2014	62.60	96,400	26.20	TLC-107 SONDA 1
02/09/2014	62.80	93,900	26.30	TLC-107 SONDA 1
02/09/2014	63.00	91,000	26.30	TLC-107 SONDA 1
02/09/2014	63.20	91,400	26.30	TLC-107 SONDA 1
02/09/2014	63.40	92,700	26.30	TLC-107 SONDA 1
02/09/2014	63.60	95,900	26.30	TLC-107 SONDA 1
02/09/2014	63.80	96,000	26.30	TLC-107 SONDA 1
02/09/2014	64.00	97,700	26.30	TLC-107 SONDA 1
02/09/2014	64.20	98,400	26.30	TLC-107 SONDA 1
02/09/2014	64.40	98,800	26.30	TLC-107 SONDA 1
02/09/2014	64.60	99,300	26.30	TLC-107 SONDA 1
02/09/2014	64.80	99,400	26.30	TLC-107 SONDA 1
02/09/2014	65.00	99,600	26.30	TLC-107 SONDA 1
02/09/2014	65.20	99,700	26.30	TLC-107 SONDA 1
02/09/2014	65.40	99,500	26.30	TLC-107 SONDA 1
02/09/2014	65.60	99,700	26.30	TLC-107 SONDA 1
02/09/2014	65.80	99,400	26.30	TLC-107 SONDA 1
02/09/2014	66.00	99,200	26.30	TLC-107 SONDA 1
02/09/2014	66.20	99,300	26.30	TLC-107 SONDA 1
02/09/2014	66.40	99,300	26.30	TLC-107 SONDA 1
02/09/2014	66.60	99,300	26.30	TLC-107 SONDA 1
02/09/2014	66.80	99,700	26.30	TLC-107 SONDA 1
02/09/2014	67.00	99,900	26.30	TLC-107 SONDA 1
02/09/2014	67.50	100,100	26.30	TLC-107 SONDA 1
02/09/2014	67.99	99,800	26.30	TLC-107 SONDA 1
02/09/2014	68.49	100,100	26.30	TLC-107 SONDA 1
02/09/2014	68.99	100,200	26.30	TLC-107 SONDA 1
02/09/2014	69.49	101,500	26.50	TLC-107 SONDA 1
02/09/2014	69.99	104,200	26.50	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/09/2014	70.49	106,200	26.50	TLC-107 SONDA 1
02/09/2014	70.99	108,100	26.50	TLC-107 SONDA 1
02/09/2014	71.49	109,500	26.50	TLC-107 SONDA 1
02/09/2014	71.99	111,200	26.50	TLC-107 SONDA 1
02/09/2014	72.49	113,100	26.50	TLC-107 SONDA 1
02/09/2014	72.99	116,700	26.50	TLC-107 SONDA 1
02/09/2014	73.49	121,000	26.50	TLC-107 SONDA 1
02/09/2014	73.99	124,800	26.50	TLC-107 SONDA 1
02/09/2014	74.49	128,400	26.60	TLC-107 SONDA 1
02/09/2014	74.99	136,900	26.60	TLC-107 SONDA 1
02/09/2014	75.49	146,800	26.60	TLC-107 SONDA 1
02/09/2014	75.99	188,500	26.60	TLC-107 SONDA 1
02/09/2014	76.49	220,400	26.60	TLC-107 SONDA 1
02/09/2014	76.99	238,600	26.60	TLC-107 SONDA 1
02/09/2014	77.49	259,200	26.60	TLC-107 SONDA 1
02/09/2014	77.99	269,300	26.60	TLC-107 SONDA 1
02/09/2014	79.00	290,100	26.60	TLC-107 SONDA 1
02/09/2014	80.00	302,200	26.60	TLC-107 SONDA 1
02/09/2014	82.00	324,200	26.60	TLC-107 SONDA 1
02/09/2014	84.00	355,700	26.70	TLC-107 SONDA 1
02/09/2014	86.00	381,100	26.70	TLC-107 SONDA 1
02/09/2014	88.00	400,000	26.70	TLC-107 SONDA 1
02/09/2014	90.00	392,500	26.80	TLC-107 SONDA 1
02/09/2014	92.00	391,200	26.80	TLC-107 SONDA 1
02/09/2014	94.00	386,200	26.80	TLC-107 SONDA 1
02/09/2014	96.00	384,100	26.90	TLC-107 SONDA 1
02/09/2014	98.00	376,900	26.90	TLC-107 SONDA 1
02/09/2014	100.00	376,800	26.90	TLC-107 SONDA 1
02/09/2014	102.00	380,800	27.00	TLC-107 SONDA 1
02/09/2014	104.00	380,800	27.00	TLC-107 SONDA 1
02/09/2014	106.00	385,700	27.00	TLC-107 SONDA 1
02/09/2014	108.00	387,300	27.20	TLC-107 SONDA 1
02/09/2014	110.00	388,500	27.20	TLC-107 SONDA 1
02/09/2014	112.00	391,000	27.20	TLC-107 SONDA 1
02/09/2014	114.00	391,000	27.20	TLC-107 SONDA 1
02/09/2014	116.00	396,600	27.30	TLC-107 SONDA 1
02/09/2014	118.00	330,200	27.30	TLC-107 SONDA 1
07/10/2014	1.10	4,256	25.10	TLC-107 SONDA 1
07/10/2014	2.00	4,195	25.50	TLC-107 SONDA 1
07/10/2014	3.00	4,196	25.80	TLC-107 SONDA 1
07/10/2014	4.00	4,195	25.80	TLC-107 SONDA 1
07/10/2014	5.00	4,185	25.80	TLC-107 SONDA 1
07/10/2014	6.00	4,184	25.80	TLC-107 SONDA 1
07/10/2014	7.00	4,183	25.80	TLC-107 SONDA 1
07/10/2014	9.00	4,199	25.80	TLC-107 SONDA 1
07/10/2014	11.00	4,243	25.80	TLC-107 SONDA 1
07/10/2014	13.00	4,306	25.80	TLC-107 SONDA 1
07/10/2014	15.00	4,462	25.80	TLC-107 SONDA 1
07/10/2014	17.00	4,849	25.80	TLC-107 SONDA 1
07/10/2014	19.00	5,522	25.80	TLC-107 SONDA 1
07/10/2014	21.00	6,493	25.80	TLC-107 SONDA 1
07/10/2014	23.00	7,152	25.80	TLC-107 SONDA 1
07/10/2014	24.00	7,311	25.80	TLC-107 SONDA 1
07/10/2014	25.00	7,307	25.80	TLC-107 SONDA 1
07/10/2014	27.00	7,652	25.80	TLC-107 SONDA 1
07/10/2014	29.00	9,018	25.90	TLC-107 SONDA 1
07/10/2014	30.00	9,365	25.90	TLC-107 SONDA 1
07/10/2014	31.00	9,412	25.90	TLC-107 SONDA 1
07/10/2014	32.00	9,592	25.90	TLC-107 SONDA 1
07/10/2014	33.00	9,664	25.90	TLC-107 SONDA 1
07/10/2014	35.00	10,100	25.90	TLC-107 SONDA 1
07/10/2014	36.00	10,800	25.90	TLC-107 SONDA 1
07/10/2014	37.00	11,000	25.90	TLC-107 SONDA 1
07/10/2014	39.00	11,500	25.90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/10/2014	40.00	12,300	25.90	TLC-107 SONDA 1
07/10/2014	41.00	17,400	25.90	TLC-107 SONDA 1
07/10/2014	41.50	17,900	25.90	TLC-107 SONDA 1
07/10/2014	42.00	18,200	25.90	TLC-107 SONDA 1
07/10/2014	42.50	18,300	25.90	TLC-107 SONDA 1
07/10/2014	43.00	18,800	25.90	TLC-107 SONDA 1
07/10/2014	43.50	19,200	25.90	TLC-107 SONDA 1
07/10/2014	44.00	20,500	25.90	TLC-107 SONDA 1
07/10/2014	44.50	21,300	25.90	TLC-107 SONDA 1
07/10/2014	45.00	21,300	25.90	TLC-107 SONDA 1
07/10/2014	46.00	23,700	26.00	TLC-107 SONDA 1
07/10/2014	47.00	25,900	26.00	TLC-107 SONDA 1
07/10/2014	47.50	34,500	26.00	TLC-107 SONDA 1
07/10/2014	47.70	37,000	26.00	TLC-107 SONDA 1
07/10/2014	47.90	43,500	26.00	TLC-107 SONDA 1
07/10/2014	48.00	48,900	26.00	TLC-107 SONDA 1
07/10/2014	48.20	51,500	26.00	TLC-107 SONDA 1
07/10/2014	48.40	52,900	26.00	TLC-107 SONDA 1
07/10/2014	48.60	53,900	26.00	TLC-107 SONDA 1
07/10/2014	48.80	57,500	26.00	TLC-107 SONDA 1
07/10/2014	49.00	65,200	26.00	TLC-107 SONDA 1
07/10/2014	49.20	70,500	26.00	TLC-107 SONDA 1
07/10/2014	49.40	82,300	26.00	TLC-107 SONDA 1
07/10/2014	49.60	93,900	26.00	TLC-107 SONDA 1
07/10/2014	49.80	105,500	26.00	TLC-107 SONDA 1
07/10/2014	50.00	112,400	26.00	TLC-107 SONDA 1
07/10/2014	50.20	124,700	26.00	TLC-107 SONDA 1
07/10/2014	50.40	132,400	26.00	TLC-107 SONDA 1
07/10/2014	50.60	144,800	26.00	TLC-107 SONDA 1
07/10/2014	50.80	156,200	26.00	TLC-107 SONDA 1
07/10/2014	51.00	165,900	26.00	TLC-107 SONDA 1
07/10/2014	51.20	170,800	26.00	TLC-107 SONDA 1
07/10/2014	51.40	181,100	26.00	TLC-107 SONDA 1
07/10/2014	51.60	196,100	26.00	TLC-107 SONDA 1
07/10/2014	51.80	212,900	26.00	TLC-107 SONDA 1
07/10/2014	52.00	225,200	26.00	TLC-107 SONDA 1
07/10/2014	53.00	264,500	26.10	TLC-107 SONDA 1
07/10/2014	54.00	276,600	26.10	TLC-107 SONDA 1
07/10/2014	56.00	284,900	26.10	TLC-107 SONDA 1
07/10/2014	58.00	286,100	26.10	TLC-107 SONDA 1
07/10/2014	60.00	284,800	26.20	TLC-107 SONDA 1
07/10/2014	62.00	285,500	26.20	TLC-107 SONDA 1
07/10/2014	64.00	285,400	26.30	TLC-107 SONDA 1
07/10/2014	66.00	287,200	26.30	TLC-107 SONDA 1
07/10/2014	68.00	289,900	26.30	TLC-107 SONDA 1
07/10/2014	70.00	289,100	26.50	TLC-107 SONDA 1
07/10/2014	72.00	291,000	26.50	TLC-107 SONDA 1
07/10/2014	74.00	292,200	26.50	TLC-107 SONDA 1
07/10/2014	76.00	400,000	26.60	TLC-107 SONDA 1
07/10/2014	78.00	400,000	26.60	TLC-107 SONDA 1
07/10/2014	80.00	400,000	26.60	TLC-107 SONDA 1
07/10/2014	82.00	400,000	26.70	TLC-107 SONDA 1
07/10/2014	84.00	400,000	26.70	TLC-107 SONDA 1
07/10/2014	86.00	400,000	26.70	TLC-107 SONDA 1
07/10/2014	88.00	400,000	26.70	TLC-107 SONDA 1
07/10/2014	90.00	400,000	26.80	TLC-107 SONDA 1
07/10/2014	92.00	400,000	26.80	TLC-107 SONDA 1
07/10/2014	94.00	400,000	26.80	TLC-107 SONDA 1
07/10/2014	96.00	400,000	26.90	TLC-107 SONDA 1
07/10/2014	98.00	400,000	26.90	TLC-107 SONDA 1
07/10/2014	100.00	400,000	26.90	TLC-107 SONDA 1
07/10/2014	102.00	400,000	27.00	TLC-107 SONDA 1
07/10/2014	104.00	400,000	27.00	TLC-107 SONDA 1
07/10/2014	106.00	400,000	27.00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/10/2014	108.00	400,000	27.20	TLC-107 SONDA 1
07/10/2014	110.00	400,000	27.20	TLC-107 SONDA 1
07/10/2014	112.00	400,000	27.20	TLC-107 SONDA 1
07/10/2014	114.00	400,000	27.20	TLC-107 SONDA 1
07/10/2014	116.00	400,000	27.20	TLC-107 SONDA 1
07/10/2014	118.00	400,000	27.20	TLC-107 SONDA 1
07/10/2014	119.60	400,000	27.20	TLC-107 SONDA 1
04/11/2014	1.20	4,371	25.90	TLC-107 SONDA 1
04/11/2014	2.00	4,252	25.90	TLC-107 SONDA 1
04/11/2014	3.00	4,244	25.80	TLC-107 SONDA 1
04/11/2014	4.00	4,244	25.80	TLC-107 SONDA 1
04/11/2014	5.00	4,242	25.80	TLC-107 SONDA 1
04/11/2014	6.00	4,255	25.80	TLC-107 SONDA 1
04/11/2014	7.00	4,258	25.80	TLC-107 SONDA 1
04/11/2014	8.00	4,259	25.90	TLC-107 SONDA 1
04/11/2014	9.00	4,303	25.90	TLC-107 SONDA 1
04/11/2014	10.00	4,378	25.90	TLC-107 SONDA 1
04/11/2014	12.00	4,425	25.80	TLC-107 SONDA 1
04/11/2014	14.00	4,440	25.80	TLC-107 SONDA 1
04/11/2014	16.00	4,713	25.80	TLC-107 SONDA 1
04/11/2014	18.00	5,191	25.80	TLC-107 SONDA 1
04/11/2014	20.00	6,767	25.80	TLC-107 SONDA 1
04/11/2014	22.00	7,657	25.80	TLC-107 SONDA 1
04/11/2014	24.00	8,059	25.80	TLC-107 SONDA 1
04/11/2014	26.00	8,067	25.90	TLC-107 SONDA 1
04/11/2014	28.00	9,393	25.90	TLC-107 SONDA 1
04/11/2014	30.00	10,600	25.90	TLC-107 SONDA 1
04/11/2014	31.00	10,700	25.90	TLC-107 SONDA 1
04/11/2014	32.00	10,800	25.90	TLC-107 SONDA 1
04/11/2014	33.00	10,800	25.90	TLC-107 SONDA 1
04/11/2014	34.00	11,100	25.90	TLC-107 SONDA 1
04/11/2014	35.00	12,100	25.90	TLC-107 SONDA 1
04/11/2014	36.00	12,500	25.90	TLC-107 SONDA 1
04/11/2014	37.00	12,900	25.90	TLC-107 SONDA 1
04/11/2014	39.00	13,300	25.90	TLC-107 SONDA 1
04/11/2014	41.00	18,300	25.90	TLC-107 SONDA 1
04/11/2014	42.00	18,800	25.90	TLC-107 SONDA 1
04/11/2014	43.00	19,400	25.90	TLC-107 SONDA 1
04/11/2014	44.00	20,900	25.90	TLC-107 SONDA 1
04/11/2014	45.00	21,200	25.90	TLC-107 SONDA 1
04/11/2014	46.00	23,500	26.00	TLC-107 SONDA 1
04/11/2014	47.00	27,000	26.00	TLC-107 SONDA 1
04/11/2014	47.50	32,600	26.00	TLC-107 SONDA 1
04/11/2014	47.70	39,200	26.00	TLC-107 SONDA 1
04/11/2014	47.90	42,500	26.00	TLC-107 SONDA 1
04/11/2014	48.10	47,400	26.00	TLC-107 SONDA 1
04/11/2014	48.30	48,300	26.00	TLC-107 SONDA 1
04/11/2014	48.50	49,700	26.00	TLC-107 SONDA 1
04/11/2014	48.70	51,500	26.00	TLC-107 SONDA 1
04/11/2014	48.90	58,500	26.00	TLC-107 SONDA 1
04/11/2014	49.10	64,500	26.00	TLC-107 SONDA 1
04/11/2014	49.30	70,300	26.00	TLC-107 SONDA 1
04/11/2014	49.50	84,600	26.00	TLC-107 SONDA 1
04/11/2014	49.70	94,000	26.00	TLC-107 SONDA 1
04/11/2014	49.90	105,200	26.00	TLC-107 SONDA 1
04/11/2014	50.10	113,500	26.00	TLC-107 SONDA 1
04/11/2014	50.30	120,800	26.00	TLC-107 SONDA 1
04/11/2014	50.50	131,100	26.00	TLC-107 SONDA 1
04/11/2014	50.70	146,800	26.00	TLC-107 SONDA 1
04/11/2014	50.90	166,700	26.00	TLC-107 SONDA 1
04/11/2014	51.10	179,900	26.00	TLC-107 SONDA 1
04/11/2014	51.30	191,800	26.00	TLC-107 SONDA 1
04/11/2014	51.50	202,300	26.00	TLC-107 SONDA 1
04/11/2014	52.00	239,100	26.00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/11/2014	54.00	305,600	26.10	TLC-107 SONDA 1
04/11/2014	56.00	322,800	26.10	TLC-107 SONDA 1
04/11/2014	58.00	322,800	26.10	TLC-107 SONDA 1
04/11/2014	60.00	320,200	26.20	TLC-107 SONDA 1
04/11/2014	63.00	321,200	26.20	TLC-107 SONDA 1
04/11/2014	66.00	325,100	26.30	TLC-107 SONDA 1
04/11/2014	69.00	324,400	26.30	TLC-107 SONDA 1
04/11/2014	72.00	326,300	26.50	TLC-107 SONDA 1
04/11/2014	75.00	331,200	26.50	TLC-107 SONDA 1
04/11/2014	78.00	359,000	26.60	TLC-107 SONDA 1
04/11/2014	81.00	368,500	26.60	TLC-107 SONDA 1
04/11/2014	84.00	373,300	26.60	TLC-107 SONDA 1
04/11/2014	87.00	378,100	26.70	TLC-107 SONDA 1
04/11/2014	90.00	386,000	26.80	TLC-107 SONDA 1
04/11/2014	93.00	400,000	26.80	TLC-107 SONDA 1
04/11/2014	96.00	378,900	26.90	TLC-107 SONDA 1
04/11/2014	99.00	400,000	26.90	TLC-107 SONDA 1
04/11/2014	102.00	350,800	27.00	TLC-107 SONDA 1
04/11/2014	105.00	355,100	27.00	TLC-107 SONDA 1
04/11/2014	108.00	357,200	27.20	TLC-107 SONDA 1
04/11/2014	111.00	369,900	27.20	TLC-107 SONDA 1
04/11/2014	114.00	360,600	27.20	TLC-107 SONDA 1
04/11/2014	117.00	400,000	27.20	TLC-107 SONDA 1
04/11/2014	118.60	272,700	27.30	TLC-107 SONDA 1
11/01/2015	1.20	4,692	25.50	TLC-107 SONDA 1
11/01/2015	2.00	4,279	25.60	TLC-107 SONDA 1
11/01/2015	2.50	4,266	25.80	TLC-107 SONDA 1
11/01/2015	3.00	4,288	25.80	TLC-107 SONDA 1
11/01/2015	4.00	4,246	25.80	TLC-107 SONDA 1
11/01/2015	5.00	4,238	25.80	TLC-107 SONDA 1
11/01/2015	6.00	4,230	25.80	TLC-107 SONDA 1
11/01/2015	8.00	4,238	25.80	TLC-107 SONDA 1
11/01/2015	10.00	4,312	25.80	TLC-107 SONDA 1
11/01/2015	12.00	4,397	25.80	TLC-107 SONDA 1
11/01/2015	14.00	4,480	25.80	TLC-107 SONDA 1
11/01/2015	16.00	4,650	25.80	TLC-107 SONDA 1
11/01/2015	18.00	4,856	25.80	TLC-107 SONDA 1
11/01/2015	20.00	6,451	25.80	TLC-107 SONDA 1
11/01/2015	21.00	7,463	25.80	TLC-107 SONDA 1
11/01/2015	22.00	7,844	25.80	TLC-107 SONDA 1
11/01/2015	23.00	7,940	25.80	TLC-107 SONDA 1
11/01/2015	24.00	8,000	25.80	TLC-107 SONDA 1
11/01/2015	25.00	8,028	25.80	TLC-107 SONDA 1
11/01/2015	26.00	8,026	25.80	TLC-107 SONDA 1
11/01/2015	27.00	8,139	25.90	TLC-107 SONDA 1
11/01/2015	28.00	8,755	25.90	TLC-107 SONDA 1
11/01/2015	29.00	9,244	25.90	TLC-107 SONDA 1
11/01/2015	30.00	9,335	25.90	TLC-107 SONDA 1
11/01/2015	31.00	9,358	25.90	TLC-107 SONDA 1
11/01/2015	32.00	9,374	25.90	TLC-107 SONDA 1
11/01/2015	33.00	9,399	25.90	TLC-107 SONDA 1
11/01/2015	34.00	9,622	25.90	TLC-107 SONDA 1
11/01/2015	35.00	10,100	25.90	TLC-107 SONDA 1
11/01/2015	36.00	11,700	25.90	TLC-107 SONDA 1
11/01/2015	38.00	12,100	25.90	TLC-107 SONDA 1
11/01/2015	39.00	12,400	25.90	TLC-107 SONDA 1
11/01/2015	40.00	12,900	25.90	TLC-107 SONDA 1
11/01/2015	41.00	16,100	25.90	TLC-107 SONDA 1
11/01/2015	42.00	17,100	25.90	TLC-107 SONDA 1
11/01/2015	43.00	19,500	25.90	TLC-107 SONDA 1
11/01/2015	44.00	20,500	25.90	TLC-107 SONDA 1
11/01/2015	44.50	20,900	25.90	TLC-107 SONDA 1
11/01/2015	45.00	21,400	26.00	TLC-107 SONDA 1
11/01/2015	45.50	22,600	26.00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/01/2015	46.00	23,100	26.00	TLC-107 SONDA 1
11/01/2015	46.50	23,400	26.00	TLC-107 SONDA 1
11/01/2015	47.00	25,100	26.00	TLC-107 SONDA 1
11/01/2015	47.50	30,100	26.00	TLC-107 SONDA 1
11/01/2015	48.00	44,200	26.00	TLC-107 SONDA 1
11/01/2015	48.20	47,700	26.00	TLC-107 SONDA 1
11/01/2015	48.40	48,100	26.00	TLC-107 SONDA 1
11/01/2015	48.60	50,000	26.00	TLC-107 SONDA 1
11/01/2015	48.80	54,800	26.00	TLC-107 SONDA 1
11/01/2015	49.00	60,600	26.00	TLC-107 SONDA 1
11/01/2015	49.20	66,000	26.00	TLC-107 SONDA 1
11/01/2015	49.40	77,800	26.00	TLC-107 SONDA 1
11/01/2015	49.60	90,000	26.00	TLC-107 SONDA 1
11/01/2015	49.80	96,900	26.00	TLC-107 SONDA 1
11/01/2015	50.00	106,200	26.00	TLC-107 SONDA 1
11/01/2015	50.20	120,800	26.00	TLC-107 SONDA 1
11/01/2015	50.40	133,100	26.00	TLC-107 SONDA 1
11/01/2015	50.60	137,300	26.00	TLC-107 SONDA 1
11/01/2015	50.80	140,300	26.00	TLC-107 SONDA 1
11/01/2015	51.00	143,900	26.00	TLC-107 SONDA 1
11/01/2015	51.20	159,700	26.00	TLC-107 SONDA 1
11/01/2015	51.40	175,200	26.00	TLC-107 SONDA 1
11/01/2015	51.60	195,600	26.00	TLC-107 SONDA 1
11/01/2015	51.80	205,000	26.00	TLC-107 SONDA 1
11/01/2015	52.00	206,200	26.00	TLC-107 SONDA 1
11/01/2015	52.50	228,600	26.00	TLC-107 SONDA 1
11/01/2015	53.00	238,600	26.10	TLC-107 SONDA 1
11/01/2015	54.00	262,600	26.10	TLC-107 SONDA 1
11/01/2015	55.00	271,400	26.10	TLC-107 SONDA 1
11/01/2015	56.00	274,700	26.10	TLC-107 SONDA 1
11/01/2015	57.00	275,000	26.10	TLC-107 SONDA 1
11/01/2015	58.00	275,700	26.10	TLC-107 SONDA 1
11/01/2015	59.00	276,900	26.20	TLC-107 SONDA 1
11/01/2015	60.00	273,400	26.20	TLC-107 SONDA 1
11/01/2015	62.00	274,000	26.20	TLC-107 SONDA 1
11/01/2015	64.00	276,800	26.30	TLC-107 SONDA 1
11/01/2015	66.00	277,500	26.30	TLC-107 SONDA 1
11/01/2015	68.00	278,800	26.30	TLC-107 SONDA 1
11/01/2015	70.00	279,600	26.50	TLC-107 SONDA 1
11/01/2015	72.00	280,300	26.50	TLC-107 SONDA 1
11/01/2015	74.00	280,300	26.50	TLC-107 SONDA 1
11/01/2015	76.00	281,400	26.60	TLC-107 SONDA 1
11/01/2015	78.00	280,300	26.60	TLC-107 SONDA 1
11/01/2015	80.00	281,700	26.60	TLC-107 SONDA 1
11/01/2015	82.00	281,000	26.60	TLC-107 SONDA 1
11/01/2015	84.00	281,700	26.60	TLC-107 SONDA 1
11/01/2015	86.00	281,100	26.60	TLC-107 SONDA 1
11/01/2015	88.00	280,400	26.70	TLC-107 SONDA 1
11/01/2015	90.00	277,000	26.80	TLC-107 SONDA 1
11/01/2015	92.00	279,000	26.80	TLC-107 SONDA 1
11/01/2015	94.00	279,700	26.80	TLC-107 SONDA 1
11/01/2015	96.00	277,600	26.90	TLC-107 SONDA 1
11/01/2015	98.00	274,700	26.90	TLC-107 SONDA 1
11/01/2015	100.00	278,400	26.90	TLC-107 SONDA 1
11/01/2015	103.00	280,500	27.00	TLC-107 SONDA 1
11/01/2015	106.00	283,400	27.00	TLC-107 SONDA 1
11/01/2015	109.00	284,900	27.20	TLC-107 SONDA 1
11/01/2015	111.00	286,300	27.20	TLC-107 SONDA 1
11/01/2015	113.00	288,500	27.20	TLC-107 SONDA 1
11/01/2015	115.00	289,300	27.30	TLC-107 SONDA 1
11/01/2015	118.00	280,900	27.30	TLC-107 SONDA 1
11/01/2015	121.00	240,500	27.30	TLC-107 SONDA 1
20/02/2015	1.20	4,213	25.80	TLC-107 SONDA 1
20/02/2015	2.00	4,186	25.80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/02/2015	3.00	4,184	25.80	TLC-107 SONDA 1
20/02/2015	4.00	4,183	25.80	TLC-107 SONDA 1
20/02/2015	6.00	4,184	25.80	TLC-107 SONDA 1
20/02/2015	8.00	4,197	25.90	TLC-107 SONDA 1
20/02/2015	10.00	4,303	25.90	TLC-107 SONDA 1
20/02/2015	12.00	4,318	25.90	TLC-107 SONDA 1
20/02/2015	14.00	4,399	25.80	TLC-107 SONDA 1
20/02/2015	16.00	4,532	25.80	TLC-107 SONDA 1
20/02/2015	18.00	4,676	25.80	TLC-107 SONDA 1
20/02/2015	20.00	6,138	25.80	TLC-107 SONDA 1
20/02/2015	21.00	7,039	25.80	TLC-107 SONDA 1
20/02/2015	22.00	7,325	25.80	TLC-107 SONDA 1
20/02/2015	24.00	7,627	25.80	TLC-107 SONDA 1
20/02/2015	26.00	7,680	25.80	TLC-107 SONDA 1
20/02/2015	28.00	8,611	25.90	TLC-107 SONDA 1
20/02/2015	30.00	9,614	25.90	TLC-107 SONDA 1
20/02/2015	32.00	9,747	25.90	TLC-107 SONDA 1
20/02/2015	34.00	9,981	25.90	TLC-107 SONDA 1
20/02/2015	36.00	11,500	25.90	TLC-107 SONDA 1
20/02/2015	37.00	12,000	25.90	TLC-107 SONDA 1
20/02/2015	38.00	12,400	25.90	TLC-107 SONDA 1
20/02/2015	40.00	13,400	25.90	TLC-107 SONDA 1
20/02/2015	42.00	17,300	25.90	TLC-107 SONDA 1
20/02/2015	43.00	18,800	25.90	TLC-107 SONDA 1
20/02/2015	44.00	20,300	25.90	TLC-107 SONDA 1
20/02/2015	45.00	21,100	26.00	TLC-107 SONDA 1
20/02/2015	46.00	22,400	26.00	TLC-107 SONDA 1
20/02/2015	47.00	23,500	26.00	TLC-107 SONDA 1
20/02/2015	47.20	25,600	26.00	TLC-107 SONDA 1
20/02/2015	47.40	26,200	26.00	TLC-107 SONDA 1
20/02/2015	47.60	32,000	26.00	TLC-107 SONDA 1
20/02/2015	47.80	40,300	26.00	TLC-107 SONDA 1
20/02/2015	48.00	42,400	26.00	TLC-107 SONDA 1
20/02/2015	48.20	43,200	26.00	TLC-107 SONDA 1
20/02/2015	48.40	45,000	26.00	TLC-107 SONDA 1
20/02/2015	48.60	47,300	26.00	TLC-107 SONDA 1
20/02/2015	48.80	51,600	26.00	TLC-107 SONDA 1
20/02/2015	49.00	58,700	26.00	TLC-107 SONDA 1
20/02/2015	49.20	60,500	26.00	TLC-107 SONDA 1
20/02/2015	49.40	76,400	26.00	TLC-107 SONDA 1
20/02/2015	49.60	89,200	26.00	TLC-107 SONDA 1
20/02/2015	49.80	99,900	26.00	TLC-107 SONDA 1
20/02/2015	50.00	108,000	26.00	TLC-107 SONDA 1
20/02/2015	50.20	121,200	26.00	TLC-107 SONDA 1
20/02/2015	50.40	148,300	26.00	TLC-107 SONDA 1
20/02/2015	50.60	161,400	26.00	TLC-107 SONDA 1
20/02/2015	50.80	169,800	26.00	TLC-107 SONDA 1
20/02/2015	51.00	174,600	26.00	TLC-107 SONDA 1
20/02/2015	51.20	196,500	26.00	TLC-107 SONDA 1
20/02/2015	51.40	209,400	26.00	TLC-107 SONDA 1
20/02/2015	51.60	237,200	26.00	TLC-107 SONDA 1
20/02/2015	51.80	244,900	26.00	TLC-107 SONDA 1
20/02/2015	52.00	253,600	26.00	TLC-107 SONDA 1
20/02/2015	54.00	330,300	26.10	TLC-107 SONDA 1
20/02/2015	55.99	351,100	26.00	TLC-107 SONDA 1
20/02/2015	57.99	351,900	26.10	TLC-107 SONDA 1
20/02/2015	59.99	348,300	26.20	TLC-107 SONDA 1
20/02/2015	61.99	351,600	26.20	TLC-107 SONDA 1
20/02/2015	63.99	353,000	26.30	TLC-107 SONDA 1
20/02/2015	65.99	355,200	26.30	TLC-107 SONDA 1
20/02/2015	67.99	358,600	26.30	TLC-107 SONDA 1
20/02/2015	69.99	360,100	26.50	TLC-107 SONDA 1
20/02/2015	73.00	364,700	26.50	TLC-107 SONDA 1
20/02/2015	76.00	370,000	26.50	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/02/2015	79.00	375,800	26.60	TLC-107 SONDA 1
20/02/2015	81.00	391,000	26.60	TLC-107 SONDA 1
20/02/2015	83.00	400,000	26.60	TLC-107 SONDA 1
20/02/2015	85.00	400,000	26.60	TLC-107 SONDA 1
20/02/2015	88.00	400,000	26.70	TLC-107 SONDA 1
20/02/2015	90.00	400,000	26.80	TLC-107 SONDA 1
20/02/2015	92.00	400,000	26.80	TLC-107 SONDA 1
20/02/2015	95.00	400,000	26.80	TLC-107 SONDA 1
20/02/2015	97.00	400,000	26.90	TLC-107 SONDA 1
20/02/2015	100.00	400,000	26.90	TLC-107 SONDA 1
20/02/2015	102.00	400,000	27.00	TLC-107 SONDA 1
20/02/2015	104.00	400,000	27.00	TLC-107 SONDA 1
20/02/2015	107.00	400,000	27.20	TLC-107 SONDA 1
20/02/2015	110.00	400,000	27.20	TLC-107 SONDA 1
20/02/2015	112.00	400,000	27.20	TLC-107 SONDA 1
20/02/2015	115.00	400,000	27.30	TLC-107 SONDA 1
20/02/2015	117.00	400,000	27.30	TLC-107 SONDA 1
20/02/2015	119.00	318,000	27.30	TLC-107 SONDA 1
07/03/2015	1.50	4,207	25.80	TLC-107 SONDA 1
07/03/2015	2.00	4,209	25.80	TLC-107 SONDA 1
07/03/2015	3.00	4,198	25.90	TLC-107 SONDA 1
07/03/2015	4.00	4,201	25.90	TLC-107 SONDA 1
07/03/2015	5.00	4,202	25.90	TLC-107 SONDA 1
07/03/2015	6.00	4,209	25.90	TLC-107 SONDA 1
07/03/2015	7.00	4,204	25.90	TLC-107 SONDA 1
07/03/2015	8.00	4,235	25.90	TLC-107 SONDA 1
07/03/2015	9.00	4,319	25.90	TLC-107 SONDA 1
07/03/2015	10.00	4,391	25.90	TLC-107 SONDA 1
07/03/2015	11.00	4,452	25.90	TLC-107 SONDA 1
07/03/2015	12.00	4,425	25.90	TLC-107 SONDA 1
07/03/2015	13.00	4,477	25.90	TLC-107 SONDA 1
07/03/2015	14.00	4,516	25.80	TLC-107 SONDA 1
07/03/2015	16.00	4,660	25.80	TLC-107 SONDA 1
07/03/2015	18.00	4,785	25.80	TLC-107 SONDA 1
07/03/2015	20.00	6,271	25.80	TLC-107 SONDA 1
07/03/2015	21.00	7,687	25.80	TLC-107 SONDA 1
07/03/2015	22.00	7,921	25.80	TLC-107 SONDA 1
07/03/2015	23.00	7,980	25.90	TLC-107 SONDA 1
07/03/2015	24.00	8,083	25.90	TLC-107 SONDA 1
07/03/2015	25.00	8,118	25.90	TLC-107 SONDA 1
07/03/2015	27.00	8,324	25.90	TLC-107 SONDA 1
07/03/2015	29.00	9,304	25.90	TLC-107 SONDA 1
07/03/2015	30.00	9,363	25.90	TLC-107 SONDA 1
07/03/2015	32.00	9,393	25.90	TLC-107 SONDA 1
07/03/2015	34.00	9,645	25.90	TLC-107 SONDA 1
07/03/2015	36.00	11,300	25.90	TLC-107 SONDA 1
07/03/2015	36.50	11,800	25.90	TLC-107 SONDA 1
07/03/2015	37.00	12,400	25.90	TLC-107 SONDA 1
07/03/2015	37.50	12,500	25.90	TLC-107 SONDA 1
07/03/2015	38.00	12,700	25.90	TLC-107 SONDA 1
07/03/2015	39.00	13,000	25.90	TLC-107 SONDA 1
07/03/2015	40.00	14,500	25.90	TLC-107 SONDA 1
07/03/2015	40.20	16,100	25.90	TLC-107 SONDA 1
07/03/2015	40.40	17,100	25.90	TLC-107 SONDA 1
07/03/2015	40.60	17,800	25.90	TLC-107 SONDA 1
07/03/2015	40.80	18,400	25.90	TLC-107 SONDA 1
07/03/2015	41.00	19,100	25.90	TLC-107 SONDA 1
07/03/2015	41.50	19,400	25.90	TLC-107 SONDA 1
07/03/2015	42.00	19,800	25.90	TLC-107 SONDA 1
07/03/2015	42.50	20,800	25.90	TLC-107 SONDA 1
07/03/2015	43.00	22,700	25.90	TLC-107 SONDA 1
07/03/2015	43.50	23,800	25.90	TLC-107 SONDA 1
07/03/2015	44.00	24,500	26.00	TLC-107 SONDA 1
07/03/2015	45.00	26,000	26.00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/03/2015	46.00	28,100	26.00	TLC-107 SONDA 1
07/03/2015	47.00	29,800	26.00	TLC-107 SONDA 1
07/03/2015	47.20	31,500	26.00	TLC-107 SONDA 1
07/03/2015	47.40	32,400	26.00	TLC-107 SONDA 1
07/03/2015	47.60	35,400	26.00	TLC-107 SONDA 1
07/03/2015	47.80	40,000	26.00	TLC-107 SONDA 1
07/03/2015	48.00	49,900	26.00	TLC-107 SONDA 1
07/03/2015	48.20	59,300	26.00	TLC-107 SONDA 1
07/03/2015	48.40	64,800	26.00	TLC-107 SONDA 1
07/03/2015	48.60	71,500	26.00	TLC-107 SONDA 1
07/03/2015	48.80	79,900	26.00	TLC-107 SONDA 1
07/03/2015	49.00	90,100	26.00	TLC-107 SONDA 1
07/03/2015	49.20	99,900	26.00	TLC-107 SONDA 1
07/03/2015	49.40	122,000	26.00	TLC-107 SONDA 1
07/03/2015	49.60	135,500	26.00	TLC-107 SONDA 1
07/03/2015	49.80	149,400	26.00	TLC-107 SONDA 1
07/03/2015	50.00	163,900	26.00	TLC-107 SONDA 1
07/03/2015	50.20	212,900	26.00	TLC-107 SONDA 1
07/03/2015	50.40	250,900	26.00	TLC-107 SONDA 1
07/03/2015	50.60	268,800	26.00	TLC-107 SONDA 1
07/03/2015	50.80	272,800	26.00	TLC-107 SONDA 1
07/03/2015	51.00	280,400	26.00	TLC-107 SONDA 1
07/03/2015	52.00	400,000	26.00	TLC-107 SONDA 1
07/03/2015	54.00	400,000	26.10	TLC-107 SONDA 1
07/03/2015	56.00	400,000	26.10	TLC-107 SONDA 1
07/03/2015	58.00	400,000	26.10	TLC-107 SONDA 1
07/03/2015	60.00	400,000	26.20	TLC-107 SONDA 1
07/03/2015	62.00	400,000	26.20	TLC-107 SONDA 1
07/03/2015	65.00	400,000	26.30	TLC-107 SONDA 1
07/03/2015	67.00	400,000	26.30	TLC-107 SONDA 1
07/03/2015	70.00	400,000	26.30	TLC-107 SONDA 1
07/03/2015	72.00	400,000	26.50	TLC-107 SONDA 1
07/03/2015	75.00	400,000	26.60	TLC-107 SONDA 1
07/03/2015	77.00	400,000	26.60	TLC-107 SONDA 1
07/03/2015	80.00	400,000	26.60	TLC-107 SONDA 1
07/03/2015	82.00	400,000	26.70	TLC-107 SONDA 1
07/03/2015	85.00	400,000	26.70	TLC-107 SONDA 1
07/03/2015	87.00	400,000	26.70	TLC-107 SONDA 1
07/03/2015	90.00	400,000	26.80	TLC-107 SONDA 1
07/03/2015	92.00	400,000	26.80	TLC-107 SONDA 1
07/03/2015	95.00	400,000	26.80	TLC-107 SONDA 1
07/03/2015	97.00	400,000	26.90	TLC-107 SONDA 1
07/03/2015	100.00	400,000	26.90	TLC-107 SONDA 1
07/03/2015	102.00	400,000	27.00	TLC-107 SONDA 1
07/03/2015	105.00	400,000	27.00	TLC-107 SONDA 1
07/03/2015	107.00	400,000	27.20	TLC-107 SONDA 1
07/03/2015	110.00	400,000	27.20	TLC-107 SONDA 1
07/03/2015	112.00	400,000	27.20	TLC-107 SONDA 1
07/03/2015	115.00	400,000	27.30	TLC-107 SONDA 1
07/03/2015	117.00	400,000	27.30	TLC-107 SONDA 1
07/03/2015	118.00	400,000	27.30	TLC-107 SONDA 1
07/04/2015	1.20	3,754	25.50	TLC-107 SONDA 1
07/04/2015	1.50	3,890	25.80	TLC-107 SONDA 1
07/04/2015	2.00	3,946	25.80	TLC-107 SONDA 1
07/04/2015	3.00	3,964	25.80	TLC-107 SONDA 1
07/04/2015	4.00	3,980	25.80	TLC-107 SONDA 1
07/04/2015	6.00	3,996	25.90	TLC-107 SONDA 1
07/04/2015	8.00	4,026	25.90	TLC-107 SONDA 1
07/04/2015	10.00	4,138	25.90	TLC-107 SONDA 1
07/04/2015	12.00	4,172	25.90	TLC-107 SONDA 1
07/04/2015	14.00	4,215	25.90	TLC-107 SONDA 1
07/04/2015	16.00	4,478	25.80	TLC-107 SONDA 1
07/04/2015	18.00	4,783	25.80	TLC-107 SONDA 1
07/04/2015	20.00	6,183	25.80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/04/2015	21.00	7,081	25.80	TLC-107 SONDA 1
07/04/2015	22.00	7,318	25.80	TLC-107 SONDA 1
07/04/2015	23.00	7,338	25.80	TLC-107 SONDA 1
07/04/2015	25.00	7,363	25.80	TLC-107 SONDA 1
07/04/2015	27.00	7,397	25.90	TLC-107 SONDA 1
07/04/2015	28.00	7,736	25.90	TLC-107 SONDA 1
07/04/2015	30.00	7,916	25.90	TLC-107 SONDA 1
07/04/2015	32.00	8,114	25.90	TLC-107 SONDA 1
07/04/2015	34.00	8,773	25.90	TLC-107 SONDA 1
07/04/2015	36.00	10,300	25.90	TLC-107 SONDA 1
07/04/2015	37.00	11,600	25.90	TLC-107 SONDA 1
07/04/2015	38.00	11,900	25.90	TLC-107 SONDA 1
07/04/2015	39.00	12,100	25.90	TLC-107 SONDA 1
07/04/2015	40.00	15,600	25.90	TLC-107 SONDA 1
07/04/2015	40.50	17,400	25.90	TLC-107 SONDA 1
07/04/2015	41.00	18,100	25.90	TLC-107 SONDA 1
07/04/2015	41.20	18,100	25.90	TLC-107 SONDA 1
07/04/2015	41.40	18,200	25.90	TLC-107 SONDA 1
07/04/2015	41.60	18,300	25.90	TLC-107 SONDA 1
07/04/2015	41.80	18,300	25.90	TLC-107 SONDA 1
07/04/2015	42.00	18,400	25.90	TLC-107 SONDA 1
07/04/2015	42.50	19,000	25.90	TLC-107 SONDA 1
07/04/2015	43.00	20,900	25.90	TLC-107 SONDA 1
07/04/2015	43.50	21,700	25.90	TLC-107 SONDA 1
07/04/2015	44.00	22,800	25.90	TLC-107 SONDA 1
07/04/2015	44.50	24,100	26.00	TLC-107 SONDA 1
07/04/2015	45.00	25,100	26.00	TLC-107 SONDA 1
07/04/2015	45.50	25,900	26.00	TLC-107 SONDA 1
07/04/2015	46.00	26,000	26.00	TLC-107 SONDA 1
07/04/2015	46.50	26,000	26.00	TLC-107 SONDA 1
07/04/2015	47.00	26,200	26.00	TLC-107 SONDA 1
07/04/2015	47.50	27,400	26.00	TLC-107 SONDA 1
07/04/2015	48.00	33,900	26.00	TLC-107 SONDA 1
07/04/2015	48.20	38,900	26.00	TLC-107 SONDA 1
07/04/2015	48.40	47,400	26.00	TLC-107 SONDA 1
07/04/2015	48.60	54,900	26.00	TLC-107 SONDA 1
07/04/2015	48.80	68,800	26.00	TLC-107 SONDA 1
07/04/2015	49.00	81,600	26.00	TLC-107 SONDA 1
07/04/2015	49.20	97,500	26.00	TLC-107 SONDA 1
07/04/2015	49.40	100,300	26.00	TLC-107 SONDA 1
07/04/2015	49.60	109,100	26.00	TLC-107 SONDA 1
07/04/2015	49.80	125,900	26.00	TLC-107 SONDA 1
07/04/2015	50.00	143,500	26.00	TLC-107 SONDA 1
07/04/2015	50.20	167,600	26.00	TLC-107 SONDA 1
07/04/2015	50.40	194,400	26.00	TLC-107 SONDA 1
07/04/2015	50.60	200,700	26.00	TLC-107 SONDA 1
07/04/2015	50.80	204,900	26.00	TLC-107 SONDA 1
07/04/2015	51.00	217,000	26.00	TLC-107 SONDA 1
07/04/2015	52.00	331,800	26.00	TLC-107 SONDA 1
07/04/2015	54.00	400,000	26.10	TLC-107 SONDA 1
07/04/2015	56.00	400,000	26.10	TLC-107 SONDA 1
07/04/2015	58.00	400,000	26.10	TLC-107 SONDA 1
07/04/2015	60.00	400,000	26.20	TLC-107 SONDA 1
07/04/2015	63.00	400,000	26.20	TLC-107 SONDA 1
07/04/2015	65.00	400,000	26.30	TLC-107 SONDA 1
07/04/2015	67.00	400,000	26.30	TLC-107 SONDA 1
07/04/2015	70.00	400,000	26.30	TLC-107 SONDA 1
07/04/2015	72.00	400,000	26.50	TLC-107 SONDA 1
07/04/2015	75.00	400,000	26.50	TLC-107 SONDA 1
07/04/2015	78.00	400,000	26.60	TLC-107 SONDA 1
07/04/2015	80.00	400,000	26.60	TLC-107 SONDA 1
07/04/2015	83.00	400,000	26.60	TLC-107 SONDA 1
07/04/2015	85.00	400,000	26.60	TLC-107 SONDA 1
07/04/2015	87.00	400,000	26.60	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/04/2015	90.00	400,000	26.80	TLC-107 SONDA 1
07/04/2015	92.00	400,000	26.80	TLC-107 SONDA 1
07/04/2015	95.00	400,000	26.80	TLC-107 SONDA 1
07/04/2015	98.00	400,000	26.90	TLC-107 SONDA 1
07/04/2015	100.00	400,000	26.90	TLC-107 SONDA 1
07/04/2015	103.00	400,000	27.00	TLC-107 SONDA 1
07/04/2015	105.00	400,000	27.00	TLC-107 SONDA 1
07/04/2015	107.00	400,000	27.20	TLC-107 SONDA 1
07/04/2015	110.00	400,000	27.20	TLC-107 SONDA 1
07/04/2015	112.00	400,000	27.20	TLC-107 SONDA 1
07/04/2015	115.00	400,000	27.30	TLC-107 SONDA 1
07/04/2015	118.20	400,000	27.30	TLC-107 SONDA 1
05/05/2015	1.20	4,119	24.50	TLC-107 SONDA 2
05/05/2015	1.50	4,105	25.20	TLC-107 SONDA 2
05/05/2015	2.00	4,136	25.70	TLC-107 SONDA 2
05/05/2015	3.00	4,150	25.80	TLC-107 SONDA 2
05/05/2015	5.00	4,183	25.80	TLC-107 SONDA 2
05/05/2015	7.00	4,193	25.80	TLC-107 SONDA 2
05/05/2015	9.00	4,316	25.90	TLC-107 SONDA 2
05/05/2015	11.00	4,372	25.90	TLC-107 SONDA 2
05/05/2015	13.00	4,385	25.90	TLC-107 SONDA 2
05/05/2015	15.00	4,428	25.90	TLC-107 SONDA 2
05/05/2015	17.00	4,687	25.90	TLC-107 SONDA 2
05/05/2015	19.00	5,287	25.90	TLC-107 SONDA 2
05/05/2015	20.00	6,550	25.90	TLC-107 SONDA 2
05/05/2015	21.00	8,072	25.90	TLC-107 SONDA 2
05/05/2015	22.00	8,427	25.90	TLC-107 SONDA 2
05/05/2015	23.00	8,486	25.90	TLC-107 SONDA 2
05/05/2015	24.00	8,673	25.90	TLC-107 SONDA 2
05/05/2015	25.00	8,695	25.90	TLC-107 SONDA 2
05/05/2015	27.00	8,774	25.90	TLC-107 SONDA 2
05/05/2015	29.00	10,000	25.90	TLC-107 SONDA 2
05/05/2015	31.00	10,000	25.90	TLC-107 SONDA 2
05/05/2015	33.00	10,100	25.90	TLC-107 SONDA 2
05/05/2015	35.00	11,000	25.90	TLC-107 SONDA 2
05/05/2015	37.00	13,700	25.90	TLC-107 SONDA 2
05/05/2015	38.00	13,800	26.00	TLC-107 SONDA 2
05/05/2015	39.00	14,400	26.00	TLC-107 SONDA 2
05/05/2015	40.00	15,900	26.00	TLC-107 SONDA 2
05/05/2015	41.00	20,600	26.00	TLC-107 SONDA 2
05/05/2015	42.00	21,500	26.00	TLC-107 SONDA 2
05/05/2015	43.00	23,600	26.00	TLC-107 SONDA 2
05/05/2015	44.00	25,700	26.00	TLC-107 SONDA 2
05/05/2015	45.00	26,400	26.00	TLC-107 SONDA 2
05/05/2015	46.00	28,100	26.00	TLC-107 SONDA 2
05/05/2015	47.00	29,000	26.00	TLC-107 SONDA 2
05/05/2015	47.20	31,100	26.00	TLC-107 SONDA 2
05/05/2015	47.40	38,800	26.00	TLC-107 SONDA 2
05/05/2015	47.60	46,600	26.00	TLC-107 SONDA 2
05/05/2015	47.80	48,900	26.00	TLC-107 SONDA 2
05/05/2015	48.00	51,900	26.00	TLC-107 SONDA 2
05/05/2015	48.20	54,600	26.00	TLC-107 SONDA 2
05/05/2015	48.40	58,200	26.00	TLC-107 SONDA 2
05/05/2015	48.60	69,700	26.00	TLC-107 SONDA 2
05/05/2015	48.80	80,800	26.00	TLC-107 SONDA 2
05/05/2015	49.00	89,900	26.10	TLC-107 SONDA 2
05/05/2015	49.20	99,300	26.10	TLC-107 SONDA 2
05/05/2015	49.40	113,900	26.10	TLC-107 SONDA 2
05/05/2015	49.60	136,200	26.10	TLC-107 SONDA 2
05/05/2015	49.80	154,900	26.10	TLC-107 SONDA 2
05/05/2015	50.00	177,900	26.10	TLC-107 SONDA 2
05/05/2015	50.20	203,900	26.10	TLC-107 SONDA 2
05/05/2015	50.40	241,900	26.10	TLC-107 SONDA 2
05/05/2015	50.60	259,900	26.10	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/05/2015	50.80	263,800	26.10	TLC-107 SONDA 2
05/05/2015	51.00	267,500	26.10	TLC-107 SONDA 2
05/05/2015	52.00	328,800	26.10	TLC-107 SONDA 2
05/05/2015	54.00	353,600	26.10	TLC-107 SONDA 2
05/05/2015	56.00	356,000	26.10	TLC-107 SONDA 2
05/05/2015	58.00	354,600	26.30	TLC-107 SONDA 2
05/05/2015	60.00	353,400	26.30	TLC-107 SONDA 2
05/05/2015	62.00	352,900	26.40	TLC-107 SONDA 2
05/05/2015	64.00	352,900	26.40	TLC-107 SONDA 2
05/05/2015	66.00	354,300	26.40	TLC-107 SONDA 2
05/05/2015	68.00	354,100	26.50	TLC-107 SONDA 2
05/05/2015	70.00	353,900	26.50	TLC-107 SONDA 2
05/05/2015	72.00	352,900	26.50	TLC-107 SONDA 2
05/05/2015	74.00	352,100	26.60	TLC-107 SONDA 2
05/05/2015	76.00	351,100	26.60	TLC-107 SONDA 2
05/05/2015	78.00	351,200	26.60	TLC-107 SONDA 2
05/05/2015	80.00	350,700	26.70	TLC-107 SONDA 2
05/05/2015	82.00	350,400	26.70	TLC-107 SONDA 2
05/05/2015	84.00	350,700	26.70	TLC-107 SONDA 2
05/05/2015	86.00	350,400	26.70	TLC-107 SONDA 2
05/05/2015	88.00	349,600	26.80	TLC-107 SONDA 2
05/05/2015	90.00	352,500	26.80	TLC-107 SONDA 2
05/05/2015	92.00	353,300	26.80	TLC-107 SONDA 2
05/05/2015	94.00	353,800	27.00	TLC-107 SONDA 2
05/05/2015	96.00	355,800	27.00	TLC-107 SONDA 2
05/05/2015	98.00	357,300	27.00	TLC-107 SONDA 2
05/05/2015	100.00	357,400	27.10	TLC-107 SONDA 2
05/05/2015	102.00	358,000	27.10	TLC-107 SONDA 2
05/05/2015	104.00	359,500	27.10	TLC-107 SONDA 2
05/05/2015	106.00	360,800	27.20	TLC-107 SONDA 2
05/05/2015	108.00	360,700	27.20	TLC-107 SONDA 2
05/05/2015	110.00	360,700	27.20	TLC-107 SONDA 2
05/05/2015	112.00	360,000	27.30	TLC-107 SONDA 2
05/05/2015	114.00	360,400	27.30	TLC-107 SONDA 2
05/05/2015	116.00	360,600	27.30	TLC-107 SONDA 2
05/05/2015	118.00	359,000	27.30	TLC-107 SONDA 2
05/05/2015	119.30	344,900	27.30	TLC-107 SONDA 2
02/06/2015	1.10	4,455	25.30	TLC-107 SONDA 2
02/06/2015	1.50	4,469	25.70	TLC-107 SONDA 2
02/06/2015	2.00	4,409	25.90	TLC-107 SONDA 2
02/06/2015	3.00	4,413	25.90	TLC-107 SONDA 2
02/06/2015	5.00	4,393	25.90	TLC-107 SONDA 2
02/06/2015	7.00	4,393	25.90	TLC-107 SONDA 2
02/06/2015	9.00	4,508	25.90	TLC-107 SONDA 2
02/06/2015	11.00	4,506	25.90	TLC-107 SONDA 2
02/06/2015	13.00	4,514	25.90	TLC-107 SONDA 2
02/06/2015	15.00	4,545	25.90	TLC-107 SONDA 2
02/06/2015	17.00	4,777	25.90	TLC-107 SONDA 2
02/06/2015	19.00	5,392	25.90	TLC-107 SONDA 2
02/06/2015	20.00	5,405	25.90	TLC-107 SONDA 2
02/06/2015	21.00	7,276	25.90	TLC-107 SONDA 2
02/06/2015	21.50	7,355	25.90	TLC-107 SONDA 2
02/06/2015	22.00	7,582	25.90	TLC-107 SONDA 2
02/06/2015	23.00	7,618	25.90	TLC-107 SONDA 2
02/06/2015	24.00	7,777	25.90	TLC-107 SONDA 2
02/06/2015	26.00	7,803	25.90	TLC-107 SONDA 2
02/06/2015	28.00	8,228	25.90	TLC-107 SONDA 2
02/06/2015	30.00	9,137	25.90	TLC-107 SONDA 2
02/06/2015	32.00	9,182	25.90	TLC-107 SONDA 2
02/06/2015	34.00	9,557	25.90	TLC-107 SONDA 2
02/06/2015	36.00	10,700	25.90	TLC-107 SONDA 2
02/06/2015	38.00	11,700	26.00	TLC-107 SONDA 2
02/06/2015	40.00	12,800	26.00	TLC-107 SONDA 2
02/06/2015	41.00	15,100	26.00	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/06/2015	42.00	16,000	26.00	TLC-107 SONDA 2
02/06/2015	43.00	16,200	26.00	TLC-107 SONDA 2
02/06/2015	44.00	18,300	26.00	TLC-107 SONDA 2
02/06/2015	45.00	18,600	26.00	TLC-107 SONDA 2
02/06/2015	46.00	19,300	26.00	TLC-107 SONDA 2
02/06/2015	47.00	19,900	26.00	TLC-107 SONDA 2
02/06/2015	47.50	23,000	26.00	TLC-107 SONDA 2
02/06/2015	48.00	29,000	26.00	TLC-107 SONDA 2
02/06/2015	48.20	33,400	26.10	TLC-107 SONDA 2
02/06/2015	48.40	35,100	26.10	TLC-107 SONDA 2
02/06/2015	48.60	40,200	26.10	TLC-107 SONDA 2
02/06/2015	48.80	46,700	26.10	TLC-107 SONDA 2
02/06/2015	50.00	52,800	26.10	TLC-107 SONDA 2
02/06/2015	50.20	56,900	26.10	TLC-107 SONDA 2
02/06/2015	50.40	62,600	26.10	TLC-107 SONDA 2
02/06/2015	50.60	81,800	26.10	TLC-107 SONDA 2
02/06/2015	50.80	90,900	26.10	TLC-107 SONDA 2
02/06/2015	51.00	101,500	26.10	TLC-107 SONDA 2
02/06/2015	51.20	116,600	26.10	TLC-107 SONDA 2
02/06/2015	51.40	133,600	26.10	TLC-107 SONDA 2
02/06/2015	51.60	145,400	26.10	TLC-107 SONDA 2
02/06/2015	51.80	152,800	26.10	TLC-107 SONDA 2
02/06/2015	52.00	154,900	26.10	TLC-107 SONDA 2
02/06/2015	52.50	195,100	26.10	TLC-107 SONDA 2
02/06/2015	53.00	196,700	26.10	TLC-107 SONDA 2
02/06/2015	54.00	198,800	26.10	TLC-107 SONDA 2
02/06/2015	55.00	201,500	26.10	TLC-107 SONDA 2
02/06/2015	56.00	202,200	26.10	TLC-107 SONDA 2
02/06/2015	58.00	203,900	26.30	TLC-107 SONDA 2
02/06/2015	60.00	203,500	26.30	TLC-107 SONDA 2
02/06/2015	62.00	204,400	26.40	TLC-107 SONDA 2
02/06/2015	64.00	204,300	26.40	TLC-107 SONDA 2
02/06/2015	66.00	204,200	26.40	TLC-107 SONDA 2
02/06/2015	68.00	204,000	26.50	TLC-107 SONDA 2
02/06/2015	70.00	202,900	26.50	TLC-107 SONDA 2
02/06/2015	72.00	202,500	26.50	TLC-107 SONDA 2
02/06/2015	74.00	201,500	26.60	TLC-107 SONDA 2
02/06/2015	76.00	201,300	26.60	TLC-107 SONDA 2
02/06/2015	78.00	208,800	26.60	TLC-107 SONDA 2
02/06/2015	80.00	200,700	26.70	TLC-107 SONDA 2
02/06/2015	82.00	199,400	26.70	TLC-107 SONDA 2
02/06/2015	84.00	199,200	26.70	TLC-107 SONDA 2
02/06/2015	86.00	199,100	26.70	TLC-107 SONDA 2
02/06/2015	88.00	198,900	26.80	TLC-107 SONDA 2
02/06/2015	90.00	200,100	26.80	TLC-107 SONDA 2
02/06/2015	92.00	200,700	26.80	TLC-107 SONDA 2
02/06/2015	94.00	201,000	27.00	TLC-107 SONDA 2
02/06/2015	96.00	201,500	27.00	TLC-107 SONDA 2
02/06/2015	98.00	201,800	27.00	TLC-107 SONDA 2
02/06/2015	100.00	201,300	27.10	TLC-107 SONDA 2
02/06/2015	102.00	201,700	27.10	TLC-107 SONDA 2
02/06/2015	104.00	201,700	27.10	TLC-107 SONDA 2
02/06/2015	106.00	201,700	27.20	TLC-107 SONDA 2
02/06/2015	108.00	201,300	27.20	TLC-107 SONDA 2
02/06/2015	110.00	201,300	27.20	TLC-107 SONDA 2
02/06/2015	112.00	201,300	27.30	TLC-107 SONDA 2
02/06/2015	114.00	200,800	27.30	TLC-107 SONDA 2
02/06/2015	116.00	200,600	27.30	TLC-107 SONDA 2
02/06/2015	118.60	187,700	27.30	TLC-107 SONDA 2
07/07/2015	1.10	4,539	25.70	TLC-107 SONDA 1
07/07/2015	2.00	4,224	25.90	TLC-107 SONDA 1
07/07/2015	3.00	4,498	25.90	TLC-107 SONDA 1
07/07/2015	4.00	4,504	25.90	TLC-107 SONDA 1
07/07/2015	6.00	4,467	25.90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/07/2015	8.00	4,516	25.90	TLC-107 SONDA 1
07/07/2015	10.00	4,565	25.90	TLC-107 SONDA 1
07/07/2015	12.00	4,546	25.90	TLC-107 SONDA 1
07/07/2015	14.00	4,593	25.90	TLC-107 SONDA 1
07/07/2015	16.00	4,811	25.90	TLC-107 SONDA 1
07/07/2015	18.00	5,127	25.90	TLC-107 SONDA 1
07/07/2015	20.00	6,501	25.90	TLC-107 SONDA 1
07/07/2015	21.00	7,386	25.90	TLC-107 SONDA 1
07/07/2015	22.00	7,858	25.90	TLC-107 SONDA 1
07/07/2015	23.00	7,420	25.90	TLC-107 SONDA 1
07/07/2015	24.00	8,043	25.90	TLC-107 SONDA 1
07/07/2015	25.00	8,063	25.90	TLC-107 SONDA 1
07/07/2015	27.00	8,085	25.90	TLC-107 SONDA 1
07/07/2015	29.00	9,216	25.90	TLC-107 SONDA 1
07/07/2015	30.00	9,549	25.90	TLC-107 SONDA 1
07/07/2015	32.00	9,930	25.90	TLC-107 SONDA 1
07/07/2015	34.00	10,100	25.90	TLC-107 SONDA 1
07/07/2015	36.00	11,200	25.90	TLC-107 SONDA 1
07/07/2015	38.00	12,200	26.00	TLC-107 SONDA 1
07/07/2015	39.00	12,600	26.00	TLC-107 SONDA 1
07/07/2015	40.00	13,500	26.00	TLC-107 SONDA 1
07/07/2015	41.00	16,900	26.00	TLC-107 SONDA 1
07/07/2015	41.50	17,300	26.00	TLC-107 SONDA 1
07/07/2015	42.00	17,600	26.00	TLC-107 SONDA 1
07/07/2015	42.50	17,800	26.00	TLC-107 SONDA 1
07/07/2015	43.00	18,800	26.00	TLC-107 SONDA 1
07/07/2015	43.50	19,200	26.00	TLC-107 SONDA 1
07/07/2015	44.00	20,200	26.00	TLC-107 SONDA 1
07/07/2015	44.50	20,400	26.00	TLC-107 SONDA 1
07/07/2015	45.00	20,500	26.00	TLC-107 SONDA 1
07/07/2015	46.00	20,900	26.00	TLC-107 SONDA 1
07/07/2015	47.00	21,200	26.00	TLC-107 SONDA 1
07/07/2015	48.00	35,100	26.00	TLC-107 SONDA 1
07/07/2015	48.50	44,900	26.10	TLC-107 SONDA 1
07/07/2015	48.70	51,700	26.10	TLC-107 SONDA 1
07/07/2015	48.90	58,900	26.10	TLC-107 SONDA 1
07/07/2015	49.10	63,400	26.10	TLC-107 SONDA 1
07/07/2015	49.30	73,100	26.10	TLC-107 SONDA 1
07/07/2015	49.50	84,500	26.10	TLC-107 SONDA 1
07/07/2015	49.70	106,000	26.10	TLC-107 SONDA 1
07/07/2015	49.90	118,400	26.10	TLC-107 SONDA 1
07/07/2015	50.10	139,900	26.10	TLC-107 SONDA 1
07/07/2015	50.30	150,200	26.10	TLC-107 SONDA 1
07/07/2015	50.50	163,700	26.10	TLC-107 SONDA 1
07/07/2015	50.70	172,600	26.10	TLC-107 SONDA 1
07/07/2015	50.90	181,800	26.10	TLC-107 SONDA 1
07/07/2015	51.10	191,300	26.10	TLC-107 SONDA 1
07/07/2015	51.30	200,100	26.10	TLC-107 SONDA 1
07/07/2015	51.50	206,900	26.10	TLC-107 SONDA 1
07/07/2015	52.00	212,800	26.10	TLC-107 SONDA 1
07/07/2015	53.00	220,700	26.10	TLC-107 SONDA 1
07/07/2015	54.00	221,700	26.10	TLC-107 SONDA 1
07/07/2015	56.00	217,500	26.10	TLC-107 SONDA 1
07/07/2015	58.00	216,000	26.30	TLC-107 SONDA 1
07/07/2015	60.00	212,300	26.30	TLC-107 SONDA 1
07/07/2015	62.00	208,600	26.40	TLC-107 SONDA 1
07/07/2015	64.00	208,800	26.40	TLC-107 SONDA 1
07/07/2015	66.00	209,000	26.40	TLC-107 SONDA 1
07/07/2015	68.00	207,800	26.50	TLC-107 SONDA 1
07/07/2015	70.00	209,300	26.50	TLC-107 SONDA 1
07/07/2015	72.00	211,000	26.50	TLC-107 SONDA 1
07/07/2015	74.00	210,900	26.60	TLC-107 SONDA 1
07/07/2015	76.00	211,800	26.60	TLC-107 SONDA 1
07/07/2015	78.00	212,700	26.60	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/07/2015	80.00	214,900	26.60	TLC-107 SONDA 1
07/07/2015	82.00	215,400	26.70	TLC-107 SONDA 1
07/07/2015	84.00	215,600	26.70	TLC-107 SONDA 1
07/07/2015	86.00	215,900	26.70	TLC-107 SONDA 1
07/07/2015	88.00	214,600	26.80	TLC-107 SONDA 1
07/07/2015	90.00	212,500	26.80	TLC-107 SONDA 1
07/07/2015	92.00	212,000	26.80	TLC-107 SONDA 1
07/07/2015	94.00	210,100	27.00	TLC-107 SONDA 1
07/07/2015	96.00	208,100	27.00	TLC-107 SONDA 1
07/07/2015	98.00	208,400	27.00	TLC-107 SONDA 1
07/07/2015	100.00	208,300	27.00	TLC-107 SONDA 1
07/07/2015	102.00	208,000	27.10	TLC-107 SONDA 1
07/07/2015	104.00	208,000	27.10	TLC-107 SONDA 1
07/07/2015	106.00	207,500	27.20	TLC-107 SONDA 1
07/07/2015	108.00	206,900	27.20	TLC-107 SONDA 1
07/07/2015	110.00	206,500	27.20	TLC-107 SONDA 1
07/07/2015	112.00	205,600	27.30	TLC-107 SONDA 1
07/07/2015	114.00	206,000	27.30	TLC-107 SONDA 1
07/07/2015	116.00	204,500	27.30	TLC-107 SONDA 1
07/07/2015	118.00	208,000	27.30	TLC-107 SONDA 1
04/08/2015	52.60	191,834	25.99	SEBA MPS-D3
04/08/2015	52.80	193,211	26.00	SEBA MPS-D3
04/08/2015	53.00	194,909	26.00	SEBA MPS-D3
04/08/2015	53.50	204,815	26.01	SEBA MPS-D3
04/08/2015	54.00	212,005	26.01	SEBA MPS-D3
04/08/2015	56.00	226,235	26.04	SEBA MPS-D3
04/08/2015	58.00	231,216	26.09	SEBA MPS-D3
04/08/2015	60.00	232,135	26.14	SEBA MPS-D3
04/08/2015	62.00	232,486	26.18	SEBA MPS-D3
04/08/2015	64.00	232,915	26.21	SEBA MPS-D3
04/08/2015	66.00	232,915	26.25	SEBA MPS-D3
04/08/2015	68.00	232,997	26.30	SEBA MPS-D3
04/08/2015	70.00	233,177	26.33	SEBA MPS-D3
04/08/2015	72.00	233,228	26.37	SEBA MPS-D3
04/08/2015	74.00	232,617	26.45	SEBA MPS-D3
04/08/2015	76.00	232,008	26.49	SEBA MPS-D3
04/08/2015	78.00	231,939	26.53	SEBA MPS-D3
04/08/2015	80.00	231,778	26.55	SEBA MPS-D3
04/08/2015	82.00	231,883	26.56	SEBA MPS-D3
04/08/2015	84.00	232,402	26.56	SEBA MPS-D3
04/08/2015	86.00	232,483	26.57	SEBA MPS-D3
04/08/2015	88.00	232,304	26.64	SEBA MPS-D3
04/08/2015	90.00	231,775	26.69	SEBA MPS-D3
04/08/2015	92.00	231,588	26.74	SEBA MPS-D3
04/08/2015	94.00	231,230	26.77	SEBA MPS-D3
04/08/2015	96.00	230,190	26.81	SEBA MPS-D3
04/08/2015	98.00	228,528	26.85	SEBA MPS-D3
04/08/2015	101.00	228,143	26.91	SEBA MPS-D3
04/08/2015	1.60	3,991	25.28	SEBA MPS-D3
04/08/2015	2.00	3,993	25.66	SEBA MPS-D3
04/08/2015	3.00	3,993	25.73	SEBA MPS-D3
04/08/2015	4.00	3,992	25.74	SEBA MPS-D3
04/08/2015	6.00	3,993	25.74	SEBA MPS-D3
04/08/2015	8.00	4,001	25.74	SEBA MPS-D3
04/08/2015	10.00	4,128	25.74	SEBA MPS-D3
04/08/2015	12.00	4,133	25.74	SEBA MPS-D3
04/08/2015	14.00	4,178	25.74	SEBA MPS-D3
04/08/2015	16.00	4,323	25.74	SEBA MPS-D3
04/08/2015	18.00	4,552	25.73	SEBA MPS-D3
04/08/2015	20.00	5,790	25.73	SEBA MPS-D3
04/08/2015	20.50	6,418	25.73	SEBA MPS-D3
04/08/2015	21.00	6,764	25.73	SEBA MPS-D3
04/08/2015	21.50	6,813	25.73	SEBA MPS-D3
04/08/2015	22.00	7,027	25.73	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/08/2015	23.00	7,099	25.74	SEBA MPS-D3
04/08/2015	25.00	7,264	25.74	SEBA MPS-D3
04/08/2015	27.00	7,428	25.75	SEBA MPS-D3
04/08/2015	28.00	7,860	25.76	SEBA MPS-D3
04/08/2015	29.00	8,315	25.77	SEBA MPS-D3
04/08/2015	30.00	8,491	25.77	SEBA MPS-D3
04/08/2015	31.00	8,500	25.77	SEBA MPS-D3
04/08/2015	33.00	8,524	25.78	SEBA MPS-D3
04/08/2015	35.00	8,963	25.79	SEBA MPS-D3
04/08/2015	37.00	10,605	25.81	SEBA MPS-D3
04/08/2015	38.00	11,091	25.81	SEBA MPS-D3
04/08/2015	39.00	11,344	25.82	SEBA MPS-D3
04/08/2015	40.00	11,990	25.83	SEBA MPS-D3
04/08/2015	40.50	13,216	25.84	SEBA MPS-D3
04/08/2015	41.00	13,948	25.85	SEBA MPS-D3
04/08/2015	41.50	14,349	25.85	SEBA MPS-D3
04/08/2015	42.00	14,723	25.86	SEBA MPS-D3
04/08/2015	42.50	15,186	25.86	SEBA MPS-D3
04/08/2015	43.00	15,972	25.87	SEBA MPS-D3
04/08/2015	43.50	16,429	25.87	SEBA MPS-D3
04/08/2015	43.70	16,587	25.88	SEBA MPS-D3
04/08/2015	43.90	16,706	25.88	SEBA MPS-D3
04/08/2015	44.10	16,777	25.88	SEBA MPS-D3
04/08/2015	44.50	16,934	25.88	SEBA MPS-D3
04/08/2015	45.00	17,138	25.89	SEBA MPS-D3
04/08/2015	45.50	17,456	25.90	SEBA MPS-D3
04/08/2015	46.00	17,877	25.90	SEBA MPS-D3
04/08/2015	46.50	18,235	25.91	SEBA MPS-D3
04/08/2015	47.00	18,691	25.91	SEBA MPS-D3
04/08/2015	47.20	19,015	25.92	SEBA MPS-D3
04/08/2015	47.40	19,933	25.92	SEBA MPS-D3
04/08/2015	47.60	23,865	25.92	SEBA MPS-D3
04/08/2015	47.80	27,778	25.92	SEBA MPS-D3
04/08/2015	48.00	29,741	25.93	SEBA MPS-D3
04/08/2015	48.20	30,489	25.93	SEBA MPS-D3
04/08/2015	48.40	31,470	25.93	SEBA MPS-D3
04/08/2015	48.60	33,835	25.93	SEBA MPS-D3
04/08/2015	48.80	38,366	25.94	SEBA MPS-D3
04/08/2015	49.00	43,807	25.94	SEBA MPS-D3
04/08/2015	49.20	48,687	25.94	SEBA MPS-D3
04/08/2015	49.40	54,966	25.94	SEBA MPS-D3
04/08/2015	49.60	65,160	25.95	SEBA MPS-D3
04/08/2015	49.80	74,170	25.95	SEBA MPS-D3
04/08/2015	50.00	82,961	25.95	SEBA MPS-D3
04/08/2015	50.20	91,151	25.96	SEBA MPS-D3
04/08/2015	50.40	106,815	25.96	SEBA MPS-D3
04/08/2015	50.60	117,052	25.96	SEBA MPS-D3
04/08/2015	50.80	121,137	25.97	SEBA MPS-D3
04/08/2015	51.00	122,911	25.97	SEBA MPS-D3
04/08/2015	51.20	132,256	25.97	SEBA MPS-D3
04/08/2015	51.40	141,936	25.98	SEBA MPS-D3
04/08/2015	51.60	151,916	25.98	SEBA MPS-D3
04/08/2015	51.80	158,806	25.98	SEBA MPS-D3
04/08/2015	52.00	164,316	25.98	SEBA MPS-D3
04/08/2015	52.20	174,867	25.98	SEBA MPS-D3
04/08/2015	52.40	186,535	25.99	SEBA MPS-D3
06/09/2015	1.40	4,239	25.19	SEBA MPS-D3
06/09/2015	2.00	4,153	25.72	SEBA MPS-D3
06/09/2015	4.00	4,151	25.74	SEBA MPS-D3
06/09/2015	6.00	4,151	25.74	SEBA MPS-D3
06/09/2015	8.00	4,159	25.74	SEBA MPS-D3
06/09/2015	10.00	4,259	25.74	SEBA MPS-D3
06/09/2015	12.00	4,264	25.75	SEBA MPS-D3
06/09/2015	14.00	4,303	25.75	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/09/2015	16.00	4,586	25.74	SEBA MPS-D3
06/09/2015	18.00	4,799	25.74	SEBA MPS-D3
06/09/2015	20.00	6,191	25.74	SEBA MPS-D3
06/09/2015	22.00	7,418	25.74	SEBA MPS-D3
06/09/2015	24.00	7,687	25.75	SEBA MPS-D3
06/09/2015	26.00	7,720	25.75	SEBA MPS-D3
06/09/2015	28.00	8,349	25.77	SEBA MPS-D3
06/09/2015	30.00	9,178	25.78	SEBA MPS-D3
06/09/2015	32.00	9,188	25.78	SEBA MPS-D3
06/09/2015	34.00	9,470	25.79	SEBA MPS-D3
06/09/2015	36.00	10,670	25.80	SEBA MPS-D3
06/09/2015	38.00	11,580	25.82	SEBA MPS-D3
06/09/2015	40.00	13,060	25.84	SEBA MPS-D3
06/09/2015	41.00	15,110	25.85	SEBA MPS-D3
06/09/2015	42.00	15,430	25.86	SEBA MPS-D3
06/09/2015	43.00	16,750	25.88	SEBA MPS-D3
06/09/2015	44.00	17,750	25.89	SEBA MPS-D3
06/09/2015	45.00	18,400	25.89	SEBA MPS-D3
06/09/2015	46.00	19,270	25.91	SEBA MPS-D3
06/09/2015	47.00	20,680	25.92	SEBA MPS-D3
06/09/2015	47.20	23,520	25.93	SEBA MPS-D3
06/09/2015	47.40	26,720	25.93	SEBA MPS-D3
06/09/2015	47.60	27,660	25.93	SEBA MPS-D3
06/09/2015	47.80	28,680	25.93	SEBA MPS-D3
06/09/2015	48.00	31,480	25.94	SEBA MPS-D3
06/09/2015	48.20	33,990	25.94	SEBA MPS-D3
06/09/2015	48.40	37,830	25.94	SEBA MPS-D3
06/09/2015	48.60	42,530	25.95	SEBA MPS-D3
06/09/2015	48.80	45,730	25.95	SEBA MPS-D3
06/09/2015	49.00	48,990	25.95	SEBA MPS-D3
06/09/2015	49.20	52,500	25.95	SEBA MPS-D3
06/09/2015	49.40	59,480	25.95	SEBA MPS-D3
06/09/2015	49.60	72,150	25.96	SEBA MPS-D3
06/09/2015	49.80	80,510	25.96	SEBA MPS-D3
06/09/2015	50.00	88,400	25.96	SEBA MPS-D3
06/09/2015	50.20	97,740	25.96	SEBA MPS-D3
06/09/2015	50.40	110,700	25.97	SEBA MPS-D3
06/09/2015	50.60	123,000	25.97	SEBA MPS-D3
06/09/2015	50.80	130,000	25.98	SEBA MPS-D3
06/09/2015	51.00	132,500	25.98	SEBA MPS-D3
06/09/2015	51.20	141,100	25.98	SEBA MPS-D3
06/09/2015	51.40	150,000	25.98	SEBA MPS-D3
06/09/2015	51.60	160,100	25.99	SEBA MPS-D3
06/09/2015	51.80	166,200	25.99	SEBA MPS-D3
06/09/2015	52.00	173,600	25.99	SEBA MPS-D3
06/09/2015	52.20	185,700	26.00	SEBA MPS-D3
06/09/2015	52.40	195,600	26.00	SEBA MPS-D3
06/09/2015	52.60	198,600	26.00	SEBA MPS-D3
06/09/2015	52.80	201,500	26.00	SEBA MPS-D3
06/09/2015	53.00	205,300	26.00	SEBA MPS-D3
06/09/2015	55.00	230,300	26.04	SEBA MPS-D3
06/09/2015	56.99	238,200	26.08	SEBA MPS-D3
06/09/2015	58.99	240,000	26.12	SEBA MPS-D3
06/09/2015	60.99	240,500	26.15	SEBA MPS-D3
06/09/2015	62.99	240,700	26.20	SEBA MPS-D3
06/09/2015	64.99	241,000	26.24	SEBA MPS-D3
06/09/2015	66.99	240,900	26.28	SEBA MPS-D3
06/09/2015	68.99	241,200	26.29	SEBA MPS-D3
06/09/2015	70.99	241,000	26.36	SEBA MPS-D3
06/09/2015	72.99	240,300	26.40	SEBA MPS-D3
06/09/2015	74.99	240,100	26.48	SEBA MPS-D3
06/09/2015	76.99	240,200	26.51	SEBA MPS-D3
06/09/2015	78.99	240,100	26.52	SEBA MPS-D3
06/09/2015	80.99	240,200	26.53	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/09/2015	82.99	240,200	26.55	SEBA MPS-D3
06/09/2015	84.99	240,100	26.56	SEBA MPS-D3
06/09/2015	86.99	240,100	26.56	SEBA MPS-D3
06/09/2015	88.99	239,500	26.67	SEBA MPS-D3
06/09/2015	90.99	239,200	26.72	SEBA MPS-D3
06/09/2015	92.99	239,000	26.76	SEBA MPS-D3
06/09/2015	94.99	238,400	26.80	SEBA MPS-D3
06/09/2015	96.99	236,300	26.84	SEBA MPS-D3
06/09/2015	98.99	235,800	26.88	SEBA MPS-D3
06/09/2015	100.00	235,500	26.89	SEBA MPS-D3
12/10/2015	4.00	4,068	25.73	SEBA MPS-D3
12/10/2015	6.00	4,070	25.74	SEBA MPS-D3
12/10/2015	8.00	4,074	25.73	SEBA MPS-D3
12/10/2015	10.00	4,160	25.74	SEBA MPS-D3
12/10/2015	12.00	4,167	25.74	SEBA MPS-D3
12/10/2015	14.00	4,200	25.74	SEBA MPS-D3
12/10/2015	16.00	4,480	25.74	SEBA MPS-D3
12/10/2015	18.00	4,829	25.73	SEBA MPS-D3
12/10/2015	20.00	6,141	25.73	SEBA MPS-D3
12/10/2015	21.00	6,927	25.74	SEBA MPS-D3
12/10/2015	22.00	7,173	25.74	SEBA MPS-D3
12/10/2015	23.00	7,296	25.74	SEBA MPS-D3
12/10/2015	24.00	7,434	25.74	SEBA MPS-D3
12/10/2015	25.00	7,476	25.75	SEBA MPS-D3
12/10/2015	27.00	7,619	25.76	SEBA MPS-D3
12/10/2015	29.00	8,596	25.77	SEBA MPS-D3
12/10/2015	31.00	8,665	25.77	SEBA MPS-D3
12/10/2015	33.00	8,741	25.78	SEBA MPS-D3
12/10/2015	35.00	9,218	25.79	SEBA MPS-D3
12/10/2015	37.00	10,909	25.81	SEBA MPS-D3
12/10/2015	38.00	11,267	25.82	SEBA MPS-D3
12/10/2015	39.00	11,479	25.83	SEBA MPS-D3
12/10/2015	40.00	12,166	25.83	SEBA MPS-D3
12/10/2015	41.00	14,265	25.85	SEBA MPS-D3
12/10/2015	41.50	14,808	25.85	SEBA MPS-D3
12/10/2015	42.00	15,122	25.86	SEBA MPS-D3
12/10/2015	42.50	15,342	25.86	SEBA MPS-D3
12/10/2015	43.00	16,427	25.87	SEBA MPS-D3
12/10/2015	43.50	16,847	25.87	SEBA MPS-D3
12/10/2015	44.00	17,100	25.88	SEBA MPS-D3
12/10/2015	45.00	17,327	25.89	SEBA MPS-D3
12/10/2015	46.00	18,162	25.90	SEBA MPS-D3
12/10/2015	47.00	18,399	25.92	SEBA MPS-D3
12/10/2015	48.00	33,179	25.93	SEBA MPS-D3
12/10/2015	48.20	34,216	25.93	SEBA MPS-D3
12/10/2015	48.40	35,125	25.94	SEBA MPS-D3
12/10/2015	48.60	39,988	25.94	SEBA MPS-D3
12/10/2015	48.80	44,508	25.94	SEBA MPS-D3
12/10/2015	49.00	47,640	25.94	SEBA MPS-D3
12/10/2015	49.50	49,803	25.95	SEBA MPS-D3
12/10/2015	50.00	87,981	25.96	SEBA MPS-D3
12/10/2015	50.20	95,097	25.96	SEBA MPS-D3
12/10/2015	50.40	105,215	25.96	SEBA MPS-D3
12/10/2015	50.60	116,248	25.97	SEBA MPS-D3
12/10/2015	50.80	127,132	25.97	SEBA MPS-D3
12/10/2015	51.00	131,389	25.97	SEBA MPS-D3
12/10/2015	51.20	139,265	25.97	SEBA MPS-D3
12/10/2015	51.40	148,179	25.98	SEBA MPS-D3
12/10/2015	51.60	156,135	25.98	SEBA MPS-D3
12/10/2015	51.80	163,034	25.98	SEBA MPS-D3
12/10/2015	52.00	170,613	25.99	SEBA MPS-D3
12/10/2015	52.20	181,944	25.99	SEBA MPS-D3
12/10/2015	52.40	190,159	25.99	SEBA MPS-D3
12/10/2015	52.60	193,865	26.00	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/10/2015	52.80	197,000	26.00	SEBA MPS-D3
12/10/2015	53.00	200,674	26.00	SEBA MPS-D3
12/10/2015	55.00	225,659	26.03	SEBA MPS-D3
12/10/2015	57.00	233,464	26.08	SEBA MPS-D3
12/10/2015	59.00	235,188	26.12	SEBA MPS-D3
12/10/2015	61.00	235,662	26.16	SEBA MPS-D3
12/10/2015	63.00	235,917	26.20	SEBA MPS-D3
12/10/2015	65.00	236,099	26.24	SEBA MPS-D3
12/10/2015	67.00	236,182	26.27	SEBA MPS-D3
12/10/2015	69.00	236,216	26.31	SEBA MPS-D3
12/10/2015	71.00	235,987	26.35	SEBA MPS-D3
12/10/2015	73.00	235,333	26.39	SEBA MPS-D3
12/10/2015	75.00	235,330	26.47	SEBA MPS-D3
12/10/2015	77.00	235,187	26.51	SEBA MPS-D3
12/10/2015	79.00	235,219	26.52	SEBA MPS-D3
12/10/2015	81.00	235,234	26.54	SEBA MPS-D3
12/10/2015	83.00	235,254	26.54	SEBA MPS-D3
12/10/2015	85.00	235,221	26.54	SEBA MPS-D3
12/10/2015	87.00	235,260	26.55	SEBA MPS-D3
12/10/2015	89.00	234,993	26.61	SEBA MPS-D3
12/10/2015	91.00	234,304	26.70	SEBA MPS-D3
12/10/2015	93.00	234,109	26.74	SEBA MPS-D3
12/10/2015	95.00	233,462	26.80	SEBA MPS-D3
12/10/2015	97.00	231,634	26.83	SEBA MPS-D3
12/10/2015	99.00	231,492	26.87	SEBA MPS-D3
12/10/2015	101.40	230,912	26.92	SEBA MPS-D3
12/10/2015	1.20	4,075	25.29	SEBA MPS-D3
12/10/2015	2.00	4,078	25.63	SEBA MPS-D3
03/11/2015	1.20	4,055	25.28	SEBA MPS-D3
03/11/2015	2.00	4,000	25.63	SEBA MPS-D3
03/11/2015	4.00	4,005	25.72	SEBA MPS-D3
03/11/2015	6.00	4,005	25.73	SEBA MPS-D3
03/11/2015	8.00	4,029	25.73	SEBA MPS-D3
03/11/2015	10.00	4,084	25.74	SEBA MPS-D3
03/11/2015	12.00	4,088	25.74	SEBA MPS-D3
03/11/2015	14.00	4,121	25.74	SEBA MPS-D3
03/11/2015	16.00	4,543	25.74	SEBA MPS-D3
03/11/2015	18.00	4,881	25.73	SEBA MPS-D3
03/11/2015	19.00	5,371	25.73	SEBA MPS-D3
03/11/2015	20.00	6,313	25.74	SEBA MPS-D3
03/11/2015	21.00	6,850	25.74	SEBA MPS-D3
03/11/2015	22.00	7,112	25.74	SEBA MPS-D3
03/11/2015	23.00	7,216	25.74	SEBA MPS-D3
03/11/2015	25.00	7,280	25.75	SEBA MPS-D3
03/11/2015	27.00	7,875	25.76	SEBA MPS-D3
03/11/2015	29.00	8,755	25.77	SEBA MPS-D3
03/11/2015	31.00	8,787	25.77	SEBA MPS-D3
03/11/2015	33.00	8,826	25.78	SEBA MPS-D3
03/11/2015	35.00	10,006	25.79	SEBA MPS-D3
03/11/2015	36.00	10,641	25.80	SEBA MPS-D3
03/11/2015	37.00	10,746	25.81	SEBA MPS-D3
03/11/2015	38.00	10,833	25.82	SEBA MPS-D3
03/11/2015	40.00	11,129	25.83	SEBA MPS-D3
03/11/2015	40.50	11,829	25.83	SEBA MPS-D3
03/11/2015	41.00	14,440	25.85	SEBA MPS-D3
03/11/2015	41.50	14,603	25.85	SEBA MPS-D3
03/11/2015	42.00	14,887	25.86	SEBA MPS-D3
03/11/2015	42.50	15,155	25.86	SEBA MPS-D3
03/11/2015	43.00	16,696	25.87	SEBA MPS-D3
03/11/2015	43.50	16,859	25.87	SEBA MPS-D3
03/11/2015	44.00	17,016	25.88	SEBA MPS-D3
03/11/2015	45.00	17,577	25.89	SEBA MPS-D3
03/11/2015	46.00	17,850	25.90	SEBA MPS-D3
03/11/2015	47.00	21,028	25.92	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
03/11/2015	47.20	24,574	25.92	SEBA MPS-D3
03/11/2015	47.40	26,654	25.92	SEBA MPS-D3
03/11/2015	47.60	31,064	25.92	SEBA MPS-D3
03/11/2015	47.80	33,501	25.93	SEBA MPS-D3
03/11/2015	48.00	33,696	25.93	SEBA MPS-D3
03/11/2015	48.20	36,058	25.94	SEBA MPS-D3
03/11/2015	48.40	36,165	25.94	SEBA MPS-D3
03/11/2015	48.60	41,147	25.94	SEBA MPS-D3
03/11/2015	48.80	44,356	25.94	SEBA MPS-D3
03/11/2015	49.00	48,764	25.94	SEBA MPS-D3
03/11/2015	49.20	51,697	25.95	SEBA MPS-D3
03/11/2015	49.40	58,134	25.95	SEBA MPS-D3
03/11/2015	49.60	70,699	25.95	SEBA MPS-D3
03/11/2015	49.80	80,203	25.95	SEBA MPS-D3
03/11/2015	50.00	88,859	25.96	SEBA MPS-D3
03/11/2015	50.20	97,096	25.96	SEBA MPS-D3
03/11/2015	50.40	105,471	25.96	SEBA MPS-D3
03/11/2015	50.60	115,033	25.97	SEBA MPS-D3
03/11/2015	50.80	123,786	25.98	SEBA MPS-D3
03/11/2015	51.00	129,881	25.97	SEBA MPS-D3
03/11/2015	51.20	139,136	25.98	SEBA MPS-D3
03/11/2015	51.40	145,070	25.98	SEBA MPS-D3
03/11/2015	51.60	152,681	25.98	SEBA MPS-D3
03/11/2015	51.80	162,159	25.98	SEBA MPS-D3
03/11/2015	52.00	170,272	25.98	SEBA MPS-D3
03/11/2015	52.20	180,207	25.99	SEBA MPS-D3
03/11/2015	52.40	186,214	25.99	SEBA MPS-D3
03/11/2015	52.60	191,257	26.00	SEBA MPS-D3
03/11/2015	52.80	194,836	26.00	SEBA MPS-D3
03/11/2015	53.00	199,371	26.00	SEBA MPS-D3
03/11/2015	54.00	212,784	26.02	SEBA MPS-D3
03/11/2015	56.00	227,019	26.06	SEBA MPS-D3
03/11/2015	58.00	230,925	26.10	SEBA MPS-D3
03/11/2015	60.00	231,833	26.13	SEBA MPS-D3
03/11/2015	62.00	232,122	26.18	SEBA MPS-D3
03/11/2015	64.00	232,281	26.22	SEBA MPS-D3
03/11/2015	66.00	232,395	26.24	SEBA MPS-D3
03/11/2015	68.00	232,467	26.28	SEBA MPS-D3
03/11/2015	70.00	232,381	26.33	SEBA MPS-D3
03/11/2015	72.00	232,180	26.36	SEBA MPS-D3
03/11/2015	74.00	231,644	26.40	SEBA MPS-D3
03/11/2015	76.00	231,565	26.45	SEBA MPS-D3
03/11/2015	78.00	231,598	26.51	SEBA MPS-D3
03/11/2015	80.00	231,531	26.53	SEBA MPS-D3
03/11/2015	82.00	231,537	26.54	SEBA MPS-D3
03/11/2015	84.00	231,560	26.54	SEBA MPS-D3
03/11/2015	86.00	231,415	26.62	SEBA MPS-D3
03/11/2015	88.00	231,160	26.65	SEBA MPS-D3
03/11/2015	90.00	230,634	26.69	SEBA MPS-D3
03/11/2015	92.00	230,471	26.73	SEBA MPS-D3
03/11/2015	94.00	230,100	26.77	SEBA MPS-D3
03/11/2015	96.00	229,226	26.81	SEBA MPS-D3
03/11/2015	98.00	227,961	26.85	SEBA MPS-D3
03/11/2015	100.00	227,519	26.89	SEBA MPS-D3
05/12/2015	1.50	4,165	25.25	SEBA MPS-D3
05/12/2015	2.00	4,147	25.66	SEBA MPS-D3
05/12/2015	4.00	4,142	25.73	SEBA MPS-D3
05/12/2015	6.00	4,143	25.74	SEBA MPS-D3
05/12/2015	8.00	4,156	25.74	SEBA MPS-D3
05/12/2015	10.00	4,214	25.74	SEBA MPS-D3
05/12/2015	12.00	4,215	25.75	SEBA MPS-D3
05/12/2015	14.00	4,241	25.74	SEBA MPS-D3
05/12/2015	16.00	4,749	25.74	SEBA MPS-D3
05/12/2015	18.00	5,193	25.74	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/12/2015	20.00	6,392	25.74	SEBA MPS-D3
05/12/2015	22.00	7,138	25.75	SEBA MPS-D3
05/12/2015	24.00	7,373	25.75	SEBA MPS-D3
05/12/2015	26.00	7,396	25.76	SEBA MPS-D3
05/12/2015	28.00	8,572	25.77	SEBA MPS-D3
05/12/2015	30.00	9,212	25.78	SEBA MPS-D3
05/12/2015	32.00	9,217	25.79	SEBA MPS-D3
05/12/2015	34.00	9,403	25.80	SEBA MPS-D3
05/12/2015	36.00	10,878	25.81	SEBA MPS-D3
05/12/2015	38.00	11,201	25.82	SEBA MPS-D3
05/12/2015	40.00	12,864	25.84	SEBA MPS-D3
05/12/2015	41.00	15,153	25.85	SEBA MPS-D3
05/12/2015	42.00	15,540	25.87	SEBA MPS-D3
05/12/2015	43.00	16,508	25.87	SEBA MPS-D3
05/12/2015	44.00	17,410	25.89	SEBA MPS-D3
05/12/2015	45.00	17,698	25.90	SEBA MPS-D3
05/12/2015	46.00	18,593	25.91	SEBA MPS-D3
05/12/2015	47.00	20,425	25.93	SEBA MPS-D3
05/12/2015	47.20	22,336	25.93	SEBA MPS-D3
05/12/2015	47.40	26,453	25.93	SEBA MPS-D3
05/12/2015	47.60	31,526	25.94	SEBA MPS-D3
05/12/2015	47.80	33,714	25.94	SEBA MPS-D3
05/12/2015	48.00	36,010	25.94	SEBA MPS-D3
05/12/2015	48.20	36,614	25.94	SEBA MPS-D3
05/12/2015	48.40	37,035	25.95	SEBA MPS-D3
05/12/2015	48.60	39,827	25.95	SEBA MPS-D3
05/12/2015	48.80	44,093	25.95	SEBA MPS-D3
05/12/2015	49.00	50,047	25.95	SEBA MPS-D3
05/12/2015	49.20	53,225	25.96	SEBA MPS-D3
05/12/2015	49.40	59,257	25.96	SEBA MPS-D3
05/12/2015	49.60	74,149	25.96	SEBA MPS-D3
05/12/2015	49.80	83,021	25.97	SEBA MPS-D3
05/12/2015	50.00	92,217	25.97	SEBA MPS-D3
05/12/2015	50.20	100,248	25.97	SEBA MPS-D3
05/12/2015	50.40	110,901	25.98	SEBA MPS-D3
05/12/2015	50.60	117,136	25.98	SEBA MPS-D3
05/12/2015	50.80	128,404	25.98	SEBA MPS-D3
05/12/2015	51.00	133,920	25.98	SEBA MPS-D3
05/12/2015	51.20	142,997	25.99	SEBA MPS-D3
05/12/2015	51.40	149,599	25.99	SEBA MPS-D3
05/12/2015	51.60	158,564	25.99	SEBA MPS-D3
05/12/2015	51.80	169,985	25.99	SEBA MPS-D3
05/12/2015	52.00	175,240	26.00	SEBA MPS-D3
05/12/2015	52.50	196,737	26.01	SEBA MPS-D3
05/12/2015	53.00	205,384	26.01	SEBA MPS-D3
05/12/2015	54.00	220,435	26.03	SEBA MPS-D3
05/12/2015	55.00	229,815	26.05	SEBA MPS-D3
05/12/2015	57.00	235,194	26.07	SEBA MPS-D3
05/12/2015	59.00	239,540	26.12	SEBA MPS-D3
05/12/2015	61.00	239,945	26.17	SEBA MPS-D3
05/12/2015	63.00	240,211	26.20	SEBA MPS-D3
05/12/2015	65.00	240,395	26.24	SEBA MPS-D3
05/12/2015	67.00	240,373	26.28	SEBA MPS-D3
05/12/2015	69.00	240,494	26.31	SEBA MPS-D3
05/12/2015	71.00	240,258	26.36	SEBA MPS-D3
05/12/2015	73.00	239,588	26.40	SEBA MPS-D3
05/12/2015	75.00	239,539	26.47	SEBA MPS-D3
05/12/2015	77.00	239,530	26.50	SEBA MPS-D3
05/12/2015	79.00	239,546	26.52	SEBA MPS-D3
05/12/2015	81.00	239,496	26.55	SEBA MPS-D3
05/12/2015	83.00	239,594	26.53	SEBA MPS-D3
05/12/2015	85.00	239,532	26.55	SEBA MPS-D3
05/12/2015	87.00	239,504	26.56	SEBA MPS-D3
05/12/2015	89.00	238,647	26.68	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/12/2015	91.00	238,490	26.72	SEBA MPS-D3
05/12/2015	93.00	238,334	26.75	SEBA MPS-D3
05/12/2015	95.00	237,616	26.80	SEBA MPS-D3
05/12/2015	97.00	236,096	26.83	SEBA MPS-D3
05/12/2015	99.00	235,393	26.87	SEBA MPS-D3
05/12/2015	100.00	235,071	26.90	SEBA MPS-D3
14/01/2016	1.50	4,166	25.79	SEBA MPS-D3
14/01/2016	2.00	4,117	25.76	SEBA MPS-D3
14/01/2016	4.00	4,114	25.75	SEBA MPS-D3
14/01/2016	6.00	4,115	25.76	SEBA MPS-D3
14/01/2016	8.00	4,139	25.75	SEBA MPS-D3
14/01/2016	10.00	4,167	25.75	SEBA MPS-D3
14/01/2016	12.00	4,170	25.75	SEBA MPS-D3
14/01/2016	14.00	4,211	25.75	SEBA MPS-D3
14/01/2016	16.00	4,635	25.75	SEBA MPS-D3
14/01/2016	18.00	5,072	25.75	SEBA MPS-D3
14/01/2016	20.00	6,380	25.75	SEBA MPS-D3
14/01/2016	22.00	7,147	25.75	SEBA MPS-D3
14/01/2016	24.00	7,339	25.76	SEBA MPS-D3
14/01/2016	26.00	7,362	25.77	SEBA MPS-D3
14/01/2016	28.00	8,115	25.78	SEBA MPS-D3
14/01/2016	30.00	8,979	25.79	SEBA MPS-D3
14/01/2016	32.00	9,088	25.79	SEBA MPS-D3
14/01/2016	34.00	9,260	25.81	SEBA MPS-D3
14/01/2016	36.00	10,606	25.82	SEBA MPS-D3
14/01/2016	38.00	10,932	25.83	SEBA MPS-D3
14/01/2016	40.00	12,380	25.85	SEBA MPS-D3
14/01/2016	41.00	14,953	25.86	SEBA MPS-D3
14/01/2016	42.00	15,426	25.87	SEBA MPS-D3
14/01/2016	43.00	16,188	25.88	SEBA MPS-D3
14/01/2016	44.00	17,011	25.89	SEBA MPS-D3
14/01/2016	45.00	17,258	25.91	SEBA MPS-D3
14/01/2016	46.00	18,051	25.92	SEBA MPS-D3
14/01/2016	47.00	19,513	25.93	SEBA MPS-D3
14/01/2016	47.20	20,905	25.94	SEBA MPS-D3
14/01/2016	47.40	23,708	25.94	SEBA MPS-D3
14/01/2016	47.60	27,676	25.95	SEBA MPS-D3
14/01/2016	47.80	30,845	25.95	SEBA MPS-D3
14/01/2016	48.00	34,759	25.95	SEBA MPS-D3
14/01/2016	48.20	36,287	25.95	SEBA MPS-D3
14/01/2016	48.40	37,083	25.96	SEBA MPS-D3
14/01/2016	48.60	39,888	25.96	SEBA MPS-D3
14/01/2016	48.80	45,859	25.96	SEBA MPS-D3
14/01/2016	49.00	49,153	25.97	SEBA MPS-D3
14/01/2016	49.20	52,886	25.97	SEBA MPS-D3
14/01/2016	49.40	61,535	25.97	SEBA MPS-D3
14/01/2016	49.60	72,829	25.97	SEBA MPS-D3
14/01/2016	49.80	81,823	25.97	SEBA MPS-D3
14/01/2016	50.00	90,854	25.98	SEBA MPS-D3
14/01/2016	50.20	99,094	25.98	SEBA MPS-D3
14/01/2016	50.40	108,057	25.98	SEBA MPS-D3
14/01/2016	50.60	116,740	25.98	SEBA MPS-D3
14/01/2016	50.80	126,953	25.99	SEBA MPS-D3
14/01/2016	51.00	132,746	25.99	SEBA MPS-D3
14/01/2016	51.20	141,009	25.99	SEBA MPS-D3
14/01/2016	51.40	148,997	25.99	SEBA MPS-D3
14/01/2016	51.60	156,728	26.00	SEBA MPS-D3
14/01/2016	51.80	167,694	26.00	SEBA MPS-D3
14/01/2016	52.00	174,033	26.00	SEBA MPS-D3
14/01/2016	52.50	194,540	26.01	SEBA MPS-D3
14/01/2016	53.00	202,765	26.02	SEBA MPS-D3
14/01/2016	54.00	218,450	26.03	SEBA MPS-D3
14/01/2016	55.00	233,355	26.08	SEBA MPS-D3
14/01/2016	57.00	236,990	26.12	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/01/2016	59.00	237,911	26.15	SEBA MPS-D3
14/01/2016	61.00	238,210	26.18	SEBA MPS-D3
14/01/2016	63.00	238,479	26.22	SEBA MPS-D3
14/01/2016	65.00	238,529	26.26	SEBA MPS-D3
14/01/2016	67.00	238,690	26.30	SEBA MPS-D3
14/01/2016	69.00	238,562	26.34	SEBA MPS-D3
14/01/2016	71.00	238,359	26.38	SEBA MPS-D3
14/01/2016	73.00	237,667	26.45	SEBA MPS-D3
14/01/2016	75.00	237,654	26.52	SEBA MPS-D3
14/01/2016	77.00	237,678	26.53	SEBA MPS-D3
14/01/2016	79.00	237,617	26.54	SEBA MPS-D3
14/01/2016	81.00	237,627	26.55	SEBA MPS-D3
14/01/2016	83.00	237,645	26.55	SEBA MPS-D3
14/01/2016	85.00	237,597	26.56	SEBA MPS-D3
14/01/2016	87.00	237,133	26.65	SEBA MPS-D3
14/01/2016	89.00	236,610	26.71	SEBA MPS-D3
14/01/2016	91.00	236,581	26.73	SEBA MPS-D3
14/01/2016	93.00	236,274	26.77	SEBA MPS-D3
14/01/2016	95.00	235,452	26.82	SEBA MPS-D3
14/01/2016	97.00	233,967	26.86	SEBA MPS-D3
14/01/2016	99.00	233,132	26.90	SEBA MPS-D3
14/01/2016	100.00	233,087	26.93	SEBA MPS-D3
16/02/2016	1.20	4,246	25.02	SEBA MPS-D3
16/02/2016	2.00	4,201	25.68	SEBA MPS-D3
16/02/2016	4.00	4,202	25.74	SEBA MPS-D3
16/02/2016	6.00	4,202	25.74	SEBA MPS-D3
16/02/2016	8.00	4,213	25.75	SEBA MPS-D3
16/02/2016	10.00	4,261	25.74	SEBA MPS-D3
16/02/2016	12.00	4,263	25.74	SEBA MPS-D3
16/02/2016	14.00	4,286	25.75	SEBA MPS-D3
16/02/2016	16.00	4,844	25.74	SEBA MPS-D3
16/02/2016	18.00	5,244	25.75	SEBA MPS-D3
16/02/2016	20.00	6,496	25.75	SEBA MPS-D3
16/02/2016	22.00	7,309	25.75	SEBA MPS-D3
16/02/2016	24.00	7,591	25.75	SEBA MPS-D3
16/02/2016	26.00	7,622	25.76	SEBA MPS-D3
16/02/2016	28.00	8,465	25.77	SEBA MPS-D3
16/02/2016	30.00	9,286	25.78	SEBA MPS-D3
16/02/2016	32.00	9,401	25.79	SEBA MPS-D3
16/02/2016	34.00	9,642	25.80	SEBA MPS-D3
16/02/2016	36.00	10,900	25.81	SEBA MPS-D3
16/02/2016	38.00	11,204	25.83	SEBA MPS-D3
16/02/2016	40.00	12,943	25.85	SEBA MPS-D3
16/02/2016	41.00	15,470	25.86	SEBA MPS-D3
16/02/2016	42.00	15,799	25.87	SEBA MPS-D3
16/02/2016	43.00	16,540	25.88	SEBA MPS-D3
16/02/2016	44.00	17,470	25.89	SEBA MPS-D3
16/02/2016	45.00	17,858	25.90	SEBA MPS-D3
16/02/2016	46.00	18,826	25.91	SEBA MPS-D3
16/02/2016	47.00	21,263	25.93	SEBA MPS-D3
16/02/2016	47.20	22,225	25.94	SEBA MPS-D3
16/02/2016	47.40	25,547	25.94	SEBA MPS-D3
16/02/2016	47.60	31,165	25.94	SEBA MPS-D3
16/02/2016	47.80	34,171	25.94	SEBA MPS-D3
16/02/2016	48.00	37,212	25.95	SEBA MPS-D3
16/02/2016	48.20	37,472	25.95	SEBA MPS-D3
16/02/2016	48.40	38,042	25.95	SEBA MPS-D3
16/02/2016	48.60	40,990	25.96	SEBA MPS-D3
16/02/2016	48.80	45,350	25.96	SEBA MPS-D3
16/02/2016	49.00	49,723	25.96	SEBA MPS-D3
16/02/2016	49.20	53,951	25.97	SEBA MPS-D3
16/02/2016	49.40	61,614	25.97	SEBA MPS-D3
16/02/2016	49.60	75,181	25.97	SEBA MPS-D3
16/02/2016	49.80	84,116	25.97	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/02/2016	50.00	93,749	25.97	SEBA MPS-D3
16/02/2016	50.20	101,674	25.97	SEBA MPS-D3
16/02/2016	50.40	111,201	25.98	SEBA MPS-D3
16/02/2016	50.60	120,660	25.98	SEBA MPS-D3
16/02/2016	50.80	130,220	25.99	SEBA MPS-D3
16/02/2016	51.00	137,765	25.99	SEBA MPS-D3
16/02/2016	51.20	146,897	25.99	SEBA MPS-D3
16/02/2016	51.40	153,903	25.99	SEBA MPS-D3
16/02/2016	51.60	162,819	26.00	SEBA MPS-D3
16/02/2016	51.80	173,361	26.00	SEBA MPS-D3
16/02/2016	52.00	179,778	26.00	SEBA MPS-D3
16/02/2016	52.20	187,387	26.00	SEBA MPS-D3
16/02/2016	52.40	196,765	26.01	SEBA MPS-D3
16/02/2016	52.60	200,978	26.01	SEBA MPS-D3
16/02/2016	52.80	200,915	26.01	SEBA MPS-D3
16/02/2016	53.00	203,773	26.01	SEBA MPS-D3
16/02/2016	53.40	211,854	26.02	SEBA MPS-D3
16/02/2016	53.60	214,201	26.03	SEBA MPS-D3
16/02/2016	53.80	217,364	26.03	SEBA MPS-D3
16/02/2016	54.00	220,522	26.03	SEBA MPS-D3
16/02/2016	55.00	223,345	26.04	SEBA MPS-D3
16/02/2016	56.00	229,218	26.05	SEBA MPS-D3
16/02/2016	58.00	233,153	26.05	SEBA MPS-D3
16/02/2016	60.00	238,422	26.07	SEBA MPS-D3
16/02/2016	62.00	241,959	26.11	SEBA MPS-D3
16/02/2016	64.00	242,915	26.14	SEBA MPS-D3
16/02/2016	66.00	243,082	26.19	SEBA MPS-D3
16/02/2016	68.00	243,558	26.20	SEBA MPS-D3
16/02/2016	70.00	243,480	26.26	SEBA MPS-D3
16/02/2016	72.00	243,300	26.38	SEBA MPS-D3
16/02/2016	74.00	242,618	26.44	SEBA MPS-D3
16/02/2016	76.00	242,548	26.48	SEBA MPS-D3
16/02/2016	78.00	242,549	26.51	SEBA MPS-D3
16/02/2016	80.00	242,576	26.52	SEBA MPS-D3
16/02/2016	82.00	242,500	26.53	SEBA MPS-D3
16/02/2016	84.00	242,521	26.54	SEBA MPS-D3
16/02/2016	86.00	242,473	26.59	SEBA MPS-D3
16/02/2016	88.00	241,984	26.66	SEBA MPS-D3
16/02/2016	90.00	241,492	26.70	SEBA MPS-D3
16/02/2016	92.00	241,358	26.73	SEBA MPS-D3
16/02/2016	94.00	241,117	26.77	SEBA MPS-D3
16/02/2016	96.00	240,322	26.82	SEBA MPS-D3
16/02/2016	98.00	238,642	26.86	SEBA MPS-D3
16/02/2016	100.00	238,016	26.89	SEBA MPS-D3
16/02/2016	101.50	237,930	26.91	SEBA MPS-D3
09/03/2016	1.20	4,198	24.71	SEBA MPS-D3
09/03/2016	2.00	4,155	25.39	SEBA MPS-D3
09/03/2016	4.00	4,153	25.44	SEBA MPS-D3
09/03/2016	6.00	4,151	25.57	SEBA MPS-D3
09/03/2016	8.00	4,154	25.73	SEBA MPS-D3
09/03/2016	10.00	4,156	25.74	SEBA MPS-D3
09/03/2016	12.00	4,171	25.75	SEBA MPS-D3
09/03/2016	14.00	4,208	25.74	SEBA MPS-D3
09/03/2016	16.00	4,210	25.74	SEBA MPS-D3
09/03/2016	18.00	4,243	25.75	SEBA MPS-D3
09/03/2016	20.00	4,713	25.75	SEBA MPS-D3
09/03/2016	22.00	5,144	25.75	SEBA MPS-D3
09/03/2016	24.00	6,497	25.75	SEBA MPS-D3
09/03/2016	26.00	7,214	25.75	SEBA MPS-D3
09/03/2016	28.00	7,475	25.76	SEBA MPS-D3
09/03/2016	30.00	7,515	25.76	SEBA MPS-D3
09/03/2016	32.00	8,326	25.77	SEBA MPS-D3
09/03/2016	34.00	9,101	25.78	SEBA MPS-D3
09/03/2016	36.00	9,175	25.79	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/03/2016	38.00	9,520	25.80	SEBA MPS-D3
09/03/2016	40.00	10,663	25.82	SEBA MPS-D3
09/03/2016	41.00	10,981	25.83	SEBA MPS-D3
09/03/2016	42.00	12,928	25.85	SEBA MPS-D3
09/03/2016	43.00	15,554	25.87	SEBA MPS-D3
09/03/2016	44.00	17,135	25.89	SEBA MPS-D3
09/03/2016	45.00	18,450	25.91	SEBA MPS-D3
09/03/2016	46.00	20,620	25.93	SEBA MPS-D3
09/03/2016	47.00	22,413	25.94	SEBA MPS-D3
09/03/2016	47.20	24,719	25.94	SEBA MPS-D3
09/03/2016	47.40	32,096	25.95	SEBA MPS-D3
09/03/2016	47.60	35,466	25.95	SEBA MPS-D3
09/03/2016	47.80	37,293	25.95	SEBA MPS-D3
09/03/2016	48.00	37,989	25.95	SEBA MPS-D3
09/03/2016	48.20	40,568	25.96	SEBA MPS-D3
09/03/2016	48.40	44,723	25.96	SEBA MPS-D3
09/03/2016	48.60	48,969	25.96	SEBA MPS-D3
09/03/2016	48.80	53,453	25.97	SEBA MPS-D3
09/03/2016	49.00	53,419	25.96	SEBA MPS-D3
09/03/2016	49.20	62,134	25.97	SEBA MPS-D3
09/03/2016	49.40	73,487	25.97	SEBA MPS-D3
09/03/2016	49.60	82,824	25.97	SEBA MPS-D3
09/03/2016	49.80	92,167	25.97	SEBA MPS-D3
09/03/2016	50.00	100,600	25.98	SEBA MPS-D3
09/03/2016	50.20	108,843	25.98	SEBA MPS-D3
09/03/2016	50.40	117,384	25.98	SEBA MPS-D3
09/03/2016	50.60	126,022	25.99	SEBA MPS-D3
09/03/2016	50.80	135,485	25.99	SEBA MPS-D3
09/03/2016	51.00	143,407	25.99	SEBA MPS-D3
09/03/2016	51.20	151,211	25.99	SEBA MPS-D3
09/03/2016	51.40	158,563	26.00	SEBA MPS-D3
09/03/2016	51.60	168,080	26.00	SEBA MPS-D3
09/03/2016	51.80	176,593	26.01	SEBA MPS-D3
09/03/2016	52.00	185,275	26.01	SEBA MPS-D3
09/03/2016	52.20	192,980	26.01	SEBA MPS-D3
09/03/2016	52.40	198,548	26.01	SEBA MPS-D3
09/03/2016	52.60	201,617	26.02	SEBA MPS-D3
09/03/2016	52.80	205,601	26.03	SEBA MPS-D3
09/03/2016	53.00	209,909	26.03	SEBA MPS-D3
09/03/2016	53.40	211,630	26.03	SEBA MPS-D3
09/03/2016	53.60	215,210	26.03	SEBA MPS-D3
09/03/2016	54.00	220,523	26.04	SEBA MPS-D3
09/03/2016	55.00	235,572	26.06	SEBA MPS-D3
09/03/2016	56.00	239,291	26.10	SEBA MPS-D3
09/03/2016	58.00	240,225	26.15	SEBA MPS-D3
09/03/2016	60.00	240,447	26.19	SEBA MPS-D3
09/03/2016	62.00	240,744	26.22	SEBA MPS-D3
09/03/2016	64.00	240,755	26.26	SEBA MPS-D3
09/03/2016	66.00	240,883	26.30	SEBA MPS-D3
09/03/2016	68.00	240,839	26.33	SEBA MPS-D3
09/03/2016	70.00	240,688	26.37	SEBA MPS-D3
09/03/2016	72.00	240,019	26.42	SEBA MPS-D3
09/03/2016	74.00	239,907	26.50	SEBA MPS-D3
09/03/2016	76.00	239,801	26.53	SEBA MPS-D3
09/03/2016	78.00	239,817	26.54	SEBA MPS-D3
09/03/2016	80.00	239,786	26.55	SEBA MPS-D3
09/03/2016	82.00	239,758	26.56	SEBA MPS-D3
09/03/2016	84.00	239,843	26.55	SEBA MPS-D3
09/03/2016	86.00	239,194	26.64	SEBA MPS-D3
09/03/2016	88.00	238,858	26.69	SEBA MPS-D3
09/03/2016	90.00	238,762	26.72	SEBA MPS-D3
09/03/2016	92.00	238,432	26.78	SEBA MPS-D3
09/03/2016	94.00	237,705	26.82	SEBA MPS-D3
09/03/2016	96.00	236,046	26.85	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/03/2016	98.00	235,349	26.90	SEBA MPS-D3
09/03/2016	100.00	235,268	26.92	SEBA MPS-D3
05/05/2016	1.15	4,067	25.31	SEBA KLL-Q
05/05/2016	2.00	4,063	25.68	SEBA KLL-Q
05/05/2016	3.00	4,060	25.72	SEBA KLL-Q
05/05/2016	4.00	4,063	25.74	SEBA KLL-Q
05/05/2016	5.00	4,064	25.74	SEBA KLL-Q
05/05/2016	6.00	4,064	25.74	SEBA KLL-Q
05/05/2016	7.00	4,064	25.74	SEBA KLL-Q
05/05/2016	8.00	4,088	25.74	SEBA KLL-Q
05/05/2016	9.00	4,102	25.74	SEBA KLL-Q
05/05/2016	10.00	4,102	25.74	SEBA KLL-Q
05/05/2016	11.00	4,104	25.74	SEBA KLL-Q
05/05/2016	12.00	4,103	25.74	SEBA KLL-Q
05/05/2016	13.00	4,104	25.74	SEBA KLL-Q
05/05/2016	14.00	4,164	25.74	SEBA KLL-Q
05/05/2016	15.00	4,261	25.74	SEBA KLL-Q
05/05/2016	16.00	4,473	25.74	SEBA KLL-Q
05/05/2016	17.00	4,569	25.74	SEBA KLL-Q
05/05/2016	18.00	4,583	25.74	SEBA KLL-Q
05/05/2016	19.00	5,250	25.74	SEBA KLL-Q
05/05/2016	20.00	6,142	25.74	SEBA KLL-Q
05/05/2016	20.50	6,648	25.74	SEBA KLL-Q
05/05/2016	21.00	6,758	25.74	SEBA KLL-Q
05/05/2016	21.50	6,793	25.74	SEBA KLL-Q
05/05/2016	22.00	6,881	25.74	SEBA KLL-Q
05/05/2016	22.50	6,930	25.74	SEBA KLL-Q
05/05/2016	23.00	7,011	25.74	SEBA KLL-Q
05/05/2016	24.00	7,097	25.74	SEBA KLL-Q
05/05/2016	25.00	7,121	25.75	SEBA KLL-Q
05/05/2016	26.00	7,162	25.75	SEBA KLL-Q
05/05/2016	27.00	7,306	25.76	SEBA KLL-Q
05/05/2016	28.00	7,667	25.77	SEBA KLL-Q
05/05/2016	29.00	8,094	25.78	SEBA KLL-Q
05/05/2016	30.00	8,425	25.78	SEBA KLL-Q
05/05/2016	31.00	8,514	25.79	SEBA KLL-Q
05/05/2016	32.00	8,659	25.79	SEBA KLL-Q
05/05/2016	33.00	8,741	25.79	SEBA KLL-Q
05/05/2016	34.00	9,059	25.80	SEBA KLL-Q
05/05/2016	35.00	9,388	25.81	SEBA KLL-Q
05/05/2016	36.00	10,040	25.81	SEBA KLL-Q
05/05/2016	36.50	10,160	25.82	SEBA KLL-Q
05/05/2016	37.00	10,240	25.82	SEBA KLL-Q
05/05/2016	37.50	10,330	25.83	SEBA KLL-Q
05/05/2016	38.00	10,400	25.83	SEBA KLL-Q
05/05/2016	39.00	10,650	25.84	SEBA KLL-Q
05/05/2016	40.00	11,530	25.84	SEBA KLL-Q
05/05/2016	40.50	13,460	25.85	SEBA KLL-Q
05/05/2016	40.70	13,820	25.85	SEBA KLL-Q
05/05/2016	40.90	13,930	25.86	SEBA KLL-Q
05/05/2016	41.10	14,150	25.86	SEBA KLL-Q
05/05/2016	41.30	14,340	25.86	SEBA KLL-Q
05/05/2016	41.50	14,430	25.86	SEBA KLL-Q
05/05/2016	41.70	14,680	25.86	SEBA KLL-Q
05/05/2016	41.90	14,840	25.87	SEBA KLL-Q
05/05/2016	42.10	14,890	25.87	SEBA KLL-Q
05/05/2016	42.30	14,900	25.87	SEBA KLL-Q
05/05/2016	42.50	15,020	25.87	SEBA KLL-Q
05/05/2016	42.70	15,140	25.87	SEBA KLL-Q
05/05/2016	42.90	15,540	25.88	SEBA KLL-Q
05/05/2016	43.10	15,740	25.88	SEBA KLL-Q
05/05/2016	43.30	15,860	25.88	SEBA KLL-Q
05/05/2016	43.50	15,970	25.88	SEBA KLL-Q
05/05/2016	43.70	16,110	25.89	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/05/2016	43.90	16,220	25.89	SEBA KLL-Q
05/05/2016	44.10	16,310	25.89	SEBA KLL-Q
05/05/2016	44.30	16,360	25.89	SEBA KLL-Q
05/05/2016	45.50	16,400	25.89	SEBA KLL-Q
05/05/2016	45.70	16,420	25.89	SEBA KLL-Q
05/05/2016	45.90	16,470	25.90	SEBA KLL-Q
05/05/2016	46.10	16,560	25.90	SEBA KLL-Q
05/05/2016	46.30	16,670	25.90	SEBA KLL-Q
05/05/2016	46.50	16,760	25.91	SEBA KLL-Q
05/05/2016	46.70	16,930	25.91	SEBA KLL-Q
05/05/2016	46.90	17,000	25.91	SEBA KLL-Q
05/05/2016	47.10	17,060	25.91	SEBA KLL-Q
05/05/2016	47.30	17,050	25.91	SEBA KLL-Q
05/05/2016	47.50	17,110	25.92	SEBA KLL-Q
05/05/2016	48.00	17,460	25.93	SEBA KLL-Q
05/05/2016	48.50	21,900	25.94	SEBA KLL-Q
05/05/2016	48.75	28,100	25.90	SEBA KLL-Q
05/05/2016	49.00	33,040	25.95	SEBA KLL-Q
05/05/2016	49.25	49,190	25.96	SEBA KLL-Q
05/05/2016	49.50	63,430	25.96	SEBA KLL-Q
05/05/2016	49.75	76,460	25.97	SEBA KLL-Q
05/05/2016	50.00	87,850	25.97	SEBA KLL-Q
05/05/2016	50.25	99,260	25.98	SEBA KLL-Q
05/05/2016	50.50	109,300	25.98	SEBA KLL-Q
05/05/2016	50.75	119,800	25.98	SEBA KLL-Q
05/05/2016	51.00	130,200	25.99	SEBA KLL-Q
05/05/2016	51.25	141,000	25.99	SEBA KLL-Q
05/05/2016	51.50	150,000	26.00	SEBA KLL-Q
05/05/2016	51.75	160,700	26.00	SEBA KLL-Q
05/05/2016	52.00	171,200	26.00	SEBA KLL-Q
05/05/2016	52.25	181,400	26.01	SEBA KLL-Q
05/05/2016	52.50	189,400	26.01	SEBA KLL-Q
05/05/2016	52.75	195,100	26.01	SEBA KLL-Q
05/05/2016	53.00	199,000	26.02	SEBA KLL-Q
05/05/2016	53.25	204,700	26.02	SEBA KLL-Q
05/05/2016	53.50	208,700	26.03	SEBA KLL-Q
05/05/2016	54.00	216,000	26.04	SEBA KLL-Q
05/05/2016	54.50	221,400	26.05	SEBA KLL-Q
05/05/2016	55.00	225,600	26.05	SEBA KLL-Q
05/05/2016	56.00	230,800	26.08	SEBA KLL-Q
05/05/2016	57.00	233,400	26.09	SEBA KLL-Q
05/05/2016	58.00	234,500	26.10	SEBA KLL-Q
05/05/2016	60.00	235,400	26.15	SEBA KLL-Q
05/05/2016	62.00	235,600	26.19	SEBA KLL-Q
05/05/2016	65.00	236,000	26.23	SEBA KLL-Q
05/05/2016	70.00	236,100	26.32	SEBA KLL-Q
05/05/2016	75.00	235,200	26.46	SEBA KLL-Q
05/05/2016	80.00	235,200	26.52	SEBA KLL-Q
05/05/2016	85.00	235,100	26.54	SEBA KLL-Q
05/05/2016	90.00	234,200	26.69	SEBA KLL-Q
05/05/2016	95.00	233,700	26.79	SEBA KLL-Q
05/05/2016	100.00	230,900	26.87	SEBA KLL-Q
11/07/2016	1.20	3,916	25.57	SEBA KLL-Q
11/07/2016	2.00	3,900	25.73	SEBA KLL-Q
11/07/2016	3.00	3,900	25.75	SEBA KLL-Q
11/07/2016	4.00	3,900	25.76	SEBA KLL-Q
11/07/2016	5.00	3,900	25.76	SEBA KLL-Q
11/07/2016	6.00	3,901	25.76	SEBA KLL-Q
11/07/2016	7.00	3,900	25.75	SEBA KLL-Q
11/07/2016	8.00	3,915	25.76	SEBA KLL-Q
11/07/2016	9.00	3,935	25.76	SEBA KLL-Q
11/07/2016	10.00	3,936	25.76	SEBA KLL-Q
11/07/2016	11.00	3,937	25.76	SEBA KLL-Q
11/07/2016	12.00	3,939	25.76	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/07/2016	13.00	3,949	25.75	SEBA KLL-Q
11/07/2016	14.00	3,994	25.76	SEBA KLL-Q
11/07/2016	15.00	4,180	25.75	SEBA KLL-Q
11/07/2016	16.00	4,469	25.75	SEBA KLL-Q
11/07/2016	17.00	4,651	25.75	SEBA KLL-Q
11/07/2016	18.00	4,810	25.75	SEBA KLL-Q
11/07/2016	19.00	5,837	25.75	SEBA KLL-Q
11/07/2016	20.00	6,201	25.76	SEBA KLL-Q
11/07/2016	21.00	6,559	25.76	SEBA KLL-Q
11/07/2016	22.00	6,699	25.76	SEBA KLL-Q
11/07/2016	23.00	6,828	25.77	SEBA KLL-Q
11/07/2016	24.00	6,856	25.77	SEBA KLL-Q
11/07/2016	25.00	6,893	25.77	SEBA KLL-Q
11/07/2016	26.00	7,029	25.78	SEBA KLL-Q
11/07/2016	27.00	7,394	25.79	SEBA KLL-Q
11/07/2016	28.00	7,596	25.79	SEBA KLL-Q
11/07/2016	29.00	7,975	25.79	SEBA KLL-Q
11/07/2016	30.00	8,160	25.80	SEBA KLL-Q
11/07/2016	31.00	8,232	25.80	SEBA KLL-Q
11/07/2016	32.00	8,287	25.81	SEBA KLL-Q
11/07/2016	33.00	8,455	25.81	SEBA KLL-Q
11/07/2016	34.00	8,853	25.82	SEBA KLL-Q
11/07/2016	35.00	9,311	25.82	SEBA KLL-Q
11/07/2016	36.00	9,748	25.83	SEBA KLL-Q
11/07/2016	37.00	9,873	25.83	SEBA KLL-Q
11/07/2016	38.00	9,957	25.85	SEBA KLL-Q
11/07/2016	39.00	10,140	25.86	SEBA KLL-Q
11/07/2016	40.00	11,770	25.87	SEBA KLL-Q
11/07/2016	41.00	13,980	25.87	SEBA KLL-Q
11/07/2016	41.50	14,080	25.89	SEBA KLL-Q
11/07/2016	42.00	14,330	25.89	SEBA KLL-Q
11/07/2016	42.50	14,520	25.89	SEBA KLL-Q
11/07/2016	43.00	14,980	25.90	SEBA KLL-Q
11/07/2016	43.50	15,320	25.90	SEBA KLL-Q
11/07/2016	44.00	15,750	25.90	SEBA KLL-Q
11/07/2016	44.50	15,800	25.91	SEBA KLL-Q
11/07/2016	45.00	15,960	25.91	SEBA KLL-Q
11/07/2016	45.50	16,340	25.92	SEBA KLL-Q
11/07/2016	46.00	16,500	25.93	SEBA KLL-Q
11/07/2016	46.50	16,610	25.94	SEBA KLL-Q
11/07/2016	47.00	17,970	25.95	SEBA KLL-Q
11/07/2016	47.50	23,820	25.95	SEBA KLL-Q
11/07/2016	47.75	29,000	25.96	SEBA KLL-Q
11/07/2016	48.00	31,220	25.96	SEBA KLL-Q
11/07/2016	48.25	32,850	25.97	SEBA KLL-Q
11/07/2016	48.50	35,400	25.97	SEBA KLL-Q
11/07/2016	48.75	41,080	25.97	SEBA KLL-Q
11/07/2016	49.00	46,260	25.98	SEBA KLL-Q
11/07/2016	49.25	52,650	25.98	SEBA KLL-Q
11/07/2016	49.50	60,680	25.98	SEBA KLL-Q
11/07/2016	49.75	72,750	25.99	SEBA KLL-Q
11/07/2016	50.00	84,050	25.99	SEBA KLL-Q
11/07/2016	50.25	95,140	26.00	SEBA KLL-Q
11/07/2016	50.50	104,500	26.00	SEBA KLL-Q
11/07/2016	50.75	115,000	26.00	SEBA KLL-Q
11/07/2016	51.00	124,300	26.00	SEBA KLL-Q
11/07/2016	51.25	135,000	26.01	SEBA KLL-Q
11/07/2016	51.50	143,500	26.02	SEBA KLL-Q
11/07/2016	51.75	154,700	26.02	SEBA KLL-Q
11/07/2016	52.00	164,300	26.02	SEBA KLL-Q
11/07/2016	52.25	174,300	26.02	SEBA KLL-Q
11/07/2016	52.50	182,400	26.03	SEBA KLL-Q
11/07/2016	52.75	187,500	26.03	SEBA KLL-Q
11/07/2016	53.00	191,500	26.04	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/07/2016	53.25	197,400	26.04	SEBA KLL-Q
11/07/2016	53.50	200,700	26.05	SEBA KLL-Q
11/07/2016	53.75	204,300	26.05	SEBA KLL-Q
11/07/2016	54.00	208,000	26.05	SEBA KLL-Q
11/07/2016	54.50	213,200	26.06	SEBA KLL-Q
11/07/2016	55.00	217,300	26.07	SEBA KLL-Q
11/07/2016	55.50	220,400	26.08	SEBA KLL-Q
11/07/2016	56.00	222,500	26.09	SEBA KLL-Q
11/07/2016	56.50	223,900	26.11	SEBA KLL-Q
11/07/2016	57.00	225,000	26.11	SEBA KLL-Q
11/07/2016	58.00	226,100	26.13	SEBA KLL-Q
11/07/2016	59.00	226,800	26.14	SEBA KLL-Q
11/07/2016	60.00	227,100	26.17	SEBA KLL-Q
11/07/2016	61.00	227,300	26.18	SEBA KLL-Q
11/07/2016	65.00	227,900	26.26	SEBA KLL-Q
11/07/2016	70.00	228,000	26.32	SEBA KLL-Q
11/07/2016	75.00	227,000	26.48	SEBA KLL-Q
11/07/2016	80.00	227,000	26.54	SEBA KLL-Q
11/07/2016	85.00	226,900	26.55	SEBA KLL-Q
11/07/2016	90.00	226,100	26.70	SEBA KLL-Q
11/07/2016	95.00	225,600	26.73	SEBA KLL-Q
11/07/2016	100.00	222,900	26.89	SEBA KLL-Q
23/10/2016	1.20	3,966	25.60	SEBA KLL-Q
23/10/2016	2.00	3,966	25.72	SEBA KLL-Q
23/10/2016	3.00	3,965	25.77	SEBA KLL-Q
23/10/2016	4.00	3,949	25.78	SEBA KLL-Q
23/10/2016	5.00	3,942	25.78	SEBA KLL-Q
23/10/2016	6.00	3,951	25.78	SEBA KLL-Q
23/10/2016	7.00	3,946	25.78	SEBA KLL-Q
23/10/2016	8.00	3,967	25.78	SEBA KLL-Q
23/10/2016	9.00	3,978	25.78	SEBA KLL-Q
23/10/2016	10.00	3,977	25.78	SEBA KLL-Q
23/10/2016	11.00	3,977	25.78	SEBA KLL-Q
23/10/2016	12.00	3,977	25.78	SEBA KLL-Q
23/10/2016	13.00	3,983	25.78	SEBA KLL-Q
23/10/2016	14.00	3,985	25.78	SEBA KLL-Q
23/10/2016	15.00	4,353	25.78	SEBA KLL-Q
23/10/2016	16.00	4,771	25.78	SEBA KLL-Q
23/10/2016	17.00	4,870	25.78	SEBA KLL-Q
23/10/2016	18.00	4,898	25.78	SEBA KLL-Q
23/10/2016	19.00	5,894	25.78	SEBA KLL-Q
23/10/2016	20.00	6,258	25.78	SEBA KLL-Q
23/10/2016	21.00	6,799	25.79	SEBA KLL-Q
23/10/2016	22.00	6,856	25.78	SEBA KLL-Q
23/10/2016	23.00	7,099	25.79	SEBA KLL-Q
23/10/2016	24.00	7,106	25.79	SEBA KLL-Q
23/10/2016	25.00	7,444	25.79	SEBA KLL-Q
23/10/2016	26.00	7,520	25.81	SEBA KLL-Q
23/10/2016	27.00	7,532	25.80	SEBA KLL-Q
23/10/2016	28.00	7,552	25.81	SEBA KLL-Q
23/10/2016	29.00	8,291	25.81	SEBA KLL-Q
23/10/2016	30.00	8,550	25.82	SEBA KLL-Q
23/10/2016	31.00	8,599	25.82	SEBA KLL-Q
23/10/2016	32.00	8,663	25.82	SEBA KLL-Q
23/10/2016	33.00	8,697	25.83	SEBA KLL-Q
23/10/2016	34.00	9,372	25.84	SEBA KLL-Q
23/10/2016	35.00	9,840	25.84	SEBA KLL-Q
23/10/2016	36.00	10,045	25.85	SEBA KLL-Q
23/10/2016	37.00	10,169	25.87	SEBA KLL-Q
23/10/2016	38.00	10,266	25.88	SEBA KLL-Q
23/10/2016	39.00	10,500	25.88	SEBA KLL-Q
23/10/2016	40.00	12,052	25.98	SEBA KLL-Q
23/10/2016	40.50	14,276	25.89	SEBA KLL-Q
23/10/2016	41.00	14,476	25.89	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/10/2016	41.50	14,518	25.90	SEBA KLL-Q
23/10/2016	42.00	14,623	25.90	SEBA KLL-Q
23/10/2016	42.50	14,682	25.91	SEBA KLL-Q
23/10/2016	43.00	15,454	25.92	SEBA KLL-Q
23/10/2016	43.50	16,037	25.92	SEBA KLL-Q
23/10/2016	44.00	16,491	25.93	SEBA KLL-Q
23/10/2016	44.50	16,640	25.93	SEBA KLL-Q
23/10/2016	45.00	16,738	25.94	SEBA KLL-Q
23/10/2016	45.50	17,454	25.95	SEBA KLL-Q
23/10/2016	46.00	17,570	25.96	SEBA KLL-Q
23/10/2016	46.50	17,759	25.96	SEBA KLL-Q
23/10/2016	47.00	19,501	25.98	SEBA KLL-Q
23/10/2016	47.20	22,142	25.98	SEBA KLL-Q
23/10/2016	47.40	26,268	25.98	SEBA KLL-Q
23/10/2016	47.60	29,728	25.98	SEBA KLL-Q
23/10/2016	47.80	31,740	25.98	SEBA KLL-Q
23/10/2016	48.00	33,869	25.98	SEBA KLL-Q
23/10/2016	48.20	34,819	25.99	SEBA KLL-Q
23/10/2016	48.40	35,358	26.00	SEBA KLL-Q
23/10/2016	48.60	38,699	26.00	SEBA KLL-Q
23/10/2016	48.80	43,473	26.00	SEBA KLL-Q
23/10/2016	49.00	47,964	26.01	SEBA KLL-Q
23/10/2016	49.20	51,159	26.00	SEBA KLL-Q
23/10/2016	49.40	58,862	26.00	SEBA KLL-Q
23/10/2016	49.60	68,108	26.01	SEBA KLL-Q
23/10/2016	49.80	79,351	26.02	SEBA KLL-Q
23/10/2016	50.00	88,456	26.01	SEBA KLL-Q
23/10/2016	50.20	97,489	26.01	SEBA KLL-Q
23/10/2016	50.40	104,645	26.02	SEBA KLL-Q
23/10/2016	50.60	112,780	26.02	SEBA KLL-Q
23/10/2016	50.80	121,701	26.02	SEBA KLL-Q
23/10/2016	51.00	130,766	26.02	SEBA KLL-Q
23/10/2016	51.20	139,000	26.03	SEBA KLL-Q
23/10/2016	51.40	146,600	26.03	SEBA KLL-Q
23/10/2016	51.60	153,777	26.04	SEBA KLL-Q
23/10/2016	51.80	163,930	26.04	SEBA KLL-Q
23/10/2016	52.00	172,803	26.03	SEBA KLL-Q
23/10/2016	52.20	181,051	26.04	SEBA KLL-Q
23/10/2016	52.40	189,154	26.05	SEBA KLL-Q
23/10/2016	52.60	194,132	26.05	SEBA KLL-Q
23/10/2016	52.80	196,992	26.05	SEBA KLL-Q
23/10/2016	53.00	201,055	26.05	SEBA KLL-Q
23/10/2016	53.20	205,970	26.07	SEBA KLL-Q
23/10/2016	53.40	208,329	26.06	SEBA KLL-Q
23/10/2016	53.60	211,415	26.06	SEBA KLL-Q
23/10/2016	53.80	214,730	26.09	SEBA KLL-Q
23/10/2016	54.00	217,512	26.07	SEBA KLL-Q
23/10/2016	54.20	220,413	26.08	SEBA KLL-Q
23/10/2016	54.40	222,114	26.07	SEBA KLL-Q
23/10/2016	54.60	224,165	26.08	SEBA KLL-Q
23/10/2016	54.80	225,881	26.10	SEBA KLL-Q
23/10/2016	55.00	227,324	26.09	SEBA KLL-Q
23/10/2016	55.50	230,736	26.10	SEBA KLL-Q
23/10/2016	56.00	234,100	26.11	SEBA KLL-Q
23/10/2016	57.00	235,469	26.12	SEBA KLL-Q
23/10/2016	58.00	236,700	26.12	SEBA KLL-Q
23/10/2016	60.00	237,682	26.19	SEBA KLL-Q
23/10/2016	65.00	238,663	26.28	SEBA KLL-Q
23/10/2016	70.00	238,808	26.37	SEBA KLL-Q
23/10/2016	75.00	238,229	26.50	SEBA KLL-Q
23/10/2016	80.00	238,387	26.50	SEBA KLL-Q
23/10/2016	85.00	238,535	26.58	SEBA KLL-Q
23/10/2016	90.00	237,958	26.70	SEBA KLL-Q
23/10/2016	95.00	237,100	26.82	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/10/2016	100.00	234,596	26.92	SEBA KLL-Q
16/01/2017	1.30	4,390	25.71	SEBA KLL-Q
16/01/2017	1.50	4,397	25.80	SEBA KLL-Q
16/01/2017	2.00	4,388	25.74	SEBA KLL-Q
16/01/2017	4.00	4,388	25.72	SEBA KLL-Q
16/01/2017	6.00	4,387	25.72	SEBA KLL-Q
16/01/2017	8.00	4,405	25.72	SEBA KLL-Q
16/01/2017	10.00	4,419	25.72	SEBA KLL-Q
16/01/2017	12.00	4,421	25.73	SEBA KLL-Q
16/01/2017	14.00	4,516	25.73	SEBA KLL-Q
16/01/2017	16.00	4,995	25.73	SEBA KLL-Q
16/01/2017	18.00	5,514	25.73	SEBA KLL-Q
16/01/2017	20.00	6,875	25.73	SEBA KLL-Q
16/01/2017	22.00	7,636	25.73	SEBA KLL-Q
16/01/2017	24.00	7,987	25.74	SEBA KLL-Q
16/01/2017	26.00	8,263	25.75	SEBA KLL-Q
16/01/2017	28.00	8,272	25.75	SEBA KLL-Q
16/01/2017	30.00	9,332	25.77	SEBA KLL-Q
16/01/2017	32.00	9,801	25.77	SEBA KLL-Q
16/01/2017	34.00	10,690	25.78	SEBA KLL-Q
16/01/2017	36.00	11,180	25.80	SEBA KLL-Q
16/01/2017	38.00	11,550	25.82	SEBA KLL-Q
16/01/2017	40.00	13,690	25.84	SEBA KLL-Q
16/01/2017	41.00	15,730	25.85	SEBA KLL-Q
16/01/2017	42.00	16,050	25.85	SEBA KLL-Q
16/01/2017	42.50	16,150	25.86	SEBA KLL-Q
16/01/2017	43.00	16,890	25.87	SEBA KLL-Q
16/01/2017	43.50	17,570	25.87	SEBA KLL-Q
16/01/2017	44.00	18,200	25.88	SEBA KLL-Q
16/01/2017	44.50	18,510	25.88	SEBA KLL-Q
16/01/2017	45.00	18,720	25.89	SEBA KLL-Q
16/01/2017	45.50	19,430	25.90	SEBA KLL-Q
16/01/2017	46.00	19,940	25.90	SEBA KLL-Q
16/01/2017	46.50	20,390	25.91	SEBA KLL-Q
16/01/2017	47.00	21,680	25.92	SEBA KLL-Q
16/01/2017	47.50	29,090	25.93	SEBA KLL-Q
16/01/2017	48.00	37,740	25.94	SEBA KLL-Q
16/01/2017	48.20	38,550	25.94	SEBA KLL-Q
16/01/2017	48.40	39,620	25.94	SEBA KLL-Q
16/01/2017	48.60	43,180	25.95	SEBA KLL-Q
16/01/2017	48.80	47,860	25.95	SEBA KLL-Q
16/01/2017	49.00	52,450	25.95	SEBA KLL-Q
16/01/2017	49.20	56,480	25.96	SEBA KLL-Q
16/01/2017	49.40	64,740	25.96	SEBA KLL-Q
16/01/2017	49.60	76,490	25.96	SEBA KLL-Q
16/01/2017	49.80	87,900	25.96	SEBA KLL-Q
16/01/2017	50.00	97,850	25.96	SEBA KLL-Q
16/01/2017	50.20	106,500	25.96	SEBA KLL-Q
16/01/2017	50.40	115,600	25.97	SEBA KLL-Q
16/01/2017	50.60	124,500	25.97	SEBA KLL-Q
16/01/2017	50.80	133,300	25.97	SEBA KLL-Q
16/01/2017	51.00	143,400	25.98	SEBA KLL-Q
16/01/2017	51.20	152,700	25.98	SEBA KLL-Q
16/01/2017	51.40	160,300	25.98	SEBA KLL-Q
16/01/2017	51.60	169,300	25.99	SEBA KLL-Q
16/01/2017	51.80	179,000	25.99	SEBA KLL-Q
16/01/2017	52.00	188,000	25.99	SEBA KLL-Q
16/01/2017	52.20	196,900	25.99	SEBA KLL-Q
16/01/2017	52.40	206,200	26.00	SEBA KLL-Q
16/01/2017	52.60	212,100	26.00	SEBA KLL-Q
16/01/2017	52.80	215,100	26.01	SEBA KLL-Q
16/01/2017	53.00	219,100	26.01	SEBA KLL-Q
16/01/2017	53.20	224,100	26.01	SEBA KLL-Q
16/01/2017	53.40	226,400	26.02	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/01/2017	53.60	229,500	26.02	SEBA KLL-Q
16/01/2017	53.80	233,300	26.02	SEBA KLL-Q
16/01/2017	54.00	236,600	26.02	SEBA KLL-Q
16/01/2017	54.50	242,500	26.04	SEBA KLL-Q
16/01/2017	55.00	246,700	26.05	SEBA KLL-Q
16/01/2017	56.00	252,700	26.06	SEBA KLL-Q
16/01/2017	57.00	255,300	26.08	SEBA KLL-Q
16/01/2017	58.00	256,600	26.10	SEBA KLL-Q
16/01/2017	60.00	257,700	26.13	SEBA KLL-Q
16/01/2017	62.00	257,900	26.16	SEBA KLL-Q
16/01/2017	66.00	258,500	26.21	SEBA KLL-Q
16/01/2017	70.00	258,300	26.30	SEBA KLL-Q
16/01/2017	74.00	257,200	26.42	SEBA KLL-Q
16/01/2017	78.00	257,300	26.47	SEBA KLL-Q
16/01/2017	82.00	257,200	26.51	SEBA KLL-Q
16/01/2017	86.00	257,000	26.52	SEBA KLL-Q
16/01/2017	90.00	256,200	26.65	SEBA KLL-Q
16/01/2017	94.00	255,800	26.73	SEBA KLL-Q
16/01/2017	98.00	252,500	26.83	SEBA KLL-Q
16/01/2017	102.00	252,000	26.89	SEBA KLL-Q
16/01/2017	106.00	251,400	26.97	SEBA KLL-Q
16/01/2017	110.00	250,700	27.07	SEBA KLL-Q
16/01/2017	114.00	250,700	27.12	SEBA KLL-Q
23/04/2017	1.50	4,334	25.50	SEBA KLL-Q
23/04/2017	2.00	4,364	25.60	SEBA KLL-Q
23/04/2017	4.00	4,350	25.60	SEBA KLL-Q
23/04/2017	6.00	4,349	25.60	SEBA KLL-Q
23/04/2017	8.00	4,365	25.60	SEBA KLL-Q
23/04/2017	10.00	4,374	25.60	SEBA KLL-Q
23/04/2017	12.00	4,373	25.60	SEBA KLL-Q
23/04/2017	14.00	4,450	25.60	SEBA KLL-Q
23/04/2017	16.00	4,881	25.60	SEBA KLL-Q
23/04/2017	18.00	5,516	25.60	SEBA KLL-Q
23/04/2017	20.00	6,541	25.60	SEBA KLL-Q
23/04/2017	22.00	7,392	25.60	SEBA KLL-Q
23/04/2017	24.00	7,715	25.70	SEBA KLL-Q
23/04/2017	26.00	8,060	25.70	SEBA KLL-Q
23/04/2017	28.00	8,064	25.70	SEBA KLL-Q
23/04/2017	30.00	9,275	25.70	SEBA KLL-Q
23/04/2017	32.00	9,519	25.70	SEBA KLL-Q
23/04/2017	34.00	10,160	25.70	SEBA KLL-Q
23/04/2017	36.00	10,920	25.70	SEBA KLL-Q
23/04/2017	38.00	11,160	25.70	SEBA KLL-Q
23/04/2017	40.00	12,990	25.70	SEBA KLL-Q
23/04/2017	42.00	15,880	25.70	SEBA KLL-Q
23/04/2017	44.00	17,750	25.80	SEBA KLL-Q
23/04/2017	46.00	19,150	25.80	SEBA KLL-Q
23/04/2017	48.00	34,760	25.80	SEBA KLL-Q
23/04/2017	49.00	50,950	25.90	SEBA KLL-Q
23/04/2017	50.00	99,430	25.90	SEBA KLL-Q
23/04/2017	50.50	122,300	25.90	SEBA KLL-Q
23/04/2017	51.00	149,000	25.90	SEBA KLL-Q
23/04/2017	51.40	163,400	25.90	SEBA KLL-Q
23/04/2017	51.60	172,600	25.90	SEBA KLL-Q
23/04/2017	51.80	183,200	25.90	SEBA KLL-Q
23/04/2017	52.00	193,000	25.90	SEBA KLL-Q
23/04/2017	52.20	203,600	25.90	SEBA KLL-Q
23/04/2017	52.50	214,600	25.90	SEBA KLL-Q
23/04/2017	53.00	225,400	25.90	SEBA KLL-Q
23/04/2017	53.50	235,700	25.90	SEBA KLL-Q
23/04/2017	54.00	244,800	25.90	SEBA KLL-Q
23/04/2017	56.00	262,400	25.90	SEBA KLL-Q
23/04/2017	58.00	267,000	26.00	SEBA KLL-Q
23/04/2017	60.00	268,200	26.00	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/04/2017	62.00	268,500	26.00	SEBA KLL-Q
23/04/2017	64.00	268,700	26.10	SEBA KLL-Q
23/04/2017	66.00	268,100	26.10	SEBA KLL-Q
23/04/2017	68.00	267,500	26.20	SEBA KLL-Q
23/04/2017	70.00	266,900	26.20	SEBA KLL-Q
23/04/2017	72.00	266,300	26.30	SEBA KLL-Q
23/04/2017	74.00	265,200	26.30	SEBA KLL-Q
23/04/2017	76.00	265,000	26.30	SEBA KLL-Q
23/04/2017	78.00	264,800	26.40	SEBA KLL-Q
23/04/2017	80.00	264,600	26.40	SEBA KLL-Q
23/04/2017	82.00	264,500	26.40	SEBA KLL-Q
23/04/2017	84.00	264,400	26.40	SEBA KLL-Q
23/04/2017	86.00	264,200	26.50	SEBA KLL-Q
23/04/2017	88.00	265,600	26.50	SEBA KLL-Q
23/04/2017	90.00	263,500	26.60	SEBA KLL-Q
23/04/2017	92.00	263,500	26.60	SEBA KLL-Q
23/04/2017	94.00	263,400	26.60	SEBA KLL-Q
23/04/2017	96.00	263,000	26.70	SEBA KLL-Q
23/04/2017	98.00	260,900	26.70	SEBA KLL-Q
23/04/2017	100.00	260,700	26.80	SEBA KLL-Q
23/04/2017	102.00	260,200	26.80	SEBA KLL-Q
23/04/2017	104.00	259,800	26.80	SEBA KLL-Q
23/04/2017	106.00	259,300	26.90	SEBA KLL-Q
23/04/2017	108.00	258,700	26.90	SEBA KLL-Q
23/04/2017	110.00	258,600	26.90	SEBA KLL-Q
23/04/2017	112.00	258,600	27.00	SEBA KLL-Q
23/04/2017	114.00	258,600	27.00	SEBA KLL-Q
23/04/2017	116.00	258,500	27.00	SEBA KLL-Q
23/04/2017	117.00	258,500	27.00	SEBA KLL-Q
05/07/2017	1.50	3,319	25.56	SEBA KLL-Q
05/07/2017	2.00	3,309	25.67	SEBA KLL-Q
05/07/2017	4.00	3,279	25.68	SEBA KLL-Q
05/07/2017	6.00	3,268	25.69	SEBA KLL-Q
05/07/2017	8.00	3,285	25.69	SEBA KLL-Q
05/07/2017	10.00	3,284	25.69	SEBA KLL-Q
05/07/2017	12.00	3,285	25.69	SEBA KLL-Q
05/07/2017	14.00	3,287	25.69	SEBA KLL-Q
05/07/2017	16.00	3,828	25.69	SEBA KLL-Q
05/07/2017	18.00	4,113	25.69	SEBA KLL-Q
05/07/2017	20.00	5,320	25.69	SEBA KLL-Q
05/07/2017	22.00	5,554	25.70	SEBA KLL-Q
05/07/2017	24.00	5,818	25.70	SEBA KLL-Q
05/07/2017	26.00	6,051	25.71	SEBA KLL-Q
05/07/2017	28.00	6,125	25.72	SEBA KLL-Q
05/07/2017	30.00	6,815	25.73	SEBA KLL-Q
05/07/2017	32.00	7,108	25.74	SEBA KLL-Q
05/07/2017	34.00	7,562	25.75	SEBA KLL-Q
05/07/2017	36.00	8,108	25.76	SEBA KLL-Q
05/07/2017	38.00	8,397	25.78	SEBA KLL-Q
05/07/2017	40.00	10,610	25.80	SEBA KLL-Q
05/07/2017	42.00	11,960	25.82	SEBA KLL-Q
05/07/2017	44.00	13,310	25.84	SEBA KLL-Q
05/07/2017	46.00	14,050	25.87	SEBA KLL-Q
05/07/2017	48.00	26,540	25.90	SEBA KLL-Q
05/07/2017	48.50	30,360	25.90	SEBA KLL-Q
05/07/2017	49.00	40,800	25.91	SEBA KLL-Q
05/07/2017	49.20	45,620	25.91	SEBA KLL-Q
05/07/2017	49.40	50,960	25.91	SEBA KLL-Q
05/07/2017	49.60	57,390	25.92	SEBA KLL-Q
05/07/2017	49.80	67,850	25.92	SEBA KLL-Q
05/07/2017	50.00	75,760	25.92	SEBA KLL-Q
05/07/2017	50.20	84,890	25.93	SEBA KLL-Q
05/07/2017	50.40	92,510	25.93	SEBA KLL-Q
05/07/2017	50.60	98,940	25.93	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/07/2017	50.80	106,400	25.93	SEBA KLL-Q
05/07/2017	51.00	115,400	25.94	SEBA KLL-Q
05/07/2017	51.20	123,800	25.94	SEBA KLL-Q
05/07/2017	51.40	130,200	25.95	SEBA KLL-Q
05/07/2017	51.60	137,400	25.95	SEBA KLL-Q
05/07/2017	51.80	145,600	25.95	SEBA KLL-Q
05/07/2017	52.00	155,000	25.95	SEBA KLL-Q
05/07/2017	52.20	163,500	25.95	SEBA KLL-Q
05/07/2017	52.40	168,700	25.96	SEBA KLL-Q
05/07/2017	52.60	174,900	25.96	SEBA KLL-Q
05/07/2017	52.80	179,100	25.96	SEBA KLL-Q
05/07/2017	53.00	182,000	25.97	SEBA KLL-Q
05/07/2017	53.20	186,700	25.97	SEBA KLL-Q
05/07/2017	53.40	189,700	25.97	SEBA KLL-Q
05/07/2017	53.60	193,000	25.97	SEBA KLL-Q
05/07/2017	53.80	196,000	25.98	SEBA KLL-Q
05/07/2017	54.00	198,500	25.99	SEBA KLL-Q
05/07/2017	54.20	201,400	25.98	SEBA KLL-Q
05/07/2017	54.40	203,000	25.99	SEBA KLL-Q
05/07/2017	54.60	205,000	26.00	SEBA KLL-Q
05/07/2017	54.80	206,700	26.00	SEBA KLL-Q
05/07/2017	55.00	208,000	26.00	SEBA KLL-Q
05/07/2017	55.50	211,100	26.00	SEBA KLL-Q
05/07/2017	56.00	213,100	26.02	SEBA KLL-Q
05/07/2017	57.00	215,300	26.03	SEBA KLL-Q
05/07/2017	58.00	216,300	26.03	SEBA KLL-Q
05/07/2017	60.00	217,200	26.09	SEBA KLL-Q
05/07/2017	62.00	217,700	26.12	SEBA KLL-Q
05/07/2017	64.00	218,500	26.15	SEBA KLL-Q
05/07/2017	66.00	219,300	26.19	SEBA KLL-Q
05/07/2017	68.00	220,100	26.23	SEBA KLL-Q
05/07/2017	70.00	220,400	26.26	SEBA KLL-Q
05/07/2017	74.00	219,400	26.35	SEBA KLL-Q
05/07/2017	78.00	219,100	26.43	SEBA KLL-Q
05/07/2017	82.00	218,900	26.45	SEBA KLL-Q
05/07/2017	86.00	218,500	26.53	SEBA KLL-Q
05/07/2017	90.00	218,400	26.54	SEBA KLL-Q
05/07/2017	94.00	218,700	26.67	SEBA KLL-Q
05/07/2017	98.00	218,700	26.79	SEBA KLL-Q
05/07/2017	102.00	215,200	26.86	SEBA KLL-Q
05/07/2017	106.00	215,000	26.93	SEBA KLL-Q
05/07/2017	110.00	214,700	27.01	SEBA KLL-Q
05/07/2017	114.00	214,400	27.08	SEBA KLL-Q
16/10/2017	1.50	4,284	25.66	SEBA KLL-Q
16/10/2017	2.00	4,250	25.65	SEBA KLL-Q
16/10/2017	2.50	4,245	25.65	SEBA KLL-Q
16/10/2017	3.00	4,247	25.65	SEBA KLL-Q
16/10/2017	3.50	4,245	25.65	SEBA KLL-Q
16/10/2017	4.00	4,244	25.65	SEBA KLL-Q
16/10/2017	4.50	4,241	25.65	SEBA KLL-Q
16/10/2017	5.00	4,242	25.65	SEBA KLL-Q
16/10/2017	5.50	4,242	25.65	SEBA KLL-Q
16/10/2017	6.00	4,242	25.65	SEBA KLL-Q
16/10/2017	6.50	4,241	25.65	SEBA KLL-Q
16/10/2017	7.00	4,243	25.65	SEBA KLL-Q
16/10/2017	7.50	4,246	25.65	SEBA KLL-Q
16/10/2017	8.00	4,252	25.65	SEBA KLL-Q
16/10/2017	8.50	4,256	25.65	SEBA KLL-Q
16/10/2017	9.00	4,259	25.65	SEBA KLL-Q
16/10/2017	9.50	4,258	25.65	SEBA KLL-Q
16/10/2017	10.00	4,258	25.65	SEBA KLL-Q
16/10/2017	10.50	4,257	25.65	SEBA KLL-Q
16/10/2017	11.00	4,261	25.65	SEBA KLL-Q
16/10/2017	11.50	4,263	25.65	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/10/2017	12.00	4,261	25.65	SEBA KLL-Q
16/10/2017	12.50	4,262	25.66	SEBA KLL-Q
16/10/2017	13.00	4,261	25.65	SEBA KLL-Q
16/10/2017	13.50	4,263	25.65	SEBA KLL-Q
16/10/2017	14.00	4,263	25.65	SEBA KLL-Q
16/10/2017	14.50	4,295	25.65	SEBA KLL-Q
16/10/2017	15.00	4,488	25.66	SEBA KLL-Q
16/10/2017	15.50	4,768	25.65	SEBA KLL-Q
16/10/2017	16.00	5,082	25.65	SEBA KLL-Q
16/10/2017	16.50	5,229	25.66	SEBA KLL-Q
16/10/2017	17.00	5,270	25.66	SEBA KLL-Q
16/10/2017	17.20	5,273	25.65	SEBA KLL-Q
16/10/2017	17.40	5,275	25.66	SEBA KLL-Q
16/10/2017	17.60	5,280	25.66	SEBA KLL-Q
16/10/2017	17.80	5,282	25.66	SEBA KLL-Q
16/10/2017	18.00	5,315	25.66	SEBA KLL-Q
16/10/2017	18.20	5,408	25.66	SEBA KLL-Q
16/10/2017	18.40	5,447	25.66	SEBA KLL-Q
16/10/2017	18.60	5,607	25.65	SEBA KLL-Q
16/10/2017	18.80	5,928	25.65	SEBA KLL-Q
16/10/2017	19.00	6,271	25.66	SEBA KLL-Q
16/10/2017	19.20	6,391	25.66	SEBA KLL-Q
16/10/2017	19.40	6,400	25.66	SEBA KLL-Q
16/10/2017	19.60	6,412	25.66	SEBA KLL-Q
16/10/2017	19.80	6,435	25.66	SEBA KLL-Q
16/10/2017	20.00	7,026	25.66	SEBA KLL-Q
16/10/2017	20.20	7,140	25.66	SEBA KLL-Q
16/10/2017	20.40	7,161	25.66	SEBA KLL-Q
16/10/2017	20.60	7,158	25.66	SEBA KLL-Q
16/10/2017	20.80	7,169	25.66	SEBA KLL-Q
16/10/2017	21.00	7,172	25.66	SEBA KLL-Q
16/10/2017	21.20	7,176	25.66	SEBA KLL-Q
16/10/2017	21.40	7,181	25.66	SEBA KLL-Q
16/10/2017	21.60	7,207	25.66	SEBA KLL-Q
16/10/2017	21.80	7,213	25.66	SEBA KLL-Q
16/10/2017	22.00	7,267	25.66	SEBA KLL-Q
16/10/2017	22.20	7,371	25.66	SEBA KLL-Q
16/10/2017	22.40	7,457	25.67	SEBA KLL-Q
16/10/2017	22.60	7,585	25.66	SEBA KLL-Q
16/10/2017	22.80	7,613	25.67	SEBA KLL-Q
16/10/2017	23.00	7,754	25.67	SEBA KLL-Q
16/10/2017	23.20	7,775	25.67	SEBA KLL-Q
16/10/2017	23.40	7,831	25.67	SEBA KLL-Q
16/10/2017	23.60	7,836	25.67	SEBA KLL-Q
16/10/2017	23.80	7,835	25.67	SEBA KLL-Q
16/10/2017	24.00	7,856	25.67	SEBA KLL-Q
16/10/2017	24.20	7,847	25.67	SEBA KLL-Q
16/10/2017	24.40	7,848	25.67	SEBA KLL-Q
16/10/2017	24.60	7,849	25.67	SEBA KLL-Q
16/10/2017	24.80	7,850	25.67	SEBA KLL-Q
16/10/2017	25.00	7,842	25.67	SEBA KLL-Q
16/10/2017	25.50	7,850	25.68	SEBA KLL-Q
16/10/2017	26.00	7,851	25.67	SEBA KLL-Q
16/10/2017	26.50	7,851	25.68	SEBA KLL-Q
16/10/2017	27.00	7,850	25.68	SEBA KLL-Q
16/10/2017	28.00	7,859	25.68	SEBA KLL-Q
16/10/2017	30.00	9,206	25.69	SEBA KLL-Q
16/10/2017	31.00	9,222	25.70	SEBA KLL-Q
16/10/2017	32.00	9,384	25.70	SEBA KLL-Q
16/10/2017	33.00	9,449	25.71	SEBA KLL-Q
16/10/2017	34.00	10,390	25.71	SEBA KLL-Q
16/10/2017	35.00	10,530	25.72	SEBA KLL-Q
16/10/2017	36.00	10,590	25.73	SEBA KLL-Q
16/10/2017	37.00	10,700	25.73	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/10/2017	38.00	10,990	25.75	SEBA KLL-Q
16/10/2017	39.00	11,690	25.75	SEBA KLL-Q
16/10/2017	40.00	13,060	25.76	SEBA KLL-Q
16/10/2017	41.00	14,720	25.78	SEBA KLL-Q
16/10/2017	42.00	15,750	25.79	SEBA KLL-Q
16/10/2017	43.00	16,480	25.80	SEBA KLL-Q
16/10/2017	44.00	17,590	25.81	SEBA KLL-Q
16/10/2017	45.00	17,950	25.81	SEBA KLL-Q
16/10/2017	46.00	19,130	25.83	SEBA KLL-Q
16/10/2017	47.00	21,510	25.85	SEBA KLL-Q
16/10/2017	48.00	35,680	25.86	SEBA KLL-Q
16/10/2017	48.20	38,140	25.87	SEBA KLL-Q
16/10/2017	48.40	38,670	25.87	SEBA KLL-Q
16/10/2017	48.60	40,210	25.87	SEBA KLL-Q
16/10/2017	48.80	45,550	25.88	SEBA KLL-Q
16/10/2017	49.00	51,300	25.88	SEBA KLL-Q
16/10/2017	49.20	57,080	25.89	SEBA KLL-Q
16/10/2017	49.40	65,030	25.89	SEBA KLL-Q
16/10/2017	49.60	74,770	25.89	SEBA KLL-Q
16/10/2017	49.80	87,850	25.89	SEBA KLL-Q
16/10/2017	50.00	99,260	25.89	SEBA KLL-Q
16/10/2017	50.20	109,200	25.90	SEBA KLL-Q
16/10/2017	50.40	119,000	25.90	SEBA KLL-Q
16/10/2017	50.60	128,000	25.91	SEBA KLL-Q
16/10/2017	50.80	136,800	25.90	SEBA KLL-Q
16/10/2017	51.00	149,300	25.91	SEBA KLL-Q
16/10/2017	51.20	160,400	25.91	SEBA KLL-Q
16/10/2017	51.40	168,300	25.91	SEBA KLL-Q
16/10/2017	51.60	176,900	25.91	SEBA KLL-Q
16/10/2017	51.80	187,600	25.92	SEBA KLL-Q
16/10/2017	52.00	199,200	25.92	SEBA KLL-Q
16/10/2017	52.20	208,700	25.93	SEBA KLL-Q
16/10/2017	52.40	217,100	25.93	SEBA KLL-Q
16/10/2017	52.60	225,100	25.93	SEBA KLL-Q
16/10/2017	52.80	228,900	25.94	SEBA KLL-Q
16/10/2017	53.00	233,300	25.94	SEBA KLL-Q
16/10/2017	53.20	238,100	25.93	SEBA KLL-Q
16/10/2017	53.40	242,200	25.94	SEBA KLL-Q
16/10/2017	53.60	246,100	25.95	SEBA KLL-Q
16/10/2017	53.80	250,300	25.95	SEBA KLL-Q
16/10/2017	54.00	253,400	25.95	SEBA KLL-Q
16/10/2017	54.20	257,800	25.96	SEBA KLL-Q
16/10/2017	54.40	259,800	25.95	SEBA KLL-Q
16/10/2017	54.60	261,700	25.96	SEBA KLL-Q
16/10/2017	54.80	264,100	25.97	SEBA KLL-Q
16/10/2017	55.00	265,900	25.97	SEBA KLL-Q
16/10/2017	55.20	267,300	25.97	SEBA KLL-Q
16/10/2017	55.40	269,000	25.97	SEBA KLL-Q
16/10/2017	55.60	270,500	25.98	SEBA KLL-Q
16/10/2017	55.80	271,600	25.97	SEBA KLL-Q
16/10/2017	56.00	272,400	25.98	SEBA KLL-Q
16/10/2017	56.20	273,300	25.99	SEBA KLL-Q
16/10/2017	56.40	273,900	26.00	SEBA KLL-Q
16/10/2017	57.00	275,200	26.00	SEBA KLL-Q
16/10/2017	58.00	276,800	26.01	SEBA KLL-Q
16/10/2017	59.00	277,400	26.04	SEBA KLL-Q
16/10/2017	60.00	278,100	26.03	SEBA KLL-Q
16/10/2017	62.00	278,600	26.09	SEBA KLL-Q
16/10/2017	64.00	279,500	26.12	SEBA KLL-Q
16/10/2017	66.00	280,200	26.13	SEBA KLL-Q
16/10/2017	68.00	280,400	26.16	SEBA KLL-Q
16/10/2017	70.00	280,800	26.22	SEBA KLL-Q
16/10/2017	72.00	281,100	26.24	SEBA KLL-Q
16/10/2017	74.00	280,300	26.27	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/10/2017	76.00	279,800	26.40	SEBA KLL-Q
16/10/2017	78.00	280,200	26.42	SEBA KLL-Q
16/10/2017	80.00	280,200	26.43	SEBA KLL-Q
16/10/2017	82.00	280,900	26.46	SEBA KLL-Q
16/10/2017	84.00	280,500	26.46	SEBA KLL-Q
16/10/2017	86.00	281,100	26.46	SEBA KLL-Q
16/10/2017	88.00	280,700	26.54	SEBA KLL-Q
16/10/2017	90.00	281,300	26.60	SEBA KLL-Q
16/10/2017	92.00	281,800	26.62	SEBA KLL-Q
16/10/2017	94.00	282,200	26.65	SEBA KLL-Q
16/10/2017	96.00	282,500	26.67	SEBA KLL-Q
16/10/2017	98.00	277,800	26.71	SEBA KLL-Q
16/10/2017	100.00	277,000	26.77	SEBA KLL-Q
16/10/2017	102.00	277,800	26.81	SEBA KLL-Q
16/10/2017	104.00	277,800	26.84	SEBA KLL-Q
16/10/2017	106.00	277,800	26.89	SEBA KLL-Q
16/10/2017	108.00	277,300	26.90	SEBA KLL-Q
16/10/2017	110.00	277,300	27.00	SEBA KLL-Q
16/10/2017	112.00	277,500	27.01	SEBA KLL-Q
16/10/2017	114.00	277,600	27.03	SEBA KLL-Q
16/10/2017	116.00	277,600	27.04	SEBA KLL-Q
02/01/2018	1.5	3,631	25.80	SEBA KLL-Q
02/01/2018	2.0	3,624	25.80	SEBA KLL-Q
02/01/2018	4.0	3,585	25.80	SEBA KLL-Q
02/01/2018	6.0	3,579	25.80	SEBA KLL-Q
02/01/2018	8.0	3,580	25.80	SEBA KLL-Q
02/01/2018	10.0	3,591	25.80	SEBA KLL-Q
02/01/2018	12.0	3,605	25.80	SEBA KLL-Q
02/01/2018	14.0	3,593	25.80	SEBA KLL-Q
02/01/2018	16.0	4,087	25.80	SEBA KLL-Q
02/01/2018	18.0	4,625	25.80	SEBA KLL-Q
02/01/2018	20.0	5,847	25.80	SEBA KLL-Q
02/01/2018	22.0	6,173	25.80	SEBA KLL-Q
02/01/2018	24.0	6,568	25.80	SEBA KLL-Q
02/01/2018	26.0	6,567	25.90	SEBA KLL-Q
02/01/2018	28.0	6,632	25.90	SEBA KLL-Q
02/01/2018	30.0	7,720	25.90	SEBA KLL-Q
02/01/2018	32.0	8,102	25.90	SEBA KLL-Q
02/01/2018	34.0	8,804	25.90	SEBA KLL-Q
02/01/2018	36.0	8,903	25.90	SEBA KLL-Q
02/01/2018	38.0	9,086	25.90	SEBA KLL-Q
02/01/2018	40.0	9,657	25.90	SEBA KLL-Q
02/01/2018	41.0	12,920	25.90	SEBA KLL-Q
02/01/2018	42.0	13,280	26.00	SEBA KLL-Q
02/01/2018	43.0	13,630	26.00	SEBA KLL-Q
02/01/2018	44.0	14,640	26.00	SEBA KLL-Q
02/01/2018	45.0	14,950	26.00	SEBA KLL-Q
02/01/2018	46.0	16,330	26.00	SEBA KLL-Q
02/01/2018	46.5	16,640	26.00	SEBA KLL-Q
02/01/2018	47.0	18,390	26.00	SEBA KLL-Q
02/01/2018	47.5	22,900	26.00	SEBA KLL-Q
02/01/2018	48.0	21,270	26.00	SEBA KLL-Q
02/01/2018	48.5	32,870	26.10	SEBA KLL-Q
02/01/2018	49.0	43,560	26.10	SEBA KLL-Q
02/01/2018	49.2	49,210	26.10	SEBA KLL-Q
02/01/2018	49.4	55,280	26.10	SEBA KLL-Q
02/01/2018	49.6	62,010	26.10	SEBA KLL-Q
02/01/2018	49.8	75,260	26.10	SEBA KLL-Q
02/01/2018	50.0	86,230	26.10	SEBA KLL-Q
02/01/2018	50.2	91,110	26.10	SEBA KLL-Q
02/01/2018	50.4	98,050	26.10	SEBA KLL-Q
02/01/2018	50.6	106,900	26.10	SEBA KLL-Q
02/01/2018	50.8	115,700	26.10	SEBA KLL-Q
02/01/2018	51.0	125,700	26.10	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/01/2018	51.2	132,000	26.10	SEBA KLL-Q
02/01/2018	51.4	140,100	26.10	SEBA KLL-Q
02/01/2018	51.6	146,600	26.10	SEBA KLL-Q
02/01/2018	51.8	156,900	26.10	SEBA KLL-Q
02/01/2018	52.0	166,400	26.10	SEBA KLL-Q
02/01/2018	52.2	174,000	26.10	SEBA KLL-Q
02/01/2018	52.4	175,300	26.10	SEBA KLL-Q
02/01/2018	52.6	187,400	26.10	SEBA KLL-Q
02/01/2018	52.8	190,600	26.10	SEBA KLL-Q
02/01/2018	53.0	193,000	26.10	SEBA KLL-Q
02/01/2018	53.2	198,400	26.10	SEBA KLL-Q
02/01/2018	53.4	201,400	26.10	SEBA KLL-Q
02/01/2018	53.6	204,600	26.10	SEBA KLL-Q
02/01/2018	53.8	208,000	26.10	SEBA KLL-Q
02/01/2018	54.0	211,100	26.10	SEBA KLL-Q
02/01/2018	54.5	212,000	26.10	SEBA KLL-Q
02/01/2018	55.0	220,600	26.10	SEBA KLL-Q
02/01/2018	55.5	224,400	26.10	SEBA KLL-Q
02/01/2018	56.0	226,900	26.10	SEBA KLL-Q
02/01/2018	56.5	228,200	26.10	SEBA KLL-Q
02/01/2018	57.0	229,200	26.20	SEBA KLL-Q
02/01/2018	58.0	230,600	26.20	SEBA KLL-Q
02/01/2018	59.0	231,100	26.20	SEBA KLL-Q
02/01/2018	60.0	231,800	26.20	SEBA KLL-Q
02/01/2018	61.0	232,300	26.20	SEBA KLL-Q
02/01/2018	62.0	232,200	26.30	SEBA KLL-Q
02/01/2018	63.0	232,200	26.30	SEBA KLL-Q
02/01/2018	64.0	232,700	26.30	SEBA KLL-Q
02/01/2018	66.0	233,700	26.30	SEBA KLL-Q
02/01/2018	68.0	234,400	26.30	SEBA KLL-Q
02/01/2018	70.0	235,800	26.30	SEBA KLL-Q
02/01/2018	72.0	236,600	26.40	SEBA KLL-Q
02/01/2018	74.0	236,500	26.40	SEBA KLL-Q
02/01/2018	76.0	236,800	26.50	SEBA KLL-Q
02/01/2018	78.0	236,900	26.50	SEBA KLL-Q
02/01/2018	80.0	237,100	26.60	SEBA KLL-Q
02/01/2018	82.0	237,400	26.60	SEBA KLL-Q
02/01/2018	84.0	236,900	26.60	SEBA KLL-Q
02/01/2018	86.0	237,200	26.60	SEBA KLL-Q
02/01/2018	88.0	237,300	26.70	SEBA KLL-Q
02/01/2018	90.0	237,900	26.80	SEBA KLL-Q
02/01/2018	92.0	238,200	26.80	SEBA KLL-Q
02/01/2018	94.0	238,200	26.80	SEBA KLL-Q
02/01/2018	96.0	238,200	26.80	SEBA KLL-Q
02/01/2018	98.0	235,900	26.80	SEBA KLL-Q
02/01/2018	100.0	233,700	26.90	SEBA KLL-Q
02/01/2018	102.0	234,200	27.00	SEBA KLL-Q
02/01/2018	104.0	234,100	27.00	SEBA KLL-Q
02/01/2018	106.0	233,800	27.00	SEBA KLL-Q
02/01/2018	108.0	233,100	27.00	SEBA KLL-Q
02/01/2018	110.0	233,200	27.10	SEBA KLL-Q
02/01/2018	112.0	233,000	27.20	SEBA KLL-Q
02/01/2018	114.0	233,200	27.20	SEBA KLL-Q
02/01/2018	116.0	233,200	27.20	SEBA KLL-Q
22/04/2018	1.2	3,796	25.59	SEBA KLL-Q
22/04/2018	1.4	3,799	25.68	SEBA KLL-Q
22/04/2018	1.6	3,803	25.61	SEBA KLL-Q
22/04/2018	1.8	3,802	25.66	SEBA KLL-Q
22/04/2018	2.0	3,802	25.70	SEBA KLL-Q
22/04/2018	2.2	3,802	25.70	SEBA KLL-Q
22/04/2018	2.4	3,801	25.70	SEBA KLL-Q
22/04/2018	2.6	3,802	25.70	SEBA KLL-Q
22/04/2018	2.8	3,802	25.70	SEBA KLL-Q
22/04/2018	3.0	3,802	25.70	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/04/2018	3.5	3,802	25.70	SEBA KLL-Q
22/04/2018	4.0	3,802	25.70	SEBA KLL-Q
22/04/2018	4.5	3,802	25.70	SEBA KLL-Q
22/04/2018	5.0	3,803	25.70	SEBA KLL-Q
22/04/2018	6.0	3,803	25.70	SEBA KLL-Q
22/04/2018	7.0	3,802	25.70	SEBA KLL-Q
22/04/2018	8.0	3,813	25.70	SEBA KLL-Q
22/04/2018	9.0	3,816	25.70	SEBA KLL-Q
22/04/2018	10.0	3,816	25.70	SEBA KLL-Q
22/04/2018	12.0	3,817	25.70	SEBA KLL-Q
22/04/2018	14.0	3,824	25.70	SEBA KLL-Q
22/04/2018	16.0	4,198	25.70	SEBA KLL-Q
22/04/2018	18.0	4,615	25.70	SEBA KLL-Q
22/04/2018	20.0	5,602	25.70	SEBA KLL-Q
22/04/2018	22.0	6,331	25.70	SEBA KLL-Q
22/04/2018	24.0	6,756	25.70	SEBA KLL-Q
22/04/2018	26.0	6,810	25.70	SEBA KLL-Q
22/04/2018	28.0	6,812	25.70	SEBA KLL-Q
22/04/2018	30.0	7,785	25.80	SEBA KLL-Q
22/04/2018	32.0	8,428	25.80	SEBA KLL-Q
22/04/2018	34.0	8,710	25.80	SEBA KLL-Q
22/04/2018	36.0	9,361	25.80	SEBA KLL-Q
22/04/2018	38.0	9,457	25.80	SEBA KLL-Q
22/04/2018	40.0	10,750	25.80	SEBA KLL-Q
22/04/2018	42.0	13,900	25.90	SEBA KLL-Q
22/04/2018	43.0	14,090	25.90	SEBA KLL-Q
22/04/2018	44.0	14,840	25.90	SEBA KLL-Q
22/04/2018	45.0	15,280	25.90	SEBA KLL-Q
22/04/2018	45.5	15,680	25.90	SEBA KLL-Q
22/04/2018	46.0	16,180	25.90	SEBA KLL-Q
22/04/2018	46.2	16,290	25.90	SEBA KLL-Q
22/04/2018	46.4	16,340	25.90	SEBA KLL-Q
22/04/2018	46.6	16,410	25.90	SEBA KLL-Q
22/04/2018	46.8	16,640	25.90	SEBA KLL-Q
22/04/2018	47.0	17,310	25.90	SEBA KLL-Q
22/04/2018	47.5	20,330	25.90	SEBA KLL-Q
22/04/2018	47.7	21,880	25.90	SEBA KLL-Q
22/04/2018	47.9	26,440	25.90	SEBA KLL-Q
22/04/2018	48.0	28,730	25.90	SEBA KLL-Q
22/04/2018	48.5	33,470	25.90	SEBA KLL-Q
22/04/2018	49.0	43,480	25.90	SEBA KLL-Q
22/04/2018	49.2	48,200	25.90	SEBA KLL-Q
22/04/2018	49.4	56,240	25.90	SEBA KLL-Q
22/04/2018	49.6	64,820	25.90	SEBA KLL-Q
22/04/2018	49.8	74,750	25.90	SEBA KLL-Q
22/04/2018	50.0	83,970	25.90	SEBA KLL-Q
22/04/2018	50.2	92,630	25.90	SEBA KLL-Q
22/04/2018	50.4	99,430	25.90	SEBA KLL-Q
22/04/2018	50.6	106,000	25.90	SEBA KLL-Q
22/04/2018	50.8	117,000	25.90	SEBA KLL-Q
22/04/2018	51.0	124,500	25.90	SEBA KLL-Q
22/04/2018	51.2	132,900	25.90	SEBA KLL-Q
22/04/2018	51.4	139,700	26.00	SEBA KLL-Q
22/04/2018	51.6	147,000	26.00	SEBA KLL-Q
22/04/2018	51.8	155,700	26.00	SEBA KLL-Q
22/04/2018	52.0	164,200	26.00	SEBA KLL-Q
22/04/2018	52.2	171,500	26.00	SEBA KLL-Q
22/04/2018	52.4	177,400	26.00	SEBA KLL-Q
22/04/2018	52.6	183,900	26.00	SEBA KLL-Q
22/04/2018	52.8	187,400	26.00	SEBA KLL-Q
22/04/2018	53.0	190,400	26.00	SEBA KLL-Q
22/04/2018	53.2	194,400	26.00	SEBA KLL-Q
22/04/2018	53.4	197,800	26.00	SEBA KLL-Q
22/04/2018	53.6	201,000	26.00	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/04/2018	53.8	204,300	26.00	SEBA KLL-Q
22/04/2018	54.0	207,000	26.00	SEBA KLL-Q
22/04/2018	54.5	213,600	26.00	SEBA KLL-Q
22/04/2018	55.0	216,400	26.00	SEBA KLL-Q
22/04/2018	56.0	221,600	26.00	SEBA KLL-Q
22/04/2018	57.0	224,000	26.00	SEBA KLL-Q
22/04/2018	58.0	225,200	26.10	SEBA KLL-Q
22/04/2018	60.0	226,200	26.10	SEBA KLL-Q
22/04/2018	62.0	226,500	26.20	SEBA KLL-Q
22/04/2018	64.0	227,000	26.20	SEBA KLL-Q
22/04/2018	66.0	227,000	26.20	SEBA KLL-Q
22/04/2018	68.0	226,800	26.20	SEBA KLL-Q
22/04/2018	70.0	226,600	26.30	SEBA KLL-Q
22/04/2018	72.0	226,600	26.30	SEBA KLL-Q
22/04/2018	74.0	224,800	26.40	SEBA KLL-Q
22/04/2018	76.0	224,700	26.50	SEBA KLL-Q
22/04/2018	78.0	224,600	26.50	SEBA KLL-Q
22/04/2018	80.0	224,600	26.50	SEBA KLL-Q
22/04/2018	82.0	224,500	26.50	SEBA KLL-Q
22/04/2018	84.0	224,000	26.50	SEBA KLL-Q
22/04/2018	86.0	223,700	26.50	SEBA KLL-Q
22/04/2018	88.0	222,900	26.60	SEBA KLL-Q
22/04/2018	90.0	222,800	26.70	SEBA KLL-Q
22/04/2018	92.0	222,700	26.70	SEBA KLL-Q
22/04/2018	94.0	222,700	26.70	SEBA KLL-Q
22/04/2018	96.0	222,700	26.70	SEBA KLL-Q
22/04/2018	98.0	229,000	26.80	SEBA KLL-Q
22/04/2018	100.0	229,700	26.90	SEBA KLL-Q
26/07/2018	1.1	4,415	23.93	SEBA KLL-Q
26/07/2018	1.3	4,323	25.63	SEBA KLL-Q
26/07/2018	1.5	4,299	25.92	SEBA KLL-Q
26/07/2018	1.7	4,303	25.92	SEBA KLL-Q
26/07/2018	1.9	4,298	25.97	SEBA KLL-Q
26/07/2018	2.1	4,298	26.00	SEBA KLL-Q
26/07/2018	2.5	4,298	25.98	SEBA KLL-Q
26/07/2018	3.0	4,295	26.00	SEBA KLL-Q
26/07/2018	4.0	4,295	25.99	SEBA KLL-Q
26/07/2018	6.0	4,296	25.97	SEBA KLL-Q
26/07/2018	8.0	4,304	25.97	SEBA KLL-Q
26/07/2018	10.0	4,308	26.00	SEBA KLL-Q
26/07/2018	12.0	4,312	26.01	SEBA KLL-Q
26/07/2018	14.0	4,312	26.01	SEBA KLL-Q
26/07/2018	16.0	5,099	25.99	SEBA KLL-Q
26/07/2018	18.0	5,551	25.98	SEBA KLL-Q
26/07/2018	20.0	6,822	26.00	SEBA KLL-Q
26/07/2018	22.0	7,288	26.02	SEBA KLL-Q
26/07/2018	24.0	7,658	26.02	SEBA KLL-Q
26/07/2018	26.0	7,806	26.01	SEBA KLL-Q
26/07/2018	28.0	7,818	26.03	SEBA KLL-Q
26/07/2018	30.0	8,476	26.04	SEBA KLL-Q
26/07/2018	32.0	9,400	26.04	SEBA KLL-Q
26/07/2018	34.0	9,898	26.04	SEBA KLL-Q
26/07/2018	36.0	10,053	26.08	SEBA KLL-Q
26/07/2018	38.0	10,070	26.08	SEBA KLL-Q
26/07/2018	40.0	12,097	26.13	SEBA KLL-Q
26/07/2018	42.0	15,039	26.04	SEBA KLL-Q
26/07/2018	44.0	17,024	26.20	SEBA KLL-Q
26/07/2018	46.0	18,061	26.13	SEBA KLL-Q
26/07/2018	48.0	32,091	26.19	SEBA KLL-Q
26/07/2018	48.2	34,200	26.15	SEBA KLL-Q
26/07/2018	48.4	35,050	26.22	SEBA KLL-Q
26/07/2018	48.6	39,670	26.20	SEBA KLL-Q
26/07/2018	48.8	44,880	26.17	SEBA KLL-Q
26/07/2018	49.0	51,560	26.16	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/07/2018	49.2	57,620	26.17	SEBA KLL-Q
26/07/2018	49.4	66,510	26.20	SEBA KLL-Q
26/07/2018	49.6	72,220	26.22	SEBA KLL-Q
26/07/2018	49.8	85,910	26.18	SEBA KLL-Q
26/07/2018	50.2	97,260	26.24	SEBA KLL-Q
26/07/2018	50.4	109,400	26.23	SEBA KLL-Q
26/07/2018	50.6	118,500	26.18	SEBA KLL-Q
26/07/2018	50.8	127,000	26.22	SEBA KLL-Q
26/07/2018	51.0	135,900	26.20	SEBA KLL-Q
26/07/2018	51.2	148,400	26.23	SEBA KLL-Q
26/07/2018	51.4	160,600	26.29	SEBA KLL-Q
26/07/2018	51.6	169,600	26.22	SEBA KLL-Q
26/07/2018	51.8	175,700	26.23	SEBA KLL-Q
26/07/2018	52.0	186,700	26.21	SEBA KLL-Q
26/07/2018	52.2	200,400	26.18	SEBA KLL-Q
26/07/2018	52.4	212,300	26.17	SEBA KLL-Q
26/07/2018	52.6	217,500	26.26	SEBA KLL-Q
26/07/2018	52.8	225,500	26.18	SEBA KLL-Q
26/07/2018	53.0	231,600	26.31	SEBA KLL-Q
26/07/2018	53.2	235,700	26.20	SEBA KLL-Q
26/07/2018	53.4	245,600	26.32	SEBA KLL-Q
26/07/2018	53.6	250,300	26.34	SEBA KLL-Q
26/07/2018	53.8	254,800	26.19	SEBA KLL-Q
26/07/2018	54.0	258,400	26.19	SEBA KLL-Q
26/07/2018	54.5	265,400	26.18	SEBA KLL-Q
26/07/2018	55.0	270,400	26.32	SEBA KLL-Q
26/07/2018	56.0	278,200	26.22	SEBA KLL-Q
26/07/2018	57.0	280,800	26.33	SEBA KLL-Q
26/07/2018	59.0	283,500	26.28	SEBA KLL-Q
26/07/2018	61.0	284,300	26.40	SEBA KLL-Q
26/07/2018	63.0	284,400	26.41	SEBA KLL-Q
26/07/2018	65.0	285,900	26.35	SEBA KLL-Q
26/07/2018	67.0	286,000	26.37	SEBA KLL-Q
26/07/2018	69.0	286,000	26.44	SEBA KLL-Q
26/07/2018	71.0	285,500	26.45	SEBA KLL-Q
24/08/2018	1.5	3,975	24.32	SEBA KLL-Q
24/08/2018	2.0	3,991	24.33	SEBA KLL-Q
24/08/2018	2.5	3,986	25.97	SEBA KLL-Q
24/08/2018	3.0	3,981	25.97	SEBA KLL-Q
24/08/2018	3.5	3,979	26.01	SEBA KLL-Q
24/08/2018	4.0	3,972	26.00	SEBA KLL-Q
24/08/2018	5.0	3,971	25.98	SEBA KLL-Q
24/08/2018	6.0	3,971	26.01	SEBA KLL-Q
24/08/2018	8.0	3,981	26.02	SEBA KLL-Q
24/08/2018	10.0	3,983	26.04	SEBA KLL-Q
24/08/2018	12.0	3,983	26.05	SEBA KLL-Q
24/08/2018	14.0	3,987	26.01	SEBA KLL-Q
24/08/2018	16.0	4,727	26.01	SEBA KLL-Q
24/08/2018	16.5	4,857	26.00	SEBA KLL-Q
24/08/2018	17.0	4,890	26.03	SEBA KLL-Q
24/08/2018	18.0	5,140	26.02	SEBA KLL-Q
24/08/2018	20.0	6,420	26.01	SEBA KLL-Q
24/08/2018	22.0	6,770	26.04	SEBA KLL-Q
24/08/2018	24.0	7,159	26.06	SEBA KLL-Q
24/08/2018	26.0	7,156	26.05	SEBA KLL-Q
24/08/2018	28.0	7,274	26.03	SEBA KLL-Q
24/08/2018	30.0	8,158	26.06	SEBA KLL-Q
24/08/2018	32.0	8,728	26.06	SEBA KLL-Q
24/08/2018	34.0	9,231	26.07	SEBA KLL-Q
24/08/2018	36.0	9,719	26.10	SEBA KLL-Q
24/08/2018	38.0	9,931	26.08	SEBA KLL-Q
24/08/2018	40.0	12,600	26.12	SEBA KLL-Q
24/08/2018	41.0	13,690	26.13	SEBA KLL-Q
24/08/2018	42.0	14,310	26.17	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/08/2018	44.0	16,010	26.20	SEBA KLL-Q
24/08/2018	45.0	16,670	26.21	SEBA KLL-Q
24/08/2018	46.0	17,090	26.19	SEBA KLL-Q
24/08/2018	48.0	31,310	26.18	SEBA KLL-Q
24/08/2018	48.2	32,850	26.26	SEBA KLL-Q
24/08/2018	48.4	34,660	26.24	SEBA KLL-Q
24/08/2018	48.6	37,120	26.26	SEBA KLL-Q
24/08/2018	48.8	41,400	26.21	SEBA KLL-Q
24/08/2018	49.0	46,750	26.23	SEBA KLL-Q
24/08/2018	49.5	62,080	26.27	SEBA KLL-Q
24/08/2018	50.0	88,060	26.23	SEBA KLL-Q
24/08/2018	50.2	99,290	26.22	SEBA KLL-Q
24/08/2018	50.4	99,170	26.26	SEBA KLL-Q
24/08/2018	50.6	115,200	26.24	SEBA KLL-Q
24/08/2018	50.8	123,800	26.26	SEBA KLL-Q
24/08/2018	51.0	134,500	26.26	SEBA KLL-Q
24/08/2018	51.2	146,200	26.24	SEBA KLL-Q
24/08/2018	51.4	153,100	26.24	SEBA KLL-Q
24/08/2018	51.6	160,600	26.24	SEBA KLL-Q
24/08/2018	51.8	170,300	26.25	SEBA KLL-Q
24/08/2018	52.0	181,400	26.27	SEBA KLL-Q
24/08/2018	52.2	192,900	26.24	SEBA KLL-Q
24/08/2018	52.4	198,300	26.29	SEBA KLL-Q
24/08/2018	52.6	198,800	26.23	SEBA KLL-Q
24/08/2018	52.8	211,300	26.24	SEBA KLL-Q
24/08/2018	53.0	214,400	26.23	SEBA KLL-Q
24/08/2018	53.2	219,800	26.24	SEBA KLL-Q
24/08/2018	53.4	224,100	26.23	SEBA KLL-Q
24/08/2018	53.6	226,400	26.23	SEBA KLL-Q
24/08/2018	53.8	231,500	26.28	SEBA KLL-Q
24/08/2018	54.0	235,100	26.22	SEBA KLL-Q
24/08/2018	54.5	241,500	26.27	SEBA KLL-Q
24/08/2018	55.0	246,900	26.23	SEBA KLL-Q
24/08/2018	55.5	253,300	26.24	SEBA KLL-Q
24/08/2018	56.0	255,000	26.24	SEBA KLL-Q
24/08/2018	56.5	255,800	26.24	SEBA KLL-Q
24/08/2018	57.0	256,300	26.24	SEBA KLL-Q
24/08/2018	58.0	257,400	26.25	SEBA KLL-Q
24/08/2018	59.0	258,200	26.35	SEBA KLL-Q
24/08/2018	60.0	258,800	26.28	SEBA KLL-Q
24/08/2018	62.0	259,500	26.32	SEBA KLL-Q
24/08/2018	64.0	259,900	26.37	SEBA KLL-Q
24/08/2018	66.0	260,000	26.36	SEBA KLL-Q
24/08/2018	68.0	260,800	26.48	SEBA KLL-Q
24/08/2018	70.0	260,600	26.43	SEBA KLL-Q
24/08/2018	72.0	260,700	26.47	SEBA KLL-Q
24/08/2018	74.0	259,000	26.47	SEBA KLL-Q
24/08/2018	76.0	259,500	26.61	SEBA KLL-Q
24/08/2018	78.0	259,300	26.60	SEBA KLL-Q
24/08/2018	80.0	259,100	26.72	SEBA KLL-Q
24/08/2018	82.0	259,400	26.65	SEBA KLL-Q
24/08/2018	84.0	258,900	26.71	SEBA KLL-Q
24/08/2018	86.0	259,100	26.72	SEBA KLL-Q
24/08/2018	88.0	258,600	26.84	SEBA KLL-Q
24/08/2018	90.0	259,200	26.87	SEBA KLL-Q
24/08/2018	92.0	259,700	26.86	SEBA KLL-Q
24/08/2018	94.0	259,500	26.94	SEBA KLL-Q
24/08/2018	96.0	259,900	26.98	SEBA KLL-Q
24/08/2018	98.0	255,500	27.00	SEBA KLL-Q
24/08/2018	100.0	254,400	26.98	SEBA KLL-Q
24/08/2018	102.0	255,600	27.07	SEBA KLL-Q
24/08/2018	104.0	255,100	27.14	SEBA KLL-Q
24/08/2018	106.0	255,300	27.10	SEBA KLL-Q
24/08/2018	108.0	254,400	27.13	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/08/2018	110.0	254,700	27.25	SEBA KLL-Q
24/08/2018	112.0	255,000	27.24	SEBA KLL-Q
24/08/2018	114.0	254,900	27.20	SEBA KLL-Q
24/08/2018	116.0	255,200	27.23	SEBA KLL-Q
24/08/2018	118.0	174,400	27.31	SEBA KLL-Q
06/09/2018	1.1	4,090	25.30	SEBA KLL-Q
06/09/2018	1.2	4,102	25.10	SEBA KLL-Q
06/09/2018	1.4	4,095	25.20	SEBA KLL-Q
06/09/2018	1.6	4,071	25.50	SEBA KLL-Q
06/09/2018	1.8	4,062	25.70	SEBA KLL-Q
06/09/2018	2.0	4,050	25.90	SEBA KLL-Q
06/09/2018	2.5	4,037	25.90	SEBA KLL-Q
06/09/2018	3.0	4,043	25.90	SEBA KLL-Q
06/09/2018	4.0	4,042	25.90	SEBA KLL-Q
06/09/2018	6.0	4,040	25.90	SEBA KLL-Q
06/09/2018	8.0	4,047	25.90	SEBA KLL-Q
06/09/2018	10.0	4,051	25.90	SEBA KLL-Q
06/09/2018	12.0	4,053	25.90	SEBA KLL-Q
06/09/2018	14.0	4,059	25.90	SEBA KLL-Q
06/09/2018	16.0	4,761	25.90	SEBA KLL-Q
06/09/2018	18.0	5,110	25.90	SEBA KLL-Q
06/09/2018	20.0	6,452	25.90	SEBA KLL-Q
06/09/2018	22.0	6,784	25.90	SEBA KLL-Q
06/09/2018	24.0	7,215	25.90	SEBA KLL-Q
06/09/2018	26.0	7,307	26.00	SEBA KLL-Q
06/09/2018	28.0	7,308	26.00	SEBA KLL-Q
06/09/2018	30.0	8,069	25.90	SEBA KLL-Q
06/09/2018	32.0	8,834	26.00	SEBA KLL-Q
06/09/2018	34.0	9,314	26.00	SEBA KLL-Q
06/09/2018	36.0	9,855	26.00	SEBA KLL-Q
06/09/2018	38.0	10,070	26.00	SEBA KLL-Q
06/09/2018	40.0	12,310	26.00	SEBA KLL-Q
06/09/2018	42.0	14,450	26.00	SEBA KLL-Q
06/09/2018	43.0	15,140	26.00	SEBA KLL-Q
06/09/2018	44.0	16,200	26.10	SEBA KLL-Q
06/09/2018	45.0	16,730	26.10	SEBA KLL-Q
06/09/2018	46.0	17,500	26.10	SEBA KLL-Q
06/09/2018	47.0	19,860	26.10	SEBA KLL-Q
06/09/2018	48.0	29,990	26.10	SEBA KLL-Q
06/09/2018	49.0	47,630	26.20	SEBA KLL-Q
06/09/2018	49.5	62,900	26.20	SEBA KLL-Q
06/09/2018	50.0	88,460	26.20	SEBA KLL-Q
06/09/2018	50.2	99,250	26.20	SEBA KLL-Q
06/09/2018	50.4	108,700	26.20	SEBA KLL-Q
06/09/2018	50.6	116,900	26.20	SEBA KLL-Q
06/09/2018	51.0	134,800	26.20	SEBA KLL-Q
06/09/2018	51.5	157,500	26.20	SEBA KLL-Q
06/09/2018	51.7	166,700	26.20	SEBA KLL-Q
06/09/2018	51.9	177,100	26.20	SEBA KLL-Q
06/09/2018	52.1	188,300	26.20	SEBA KLL-Q
06/09/2018	52.3	197,400	26.20	SEBA KLL-Q
06/09/2018	52.5	204,400	26.20	SEBA KLL-Q
06/09/2018	52.7	210,700	26.20	SEBA KLL-Q
06/09/2018	52.9	215,600	26.20	SEBA KLL-Q
06/09/2018	53.2	222,100	26.20	SEBA KLL-Q
06/09/2018	53.5	226,300	26.20	SEBA KLL-Q
06/09/2018	53.6	230,400	26.20	SEBA KLL-Q
06/09/2018	53.8	233,900	26.30	SEBA KLL-Q
06/09/2018	54.0	237,400	26.40	SEBA KLL-Q
06/09/2018	54.5	244,300	26.30	SEBA KLL-Q
06/09/2018	55.0	249,700	26.30	SEBA KLL-Q
06/09/2018	56.0	256,100	26.30	SEBA KLL-Q
06/09/2018	58.0	260,300	26.30	SEBA KLL-Q
06/09/2018	60.0	261,800	26.30	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/09/2018	62.0	262,200	26.30	SEBA KLL-Q
06/09/2018	64.0	263,100	26.40	SEBA KLL-Q
06/09/2018	66.0	263,300	26.40	SEBA KLL-Q
06/09/2018	68.0	264,100	26.40	SEBA KLL-Q
06/09/2018	70.0	264,000	26.50	SEBA KLL-Q
06/09/2018	72.0	264,100	26.50	SEBA KLL-Q
06/09/2018	74.0	263,100	26.60	SEBA KLL-Q
06/09/2018	76.0	263,400	26.60	SEBA KLL-Q
06/09/2018	78.0	263,500	26.70	SEBA KLL-Q
06/09/2018	80.0	263,500	26.70	SEBA KLL-Q
06/09/2018	82.0	263,500	26.80	SEBA KLL-Q
06/09/2018	84.0	263,000	26.80	SEBA KLL-Q
06/09/2018	86.0	263,400	26.70	SEBA KLL-Q
06/09/2018	88.0	263,300	26.80	SEBA KLL-Q
06/09/2018	90.0	263,300	26.80	SEBA KLL-Q
06/09/2018	92.0	263,500	26.90	SEBA KLL-Q
06/09/2018	94.0	263,600	26.90	SEBA KLL-Q
06/09/2018	96.0	263,300	27.00	SEBA KLL-Q
06/09/2018	98.0	259,300	27.00	SEBA KLL-Q
06/09/2018	100.0	258,000	27.00	SEBA KLL-Q
06/09/2018	102.0	258,300	27.10	SEBA KLL-Q
06/09/2018	104.0	258,700	27.10	SEBA KLL-Q
06/09/2018	106.0	258,700	27.10	SEBA KLL-Q
06/09/2018	108.0	258,000	27.20	SEBA KLL-Q
06/09/2018	110.0	258,100	27.20	SEBA KLL-Q
06/09/2018	112.0	258,000	27.30	SEBA KLL-Q
06/09/2018	114.0	258,100	27.30	SEBA KLL-Q
15/11/2018	1.5	4,261	25.60	SEBA KLL-Q
15/11/2018	2.0	4,253	25.73	SEBA KLL-Q
15/11/2018	2.5	4,253	25.74	SEBA KLL-Q
15/11/2018	3.0	4,254	25.73	SEBA KLL-Q
15/11/2018	4.0	4,255	25.74	SEBA KLL-Q
15/11/2018	5.0	4,253	25.74	SEBA KLL-Q
15/11/2018	6.0	4,253	25.74	SEBA KLL-Q
15/11/2018	8.0	4,261	25.75	SEBA KLL-Q
15/11/2018	10.0	4,267	25.75	SEBA KLL-Q
15/11/2018	12.0	4,269	25.75	SEBA KLL-Q
15/11/2018	14.0	4,271	25.73	SEBA KLL-Q
15/11/2018	16.0	5,098	25.73	SEBA KLL-Q
15/11/2018	18.0	5,557	25.75	SEBA KLL-Q
15/11/2018	20.0	6,829	25.75	SEBA KLL-Q
15/11/2018	22.0	7,073	25.76	SEBA KLL-Q
15/11/2018	24.0	7,668	25.77	SEBA KLL-Q
15/11/2018	26.0	7,688	25.77	SEBA KLL-Q
15/11/2018	28.0	7,688	25.78	SEBA KLL-Q
15/11/2018	30.0	8,796	25.79	SEBA KLL-Q
15/11/2018	32.0	9,140	25.80	SEBA KLL-Q
15/11/2018	34.0	9,868	25.81	SEBA KLL-Q
15/11/2018	36.0	10,260	25.83	SEBA KLL-Q
15/11/2018	38.0	10,920	25.85	SEBA KLL-Q
15/11/2018	40.0	12,810	25.87	SEBA KLL-Q
15/11/2018	42.0	15,020	25.88	SEBA KLL-Q
15/11/2018	44.0	16,970	25.91	SEBA KLL-Q
15/11/2018	45.0	17,670	25.93	SEBA KLL-Q
15/11/2018	46.0	18,320	25.93	SEBA KLL-Q
15/11/2018	46.5	19,330	25.94	SEBA KLL-Q
15/11/2018	47.0	21,460	25.93	SEBA KLL-Q
15/11/2018	47.5	26,860	25.94	SEBA KLL-Q
15/11/2018	48.0	33,750	25.96	SEBA KLL-Q
15/11/2018	48.2	35,030	25.97	SEBA KLL-Q
15/11/2018	48.4	36,270	25.98	SEBA KLL-Q
15/11/2018	48.6	38,970	25.97	SEBA KLL-Q
15/11/2018	48.8	43,050	25.97	SEBA KLL-Q
15/11/2018	49.0	47,880	25.89	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [µS/cm]	TEMP [°C]	Equipo
15/11/2018	49.2	53,270	25.98	SEBA KLL-Q
15/11/2018	49.4	60,870	25.98	SEBA KLL-Q
15/11/2018	49.6	69,430	25.99	SEBA KLL-Q
15/11/2018	49.8	80,590	25.99	SEBA KLL-Q
15/11/2018	50.0	90,540	25.99	SEBA KLL-Q
15/11/2018	50.2	100,100	26.00	SEBA KLL-Q
15/11/2018	50.4	108,200	26.00	SEBA KLL-Q
15/11/2018	50.6	115,600	26.00	SEBA KLL-Q
15/11/2018	50.8	124,300	26.00	SEBA KLL-Q
15/11/2018	51.0	134,900	26.01	SEBA KLL-Q
15/11/2018	51.2	144,400	26.01	SEBA KLL-Q
15/11/2018	51.4	151,300	26.01	SEBA KLL-Q
15/11/2018	51.6	158,600	26.02	SEBA KLL-Q
15/11/2018	51.8	167,500	26.02	SEBA KLL-Q
15/11/2018	52.0	178,300	26.02	SEBA KLL-Q
15/11/2018	52.2	187,400	26.02	SEBA KLL-Q
15/11/2018	52.4	193,700	26.02	SEBA KLL-Q
15/11/2018	52.6	200,200	26.03	SEBA KLL-Q
15/11/2018	52.8	203,200	26.02	SEBA KLL-Q
15/11/2018	53.0	207,600	26.03	SEBA KLL-Q
15/11/2018	53.2	212,500	26.04	SEBA KLL-Q
15/11/2018	53.4	215,100	26.04	SEBA KLL-Q
15/11/2018	53.6	218,700	26.05	SEBA KLL-Q
15/11/2018	53.8	222,200	26.05	SEBA KLL-Q
15/11/2018	54.0	225,400	26.04	SEBA KLL-Q
15/11/2018	54.5	231,300	26.07	SEBA KLL-Q
15/11/2018	55.0	235,800	26.07	SEBA KLL-Q
15/11/2018	55.5	236,100	26.08	SEBA KLL-Q
15/11/2018	56.0	241,600	26.08	SEBA KLL-Q
15/11/2018	56.5	243,100	26.10	SEBA KLL-Q
15/11/2018	57.0	244,400	26.11	SEBA KLL-Q
15/11/2018	58.0	245,600	26.11	SEBA KLL-Q
15/11/2018	59.0	246,400	26.14	SEBA KLL-Q
15/11/2018	60.0	246,500	26.13	SEBA KLL-Q
15/11/2018	62.0	247,200	26.19	SEBA KLL-Q
15/11/2018	64.0	247,600	26.21	SEBA KLL-Q
15/11/2018	66.0	247,800	26.24	SEBA KLL-Q
15/11/2018	68.0	247,900	26.25	SEBA KLL-Q
15/11/2018	70.0	247,700	26.32	SEBA KLL-Q
15/11/2018	72.0	247,100	26.36	SEBA KLL-Q
15/11/2018	74.0	245,900	26.43	SEBA KLL-Q
15/11/2018	76.0	245,900	26.48	SEBA KLL-Q
15/11/2018	78.0	245,500	26.50	SEBA KLL-Q
15/11/2018	81.0	245,800	26.50	SEBA KLL-Q
15/11/2018	84.0	246,100	26.52	SEBA KLL-Q
15/11/2018	87.0	246,000	26.53	SEBA KLL-Q
15/11/2018	90.0	245,300	26.53	SEBA KLL-Q
15/11/2018	93.0	245,400	26.52	SEBA KLL-Q
15/11/2018	96.0	245,200	26.79	SEBA KLL-Q
15/11/2018	99.0	242,900	26.85	SEBA KLL-Q
15/11/2018	102.0	242,000	26.91	SEBA KLL-Q
15/11/2018	105.0	241,700	26.97	SEBA KLL-Q
15/11/2018	108.0	240,900	27.04	SEBA KLL-Q
15/11/2018	111.0	240,800	27.03	SEBA KLL-Q
15/11/2018	114.0	240,800	27.14	SEBA KLL-Q
15/11/2018	116.0	240,600	27.16	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2013	1.50	24,800	20.30	TLC-107 SONDA 1
22/10/2013	1.70	25,400	20.20	TLC-107 SONDA 1
22/10/2013	1.90	26,400	20.00	TLC-107 SONDA 1
22/10/2013	2.10	28,300	19.80	TLC-107 SONDA 1
22/10/2013	2.30	30,000	19.50	TLC-107 SONDA 1
22/10/2013	2.50	32,100	19.50	TLC-107 SONDA 1
22/10/2013	2.70	32,800	19.40	TLC-107 SONDA 1
22/10/2013	2.90	32,900	19.30	TLC-107 SONDA 1
22/10/2013	3.10	32,800	19.30	TLC-107 SONDA 1
22/10/2013	3.30	32,900	19.30	TLC-107 SONDA 1
22/10/2013	3.50	32,900	19.30	TLC-107 SONDA 1
22/10/2013	4.00	33,100	19.20	TLC-107 SONDA 1
22/10/2013	4.50	33,300	19.20	TLC-107 SONDA 1
22/10/2013	5.00	33,500	19.20	TLC-107 SONDA 1
22/10/2013	5.50	34,100	19.20	TLC-107 SONDA 1
22/10/2013	6.00	34,500	19.20	TLC-107 SONDA 1
22/10/2013	6.50	34,800	19.30	TLC-107 SONDA 1
22/10/2013	7.00	152,800	18.90	TLC-107 SONDA 1
22/10/2013	7.50	162,300	18.80	TLC-107 SONDA 1
22/10/2013	8.00	162,800	18.80	TLC-107 SONDA 1
22/10/2013	9.00	163,200	18.80	TLC-107 SONDA 1
22/10/2013	10.00	163,700	18.80	TLC-107 SONDA 1
22/10/2013	11.00	163,500	18.80	TLC-107 SONDA 1
22/10/2013	16.00	164,400	18.80	TLC-107 SONDA 1
22/10/2013	21.00	177,600	18.80	TLC-107 SONDA 1
22/10/2013	26.00	214,600	18.90	TLC-107 SONDA 1
22/10/2013	27.00	239,900	19.30	TLC-107 SONDA 1
22/10/2013	27.50	240,000	19.40	TLC-107 SONDA 1
22/10/2013	28.00	240,700	19.40	TLC-107 SONDA 1
22/10/2013	28.50	240,100	19.40	TLC-107 SONDA 1
22/10/2013	29.00	240,400	19.40	TLC-107 SONDA 1
22/10/2013	30.00	240,800	19.50	TLC-107 SONDA 1
22/10/2013	31.00	241,000	19.50	TLC-107 SONDA 1
22/10/2013	32.00	241,400	19.50	TLC-107 SONDA 1
22/10/2013	33.00	241,500	19.50	TLC-107 SONDA 1
22/10/2013	38.00	240,800	19.80	TLC-107 SONDA 1
22/10/2013	43.00	241,200	19.80	TLC-107 SONDA 1
22/10/2013	48.00	241,000	19.90	TLC-107 SONDA 1
22/10/2013	53.00	241,300	19.90	TLC-107 SONDA 1
22/10/2013	58.00	240,900	20.00	TLC-107 SONDA 1
22/10/2013	63.00	239,700	20.30	TLC-107 SONDA 1
22/10/2013	68.00	239,300	20.40	TLC-107 SONDA 1
22/10/2013	73.00	239,200	20.40	TLC-107 SONDA 1
22/10/2013	78.00	199,700	20.60	TLC-107 SONDA 1
22/10/2013	79.91	198,700	20.60	TLC-107 SONDA 1
19/11/2013	1.70	17,200	21.80	TLC-107 SONDA 1
19/11/2013	1.90	18,200	21.60	TLC-107 SONDA 1
19/11/2013	2.00	18,400	21.50	TLC-107 SONDA 1
19/11/2013	2.20	18,400	21.40	TLC-107 SONDA 1
19/11/2013	2.40	18,500	21.20	TLC-107 SONDA 1
19/11/2013	2.60	18,400	21.00	TLC-107 SONDA 1
19/11/2013	2.80	18,500	20.80	TLC-107 SONDA 1
19/11/2013	3.00	18,500	20.60	TLC-107 SONDA 1
19/11/2013	3.20	18,400	20.50	TLC-107 SONDA 1
19/11/2013	3.40	18,400	20.30	TLC-107 SONDA 1
19/11/2013	3.60	18,300	20.20	TLC-107 SONDA 1
19/11/2013	3.80	18,200	20.00	TLC-107 SONDA 1
19/11/2013	4.00	18,100	19.90	TLC-107 SONDA 1
19/11/2013	4.50	18,800	19.70	TLC-107 SONDA 1
19/11/2013	5.00	20,000	19.50	TLC-107 SONDA 1
19/11/2013	5.50	20,200	19.50	TLC-107 SONDA 1
19/11/2013	6.00	20,300	19.40	TLC-107 SONDA 1
19/11/2013	6.20	107,500	19.10	TLC-107 SONDA 1
19/11/2013	6.40	116,300	19.00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/11/2013	6.60	116,200	18.90	TLC-107 SONDA 1
19/11/2013	6.80	120,400	18.80	TLC-107 SONDA 1
19/11/2013	7.00	116,600	18.80	TLC-107 SONDA 1
19/11/2013	7.50	114,100	18.80	TLC-107 SONDA 1
19/11/2013	8.00	114,300	18.80	TLC-107 SONDA 1
19/11/2013	8.50	114,400	18.80	TLC-107 SONDA 1
19/11/2013	9.00	114,500	18.80	TLC-107 SONDA 1
19/11/2013	9.50	113,400	18.80	TLC-107 SONDA 1
19/11/2013	10.00	113,500	18.80	TLC-107 SONDA 1
19/11/2013	11.00	113,000	18.80	TLC-107 SONDA 1
19/11/2013	12.00	124,300	18.80	TLC-107 SONDA 1
19/11/2013	13.00	118,000	18.80	TLC-107 SONDA 1
19/11/2013	14.00	117,300	18.80	TLC-107 SONDA 1
19/11/2013	15.00	114,800	18.80	TLC-107 SONDA 1
19/11/2013	20.00	117,300	18.80	TLC-107 SONDA 1
19/11/2013	15.00	126,400	18.80	TLC-107 SONDA 1
19/11/2013	30.00	164,600	18.80	TLC-107 SONDA 1
19/11/2013	35.00	165,800	19.50	TLC-107 SONDA 1
19/11/2013	40.00	170,600	19.80	TLC-107 SONDA 1
19/11/2013	45.00	168,300	19.80	TLC-107 SONDA 1
19/11/2013	50.00	169,100	19.90	TLC-107 SONDA 1
19/11/2013	55.00	169,500	20.00	TLC-107 SONDA 1
19/11/2013	60.00	169,500	20.00	TLC-107 SONDA 1
19/11/2013	65.00	171,900	20.00	TLC-107 SONDA 1
19/11/2013	70.00	173,900	20.40	TLC-107 SONDA 1
19/11/2013	75.00	172,700	20.50	TLC-107 SONDA 1
19/11/2013	78.14	136,100	20.60	TLC-107 SONDA 1
17/12/2013	2.00	14,500	22.30	TLC-107 SONDA 1
17/12/2013	2.20	14,700	21.90	TLC-107 SONDA 1
17/12/2013	2.40	15,500	21.10	TLC-107 SONDA 1
17/12/2013	2.60	27,400	20.30	TLC-107 SONDA 1
17/12/2013	2.80	28,800	20.00	TLC-107 SONDA 1
17/12/2013	3.00	29,300	19.90	TLC-107 SONDA 1
17/12/2013	3.50	30,000	19.70	TLC-107 SONDA 1
17/12/2013	4.00	30,600	19.70	TLC-107 SONDA 1
17/12/2013	4.50	46,800	19.70	TLC-107 SONDA 1
17/12/2013	5.00	72,200	19.70	TLC-107 SONDA 1
17/12/2013	5.50	79,100	19.40	TLC-107 SONDA 1
17/12/2013	6.00	85,500	19.40	TLC-107 SONDA 1
17/12/2013	7.00	86,100	19.30	TLC-107 SONDA 1
17/12/2013	8.00	86,300	19.00	TLC-107 SONDA 1
17/12/2013	9.00	86,100	18.90	TLC-107 SONDA 1
17/12/2013	10.00	86,400	18.90	TLC-107 SONDA 1
17/12/2013	15.00	88,100	18.90	TLC-107 SONDA 1
17/12/2013	20.00	92,900	18.90	TLC-107 SONDA 1
17/12/2013	25.00	104,700	18.90	TLC-107 SONDA 1
17/12/2013	26.00	180,800	19.10	TLC-107 SONDA 1
17/12/2013	27.00	218,600	19.50	TLC-107 SONDA 1
17/12/2013	28.00	222,100	19.70	TLC-107 SONDA 1
17/12/2013	29.00	221,400	19.70	TLC-107 SONDA 1
17/12/2013	30.00	221,600	19.80	TLC-107 SONDA 1
17/12/2013	35.00	222,400	19.90	TLC-107 SONDA 1
17/12/2013	40.00	223,200	20.00	TLC-107 SONDA 1
17/12/2013	45.00	223,600	20.20	TLC-107 SONDA 1
17/12/2013	50.00	222,200	20.20	TLC-107 SONDA 1
17/12/2013	55.00	225,000	20.20	TLC-107 SONDA 1
17/12/2013	56.00	224,300	20.20	TLC-107 SONDA 1
17/12/2013	57.00	225,700	20.30	TLC-107 SONDA 1
17/12/2013	58.00	225,800	20.30	TLC-107 SONDA 1
17/12/2013	59.00	225,100	20.30	TLC-107 SONDA 1
17/12/2013	60.00	224,400	20.30	TLC-107 SONDA 1
17/12/2013	61.00	226,600	20.30	TLC-107 SONDA 1
17/12/2013	62.00	225,800	20.30	TLC-107 SONDA 1
17/12/2013	63.00	225,300	20.40	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/12/2013	64.00	228,100	20.40	TLC-107 SONDA 1
17/12/2013	65.00	229,000	20.50	TLC-107 SONDA 1
17/12/2013	66.00	230,000	20.50	TLC-107 SONDA 1
17/12/2013	67.00	232,000	20.50	TLC-107 SONDA 1
17/12/2013	68.00	232,300	20.60	TLC-107 SONDA 1
17/12/2013	69.00	233,600	20.60	TLC-107 SONDA 1
17/12/2013	70.00	235,100	20.60	TLC-107 SONDA 1
17/12/2013	75.00	235,300	20.70	TLC-107 SONDA 1
17/12/2013	76.00	234,600	20.70	TLC-107 SONDA 1
17/12/2013	77.00	236,300	20.80	TLC-107 SONDA 1
17/12/2013	78.00	117,500	20.80	TLC-107 SONDA 1
25/03/2014	1.80	54,900	18.80	TLC-107 SONDA 1
25/03/2014	2.00	60,200	18.80	TLC-107 SONDA 1
25/03/2014	2.50	64,500	18.90	TLC-107 SONDA 1
25/03/2014	3.00	64,800	18.90	TLC-107 SONDA 1
25/03/2014	4.00	65,600	18.90	TLC-107 SONDA 1
25/03/2014	5.00	66,100	18.90	TLC-107 SONDA 1
25/03/2014	6.00	67,100	18.90	TLC-107 SONDA 1
25/03/2014	8.00	67,900	18.90	TLC-107 SONDA 1
25/03/2014	10.00	68,700	18.90	TLC-107 SONDA 1
25/03/2014	12.00	69,300	18.90	TLC-107 SONDA 1
25/03/2014	14.00	73,500	18.90	TLC-107 SONDA 1
25/03/2014	15.00	71,800	18.90	TLC-107 SONDA 1
25/03/2014	16.00	71,900	18.90	TLC-107 SONDA 1
25/03/2014	18.00	75,900	18.90	TLC-107 SONDA 1
25/03/2014	20.00	75,900	18.90	TLC-107 SONDA 1
25/03/2014	22.00	75,300	18.90	TLC-107 SONDA 1
25/03/2014	24.00	78,200	18.90	TLC-107 SONDA 1
25/03/2014	25.00	80,500	18.90	TLC-107 SONDA 1
25/03/2014	25.20	82,100	18.90	TLC-107 SONDA 1
25/03/2014	25.40	83,200	18.90	TLC-107 SONDA 1
25/03/2014	25.60	89,000	18.90	TLC-107 SONDA 1
25/03/2014	25.80	115,700	18.90	TLC-107 SONDA 1
25/03/2014	26.00	119,400	19.00	TLC-107 SONDA 1
25/03/2014	26.20	126,200	19.00	TLC-107 SONDA 1
25/03/2014	26.40	125,800	19.10	TLC-107 SONDA 1
25/03/2014	26.60	136,400	19.30	TLC-107 SONDA 1
25/03/2014	26.80	139,700	19.40	TLC-107 SONDA 1
25/03/2014	27.00	139,100	19.40	TLC-107 SONDA 1
25/03/2014	27.20	135,500	19.50	TLC-107 SONDA 1
25/03/2014	27.40	137,100	19.50	TLC-107 SONDA 1
25/03/2014	27.60	139,700	19.50	TLC-107 SONDA 1
25/03/2014	27.00	139,200	19.50	TLC-107 SONDA 1
25/03/2014	28.00	136,400	19.50	TLC-107 SONDA 1
25/03/2014	28.50	138,200	19.50	TLC-107 SONDA 1
25/03/2014	29.00	139,300	19.50	TLC-107 SONDA 1
25/03/2014	30.00	136,100	19.70	TLC-107 SONDA 1
25/03/2014	32.00	138,300	19.70	TLC-107 SONDA 1
25/03/2014	34.00	140,900	19.80	TLC-107 SONDA 1
25/03/2014	36.00	141,900	19.80	TLC-107 SONDA 1
25/03/2014	38.00	142,200	19.90	TLC-107 SONDA 1
25/03/2014	40.00	144,300	19.90	TLC-107 SONDA 1
25/03/2014	42.00	142,500	19.90	TLC-107 SONDA 1
25/03/2014	44.00	141,000	20.00	TLC-107 SONDA 1
25/03/2014	46.00	141,700	20.00	TLC-107 SONDA 1
25/03/2014	48.00	143,300	20.00	TLC-107 SONDA 1
25/03/2014	50.00	142,500	20.00	TLC-107 SONDA 1
25/03/2014	55.00	146,800	20.00	TLC-107 SONDA 1
25/03/2014	60.00	149,900	20.20	TLC-107 SONDA 1
25/03/2014	65.00	148,900	20.30	TLC-107 SONDA 1
25/03/2014	70.00	149,100	20.40	TLC-107 SONDA 1
25/03/2014	75.00	148,500	20.60	TLC-107 SONDA 1
25/03/2014	75.80	201,600	20.60	TLC-107 SONDA 1
19/04/2014	1.60	135,100	18.60	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/04/2014	1.80	134,700	18.90	TLC-107 SONDA 1
19/04/2014	2.00	134,200	18.90	TLC-107 SONDA 1
19/04/2014	2.20	134,000	18.90	TLC-107 SONDA 1
19/04/2014	2.40	132,000	18.90	TLC-107 SONDA 1
19/04/2014	2.60	133,400	18.90	TLC-107 SONDA 1
19/04/2014	2.80	133,300	18.90	TLC-107 SONDA 1
19/04/2014	3.00	132,900	18.90	TLC-107 SONDA 1
19/04/2014	3.50	132,400	18.90	TLC-107 SONDA 1
19/04/2014	4.00	132,200	18.90	TLC-107 SONDA 1
19/04/2014	5.00	131,800	18.90	TLC-107 SONDA 1
19/04/2014	6.00	131,400	18.90	TLC-107 SONDA 1
19/04/2014	7.00	131,400	18.90	TLC-107 SONDA 1
19/04/2014	8.00	130,900	18.90	TLC-107 SONDA 1
19/04/2014	10.00	130,700	18.90	TLC-107 SONDA 1
19/04/2014	12.00	130,500	18.90	TLC-107 SONDA 1
19/04/2014	14.00	129,900	18.90	TLC-107 SONDA 1
19/04/2014	16.00	129,400	18.90	TLC-107 SONDA 1
19/04/2014	18.00	129,100	18.90	TLC-107 SONDA 1
19/04/2014	20.00	129,500	18.90	TLC-107 SONDA 1
19/04/2014	22.00	130,000	18.90	TLC-107 SONDA 1
19/04/2014	24.00	135,100	18.90	TLC-107 SONDA 1
19/04/2014	25.00	139,300	18.90	TLC-107 SONDA 1
19/04/2014	25.50	143,900	18.90	TLC-107 SONDA 1
19/04/2014	25.60	157,800	18.90	TLC-107 SONDA 1
19/04/2014	25.80	190,900	18.90	TLC-107 SONDA 1
19/04/2014	26.00	200,600	18.90	TLC-107 SONDA 1
19/04/2014	26.20	213,500	19.00	TLC-107 SONDA 1
19/04/2014	26.40	215,500	19.00	TLC-107 SONDA 1
19/04/2014	26.60	233,900	19.20	TLC-107 SONDA 1
19/04/2014	26.80	239,200	19.40	TLC-107 SONDA 1
19/04/2014	27.00	243,000	19.40	TLC-107 SONDA 1
19/04/2014	27.20	239,500	19.40	TLC-107 SONDA 1
19/04/2014	27.40	242,400	19.50	TLC-107 SONDA 1
19/04/2014	27.60	245,900	19.50	TLC-107 SONDA 1
19/04/2014	27.80	249,600	19.50	TLC-107 SONDA 1
19/04/2014	28.00	243,100	19.50	TLC-107 SONDA 1
19/04/2014	28.50	241,100	19.50	TLC-107 SONDA 1
19/04/2014	29.00	247,000	19.50	TLC-107 SONDA 1
19/04/2014	29.50	248,100	19.50	TLC-107 SONDA 1
19/04/2014	30.00	249,500	19.70	TLC-107 SONDA 1
19/04/2014	31.00	244,100	19.70	TLC-107 SONDA 1
19/04/2014	32.00	246,100	19.80	TLC-107 SONDA 1
19/04/2014	33.00	250,600	19.80	TLC-107 SONDA 1
19/04/2014	34.00	241,300	19.80	TLC-107 SONDA 1
19/04/2014	36.00	253,100	19.80	TLC-107 SONDA 1
19/04/2014	38.00	252,400	19.80	TLC-107 SONDA 1
19/04/2014	40.00	256,300	19.80	TLC-107 SONDA 1
19/04/2014	42.00	257,100	19.90	TLC-107 SONDA 1
19/04/2014	44.00	258,700	19.90	TLC-107 SONDA 1
19/04/2014	46.00	260,600	20.00	TLC-107 SONDA 1
19/04/2014	48.00	263,300	20.00	TLC-107 SONDA 1
19/04/2014	50.00	269,200	20.00	TLC-107 SONDA 1
19/04/2014	52.00	270,900	20.00	TLC-107 SONDA 1
19/04/2014	54.00	271,700	20.00	TLC-107 SONDA 1
19/04/2014	56.00	274,100	20.00	TLC-107 SONDA 1
19/04/2014	58.00	273,300	20.20	TLC-107 SONDA 1
19/04/2014	60.00	275,000	20.20	TLC-107 SONDA 1
19/04/2014	62.00	277,100	20.20	TLC-107 SONDA 1
19/04/2014	64.00	279,900	20.30	TLC-107 SONDA 1
19/04/2014	66.00	283,900	20.30	TLC-107 SONDA 1
19/04/2014	68.00	284,100	20.40	TLC-107 SONDA 1
19/04/2014	70.00	284,100	20.40	TLC-107 SONDA 1
19/04/2014	72.00	287,100	20.50	TLC-107 SONDA 1
19/04/2014	74.00	287,100	20.50	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/04/2014	76.00	292,500	20.60	TLC-107 SONDA 1
19/04/2014	77.60	203,200	20.60	TLC-107 SONDA 1
14/05/2014	1.50	129,600	19.40	TLC-107 SONDA 1
14/05/2014	1.70	133,600	18.90	TLC-107 SONDA 1
14/05/2014	2.00	134,000	18.90	TLC-107 SONDA 1
14/05/2014	2.50	134,500	18.90	TLC-107 SONDA 1
14/05/2014	3.00	134,500	18.90	TLC-107 SONDA 1
14/05/2014	4.00	137,200	18.90	TLC-107 SONDA 1
14/05/2014	5.00	144,500	18.90	TLC-107 SONDA 1
14/05/2014	7.00	146,500	18.90	TLC-107 SONDA 1
14/05/2014	9.00	146,800	18.90	TLC-107 SONDA 1
14/05/2014	11.00	148,100	18.90	TLC-107 SONDA 1
14/05/2014	13.00	150,100	18.90	TLC-107 SONDA 1
14/05/2014	15.00	150,900	18.90	TLC-107 SONDA 1
14/05/2014	17.00	152,300	18.90	TLC-107 SONDA 1
14/05/2014	19.00	153,500	18.90	TLC-107 SONDA 1
14/05/2014	21.00	158,300	18.90	TLC-107 SONDA 1
14/05/2014	23.00	164,900	18.90	TLC-107 SONDA 1
14/05/2014	25.00	174,200	18.90	TLC-107 SONDA 1
14/05/2014	25.20	176,000	18.90	TLC-107 SONDA 1
14/05/2014	25.40	178,300	18.90	TLC-107 SONDA 1
14/05/2014	25.60	189,700	18.90	TLC-107 SONDA 1
14/05/2014	25.80	231,100	18.90	TLC-107 SONDA 1
14/05/2014	26.00	238,700	19.00	TLC-107 SONDA 1
14/05/2014	26.20	244,700	19.00	TLC-107 SONDA 1
14/05/2014	26.40	247,900	19.00	TLC-107 SONDA 1
14/05/2014	26.60	270,700	19.30	TLC-107 SONDA 1
14/05/2014	26.80	270,300	19.40	TLC-107 SONDA 1
14/05/2014	27.00	269,700	19.40	TLC-107 SONDA 1
14/05/2014	27.50	263,900	19.50	TLC-107 SONDA 1
14/05/2014	28.00	251,200	19.50	TLC-107 SONDA 1
14/05/2014	29.00	248,300	19.50	TLC-107 SONDA 1
14/05/2014	30.00	243,800	19.70	TLC-107 SONDA 1
14/05/2014	31.00	243,300	19.70	TLC-107 SONDA 1
14/05/2014	32.00	241,200	19.70	TLC-107 SONDA 1
14/05/2014	34.00	241,000	19.80	TLC-107 SONDA 1
14/05/2014	36.00	238,800	19.80	TLC-107 SONDA 1
14/05/2014	38.00	236,800	19.80	TLC-107 SONDA 1
14/05/2014	40.00	236,400	19.90	TLC-107 SONDA 1
14/05/2014	42.00	236,500	19.90	TLC-107 SONDA 1
14/05/2014	44.00	236,400	20.00	TLC-107 SONDA 1
14/05/2014	46.00	234,900	20.00	TLC-107 SONDA 1
14/05/2014	48.00	232,100	20.00	TLC-107 SONDA 1
14/05/2014	50.00	230,500	20.00	TLC-107 SONDA 1
14/05/2014	52.00	229,600	20.00	TLC-107 SONDA 1
14/05/2014	54.00	229,600	20.00	TLC-107 SONDA 1
14/05/2014	56.00	230,300	20.00	TLC-107 SONDA 1
14/05/2014	58.00	232,100	20.20	TLC-107 SONDA 1
14/05/2014	60.00	232,400	20.20	TLC-107 SONDA 1
14/05/2014	62.00	232,800	20.20	TLC-107 SONDA 1
14/05/2014	64.00	232,500	20.30	TLC-107 SONDA 1
14/05/2014	66.00	232,500	20.30	TLC-107 SONDA 1
14/05/2014	68.00	232,100	20.50	TLC-107 SONDA 1
14/05/2014	70.00	231,500	20.50	TLC-107 SONDA 1
14/05/2014	72.00	232,500	20.50	TLC-107 SONDA 1
14/05/2014	74.00	232,200	20.50	TLC-107 SONDA 1
14/05/2014	76.00	240,100	20.60	TLC-107 SONDA 1
14/05/2014	77.90	202,300	20.60	TLC-107 SONDA 1
15/06/2014	1.50	89,300	18.80	TLC-107 SONDA 1
15/06/2014	1.70	89,600	18.90	TLC-107 SONDA 1
15/06/2014	1.90	90,100	18.90	TLC-107 SONDA 1
15/06/2014	2.10	89,900	18.90	TLC-107 SONDA 1
15/06/2014	2.30	90,000	18.90	TLC-107 SONDA 1
15/06/2014	2.50	90,100	18.90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
15/06/2014	3.00	90,300	18.90	TLC-107 SONDA 1
15/06/2014	4.00	90,500	18.90	TLC-107 SONDA 1
15/06/2014	5.00	90,900	18.90	TLC-107 SONDA 1
15/06/2014	7.00	91,000	18.90	TLC-107 SONDA 1
15/06/2014	9.00	91,100	18.90	TLC-107 SONDA 1
15/06/2014	11.00	91,200	18.90	TLC-107 SONDA 1
15/06/2014	13.00	91,600	18.90	TLC-107 SONDA 1
15/06/2014	15.00	92,800	18.90	TLC-107 SONDA 1
15/06/2014	17.00	94,500	18.90	TLC-107 SONDA 1
15/06/2014	19.00	96,300	18.90	TLC-107 SONDA 1
15/06/2014	21.00	98,100	18.90	TLC-107 SONDA 1
15/06/2014	23.00	102,300	18.90	TLC-107 SONDA 1
15/06/2014	24.00	109,800	18.90	TLC-107 SONDA 1
15/06/2014	24.50	111,200	18.90	TLC-107 SONDA 1
15/06/2014	25.00	112,900	18.90	TLC-107 SONDA 1
15/06/2014	25.20	117,600	18.90	TLC-107 SONDA 1
15/06/2014	25.40	121,400	18.90	TLC-107 SONDA 1
15/06/2014	25.60	129,100	18.90	TLC-107 SONDA 1
15/06/2014	25.80	153,400	18.90	TLC-107 SONDA 1
15/06/2014	26.00	160,100	19.00	TLC-107 SONDA 1
15/06/2014	26.20	164,400	19.00	TLC-107 SONDA 1
15/06/2014	26.40	169,200	19.00	TLC-107 SONDA 1
15/06/2014	26.60	183,000	19.30	TLC-107 SONDA 1
15/06/2014	26.80	183,300	19.40	TLC-107 SONDA 1
15/06/2014	27.00	183,600	19.40	TLC-107 SONDA 1
15/06/2014	27.50	184,100	19.50	TLC-107 SONDA 1
15/06/2014	28.00	184,000	19.50	TLC-107 SONDA 1
15/06/2014	29.00	182,800	19.50	TLC-107 SONDA 1
15/06/2014	30.00	182,000	19.70	TLC-107 SONDA 1
15/06/2014	31.00	181,800	19.70	TLC-107 SONDA 1
15/06/2014	32.00	182,300	19.70	TLC-107 SONDA 1
15/06/2014	33.00	182,000	19.70	TLC-107 SONDA 1
15/06/2014	34.00	182,700	19.80	TLC-107 SONDA 1
15/06/2014	35.00	183,600	19.80	TLC-107 SONDA 1
15/06/2014	37.00	184,200	19.80	TLC-107 SONDA 1
15/06/2014	39.00	184,800	19.80	TLC-107 SONDA 1
15/06/2014	41.00	185,500	19.80	TLC-107 SONDA 1
15/06/2014	43.00	186,200	19.90	TLC-107 SONDA 1
15/06/2014	45.00	185,900	19.90	TLC-107 SONDA 1
15/06/2014	47.00	186,600	20.00	TLC-107 SONDA 1
15/06/2014	49.00	187,300	20.10	TLC-107 SONDA 1
15/06/2014	51.00	188,200	20.00	TLC-107 SONDA 1
15/06/2014	53.00	189,200	20.00	TLC-107 SONDA 1
15/06/2014	55.00	189,900	20.00	TLC-107 SONDA 1
15/06/2014	58.00	190,400	20.20	TLC-107 SONDA 1
15/06/2014	61.00	191,800	20.20	TLC-107 SONDA 1
15/06/2014	64.00	192,600	20.30	TLC-107 SONDA 1
15/06/2014	67.00	194,500	20.40	TLC-107 SONDA 1
15/06/2014	70.00	195,200	20.40	TLC-107 SONDA 1
15/06/2014	73.00	195,900	20.50	TLC-107 SONDA 1
15/06/2014	74.00	218,500	20.50	TLC-107 SONDA 1
15/06/2014	75.00	219,300	20.50	TLC-107 SONDA 1
15/06/2014	76.00	221,300	20.50	TLC-107 SONDA 1
15/06/2014	78.00	167,800	20.50	TLC-107 SONDA 1
16/07/2014	1.30	58,700	19.20	TLC-107 SONDA 1
16/07/2014	2.00	59,500	19.00	TLC-107 SONDA 1
16/07/2014	3.00	59,800	18.90	TLC-107 SONDA 1
16/07/2014	5.00	60,600	18.90	TLC-107 SONDA 1
16/07/2014	7.00	61,400	18.90	TLC-107 SONDA 1
16/07/2014	9.00	61,700	18.90	TLC-107 SONDA 1
16/07/2014	11.00	61,900	18.90	TLC-107 SONDA 1
16/07/2014	13.00	62,200	18.90	TLC-107 SONDA 1
16/07/2014	15.00	62,600	18.90	TLC-107 SONDA 1
16/07/2014	17.00	62,800	18.90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/07/2014	19.00	62,900	18.90	TLC-107 SONDA 1
16/07/2014	21.00	63,300	18.90	TLC-107 SONDA 1
16/07/2014	23.00	65,500	18.90	TLC-107 SONDA 1
16/07/2014	25.00	71,500	18.90	TLC-107 SONDA 1
16/07/2014	26.00	100,700	18.90	TLC-107 SONDA 1
16/07/2014	26.50	105,300	19.00	TLC-107 SONDA 1
16/07/2014	27.00	119,800	19.30	TLC-107 SONDA 1
16/07/2014	27.50	119,400	19.40	TLC-107 SONDA 1
16/07/2014	28.00	119,300	19.40	TLC-107 SONDA 1
16/07/2014	29.00	118,000	19.50	TLC-107 SONDA 1
16/07/2014	29.50	117,800	19.50	TLC-107 SONDA 1
16/07/2014	30.00	117,200	19.70	TLC-107 SONDA 1
16/07/2014	31.00	117,800	19.70	TLC-107 SONDA 1
16/07/2014	32.00	117,600	19.70	TLC-107 SONDA 1
16/07/2014	34.00	118,000	19.70	TLC-107 SONDA 1
16/07/2014	35.00	118,100	19.70	TLC-107 SONDA 1
16/07/2014	37.00	118,100	19.80	TLC-107 SONDA 1
16/07/2014	39.00	118,500	19.80	TLC-107 SONDA 1
16/07/2014	41.00	118,700	19.80	TLC-107 SONDA 1
16/07/2014	43.00	119,300	19.90	TLC-107 SONDA 1
16/07/2014	45.00	119,600	19.90	TLC-107 SONDA 1
16/07/2014	48.00	120,100	19.90	TLC-107 SONDA 1
16/07/2014	50.00	120,500	19.90	TLC-107 SONDA 1
16/07/2014	52.00	120,800	20.00	TLC-107 SONDA 1
16/07/2014	55.00	121,900	20.00	TLC-107 SONDA 1
16/07/2014	57.00	122,500	20.00	TLC-107 SONDA 1
16/07/2014	59.00	123,400	20.00	TLC-107 SONDA 1
16/07/2014	61.00	124,300	20.20	TLC-107 SONDA 1
16/07/2014	63.00	124,700	20.00	TLC-107 SONDA 1
16/07/2014	65.00	125,600	20.20	TLC-107 SONDA 1
16/07/2014	67.00	126,200	20.30	TLC-107 SONDA 1
16/07/2014	69.00	126,800	20.30	TLC-107 SONDA 1
16/07/2014	71.00	127,600	20.30	TLC-107 SONDA 1
16/07/2014	72.00	128,100	20.40	TLC-107 SONDA 1
16/07/2014	74.00	128,400	20.50	TLC-107 SONDA 1
16/07/2014	75.00	129,000	20.50	TLC-107 SONDA 1
16/07/2014	76.00	133,300	20.50	TLC-107 SONDA 1
16/07/2014	77.00	131,400	20.50	TLC-107 SONDA 1
16/07/2014	77.63	116,000	20.50	TLC-107 SONDA 1
19/08/2014	1.20	88,100	19.00	TLC-107 SONDA 1
19/08/2014	2.00	88,400	19.00	TLC-107 SONDA 1
19/08/2014	3.00	88,700	18.90	TLC-107 SONDA 1
19/08/2014	4.00	88,700	18.90	TLC-107 SONDA 1
19/08/2014	5.00	88,800	18.80	TLC-107 SONDA 1
19/08/2014	6.00	88,900	18.90	TLC-107 SONDA 1
19/08/2014	7.00	88,800	18.90	TLC-107 SONDA 1
19/08/2014	8.00	88,900	18.90	TLC-107 SONDA 1
19/08/2014	9.00	89,000	18.90	TLC-107 SONDA 1
19/08/2014	10.00	89,000	18.90	TLC-107 SONDA 1
19/08/2014	11.00	89,500	18.90	TLC-107 SONDA 1
19/08/2014	12.00	89,800	18.90	TLC-107 SONDA 1
19/08/2014	13.00	89,900	18.90	TLC-107 SONDA 1
19/08/2014	14.00	90,200	18.90	TLC-107 SONDA 1
19/08/2014	15.00	90,200	18.90	TLC-107 SONDA 1
19/08/2014	16.00	90,200	18.90	TLC-107 SONDA 1
19/08/2014	17.00	90,400	18.90	TLC-107 SONDA 1
19/08/2014	18.00	90,700	18.90	TLC-107 SONDA 1
19/08/2014	19.00	90,900	18.90	TLC-107 SONDA 1
19/08/2014	20.00	90,700	18.90	TLC-107 SONDA 1
19/08/2014	21.00	91,200	18.90	TLC-107 SONDA 1
19/08/2014	22.00	91,700	18.90	TLC-107 SONDA 1
19/08/2014	23.00	95,100	18.90	TLC-107 SONDA 1
19/08/2014	24.00	100,600	18.90	TLC-107 SONDA 1
19/08/2014	24.50	102,500	18.90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/08/2014	25.00	106,100	18.90	TLC-107 SONDA 1
19/08/2014	25.50	114,700	18.90	TLC-107 SONDA 1
19/08/2014	26.00	146,800	18.90	TLC-107 SONDA 1
19/08/2014	26.50	161,500	19.00	TLC-107 SONDA 1
19/08/2014	27.00	185,700	19.30	TLC-107 SONDA 1
19/08/2014	27.50	186,800	19.30	TLC-107 SONDA 1
19/08/2014	28.00	188,400	19.40	TLC-107 SONDA 1
19/08/2014	28.50	188,000	19.40	TLC-107 SONDA 1
19/08/2014	29.00	186,900	19.50	TLC-107 SONDA 1
19/08/2014	29.50	187,300	19.50	TLC-107 SONDA 1
19/08/2014	30.00	187,800	19.70	TLC-107 SONDA 1
19/08/2014	31.00	186,900	19.70	TLC-107 SONDA 1
19/08/2014	32.00	186,400	19.70	TLC-107 SONDA 1
19/08/2014	33.00	186,400	19.70	TLC-107 SONDA 1
19/08/2014	34.00	186,800	19.70	TLC-107 SONDA 1
19/08/2014	35.00	187,900	19.70	TLC-107 SONDA 1
19/08/2014	36.00	187,300	19.70	TLC-107 SONDA 1
19/08/2014	37.00	187,300	19.70	TLC-107 SONDA 1
19/08/2014	38.00	187,300	19.70	TLC-107 SONDA 1
19/08/2014	39.00	186,800	19.70	TLC-107 SONDA 1
19/08/2014	40.00	187,500	19.70	TLC-107 SONDA 1
19/08/2014	42.00	187,000	19.80	TLC-107 SONDA 1
19/08/2014	44.00	186,700	19.90	TLC-107 SONDA 1
19/08/2014	46.00	186,900	19.90	TLC-107 SONDA 1
19/08/2014	48.00	187,200	19.90	TLC-107 SONDA 1
19/08/2014	50.00	187,400	19.90	TLC-107 SONDA 1
19/08/2014	52.00	187,100	20.00	TLC-107 SONDA 1
19/08/2014	54.00	187,800	20.00	TLC-107 SONDA 1
19/08/2014	56.00	187,100	20.00	TLC-107 SONDA 1
19/08/2014	58.00	187,800	20.00	TLC-107 SONDA 1
19/08/2014	60.00	187,600	20.00	TLC-107 SONDA 1
19/08/2014	62.00	187,800	20.00	TLC-107 SONDA 1
19/08/2014	64.00	188,000	20.00	TLC-107 SONDA 1
19/08/2014	66.00	187,300	20.20	TLC-107 SONDA 1
19/08/2014	68.00	187,200	20.30	TLC-107 SONDA 1
19/08/2014	70.00	188,300	20.30	TLC-107 SONDA 1
19/08/2014	72.00	188,600	20.40	TLC-107 SONDA 1
19/08/2014	74.00	188,100	20.40	TLC-107 SONDA 1
19/08/2014	76.80	122,200	20.50	TLC-107 SONDA 1
02/09/2014	1.10	53,200	19.50	TLC-107 SONDA 1
02/09/2014	2.00	53,300	19.00	TLC-107 SONDA 1
02/09/2014	4.00	53,800	19.00	TLC-107 SONDA 1
02/09/2014	6.00	53,900	19.00	TLC-107 SONDA 1
02/09/2014	8.00	54,200	18.90	TLC-107 SONDA 1
02/09/2014	10.00	54,200	18.90	TLC-107 SONDA 1
02/09/2014	12.00	54,300	18.90	TLC-107 SONDA 1
02/09/2014	14.00	54,400	18.90	TLC-107 SONDA 1
02/09/2014	16.00	54,400	18.90	TLC-107 SONDA 1
02/09/2014	18.00	54,400	18.90	TLC-107 SONDA 1
02/09/2014	20.00	54,700	18.90	TLC-107 SONDA 1
02/09/2014	22.00	55,400	18.90	TLC-107 SONDA 1
02/09/2014	23.00	57,000	18.90	TLC-107 SONDA 1
02/09/2014	24.00	60,200	18.90	TLC-107 SONDA 1
02/09/2014	25.00	63,300	18.90	TLC-107 SONDA 1
02/09/2014	25.50	74,600	18.90	TLC-107 SONDA 1
02/09/2014	25.70	84,500	18.90	TLC-107 SONDA 1
02/09/2014	25.90	86,000	18.90	TLC-107 SONDA 1
02/09/2014	26.10	87,800	18.90	TLC-107 SONDA 1
02/09/2014	26.30	91,500	18.90	TLC-107 SONDA 1
02/09/2014	26.50	94,600	19.00	TLC-107 SONDA 1
02/09/2014	26.70	105,200	19.30	TLC-107 SONDA 1
02/09/2014	26.90	105,900	19.30	TLC-107 SONDA 1
02/09/2014	27.10	107,600	19.30	TLC-107 SONDA 1
02/09/2014	27.30	110,400	19.40	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/09/2014	27.50	113,100	19.40	TLC-107 SONDA 1
02/09/2014	27.70	113,900	19.40	TLC-107 SONDA 1
02/09/2014	27.90	113,700	19.40	TLC-107 SONDA 1
02/09/2014	28.10	114,300	19.40	TLC-107 SONDA 1
02/09/2014	28.30	115,600	19.40	TLC-107 SONDA 1
02/09/2014	28.50	116,100	19.50	TLC-107 SONDA 1
02/09/2014	28.70	116,100	19.50	TLC-107 SONDA 1
02/09/2014	28.90	116,400	19.50	TLC-107 SONDA 1
02/09/2014	29.10	117,000	19.50	TLC-107 SONDA 1
02/09/2014	29.30	117,100	19.50	TLC-107 SONDA 1
02/09/2014	29.50	118,700	19.50	TLC-107 SONDA 1
02/09/2014	29.70	119,200	19.50	TLC-107 SONDA 1
02/09/2014	29.90	119,700	19.50	TLC-107 SONDA 1
02/09/2014	30.10	119,100	19.70	TLC-107 SONDA 1
02/09/2014	30.30	119,100	19.70	TLC-107 SONDA 1
02/09/2014	30.50	119,800	19.70	TLC-107 SONDA 1
02/09/2014	30.70	120,500	19.70	TLC-107 SONDA 1
02/09/2014	30.90	121,400	19.70	TLC-107 SONDA 1
02/09/2014	31.10	121,700	19.70	TLC-107 SONDA 1
02/09/2014	31.30	118,400	19.70	TLC-107 SONDA 1
02/09/2014	31.50	118,400	19.70	TLC-107 SONDA 1
02/09/2014	32.00	119,400	19.70	TLC-107 SONDA 1
02/09/2014	33.00	119,100	19.70	TLC-107 SONDA 1
02/09/2014	34.00	119,000	19.70	TLC-107 SONDA 1
02/09/2014	35.00	123,700	19.70	TLC-107 SONDA 1
02/09/2014	37.00	120,000	19.70	TLC-107 SONDA 1
02/09/2014	39.00	128,500	19.70	TLC-107 SONDA 1
02/09/2014	40.00	123,000	19.70	TLC-107 SONDA 1
02/09/2014	42.00	128,400	19.80	TLC-107 SONDA 1
02/09/2014	43.00	126,000	19.80	TLC-107 SONDA 1
02/09/2014	45.00	131,000	19.90	TLC-107 SONDA 1
02/09/2014	47.00	131,900	19.90	TLC-107 SONDA 1
02/09/2014	49.00	132,400	19.90	TLC-107 SONDA 1
02/09/2014	51.00	131,600	20.00	TLC-107 SONDA 1
02/09/2014	53.00	131,600	20.00	TLC-107 SONDA 1
02/09/2014	55.00	131,300	20.00	TLC-107 SONDA 1
02/09/2014	57.00	128,000	20.00	TLC-107 SONDA 1
02/09/2014	59.00	127,800	20.00	TLC-107 SONDA 1
02/09/2014	61.00	129,700	20.00	TLC-107 SONDA 1
02/09/2014	63.00	131,300	20.00	TLC-107 SONDA 1
02/09/2014	65.00	131,200	20.20	TLC-107 SONDA 1
02/09/2014	67.00	131,200	20.20	TLC-107 SONDA 1
02/09/2014	69.00	131,200	20.30	TLC-107 SONDA 1
02/09/2014	71.00	132,200	20.30	TLC-107 SONDA 1
02/09/2014	73.00	132,300	20.40	TLC-107 SONDA 1
02/09/2014	75.00	133,900	20.40	TLC-107 SONDA 1
02/09/2014	77.00	162,100	20.40	TLC-107 SONDA 1
07/10/2014	1.10	63,000	17.90	TLC-107 SONDA 1
07/10/2014	1.50	66,600	18.80	TLC-107 SONDA 1
07/10/2014	2.00	67,100	18.80	TLC-107 SONDA 1
07/10/2014	3.00	67,200	18.90	TLC-107 SONDA 1
07/10/2014	4.00	67,400	18.90	TLC-107 SONDA 1
07/10/2014	5.00	67,500	18.90	TLC-107 SONDA 1
07/10/2014	6.00	67,600	18.90	TLC-107 SONDA 1
07/10/2014	8.00	67,800	18.90	TLC-107 SONDA 1
07/10/2014	10.00	67,900	18.90	TLC-107 SONDA 1
07/10/2014	12.00	68,100	18.90	TLC-107 SONDA 1
07/10/2014	14.00	68,300	18.90	TLC-107 SONDA 1
07/10/2014	16.00	68,500	18.90	TLC-107 SONDA 1
07/10/2014	18.00	68,800	18.90	TLC-107 SONDA 1
07/10/2014	20.00	68,900	18.90	TLC-107 SONDA 1
07/10/2014	21.00	71,700	18.90	TLC-107 SONDA 1
07/10/2014	22.00	72,400	18.90	TLC-107 SONDA 1
07/10/2014	23.00	75,500	18.90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/10/2014	24.00	80,100	18.90	TLC-107 SONDA 1
07/10/2014	25.00	85,600	18.90	TLC-107 SONDA 1
07/10/2014	25.50	99,900	18.90	TLC-107 SONDA 1
07/10/2014	25.70	110,800	18.90	TLC-107 SONDA 1
07/10/2014	25.90	117,900	18.80	TLC-107 SONDA 1
07/10/2014	26.00	119,800	18.90	TLC-107 SONDA 1
07/10/2014	26.20	125,800	18.90	TLC-107 SONDA 1
07/10/2014	26.40	127,600	18.90	TLC-107 SONDA 1
07/10/2014	26.60	135,700	19.10	TLC-107 SONDA 1
07/10/2014	26.80	148,500	19.30	TLC-107 SONDA 1
07/10/2014	27.00	149,200	19.30	TLC-107 SONDA 1
07/10/2014	27.20	149,200	19.30	TLC-107 SONDA 1
07/10/2014	27.40	149,900	19.30	TLC-107 SONDA 1
07/10/2014	27.60	149,600	19.40	TLC-107 SONDA 1
07/10/2014	27.80	150,900	19.40	TLC-107 SONDA 1
07/10/2014	28.00	151,200	19.40	TLC-107 SONDA 1
07/10/2014	28.20	150,900	19.40	TLC-107 SONDA 1
07/10/2014	28.40	151,200	19.40	TLC-107 SONDA 1
07/10/2014	28.60	151,100	19.40	TLC-107 SONDA 1
07/10/2014	28.80	151,000	19.40	TLC-107 SONDA 1
07/10/2014	29.00	151,500	19.40	TLC-107 SONDA 1
07/10/2014	29.20	151,400	19.40	TLC-107 SONDA 1
07/10/2014	29.40	152,100	19.40	TLC-107 SONDA 1
07/10/2014	29.60	151,400	19.50	TLC-107 SONDA 1
07/10/2014	29.80	151,800	19.50	TLC-107 SONDA 1
07/10/2014	30.00	151,600	19.50	TLC-107 SONDA 1
07/10/2014	30.50	151,800	19.50	TLC-107 SONDA 1
07/10/2014	31.00	151,800	19.70	TLC-107 SONDA 1
07/10/2014	31.50	152,300	19.70	TLC-107 SONDA 1
07/10/2014	32.00	152,900	19.70	TLC-107 SONDA 1
07/10/2014	32.50	153,100	19.70	TLC-107 SONDA 1
07/10/2014	33.00	152,900	19.70	TLC-107 SONDA 1
07/10/2014	34.00	153,200	19.70	TLC-107 SONDA 1
07/10/2014	35.00	154,300	19.70	TLC-107 SONDA 1
07/10/2014	36.00	155,300	19.70	TLC-107 SONDA 1
07/10/2014	37.00	155,200	19.70	TLC-107 SONDA 1
07/10/2014	38.00	155,300	19.70	TLC-107 SONDA 1
07/10/2014	39.00	156,300	19.70	TLC-107 SONDA 1
07/10/2014	40.00	157,000	19.70	TLC-107 SONDA 1
07/10/2014	41.00	157,900	19.70	TLC-107 SONDA 1
07/10/2014	42.00	159,000	19.80	TLC-107 SONDA 1
07/10/2014	43.00	159,600	19.80	TLC-107 SONDA 1
07/10/2014	44.00	159,400	19.80	TLC-107 SONDA 1
07/10/2014	45.00	160,200	19.90	TLC-107 SONDA 1
07/10/2014	46.00	160,600	19.90	TLC-107 SONDA 1
07/10/2014	47.00	161,800	19.90	TLC-107 SONDA 1
07/10/2014	48.00	162,500	19.90	TLC-107 SONDA 1
07/10/2014	49.00	162,700	19.90	TLC-107 SONDA 1
07/10/2014	50.00	163,400	19.90	TLC-107 SONDA 1
07/10/2014	51.00	163,600	19.90	TLC-107 SONDA 1
07/10/2014	52.00	163,600	19.90	TLC-107 SONDA 1
07/10/2014	53.00	164,500	19.90	TLC-107 SONDA 1
07/10/2014	54.00	164,400	20.00	TLC-107 SONDA 1
07/10/2014	55.00	164,800	20.00	TLC-107 SONDA 1
07/10/2014	56.00	165,700	20.00	TLC-107 SONDA 1
07/10/2014	57.00	165,900	20.00	TLC-107 SONDA 1
07/10/2014	58.00	166,100	20.00	TLC-107 SONDA 1
07/10/2014	59.00	166,300	20.00	TLC-107 SONDA 1
07/10/2014	60.00	167,100	20.00	TLC-107 SONDA 1
07/10/2014	61.00	167,100	20.00	TLC-107 SONDA 1
07/10/2014	62.00	167,800	20.00	TLC-107 SONDA 1
07/10/2014	64.00	168,600	20.00	TLC-107 SONDA 1
07/10/2014	66.00	168,100	20.20	TLC-107 SONDA 1
07/10/2014	68.00	169,300	20.20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/10/2014	70.00	169,500	20.30	TLC-107 SONDA 1
07/10/2014	72.00	170,900	20.30	TLC-107 SONDA 1
07/10/2014	74.00	171,600	20.40	TLC-107 SONDA 1
07/10/2014	75.00	172,900	20.40	TLC-107 SONDA 1
07/10/2014	76.00	174,900	20.40	TLC-107 SONDA 1
07/10/2014	76.80	215,300	20.40	TLC-107 SONDA 1
04/11/2014	1.00	72,400	19.80	TLC-107 SONDA 1
04/11/2014	2.00	72,400	19.10	TLC-107 SONDA 1
04/11/2014	4.00	73,300	19.00	TLC-107 SONDA 1
04/11/2014	6.00	73,300	19.00	TLC-107 SONDA 1
04/11/2014	8.00	73,700	19.00	TLC-107 SONDA 1
04/11/2014	10.00	73,700	19.00	TLC-107 SONDA 1
04/11/2014	12.00	73,700	18.90	TLC-107 SONDA 1
04/11/2014	14.00	74,100	18.90	TLC-107 SONDA 1
04/11/2014	16.00	74,200	18.90	TLC-107 SONDA 1
04/11/2014	18.00	75,400	18.90	TLC-107 SONDA 1
04/11/2014	20.00	75,400	18.90	TLC-107 SONDA 1
04/11/2014	22.00	78,300	19.00	TLC-107 SONDA 1
04/11/2014	24.00	89,200	18.90	TLC-107 SONDA 1
04/11/2014	24.50	93,600	18.90	TLC-107 SONDA 1
04/11/2014	25.00	95,900	18.90	TLC-107 SONDA 1
04/11/2014	25.50	113,600	18.90	TLC-107 SONDA 1
04/11/2014	26.00	139,900	18.90	TLC-107 SONDA 1
04/11/2014	26.50	158,300	19.00	TLC-107 SONDA 1
04/11/2014	27.00	202,500	19.30	TLC-107 SONDA 1
04/11/2014	28.00	214,400	19.40	TLC-107 SONDA 1
04/11/2014	29.00	215,200	19.40	TLC-107 SONDA 1
04/11/2014	30.00	216,300	19.50	TLC-107 SONDA 1
04/11/2014	32.00	220,200	19.50	TLC-107 SONDA 1
04/11/2014	34.00	220,600	19.70	TLC-107 SONDA 1
04/11/2014	36.00	221,500	19.70	TLC-107 SONDA 1
04/11/2014	38.00	223,300	19.70	TLC-107 SONDA 1
04/11/2014	40.00	225,500	19.70	TLC-107 SONDA 1
04/11/2014	42.00	227,900	19.70	TLC-107 SONDA 1
04/11/2014	44.00	230,600	19.80	TLC-107 SONDA 1
04/11/2014	46.00	231,000	19.90	TLC-107 SONDA 1
04/11/2014	48.00	231,500	19.90	TLC-107 SONDA 1
04/11/2014	50.00	233,500	19.90	TLC-107 SONDA 1
04/11/2014	52.00	234,500	19.90	TLC-107 SONDA 1
04/11/2014	54.00	234,500	19.90	TLC-107 SONDA 1
04/11/2014	56.00	234,900	20.00	TLC-107 SONDA 1
04/11/2014	58.00	234,900	20.00	TLC-107 SONDA 1
04/11/2014	60.00	235,900	20.00	TLC-107 SONDA 1
04/11/2014	62.00	236,400	20.00	TLC-107 SONDA 1
04/11/2014	64.00	233,800	20.00	TLC-107 SONDA 1
04/11/2014	66.00	235,300	20.20	TLC-107 SONDA 1
04/11/2014	68.00	235,300	20.20	TLC-107 SONDA 1
04/11/2014	70.00	236,900	20.30	TLC-107 SONDA 1
04/11/2014	72.00	237,300	20.30	TLC-107 SONDA 1
04/11/2014	74.00	236,700	20.40	TLC-107 SONDA 1
04/11/2014	76.00	238,700	20.40	TLC-107 SONDA 1
04/11/2014	76.70	170,100	20.40	TLC-107 SONDA 1
02/12/2014	1.00	63,500	18.90	TLC-107 SONDA 1
02/12/2014	1.50	71,100	18.90	TLC-107 SONDA 1
02/12/2014	2.00	71,300	18.80	TLC-107 SONDA 1
02/12/2014	3.00	71,500	18.90	TLC-107 SONDA 1
02/12/2014	4.00	71,100	18.90	TLC-107 SONDA 1
02/12/2014	5.00	71,600	18.80	TLC-107 SONDA 1
02/12/2014	7.00	72,100	18.80	TLC-107 SONDA 1
02/12/2014	9.00	72,500	18.80	TLC-107 SONDA 1
02/12/2014	11.00	73,300	18.80	TLC-107 SONDA 1
02/12/2014	13.00	75,100	18.80	TLC-107 SONDA 1
02/12/2014	15.00	76,500	18.80	TLC-107 SONDA 1
02/12/2014	17.00	77,500	18.80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/12/2014	19.00	79,300	18.80	TLC-107 SONDA 1
02/12/2014	21.00	80,800	18.80	TLC-107 SONDA 1
02/12/2014	23.00	85,600	18.80	TLC-107 SONDA 1
02/12/2014	23.50	93,600	18.80	TLC-107 SONDA 1
02/12/2014	24.00	95,300	18.80	TLC-107 SONDA 1
02/12/2014	24.50	101,200	18.80	TLC-107 SONDA 1
02/12/2014	25.00	113,100	18.80	TLC-107 SONDA 1
02/12/2014	25.20	120,400	18.80	TLC-107 SONDA 1
02/12/2014	25.40	124,000	18.80	TLC-107 SONDA 1
02/12/2014	25.60	147,900	18.80	TLC-107 SONDA 1
02/12/2014	25.80	156,000	18.80	TLC-107 SONDA 1
02/12/2014	26.00	180,600	18.80	TLC-107 SONDA 1
02/12/2014	26.50	193,100	18.80	TLC-107 SONDA 1
02/12/2014	27.00	243,900	19.10	TLC-107 SONDA 1
02/12/2014	29.00	246,400	19.40	TLC-107 SONDA 1
02/12/2014	31.00	234,000	19.50	TLC-107 SONDA 1
02/12/2014	33.00	239,800	19.50	TLC-107 SONDA 1
02/12/2014	35.00	242,200	19.60	TLC-107 SONDA 1
02/12/2014	37.00	240,400	19.60	TLC-107 SONDA 1
02/12/2014	40.00	240,400	19.60	TLC-107 SONDA 1
02/12/2014	42.00	241,600	19.60	TLC-107 SONDA 1
02/12/2014	44.00	244,600	19.60	TLC-107 SONDA 1
02/12/2014	46.00	249,100	19.80	TLC-107 SONDA 1
02/12/2014	48.00	253,600	19.80	TLC-107 SONDA 1
02/12/2014	50.00	257,500	19.90	TLC-107 SONDA 1
02/12/2014	52.00	258,300	19.90	TLC-107 SONDA 1
02/12/2014	54.00	263,100	19.90	TLC-107 SONDA 1
02/12/2014	56.00	268,000	20.00	TLC-107 SONDA 1
02/12/2014	58.00	266,300	20.00	TLC-107 SONDA 1
02/12/2014	60.00	273,100	20.00	TLC-107 SONDA 1
02/12/2014	63.00	280,400	20.00	TLC-107 SONDA 1
02/12/2014	66.00	246,100	20.10	TLC-107 SONDA 1
02/12/2014	69.00	288,800	20.20	TLC-107 SONDA 1
02/12/2014	72.00	292,100	20.30	TLC-107 SONDA 1
02/12/2014	75.00	285,100	20.30	TLC-107 SONDA 1
02/12/2014	76.80	192,100	20.30	TLC-107 SONDA 1
09/01/2015	58.00	199,200	20.00	TLC-107 SONDA 1
09/01/2015	60.00	200,900	20.00	TLC-107 SONDA 1
09/01/2015	62.00	201,300	20.00	TLC-107 SONDA 1
09/01/2015	64.00	200,300	20.20	TLC-107 SONDA 1
09/01/2015	66.00	201,600	20.20	TLC-107 SONDA 1
09/01/2015	68.00	201,200	20.30	TLC-107 SONDA 1
09/01/2015	70.00	200,800	20.30	TLC-107 SONDA 1
09/01/2015	72.00	201,800	20.30	TLC-107 SONDA 1
09/01/2015	74.00	202,400	20.40	TLC-107 SONDA 1
09/01/2015	76.00	202,700	20.40	TLC-107 SONDA 1
09/01/2015	77.80	143,500	20.40	TLC-107 SONDA 1
09/01/2015	1.20	64,300	19.80	TLC-107 SONDA 1
09/01/2015	2.00	64,400	19.10	TLC-107 SONDA 1
09/01/2015	4.00	64,600	19.10	TLC-107 SONDA 1
09/01/2015	6.00	64,600	19.00	TLC-107 SONDA 1
09/01/2015	8.00	64,900	19.00	TLC-107 SONDA 1
09/01/2015	10.00	65,400	18.90	TLC-107 SONDA 1
09/01/2015	12.00	65,900	18.90	TLC-107 SONDA 1
09/01/2015	14.00	66,800	18.90	TLC-107 SONDA 1
09/01/2015	16.00	68,100	18.90	TLC-107 SONDA 1
09/01/2015	17.00	68,500	18.90	TLC-107 SONDA 1
09/01/2015	18.00	68,800	18.90	TLC-107 SONDA 1
09/01/2015	19.00	69,700	18.90	TLC-107 SONDA 1
09/01/2015	21.00	71,900	18.90	TLC-107 SONDA 1
09/01/2015	22.00	73,000	18.90	TLC-107 SONDA 1
09/01/2015	23.00	80,100	18.90	TLC-107 SONDA 1
09/01/2015	23.50	85,100	18.90	TLC-107 SONDA 1
09/01/2015	24.00	88,800	18.90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/01/2015	24.50	91,900	18.90	TLC-107 SONDA 1
09/01/2015	25.00	97,500	18.90	TLC-107 SONDA 1
09/01/2015	26.00	123,300	18.90	TLC-107 SONDA 1
09/01/2015	27.00	156,400	19.30	TLC-107 SONDA 1
09/01/2015	28.00	158,700	19.40	TLC-107 SONDA 1
09/01/2015	29.00	158,900	19.40	TLC-107 SONDA 1
09/01/2015	30.00	160,400	19.50	TLC-107 SONDA 1
09/01/2015	31.00	162,100	19.50	TLC-107 SONDA 1
09/01/2015	32.00	163,400	19.50	TLC-107 SONDA 1
09/01/2015	33.00	164,200	19.50	TLC-107 SONDA 1
09/01/2015	34.00	165,500	19.50	TLC-107 SONDA 1
09/01/2015	35.00	167,300	19.70	TLC-107 SONDA 1
09/01/2015	36.00	168,700	19.70	TLC-107 SONDA 1
09/01/2015	37.00	171,400	19.70	TLC-107 SONDA 1
09/01/2015	38.00	171,600	19.70	TLC-107 SONDA 1
09/01/2015	39.00	172,800	19.70	TLC-107 SONDA 1
09/01/2015	40.00	175,100	19.70	TLC-107 SONDA 1
09/01/2015	42.00	177,200	19.70	TLC-107 SONDA 1
09/01/2015	44.00	180,100	19.80	TLC-107 SONDA 1
09/01/2015	46.00	187,500	19.80	TLC-107 SONDA 1
09/01/2015	48.00	191,500	19.80	TLC-107 SONDA 1
09/01/2015	50.00	194,900	19.90	TLC-107 SONDA 1
09/01/2015	52.00	194,900	19.90	TLC-107 SONDA 1
09/01/2015	54.00	197,400	19.90	TLC-107 SONDA 1
09/01/2015	56.00	199,700	19.90	TLC-107 SONDA 1
13/02/2015	1.20	54,100	21.20	TLC-107 SONDA 1
13/02/2015	2.00	60,000	19.30	TLC-107 SONDA 1
13/02/2015	3.00	64,100	19.10	TLC-107 SONDA 1
13/02/2015	4.00	65,200	19.00	TLC-107 SONDA 1
13/02/2015	5.00	65,600	19.00	TLC-107 SONDA 1
13/02/2015	7.00	65,800	19.00	TLC-107 SONDA 1
13/02/2015	9.00	67,100	19.00	TLC-107 SONDA 1
13/02/2015	10.00	67,400	18.90	TLC-107 SONDA 1
13/02/2015	12.00	68,700	18.90	TLC-107 SONDA 1
13/02/2015	14.00	69,800	18.90	TLC-107 SONDA 1
13/02/2015	15.00	70,300	18.90	TLC-107 SONDA 1
13/02/2015	16.00	72,200	18.90	TLC-107 SONDA 1
13/02/2015	17.00	73,300	18.90	TLC-107 SONDA 1
13/02/2015	18.00	73,900	18.90	TLC-107 SONDA 1
13/02/2015	19.00	75,400	18.90	TLC-107 SONDA 1
13/02/2015	20.00	78,300	18.90	TLC-107 SONDA 1
13/02/2015	20.50	78,800	18.90	TLC-107 SONDA 1
13/02/2015	21.00	79,300	18.90	TLC-107 SONDA 1
13/02/2015	21.50	80,600	18.90	TLC-107 SONDA 1
13/02/2015	22.00	83,100	18.90	TLC-107 SONDA 1
13/02/2015	22.50	85,600	18.90	TLC-107 SONDA 1
13/02/2015	23.00	91,600	18.90	TLC-107 SONDA 1
13/02/2015	23.50	94,200	18.90	TLC-107 SONDA 1
13/02/2015	24.00	98,900	18.90	TLC-107 SONDA 1
13/02/2015	24.50	103,500	18.90	TLC-107 SONDA 1
13/02/2015	25.00	108,500	18.90	TLC-107 SONDA 1
13/02/2015	25.50	116,400	18.90	TLC-107 SONDA 1
13/02/2015	26.00	141,500	18.90	TLC-107 SONDA 1
13/02/2015	26.50	172,700	19.00	TLC-107 SONDA 1
13/02/2015	27.00	205,300	19.20	TLC-107 SONDA 1
13/02/2015	27.50	208,000	19.30	TLC-107 SONDA 1
13/02/2015	28.00	214,100	19.40	TLC-107 SONDA 1
13/02/2015	30.00	217,900	19.50	TLC-107 SONDA 1
13/02/2015	32.00	220,200	19.50	TLC-107 SONDA 1
13/02/2015	35.00	221,400	19.50	TLC-107 SONDA 1
13/02/2015	37.00	223,300	19.70	TLC-107 SONDA 1
13/02/2015	40.00	225,100	19.70	TLC-107 SONDA 1
13/02/2015	42.00	225,600	19.70	TLC-107 SONDA 1
13/02/2015	45.00	228,900	19.80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/02/2015	47.00	230,800	19.90	TLC-107 SONDA 1
13/02/2015	50.00	233,800	19.90	TLC-107 SONDA 1
13/02/2015	52.00	235,800	19.90	TLC-107 SONDA 1
13/02/2015	55.00	241,100	19.90	TLC-107 SONDA 1
13/02/2015	57.00	241,600	20.00	TLC-107 SONDA 1
13/02/2015	60.00	244,800	20.00	TLC-107 SONDA 1
13/02/2015	62.00	245,400	20.00	TLC-107 SONDA 1
13/02/2015	65.00	245,900	20.20	TLC-107 SONDA 1
13/02/2015	67.00	247,600	20.20	TLC-107 SONDA 1
13/02/2015	70.00	248,100	20.30	TLC-107 SONDA 1
13/02/2015	72.00	249,400	20.30	TLC-107 SONDA 1
13/02/2015	75.00	250,100	20.40	TLC-107 SONDA 1
13/02/2015	77.00	255,000	20.40	TLC-107 SONDA 1
13/02/2015	77.70	146,600	20.40	TLC-107 SONDA 1
05/03/2015	1.20	89,200	19.70	TLC-107 SONDA 1
05/03/2015	2.00	94,700	19.10	TLC-107 SONDA 1
05/03/2015	2.20	96,100	19.00	TLC-107 SONDA 1
05/03/2015	2.40	98,300	19.00	TLC-107 SONDA 1
05/03/2015	2.60	98,600	19.00	TLC-107 SONDA 1
05/03/2015	2.80	98,900	19.00	TLC-107 SONDA 1
05/03/2015	3.00	99,100	19.00	TLC-107 SONDA 1
05/03/2015	3.20	99,600	18.90	TLC-107 SONDA 1
05/03/2015	3.40	99,800	18.90	TLC-107 SONDA 1
05/03/2015	3.60	100,000	18.90	TLC-107 SONDA 1
05/03/2015	3.80	99,800	18.90	TLC-107 SONDA 1
05/03/2015	4.00	99,800	18.90	TLC-107 SONDA 1
05/03/2015	4.50	99,800	18.90	TLC-107 SONDA 1
05/03/2015	5.00	100,000	18.90	TLC-107 SONDA 1
05/03/2015	5.50	99,900	18.90	TLC-107 SONDA 1
05/03/2015	6.00	100,200	18.90	TLC-107 SONDA 1
05/03/2015	7.00	100,600	18.90	TLC-107 SONDA 1
05/03/2015	8.00	101,000	18.90	TLC-107 SONDA 1
05/03/2015	10.00	102,100	18.90	TLC-107 SONDA 1
05/03/2015	12.00	103,200	18.90	TLC-107 SONDA 1
05/03/2015	14.00	105,000	18.90	TLC-107 SONDA 1
05/03/2015	16.00	107,000	18.90	TLC-107 SONDA 1
05/03/2015	18.00	108,800	18.90	TLC-107 SONDA 1
05/03/2015	20.00	113,400	18.90	TLC-107 SONDA 1
05/03/2015	20.50	114,700	18.90	TLC-107 SONDA 1
05/03/2015	21.00	115,100	18.90	TLC-107 SONDA 1
05/03/2015	21.50	116,900	18.90	TLC-107 SONDA 1
05/03/2015	22.00	119,800	18.90	TLC-107 SONDA 1
05/03/2015	22.50	123,100	18.90	TLC-107 SONDA 1
05/03/2015	23.00	136,000	18.90	TLC-107 SONDA 1
05/03/2015	23.20	134,800	18.90	TLC-107 SONDA 1
05/03/2015	23.40	135,800	18.90	TLC-107 SONDA 1
05/03/2015	23.60	136,700	18.90	TLC-107 SONDA 1
05/03/2015	23.80	137,800	18.90	TLC-107 SONDA 1
05/03/2015	24.00	140,300	18.90	TLC-107 SONDA 1
05/03/2015	24.50	143,800	18.90	TLC-107 SONDA 1
05/03/2015	25.00	147,900	18.90	TLC-107 SONDA 1
05/03/2015	25.50	154,100	18.90	TLC-107 SONDA 1
05/03/2015	25.70	168,200	18.90	TLC-107 SONDA 1
05/03/2015	25.90	204,100	18.90	TLC-107 SONDA 1
05/03/2015	26.50	268,900	19.10	TLC-107 SONDA 1
05/03/2015	28.00	299,000	19.30	TLC-107 SONDA 1
05/03/2015	30.00	299,600	19.50	TLC-107 SONDA 1
05/03/2015	32.00	297,500	19.50	TLC-107 SONDA 1
05/03/2015	35.00	294,700	19.70	TLC-107 SONDA 1
05/03/2015	37.00	292,600	19.70	TLC-107 SONDA 1
05/03/2015	40.00	291,300	19.70	TLC-107 SONDA 1
05/03/2015	42.00	293,300	19.70	TLC-107 SONDA 1
05/03/2015	45.00	292,600	19.80	TLC-107 SONDA 1
05/03/2015	47.00	291,900	19.80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/03/2015	50.00	291,600	19.90	TLC-107 SONDA 1
05/03/2015	52.00	291,300	19.90	TLC-107 SONDA 1
05/03/2015	55.00	289,300	20.00	TLC-107 SONDA 1
05/03/2015	57.00	287,600	20.00	TLC-107 SONDA 1
05/03/2015	60.00	288,600	20.00	TLC-107 SONDA 1
05/03/2015	62.00	288,600	20.00	TLC-107 SONDA 1
05/03/2015	65.00	286,700	20.20	TLC-107 SONDA 1
05/03/2015	67.00	286,600	20.30	TLC-107 SONDA 1
05/03/2015	70.00	285,300	20.30	TLC-107 SONDA 1
05/03/2015	72.00	286,700	20.40	TLC-107 SONDA 1
05/03/2015	75.00	286,000	20.40	TLC-107 SONDA 1
05/03/2015	77.00	284,700	20.40	TLC-107 SONDA 1
05/03/2015	77.90	181,900	20.40	TLC-107 SONDA 1
07/04/2015	1.00	91,200	19.30	TLC-107 SONDA 1
07/04/2015	1.50	97,800	19.10	TLC-107 SONDA 1
07/04/2015	1.70	99,700	19.00	TLC-107 SONDA 1
07/04/2015	1.90	104,500	19.00	TLC-107 SONDA 1
07/04/2015	2.10	104,600	19.00	TLC-107 SONDA 1
07/04/2015	2.30	105,000	19.00	TLC-107 SONDA 1
07/04/2015	2.50	105,100	19.00	TLC-107 SONDA 1
07/04/2015	3.00	105,200	19.00	TLC-107 SONDA 1
07/04/2015	3.50	105,400	19.00	TLC-107 SONDA 1
07/04/2015	4.00	105,400	19.00	TLC-107 SONDA 1
07/04/2015	5.00	105,400	19.00	TLC-107 SONDA 1
07/04/2015	6.00	105,600	19.00	TLC-107 SONDA 1
07/04/2015	7.00	106,700	19.00	TLC-107 SONDA 1
07/04/2015	8.00	108,000	19.00	TLC-107 SONDA 1
07/04/2015	10.00	109,800	19.00	TLC-107 SONDA 1
07/04/2015	12.00	112,700	19.00	TLC-107 SONDA 1
07/04/2015	14.00	116,200	18.90	TLC-107 SONDA 1
07/04/2015	16.00	120,500	18.90	TLC-107 SONDA 1
07/04/2015	18.00	125,500	18.90	TLC-107 SONDA 1
07/04/2015	20.00	133,500	18.90	TLC-107 SONDA 1
07/04/2015	21.00	136,600	18.90	TLC-107 SONDA 1
07/04/2015	22.00	144,800	18.90	TLC-107 SONDA 1
07/04/2015	23.00	161,900	18.90	TLC-107 SONDA 1
07/04/2015	24.00	176,200	18.90	TLC-107 SONDA 1
07/04/2015	25.00	189,300	18.90	TLC-107 SONDA 1
07/04/2015	26.00	314,500	18.90	TLC-107 SONDA 1
07/04/2015	28.00	400,000	19.20	TLC-107 SONDA 1
07/04/2015	30.00	400,000	19.40	TLC-107 SONDA 1
07/04/2015	32.00	400,000	19.50	TLC-107 SONDA 1
07/04/2015	34.00	400,000	19.50	TLC-107 SONDA 1
07/04/2015	36.00	400,000	19.50	TLC-107 SONDA 1
07/04/2015	38.00	400,000	19.50	TLC-107 SONDA 1
07/04/2015	40.00	400,000	19.70	TLC-107 SONDA 1
07/04/2015	43.00	400,000	19.70	TLC-107 SONDA 1
07/04/2015	45.00	400,000	19.70	TLC-107 SONDA 1
07/04/2015	47.00	400,000	19.80	TLC-107 SONDA 1
07/04/2015	50.00	400,000	19.90	TLC-107 SONDA 1
07/04/2015	52.00	400,000	19.90	TLC-107 SONDA 1
07/04/2015	55.00	400,000	19.90	TLC-107 SONDA 1
07/04/2015	58.00	400,000	20.00	TLC-107 SONDA 1
07/04/2015	60.00	400,000	20.00	TLC-107 SONDA 1
07/04/2015	63.00	400,000	20.20	TLC-107 SONDA 1
07/04/2015	65.00	400,000	20.20	TLC-107 SONDA 1
07/04/2015	67.00	400,000	20.30	TLC-107 SONDA 1
07/04/2015	70.00	400,000	20.40	TLC-107 SONDA 1
07/04/2015	72.00	400,000	20.50	TLC-107 SONDA 1
07/04/2015	75.00	400,000	20.50	TLC-107 SONDA 1
07/04/2015	77.70	245,200	20.50	TLC-107 SONDA 1
09/05/2015	1.00	109,200	18.90	TLC-107 SONDA 2
09/05/2015	1.20	117,100	18.90	TLC-107 SONDA 2
09/05/2015	1.40	118,300	19.00	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/05/2015	1.60	118,400	19.00	TLC-107 SONDA 2
09/05/2015	1.80	118,700	19.00	TLC-107 SONDA 2
09/05/2015	2.00	118,300	19.00	TLC-107 SONDA 2
09/05/2015	2.20	118,400	19.00	TLC-107 SONDA 2
09/05/2015	2.40	118,500	19.00	TLC-107 SONDA 2
09/05/2015	2.60	118,400	19.00	TLC-107 SONDA 2
09/05/2015	2.80	118,200	19.00	TLC-107 SONDA 2
09/05/2015	3.00	118,100	19.00	TLC-107 SONDA 2
09/05/2015	3.20	118,300	19.00	TLC-107 SONDA 2
09/05/2015	3.40	118,500	19.00	TLC-107 SONDA 2
09/05/2015	3.60	118,300	19.00	TLC-107 SONDA 2
09/05/2015	3.80	118,700	19.00	TLC-107 SONDA 2
09/05/2015	4.00	118,800	19.00	TLC-107 SONDA 2
09/05/2015	4.50	118,400	19.00	TLC-107 SONDA 2
09/05/2015	5.00	118,100	19.00	TLC-107 SONDA 2
09/05/2015	6.00	118,200	19.00	TLC-107 SONDA 2
09/05/2015	7.00	119,400	19.00	TLC-107 SONDA 2
09/05/2015	8.00	120,100	19.00	TLC-107 SONDA 2
09/05/2015	8.50	120,500	19.00	TLC-107 SONDA 2
09/05/2015	9.00	121,200	19.00	TLC-107 SONDA 2
09/05/2015	10.00	122,900	19.00	TLC-107 SONDA 2
09/05/2015	11.00	124,300	19.00	TLC-107 SONDA 2
09/05/2015	11.50	128,100	19.00	TLC-107 SONDA 2
09/05/2015	12.00	129,200	19.00	TLC-107 SONDA 2
09/05/2015	12.50	134,100	19.00	TLC-107 SONDA 2
09/05/2015	13.00	134,600	19.00	TLC-107 SONDA 2
09/05/2015	13.50	136,200	19.00	TLC-107 SONDA 2
09/05/2015	14.00	137,700	19.00	TLC-107 SONDA 2
09/05/2015	14.50	138,700	19.00	TLC-107 SONDA 2
09/05/2015	15.00	141,700	19.00	TLC-107 SONDA 2
09/05/2015	15.20	141,300	19.00	TLC-107 SONDA 2
09/05/2015	15.40	143,400	19.00	TLC-107 SONDA 2
09/05/2015	15.60	143,300	19.00	TLC-107 SONDA 2
09/05/2015	15.80	144,200	19.00	TLC-107 SONDA 2
09/05/2015	16.00	144,700	19.00	TLC-107 SONDA 2
09/05/2015	16.50	147,700	19.00	TLC-107 SONDA 2
09/05/2015	17.00	149,200	19.00	TLC-107 SONDA 2
09/05/2015	17.50	152,300	19.00	TLC-107 SONDA 2
09/05/2015	18.00	154,400	19.00	TLC-107 SONDA 2
09/05/2015	18.50	157,200	19.00	TLC-107 SONDA 2
09/05/2015	19.00	158,500	19.00	TLC-107 SONDA 2
09/05/2015	19.50	160,200	19.00	TLC-107 SONDA 2
09/05/2015	20.00	162,400	19.00	TLC-107 SONDA 2
09/05/2015	20.50	167,100	19.00	TLC-107 SONDA 2
09/05/2015	21.00	168,900	18.90	TLC-107 SONDA 2
09/05/2015	21.50	174,000	18.90	TLC-107 SONDA 2
09/05/2015	22.00	179,500	18.90	TLC-107 SONDA 2
09/05/2015	22.50	187,500	18.90	TLC-107 SONDA 2
09/05/2015	23.00	207,200	18.90	TLC-107 SONDA 2
09/05/2015	24.00	233,900	18.90	TLC-107 SONDA 2
09/05/2015	26.00	348,200	18.90	TLC-107 SONDA 2
09/05/2015	28.00	389,900	19.30	TLC-107 SONDA 2
09/05/2015	30.00	400,000	19.50	TLC-107 SONDA 2
09/05/2015	32.00	399,100	19.50	TLC-107 SONDA 2
09/05/2015	34.00	397,400	19.60	TLC-107 SONDA 2
09/05/2015	36.00	396,400	19.70	TLC-107 SONDA 2
09/05/2015	38.00	395,600	19.70	TLC-107 SONDA 2
09/05/2015	40.00	395,600	19.70	TLC-107 SONDA 2
09/05/2015	42.00	395,200	19.70	TLC-107 SONDA 2
09/05/2015	44.00	394,800	19.70	TLC-107 SONDA 2
09/05/2015	46.00	394,200	19.60	TLC-107 SONDA 2
09/05/2015	48.00	394,600	19.80	TLC-107 SONDA 2
09/05/2015	50.00	392,400	20.00	TLC-107 SONDA 2
09/05/2015	52.00	392,900	20.00	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/05/2015	54.00	392,800	20.00	TLC-107 SONDA 2
09/05/2015	56.00	392,200	20.10	TLC-107 SONDA 2
09/05/2015	58.00	393,000	20.10	TLC-107 SONDA 2
09/05/2015	60.00	392,000	20.10	TLC-107 SONDA 2
09/05/2015	62.00	392,400	20.20	TLC-107 SONDA 2
09/05/2015	64.00	392,000	20.20	TLC-107 SONDA 2
09/05/2015	66.00	391,900	20.30	TLC-107 SONDA 2
09/05/2015	68.00	391,500	20.30	TLC-107 SONDA 2
09/05/2015	70.00	391,300	20.40	TLC-107 SONDA 2
09/05/2015	72.00	391,100	20.50	TLC-107 SONDA 2
09/05/2015	74.00	390,700	20.50	TLC-107 SONDA 2
09/05/2015	76.00	390,200	20.60	TLC-107 SONDA 2
09/05/2015	77.80	305,200	20.60	TLC-107 SONDA 2
02/06/2015	1.00	54,600	19.00	TLC-107 SONDA 2
02/06/2015	1.50	64,700	19.00	TLC-107 SONDA 2
02/06/2015	2.00	68,300	19.00	TLC-107 SONDA 2
02/06/2015	2.50	68,500	19.00	TLC-107 SONDA 2
02/06/2015	3.00	68,700	19.00	TLC-107 SONDA 2
02/06/2015	3.50	68,900	19.00	TLC-107 SONDA 2
02/06/2015	4.00	69,100	19.00	TLC-107 SONDA 2
02/06/2015	5.00	69,100	19.00	TLC-107 SONDA 2
02/06/2015	6.00	68,900	19.00	TLC-107 SONDA 2
02/06/2015	7.00	69,600	19.00	TLC-107 SONDA 2
02/06/2015	9.00	73,000	19.00	TLC-107 SONDA 2
02/06/2015	10.00	74,600	19.00	TLC-107 SONDA 2
02/06/2015	11.00	76,000	19.00	TLC-107 SONDA 2
02/06/2015	12.00	78,100	19.00	TLC-107 SONDA 2
02/06/2015	13.00	80,400	19.00	TLC-107 SONDA 2
02/06/2015	14.00	81,900	19.00	TLC-107 SONDA 2
02/06/2015	15.00	83,200	19.00	TLC-107 SONDA 2
02/06/2015	16.00	85,900	19.00	TLC-107 SONDA 2
02/06/2015	17.00	87,900	19.00	TLC-107 SONDA 2
02/06/2015	18.00	90,900	19.00	TLC-107 SONDA 2
02/06/2015	19.00	93,500	19.00	TLC-107 SONDA 2
02/06/2015	20.00	96,600	19.00	TLC-107 SONDA 2
02/06/2015	21.00	101,000	18.90	TLC-107 SONDA 2
02/06/2015	22.00	106,800	18.90	TLC-107 SONDA 2
02/06/2015	22.50	117,200	18.90	TLC-107 SONDA 2
02/06/2015	23.00	123,900	18.90	TLC-107 SONDA 2
02/06/2015	23.50	134,000	18.90	TLC-107 SONDA 2
02/06/2015	24.00	141,300	18.90	TLC-107 SONDA 2
02/06/2015	24.50	146,000	18.90	TLC-107 SONDA 2
02/06/2015	25.00	151,600	18.90	TLC-107 SONDA 2
02/06/2015	25.50	159,900	18.90	TLC-107 SONDA 2
02/06/2015	26.00	196,700	18.90	TLC-107 SONDA 2
02/06/2015	26.50	214,300	19.10	TLC-107 SONDA 2
02/06/2015	27.00	220,900	19.10	TLC-107 SONDA 2
02/06/2015	28.00	222,200	19.20	TLC-107 SONDA 2
02/06/2015	30.00	223,900	19.30	TLC-107 SONDA 2
02/06/2015	32.00	223,200	19.50	TLC-107 SONDA 2
02/06/2015	34.00	223,300	19.60	TLC-107 SONDA 2
02/06/2015	36.00	222,100	19.60	TLC-107 SONDA 2
02/06/2015	38.00	222,100	19.70	TLC-107 SONDA 2
02/06/2015	40.00	221,900	19.70	TLC-107 SONDA 2
02/06/2015	42.00	221,500	19.70	TLC-107 SONDA 2
02/06/2015	44.00	221,500	19.70	TLC-107 SONDA 2
02/06/2015	46.00	221,200	19.80	TLC-107 SONDA 2
02/06/2015	48.00	221,200	19.80	TLC-107 SONDA 2
02/06/2015	50.00	222,000	20.00	TLC-107 SONDA 2
02/06/2015	52.00	220,400	20.00	TLC-107 SONDA 2
02/06/2015	54.00	220,400	20.00	TLC-107 SONDA 2
02/06/2015	56.00	220,000	20.10	TLC-107 SONDA 2
02/06/2015	58.00	220,000	20.10	TLC-107 SONDA 2
02/06/2015	60.00	219,800	20.10	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/06/2015	62.00	219,500	20.20	TLC-107 SONDA 2
02/06/2015	64.00	219,500	20.20	TLC-107 SONDA 2
02/06/2015	66.00	220,400	20.30	TLC-107 SONDA 2
02/06/2015	68.00	219,200	20.30	TLC-107 SONDA 2
02/06/2015	70.00	219,100	20.40	TLC-107 SONDA 2
02/06/2015	72.00	218,600	20.50	TLC-107 SONDA 2
02/06/2015	74.00	218,600	20.50	TLC-107 SONDA 2
02/06/2015	76.00	218,000	20.60	TLC-107 SONDA 2
02/06/2015	77.80	198,600	20.60	TLC-107 SONDA 2
07/07/2015	0.90	67,200	18.50	TLC-107 SONDA 1
07/07/2015	1.50	74,200	18.90	TLC-107 SONDA 1
07/07/2015	2.00	75,800	18.90	TLC-107 SONDA 1
07/07/2015	2.50	77,100	18.90	TLC-107 SONDA 1
07/07/2015	3.00	77,500	19.00	TLC-107 SONDA 1
07/07/2015	4.00	78,400	19.00	TLC-107 SONDA 1
07/07/2015	5.00	79,300	19.00	TLC-107 SONDA 1
07/07/2015	6.00	79,000	19.00	TLC-107 SONDA 1
07/07/2015	7.00	81,100	19.00	TLC-107 SONDA 1
07/07/2015	8.00	81,000	19.00	TLC-107 SONDA 1
07/07/2015	9.00	84,900	19.00	TLC-107 SONDA 1
07/07/2015	10.00	86,600	19.00	TLC-107 SONDA 1
07/07/2015	11.00	88,500	19.00	TLC-107 SONDA 1
07/07/2015	12.00	90,400	19.00	TLC-107 SONDA 1
07/07/2015	13.00	91,800	19.00	TLC-107 SONDA 1
07/07/2015	14.00	94,100	19.00	TLC-107 SONDA 1
07/07/2015	15.00	96,300	19.00	TLC-107 SONDA 1
07/07/2015	16.00	98,700	19.00	TLC-107 SONDA 1
07/07/2015	17.00	102,400	19.00	TLC-107 SONDA 1
07/07/2015	18.00	106,600	19.00	TLC-107 SONDA 1
07/07/2015	19.00	110,500	19.00	TLC-107 SONDA 1
07/07/2015	20.00	117,800	19.00	TLC-107 SONDA 1
07/07/2015	21.00	122,500	19.00	TLC-107 SONDA 1
07/07/2015	22.00	131,000	18.90	TLC-107 SONDA 1
07/07/2015	23.00	135,300	18.90	TLC-107 SONDA 1
07/07/2015	23.50	160,900	18.90	TLC-107 SONDA 1
07/07/2015	24.00	165,300	18.90	TLC-107 SONDA 1
07/07/2015	25.00	178,600	18.90	TLC-107 SONDA 1
07/07/2015	26.00	230,300	18.90	TLC-107 SONDA 1
07/07/2015	27.00	244,700	19.20	TLC-107 SONDA 1
07/07/2015	28.00	244,700	19.20	TLC-107 SONDA 1
07/07/2015	30.00	248,800	19.30	TLC-107 SONDA 1
07/07/2015	32.00	248,900	19.50	TLC-107 SONDA 1
07/07/2015	34.00	249,300	19.50	TLC-107 SONDA 1
07/07/2015	36.00	248,300	19.70	TLC-107 SONDA 1
07/07/2015	38.00	248,100	19.70	TLC-107 SONDA 1
07/07/2015	40.00	248,000	19.70	TLC-107 SONDA 1
07/07/2015	42.00	248,100	19.70	TLC-107 SONDA 1
07/07/2015	44.00	248,100	19.70	TLC-107 SONDA 1
07/07/2015	46.00	248,000	19.80	TLC-107 SONDA 1
07/07/2015	48.00	247,700	19.80	TLC-107 SONDA 1
07/07/2015	50.00	246,800	20.00	TLC-107 SONDA 1
07/07/2015	52.00	246,800	20.00	TLC-107 SONDA 1
07/07/2015	54.00	246,800	20.00	TLC-107 SONDA 1
07/07/2015	56.00	246,600	20.10	TLC-107 SONDA 1
07/07/2015	58.00	246,400	20.10	TLC-107 SONDA 1
07/07/2015	60.00	246,900	20.10	TLC-107 SONDA 1
07/07/2015	62.00	245,800	20.20	TLC-107 SONDA 1
07/07/2015	64.00	246,200	20.20	TLC-107 SONDA 1
07/07/2015	66.00	245,900	20.30	TLC-107 SONDA 1
07/07/2015	68.00	245,500	20.30	TLC-107 SONDA 1
07/07/2015	70.00	245,800	20.40	TLC-107 SONDA 1
07/07/2015	72.00	245,300	20.50	TLC-107 SONDA 1
07/07/2015	74.00	244,700	20.50	TLC-107 SONDA 1
07/07/2015	76.00	244,800	20.60	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/07/2015	78.00	217,100	20.60	TLC-107 SONDA 1
06/08/2015	1.00	60,671	18.57	SEBA MPS-D3
06/08/2015	1.20	60,638	18.66	SEBA MPS-D3
06/08/2015	2.00	60,674	18.77	SEBA MPS-D3
06/08/2015	4.00	60,589	18.86	SEBA MPS-D3
06/08/2015	6.00	60,606	18.86	SEBA MPS-D3
06/08/2015	7.00	61,733	18.86	SEBA MPS-D3
06/08/2015	9.00	63,593	18.86	SEBA MPS-D3
06/08/2015	10.00	64,380	18.86	SEBA MPS-D3
06/08/2015	11.00	65,555	18.85	SEBA MPS-D3
06/08/2015	12.00	66,896	18.85	SEBA MPS-D3
06/08/2015	12.50	67,821	18.85	SEBA MPS-D3
06/08/2015	13.00	68,672	18.85	SEBA MPS-D3
06/08/2015	13.50	69,316	18.84	SEBA MPS-D3
06/08/2015	14.00	70,039	18.84	SEBA MPS-D3
06/08/2015	14.50	70,790	18.84	SEBA MPS-D3
06/08/2015	15.00	71,683	18.84	SEBA MPS-D3
06/08/2015	15.50	72,535	18.84	SEBA MPS-D3
06/08/2015	16.00	73,595	18.83	SEBA MPS-D3
06/08/2015	16.50	74,564	18.82	SEBA MPS-D3
06/08/2015	17.00	75,671	18.82	SEBA MPS-D3
06/08/2015	17.50	76,651	18.82	SEBA MPS-D3
06/08/2015	18.00	77,731	18.83	SEBA MPS-D3
06/08/2015	18.50	78,744	18.82	SEBA MPS-D3
06/08/2015	19.00	79,778	18.81	SEBA MPS-D3
06/08/2015	20.00	83,071	18.81	SEBA MPS-D3
06/08/2015	20.50	84,320	18.80	SEBA MPS-D3
06/08/2015	21.00	85,434	18.80	SEBA MPS-D3
06/08/2015	21.50	88,082	18.78	SEBA MPS-D3
06/08/2015	22.00	92,274	18.78	SEBA MPS-D3
06/08/2015	22.50	96,425	18.77	SEBA MPS-D3
06/08/2015	23.00	104,608	18.76	SEBA MPS-D3
06/08/2015	23.50	109,816	18.75	SEBA MPS-D3
06/08/2015	24.00	114,408	18.74	SEBA MPS-D3
06/08/2015	24.50	118,386	18.74	SEBA MPS-D3
06/08/2015	25.00	125,235	18.73	SEBA MPS-D3
06/08/2015	25.50	135,033	18.73	SEBA MPS-D3
06/08/2015	26.00	174,433	18.84	SEBA MPS-D3
06/08/2015	26.50	194,682	18.99	SEBA MPS-D3
06/08/2015	27.00	199,189	19.06	SEBA MPS-D3
06/08/2015	28.00	213,181	19.14	SEBA MPS-D3
06/08/2015	30.00	224,173	19.21	SEBA MPS-D3
06/08/2015	32.00	225,149	19.31	SEBA MPS-D3
06/08/2015	34.00	226,247	19.44	SEBA MPS-D3
06/08/2015	36.00	226,322	19.47	SEBA MPS-D3
06/08/2015	38.00	226,278	19.49	SEBA MPS-D3
06/08/2015	40.00	226,397	19.50	SEBA MPS-D3
06/08/2015	42.00	226,209	19.50	SEBA MPS-D3
06/08/2015	44.00	226,354	19.54	SEBA MPS-D3
06/08/2015	46.00	226,465	19.58	SEBA MPS-D3
06/08/2015	48.00	226,657	19.64	SEBA MPS-D3
06/08/2015	50.00	226,581	19.70	SEBA MPS-D3
06/08/2015	52.00	226,459	19.74	SEBA MPS-D3
06/08/2015	54.00	226,496	19.78	SEBA MPS-D3
06/08/2015	56.00	226,554	19.81	SEBA MPS-D3
06/08/2015	58.00	226,504	19.84	SEBA MPS-D3
06/08/2015	60.00	226,507	19.88	SEBA MPS-D3
06/08/2015	62.00	226,538	19.93	SEBA MPS-D3
06/08/2015	64.00	226,529	19.99	SEBA MPS-D3
06/08/2015	66.00	226,783	20.07	SEBA MPS-D3
06/08/2015	68.00	226,687	20.14	SEBA MPS-D3
06/08/2015	70.00	226,607	20.21	SEBA MPS-D3
06/08/2015	72.00	226,495	20.28	SEBA MPS-D3
06/08/2015	74.00	226,470	20.35	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/08/2015	76.00	226,657	20.40	SEBA MPS-D3
06/08/2015	76.50	226,449	20.42	SEBA MPS-D3
06/09/2015	1.00	62,720	18.90	SEBA MPS-D3
06/09/2015	3.00	62,570	18.88	SEBA MPS-D3
06/09/2015	5.00	62,490	18.88	SEBA MPS-D3
06/09/2015	7.00	63,690	18.88	SEBA MPS-D3
06/09/2015	9.00	65,480	18.87	SEBA MPS-D3
06/09/2015	11.00	67,770	18.87	SEBA MPS-D3
06/09/2015	12.00	69,230	18.87	SEBA MPS-D3
06/09/2015	13.00	71,300	18.86	SEBA MPS-D3
06/09/2015	14.00	72,790	18.85	SEBA MPS-D3
06/09/2015	15.00	74,470	18.85	SEBA MPS-D3
06/09/2015	16.00	76,620	18.84	SEBA MPS-D3
06/09/2015	17.00	78,860	18.83	SEBA MPS-D3
06/09/2015	18.00	81,080	18.83	SEBA MPS-D3
06/09/2015	19.00	82,900	18.82	SEBA MPS-D3
06/09/2015	20.00	87,150	18.81	SEBA MPS-D3
06/09/2015	21.00	89,820	18.80	SEBA MPS-D3
06/09/2015	21.50	92,860	18.79	SEBA MPS-D3
06/09/2015	22.00	96,980	18.78	SEBA MPS-D3
06/09/2015	22.50	100,800	18.77	SEBA MPS-D3
06/09/2015	23.00	110,300	18.77	SEBA MPS-D3
06/09/2015	23.50	117,100	18.76	SEBA MPS-D3
06/09/2015	24.00	124,400	18.75	SEBA MPS-D3
06/09/2015	24.50	128,300	18.74	SEBA MPS-D3
06/09/2015	25.00	135,000	18.73	SEBA MPS-D3
06/09/2015	25.50	145,600	18.74	SEBA MPS-D3
06/09/2015	26.00	183,600	18.86	SEBA MPS-D3
06/09/2015	26.50	200,100	18.98	SEBA MPS-D3
06/09/2015	27.00	206,900	19.08	SEBA MPS-D3
06/09/2015	28.00	217,600	19.15	SEBA MPS-D3
06/09/2015	30.00	231,500	19.24	SEBA MPS-D3
06/09/2015	32.00	232,700	19.32	SEBA MPS-D3
06/09/2015	34.00	233,800	19.37	SEBA MPS-D3
06/09/2015	36.00	234,200	19.48	SEBA MPS-D3
06/09/2015	38.00	234,200	19.49	SEBA MPS-D3
06/09/2015	40.00	234,200	19.50	SEBA MPS-D3
06/09/2015	42.00	234,200	19.52	SEBA MPS-D3
06/09/2015	44.00	234,300	19.55	SEBA MPS-D3
06/09/2015	46.00	234,400	19.58	SEBA MPS-D3
06/09/2015	48.00	234,600	19.68	SEBA MPS-D3
06/09/2015	50.00	234,600	19.70	SEBA MPS-D3
06/09/2015	52.00	234,400	19.75	SEBA MPS-D3
06/09/2015	54.00	234,500	19.78	SEBA MPS-D3
06/09/2015	56.00	234,600	19.80	SEBA MPS-D3
06/09/2015	58.00	234,600	19.81	SEBA MPS-D3
06/09/2015	60.00	234,400	19.82	SEBA MPS-D3
06/09/2015	62.00	234,400	19.85	SEBA MPS-D3
06/09/2015	64.00	234,400	19.93	SEBA MPS-D3
06/09/2015	66.00	234,400	20.01	SEBA MPS-D3
06/09/2015	68.00	234,500	20.12	SEBA MPS-D3
06/09/2015	70.00	234,400	20.20	SEBA MPS-D3
06/09/2015	72.00	234,400	20.26	SEBA MPS-D3
06/09/2015	74.00	234,400	20.34	SEBA MPS-D3
06/09/2015	76.00	234,300	20.40	SEBA MPS-D3
06/09/2015	76.60	234,100	20.42	SEBA MPS-D3
12/10/2015	1.20	67,631	18.90	SEBA MPS-D3
12/10/2015	2.00	67,631	18.90	SEBA MPS-D3
12/10/2015	4.00	67,587	18.86	SEBA MPS-D3
12/10/2015	6.00	67,497	18.85	SEBA MPS-D3
12/10/2015	8.00	67,459	18.85	SEBA MPS-D3
12/10/2015	10.00	69,403	18.85	SEBA MPS-D3
12/10/2015	12.00	71,262	18.84	SEBA MPS-D3
12/10/2015	13.00	73,947	18.83	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/10/2015	14.00	75,939	18.84	SEBA MPS-D3
12/10/2015	15.00	77,314	18.83	SEBA MPS-D3
12/10/2015	16.00	79,096	18.82	SEBA MPS-D3
12/10/2015	17.00	81,319	18.82	SEBA MPS-D3
12/10/2015	18.00	83,442	18.81	SEBA MPS-D3
12/10/2015	18.20	85,417	18.81	SEBA MPS-D3
12/10/2015	18.40	86,191	18.80	SEBA MPS-D3
12/10/2015	18.60	86,426	18.80	SEBA MPS-D3
12/10/2015	18.80	86,681	18.80	SEBA MPS-D3
12/10/2015	19.00	87,036	18.80	SEBA MPS-D3
12/10/2015	19.50	87,356	18.80	SEBA MPS-D3
12/10/2015	20.00	88,487	18.80	SEBA MPS-D3
12/10/2015	20.50	90,563	18.79	SEBA MPS-D3
12/10/2015	21.00	91,992	18.78	SEBA MPS-D3
12/10/2015	21.50	93,009	18.78	SEBA MPS-D3
12/10/2015	22.00	100,155	18.76	SEBA MPS-D3
12/10/2015	22.50	104,398	18.75	SEBA MPS-D3
12/10/2015	23.00	113,436	18.74	SEBA MPS-D3
12/10/2015	23.50	118,282	18.73	SEBA MPS-D3
12/10/2015	24.00	121,506	18.73	SEBA MPS-D3
12/10/2015	24.50	125,424	18.72	SEBA MPS-D3
12/10/2015	25.00	132,969	18.72	SEBA MPS-D3
12/10/2015	25.50	143,550	18.72	SEBA MPS-D3
12/10/2015	26.00	186,626	18.88	SEBA MPS-D3
12/10/2015	26.50	201,445	19.01	SEBA MPS-D3
12/10/2015	27.00	206,700	19.10	SEBA MPS-D3
12/10/2015	29.00	222,493	19.20	SEBA MPS-D3
12/10/2015	31.00	228,988	19.33	SEBA MPS-D3
12/10/2015	33.00	229,553	19.44	SEBA MPS-D3
12/10/2015	35.00	229,507	19.48	SEBA MPS-D3
12/10/2015	37.00	229,511	19.48	SEBA MPS-D3
12/10/2015	39.00	229,497	19.49	SEBA MPS-D3
12/10/2015	41.00	229,504	19.50	SEBA MPS-D3
12/10/2015	43.00	229,570	19.52	SEBA MPS-D3
12/10/2015	45.00	229,860	19.56	SEBA MPS-D3
12/10/2015	47.00	229,940	19.61	SEBA MPS-D3
12/10/2015	49.00	229,999	19.71	SEBA MPS-D3
12/10/2015	51.00	229,995	19.75	SEBA MPS-D3
12/10/2015	53.00	230,064	19.79	SEBA MPS-D3
12/10/2015	55.00	230,071	19.80	SEBA MPS-D3
12/10/2015	57.00	229,974	19.81	SEBA MPS-D3
12/10/2015	59.00	229,974	19.83	SEBA MPS-D3
12/10/2015	61.00	229,974	19.85	SEBA MPS-D3
12/10/2015	63.00	230,022	19.87	SEBA MPS-D3
12/10/2015	65.00	230,018	19.95	SEBA MPS-D3
12/10/2015	67.00	229,935	20.07	SEBA MPS-D3
12/10/2015	69.00	229,984	20.16	SEBA MPS-D3
12/10/2015	71.00	229,899	20.23	SEBA MPS-D3
12/10/2015	73.00	229,927	20.30	SEBA MPS-D3
12/10/2015	75.00	229,904	20.37	SEBA MPS-D3
12/10/2015	77.00	229,938	20.41	SEBA MPS-D3
12/10/2015	77.60	197,339	20.42	SEBA MPS-D3
03/11/2015	1.20	68,697	19.12	SEBA MPS-D3
03/11/2015	2.00	68,568	18.88	SEBA MPS-D3
03/11/2015	4.00	68,532	18.85	SEBA MPS-D3
03/11/2015	6.00	68,480	18.85	SEBA MPS-D3
03/11/2015	8.00	70,482	18.84	SEBA MPS-D3
03/11/2015	10.00	72,190	18.83	SEBA MPS-D3
03/11/2015	12.00	75,068	18.83	SEBA MPS-D3
03/11/2015	13.00	76,772	18.83	SEBA MPS-D3
03/11/2015	14.00	78,245	18.82	SEBA MPS-D3
03/11/2015	15.00	80,019	18.82	SEBA MPS-D3
03/11/2015	16.00	82,017	18.81	SEBA MPS-D3
03/11/2015	17.00	84,226	18.81	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
03/11/2015	18.00	86,176	18.80	SEBA MPS-D3
03/11/2015	18.50	87,204	18.80	SEBA MPS-D3
03/11/2015	19.00	88,218	18.80	SEBA MPS-D3
03/11/2015	19.50	89,288	18.79	SEBA MPS-D3
03/11/2015	20.00	91,176	18.79	SEBA MPS-D3
03/11/2015	20.50	93,059	18.78	SEBA MPS-D3
03/11/2015	21.00	93,815	18.77	SEBA MPS-D3
03/11/2015	21.50	96,924	18.76	SEBA MPS-D3
03/11/2015	22.00	101,834	18.75	SEBA MPS-D3
03/11/2015	22.50	106,450	18.74	SEBA MPS-D3
03/11/2015	23.00	116,607	18.74	SEBA MPS-D3
03/11/2015	23.50	122,458	18.74	SEBA MPS-D3
03/11/2015	24.00	126,051	18.73	SEBA MPS-D3
03/11/2015	24.50	129,298	18.73	SEBA MPS-D3
03/11/2015	25.00	137,654	18.72	SEBA MPS-D3
03/11/2015	25.50	147,239	18.73	SEBA MPS-D3
03/11/2015	26.00	185,264	18.88	SEBA MPS-D3
03/11/2015	26.50	198,200	19.01	SEBA MPS-D3
03/11/2015	27.00	205,775	19.13	SEBA MPS-D3
03/11/2015	29.00	219,676	19.22	SEBA MPS-D3
03/11/2015	31.00	225,604	19.35	SEBA MPS-D3
03/11/2015	33.00	225,859	19.45	SEBA MPS-D3
03/11/2015	35.00	225,866	19.48	SEBA MPS-D3
03/11/2015	37.00	225,893	19.49	SEBA MPS-D3
03/11/2015	39.00	225,793	19.49	SEBA MPS-D3
03/11/2015	41.00	225,845	19.50	SEBA MPS-D3
03/11/2015	43.00	225,869	19.52	SEBA MPS-D3
03/11/2015	45.00	226,209	19.57	SEBA MPS-D3
03/11/2015	47.00	226,408	19.61	SEBA MPS-D3
03/11/2015	49.00	226,445	19.68	SEBA MPS-D3
03/11/2015	51.00	226,389	19.73	SEBA MPS-D3
03/11/2015	53.00	226,358	19.76	SEBA MPS-D3
03/11/2015	55.00	226,437	19.78	SEBA MPS-D3
03/11/2015	57.00	226,437	19.82	SEBA MPS-D3
03/11/2015	59.00	226,491	19.85	SEBA MPS-D3
03/11/2015	61.00	226,484	19.90	SEBA MPS-D3
03/11/2015	63.00	226,446	19.95	SEBA MPS-D3
03/11/2015	65.00	226,473	20.03	SEBA MPS-D3
03/11/2015	67.00	226,442	20.08	SEBA MPS-D3
03/11/2015	69.00	226,489	20.17	SEBA MPS-D3
03/11/2015	71.00	226,439	20.24	SEBA MPS-D3
03/11/2015	73.00	226,429	20.31	SEBA MPS-D3
03/11/2015	75.00	226,426	20.36	SEBA MPS-D3
03/11/2015	77.00	226,389	20.41	SEBA MPS-D3
03/11/2015	77.60	208,882	20.42	SEBA MPS-D3
05/12/2015	1.10	68,999	20.50	SEBA MPS-D3
05/12/2015	2.00	68,779	19.00	SEBA MPS-D3
05/12/2015	4.00	68,762	18.89	SEBA MPS-D3
05/12/2015	6.00	68,741	18.87	SEBA MPS-D3
05/12/2015	8.00	71,013	18.86	SEBA MPS-D3
05/12/2015	10.00	72,608	18.86	SEBA MPS-D3
05/12/2015	12.00	75,585	18.85	SEBA MPS-D3
05/12/2015	14.00	79,058	18.85	SEBA MPS-D3
05/12/2015	16.00	83,054	18.84	SEBA MPS-D3
05/12/2015	18.00	87,424	18.82	SEBA MPS-D3
05/12/2015	20.00	92,909	18.80	SEBA MPS-D3
05/12/2015	21.00	95,249	18.79	SEBA MPS-D3
05/12/2015	21.50	98,343	18.78	SEBA MPS-D3
05/12/2015	22.00	102,520	18.78	SEBA MPS-D3
05/12/2015	22.50	107,256	18.76	SEBA MPS-D3
05/12/2015	23.00	117,184	18.75	SEBA MPS-D3
05/12/2015	23.50	122,743	18.75	SEBA MPS-D3
05/12/2015	24.00	126,436	18.74	SEBA MPS-D3
05/12/2015	24.50	128,880	18.73	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/12/2015	25.00	135,476	18.73	SEBA MPS-D3
05/12/2015	25.50	148,250	18.74	SEBA MPS-D3
05/12/2015	26.00	186,522	18.87	SEBA MPS-D3
05/12/2015	26.50	202,719	19.00	SEBA MPS-D3
05/12/2015	27.00	210,124	19.09	SEBA MPS-D3
05/12/2015	29.00	225,772	19.19	SEBA MPS-D3
05/12/2015	31.00	233,182	19.32	SEBA MPS-D3
05/12/2015	33.00	233,799	19.45	SEBA MPS-D3
05/12/2015	36.00	233,754	19.49	SEBA MPS-D3
05/12/2015	38.00	233,796	19.49	SEBA MPS-D3
05/12/2015	40.00	233,739	19.50	SEBA MPS-D3
05/12/2015	43.00	233,727	19.53	SEBA MPS-D3
05/12/2015	45.00	234,008	19.55	SEBA MPS-D3
05/12/2015	47.00	234,143	19.60	SEBA MPS-D3
05/12/2015	50.00	234,143	19.73	SEBA MPS-D3
05/12/2015	52.00	234,109	19.78	SEBA MPS-D3
05/12/2015	54.00	234,146	19.80	SEBA MPS-D3
05/12/2015	56.00	234,124	19.82	SEBA MPS-D3
05/12/2015	58.00	234,139	19.81	SEBA MPS-D3
05/12/2015	60.00	234,141	19.83	SEBA MPS-D3
05/12/2015	63.00	234,118	19.87	SEBA MPS-D3
05/12/2015	65.00	234,148	19.97	SEBA MPS-D3
05/12/2015	67.00	234,043	20.07	SEBA MPS-D3
05/12/2015	70.00	234,072	20.20	SEBA MPS-D3
05/12/2015	72.00	234,080	20.27	SEBA MPS-D3
05/12/2015	74.00	234,011	20.35	SEBA MPS-D3
05/12/2015	76.00	234,075	20.41	SEBA MPS-D3
05/12/2015	77.50	228,610	20.42	SEBA MPS-D3
16/01/2016	1.30	79,372	20.74	SEBA MPS-D3
16/01/2016	2.00	79,208	18.98	SEBA MPS-D3
16/01/2016	4.00	79,257	18.85	SEBA MPS-D3
16/01/2016	6.00	79,126	18.84	SEBA MPS-D3
16/01/2016	8.00	81,403	18.83	SEBA MPS-D3
16/01/2016	10.00	83,250	18.83	SEBA MPS-D3
16/01/2016	12.00	86,004	18.82	SEBA MPS-D3
16/01/2016	14.00	89,257	18.81	SEBA MPS-D3
16/01/2016	16.00	93,300	18.81	SEBA MPS-D3
16/01/2016	18.00	97,573	18.79	SEBA MPS-D3
16/01/2016	20.00	102,923	18.78	SEBA MPS-D3
16/01/2016	21.00	105,149	18.75	SEBA MPS-D3
16/01/2016	21.50	108,274	18.75	SEBA MPS-D3
16/01/2016	22.00	112,036	18.74	SEBA MPS-D3
16/01/2016	22.50	116,700	18.74	SEBA MPS-D3
16/01/2016	23.00	125,157	18.74	SEBA MPS-D3
16/01/2016	23.50	133,070	18.74	SEBA MPS-D3
16/01/2016	24.00	136,979	18.73	SEBA MPS-D3
16/01/2016	24.50	140,023	18.73	SEBA MPS-D3
16/01/2016	25.00	147,222	18.73	SEBA MPS-D3
16/01/2016	25.50	161,328	18.76	SEBA MPS-D3
16/01/2016	26.00	198,577	18.95	SEBA MPS-D3
16/01/2016	26.50	211,142	19.09	SEBA MPS-D3
16/01/2016	27.00	216,527	19.19	SEBA MPS-D3
16/01/2016	29.00	227,956	19.29	SEBA MPS-D3
16/01/2016	31.00	231,854	19.42	SEBA MPS-D3
16/01/2016	33.00	232,022	19.48	SEBA MPS-D3
16/01/2016	35.00	231,987	19.49	SEBA MPS-D3
16/01/2016	37.00	231,972	19.49	SEBA MPS-D3
16/01/2016	39.00	231,969	19.49	SEBA MPS-D3
16/01/2016	41.00	231,982	19.50	SEBA MPS-D3
16/01/2016	43.00	231,991	19.53	SEBA MPS-D3
16/01/2016	45.00	232,740	19.61	SEBA MPS-D3
16/01/2016	47.00	233,051	19.70	SEBA MPS-D3
16/01/2016	49.00	232,984	19.76	SEBA MPS-D3
16/01/2016	51.00	233,090	19.78	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/01/2016	53.00	233,058	19.83	SEBA MPS-D3
16/01/2016	55.00	233,093	19.83	SEBA MPS-D3
16/01/2016	57.00	233,082	19.84	SEBA MPS-D3
16/01/2016	59.00	233,050	19.85	SEBA MPS-D3
16/01/2016	61.00	233,077	19.85	SEBA MPS-D3
16/01/2016	63.00	233,074	19.89	SEBA MPS-D3
16/01/2016	65.00	233,035	19.96	SEBA MPS-D3
16/01/2016	67.00	233,082	20.03	SEBA MPS-D3
16/01/2016	69.00	232,990	20.11	SEBA MPS-D3
16/01/2016	71.00	233,020	20.18	SEBA MPS-D3
16/01/2016	73.00	232,989	20.23	SEBA MPS-D3
16/01/2016	75.00	233,025	20.31	SEBA MPS-D3
16/01/2016	77.00	233,013	20.34	SEBA MPS-D3
16/01/2016	77.55	211,471	20.36	SEBA MPS-D3
09/02/2016	1.15	73,791	20.24	SEBA MPS-D3
09/02/2016	2.00	73,608	19.05	SEBA MPS-D3
09/02/2016	4.00	73,492	18.89	SEBA MPS-D3
09/02/2016	6.00	73,445	18.87	SEBA MPS-D3
09/02/2016	8.00	75,371	18.86	SEBA MPS-D3
09/02/2016	10.00	77,118	18.85	SEBA MPS-D3
09/02/2016	12.00	79,625	18.84	SEBA MPS-D3
09/02/2016	14.00	82,712	18.84	SEBA MPS-D3
09/02/2016	16.00	86,580	18.83	SEBA MPS-D3
09/02/2016	18.00	90,682	18.82	SEBA MPS-D3
09/02/2016	20.00	95,518	18.80	SEBA MPS-D3
09/02/2016	21.00	97,553	18.79	SEBA MPS-D3
09/02/2016	21.50	100,829	18.78	SEBA MPS-D3
09/02/2016	22.00	104,418	18.77	SEBA MPS-D3
09/02/2016	22.50	108,718	18.76	SEBA MPS-D3
09/02/2016	23.00	119,283	18.75	SEBA MPS-D3
09/02/2016	23.50	125,457	18.74	SEBA MPS-D3
09/02/2016	24.00	129,524	18.74	SEBA MPS-D3
09/02/2016	24.50	132,612	18.73	SEBA MPS-D3
09/02/2016	25.00	140,174	18.73	SEBA MPS-D3
09/02/2016	25.50	155,958	18.74	SEBA MPS-D3
09/02/2016	26.00	194,357	18.89	SEBA MPS-D3
09/02/2016	26.50	209,973	19.05	SEBA MPS-D3
09/02/2016	27.00	214,492	19.12	SEBA MPS-D3
09/02/2016	29.00	230,616	19.24	SEBA MPS-D3
09/02/2016	31.00	236,116	19.36	SEBA MPS-D3
09/02/2016	33.00	236,392	19.46	SEBA MPS-D3
09/02/2016	35.00	236,389	19.46	SEBA MPS-D3
09/02/2016	37.00	236,376	19.49	SEBA MPS-D3
09/02/2016	39.00	236,415	19.49	SEBA MPS-D3
09/02/2016	41.00	236,383	19.50	SEBA MPS-D3
09/02/2016	43.00	236,447	19.50	SEBA MPS-D3
09/02/2016	45.00	236,467	19.52	SEBA MPS-D3
09/02/2016	47.00	236,701	19.58	SEBA MPS-D3
09/02/2016	49.00	237,027	19.65	SEBA MPS-D3
09/02/2016	51.00	237,051	19.72	SEBA MPS-D3
09/02/2016	53.00	237,046	19.78	SEBA MPS-D3
09/02/2016	55.00	237,086	19.82	SEBA MPS-D3
09/02/2016	57.00	237,104	19.81	SEBA MPS-D3
09/02/2016	59.00	237,085	19.84	SEBA MPS-D3
09/02/2016	61.00	237,091	19.84	SEBA MPS-D3
09/02/2016	63.00	237,077	19.89	SEBA MPS-D3
09/02/2016	65.00	237,021	20.01	SEBA MPS-D3
09/02/2016	67.00	237,108	20.07	SEBA MPS-D3
09/02/2016	69.00	237,022	20.16	SEBA MPS-D3
09/02/2016	71.00	237,018	20.23	SEBA MPS-D3
09/02/2016	73.00	236,940	20.30	SEBA MPS-D3
09/02/2016	75.00	236,976	20.36	SEBA MPS-D3
09/02/2016	77.00	236,988	20.39	SEBA MPS-D3
09/02/2016	77.55	235,147	20.42	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/03/2016	1.20	73,961	21.10	SEBA MPS-D3
09/03/2016	2.00	74,043	18.97	SEBA MPS-D3
09/03/2016	4.00	74,003	18.86	SEBA MPS-D3
09/03/2016	6.00	73,966	18.86	SEBA MPS-D3
09/03/2016	8.00	75,647	18.85	SEBA MPS-D3
09/03/2016	10.00	77,216	18.85	SEBA MPS-D3
09/03/2016	12.00	79,449	18.84	SEBA MPS-D3
09/03/2016	14.00	82,268	18.84	SEBA MPS-D3
09/03/2016	16.00	85,650	18.83	SEBA MPS-D3
09/03/2016	18.00	89,135	18.82	SEBA MPS-D3
09/03/2016	20.00	93,479	18.80	SEBA MPS-D3
09/03/2016	21.00	95,209	18.79	SEBA MPS-D3
09/03/2016	21.50	97,913	18.78	SEBA MPS-D3
09/03/2016	22.00	101,268	18.77	SEBA MPS-D3
09/03/2016	22.50	105,227	18.76	SEBA MPS-D3
09/03/2016	23.00	114,826	18.75	SEBA MPS-D3
09/03/2016	23.50	120,567	18.74	SEBA MPS-D3
09/03/2016	24.00	124,440	18.73	SEBA MPS-D3
09/03/2016	24.50	128,058	18.73	SEBA MPS-D3
09/03/2016	25.00	136,810	18.73	SEBA MPS-D3
09/03/2016	25.50	154,024	18.74	SEBA MPS-D3
09/03/2016	26.00	193,785	18.89	SEBA MPS-D3
09/03/2016	26.50	208,914	19.05	SEBA MPS-D3
09/03/2016	27.00	213,117	19.12	SEBA MPS-D3
09/03/2016	29.00	228,571	19.25	SEBA MPS-D3
09/03/2016	31.00	233,897	19.38	SEBA MPS-D3
09/03/2016	33.00	234,190	19.46	SEBA MPS-D3
09/03/2016	35.00	234,146	19.48	SEBA MPS-D3
09/03/2016	37.00	234,171	19.48	SEBA MPS-D3
09/03/2016	39.00	234,174	19.49	SEBA MPS-D3
09/03/2016	41.00	234,109	19.51	SEBA MPS-D3
09/03/2016	43.00	234,164	19.52	SEBA MPS-D3
09/03/2016	45.00	234,620	19.58	SEBA MPS-D3
09/03/2016	47.00	234,843	19.63	SEBA MPS-D3
09/03/2016	49.00	234,813	19.73	SEBA MPS-D3
09/03/2016	51.00	234,773	19.78	SEBA MPS-D3
09/03/2016	53.00	234,844	19.81	SEBA MPS-D3
09/03/2016	55.00	234,822	19.83	SEBA MPS-D3
09/03/2016	57.00	234,772	19.84	SEBA MPS-D3
09/03/2016	59.00	234,793	19.84	SEBA MPS-D3
09/03/2016	61.00	234,820	19.85	SEBA MPS-D3
09/03/2016	63.00	234,800	19.87	SEBA MPS-D3
09/03/2016	65.00	234,712	19.98	SEBA MPS-D3
09/03/2016	67.00	234,765	20.05	SEBA MPS-D3
09/03/2016	69.00	234,762	20.14	SEBA MPS-D3
09/03/2016	71.00	234,711	20.21	SEBA MPS-D3
09/03/2016	73.00	234,734	20.28	SEBA MPS-D3
09/03/2016	75.00	234,704	20.35	SEBA MPS-D3
09/03/2016	77.00	234,733	20.38	SEBA MPS-D3
09/03/2016	77.55	223,758	20.41	SEBA MPS-D3
04/05/2016	1.30	78,810	19.13	SEBA KLL-Q
04/05/2016	2.00	78,630	18.88	SEBA KLL-Q
04/05/2016	3.00	79,020	18.84	SEBA KLL-Q
04/05/2016	4.00	79,070	18.83	SEBA KLL-Q
04/05/2016	5.00	79,070	18.82	SEBA KLL-Q
04/05/2016	6.00	79,090	18.82	SEBA KLL-Q
04/05/2016	7.00	79,330	18.81	SEBA KLL-Q
04/05/2016	8.00	80,170	18.81	SEBA KLL-Q
04/05/2016	9.00	80,900	18.80	SEBA KLL-Q
04/05/2016	10.00	81,310	18.81	SEBA KLL-Q
04/05/2016	10.50	81,720	18.81	SEBA KLL-Q
04/05/2016	11.00	82,010	18.81	SEBA KLL-Q
04/05/2016	11.50	82,550	18.81	SEBA KLL-Q
04/05/2016	12.00	82,940	18.80	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/05/2016	12.50	83,620	18.80	SEBA KLL-Q
04/05/2016	13.00	84,420	18.80	SEBA KLL-Q
04/05/2016	13.50	84,820	18.80	SEBA KLL-Q
04/05/2016	14.00	85,280	18.80	SEBA KLL-Q
04/05/2016	15.00	86,540	18.80	SEBA KLL-Q
04/05/2016	16.00	87,950	18.79	SEBA KLL-Q
04/05/2016	16.50	88,620	18.79	SEBA KLL-Q
04/05/2016	17.00	89,390	18.79	SEBA KLL-Q
04/05/2016	17.50	89,970	18.78	SEBA KLL-Q
04/05/2016	18.00	90,670	18.79	SEBA KLL-Q
04/05/2016	18.50	91,330	18.78	SEBA KLL-Q
04/05/2016	19.00	91,930	18.78	SEBA KLL-Q
04/05/2016	19.50	92,570	18.78	SEBA KLL-Q
04/05/2016	20.00	94,100	18.77	SEBA KLL-Q
04/05/2016	20.50	95,140	18.77	SEBA KLL-Q
04/05/2016	21.00	96,280	18.76	SEBA KLL-Q
04/05/2016	22.00	101,950	18.74	SEBA KLL-Q
04/05/2016	22.50	105,030	18.74	SEBA KLL-Q
04/05/2016	23.00	115,100	18.72	SEBA KLL-Q
04/05/2016	23.50	120,640	18.72	SEBA KLL-Q
04/05/2016	24.00	123,970	18.71	SEBA KLL-Q
04/05/2016	24.50	128,730	18.69	SEBA KLL-Q
04/05/2016	25.00	138,260	18.69	SEBA KLL-Q
04/05/2016	25.50	153,900	18.71	SEBA KLL-Q
04/05/2016	26.00	196,280	18.90	SEBA KLL-Q
04/05/2016	26.20	203,300	18.99	SEBA KLL-Q
04/05/2016	26.50	210,600	19.09	SEBA KLL-Q
04/05/2016	27.00	213,500	19.17	SEBA KLL-Q
04/05/2016	27.50	218,700	19.22	SEBA KLL-Q
04/05/2016	28.00	221,000	19.25	SEBA KLL-Q
04/05/2016	29.00	225,900	19.30	SEBA KLL-Q
04/05/2016	30.00	229,100	19.39	SEBA KLL-Q
04/05/2016	32.00	229,400	19.46	SEBA KLL-Q
04/05/2016	34.00	229,300	19.46	SEBA KLL-Q
04/05/2016	36.00	229,300	19.48	SEBA KLL-Q
04/05/2016	38.00	229,300	19.48	SEBA KLL-Q
04/05/2016	40.00	229,300	19.48	SEBA KLL-Q
04/05/2016	42.00	229,300	19.50	SEBA KLL-Q
04/05/2016	44.00	229,700	19.56	SEBA KLL-Q
04/05/2016	46.00	230,500	19.80	SEBA KLL-Q
04/05/2016	48.00	230,500	19.82	SEBA KLL-Q
04/05/2016	50.00	230,500	19.84	SEBA KLL-Q
04/05/2016	52.00	230,600	19.85	SEBA KLL-Q
04/05/2016	54.00	230,500	19.85	SEBA KLL-Q
04/05/2016	56.00	230,500	19.86	SEBA KLL-Q
04/05/2016	58.00	230,500	19.88	SEBA KLL-Q
04/05/2016	60.00	230,500	19.89	SEBA KLL-Q
04/05/2016	62.00	230,600	19.90	SEBA KLL-Q
04/05/2016	64.00	230,500	19.95	SEBA KLL-Q
04/05/2016	66.00	230,500	20.00	SEBA KLL-Q
04/05/2016	68.00	230,400	20.06	SEBA KLL-Q
04/05/2016	70.00	230,500	20.12	SEBA KLL-Q
04/05/2016	72.00	230,500	20.17	SEBA KLL-Q
04/05/2016	74.00	230,400	20.24	SEBA KLL-Q
04/05/2016	76.00	230,400	20.29	SEBA KLL-Q
04/05/2016	77.50	229,000	20.30	SEBA KLL-Q
11/07/2016	1.20	71,840	18.33	SEBA KLL-Q
11/07/2016	2.00	71,760	18.53	SEBA KLL-Q
11/07/2016	3.00	71,680	18.79	SEBA KLL-Q
11/07/2016	4.00	71,670	18.82	SEBA KLL-Q
11/07/2016	5.00	71,680	18.82	SEBA KLL-Q
11/07/2016	6.00	71,700	18.83	SEBA KLL-Q
11/07/2016	7.00	72,080	18.83	SEBA KLL-Q
11/07/2016	8.00	72,670	18.83	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/07/2016	9.00	73,220	18.83	SEBA KLL-Q
11/07/2016	10.00	73,680	18.83	SEBA KLL-Q
11/07/2016	11.00	74,260	18.83	SEBA KLL-Q
11/07/2016	12.00	75,130	18.82	SEBA KLL-Q
11/07/2016	13.00	76,260	18.82	SEBA KLL-Q
11/07/2016	14.00	77,230	18.82	SEBA KLL-Q
11/07/2016	15.00	78,390	18.82	SEBA KLL-Q
11/07/2016	16.00	79,740	18.82	SEBA KLL-Q
11/07/2016	17.00	81,020	18.81	SEBA KLL-Q
11/07/2016	18.00	82,400	18.81	SEBA KLL-Q
11/07/2016	19.00	83,510	18.80	SEBA KLL-Q
11/07/2016	20.00	85,570	18.79	SEBA KLL-Q
11/07/2016	20.50	86,530	18.79	SEBA KLL-Q
11/07/2016	21.00	87,160	18.79	SEBA KLL-Q
11/07/2016	21.50	89,480	18.77	SEBA KLL-Q
11/07/2016	22.00	92,480	18.76	SEBA KLL-Q
11/07/2016	22.50	95,910	18.75	SEBA KLL-Q
11/07/2016	23.00	105,600	18.74	SEBA KLL-Q
11/07/2016	23.50	110,900	18.74	SEBA KLL-Q
11/07/2016	24.00	113,500	18.73	SEBA KLL-Q
11/07/2016	24.50	116,400	18.72	SEBA KLL-Q
11/07/2016	25.00	125,300	18.70	SEBA KLL-Q
11/07/2016	25.25	129,600	18.70	SEBA KLL-Q
11/07/2016	25.50	139,800	18.71	SEBA KLL-Q
11/07/2016	25.75	169,100	18.79	SEBA KLL-Q
11/07/2016	26.00	178,500	18.85	SEBA KLL-Q
11/07/2016	26.25	187,900	18.94	SEBA KLL-Q
11/07/2016	26.50	199,000	19.04	SEBA KLL-Q
11/07/2016	26.75	202,200	19.13	SEBA KLL-Q
11/07/2016	27.00	203,200	19.14	SEBA KLL-Q
11/07/2016	27.25	205,900	19.16	SEBA KLL-Q
11/07/2016	27.50	208,300	19.20	SEBA KLL-Q
11/07/2016	27.75	210,000	19.20	SEBA KLL-Q
11/07/2016	28.00	211,000	19.23	SEBA KLL-Q
11/07/2016	28.25	215,900	19.24	SEBA KLL-Q
11/07/2016	28.50	216,800	19.27	SEBA KLL-Q
11/07/2016	28.75	216,900	19.28	SEBA KLL-Q
11/07/2016	29.00	216,800	19.28	SEBA KLL-Q
11/07/2016	29.50	218,900	19.29	SEBA KLL-Q
11/07/2016	30.00	220,900	19.37	SEBA KLL-Q
11/07/2016	30.50	221,000	19.39	SEBA KLL-Q
11/07/2016	31.00	221,000	19.40	SEBA KLL-Q
11/07/2016	32.00	221,200	19.46	SEBA KLL-Q
11/07/2016	33.00	221,200	19.48	SEBA KLL-Q
11/07/2016	34.00	221,200	19.48	SEBA KLL-Q
11/07/2016	35.00	221,200	19.48	SEBA KLL-Q
11/07/2016	40.00	221,200	19.49	SEBA KLL-Q
11/07/2016	45.00	221,800	19.50	SEBA KLL-Q
11/07/2016	50.00	222,100	19.69	SEBA KLL-Q
11/07/2016	55.00	222,000	19.81	SEBA KLL-Q
11/07/2016	60.00	222,100	19.89	SEBA KLL-Q
11/07/2016	65.00	222,100	20.02	SEBA KLL-Q
11/07/2016	70.00	222,000	20.10	SEBA KLL-Q
11/07/2016	75.00	222,100	20.30	SEBA KLL-Q
11/07/2016	77.55	216,100	20.35	SEBA KLL-Q
22/10/2016	1.20	75,092	19.57	SEBA KLL-Q
22/10/2016	2.00	75,162	18.96	SEBA KLL-Q
22/10/2016	3.00	75,229	18.86	SEBA KLL-Q
22/10/2016	4.00	75,221	18.85	SEBA KLL-Q
22/10/2016	6.00	75,227	18.85	SEBA KLL-Q
22/10/2016	8.00	75,885	18.85	SEBA KLL-Q
22/10/2016	10.00	76,909	18.84	SEBA KLL-Q
22/10/2016	11.00	77,394	18.84	SEBA KLL-Q
22/10/2016	12.00	78,052	18.84	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2016	13.00	79,036	18.84	SEBA KLL-Q
22/10/2016	14.00	79,708	18.84	SEBA KLL-Q
22/10/2016	15.00	80,738	18.83	SEBA KLL-Q
22/10/2016	16.00	81,802	18.83	SEBA KLL-Q
22/10/2016	17.00	82,986	18.83	SEBA KLL-Q
22/10/2016	17.50	83,485	18.83	SEBA KLL-Q
22/10/2016	18.00	84,131	18.82	SEBA KLL-Q
22/10/2016	18.50	84,497	18.82	SEBA KLL-Q
22/10/2016	19.00	84,876	18.82	SEBA KLL-Q
22/10/2016	19.50	85,541	18.82	SEBA KLL-Q
22/10/2016	20.00	86,719	18.82	SEBA KLL-Q
22/10/2016	20.50	87,425	18.81	SEBA KLL-Q
22/10/2016	20.70	87,472	18.81	SEBA KLL-Q
22/10/2016	21.00	87,705	18.80	SEBA KLL-Q
22/10/2016	21.20	88,071	18.80	SEBA KLL-Q
22/10/2016	21.40	89,224	18.79	SEBA KLL-Q
22/10/2016	21.60	90,256	18.80	SEBA KLL-Q
22/10/2016	21.80	91,169	18.79	SEBA KLL-Q
22/10/2016	22.00	92,135	18.79	SEBA KLL-Q
22/10/2016	22.20	93,314	18.79	SEBA KLL-Q
22/10/2016	22.40	94,787	18.78	SEBA KLL-Q
22/10/2016	22.60	97,125	18.78	SEBA KLL-Q
22/10/2016	22.80	99,419	18.77	SEBA KLL-Q
22/10/2016	23.00	103,593	18.77	SEBA KLL-Q
22/10/2016	23.20	106,860	18.76	SEBA KLL-Q
22/10/2016	23.40	107,608	18.76	SEBA KLL-Q
22/10/2016	23.60	108,299	18.76	SEBA KLL-Q
22/10/2016	23.80	108,813	18.75	SEBA KLL-Q
22/10/2016	24.00	109,670	18.74	SEBA KLL-Q
22/10/2016	24.20	110,688	18.74	SEBA KLL-Q
22/10/2016	24.40	111,648	18.76	SEBA KLL-Q
22/10/2016	24.60	113,700	18.76	SEBA KLL-Q
22/10/2016	24.80	117,468	18.73	SEBA KLL-Q
22/10/2016	25.00	120,770	18.73	SEBA KLL-Q
22/10/2016	25.20	126,403	18.72	SEBA KLL-Q
22/10/2016	25.40	132,338	18.72	SEBA KLL-Q
22/10/2016	25.60	148,613	18.74	SEBA KLL-Q
22/10/2016	25.80	170,732	18.78	SEBA KLL-Q
22/10/2016	26.00	175,302	18.80	SEBA KLL-Q
22/10/2016	26.20	187,744	18.86	SEBA KLL-Q
22/10/2016	26.40	202,668	18.95	SEBA KLL-Q
22/10/2016	26.60	211,449	19.06	SEBA KLL-Q
22/10/2016	26.80	212,380	19.13	SEBA KLL-Q
22/10/2016	27.00	213,389	19.15	SEBA KLL-Q
22/10/2016	27.20	215,123	19.16	SEBA KLL-Q
22/10/2016	27.40	216,100	19.19	SEBA KLL-Q
22/10/2016	27.60	218,029	19.22	SEBA KLL-Q
22/10/2016	27.80	220,631	19.23	SEBA KLL-Q
22/10/2016	28.00	221,259	19.24	SEBA KLL-Q
22/10/2016	28.50	227,316	19.28	SEBA KLL-Q
22/10/2016	29.00	227,380	19.28	SEBA KLL-Q
22/10/2016	30.00	231,512	19.38	SEBA KLL-Q
22/10/2016	31.00	231,666	19.41	SEBA KLL-Q
22/10/2016	32.00	231,700	19.46	SEBA KLL-Q
22/10/2016	34.00	231,842	19.47	SEBA KLL-Q
22/10/2016	36.00	231,824	19.48	SEBA KLL-Q
22/10/2016	38.00	231,769	19.48	SEBA KLL-Q
22/10/2016	40.00	231,775	19.49	SEBA KLL-Q
22/10/2016	45.00	232,465	19.60	SEBA KLL-Q
22/10/2016	50.00	232,933	19.73	SEBA KLL-Q
22/10/2016	55.00	232,922	19.81	SEBA KLL-Q
22/10/2016	60.00	232,813	19.86	SEBA KLL-Q
22/10/2016	65.00	232,911	19.96	SEBA KLL-Q
22/10/2016	70.00	232,751	20.15	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2016	75.00	232,715	20.32	SEBA KLL-Q
22/10/2016	77.50	231,570	20.37	SEBA KLL-Q
07/11/2016	1.20	74,140	20.56	SEBA KLL-Q
07/11/2016	2.00	74,180	19.30	SEBA KLL-Q
07/11/2016	3.00	74,150	18.86	SEBA KLL-Q
07/11/2016	4.00	74,130	18.84	SEBA KLL-Q
07/11/2016	5.00	74,130	18.85	SEBA KLL-Q
07/11/2016	6.00	74,110	18.84	SEBA KLL-Q
07/11/2016	7.00	74,260	18.84	SEBA KLL-Q
07/11/2016	8.00	74,810	18.84	SEBA KLL-Q
07/11/2016	9.00	75,150	18.85	SEBA KLL-Q
07/11/2016	10.00	75,570	18.84	SEBA KLL-Q
07/11/2016	11.00	76,020	18.84	SEBA KLL-Q
07/11/2016	12.00	76,590	18.86	SEBA KLL-Q
07/11/2016	13.00	77,330	18.83	SEBA KLL-Q
07/11/2016	13.50	77,920	18.83	SEBA KLL-Q
07/11/2016	14.00	78,270	18.83	SEBA KLL-Q
07/11/2016	14.50	78,690	18.83	SEBA KLL-Q
07/11/2016	15.00	79,360	18.83	SEBA KLL-Q
07/11/2016	15.50	79,900	18.83	SEBA KLL-Q
07/11/2016	16.00	80,370	18.83	SEBA KLL-Q
07/11/2016	16.50	80,820	18.83	SEBA KLL-Q
07/11/2016	17.00	81,300	18.82	SEBA KLL-Q
07/11/2016	17.50	81,780	18.83	SEBA KLL-Q
07/11/2016	18.00	82,170	18.83	SEBA KLL-Q
07/11/2016	18.20	82,440	18.82	SEBA KLL-Q
07/11/2016	18.40	82,470	18.83	SEBA KLL-Q
07/11/2016	18.60	82,610	18.82	SEBA KLL-Q
07/11/2016	18.80	82,910	18.81	SEBA KLL-Q
07/11/2016	19.00	82,860	18.82	SEBA KLL-Q
07/11/2016	19.50	83,410	18.82	SEBA KLL-Q
07/11/2016	20.00	84,640	18.81	SEBA KLL-Q
07/11/2016	20.20	84,810	18.81	SEBA KLL-Q
07/11/2016	20.40	85,040	18.81	SEBA KLL-Q
07/11/2016	20.60	85,280	18.81	SEBA KLL-Q
07/11/2016	20.85	85,390	18.81	SEBA KLL-Q
07/11/2016	21.00	85,800	18.80	SEBA KLL-Q
07/11/2016	21.20	86,360	18.80	SEBA KLL-Q
07/11/2016	21.40	87,300	18.81	SEBA KLL-Q
07/11/2016	21.60	88,300	18.79	SEBA KLL-Q
07/11/2016	21.80	88,840	18.79	SEBA KLL-Q
07/11/2016	22.00	89,470	18.78	SEBA KLL-Q
07/11/2016	22.20	90,020	18.79	SEBA KLL-Q
07/11/2016	22.40	91,830	18.78	SEBA KLL-Q
07/11/2016	22.60	93,960	18.77	SEBA KLL-Q
07/11/2016	22.80	96,190	18.77	SEBA KLL-Q
07/11/2016	23.00	100,400	18.76	SEBA KLL-Q
07/11/2016	23.20	103,800	18.75	SEBA KLL-Q
07/11/2016	23.40	104,400	18.75	SEBA KLL-Q
07/11/2016	23.60	105,400	18.75	SEBA KLL-Q
07/11/2016	23.80	106,000	18.75	SEBA KLL-Q
07/11/2016	24.00	107,300	18.74	SEBA KLL-Q
07/11/2016	24.20	108,400	18.73	SEBA KLL-Q
07/11/2016	24.40	108,400	18.72	SEBA KLL-Q
07/11/2016	24.60	109,000	18.73	SEBA KLL-Q
07/11/2016	24.80	113,300	18.73	SEBA KLL-Q
07/11/2016	25.00	116,900	18.72	SEBA KLL-Q
07/11/2016	25.20	122,600	18.72	SEBA KLL-Q
07/11/2016	25.40	129,900	18.72	SEBA KLL-Q
07/11/2016	25.60	147,800	18.74	SEBA KLL-Q
07/11/2016	25.80	167,200	18.77	SEBA KLL-Q
07/11/2016	26.00	171,000	18.79	SEBA KLL-Q
07/11/2016	26.20	184,900	18.84	SEBA KLL-Q
07/11/2016	26.40	205,200	18.99	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/11/2016	26.60	210,500	19.06	SEBA KLL-Q
07/11/2016	26.80	210,700	19.13	SEBA KLL-Q
07/11/2016	27.00	211,700	19.16	SEBA KLL-Q
07/11/2016	27.20	213,800	19.16	SEBA KLL-Q
07/11/2016	27.40	214,500	19.18	SEBA KLL-Q
07/11/2016	27.60	218,800	19.20	SEBA KLL-Q
07/11/2016	27.80	219,100	19.22	SEBA KLL-Q
07/11/2016	28.00	219,700	19.23	SEBA KLL-Q
07/11/2016	28.20	224,800	19.24	SEBA KLL-Q
07/11/2016	28.40	225,800	19.27	SEBA KLL-Q
07/11/2016	28.60	226,000	19.27	SEBA KLL-Q
07/11/2016	28.80	225,900	19.28	SEBA KLL-Q
07/11/2016	29.00	225,900	19.29	SEBA KLL-Q
07/11/2016	29.50	228,000	19.30	SEBA KLL-Q
07/11/2016	30.00	230,200	19.38	SEBA KLL-Q
07/11/2016	30.50	230,300	19.41	SEBA KLL-Q
07/11/2016	31.00	230,400	19.40	SEBA KLL-Q
07/11/2016	32.00	230,600	19.44	SEBA KLL-Q
07/11/2016	33.00	230,600	19.47	SEBA KLL-Q
07/11/2016	35.00	230,600	19.48	SEBA KLL-Q
07/11/2016	40.00	230,600	19.48	SEBA KLL-Q
07/11/2016	45.00	231,200	19.58	SEBA KLL-Q
07/11/2016	50.00	231,600	19.69	SEBA KLL-Q
07/11/2016	55.00	231,600	19.83	SEBA KLL-Q
07/11/2016	60.00	231,600	19.88	SEBA KLL-Q
07/11/2016	65.00	231,600	19.97	SEBA KLL-Q
07/11/2016	70.00	231,500	20.14	SEBA KLL-Q
07/11/2016	75.00	231,600	20.34	SEBA KLL-Q
07/11/2016	77.53	226,500	20.36	SEBA KLL-Q
16/01/2017	1.40	84,380	20.74	SEBA KLL-Q
16/01/2017	2.00	84,220	19.15	SEBA KLL-Q
16/01/2017	3.00	84,240	18.88	SEBA KLL-Q
16/01/2017	4.00	84,190	18.85	SEBA KLL-Q
16/01/2017	6.00	84,150	18.84	SEBA KLL-Q
16/01/2017	8.00	84,870	18.84	SEBA KLL-Q
16/01/2017	10.00	85,400	18.83	SEBA KLL-Q
16/01/2017	12.00	86,210	18.83	SEBA KLL-Q
16/01/2017	14.00	87,750	18.83	SEBA KLL-Q
16/01/2017	15.00	88,670	18.82	SEBA KLL-Q
16/01/2017	16.00	89,490	18.82	SEBA KLL-Q
16/01/2017	17.00	90,350	18.82	SEBA KLL-Q
16/01/2017	18.00	91,030	18.82	SEBA KLL-Q
16/01/2017	18.50	91,320	18.81	SEBA KLL-Q
16/01/2017	19.00	91,510	18.81	SEBA KLL-Q
16/01/2017	19.50	92,010	18.81	SEBA KLL-Q
16/01/2017	20.00	93,010	18.81	SEBA KLL-Q
16/01/2017	20.50	93,540	18.81	SEBA KLL-Q
16/01/2017	21.00	93,970	18.80	SEBA KLL-Q
16/01/2017	21.50	95,500	18.79	SEBA KLL-Q
16/01/2017	22.00	97,450	18.79	SEBA KLL-Q
16/01/2017	22.50	100,300	18.78	SEBA KLL-Q
16/01/2017	23.00	108,700	18.76	SEBA KLL-Q
16/01/2017	23.20	111,400	18.75	SEBA KLL-Q
16/01/2017	23.40	112,000	18.75	SEBA KLL-Q
16/01/2017	23.60	112,700	18.75	SEBA KLL-Q
16/01/2017	23.80	113,200	18.74	SEBA KLL-Q
16/01/2017	24.00	114,200	18.74	SEBA KLL-Q
16/01/2017	24.20	115,300	18.73	SEBA KLL-Q
16/01/2017	24.40	115,800	18.73	SEBA KLL-Q
16/01/2017	24.60	116,800	18.73	SEBA KLL-Q
16/01/2017	24.80	122,400	18.73	SEBA KLL-Q
16/01/2017	25.00	126,900	18.72	SEBA KLL-Q
16/01/2017	25.20	133,400	18.71	SEBA KLL-Q
16/01/2017	25.40	143,100	18.71	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/01/2017	25.60	161,200	18.73	SEBA KLL-Q
16/01/2017	25.80	180,500	18.77	SEBA KLL-Q
16/01/2017	26.00	184,500	18.78	SEBA KLL-Q
16/01/2017	26.20	202,800	18.85	SEBA KLL-Q
16/01/2017	26.40	221,400	18.98	SEBA KLL-Q
16/01/2017	26.60	229,900	19.09	SEBA KLL-Q
16/01/2017	26.80	230,100	19.14	SEBA KLL-Q
16/01/2017	27.00	231,100	19.15	SEBA KLL-Q
16/01/2017	27.50	237,300	19.20	SEBA KLL-Q
16/01/2017	28.00	239,700	19.24	SEBA KLL-Q
16/01/2017	29.00	246,300	19.28	SEBA KLL-Q
16/01/2017	30.00	250,400	19.38	SEBA KLL-Q
16/01/2017	32.00	250,700	19.45	SEBA KLL-Q
16/01/2017	34.00	250,700	19.47	SEBA KLL-Q
16/01/2017	38.00	250,600	19.48	SEBA KLL-Q
16/01/2017	42.00	250,700	19.50	SEBA KLL-Q
16/01/2017	46.00	251,800	19.62	SEBA KLL-Q
16/01/2017	50.00	251,900	19.70	SEBA KLL-Q
16/01/2017	54.00	251,900	19.81	SEBA KLL-Q
16/01/2017	58.00	251,900	19.85	SEBA KLL-Q
16/01/2017	62.00	252,000	19.87	SEBA KLL-Q
16/01/2017	66.00	251,900	19.98	SEBA KLL-Q
16/01/2017	70.00	251,900	20.12	SEBA KLL-Q
16/01/2017	74.00	251,900	20.25	SEBA KLL-Q
23/04/2017	1.00	82,670	20.30	SEBA KLL-Q
23/04/2017	1.50	82,610	19.60	SEBA KLL-Q
23/04/2017	2.00	82,630	19.30	SEBA KLL-Q
23/04/2017	3.00	82,680	19.20	SEBA KLL-Q
23/04/2017	4.00	82,720	19.00	SEBA KLL-Q
23/04/2017	6.00	82,690	18.80	SEBA KLL-Q
23/04/2017	8.00	82,770	18.80	SEBA KLL-Q
23/04/2017	10.00	82,870	18.80	SEBA KLL-Q
23/04/2017	12.00	82,990	18.80	SEBA KLL-Q
23/04/2017	14.00	83,590	18.80	SEBA KLL-Q
23/04/2017	16.00	83,960	18.80	SEBA KLL-Q
23/04/2017	18.00	84,040	18.80	SEBA KLL-Q
23/04/2017	20.00	84,180	18.80	SEBA KLL-Q
23/04/2017	22.00	86,710	18.80	SEBA KLL-Q
23/04/2017	23.00	93,470	18.70	SEBA KLL-Q
23/04/2017	24.00	98,370	18.70	SEBA KLL-Q
23/04/2017	24.50	101,100	18.70	SEBA KLL-Q
23/04/2017	25.00	111,600	18.70	SEBA KLL-Q
23/04/2017	26.00	167,500	18.70	SEBA KLL-Q
23/04/2017	26.20	208,400	18.70	SEBA KLL-Q
23/04/2017	26.50	218,500	18.80	SEBA KLL-Q
23/04/2017	27.00	228,600	19.00	SEBA KLL-Q
23/04/2017	27.50	233,700	19.00	SEBA KLL-Q
23/04/2017	28.00	233,700	19.00	SEBA KLL-Q
23/04/2017	29.00	248,600	19.10	SEBA KLL-Q
23/04/2017	30.00	257,000	19.20	SEBA KLL-Q
23/04/2017	32.00	258,000	19.20	SEBA KLL-Q
23/04/2017	34.00	258,900	19.40	SEBA KLL-Q
23/04/2017	36.00	258,900	19.40	SEBA KLL-Q
23/04/2017	38.00	258,700	19.40	SEBA KLL-Q
23/04/2017	40.00	258,700	19.40	SEBA KLL-Q
23/04/2017	42.00	258,300	19.40	SEBA KLL-Q
23/04/2017	44.00	258,300	19.40	SEBA KLL-Q
23/04/2017	46.00	258,400	19.50	SEBA KLL-Q
23/04/2017	48.00	258,300	19.60	SEBA KLL-Q
23/04/2017	50.00	258,200	19.60	SEBA KLL-Q
23/04/2017	52.00	258,200	19.70	SEBA KLL-Q
23/04/2017	54.00	258,100	19.70	SEBA KLL-Q
23/04/2017	56.00	258,000	19.70	SEBA KLL-Q
23/04/2017	58.00	257,900	19.70	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/04/2017	60.00	257,800	19.70	SEBA KLL-Q
23/04/2017	62.00	257,800	19.80	SEBA KLL-Q
23/04/2017	64.00	257,700	19.90	SEBA KLL-Q
23/04/2017	66.00	257,700	19.90	SEBA KLL-Q
23/04/2017	68.00	257,900	19.90	SEBA KLL-Q
23/04/2017	70.00	257,600	20.10	SEBA KLL-Q
23/04/2017	72.00	257,400	20.10	SEBA KLL-Q
23/04/2017	74.00	257,400	20.20	SEBA KLL-Q
23/04/2017	76.00	257,400	20.30	SEBA KLL-Q
03/07/2017	1.00	66,310	18.13	SEBA KLL-Q
03/07/2017	2.00	66,270	18.23	SEBA KLL-Q
03/07/2017	4.00	66,200	18.76	SEBA KLL-Q
03/07/2017	6.00	66,260	18.94	SEBA KLL-Q
03/07/2017	8.00	66,280	18.92	SEBA KLL-Q
03/07/2017	10.00	66,320	18.91	SEBA KLL-Q
03/07/2017	12.00	66,390	18.91	SEBA KLL-Q
03/07/2017	14.00	66,570	18.90	SEBA KLL-Q
03/07/2017	16.00	66,620	18.90	SEBA KLL-Q
03/07/2017	18.00	66,670	18.89	SEBA KLL-Q
03/07/2017	20.00	66,690	18.88	SEBA KLL-Q
03/07/2017	22.00	66,800	18.85	SEBA KLL-Q
03/07/2017	24.00	72,460	18.81	SEBA KLL-Q
03/07/2017	25.00	81,560	18.79	SEBA KLL-Q
03/07/2017	25.50	99,820	18.78	SEBA KLL-Q
03/07/2017	26.00	125,400	18.77	SEBA KLL-Q
03/07/2017	26.20	146,300	18.81	SEBA KLL-Q
03/07/2017	26.40	160,300	18.88	SEBA KLL-Q
03/07/2017	26.60	178,600	19.01	SEBA KLL-Q
03/07/2017	26.80	180,000	19.07	SEBA KLL-Q
03/07/2017	27.00	182,900	19.08	SEBA KLL-Q
03/07/2017	27.20	183,700	19.12	SEBA KLL-Q
03/07/2017	27.40	184,100	19.13	SEBA KLL-Q
03/07/2017	27.60	186,700	19.14	SEBA KLL-Q
03/07/2017	27.80	190,700	19.15	SEBA KLL-Q
03/07/2017	28.00	192,500	19.17	SEBA KLL-Q
03/07/2017	28.20	198,500	19.18	SEBA KLL-Q
03/07/2017	28.40	199,000	19.18	SEBA KLL-Q
03/07/2017	28.60	199,000	19.19	SEBA KLL-Q
03/07/2017	28.80	199,000	19.20	SEBA KLL-Q
03/07/2017	29.00	199,100	19.18	SEBA KLL-Q
03/07/2017	29.50	200,500	19.18	SEBA KLL-Q
03/07/2017	30.00	205,600	19.21	SEBA KLL-Q
03/07/2017	30.50	206,700	19.26	SEBA KLL-Q
03/07/2017	31.00	207,100	19.24	SEBA KLL-Q
03/07/2017	32.00	207,300	19.29	SEBA KLL-Q
03/07/2017	33.00	208,900	19.32	SEBA KLL-Q
03/07/2017	34.00	209,200	19.33	SEBA KLL-Q
03/07/2017	36.00	209,500	19.44	SEBA KLL-Q
03/07/2017	38.00	209,500	19.47	SEBA KLL-Q
03/07/2017	40.00	209,600	19.46	SEBA KLL-Q
03/07/2017	42.00	209,600	19.47	SEBA KLL-Q
03/07/2017	44.00	209,700	19.45	SEBA KLL-Q
03/07/2017	46.00	209,700	19.47	SEBA KLL-Q
03/07/2017	48.00	209,600	19.77	SEBA KLL-Q
03/07/2017	50.00	209,900	19.77	SEBA KLL-Q
03/07/2017	52.00	210,000	19.80	SEBA KLL-Q
03/07/2017	54.00	209,800	19.85	SEBA KLL-Q
03/07/2017	56.00	209,700	19.87	SEBA KLL-Q
03/07/2017	58.00	209,700	19.88	SEBA KLL-Q
03/07/2017	60.00	209,800	19.87	SEBA KLL-Q
03/07/2017	62.00	209,900	19.88	SEBA KLL-Q
03/07/2017	64.00	209,800	19.97	SEBA KLL-Q
03/07/2017	66.00	209,800	20.03	SEBA KLL-Q
03/07/2017	68.00	209,600	20.16	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
03/07/2017	70.00	209,800	20.22	SEBA KLL-Q
03/07/2017	72.00	209,700	20.30	SEBA KLL-Q
03/07/2017	74.00	209,700	20.37	SEBA KLL-Q
03/07/2017	76.00	209,800	20.40	SEBA KLL-Q
10/10/2017	1.50	89,780	19.35	SEBA KLL-Q
10/10/2017	2.00	89,960	19.02	SEBA KLL-Q
10/10/2017	4.00	89,950	18.88	SEBA KLL-Q
10/10/2017	6.00	89,900	18.92	SEBA KLL-Q
10/10/2017	8.00	90,920	18.83	SEBA KLL-Q
10/10/2017	10.00	90,570	18.83	SEBA KLL-Q
10/10/2017	12.00	90,300	18.83	SEBA KLL-Q
10/10/2017	14.00	90,210	18.83	SEBA KLL-Q
10/10/2017	16.00	90,320	18.81	SEBA KLL-Q
10/10/2017	18.00	90,560	18.80	SEBA KLL-Q
10/10/2017	20.00	90,570	18.78	SEBA KLL-Q
10/10/2017	21.00	90,540	18.77	SEBA KLL-Q
10/10/2017	22.00	90,510	18.76	SEBA KLL-Q
10/10/2017	23.00	90,420	18.74	SEBA KLL-Q
10/10/2017	23.50	90,370	18.73	SEBA KLL-Q
10/10/2017	24.00	90,210	18.72	SEBA KLL-Q
10/10/2017	24.20	90,160	18.72	SEBA KLL-Q
10/10/2017	24.60	90,600	18.71	SEBA KLL-Q
10/10/2017	24.80	93,270	18.70	SEBA KLL-Q
10/10/2017	25.00	96,870	10.69	SEBA KLL-Q
10/10/2017	25.20	101,500	18.68	SEBA KLL-Q
10/10/2017	25.40	110,700	18.67	SEBA KLL-Q
10/10/2017	25.60	123,800	18.66	SEBA KLL-Q
10/10/2017	25.80	140,800	18.66	SEBA KLL-Q
10/10/2017	26.00	155,400	18.67	SEBA KLL-Q
10/10/2017	26.20	182,100	18.73	SEBA KLL-Q
10/10/2017	26.40	199,300	18.80	SEBA KLL-Q
10/10/2017	26.60	215,300	18.92	SEBA KLL-Q
10/10/2017	26.80	216,900	18.95	SEBA KLL-Q
10/10/2017	27.00	218,700	18.96	SEBA KLL-Q
10/10/2017	27.20	220,800	18.98	SEBA KLL-Q
10/10/2017	27.40	221,900	19.00	SEBA KLL-Q
10/10/2017	27.60	224,800	19.02	SEBA KLL-Q
10/10/2017	27.80	230,000	19.04	SEBA KLL-Q
10/10/2017	28.00	232,200	19.05	SEBA KLL-Q
10/10/2017	28.20	239,100	19.05	SEBA KLL-Q
10/10/2017	28.40	239,200	19.06	SEBA KLL-Q
10/10/2017	28.60	239,200	19.06	SEBA KLL-Q
10/10/2017	28.80	239,300	19.07	SEBA KLL-Q
10/10/2017	29.00	239,300	19.06	SEBA KLL-Q
10/10/2017	29.50	240,400	19.06	SEBA KLL-Q
10/10/2017	30.00	244,000	19.10	SEBA KLL-Q
10/10/2017	32.00	247,100	19.18	SEBA KLL-Q
10/10/2017	34.00	251,600	19.23	SEBA KLL-Q
10/10/2017	37.00	252,500	19.43	SEBA KLL-Q
10/10/2017	40.00	252,600	19.49	SEBA KLL-Q
10/10/2017	43.00	252,600	19.52	SEBA KLL-Q
10/10/2017	46.00	252,500	19.53	SEBA KLL-Q
10/10/2017	50.00	252,600	19.57	SEBA KLL-Q
10/10/2017	53.00	252,500	19.56	SEBA KLL-Q
10/10/2017	56.00	252,500	19.57	SEBA KLL-Q
10/10/2017	59.00	252,600	19.58	SEBA KLL-Q
10/10/2017	62.00	252,600	19.61	SEBA KLL-Q
10/10/2017	65.00	252,600	19.83	SEBA KLL-Q
10/10/2017	68.00	252,600	20.00	SEBA KLL-Q
10/10/2017	71.00	252,600	20.21	SEBA KLL-Q
10/10/2017	74.00	252,600	20.32	SEBA KLL-Q
10/10/2017	76.00	252,600	20.38	SEBA KLL-Q
10/10/2017	77.55	251,200	20.43	SEBA KLL-Q
02/01/2018	1.5	93,170	22.03	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/01/2018	2.0	93,120	20.10	SEBA KLL-Q
02/01/2018	4.0	93,200	20.00	SEBA KLL-Q
02/01/2018	6.0	93,280	19.10	SEBA KLL-Q
02/01/2018	8.0	93,040	19.00	SEBA KLL-Q
02/01/2018	10.0	93,240	18.90	SEBA KLL-Q
02/01/2018	12.0	93,470	18.90	SEBA KLL-Q
02/01/2018	14.0	93,540	18.90	SEBA KLL-Q
02/01/2018	16.0	93,700	18.90	SEBA KLL-Q
02/01/2018	18.0	93,740	18.90	SEBA KLL-Q
02/01/2018	20.0	93,750	18.90	SEBA KLL-Q
02/01/2018	22.0	93,800	18.90	SEBA KLL-Q
02/01/2018	23.0	93,750	18.90	SEBA KLL-Q
02/01/2018	23.5	93,750	18.90	SEBA KLL-Q
02/01/2018	24.0	93,640	18.80	SEBA KLL-Q
02/01/2018	25.0	94,180	18.80	SEBA KLL-Q
02/01/2018	26.0	141,100	18.80	SEBA KLL-Q
02/01/2018	26.5	187,600	18.90	SEBA KLL-Q
02/01/2018	26.7	199,100	19.00	SEBA KLL-Q
02/01/2018	26.9	200,000	19.00	SEBA KLL-Q
02/01/2018	27.1	201,100	19.10	SEBA KLL-Q
02/01/2018	27.3	203,700	19.10	SEBA KLL-Q
02/01/2018	27.5	204,600	19.10	SEBA KLL-Q
02/01/2018	27.7	209,900	19.10	SEBA KLL-Q
02/01/2018	27.9	211,700	19.20	SEBA KLL-Q
02/01/2018	28.1	211,800	19.20	SEBA KLL-Q
02/01/2018	28.5	218,600	19.20	SEBA KLL-Q
02/01/2018	29.0	219,200	19.20	SEBA KLL-Q
02/01/2018	29.5	220,200	19.20	SEBA KLL-Q
02/01/2018	30.0	224,400	19.20	SEBA KLL-Q
02/01/2018	31.0	226,400	19.30	SEBA KLL-Q
02/01/2018	32.0	226,600	19.30	SEBA KLL-Q
02/01/2018	33.0	228,700	19.30	SEBA KLL-Q
02/01/2018	34.0	230,300	19.30	SEBA KLL-Q
02/01/2018	36.0	230,500	19.30	SEBA KLL-Q
02/01/2018	38.0	230,900	19.40	SEBA KLL-Q
02/01/2018	40.0	230,800	19.50	SEBA KLL-Q
02/01/2018	42.0	230,800	19.50	SEBA KLL-Q
02/01/2018	44.0	230,900	19.50	SEBA KLL-Q
02/01/2018	46.0	230,900	19.50	SEBA KLL-Q
02/01/2018	48.0	231,200	19.70	SEBA KLL-Q
02/01/2018	50.0	231,200	19.80	SEBA KLL-Q
02/01/2018	52.0	231,100	19.80	SEBA KLL-Q
02/01/2018	54.0	231,000	19.80	SEBA KLL-Q
02/01/2018	56.0	230,900	19.90	SEBA KLL-Q
02/01/2018	58.0	231,000	19.90	SEBA KLL-Q
02/01/2018	60.0	230,900	19.90	SEBA KLL-Q
02/01/2018	62.0	230,900	19.90	SEBA KLL-Q
02/01/2018	64.0	230,900	19.90	SEBA KLL-Q
02/01/2018	66.0	231,100	20.00	SEBA KLL-Q
02/01/2018	68.0	230,800	20.20	SEBA KLL-Q
02/01/2018	70.0	230,800	20.20	SEBA KLL-Q
02/01/2018	72.0	231,000	20.30	SEBA KLL-Q
02/01/2018	74.0	230,600	20.40	SEBA KLL-Q
02/01/2018	76.0	230,600	20.40	SEBA KLL-Q
23/04/2018	1.2	100,400	20.90	SEBA KLL-Q
23/04/2018	1.4	100,200	20.80	SEBA KLL-Q
23/04/2018	1.6	100,400	20.50	SEBA KLL-Q
23/04/2018	1.8	100,400	20.20	SEBA KLL-Q
23/04/2018	2.0	100,400	19.90	SEBA KLL-Q
23/04/2018	2.2	100,500	19.70	SEBA KLL-Q
23/04/2018	2.4	100,500	19.60	SEBA KLL-Q
23/04/2018	2.6	100,500	19.60	SEBA KLL-Q
23/04/2018	2.8	100,500	19.50	SEBA KLL-Q
23/04/2018	3.0	100,500	19.50	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [µS/cm]	TEMP [°C]	Equipo
23/04/2018	3.5	100,600	19.50	SEBA KLL-Q
23/04/2018	4.0	100,600	19.50	SEBA KLL-Q
23/04/2018	4.5	100,600	19.50	SEBA KLL-Q
23/04/2018	5.0	100,600	19.50	SEBA KLL-Q
23/04/2018	6.0	100,800	19.30	SEBA KLL-Q
23/04/2018	7.0	100,900	19.00	SEBA KLL-Q
23/04/2018	8.0	100,900	19.00	SEBA KLL-Q
23/04/2018	10.0	101,200	19.00	SEBA KLL-Q
23/04/2018	12.0	101,400	19.00	SEBA KLL-Q
23/04/2018	14.0	101,500	19.00	SEBA KLL-Q
23/04/2018	16.0	101,500	18.90	SEBA KLL-Q
23/04/2018	18.0	101,600	18.90	SEBA KLL-Q
23/04/2018	20.0	101,600	18.90	SEBA KLL-Q
23/04/2018	22.0	101,300	18.80	SEBA KLL-Q
23/04/2018	24.0	101,100	18.80	SEBA KLL-Q
23/04/2018	24.5	101,000	18.60	SEBA KLL-Q
23/04/2018	25.0	104,000	18.80	SEBA KLL-Q
23/04/2018	25.2	107,300	18.80	SEBA KLL-Q
23/04/2018	25.4	115,000	18.80	SEBA KLL-Q
23/04/2018	25.6	126,600	18.90	SEBA KLL-Q
23/04/2018	25.8	140,400	18.80	SEBA KLL-Q
23/04/2018	26.0	153,600	18.80	SEBA KLL-Q
23/04/2018	26.2	174,600	18.80	SEBA KLL-Q
23/04/2018	26.4	185,800	18.90	SEBA KLL-Q
23/04/2018	26.6	202,500	19.00	SEBA KLL-Q
23/04/2018	26.8	203,800	19.00	SEBA KLL-Q
23/04/2018	27.0	204,700	19.00	SEBA KLL-Q
23/04/2018	27.5	208,700	19.10	SEBA KLL-Q
23/04/2018	28.0	216,900	19.10	SEBA KLL-Q
23/04/2018	28.5	223,000	19.10	SEBA KLL-Q
23/04/2018	29.0	224,000	19.10	SEBA KLL-Q
23/04/2018	30.0	223,000	19.20	SEBA KLL-Q
23/04/2018	32.0	229,400	19.20	SEBA KLL-Q
23/04/2018	34.0	233,700	19.30	SEBA KLL-Q
23/04/2018	36.0	235,000	19.30	SEBA KLL-Q
23/04/2018	38.0	234,900	19.60	SEBA KLL-Q
23/04/2018	40.0	234,800	19.70	SEBA KLL-Q
23/04/2018	42.0	234,900	19.70	SEBA KLL-Q
23/04/2018	44.0	234,900	19.70	SEBA KLL-Q
23/04/2018	46.0	234,900	19.70	SEBA KLL-Q
23/04/2018	48.0	234,900	19.70	SEBA KLL-Q
23/04/2018	50.0	234,900	19.80	SEBA KLL-Q
23/04/2018	52.0	234,900	19.80	SEBA KLL-Q
23/04/2018	54.0	234,900	19.80	SEBA KLL-Q
23/04/2018	56.0	234,900	19.80	SEBA KLL-Q
23/04/2018	58.0	234,900	19.90	SEBA KLL-Q
23/04/2018	60.0	234,900	19.90	SEBA KLL-Q
23/04/2018	62.0	234,900	19.90	SEBA KLL-Q
23/04/2018	64.0	234,800	20.00	SEBA KLL-Q
23/04/2018	66.0	234,900	20.10	SEBA KLL-Q
23/04/2018	68.0	234,800	20.20	SEBA KLL-Q
23/04/2018	70.0	234,800	20.30	SEBA KLL-Q
23/04/2018	72.0	235,100	20.40	SEBA KLL-Q
23/04/2018	74.0	235,400	20.50	SEBA KLL-Q
23/04/2018	76.0	235,800	20.50	SEBA KLL-Q
27/07/2018	1.0	113,300	17.72	SEBA KLL-Q
27/07/2018	1.2	113,100	18.09	SEBA KLL-Q
27/07/2018	1.4	113,600	17.82	SEBA KLL-Q
27/07/2018	1.6	113,400	18.00	SEBA KLL-Q
27/07/2018	1.8	113,200	18.04	SEBA KLL-Q
27/07/2018	2.0	112,900	18.22	SEBA KLL-Q
27/07/2018	2.5	112,700	18.43	SEBA KLL-Q
27/07/2018	3.0	112,800	18.46	SEBA KLL-Q
27/07/2018	3.5	113,100	18.57	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
27/07/2018	4.0	112,700	18.77	SEBA KLL-Q
27/07/2018	5.0	112,900	19.50	SEBA KLL-Q
27/07/2018	6.0	112,900	19.18	SEBA KLL-Q
27/07/2018	7.0	112,800	19.08	SEBA KLL-Q
27/07/2018	8.0	112,800	19.06	SEBA KLL-Q
27/07/2018	9.0	112,900	19.03	SEBA KLL-Q
27/07/2018	10.0	113,100	19.01	SEBA KLL-Q
27/07/2018	12.0	113,500	19.00	SEBA KLL-Q
27/07/2018	14.0	113,600	18.99	SEBA KLL-Q
27/07/2018	16.0	113,600	18.97	SEBA KLL-Q
27/07/2018	18.0	113,400	18.99	SEBA KLL-Q
27/07/2018	20.0	113,200	18.98	SEBA KLL-Q
27/07/2018	22.0	112,900	18.96	SEBA KLL-Q
27/07/2018	24.0	112,100	18.82	SEBA KLL-Q
27/07/2018	26.0	184,900	18.50	SEBA KLL-Q
27/07/2018	26.2	207,300	18.89	SEBA KLL-Q
27/07/2018	26.4	220,600	18.96	SEBA KLL-Q
27/07/2018	26.6	238,800	19.05	SEBA KLL-Q
27/07/2018	26.8	240,500	19.09	SEBA KLL-Q
27/07/2018	27.0	241,500	19.13	SEBA KLL-Q
27/07/2018	27.2	242,100	19.14	SEBA KLL-Q
27/07/2018	27.4	245,000	19.11	SEBA KLL-Q
27/07/2018	27.6	250,000	19.15	SEBA KLL-Q
27/07/2018	27.8	254,100	19.17	SEBA KLL-Q
27/07/2018	28.0	259,000	19.18	SEBA KLL-Q
27/07/2018	28.2	263,300	19.17	SEBA KLL-Q
27/07/2018	28.4	264,400	19.18	SEBA KLL-Q
27/07/2018	28.6	264,400	19.21	SEBA KLL-Q
27/07/2018	28.8	264,500	19.20	SEBA KLL-Q
27/07/2018	29.0	264,700	19.18	SEBA KLL-Q
27/07/2018	29.5	265,500	19.18	SEBA KLL-Q
27/07/2018	30.0	265,700	19.20	SEBA KLL-Q
27/07/2018	31.0	266,200	19.26	SEBA KLL-Q
27/07/2018	32.0	266,200	19.27	SEBA KLL-Q
27/07/2018	33.0	270,500	19.33	SEBA KLL-Q
27/07/2018	34.0	276,200	19.35	SEBA KLL-Q
27/07/2018	35.0	276,300	19.35	SEBA KLL-Q
27/07/2018	36.0	279,800	19.39	SEBA KLL-Q
27/07/2018	37.0	279,900	19.43	SEBA KLL-Q
27/07/2018	38.0	279,900	19.45	SEBA KLL-Q
27/07/2018	39.0	280,000	19.48	SEBA KLL-Q
27/07/2018	40.0	280,000	19.53	SEBA KLL-Q
27/07/2018	42.0	280,000	19.52	SEBA KLL-Q
27/07/2018	44.0	279,900	19.75	SEBA KLL-Q
27/07/2018	46.0	280,000	19.68	SEBA KLL-Q
27/07/2018	48.0	280,000	19.69	SEBA KLL-Q
27/07/2018	50.0	280,100	19.76	SEBA KLL-Q
27/07/2018	52.0	280,100	19.83	SEBA KLL-Q
27/07/2018	54.0	280,000	19.87	SEBA KLL-Q
27/07/2018	56.0	280,200	19.94	SEBA KLL-Q
26/08/2018	1.0	104,500	18.47	SEBA KLL-Q
26/08/2018	1.5	104,500	18.36	SEBA KLL-Q
26/08/2018	2.0	104,500	18.40	SEBA KLL-Q
26/08/2018	3.0	104,300	18.61	SEBA KLL-Q
26/08/2018	4.0	104,300	18.88	SEBA KLL-Q
26/08/2018	6.0	104,200	19.06	SEBA KLL-Q
26/08/2018	8.0	104,200	19.00	SEBA KLL-Q
26/08/2018	10.0	104,000	18.99	SEBA KLL-Q
26/08/2018	12.0	103,800	18.98	SEBA KLL-Q
26/08/2018	14.0	103,700	18.96	SEBA KLL-Q
26/08/2018	16.0	103,700	18.97	SEBA KLL-Q
26/08/2018	18.0	103,900	18.95	SEBA KLL-Q
26/08/2018	20.0	103,900	18.96	SEBA KLL-Q
26/08/2018	22.0	104,100	18.86	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/08/2018	22.5	104,000	18.86	SEBA KLL-Q
26/08/2018	23.0	103,900	18.87	SEBA KLL-Q
26/08/2018	23.5	103,700	18.86	SEBA KLL-Q
26/08/2018	24.0	105,100	18.83	SEBA KLL-Q
26/08/2018	24.5	109,100	18.81	SEBA KLL-Q
26/08/2018	25.0	114,500	18.80	SEBA KLL-Q
26/08/2018	25.5	134,000	18.79	SEBA KLL-Q
26/08/2018	26.0	165,800	18.81	SEBA KLL-Q
26/08/2018	26.2	183,500	18.88	SEBA KLL-Q
26/08/2018	26.4	199,000	18.92	SEBA KLL-Q
26/08/2018	26.6	217,000	19.04	SEBA KLL-Q
26/08/2018	26.8	219,500	19.08	SEBA KLL-Q
26/08/2018	27.0	221,000	19.08	SEBA KLL-Q
26/08/2018	27.2	224,200	19.11	SEBA KLL-Q
26/08/2018	27.4	226,500	19.12	SEBA KLL-Q
26/08/2018	27.6	227,700	19.15	SEBA KLL-Q
26/08/2018	27.8	230,900	19.16	SEBA KLL-Q
26/08/2018	28.0	235,900	19.15	SEBA KLL-Q
26/08/2018	28.2	240,000	19.13	SEBA KLL-Q
26/08/2018	28.4	240,100	19.17	SEBA KLL-Q
26/08/2018	28.6	240,200	19.17	SEBA KLL-Q
26/08/2018	28.8	240,400	19.17	SEBA KLL-Q
26/08/2018	29.0	240,400	19.17	SEBA KLL-Q
26/08/2018	29.5	241,400	19.17	SEBA KLL-Q
26/08/2018	30.0	241,300	19.17	SEBA KLL-Q
26/08/2018	30.5	241,500	19.21	SEBA KLL-Q
26/08/2018	31.0	241,900	19.22	SEBA KLL-Q
26/08/2018	31.5	242,400	19.26	SEBA KLL-Q
26/08/2018	32.0	243,100	19.27	SEBA KLL-Q
26/08/2018	33.0	245,500	19.30	SEBA KLL-Q
26/08/2018	34.0	250,700	19.32	SEBA KLL-Q
26/08/2018	36.0	254,000	19.39	SEBA KLL-Q
26/08/2018	38.0	254,100	19.46	SEBA KLL-Q
26/08/2018	40.0	254,200	19.64	SEBA KLL-Q
26/08/2018	42.0	254,100	19.67	SEBA KLL-Q
26/08/2018	44.0	254,200	19.71	SEBA KLL-Q
26/08/2018	46.0	254,300	19.72	SEBA KLL-Q
26/08/2018	48.0	254,200	19.78	SEBA KLL-Q
26/08/2018	50.0	254,200	19.79	SEBA KLL-Q
26/08/2018	52.0	254,300	19.80	SEBA KLL-Q
26/08/2018	54.0	254,300	19.82	SEBA KLL-Q
26/08/2018	56.0	254,400	19.89	SEBA KLL-Q
26/08/2018	58.0	254,400	19.90	SEBA KLL-Q
26/08/2018	60.0	254,500	19.90	SEBA KLL-Q
26/08/2018	62.0	254,500	19.91	SEBA KLL-Q
26/08/2018	64.0	255,400	20.21	SEBA KLL-Q
26/08/2018	66.0	255,300	20.28	SEBA KLL-Q
26/08/2018	68.0	255,400	20.33	SEBA KLL-Q
26/08/2018	70.0	255,400	20.39	SEBA KLL-Q
26/08/2018	72.0	255,500	20.40	SEBA KLL-Q
26/08/2018	74.0	255,400	20.39	SEBA KLL-Q
26/08/2018	76.0	255,400	20.57	SEBA KLL-Q
26/08/2018	77.0	255,800	20.61	SEBA KLL-Q
05/09/2018	1.1	107,500	18.80	SEBA KLL-Q
05/09/2018	1.2	107,200	18.70	SEBA KLL-Q
05/09/2018	1.4	107,300	18.70	SEBA KLL-Q
05/09/2018	1.6	107,300	18.60	SEBA KLL-Q
05/09/2018	1.8	107,300	18.60	SEBA KLL-Q
05/09/2018	2.0	107,300	18.60	SEBA KLL-Q
05/09/2018	2.5	107,300	18.70	SEBA KLL-Q
05/09/2018	3.0	107,400	18.80	SEBA KLL-Q
05/09/2018	4.0	107,300	18.90	SEBA KLL-Q
05/09/2018	6.0	107,300	19.10	SEBA KLL-Q
05/09/2018	8.0	107,300	19.10	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/09/2018	10.0	107,500	19.10	SEBA KLL-Q
05/09/2018	12.0	107,700	19.10	SEBA KLL-Q
05/09/2018	14.0	108,000	19.10	SEBA KLL-Q
05/09/2018	16.0	108,200	19.00	SEBA KLL-Q
05/09/2018	18.0	108,300	19.00	SEBA KLL-Q
05/09/2018	20.0	108,300	19.00	SEBA KLL-Q
05/09/2018	21.0	108,300	19.00	SEBA KLL-Q
05/09/2018	22.0	108,300	18.90	SEBA KLL-Q
05/09/2018	23.0	108,100	18.90	SEBA KLL-Q
05/09/2018	23.5	107,900	18.90	SEBA KLL-Q
05/09/2018	24.0	107,700	18.90	SEBA KLL-Q
05/09/2018	25.0	107,100	18.90	SEBA KLL-Q
05/09/2018	25.5	116,700	18.90	SEBA KLL-Q
05/09/2018	25.7	123,700	18.90	SEBA KLL-Q
05/09/2018	25.9	135,200	18.90	SEBA KLL-Q
05/09/2018	26.2	156,100	18.90	SEBA KLL-Q
05/09/2018	26.4	181,200	18.90	SEBA KLL-Q
05/09/2018	26.6	214,100	19.10	SEBA KLL-Q
05/09/2018	26.8	215,900	19.10	SEBA KLL-Q
05/09/2018	27.0	217,000	19.10	SEBA KLL-Q
05/09/2018	27.2	221,000	19.20	SEBA KLL-Q
05/09/2018	27.5	222,800	19.20	SEBA KLL-Q
05/09/2018	28.0	232,300	19.20	SEBA KLL-Q
05/09/2018	29.0	240,600	19.30	SEBA KLL-Q
05/09/2018	30.0	240,200	19.30	SEBA KLL-Q
05/09/2018	32.0	241,500	19.30	SEBA KLL-Q
05/09/2018	34.0	243,300	19.30	SEBA KLL-Q
05/09/2018	36.0	254,300	19.30	SEBA KLL-Q
05/09/2018	38.0	254,300	19.50	SEBA KLL-Q
05/09/2018	40.0	254,300	19.50	SEBA KLL-Q
05/09/2018	42.0	254,400	19.60	SEBA KLL-Q
05/09/2018	44.0	254,400	19.70	SEBA KLL-Q
05/09/2018	46.0	254,500	19.70	SEBA KLL-Q
05/09/2018	48.0	254,600	19.70	SEBA KLL-Q
05/09/2018	50.0	254,700	19.80	SEBA KLL-Q
05/09/2018	52.0	254,700	19.90	SEBA KLL-Q
05/09/2018	54.0	254,700	19.90	SEBA KLL-Q
05/09/2018	56.0	254,300	19.90	SEBA KLL-Q
05/09/2018	58.0	254,500	20.00	SEBA KLL-Q
05/09/2018	60.0	254,700	20.10	SEBA KLL-Q
05/09/2018	62.0	254,700	20.10	SEBA KLL-Q
05/09/2018	64.0	254,700	20.10	SEBA KLL-Q
05/09/2018	66.0	256,100	20.30	SEBA KLL-Q
05/09/2018	68.0	255,900	20.30	SEBA KLL-Q
05/09/2018	70.0	255,600	20.40	SEBA KLL-Q
05/09/2018	72.0	255,700	20.50	SEBA KLL-Q
05/09/2018	74.0	255,700	20.60	SEBA KLL-Q
05/09/2018	76.0	255,700	20.60	SEBA KLL-Q
05/09/2018	77.6	253,200	20.70	SEBA KLL-Q
13/11/2018	1.5	107,400	21.67	SEBA KLL-Q
13/11/2018	2.0	108,300	20.10	SEBA KLL-Q
13/11/2018	2.5	108,200	19.67	SEBA KLL-Q
13/11/2018	3.0	108,300	19.57	SEBA KLL-Q
13/11/2018	4.0	107,800	19.37	SEBA KLL-Q
13/11/2018	5.0	107,600	19.28	SEBA KLL-Q
13/11/2018	6.0	107,100	19.19	SEBA KLL-Q
13/11/2018	8.0	106,100	18.99	SEBA KLL-Q
13/11/2018	10.0	105,600	18.65	SEBA KLL-Q
13/11/2018	12.0	105,300	18.95	SEBA KLL-Q
13/11/2018	14.0	123,800	18.96	SEBA KLL-Q
13/11/2018	14.5	123,800	18.96	SEBA KLL-Q
13/11/2018	15.0	124,000	18.96	SEBA KLL-Q
13/11/2018	15.5	123,900	18.96	SEBA KLL-Q
13/11/2018	16.0	124,100	18.96	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/11/2018	18.0	124,400	18.96	SEBA KLL-Q
13/11/2018	20.0	124,400	18.97	SEBA KLL-Q
13/11/2018	21.0	124,400	18.96	SEBA KLL-Q
13/11/2018	21.5	124,400	18.94	SEBA KLL-Q
13/11/2018	22.0	124,400	18.96	SEBA KLL-Q
13/11/2018	23.0	124,400	18.89	SEBA KLL-Q
13/11/2018	24.0	124,500	18.90	SEBA KLL-Q
13/11/2018	24.5	124,500	18.87	SEBA KLL-Q
13/11/2018	25.0	124,500	18.86	SEBA KLL-Q
13/11/2018	25.2	124,500	18.85	SEBA KLL-Q
13/11/2018	25.4	124,600	18.87	SEBA KLL-Q
13/11/2018	25.6	125,200	18.84	SEBA KLL-Q
13/11/2018	25.8	127,600	18.86	SEBA KLL-Q
13/11/2018	26.0	133,900	18.79	SEBA KLL-Q
13/11/2018	26.2	159,400	18.81	SEBA KLL-Q
13/11/2018	26.4	182,500	18.80	SEBA KLL-Q
13/11/2018	26.6	204,300	18.82	SEBA KLL-Q
13/11/2018	26.8	206,600	19.01	SEBA KLL-Q
13/11/2018	27.0	208,100	19.07	SEBA KLL-Q
13/11/2018	27.2	211,000	19.08	SEBA KLL-Q
13/11/2018	27.4	212,100	19.11	SEBA KLL-Q
13/11/2018	27.6	218,200	19.13	SEBA KLL-Q
13/11/2018	27.8	219,100	19.15	SEBA KLL-Q
13/11/2018	28.0	220,100	19.16	SEBA KLL-Q
13/11/2018	28.5	227,800	19.17	SEBA KLL-Q
13/11/2018	29.0	227,800	19.18	SEBA KLL-Q
13/11/2018	29.5	228,800	19.18	SEBA KLL-Q
13/11/2018	30.0	232,800	19.21	SEBA KLL-Q
13/11/2018	30.5	234,500	19.23	SEBA KLL-Q
13/11/2018	31.0	235,000	19.25	SEBA KLL-Q
13/11/2018	32.0	235,100	19.23	SEBA KLL-Q
13/11/2018	33.0	237,400	19.31	SEBA KLL-Q
13/11/2018	35.0	239,700	19.29	SEBA KLL-Q
13/11/2018	37.0	239,800	19.67	SEBA KLL-Q
13/11/2018	39.0	237,900	19.66	SEBA KLL-Q
13/11/2018	41.0	239,700	19.68	SEBA KLL-Q
13/11/2018	43.0	239,700	19.70	SEBA KLL-Q
13/11/2018	45.0	239,800	19.71	SEBA KLL-Q
13/11/2018	48.0	239,700	19.74	SEBA KLL-Q
13/11/2018	51.0	239,700	19.76	SEBA KLL-Q
13/11/2018	54.0	239,800	19.79	SEBA KLL-Q
13/11/2018	57.0	239,800	19.79	SEBA KLL-Q
13/11/2018	60.0	239,700	19.79	SEBA KLL-Q
13/11/2018	63.0	239,700	19.95	SEBA KLL-Q
13/11/2018	66.0	239,600	20.12	SEBA KLL-Q
13/11/2018	69.0	239,700	20.27	SEBA KLL-Q
13/11/2018	72.0	239,800	20.28	SEBA KLL-Q
13/11/2018	75.0	239,700	20.48	SEBA KLL-Q
13/11/2018	77.0	239,700	20.51	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2013	1.50	14,100	19.90	TLC-107 SONDA 1
22/10/2013	1.70	14,300	19.70	TLC-107 SONDA 1
22/10/2013	1.90	15,100	19.50	TLC-107 SONDA 1
22/10/2013	2.10	15,500	19.50	TLC-107 SONDA 1
22/10/2013	2.30	15,300	19.50	TLC-107 SONDA 1
22/10/2013	2.50	15,300	19.50	TLC-107 SONDA 1
22/10/2013	2.70	15,400	19.50	TLC-107 SONDA 1
22/10/2013	2.90	15,400	19.50	TLC-107 SONDA 1
22/10/2013	3.10	15,400	19.50	TLC-107 SONDA 1
22/10/2013	3.30	15,400	19.50	TLC-107 SONDA 1
22/10/2013	3.50	15,400	19.50	TLC-107 SONDA 1
22/10/2013	4.00	15,500	19.50	TLC-107 SONDA 1
22/10/2013	4.50	15,500	19.70	TLC-107 SONDA 1
22/10/2013	5.00	15,500	19.70	TLC-107 SONDA 1
22/10/2013	5.50	15,500	19.80	TLC-107 SONDA 1
22/10/2013	6.00	15,500	19.80	TLC-107 SONDA 1
22/10/2013	6.50	15,500	19.80	TLC-107 SONDA 1
22/10/2013	7.00	15,500	19.80	TLC-107 SONDA 1
22/10/2013	7.50	15,500	19.80	TLC-107 SONDA 1
22/10/2013	8.00	15,500	19.80	TLC-107 SONDA 1
22/10/2013	9.00	15,400	19.90	TLC-107 SONDA 1
22/10/2013	10.00	15,400	19.90	TLC-107 SONDA 1
22/10/2013	11.00	15,400	19.90	TLC-107 SONDA 1
22/10/2013	12.00	15,400	19.90	TLC-107 SONDA 1
22/10/2013	13.00	21,400	19.90	TLC-107 SONDA 1
22/10/2013	14.00	31,200	20.00	TLC-107 SONDA 1
22/10/2013	15.00	43,800	20.00	TLC-107 SONDA 1
22/10/2013	20.00	53,300	20.20	TLC-107 SONDA 1
22/10/2013	21.00	69,700	20.20	TLC-107 SONDA 1
22/10/2013	22.00	190,700	20.20	TLC-107 SONDA 1
22/10/2013	23.00	199,800	20.20	TLC-107 SONDA 1
22/10/2013	23.50	217,000	20.20	TLC-107 SONDA 1
22/10/2013	24.00	219,900	20.20	TLC-107 SONDA 1
22/10/2013	24.50	222,900	20.20	TLC-107 SONDA 1
22/10/2013	25.00	223,100	20.40	TLC-107 SONDA 1
22/10/2013	25.50	223,100	20.40	TLC-107 SONDA 1
22/10/2013	26.00	222,900	20.40	TLC-107 SONDA 1
22/10/2013	26.50	223,400	20.40	TLC-107 SONDA 1
22/10/2013	27.00	223,600	20.40	TLC-107 SONDA 1
22/10/2013	28.00	223,900	20.40	TLC-107 SONDA 1
22/10/2013	29.00	224,300	20.40	TLC-107 SONDA 1
22/10/2013	30.00	224,100	20.40	TLC-107 SONDA 1
22/10/2013	31.00	224,300	20.40	TLC-107 SONDA 1
22/10/2013	32.00	225,300	20.40	TLC-107 SONDA 1
22/10/2013	33.00	225,400	20.50	TLC-107 SONDA 1
22/10/2013	38.00	239,300	20.50	TLC-107 SONDA 1
22/10/2013	43.00	232,400	20.60	TLC-107 SONDA 1
22/10/2013	48.00	230,800	20.70	TLC-107 SONDA 1
22/10/2013	53.00	229,200	20.90	TLC-107 SONDA 1
22/10/2013	58.00	228,500	20.90	TLC-107 SONDA 1
22/10/2013	62.01	208,000	21.10	TLC-107 SONDA 1
19/11/2013	1.40	11,800	20.90	TLC-107 SONDA 1
19/11/2013	1.60	12,500	20.40	TLC-107 SONDA 1
19/11/2013	1.80	12,400	20.30	TLC-107 SONDA 1
19/11/2013	2.00	12,400	20.30	TLC-107 SONDA 1
19/11/2013	2.20	12,300	20.00	TLC-107 SONDA 1
19/11/2013	2.40	12,200	20.00	TLC-107 SONDA 1
19/11/2013	2.60	12,200	19.90	TLC-107 SONDA 1
19/11/2013	2.80	12,100	19.90	TLC-107 SONDA 1
19/11/2013	3.00	12,100	19.90	TLC-107 SONDA 1
19/11/2013	3.50	12,000	19.90	TLC-107 SONDA 1
19/11/2013	4.00	11,900	19.90	TLC-107 SONDA 1
19/11/2013	4.50	11,800	19.90	TLC-107 SONDA 1
19/11/2013	5.00	11,900	19.90	TLC-107 SONDA 1
19/11/2013	5.50	11,600	19.90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/11/2013	6.00	11,500	19.90	TLC-107 SONDA 1
19/11/2013	7.00	11,300	20.00	TLC-107 SONDA 1
19/11/2013	8.00	11,300	20.00	TLC-107 SONDA 1
19/11/2013	9.00	11,100	20.00	TLC-107 SONDA 1
19/11/2013	10.00	11,000	20.00	TLC-107 SONDA 1
19/11/2013	15.00	27,700	20.20	TLC-107 SONDA 1
19/11/2013	20.00	32,500	20.30	TLC-107 SONDA 1
19/11/2013	21.00	36,100	20.30	TLC-107 SONDA 1
19/11/2013	21.50	36,500	20.30	TLC-107 SONDA 1
19/11/2013	21.70	42,600	20.30	TLC-107 SONDA 1
19/11/2013	21.90	77,700	20.30	TLC-107 SONDA 1
19/11/2013	22.00	80,300	20.30	TLC-107 SONDA 1
19/11/2013	22.20	82,900	20.30	TLC-107 SONDA 1
19/11/2013	22.40	85,500	20.30	TLC-107 SONDA 1
19/11/2013	22.60	89,200	20.30	TLC-107 SONDA 1
19/11/2013	22.80	96,200	20.30	TLC-107 SONDA 1
19/11/2013	23.00	101,800	20.40	TLC-107 SONDA 1
19/11/2013	23.20	109,400	20.40	TLC-107 SONDA 1
19/11/2013	23.40	109,100	20.40	TLC-107 SONDA 1
19/11/2013	23.60	109,500	20.40	TLC-107 SONDA 1
19/11/2013	23.80	110,100	20.40	TLC-107 SONDA 1
19/11/2013	24.00	112,100	20.40	TLC-107 SONDA 1
19/11/2013	24.50	113,100	20.50	TLC-107 SONDA 1
19/11/2013	25.00	114,100	20.50	TLC-107 SONDA 1
19/11/2013	25.50	116,600	20.50	TLC-107 SONDA 1
19/11/2013	26.00	116,600	20.50	TLC-107 SONDA 1
19/11/2013	27.00	116,400	20.50	TLC-107 SONDA 1
19/11/2013	28.00	114,700	20.50	TLC-107 SONDA 1
19/11/2013	29.00	115,700	20.50	TLC-107 SONDA 1
19/11/2013	30.00	115,900	20.50	TLC-107 SONDA 1
19/11/2013	35.00	123,300	20.60	TLC-107 SONDA 1
19/11/2013	36.00	132,000	20.60	TLC-107 SONDA 1
19/11/2013	37.00	134,500	20.70	TLC-107 SONDA 1
19/11/2013	38.00	141,400	20.70	TLC-107 SONDA 1
19/11/2013	39.00	145,500	20.60	TLC-107 SONDA 1
19/11/2013	40.00	147,300	20.70	TLC-107 SONDA 1
19/11/2013	45.00	146,300	20.70	TLC-107 SONDA 1
19/11/2013	50.00	148,300	21.10	TLC-107 SONDA 1
19/11/2013	55.00	155,700	21.10	TLC-107 SONDA 1
19/11/2013	60.00	153,900	21.10	TLC-107 SONDA 1
19/11/2013	65.00	155,700	21.20	TLC-107 SONDA 1
19/11/2013	70.00	154,600	21.30	TLC-107 SONDA 1
19/11/2013	75.10	151,700	21.40	TLC-107 SONDA 1
17/12/2013	1.50	10,500	21.30	TLC-107 SONDA 1
17/12/2013	1.70	10,300	20.70	TLC-107 SONDA 1
17/12/2013	1.90	10,300	20.50	TLC-107 SONDA 1
17/12/2013	2.10	10,300	20.50	TLC-107 SONDA 1
17/12/2013	2.30	10,400	20.50	TLC-107 SONDA 1
17/12/2013	2.50	10,400	20.30	TLC-107 SONDA 1
17/12/2013	3.00	10,400	20.20	TLC-107 SONDA 1
17/12/2013	3.50	10,300	20.20	TLC-107 SONDA 1
17/12/2013	4.00	10,300	20.00	TLC-107 SONDA 1
17/12/2013	5.00	10,300	20.00	TLC-107 SONDA 1
17/12/2013	6.00	10,300	20.20	TLC-107 SONDA 1
17/12/2013	7.00	10,300	20.20	TLC-107 SONDA 1
17/12/2013	8.00	10,200	20.20	TLC-107 SONDA 1
17/12/2013	9.00	10,300	20.20	TLC-107 SONDA 1
17/12/2013	10.00	10,300	20.20	TLC-107 SONDA 1
17/12/2013	11.00	10,300	20.20	TLC-107 SONDA 1
17/12/2013	12.00	10,300	20.20	TLC-107 SONDA 1
17/12/2013	13.00	13,300	20.20	TLC-107 SONDA 1
17/12/2013	14.00	20,500	20.20	TLC-107 SONDA 1
17/12/2013	15.00	26,100	20.30	TLC-107 SONDA 1
17/12/2013	16.00	29,600	20.30	TLC-107 SONDA 1
17/12/2013	17.00	29,900	20.30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/12/2013	18.00	30,100	20.30	TLC-107 SONDA 1
17/12/2013	19.00	30,200	20.30	TLC-107 SONDA 1
17/12/2013	20.00	30,300	20.40	TLC-107 SONDA 1
17/12/2013	21.00	31,200	20.40	TLC-107 SONDA 1
17/12/2013	22.00	41,900	20.40	TLC-107 SONDA 1
17/12/2013	23.00	73,600	20.40	TLC-107 SONDA 1
17/12/2013	24.00	123,300	20.50	TLC-107 SONDA 1
17/12/2013	25.00	143,700	20.50	TLC-107 SONDA 1
17/12/2013	26.00	152,800	20.50	TLC-107 SONDA 1
17/12/2013	27.00	153,500	20.50	TLC-107 SONDA 1
17/12/2013	28.00	154,300	20.50	TLC-107 SONDA 1
17/12/2013	29.00	153,500	20.50	TLC-107 SONDA 1
17/12/2013	30.00	153,900	20.60	TLC-107 SONDA 1
17/12/2013	35.00	166,800	20.70	TLC-107 SONDA 1
17/12/2013	36.00	187,300	20.70	TLC-107 SONDA 1
17/12/2013	37.00	192,700	20.70	TLC-107 SONDA 1
17/12/2013	38.00	213,000	20.70	TLC-107 SONDA 1
17/12/2013	39.00	237,600	20.70	TLC-107 SONDA 1
17/12/2013	40.00	240,700	20.70	TLC-107 SONDA 1
17/12/2013	45.00	243,300	20.80	TLC-107 SONDA 1
17/12/2013	50.00	247,200	21.20	TLC-107 SONDA 1
17/12/2013	55.00	247,200	21.20	TLC-107 SONDA 1
17/12/2013	60.00	250,500	21.20	TLC-107 SONDA 1
17/12/2013	65.00	253,300	21.30	TLC-107 SONDA 1
17/12/2013	70.00	254,400	21.40	TLC-107 SONDA 1
17/12/2013	75.00	255,000	21.60	TLC-107 SONDA 1
17/12/2013	76.00	118,100	21.60	TLC-107 SONDA 1
18/03/2014	1.40	8,478	21.90	TLC-107 SONDA 1
18/03/2014	1.60	8,590	21.80	TLC-107 SONDA 1
18/03/2014	1.80	8,581	21.60	TLC-107 SONDA 1
18/03/2014	2.00	8,612	21.40	TLC-107 SONDA 1
18/03/2014	2.50	8,636	21.10	TLC-107 SONDA 1
18/03/2014	3.00	8,687	20.80	TLC-107 SONDA 1
18/03/2014	3.50	8,712	20.60	TLC-107 SONDA 1
18/03/2014	4.00	8,724	20.40	TLC-107 SONDA 1
18/03/2014	5.00	8,750	20.30	TLC-107 SONDA 1
18/03/2014	6.00	8,801	20.20	TLC-107 SONDA 1
18/03/2014	7.00	8,788	20.20	TLC-107 SONDA 1
18/03/2014	8.00	8,781	20.20	TLC-107 SONDA 1
18/03/2014	9.00	8,772	20.20	TLC-107 SONDA 1
18/03/2014	10.00	8,767	20.20	TLC-107 SONDA 1
18/03/2014	11.00	8,762	20.20	TLC-107 SONDA 1
18/03/2014	12.00	9,020	20.20	TLC-107 SONDA 1
18/03/2014	13.00	13,200	20.20	TLC-107 SONDA 1
18/03/2014	14.00	19,000	20.30	TLC-107 SONDA 1
18/03/2014	15.00	23,400	20.30	TLC-107 SONDA 1
18/03/2014	16.00	26,400	20.30	TLC-107 SONDA 1
18/03/2014	17.00	27,100	20.30	TLC-107 SONDA 1
18/03/2014	18.00	27,900	20.30	TLC-107 SONDA 1
18/03/2014	19.00	28,000	20.40	TLC-107 SONDA 1
18/03/2014	20.00	29,200	20.40	TLC-107 SONDA 1
18/03/2014	21.00	30,400	20.40	TLC-107 SONDA 1
18/03/2014	22.00	33,500	20.40	TLC-107 SONDA 1
18/03/2014	23.00	58,200	20.40	TLC-107 SONDA 1
18/03/2014	24.00	110,500	20.50	TLC-107 SONDA 1
18/03/2014	25.00	129,900	20.50	TLC-107 SONDA 1
18/03/2014	26.00	131,700	20.50	TLC-107 SONDA 1
18/03/2014	27.00	133,100	20.50	TLC-107 SONDA 1
18/03/2014	28.00	134,400	20.50	TLC-107 SONDA 1
18/03/2014	29.00	135,800	20.50	TLC-107 SONDA 1
18/03/2014	30.00	136,600	20.60	TLC-107 SONDA 1
18/03/2014	31.00	137,500	20.60	TLC-107 SONDA 1
18/03/2014	32.00	138,500	20.60	TLC-107 SONDA 1
18/03/2014	33.00	139,300	20.60	TLC-107 SONDA 1
18/03/2014	34.00	150,500	20.70	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/03/2014	35.00	156,400	20.70	TLC-107 SONDA 1
18/03/2014	36.00	173,600	20.70	TLC-107 SONDA 1
18/03/2014	37.00	179,700	20.70	TLC-107 SONDA 1
18/03/2014	38.00	198,900	20.70	TLC-107 SONDA 1
18/03/2014	39.00	212,200	20.70	TLC-107 SONDA 1
18/03/2014	40.00	213,200	20.70	TLC-107 SONDA 1
18/03/2014	41.00	213,300	20.70	TLC-107 SONDA 1
18/03/2014	42.00	212,800	20.80	TLC-107 SONDA 1
18/03/2014	44.00	212,800	20.80	TLC-107 SONDA 1
18/03/2014	46.00	214,000	20.90	TLC-107 SONDA 1
18/03/2014	48.00	215,200	21.10	TLC-107 SONDA 1
18/03/2014	50.00	215,800	21.10	TLC-107 SONDA 1
18/03/2014	55.00	215,200	21.10	TLC-107 SONDA 1
18/03/2014	60.00	214,100	21.10	TLC-107 SONDA 1
18/03/2014	65.00	213,000	21.30	TLC-107 SONDA 1
18/03/2014	70.00	210,300	21.40	TLC-107 SONDA 1
18/03/2014	75.00	199,700	21.50	TLC-107 SONDA 1
18/03/2014	75.40	190,000	21.50	TLC-107 SONDA 1
19/04/2014	1.40	17,200	21.80	TLC-107 SONDA 1
19/04/2014	1.60	16,300	21.60	TLC-107 SONDA 1
19/04/2014	1.80	16,100	21.40	TLC-107 SONDA 1
19/04/2014	2.00	16,200	21.30	TLC-107 SONDA 1
19/04/2014	2.20	16,300	21.20	TLC-107 SONDA 1
19/04/2014	2.40	16,400	21.10	TLC-107 SONDA 1
19/04/2014	3.00	16,400	20.80	TLC-107 SONDA 1
19/04/2014	4.00	16,500	20.50	TLC-107 SONDA 1
19/04/2014	5.00	16,800	20.30	TLC-107 SONDA 1
19/04/2014	6.00	16,800	20.30	TLC-107 SONDA 1
19/04/2014	7.00	17,200	20.20	TLC-107 SONDA 1
19/04/2014	8.00	17,700	20.20	TLC-107 SONDA 1
19/04/2014	9.00	17,800	20.20	TLC-107 SONDA 1
19/04/2014	10.00	18,000	20.20	TLC-107 SONDA 1
19/04/2014	11.00	18,300	20.30	TLC-107 SONDA 1
19/04/2014	12.00	18,300	20.30	TLC-107 SONDA 1
19/04/2014	13.00	26,800	20.30	TLC-107 SONDA 1
19/04/2014	14.00	33,500	20.30	TLC-107 SONDA 1
19/04/2014	15.00	37,200	20.30	TLC-107 SONDA 1
19/04/2014	16.00	38,600	20.40	TLC-107 SONDA 1
19/04/2014	17.00	38,700	20.40	TLC-107 SONDA 1
19/04/2014	19.00	38,500	20.40	TLC-107 SONDA 1
19/04/2014	21.00	38,900	20.40	TLC-107 SONDA 1
19/04/2014	23.00	38,700	20.40	TLC-107 SONDA 1
19/04/2014	23.20	50,100	20.40	TLC-107 SONDA 1
19/04/2014	23.40	80,300	20.50	TLC-107 SONDA 1
19/04/2014	23.60	108,600	20.50	TLC-107 SONDA 1
19/04/2014	23.80	118,700	20.50	TLC-107 SONDA 1
19/04/2014	24.00	125,500	20.50	TLC-107 SONDA 1
19/04/2014	24.20	129,400	20.50	TLC-107 SONDA 1
19/04/2014	24.40	130,500	20.50	TLC-107 SONDA 1
19/04/2014	24.60	132,900	20.50	TLC-107 SONDA 1
19/04/2014	24.80	144,200	20.50	TLC-107 SONDA 1
19/04/2014	25.00	154,700	20.50	TLC-107 SONDA 1
19/04/2014	25.20	156,700	20.50	TLC-107 SONDA 1
19/04/2014	25.40	160,600	20.50	TLC-107 SONDA 1
19/04/2014	25.60	161,700	20.50	TLC-107 SONDA 1
19/04/2014	25.80	163,900	20.50	TLC-107 SONDA 1
19/04/2014	26.00	166,200	20.50	TLC-107 SONDA 1
19/04/2014	26.50	169,600	20.50	TLC-107 SONDA 1
19/04/2014	27.00	171,300	20.50	TLC-107 SONDA 1
19/04/2014	27.50	171,900	20.50	TLC-107 SONDA 1
19/04/2014	28.00	173,800	20.50	TLC-107 SONDA 1
19/04/2014	29.00	175,300	20.50	TLC-107 SONDA 1
19/04/2014	30.00	177,800	20.50	TLC-107 SONDA 1
19/04/2014	31.00	179,700	20.60	TLC-107 SONDA 1
19/04/2014	32.00	181,000	20.60	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/04/2014	34.00	190,600	20.60	TLC-107 SONDA 1
19/04/2014	36.00	204,500	20.70	TLC-107 SONDA 1
19/04/2014	38.00	221,000	20.70	TLC-107 SONDA 1
19/04/2014	40.00	226,100	20.70	TLC-107 SONDA 1
19/04/2014	42.00	226,700	20.80	TLC-107 SONDA 1
19/04/2014	44.00	228,800	20.80	TLC-107 SONDA 1
19/04/2014	46.00	228,200	20.90	TLC-107 SONDA 1
19/04/2014	48.00	227,700	21.20	TLC-107 SONDA 1
19/04/2014	50.00	228,300	21.20	TLC-107 SONDA 1
19/04/2014	52.00	228,300	21.20	TLC-107 SONDA 1
19/04/2014	54.00	228,900	21.20	TLC-107 SONDA 1
19/04/2014	56.00	229,200	21.00	TLC-107 SONDA 1
19/04/2014	58.00	230,100	21.20	TLC-107 SONDA 1
19/04/2014	60.00	231,000	21.20	TLC-107 SONDA 1
19/04/2014	62.00	231,700	21.20	TLC-107 SONDA 1
19/04/2014	64.00	232,300	21.30	TLC-107 SONDA 1
19/04/2014	66.00	232,300	21.30	TLC-107 SONDA 1
19/04/2014	68.00	233,900	21.40	TLC-107 SONDA 1
19/04/2014	70.00	234,900	21.40	TLC-107 SONDA 1
19/04/2014	72.00	235,600	21.50	TLC-107 SONDA 1
19/04/2014	73.60	160,700	21.50	TLC-107 SONDA 1
15/05/2014	1.60	15,700	21.10	TLC-107 SONDA 1
15/05/2014	1.80	16,600	20.90	TLC-107 SONDA 1
15/05/2014	2.00	17,000	20.90	TLC-107 SONDA 1
15/05/2014	2.50	17,600	20.80	TLC-107 SONDA 1
15/05/2014	3.00	17,800	20.70	TLC-107 SONDA 1
15/05/2014	4.00	20,200	20.50	TLC-107 SONDA 1
15/05/2014	5.00	21,000	20.30	TLC-107 SONDA 1
15/05/2014	6.00	21,600	20.30	TLC-107 SONDA 1
15/05/2014	7.00	21,800	20.30	TLC-107 SONDA 1
15/05/2014	8.00	21,900	20.30	TLC-107 SONDA 1
15/05/2014	9.00	22,000	20.20	TLC-107 SONDA 1
15/05/2014	10.00	22,000	20.30	TLC-107 SONDA 1
15/05/2014	12.00	22,100	20.30	TLC-107 SONDA 1
15/05/2014	13.00	32,400	20.30	TLC-107 SONDA 1
15/05/2014	14.00	42,200	20.30	TLC-107 SONDA 1
15/05/2014	15.00	46,800	20.30	TLC-107 SONDA 1
15/05/2014	16.00	48,200	20.40	TLC-107 SONDA 1
15/05/2014	17.00	48,500	20.40	TLC-107 SONDA 1
15/05/2014	18.00	48,900	20.40	TLC-107 SONDA 1
15/05/2014	20.00	48,700	20.40	TLC-107 SONDA 1
15/05/2014	22.00	48,700	20.40	TLC-107 SONDA 1
15/05/2014	23.00	57,900	20.50	TLC-107 SONDA 1
15/05/2014	23.20	83,900	20.50	TLC-107 SONDA 1
15/05/2014	23.40	129,300	20.50	TLC-107 SONDA 1
15/05/2014	23.80	156,400	20.50	TLC-107 SONDA 1
15/05/2014	24.00	162,600	20.50	TLC-107 SONDA 1
15/05/2014	24.20	168,900	20.50	TLC-107 SONDA 1
15/05/2014	24.40	180,100	20.50	TLC-107 SONDA 1
15/05/2014	24.60	196,800	20.50	TLC-107 SONDA 1
15/05/2014	24.80	202,400	20.50	TLC-107 SONDA 1
15/05/2014	25.00	203,600	20.50	TLC-107 SONDA 1
15/05/2014	25.20	204,400	20.50	TLC-107 SONDA 1
15/05/2014	25.40	205,500	20.50	TLC-107 SONDA 1
15/05/2014	25.60	206,400	20.50	TLC-107 SONDA 1
15/05/2014	25.80	208,300	20.50	TLC-107 SONDA 1
15/05/2014	26.00	208,400	20.50	TLC-107 SONDA 1
15/05/2014	26.50	210,200	20.50	TLC-107 SONDA 1
15/05/2014	27.00	211,100	20.50	TLC-107 SONDA 1
15/05/2014	28.00	212,700	20.50	TLC-107 SONDA 1
15/05/2014	29.00	212,900	20.50	TLC-107 SONDA 1
15/05/2014	30.00	214,500	20.50	TLC-107 SONDA 1
15/05/2014	31.00	215,100	20.50	TLC-107 SONDA 1
15/05/2014	32.00	215,500	20.60	TLC-107 SONDA 1
15/05/2014	34.00	224,800	20.60	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
15/05/2014	36.00	241,800	20.70	TLC-107 SONDA 1
15/05/2014	37.00	262,200	20.70	TLC-107 SONDA 1
15/05/2014	38.00	263,000	20.70	TLC-107 SONDA 1
15/05/2014	39.00	271,900	20.70	TLC-107 SONDA 1
15/05/2014	40.00	271,900	20.70	TLC-107 SONDA 1
15/05/2014	42.00	269,300	20.80	TLC-107 SONDA 1
15/05/2014	44.00	269,900	20.80	TLC-107 SONDA 1
15/05/2014	46.00	268,300	20.90	TLC-107 SONDA 1
15/05/2014	48.00	267,300	21.10	TLC-107 SONDA 1
15/05/2014	50.00	265,800	21.10	TLC-107 SONDA 1
15/05/2014	52.00	265,800	21.10	TLC-107 SONDA 1
15/05/2014	54.00	265,100	21.10	TLC-107 SONDA 1
15/05/2014	56.00	264,800	21.10	TLC-107 SONDA 1
15/05/2014	58.00	264,800	21.10	TLC-107 SONDA 1
15/05/2014	60.00	264,800	21.10	TLC-107 SONDA 1
15/05/2014	62.00	263,800	21.30	TLC-107 SONDA 1
15/05/2014	64.00	263,800	21.30	TLC-107 SONDA 1
15/05/2014	66.00	265,000	21.40	TLC-107 SONDA 1
15/05/2014	68.00	263,800	21.40	TLC-107 SONDA 1
15/05/2014	70.00	263,700	21.50	TLC-107 SONDA 1
15/05/2014	72.00	263,400	21.50	TLC-107 SONDA 1
15/05/2014	72.80	192,200	21.50	TLC-107 SONDA 1
15/06/2014	1.50	13,400	20.50	TLC-107 SONDA 1
15/06/2014	1.70	14,000	20.40	TLC-107 SONDA 1
15/06/2014	1.90	14,000	20.30	TLC-107 SONDA 1
15/06/2014	2.10	14,100	20.40	TLC-107 SONDA 1
15/06/2014	2.30	14,100	20.30	TLC-107 SONDA 1
15/06/2014	2.50	14,200	20.30	TLC-107 SONDA 1
15/06/2014	3.00	14,200	20.40	TLC-107 SONDA 1
15/06/2014	3.50	14,200	20.40	TLC-107 SONDA 1
15/06/2014	4.00	14,300	20.40	TLC-107 SONDA 1
15/06/2014	5.00	14,300	20.30	TLC-107 SONDA 1
15/06/2014	6.00	14,300	20.30	TLC-107 SONDA 1
15/06/2014	8.00	14,300	20.30	TLC-107 SONDA 1
15/06/2014	10.00	14,400	20.30	TLC-107 SONDA 1
15/06/2014	12.00	14,500	20.30	TLC-107 SONDA 1
15/06/2014	13.00	20,800	20.30	TLC-107 SONDA 1
15/06/2014	14.00	25,600	20.30	TLC-107 SONDA 1
15/06/2014	15.00	28,200	20.30	TLC-107 SONDA 1
15/06/2014	16.00	28,900	20.40	TLC-107 SONDA 1
15/06/2014	17.00	29,000	20.40	TLC-107 SONDA 1
15/06/2014	18.00	29,000	20.40	TLC-107 SONDA 1
15/06/2014	20.00	28,900	20.40	TLC-107 SONDA 1
15/06/2014	22.00	28,800	20.40	TLC-107 SONDA 1
15/06/2014	23.00	32,300	20.50	TLC-107 SONDA 1
15/06/2014	23.20	45,400	20.50	TLC-107 SONDA 1
15/06/2014	23.40	60,800	20.50	TLC-107 SONDA 1
15/06/2014	23.60	72,200	20.50	TLC-107 SONDA 1
15/06/2014	23.80	74,100	20.50	TLC-107 SONDA 1
15/06/2014	24.00	76,200	20.50	TLC-107 SONDA 1
15/06/2014	24.50	85,000	20.50	TLC-107 SONDA 1
15/06/2014	25.00	91,100	20.50	TLC-107 SONDA 1
15/06/2014	25.50	92,900	20.50	TLC-107 SONDA 1
15/06/2014	26.00	92,600	20.50	TLC-107 SONDA 1
15/06/2014	27.00	92,700	20.50	TLC-107 SONDA 1
15/06/2014	28.00	92,800	20.50	TLC-107 SONDA 1
15/06/2014	29.00	92,900	20.50	TLC-107 SONDA 1
15/06/2014	30.00	93,200	20.50	TLC-107 SONDA 1
15/06/2014	32.00	93,200	20.60	TLC-107 SONDA 1
15/06/2014	34.00	95,200	20.60	TLC-107 SONDA 1
15/06/2014	36.00	100,000	20.70	TLC-107 SONDA 1
15/06/2014	38.00	105,900	20.70	TLC-107 SONDA 1
15/06/2014	40.00	109,700	20.70	TLC-107 SONDA 1
15/06/2014	42.00	109,400	20.80	TLC-107 SONDA 1
15/06/2014	44.00	108,700	20.80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
15/06/2014	46.00	110,000	20.90	TLC-107 SONDA 1
15/06/2014	48.00	108,500	21.10	TLC-107 SONDA 1
15/06/2014	50.00	110,700	21.10	TLC-107 SONDA 1
15/06/2014	52.00	109,600	21.10	TLC-107 SONDA 1
15/06/2014	54.00	111,100	21.10	TLC-107 SONDA 1
15/06/2014	56.00	114,500	21.20	TLC-107 SONDA 1
15/06/2014	58.00	115,700	21.20	TLC-107 SONDA 1
15/06/2014	58.50	129,300	21.20	TLC-107 SONDA 1
15/06/2014	59.00	131,400	21.20	TLC-107 SONDA 1
15/06/2014	59.50	133,500	21.20	TLC-107 SONDA 1
15/06/2014	60.00	136,600	21.20	TLC-107 SONDA 1
15/06/2014	60.50	137,800	21.20	TLC-107 SONDA 1
15/06/2014	61.00	139,000	21.20	TLC-107 SONDA 1
15/06/2014	61.50	141,000	21.20	TLC-107 SONDA 1
15/06/2014	62.00	142,500	21.30	TLC-107 SONDA 1
15/06/2014	62.50	144,600	21.30	TLC-107 SONDA 1
15/06/2014	63.00	146,600	21.30	TLC-107 SONDA 1
15/06/2014	63.50	147,500	21.30	TLC-107 SONDA 1
15/06/2014	64.00	149,400	21.30	TLC-107 SONDA 1
15/06/2014	65.00	150,600	21.30	TLC-107 SONDA 1
15/06/2014	66.00	152,200	21.40	TLC-107 SONDA 1
15/06/2014	67.00	153,900	21.40	TLC-107 SONDA 1
15/06/2014	68.00	155,100	21.40	TLC-107 SONDA 1
15/06/2014	69.00	156,500	21.40	TLC-107 SONDA 1
15/06/2014	70.00	157,700	21.50	TLC-107 SONDA 1
15/06/2014	72.00	158,800	21.50	TLC-107 SONDA 1
15/06/2014	73.00	122,300	21.50	TLC-107 SONDA 1
15/06/2014	74.00	118,000	21.50	TLC-107 SONDA 1
15/06/2014	74.30	121,400	21.60	TLC-107 SONDA 1
16/07/2014	1.70	12,800	19.50	TLC-107 SONDA 1
16/07/2014	2.00	13,300	19.70	TLC-107 SONDA 1
16/07/2014	2.50	13,400	19.80	TLC-107 SONDA 1
16/07/2014	3.00	13,600	19.90	TLC-107 SONDA 1
16/07/2014	3.50	13,600	20.00	TLC-107 SONDA 1
16/07/2014	4.00	13,600	20.20	TLC-107 SONDA 1
16/07/2014	5.00	13,600	20.30	TLC-107 SONDA 1
16/07/2014	6.00	13,400	20.30	TLC-107 SONDA 1
16/07/2014	7.00	13,000	20.30	TLC-107 SONDA 1
16/07/2014	8.00	12,300	20.30	TLC-107 SONDA 1
16/07/2014	9.00	11,100	20.30	TLC-107 SONDA 1
16/07/2014	10.00	9,882	20.30	TLC-107 SONDA 1
16/07/2014	11.00	8,307	20.30	TLC-107 SONDA 1
16/07/2014	12.00	6,737	20.30	TLC-107 SONDA 1
16/07/2014	13.00	6,617	20.30	TLC-107 SONDA 1
16/07/2014	15.00	16,100	20.30	TLC-107 SONDA 1
16/07/2014	16.00	23,500	20.40	TLC-107 SONDA 1
16/07/2014	16.50	23,600	20.40	TLC-107 SONDA 1
16/07/2014	17.00	23,700	20.40	TLC-107 SONDA 1
16/07/2014	17.50	23,700	20.40	TLC-107 SONDA 1
16/07/2014	18.00	27,300	20.40	TLC-107 SONDA 1
16/07/2014	18.50	28,800	20.40	TLC-107 SONDA 1
16/07/2014	19.00	28,900	20.40	TLC-107 SONDA 1
16/07/2014	20.00	29,900	20.40	TLC-107 SONDA 1
16/07/2014	21.00	29,700	20.40	TLC-107 SONDA 1
16/07/2014	22.00	29,800	20.40	TLC-107 SONDA 1
16/07/2014	24.00	31,900	20.40	TLC-107 SONDA 1
16/07/2014	25.00	41,200	20.40	TLC-107 SONDA 1
16/07/2014	26.00	45,000	20.40	TLC-107 SONDA 1
16/07/2014	27.00	47,200	20.40	TLC-107 SONDA 1
16/07/2014	28.00	56,400	20.40	TLC-107 SONDA 1
16/07/2014	29.00	58,800	20.40	TLC-107 SONDA 1
16/07/2014	30.00	59,600	20.40	TLC-107 SONDA 1
16/07/2014	32.00	60,800	20.50	TLC-107 SONDA 1
16/07/2014	34.00	61,800	20.50	TLC-107 SONDA 1
16/07/2014	36.00	64,400	20.50	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/07/2014	37.00	65,400	20.50	TLC-107 SONDA 1
16/07/2014	38.00	71,500	20.60	TLC-107 SONDA 1
16/07/2014	39.00	92,400	20.60	TLC-107 SONDA 1
16/07/2014	40.00	96,700	20.60	TLC-107 SONDA 1
16/07/2014	41.00	97,100	20.60	TLC-107 SONDA 1
16/07/2014	42.00	97,900	20.70	TLC-107 SONDA 1
16/07/2014	43.00	98,400	20.70	TLC-107 SONDA 1
16/07/2014	44.00	102,400	20.70	TLC-107 SONDA 1
16/07/2014	45.00	107,900	20.70	TLC-107 SONDA 1
16/07/2014	46.00	117,000	20.90	TLC-107 SONDA 1
16/07/2014	46.50	115,900	20.90	TLC-107 SONDA 1
16/07/2014	47.00	115,300	21.10	TLC-107 SONDA 1
16/07/2014	48.00	115,400	21.10	TLC-107 SONDA 1
16/07/2014	49.00	115,400	21.10	TLC-107 SONDA 1
16/07/2014	50.00	115,300	21.10	TLC-107 SONDA 1
16/07/2014	51.00	115,000	21.10	TLC-107 SONDA 1
16/07/2014	52.00	115,000	21.10	TLC-107 SONDA 1
16/07/2014	53.00	115,000	21.10	TLC-107 SONDA 1
16/07/2014	54.00	115,200	21.10	TLC-107 SONDA 1
16/07/2014	55.00	115,200	21.10	TLC-107 SONDA 1
16/07/2014	56.00	115,400	21.10	TLC-107 SONDA 1
16/07/2014	57.00	115,300	21.10	TLC-107 SONDA 1
16/07/2014	58.00	115,200	21.10	TLC-107 SONDA 1
16/07/2014	59.00	115,200	21.20	TLC-107 SONDA 1
16/07/2014	60.00	115,200	21.20	TLC-107 SONDA 1
16/07/2014	62.00	115,200	21.30	TLC-107 SONDA 1
16/07/2014	64.00	115,400	21.30	TLC-107 SONDA 1
16/07/2014	66.00	115,300	21.30	TLC-107 SONDA 1
16/07/2014	68.00	115,700	21.40	TLC-107 SONDA 1
16/07/2014	70.00	115,800	21.50	TLC-107 SONDA 1
16/07/2014	73.10	78,000	21.60	TLC-107 SONDA 1
19/08/2014	1.40	19,800	20.30	TLC-107 SONDA 1
19/08/2014	2.00	19,800	19.90	TLC-107 SONDA 1
19/08/2014	4.00	19,900	20.20	TLC-107 SONDA 1
19/08/2014	6.00	20,000	20.30	TLC-107 SONDA 1
19/08/2014	8.00	20,000	20.30	TLC-107 SONDA 1
19/08/2014	10.00	20,100	20.30	TLC-107 SONDA 1
19/08/2014	12.00	20,100	20.30	TLC-107 SONDA 1
19/08/2014	14.00	35,600	20.30	TLC-107 SONDA 1
19/08/2014	15.00	39,000	20.40	TLC-107 SONDA 1
19/08/2014	16.00	40,100	20.40	TLC-107 SONDA 1
19/08/2014	17.00	40,200	20.40	TLC-107 SONDA 1
19/08/2014	18.00	40,400	20.40	TLC-107 SONDA 1
19/08/2014	19.00	40,400	20.40	TLC-107 SONDA 1
19/08/2014	20.00	40,500	20.40	TLC-107 SONDA 1
19/08/2014	22.00	40,400	20.40	TLC-107 SONDA 1
19/08/2014	22.50	40,600	20.40	TLC-107 SONDA 1
19/08/2014	23.00	52,800	20.50	TLC-107 SONDA 1
19/08/2014	23.20	71,300	20.50	TLC-107 SONDA 1
19/08/2014	23.40	91,300	20.50	TLC-107 SONDA 1
19/08/2014	23.60	98,000	20.50	TLC-107 SONDA 1
19/08/2014	23.80	99,900	20.50	TLC-107 SONDA 1
19/08/2014	24.00	102,000	20.50	TLC-107 SONDA 1
19/08/2014	24.20	105,100	20.50	TLC-107 SONDA 1
19/08/2014	24.40	108,100	20.50	TLC-107 SONDA 1
19/08/2014	24.60	114,500	20.50	TLC-107 SONDA 1
19/08/2014	24.80	124,200	20.50	TLC-107 SONDA 1
19/08/2014	25.00	133,800	20.50	TLC-107 SONDA 1
19/08/2014	25.20	138,000	20.50	TLC-107 SONDA 1
19/08/2014	25.40	139,300	20.50	TLC-107 SONDA 1
19/08/2014	25.60	139,900	20.50	TLC-107 SONDA 1
19/08/2014	25.80	140,300	20.50	TLC-107 SONDA 1
19/08/2014	26.00	140,300	20.50	TLC-107 SONDA 1
19/08/2014	26.20	140,500	20.50	TLC-107 SONDA 1
19/08/2014	26.40	140,700	20.50	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/08/2014	26.60	140,800	20.50	TLC-107 SONDA 1
19/08/2014	26.80	140,800	20.50	TLC-107 SONDA 1
19/08/2014	27.00	140,800	20.50	TLC-107 SONDA 1
19/08/2014	27.20	140,900	20.50	TLC-107 SONDA 1
19/08/2014	27.40	141,000	20.50	TLC-107 SONDA 1
19/08/2014	27.60	140,800	20.50	TLC-107 SONDA 1
19/08/2014	27.80	141,000	20.50	TLC-107 SONDA 1
19/08/2014	28.00	141,000	20.50	TLC-107 SONDA 1
19/08/2014	28.50	141,000	20.50	TLC-107 SONDA 1
19/08/2014	29.00	141,100	20.50	TLC-107 SONDA 1
19/08/2014	29.50	141,300	20.50	TLC-107 SONDA 1
19/08/2014	30.00	141,300	20.50	TLC-107 SONDA 1
19/08/2014	30.50	141,100	20.50	TLC-107 SONDA 1
19/08/2014	31.00	141,000	20.60	TLC-107 SONDA 1
19/08/2014	31.50	141,400	20.50	TLC-107 SONDA 1
19/08/2014	32.00	141,800	20.60	TLC-107 SONDA 1
19/08/2014	32.50	141,700	20.60	TLC-107 SONDA 1
19/08/2014	33.00	142,900	20.60	TLC-107 SONDA 1
19/08/2014	33.50	145,400	20.60	TLC-107 SONDA 1
19/08/2014	34.00	146,600	20.60	TLC-107 SONDA 1
19/08/2014	34.50	148,500	20.70	TLC-107 SONDA 1
19/08/2014	35.00	149,500	20.70	TLC-107 SONDA 1
19/08/2014	35.50	152,500	20.70	TLC-107 SONDA 1
19/08/2014	36.00	158,900	20.70	TLC-107 SONDA 1
19/08/2014	36.50	162,500	20.70	TLC-107 SONDA 1
19/08/2014	37.00	163,700	20.70	TLC-107 SONDA 1
19/08/2014	37.50	165,900	20.70	TLC-107 SONDA 1
19/08/2014	38.00	173,700	20.70	TLC-107 SONDA 1
19/08/2014	38.50	178,600	20.70	TLC-107 SONDA 1
19/08/2014	39.00	179,800	20.70	TLC-107 SONDA 1
19/08/2014	39.50	181,000	20.70	TLC-107 SONDA 1
19/08/2014	40.00	180,600	20.70	TLC-107 SONDA 1
19/08/2014	40.50	180,700	20.80	TLC-107 SONDA 1
19/08/2014	41.00	181,000	20.80	TLC-107 SONDA 1
19/08/2014	41.50	180,700	20.80	TLC-107 SONDA 1
19/08/2014	42.00	181,000	20.80	TLC-107 SONDA 1
19/08/2014	43.00	181,800	20.80	TLC-107 SONDA 1
19/08/2014	44.00	181,600	20.80	TLC-107 SONDA 1
19/08/2014	45.00	182,200	20.80	TLC-107 SONDA 1
19/08/2014	46.00	182,000	20.90	TLC-107 SONDA 1
19/08/2014	47.00	181,700	20.90	TLC-107 SONDA 1
19/08/2014	48.00	182,600	20.90	TLC-107 SONDA 1
19/08/2014	49.00	182,400	20.90	TLC-107 SONDA 1
19/08/2014	50.00	182,100	21.10	TLC-107 SONDA 1
19/08/2014	51.00	182,100	21.10	TLC-107 SONDA 1
19/08/2014	52.00	181,900	21.10	TLC-107 SONDA 1
19/08/2014	53.00	182,700	21.10	TLC-107 SONDA 1
19/08/2014	54.00	182,100	21.10	TLC-107 SONDA 1
19/08/2014	56.00	181,900	21.20	TLC-107 SONDA 1
19/08/2014	58.00	182,100	21.20	TLC-107 SONDA 1
19/08/2014	60.00	182,700	21.20	TLC-107 SONDA 1
19/08/2014	62.00	182,200	21.30	TLC-107 SONDA 1
19/08/2014	64.00	182,500	21.30	TLC-107 SONDA 1
19/08/2014	66.00	182,600	21.30	TLC-107 SONDA 1
19/08/2014	68.00	182,800	21.40	TLC-107 SONDA 1
19/08/2014	70.00	182,800	21.40	TLC-107 SONDA 1
19/08/2014	72.00	183,000	21.50	TLC-107 SONDA 1
19/08/2014	73.60	126,700	21.50	TLC-107 SONDA 1
02/09/2014	1.40	20,800	19.80	TLC-107 SONDA 1
02/09/2014	2.00	20,700	19.80	TLC-107 SONDA 1
02/09/2014	4.00	20,700	20.00	TLC-107 SONDA 1
02/09/2014	6.00	20,500	20.30	TLC-107 SONDA 1
02/09/2014	8.00	20,500	20.30	TLC-107 SONDA 1
02/09/2014	10.00	20,500	20.30	TLC-107 SONDA 1
02/09/2014	12.00	20,500	20.30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/09/2014	14.00	35,500	20.30	TLC-107 SONDA 1
02/09/2014	15.00	38,100	20.30	TLC-107 SONDA 1
02/09/2014	16.00	40,200	20.40	TLC-107 SONDA 1
02/09/2014	17.00	40,300	20.40	TLC-107 SONDA 1
02/09/2014	18.00	40,200	20.40	TLC-107 SONDA 1
02/09/2014	19.00	40,200	20.40	TLC-107 SONDA 1
02/09/2014	20.00	40,200	20.40	TLC-107 SONDA 1
02/09/2014	21.00	40,100	20.40	TLC-107 SONDA 1
02/09/2014	22.00	40,000	20.40	TLC-107 SONDA 1
02/09/2014	23.00	55,700	20.50	TLC-107 SONDA 1
02/09/2014	23.20	81,400	20.50	TLC-107 SONDA 1
02/09/2014	23.40	95,900	20.50	TLC-107 SONDA 1
02/09/2014	23.60	108,200	20.50	TLC-107 SONDA 1
02/09/2014	23.80	111,900	20.50	TLC-107 SONDA 1
02/09/2014	24.00	111,200	20.50	TLC-107 SONDA 1
02/09/2014	24.20	117,100	20.50	TLC-107 SONDA 1
02/09/2014	24.40	121,600	20.50	TLC-107 SONDA 1
02/09/2014	24.60	124,800	20.50	TLC-107 SONDA 1
02/09/2014	24.80	145,400	20.50	TLC-107 SONDA 1
02/09/2014	25.00	159,800	20.50	TLC-107 SONDA 1
02/09/2014	25.20	170,500	20.50	TLC-107 SONDA 1
02/09/2014	25.40	171,300	20.50	TLC-107 SONDA 1
02/09/2014	25.60	172,600	20.50	TLC-107 SONDA 1
02/09/2014	25.80	172,900	20.50	TLC-107 SONDA 1
02/09/2014	26.00	174,000	20.50	TLC-107 SONDA 1
02/09/2014	26.20	173,400	20.50	TLC-107 SONDA 1
02/09/2014	26.40	175,100	20.50	TLC-107 SONDA 1
02/09/2014	26.60	173,400	20.50	TLC-107 SONDA 1
02/09/2014	26.80	173,700	20.50	TLC-107 SONDA 1
02/09/2014	27.00	173,700	20.50	TLC-107 SONDA 1
02/09/2014	27.50	174,300	20.50	TLC-107 SONDA 1
02/09/2014	28.00	174,300	20.50	TLC-107 SONDA 1
02/09/2014	28.50	174,300	20.50	TLC-107 SONDA 1
02/09/2014	29.00	174,500	20.50	TLC-107 SONDA 1
02/09/2014	30.00	173,000	20.50	TLC-107 SONDA 1
02/09/2014	31.00	173,800	20.60	TLC-107 SONDA 1
02/09/2014	32.00	175,200	20.60	TLC-107 SONDA 1
02/09/2014	33.00	175,200	20.60	TLC-107 SONDA 1
02/09/2014	34.00	186,800	20.60	TLC-107 SONDA 1
02/09/2014	35.00	192,300	20.70	TLC-107 SONDA 1
02/09/2014	36.00	209,100	20.70	TLC-107 SONDA 1
02/09/2014	37.00	216,000	20.70	TLC-107 SONDA 1
02/09/2014	38.00	236,600	20.70	TLC-107 SONDA 1
02/09/2014	39.00	249,700	20.70	TLC-107 SONDA 1
02/09/2014	41.00	248,500	20.80	TLC-107 SONDA 1
02/09/2014	43.00	248,500	20.80	TLC-107 SONDA 1
02/09/2014	45.00	251,300	20.80	TLC-107 SONDA 1
02/09/2014	47.00	251,800	20.90	TLC-107 SONDA 1
02/09/2014	49.00	252,300	21.10	TLC-107 SONDA 1
02/09/2014	51.00	251,900	21.10	TLC-107 SONDA 1
02/09/2014	53.00	251,700	21.10	TLC-107 SONDA 1
02/09/2014	55.00	252,900	21.10	TLC-107 SONDA 1
02/09/2014	57.00	251,200	21.10	TLC-107 SONDA 1
02/09/2014	59.00	250,600	21.20	TLC-107 SONDA 1
02/09/2014	61.00	251,100	21.20	TLC-107 SONDA 1
02/09/2014	63.00	251,100	21.30	TLC-107 SONDA 1
02/09/2014	65.00	251,700	21.30	TLC-107 SONDA 1
02/09/2014	67.00	251,000	21.30	TLC-107 SONDA 1
02/09/2014	69.00	250,500	21.40	TLC-107 SONDA 1
02/09/2014	71.00	251,600	21.50	TLC-107 SONDA 1
02/09/2014	73.00	134,800	21.50	TLC-107 SONDA 1
07/10/2014	1.40	20,600	19.70	TLC-107 SONDA 1
07/10/2014	2.00	20,900	19.80	TLC-107 SONDA 1
07/10/2014	2.50	20,900	19.80	TLC-107 SONDA 1
07/10/2014	3.00	20,900	19.80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/10/2014	4.00	20,900	20.00	TLC-107 SONDA 1
07/10/2014	5.00	20,800	20.20	TLC-107 SONDA 1
07/10/2014	6.00	20,900	20.30	TLC-107 SONDA 1
07/10/2014	8.00	21,000	20.30	TLC-107 SONDA 1
07/10/2014	10.00	21,000	20.30	TLC-107 SONDA 1
07/10/2014	12.00	21,000	20.30	TLC-107 SONDA 1
07/10/2014	13.00	29,500	20.30	TLC-107 SONDA 1
07/10/2014	13.50	32,800	20.30	TLC-107 SONDA 1
07/10/2014	14.00	36,600	20.30	TLC-107 SONDA 1
07/10/2014	14.20	38,700	20.30	TLC-107 SONDA 1
07/10/2014	14.40	39,000	20.30	TLC-107 SONDA 1
07/10/2014	14.60	39,300	20.30	TLC-107 SONDA 1
07/10/2014	14.80	39,800	20.30	TLC-107 SONDA 1
07/10/2014	15.00	40,900	20.30	TLC-107 SONDA 1
07/10/2014	15.50	41,300	20.40	TLC-107 SONDA 1
07/10/2014	16.00	41,400	20.40	TLC-107 SONDA 1
07/10/2014	16.50	41,500	20.40	TLC-107 SONDA 1
07/10/2014	17.00	41,400	20.40	TLC-107 SONDA 1
07/10/2014	17.50	41,400	20.40	TLC-107 SONDA 1
07/10/2014	18.00	41,400	20.40	TLC-107 SONDA 1
07/10/2014	18.50	41,400	20.40	TLC-107 SONDA 1
07/10/2014	19.00	41,300	20.40	TLC-107 SONDA 1
07/10/2014	19.50	41,300	20.40	TLC-107 SONDA 1
07/10/2014	20.00	41,300	20.40	TLC-107 SONDA 1
07/10/2014	20.50	41,300	20.40	TLC-107 SONDA 1
07/10/2014	21.50	41,200	20.40	TLC-107 SONDA 1
07/10/2014	22.50	41,200	20.40	TLC-107 SONDA 1
07/10/2014	22.70	41,700	20.40	TLC-107 SONDA 1
07/10/2014	22.90	48,200	20.50	TLC-107 SONDA 1
07/10/2014	23.00	56,900	20.50	TLC-107 SONDA 1
07/10/2014	23.20	76,300	20.50	TLC-107 SONDA 1
07/10/2014	23.40	105,900	20.50	TLC-107 SONDA 1
07/10/2014	23.60	110,800	20.50	TLC-107 SONDA 1
07/10/2014	23.80	112,900	20.50	TLC-107 SONDA 1
07/10/2014	24.00	116,500	20.50	TLC-107 SONDA 1
07/10/2014	24.20	120,200	20.50	TLC-107 SONDA 1
07/10/2014	24.40	124,600	20.50	TLC-107 SONDA 1
07/10/2014	24.60	136,700	20.50	TLC-107 SONDA 1
07/10/2014	24.80	151,500	20.50	TLC-107 SONDA 1
07/10/2014	25.00	162,200	20.50	TLC-107 SONDA 1
07/10/2014	25.20	164,300	20.50	TLC-107 SONDA 1
07/10/2014	25.40	164,800	20.50	TLC-107 SONDA 1
07/10/2014	25.60	165,400	20.50	TLC-107 SONDA 1
07/10/2014	25.80	165,400	20.50	TLC-107 SONDA 1
07/10/2014	26.00	166,100	20.50	TLC-107 SONDA 1
07/10/2014	26.50	166,100	20.50	TLC-107 SONDA 1
07/10/2014	27.00	166,500	20.50	TLC-107 SONDA 1
07/10/2014	27.50	168,600	20.50	TLC-107 SONDA 1
07/10/2014	28.00	169,800	20.50	TLC-107 SONDA 1
07/10/2014	29.00	168,600	20.50	TLC-107 SONDA 1
07/10/2014	30.00	169,600	20.60	TLC-107 SONDA 1
07/10/2014	31.00	168,400	20.60	TLC-107 SONDA 1
07/10/2014	32.00	170,600	20.60	TLC-107 SONDA 1
07/10/2014	33.00	171,600	20.60	TLC-107 SONDA 1
07/10/2014	34.00	178,100	20.60	TLC-107 SONDA 1
07/10/2014	36.00	180,100	20.70	TLC-107 SONDA 1
07/10/2014	37.00	189,800	20.70	TLC-107 SONDA 1
07/10/2014	38.00	206,400	20.70	TLC-107 SONDA 1
07/10/2014	40.00	220,600	20.80	TLC-107 SONDA 1
07/10/2014	42.00	219,700	20.80	TLC-107 SONDA 1
07/10/2014	44.00	221,100	20.80	TLC-107 SONDA 1
07/10/2014	46.00	224,500	20.80	TLC-107 SONDA 1
07/10/2014	48.00	223,300	20.90	TLC-107 SONDA 1
07/10/2014	50.00	223,100	21.10	TLC-107 SONDA 1
07/10/2014	52.00	224,100	21.10	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/10/2014	54.00	223,800	21.10	TLC-107 SONDA 1
07/10/2014	56.00	222,400	21.10	TLC-107 SONDA 1
07/10/2014	58.00	223,600	21.20	TLC-107 SONDA 1
07/10/2014	60.00	225,300	21.20	TLC-107 SONDA 1
07/10/2014	62.00	225,500	21.30	TLC-107 SONDA 1
07/10/2014	64.00	225,500	21.30	TLC-107 SONDA 1
07/10/2014	66.00	228,700	21.40	TLC-107 SONDA 1
07/10/2014	68.00	229,700	21.40	TLC-107 SONDA 1
07/10/2014	70.00	230,600	21.50	TLC-107 SONDA 1
07/10/2014	72.00	230,900	21.50	TLC-107 SONDA 1
07/10/2014	72.30	195,100	21.50	TLC-107 SONDA 1
04/11/2014	1.40	19,300	20.90	TLC-107 SONDA 1
04/11/2014	2.00	19,700	20.40	TLC-107 SONDA 1
04/11/2014	4.00	19,700	20.30	TLC-107 SONDA 1
04/11/2014	6.00	19,800	20.30	TLC-107 SONDA 1
04/11/2014	8.00	19,800	20.30	TLC-107 SONDA 1
04/11/2014	10.00	19,800	20.30	TLC-107 SONDA 1
04/11/2014	12.00	19,800	20.30	TLC-107 SONDA 1
04/11/2014	13.00	25,000	20.30	TLC-107 SONDA 1
04/11/2014	14.00	32,400	20.30	TLC-107 SONDA 1
04/11/2014	14.50	33,400	20.30	TLC-107 SONDA 1
04/11/2014	15.00	34,700	20.30	TLC-107 SONDA 1
04/11/2014	16.00	36,900	20.40	TLC-107 SONDA 1
04/11/2014	17.00	37,500	20.40	TLC-107 SONDA 1
04/11/2014	18.00	37,600	20.40	TLC-107 SONDA 1
04/11/2014	19.00	37,600	20.40	TLC-107 SONDA 1
04/11/2014	20.00	37,800	20.40	TLC-107 SONDA 1
04/11/2014	21.00	37,800	20.40	TLC-107 SONDA 1
04/11/2014	22.00	37,900	20.40	TLC-107 SONDA 1
04/11/2014	23.00	49,900	20.40	TLC-107 SONDA 1
04/11/2014	23.20	72,700	20.50	TLC-107 SONDA 1
04/11/2014	23.40	96,700	20.50	TLC-107 SONDA 1
04/11/2014	23.60	107,300	20.50	TLC-107 SONDA 1
04/11/2014	23.80	109,100	20.50	TLC-107 SONDA 1
04/11/2014	24.00	111,600	20.50	TLC-107 SONDA 1
04/11/2014	24.20	115,100	20.50	TLC-107 SONDA 1
04/11/2014	24.40	121,700	20.50	TLC-107 SONDA 1
04/11/2014	24.60	136,600	20.50	TLC-107 SONDA 1
04/11/2014	24.80	154,200	20.50	TLC-107 SONDA 1
04/11/2014	25.00	171,600	20.50	TLC-107 SONDA 1
04/11/2014	25.20	175,000	20.50	TLC-107 SONDA 1
04/11/2014	25.40	176,400	20.50	TLC-107 SONDA 1
04/11/2014	25.60	177,300	20.50	TLC-107 SONDA 1
04/11/2014	25.80	178,800	20.50	TLC-107 SONDA 1
04/11/2014	26.00	180,000	20.50	TLC-107 SONDA 1
04/11/2014	27.00	180,600	20.50	TLC-107 SONDA 1
04/11/2014	28.00	182,200	20.50	TLC-107 SONDA 1
04/11/2014	29.00	182,300	20.60	TLC-107 SONDA 1
04/11/2014	30.00	183,900	20.60	TLC-107 SONDA 1
04/11/2014	32.00	184,900	20.60	TLC-107 SONDA 1
04/11/2014	34.00	190,800	20.70	TLC-107 SONDA 1
04/11/2014	36.00	220,300	20.70	TLC-107 SONDA 1
04/11/2014	38.00	250,800	20.70	TLC-107 SONDA 1
04/11/2014	40.00	276,700	20.70	TLC-107 SONDA 1
04/11/2014	42.00	278,800	20.80	TLC-107 SONDA 1
04/11/2014	44.00	280,200	20.80	TLC-107 SONDA 1
04/11/2014	46.00	282,000	20.90	TLC-107 SONDA 1
04/11/2014	48.00	285,900	21.10	TLC-107 SONDA 1
04/11/2014	50.00	287,400	21.10	TLC-107 SONDA 1
04/11/2014	52.00	288,800	21.10	TLC-107 SONDA 1
04/11/2014	54.00	291,000	21.10	TLC-107 SONDA 1
04/11/2014	56.00	291,800	21.20	TLC-107 SONDA 1
04/11/2014	58.00	294,000	21.20	TLC-107 SONDA 1
04/11/2014	60.00	297,200	21.20	TLC-107 SONDA 1
04/11/2014	62.00	298,800	21.20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/11/2014	64.00	303,300	21.30	TLC-107 SONDA 1
04/11/2014	66.00	302,800	21.40	TLC-107 SONDA 1
04/11/2014	68.00	305,200	21.40	TLC-107 SONDA 1
04/11/2014	70.00	307,800	21.50	TLC-107 SONDA 1
04/11/2014	72.00	309,200	21.50	TLC-107 SONDA 1
04/11/2014	72.40	186,900	21.50	TLC-107 SONDA 1
11/01/2015	1.50	20,600	22.10	TLC-107 SONDA 1
11/01/2015	2.00	20,400	21.20	TLC-107 SONDA 1
11/01/2015	3.00	20,500	20.70	TLC-107 SONDA 1
11/01/2015	4.00	20,500	20.50	TLC-107 SONDA 1
11/01/2015	6.00	20,700	20.30	TLC-107 SONDA 1
11/01/2015	8.00	20,700	20.30	TLC-107 SONDA 1
11/01/2015	10.00	20,800	20.30	TLC-107 SONDA 1
11/01/2015	12.00	20,800	20.30	TLC-107 SONDA 1
11/01/2015	13.00	27,100	20.30	TLC-107 SONDA 1
11/01/2015	13.50	31,500	20.30	TLC-107 SONDA 1
11/01/2015	13.70	33,300	20.30	TLC-107 SONDA 1
11/01/2015	13.90	33,700	20.30	TLC-107 SONDA 1
11/01/2015	14.20	34,800	20.30	TLC-107 SONDA 1
11/01/2015	14.40	35,100	20.40	TLC-107 SONDA 1
11/01/2015	14.60	35,400	20.40	TLC-107 SONDA 1
11/01/2015	14.80	35,800	20.40	TLC-107 SONDA 1
11/01/2015	15.00	36,800	20.40	TLC-107 SONDA 1
11/01/2015	15.50	38,000	20.40	TLC-107 SONDA 1
11/01/2015	16.00	38,100	20.40	TLC-107 SONDA 1
11/01/2015	17.00	38,100	20.40	TLC-107 SONDA 1
11/01/2015	18.00	38,200	20.40	TLC-107 SONDA 1
11/01/2015	19.00	38,600	20.40	TLC-107 SONDA 1
11/01/2015	20.00	38,700	20.40	TLC-107 SONDA 1
11/01/2015	22.00	38,600	20.40	TLC-107 SONDA 1
11/01/2015	23.00	55,000	20.50	TLC-107 SONDA 1
11/01/2015	23.50	89,500	20.50	TLC-107 SONDA 1
11/01/2015	23.70	91,400	20.50	TLC-107 SONDA 1
11/01/2015	23.90	92,900	20.50	TLC-107 SONDA 1
11/01/2015	24.20	97,900	20.50	TLC-107 SONDA 1
11/01/2015	24.40	101,800	20.50	TLC-107 SONDA 1
11/01/2015	24.60	111,800	20.50	TLC-107 SONDA 1
11/01/2015	24.80	129,900	20.50	TLC-107 SONDA 1
11/01/2015	25.00	144,700	20.50	TLC-107 SONDA 1
11/01/2015	25.20	159,500	20.50	TLC-107 SONDA 1
11/01/2015	25.40	165,900	20.50	TLC-107 SONDA 1
11/01/2015	25.60	166,300	20.50	TLC-107 SONDA 1
11/01/2015	25.80	167,800	20.50	TLC-107 SONDA 1
11/01/2015	26.00	171,000	20.50	TLC-107 SONDA 1
11/01/2015	26.20	172,500	20.50	TLC-107 SONDA 1
11/01/2015	26.40	174,500	20.50	TLC-107 SONDA 1
11/01/2015	26.60	175,000	20.50	TLC-107 SONDA 1
11/01/2015	26.80	177,300	20.50	TLC-107 SONDA 1
11/01/2015	27.00	177,100	20.50	TLC-107 SONDA 1
11/01/2015	27.50	179,000	20.50	TLC-107 SONDA 1
11/01/2015	28.00	180,800	20.50	TLC-107 SONDA 1
11/01/2015	28.50	181,500	20.50	TLC-107 SONDA 1
11/01/2015	29.00	181,500	20.50	TLC-107 SONDA 1
11/01/2015	29.50	182,400	20.60	TLC-107 SONDA 1
11/01/2015	30.00	183,600	20.60	TLC-107 SONDA 1
11/01/2015	31.00	184,700	20.60	TLC-107 SONDA 1
11/01/2015	32.00	185,300	20.60	TLC-107 SONDA 1
11/01/2015	33.00	188,200	20.60	TLC-107 SONDA 1
11/01/2015	34.00	202,800	20.60	TLC-107 SONDA 1
11/01/2015	35.00	208,000	20.70	TLC-107 SONDA 1
11/01/2015	37.00	231,900	20.70	TLC-107 SONDA 1
11/01/2015	40.00	262,800	20.70	TLC-107 SONDA 1
11/01/2015	42.00	263,700	20.80	TLC-107 SONDA 1
11/01/2015	44.00	264,900	20.80	TLC-107 SONDA 1
11/01/2015	46.00	266,600	20.80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/01/2015	48.00	266,000	20.90	TLC-107 SONDA 1
11/01/2015	50.00	265,700	21.10	TLC-107 SONDA 1
11/01/2015	52.00	267,700	21.10	TLC-107 SONDA 1
11/01/2015	54.00	266,500	21.10	TLC-107 SONDA 1
11/01/2015	56.00	267,600	21.20	TLC-107 SONDA 1
11/01/2015	58.00	267,000	21.20	TLC-107 SONDA 1
11/01/2015	60.00	268,800	21.20	TLC-107 SONDA 1
11/01/2015	62.00	288,800	21.30	TLC-107 SONDA 1
11/01/2015	64.00	288,700	21.30	TLC-107 SONDA 1
11/01/2015	66.00	288,900	21.40	TLC-107 SONDA 1
11/01/2015	68.00	279,100	21.40	TLC-107 SONDA 1
11/01/2015	70.00	279,500	21.50	TLC-107 SONDA 1
11/01/2015	72.00	278,500	21.50	TLC-107 SONDA 1
11/01/2015	73.30	129,400	21.50	TLC-107 SONDA 1
13/02/2015	1.50	20,500	22.30	TLC-107 SONDA 1
13/02/2015	2.00	20,500	21.40	TLC-107 SONDA 1
13/02/2015	4.00	20,300	20.50	TLC-107 SONDA 1
13/02/2015	6.00	20,300	20.30	TLC-107 SONDA 1
13/02/2015	8.00	20,300	20.30	TLC-107 SONDA 1
13/02/2015	9.00	20,300	20.30	TLC-107 SONDA 1
13/02/2015	10.00	20,400	20.30	TLC-107 SONDA 1
13/02/2015	12.00	20,500	20.30	TLC-107 SONDA 1
13/02/2015	13.00	27,700	20.30	TLC-107 SONDA 1
13/02/2015	13.50	30,800	20.30	TLC-107 SONDA 1
13/02/2015	14.00	34,700	20.30	TLC-107 SONDA 1
13/02/2015	14.50	36,500	20.40	TLC-107 SONDA 1
13/02/2015	15.00	38,400	20.40	TLC-107 SONDA 1
13/02/2015	15.50	40,000	20.40	TLC-107 SONDA 1
13/02/2015	16.00	40,000	20.40	TLC-107 SONDA 1
13/02/2015	16.50	40,100	20.40	TLC-107 SONDA 1
13/02/2015	17.00	40,100	20.40	TLC-107 SONDA 1
13/02/2015	18.00	40,100	20.40	TLC-107 SONDA 1
13/02/2015	19.00	40,200	20.40	TLC-107 SONDA 1
13/02/2015	20.00	40,200	20.40	TLC-107 SONDA 1
13/02/2015	21.00	40,200	20.40	TLC-107 SONDA 1
13/02/2015	22.00	40,100	20.40	TLC-107 SONDA 1
13/02/2015	22.50	41,400	20.40	TLC-107 SONDA 1
13/02/2015	23.00	57,100	20.50	TLC-107 SONDA 1
13/02/2015	23.20	71,000	20.50	TLC-107 SONDA 1
13/02/2015	23.40	81,200	20.50	TLC-107 SONDA 1
13/02/2015	23.60	89,900	20.50	TLC-107 SONDA 1
13/02/2015	23.80	90,900	20.50	TLC-107 SONDA 1
13/02/2015	24.00	93,500	20.50	TLC-107 SONDA 1
13/02/2015	24.20	97,200	20.50	TLC-107 SONDA 1
13/02/2015	24.40	105,000	20.50	TLC-107 SONDA 1
13/02/2015	24.60	111,200	20.50	TLC-107 SONDA 1
13/02/2015	24.80	118,900	20.50	TLC-107 SONDA 1
13/02/2015	25.00	131,000	20.50	TLC-107 SONDA 1
13/02/2015	25.20	150,100	20.50	TLC-107 SONDA 1
13/02/2015	25.40	181,600	20.50	TLC-107 SONDA 1
13/02/2015	25.60	185,500	20.50	TLC-107 SONDA 1
13/02/2015	25.80	186,200	20.50	TLC-107 SONDA 1
13/02/2015	26.00	186,900	20.50	TLC-107 SONDA 1
13/02/2015	26.20	186,900	20.50	TLC-107 SONDA 1
13/02/2015	26.40	187,500	20.50	TLC-107 SONDA 1
13/02/2015	26.60	187,500	20.50	TLC-107 SONDA 1
13/02/2015	26.80	187,900	20.50	TLC-107 SONDA 1
13/02/2015	27.00	187,900	20.50	TLC-107 SONDA 1
13/02/2015	28.00	188,600	20.50	TLC-107 SONDA 1
13/02/2015	30.00	187,800	20.60	TLC-107 SONDA 1
13/02/2015	32.00	187,100	20.60	TLC-107 SONDA 1
13/02/2015	34.00	198,500	20.60	TLC-107 SONDA 1
13/02/2015	36.00	215,900	20.70	TLC-107 SONDA 1
13/02/2015	38.00	253,200	20.70	TLC-107 SONDA 1
13/02/2015	40.00	269,500	20.70	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/02/2015	42.00	270,000	20.80	TLC-107 SONDA 1
13/02/2015	44.00	269,900	20.80	TLC-107 SONDA 1
13/02/2015	46.00	270,800	20.80	TLC-107 SONDA 1
13/02/2015	48.00	269,500	20.90	TLC-107 SONDA 1
13/02/2015	50.00	271,500	20.90	TLC-107 SONDA 1
13/02/2015	52.00	270,200	21.10	TLC-107 SONDA 1
13/02/2015	54.00	268,900	21.10	TLC-107 SONDA 1
13/02/2015	56.00	269,500	21.20	TLC-107 SONDA 1
13/02/2015	58.00	268,200	21.20	TLC-107 SONDA 1
13/02/2015	60.00	268,200	21.20	TLC-107 SONDA 1
13/02/2015	62.00	268,900	21.30	TLC-107 SONDA 1
13/02/2015	64.00	267,900	21.30	TLC-107 SONDA 1
13/02/2015	66.00	266,900	21.40	TLC-107 SONDA 1
13/02/2015	68.00	265,000	21.40	TLC-107 SONDA 1
13/02/2015	70.00	266,300	21.40	TLC-107 SONDA 1
13/02/2015	72.00	267,000	21.50	TLC-107 SONDA 1
13/02/2015	72.80	121,400	21.50	TLC-107 SONDA 1
05/03/2015	1.50	35,400	22.30	TLC-107 SONDA 1
05/03/2015	2.00	36,600	21.50	TLC-107 SONDA 1
05/03/2015	2.50	36,800	21.20	TLC-107 SONDA 1
05/03/2015	3.00	37,000	20.80	TLC-107 SONDA 1
05/03/2015	4.00	37,100	20.50	TLC-107 SONDA 1
05/03/2015	5.00	37,500	20.40	TLC-107 SONDA 1
05/03/2015	7.00	37,500	20.30	TLC-107 SONDA 1
05/03/2015	9.00	37,400	20.30	TLC-107 SONDA 1
05/03/2015	11.00	37,600	20.30	TLC-107 SONDA 1
05/03/2015	13.00	44,100	20.30	TLC-107 SONDA 1
05/03/2015	14.00	51,300	20.30	TLC-107 SONDA 1
05/03/2015	14.50	52,600	20.40	TLC-107 SONDA 1
05/03/2015	15.00	55,300	20.40	TLC-107 SONDA 1
05/03/2015	15.50	56,300	20.40	TLC-107 SONDA 1
05/03/2015	16.00	56,400	20.40	TLC-107 SONDA 1
05/03/2015	17.00	56,500	20.40	TLC-107 SONDA 1
05/03/2015	18.00	56,500	20.40	TLC-107 SONDA 1
05/03/2015	20.00	56,500	20.40	TLC-107 SONDA 1
05/03/2015	21.00	56,500	20.40	TLC-107 SONDA 1
05/03/2015	22.00	59,100	20.40	TLC-107 SONDA 1
05/03/2015	22.50	66,600	20.50	TLC-107 SONDA 1
05/03/2015	22.70	75,800	20.50	TLC-107 SONDA 1
05/03/2015	22.90	85,900	20.50	TLC-107 SONDA 1
05/03/2015	23.00	92,200	20.50	TLC-107 SONDA 1
05/03/2015	23.20	102,000	20.50	TLC-107 SONDA 1
05/03/2015	23.40	112,300	20.50	TLC-107 SONDA 1
05/03/2015	23.60	114,000	20.50	TLC-107 SONDA 1
05/03/2015	23.80	114,300	20.50	TLC-107 SONDA 1
05/03/2015	24.00	114,800	20.50	TLC-107 SONDA 1
05/03/2015	24.20	115,100	20.50	TLC-107 SONDA 1
05/03/2015	24.40	115,200	20.50	TLC-107 SONDA 1
05/03/2015	24.60	114,900	20.50	TLC-107 SONDA 1
05/03/2015	24.80	115,300	20.50	TLC-107 SONDA 1
05/03/2015	25.00	123,400	20.50	TLC-107 SONDA 1
05/03/2015	25.20	133,400	20.50	TLC-107 SONDA 1
05/03/2015	25.40	152,100	20.50	TLC-107 SONDA 1
05/03/2015	25.60	215,300	20.50	TLC-107 SONDA 1
05/03/2015	25.80	221,600	20.50	TLC-107 SONDA 1
05/03/2015	26.00	223,300	20.50	TLC-107 SONDA 1
05/03/2015	27.00	222,900	20.50	TLC-107 SONDA 1
05/03/2015	28.00	223,600	20.60	TLC-107 SONDA 1
05/03/2015	29.00	223,600	20.60	TLC-107 SONDA 1
05/03/2015	30.00	222,800	20.60	TLC-107 SONDA 1
05/03/2015	32.00	223,200	20.60	TLC-107 SONDA 1
05/03/2015	34.00	235,400	20.70	TLC-107 SONDA 1
05/03/2015	36.00	226,700	20.70	TLC-107 SONDA 1
05/03/2015	38.00	293,600	20.70	TLC-107 SONDA 1
05/03/2015	40.00	307,500	20.80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/03/2015	42.00	307,000	20.80	TLC-107 SONDA 1
05/03/2015	45.00	308,300	20.80	TLC-107 SONDA 1
05/03/2015	47.00	309,100	20.90	TLC-107 SONDA 1
05/03/2015	50.00	307,600	20.90	TLC-107 SONDA 1
05/03/2015	52.00	308,400	21.10	TLC-107 SONDA 1
05/03/2015	55.00	307,900	21.10	TLC-107 SONDA 1
05/03/2015	57.00	305,500	21.20	TLC-107 SONDA 1
05/03/2015	60.00	303,900	21.20	TLC-107 SONDA 1
05/03/2015	62.00	303,300	21.30	TLC-107 SONDA 1
05/03/2015	65.00	302,500	21.30	TLC-107 SONDA 1
05/03/2015	67.00	301,100	21.40	TLC-107 SONDA 1
05/03/2015	70.00	301,100	21.50	TLC-107 SONDA 1
05/03/2015	72.00	304,400	21.50	TLC-107 SONDA 1
05/03/2015	72.50	147,200	21.50	TLC-107 SONDA 1
07/04/2015	1.50	25,200	21.50	TLC-107 SONDA 1
07/04/2015	2.00	26,500	21.40	TLC-107 SONDA 1
07/04/2015	3.00	26,500	20.90	TLC-107 SONDA 1
07/04/2015	4.00	26,700	20.60	TLC-107 SONDA 1
07/04/2015	5.00	26,700	20.40	TLC-107 SONDA 1
07/04/2015	7.00	26,600	20.30	TLC-107 SONDA 1
07/04/2015	9.00	26,500	20.30	TLC-107 SONDA 1
07/04/2015	10.00	26,600	20.30	TLC-107 SONDA 1
07/04/2015	12.00	26,800	20.30	TLC-107 SONDA 1
07/04/2015	14.00	43,700	20.40	TLC-107 SONDA 1
07/04/2015	14.50	46,600	20.40	TLC-107 SONDA 1
07/04/2015	15.00	49,000	20.40	TLC-107 SONDA 1
07/04/2015	15.50	51,100	20.40	TLC-107 SONDA 1
07/04/2015	16.00	52,400	20.40	TLC-107 SONDA 1
07/04/2015	16.50	52,600	20.40	TLC-107 SONDA 1
07/04/2015	17.00	52,200	20.40	TLC-107 SONDA 1
07/04/2015	18.00	52,300	20.40	TLC-107 SONDA 1
07/04/2015	19.00	52,400	20.40	TLC-107 SONDA 1
07/04/2015	20.00	52,500	20.40	TLC-107 SONDA 1
07/04/2015	21.00	55,000	20.40	TLC-107 SONDA 1
07/04/2015	21.50	63,000	20.40	TLC-107 SONDA 1
07/04/2015	21.70	68,200	20.40	TLC-107 SONDA 1
07/04/2015	22.00	68,900	20.40	TLC-107 SONDA 1
07/04/2015	22.20	70,000	20.40	TLC-107 SONDA 1
07/04/2015	22.40	71,700	20.50	TLC-107 SONDA 1
07/04/2015	22.60	79,200	20.50	TLC-107 SONDA 1
07/04/2015	22.80	92,500	20.50	TLC-107 SONDA 1
07/04/2015	23.00	100,800	20.50	TLC-107 SONDA 1
07/04/2015	23.20	110,500	20.50	TLC-107 SONDA 1
07/04/2015	23.40	118,900	20.50	TLC-107 SONDA 1
07/04/2015	23.60	120,600	20.50	TLC-107 SONDA 1
07/04/2015	23.80	120,600	20.50	TLC-107 SONDA 1
07/04/2015	24.00	120,700	20.50	TLC-107 SONDA 1
07/04/2015	24.20	121,500	20.50	TLC-107 SONDA 1
07/04/2015	24.40	121,800	20.50	TLC-107 SONDA 1
07/04/2015	24.60	131,100	20.50	TLC-107 SONDA 1
07/04/2015	24.80	145,100	20.50	TLC-107 SONDA 1
07/04/2015	25.00	161,900	20.50	TLC-107 SONDA 1
07/04/2015	25.20	186,900	20.50	TLC-107 SONDA 1
07/04/2015	25.40	267,200	20.50	TLC-107 SONDA 1
07/04/2015	25.60	293,900	20.50	TLC-107 SONDA 1
07/04/2015	25.80	308,200	20.50	TLC-107 SONDA 1
07/04/2015	26.00	308,900	20.50	TLC-107 SONDA 1
07/04/2015	28.00	309,500	20.50	TLC-107 SONDA 1
07/04/2015	30.00	310,800	20.60	TLC-107 SONDA 1
07/04/2015	32.00	308,800	20.60	TLC-107 SONDA 1
07/04/2015	34.00	331,400	20.60	TLC-107 SONDA 1
07/04/2015	37.00	396,900	20.60	TLC-107 SONDA 1
07/04/2015	40.00	400,000	20.70	TLC-107 SONDA 1
07/04/2015	43.00	400,000	20.80	TLC-107 SONDA 1
07/04/2015	45.00	400,000	20.80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/04/2015	47.00	400,000	20.90	TLC-107 SONDA 1
07/04/2015	50.00	400,000	20.90	TLC-107 SONDA 1
07/04/2015	52.00	400,000	21.10	TLC-107 SONDA 1
07/04/2015	55.00	400,000	21.10	TLC-107 SONDA 1
07/04/2015	58.00	400,000	21.20	TLC-107 SONDA 1
07/04/2015	60.00	400,000	21.20	TLC-107 SONDA 1
07/04/2015	63.00	400,000	21.30	TLC-107 SONDA 1
07/04/2015	65.00	400,000	21.30	TLC-107 SONDA 1
07/04/2015	67.00	400,000	21.40	TLC-107 SONDA 1
07/04/2015	70.00	400,000	21.40	TLC-107 SONDA 1
07/04/2015	72.00	400,000	21.50	TLC-107 SONDA 1
07/04/2015	72.30	197,800	21.50	TLC-107 SONDA 1
09/05/2015	1.30	20,500	20.40	TLC-107 SONDA 2
09/05/2015	2.00	22,300	20.70	TLC-107 SONDA 2
09/05/2015	2.50	22,500	20.90	TLC-107 SONDA 2
09/05/2015	3.00	22,700	20.70	TLC-107 SONDA 2
09/05/2015	4.00	24,700	20.50	TLC-107 SONDA 2
09/05/2015	5.00	25,000	20.40	TLC-107 SONDA 2
09/05/2015	6.00	25,000	20.30	TLC-107 SONDA 2
09/05/2015	7.00	25,000	20.40	TLC-107 SONDA 2
09/05/2015	8.00	25,000	20.40	TLC-107 SONDA 2
09/05/2015	10.00	25,000	20.30	TLC-107 SONDA 2
09/05/2015	12.00	25,200	20.30	TLC-107 SONDA 2
09/05/2015	12.50	27,000	20.40	TLC-107 SONDA 2
09/05/2015	12.70	29,200	20.40	TLC-107 SONDA 2
09/05/2015	13.00	34,300	20.40	TLC-107 SONDA 2
09/05/2015	13.20	37,400	20.40	TLC-107 SONDA 2
09/05/2015	13.40	39,000	20.40	TLC-107 SONDA 2
09/05/2015	13.60	41,800	20.40	TLC-107 SONDA 2
09/05/2015	13.80	43,000	20.40	TLC-107 SONDA 2
09/05/2015	14.00	45,200	20.40	TLC-107 SONDA 2
09/05/2015	14.20	46,000	20.40	TLC-107 SONDA 2
09/05/2015	14.40	46,500	20.40	TLC-107 SONDA 2
09/05/2015	14.60	46,800	20.40	TLC-107 SONDA 2
09/05/2015	14.80	47,100	20.40	TLC-107 SONDA 2
09/05/2015	15.00	48,300	20.40	TLC-107 SONDA 2
09/05/2015	15.20	49,500	20.40	TLC-107 SONDA 2
09/05/2015	15.40	50,500	20.40	TLC-107 SONDA 2
09/05/2015	15.60	51,300	20.40	TLC-107 SONDA 2
09/05/2015	15.80	51,400	20.40	TLC-107 SONDA 2
09/05/2015	16.00	51,200	20.40	TLC-107 SONDA 2
09/05/2015	16.50	51,200	20.40	TLC-107 SONDA 2
09/05/2015	17.00	51,300	20.40	TLC-107 SONDA 2
09/05/2015	17.50	51,500	20.40	TLC-107 SONDA 2
09/05/2015	18.00	52,100	20.40	TLC-107 SONDA 2
09/05/2015	19.00	52,000	20.40	TLC-107 SONDA 2
09/05/2015	20.00	52,000	20.50	TLC-107 SONDA 2
09/05/2015	21.00	60,000	20.50	TLC-107 SONDA 2
09/05/2015	21.50	61,900	20.50	TLC-107 SONDA 2
09/05/2015	22.00	66,300	20.50	TLC-107 SONDA 2
09/05/2015	22.20	67,500	20.50	TLC-107 SONDA 2
09/05/2015	22.40	71,900	20.50	TLC-107 SONDA 2
09/05/2015	22.60	83,600	20.50	TLC-107 SONDA 2
09/05/2015	22.80	96,200	20.50	TLC-107 SONDA 2
09/05/2015	23.00	113,300	20.50	TLC-107 SONDA 2
09/05/2015	23.20	125,700	20.50	TLC-107 SONDA 2
09/05/2015	23.40	141,100	20.50	TLC-107 SONDA 2
09/05/2015	23.60	144,600	20.50	TLC-107 SONDA 2
09/05/2015	23.80	145,900	20.50	TLC-107 SONDA 2
09/05/2015	24.00	147,100	20.50	TLC-107 SONDA 2
09/05/2015	24.50	154,700	20.50	TLC-107 SONDA 2
09/05/2015	25.00	199,900	20.50	TLC-107 SONDA 2
09/05/2015	25.50	321,800	20.50	TLC-107 SONDA 2
09/05/2015	26.00	342,100	20.60	TLC-107 SONDA 2
09/05/2015	28.00	340,700	20.60	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/05/2015	30.00	338,400	20.60	TLC-107 SONDA 2
09/05/2015	32.00	339,300	20.60	TLC-107 SONDA 2
09/05/2015	34.00	354,700	20.70	TLC-107 SONDA 2
09/05/2015	36.00	377,300	20.70	TLC-107 SONDA 2
09/05/2015	38.00	392,200	20.70	TLC-107 SONDA 2
09/05/2015	40.00	395,800	20.90	TLC-107 SONDA 2
09/05/2015	42.00	396,500	20.90	TLC-107 SONDA 2
09/05/2015	44.00	395,500	20.90	TLC-107 SONDA 2
09/05/2015	46.00	394,500	21.00	TLC-107 SONDA 2
09/05/2015	48.00	394,200	21.00	TLC-107 SONDA 2
09/05/2015	50.00	393,900	21.00	TLC-107 SONDA 2
09/05/2015	52.00	392,300	21.10	TLC-107 SONDA 2
09/05/2015	54.00	394,000	21.20	TLC-107 SONDA 2
09/05/2015	56.00	391,900	21.20	TLC-107 SONDA 2
09/05/2015	58.00	391,300	21.20	TLC-107 SONDA 2
09/05/2015	60.00	399,900	21.20	TLC-107 SONDA 2
09/05/2015	62.00	390,000	21.30	TLC-107 SONDA 2
09/05/2015	64.00	389,600	21.30	TLC-107 SONDA 2
09/05/2015	66.00	388,700	21.40	TLC-107 SONDA 2
09/05/2015	68.00	388,400	21.40	TLC-107 SONDA 2
09/05/2015	70.00	387,800	21.50	TLC-107 SONDA 2
09/05/2015	72.00	386,700	21.50	TLC-107 SONDA 2
09/05/2015	72.80	243,600	21.50	TLC-107 SONDA 2
02/06/2015	1.30	19,400	20.50	TLC-107 SONDA 2
02/06/2015	2.00	19,300	20.50	TLC-107 SONDA 2
02/06/2015	3.00	19,700	20.60	TLC-107 SONDA 2
02/06/2015	5.00	19,700	20.40	TLC-107 SONDA 2
02/06/2015	7.00	19,800	20.40	TLC-107 SONDA 2
02/06/2015	9.00	19,500	20.40	TLC-107 SONDA 2
02/06/2015	11.00	19,700	20.40	TLC-107 SONDA 2
02/06/2015	12.00	19,500	20.40	TLC-107 SONDA 2
02/06/2015	12.20	19,800	20.40	TLC-107 SONDA 2
02/06/2015	12.40	19,700	20.40	TLC-107 SONDA 2
02/06/2015	12.60	20,500	20.40	TLC-107 SONDA 2
02/06/2015	12.80	21,900	20.40	TLC-107 SONDA 2
02/06/2015	13.00	24,500	20.40	TLC-107 SONDA 2
02/06/2015	13.20	25,500	20.40	TLC-107 SONDA 2
02/06/2015	13.40	27,200	20.40	TLC-107 SONDA 2
02/06/2015	13.60	28,700	20.40	TLC-107 SONDA 2
02/06/2015	13.80	29,300	20.40	TLC-107 SONDA 2
02/06/2015	14.00	29,700	20.40	TLC-107 SONDA 2
02/06/2015	14.50	31,100	20.40	TLC-107 SONDA 2
02/06/2015	15.00	32,200	20.40	TLC-107 SONDA 2
02/06/2015	15.50	33,100	20.40	TLC-107 SONDA 2
02/06/2015	16.00	33,400	20.40	TLC-107 SONDA 2
02/06/2015	16.50	33,400	20.40	TLC-107 SONDA 2
02/06/2015	17.00	33,500	20.40	TLC-107 SONDA 2
02/06/2015	17.50	33,500	20.40	TLC-107 SONDA 2
02/06/2015	18.00	33,500	20.40	TLC-107 SONDA 2
02/06/2015	18.50	33,500	20.40	TLC-107 SONDA 2
02/06/2015	19.00	33,600	20.40	TLC-107 SONDA 2
02/06/2015	20.00	33,700	20.50	TLC-107 SONDA 2
02/06/2015	21.00	38,800	20.50	TLC-107 SONDA 2
02/06/2015	21.50	40,100	20.50	TLC-107 SONDA 2
02/06/2015	22.00	43,500	20.50	TLC-107 SONDA 2
02/06/2015	22.50	45,600	20.50	TLC-107 SONDA 2
02/06/2015	23.00	50,500	20.50	TLC-107 SONDA 2
02/06/2015	23.50	81,700	20.50	TLC-107 SONDA 2
02/06/2015	24.00	85,200	20.50	TLC-107 SONDA 2
02/06/2015	24.50	88,100	20.50	TLC-107 SONDA 2
02/06/2015	25.00	111,300	20.50	TLC-107 SONDA 2
02/06/2015	25.50	171,600	20.50	TLC-107 SONDA 2
02/06/2015	26.00	186,300	20.50	TLC-107 SONDA 2
02/06/2015	26.50	185,600	20.60	TLC-107 SONDA 2
02/06/2015	27.00	186,500	20.60	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/06/2015	28.00	186,100	20.60	TLC-107 SONDA 2
02/06/2015	29.00	185,900	20.60	TLC-107 SONDA 2
02/06/2015	30.00	186,100	20.60	TLC-107 SONDA 2
02/06/2015	32.00	184,900	20.70	TLC-107 SONDA 2
02/06/2015	34.00	194,700	20.70	TLC-107 SONDA 2
02/06/2015	36.00	206,100	20.70	TLC-107 SONDA 2
02/06/2015	38.00	216,100	20.70	TLC-107 SONDA 2
02/06/2015	40.00	216,800	20.90	TLC-107 SONDA 2
02/06/2015	42.00	217,200	20.90	TLC-107 SONDA 2
02/06/2015	44.00	217,000	20.90	TLC-107 SONDA 2
02/06/2015	46.00	217,100	21.00	TLC-107 SONDA 2
02/06/2015	48.00	216,900	21.00	TLC-107 SONDA 2
02/06/2015	50.00	217,000	21.00	TLC-107 SONDA 2
02/06/2015	52.00	216,600	21.10	TLC-107 SONDA 2
02/06/2015	54.00	216,100	21.20	TLC-107 SONDA 2
02/06/2015	56.00	215,900	21.20	TLC-107 SONDA 2
02/06/2015	58.00	216,300	21.20	TLC-107 SONDA 2
02/06/2015	60.00	215,700	21.20	TLC-107 SONDA 2
02/06/2015	62.00	215,200	21.30	TLC-107 SONDA 2
02/06/2015	64.00	215,200	21.30	TLC-107 SONDA 2
02/06/2015	66.00	214,500	21.40	TLC-107 SONDA 2
02/06/2015	68.00	215,000	21.40	TLC-107 SONDA 2
02/06/2015	70.00	214,300	21.50	TLC-107 SONDA 2
02/06/2015	72.00	214,500	21.50	TLC-107 SONDA 2
02/06/2015	72.30	146,300	21.50	TLC-107 SONDA 2
07/07/2015	1.30	23,300	20.00	TLC-107 SONDA 1
07/07/2015	2.00	23,300	20.30	TLC-107 SONDA 1
07/07/2015	3.00	23,200	20.40	TLC-107 SONDA 1
07/07/2015	4.00	23,300	20.40	TLC-107 SONDA 1
07/07/2015	5.00	23,300	20.40	TLC-107 SONDA 1
07/07/2015	6.00	23,300	20.40	TLC-107 SONDA 1
07/07/2015	7.00	23,200	20.40	TLC-107 SONDA 1
07/07/2015	8.00	23,200	20.40	TLC-107 SONDA 1
07/07/2015	9.00	23,200	20.40	TLC-107 SONDA 1
07/07/2015	10.00	23,200	20.40	TLC-107 SONDA 1
07/07/2015	11.00	23,100	20.40	TLC-107 SONDA 1
07/07/2015	12.00	23,100	20.40	TLC-107 SONDA 1
07/07/2015	13.00	27,000	20.40	TLC-107 SONDA 1
07/07/2015	13.50	30,700	20.40	TLC-107 SONDA 1
07/07/2015	14.00	32,100	20.40	TLC-107 SONDA 1
07/07/2015	14.50	32,300	20.40	TLC-107 SONDA 1
07/07/2015	15.00	33,200	20.40	TLC-107 SONDA 1
07/07/2015	15.50	34,200	20.40	TLC-107 SONDA 1
07/07/2015	16.00	34,300	20.40	TLC-107 SONDA 1
07/07/2015	17.00	34,400	20.40	TLC-107 SONDA 1
07/07/2015	18.00	34,500	20.50	TLC-107 SONDA 1
07/07/2015	19.00	34,700	20.50	TLC-107 SONDA 1
07/07/2015	20.00	34,600	20.50	TLC-107 SONDA 1
07/07/2015	21.00	35,600	20.50	TLC-107 SONDA 1
07/07/2015	21.50	45,800	20.50	TLC-107 SONDA 1
07/07/2015	22.00	51,800	20.50	TLC-107 SONDA 1
07/07/2015	22.50	59,000	20.50	TLC-107 SONDA 1
07/07/2015	23.00	79,600	20.50	TLC-107 SONDA 1
07/07/2015	23.50	97,800	20.50	TLC-107 SONDA 1
07/07/2015	24.00	101,300	20.50	TLC-107 SONDA 1
07/07/2015	24.50	105,900	20.50	TLC-107 SONDA 1
07/07/2015	25.00	130,700	20.50	TLC-107 SONDA 1
07/07/2015	25.50	198,700	20.50	TLC-107 SONDA 1
07/07/2015	26.00	220,400	20.60	TLC-107 SONDA 1
07/07/2015	26.50	219,900	20.60	TLC-107 SONDA 1
07/07/2015	27.00	220,400	20.60	TLC-107 SONDA 1
07/07/2015	28.00	220,200	20.60	TLC-107 SONDA 1
07/07/2015	30.00	221,200	20.60	TLC-107 SONDA 1
07/07/2015	32.00	219,900	20.60	TLC-107 SONDA 1
07/07/2015	34.00	225,500	20.70	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/07/2015	36.00	232,700	20.70	TLC-107 SONDA 1
07/07/2015	38.00	240,500	20.70	TLC-107 SONDA 1
07/07/2015	40.00	243,700	20.90	TLC-107 SONDA 1
07/07/2015	42.00	243,900	20.90	TLC-107 SONDA 1
07/07/2015	44.00	243,700	20.90	TLC-107 SONDA 1
07/07/2015	46.00	244,000	21.00	TLC-107 SONDA 1
07/07/2015	48.00	243,900	21.00	TLC-107 SONDA 1
07/07/2015	50.00	243,700	21.00	TLC-107 SONDA 1
07/07/2015	52.00	243,000	21.00	TLC-107 SONDA 1
07/07/2015	54.00	242,600	21.20	TLC-107 SONDA 1
07/07/2015	56.00	242,200	21.20	TLC-107 SONDA 1
07/07/2015	58.00	242,400	21.20	TLC-107 SONDA 1
07/07/2015	60.00	241,700	21.20	TLC-107 SONDA 1
07/07/2015	62.00	241,700	21.30	TLC-107 SONDA 1
07/07/2015	64.00	241,600	21.30	TLC-107 SONDA 1
07/07/2015	66.00	242,000	21.30	TLC-107 SONDA 1
07/07/2015	68.00	241,900	21.40	TLC-107 SONDA 1
07/07/2015	70.00	240,600	21.50	TLC-107 SONDA 1
07/07/2015	72.00	240,400	21.50	TLC-107 SONDA 1
07/07/2015	72.50	162,700	21.50	TLC-107 SONDA 1
08/08/2015	1.50	19,787	19.71	SEBA MPS-D3
08/08/2015	2.00	19,771	19.70	SEBA MPS-D3
08/08/2015	3.00	19,752	19.88	SEBA MPS-D3
08/08/2015	5.00	19,755	20.16	SEBA MPS-D3
08/08/2015	7.00	19,758	20.19	SEBA MPS-D3
08/08/2015	9.00	19,760	20.19	SEBA MPS-D3
08/08/2015	11.00	19,790	20.18	SEBA MPS-D3
08/08/2015	13.00	24,817	20.20	SEBA MPS-D3
08/08/2015	13.50	27,244	20.21	SEBA MPS-D3
08/08/2015	13.70	28,458	20.21	SEBA MPS-D3
08/08/2015	13.90	28,870	20.21	SEBA MPS-D3
08/08/2015	14.10	29,919	20.21	SEBA MPS-D3
08/08/2015	14.30	29,999	20.22	SEBA MPS-D3
08/08/2015	14.50	30,079	20.22	SEBA MPS-D3
08/08/2015	15.00	31,542	20.22	SEBA MPS-D3
08/08/2015	15.50	32,302	20.22	SEBA MPS-D3
08/08/2015	16.00	32,444	20.23	SEBA MPS-D3
08/08/2015	16.50	32,480	20.23	SEBA MPS-D3
08/08/2015	17.00	32,540	20.24	SEBA MPS-D3
08/08/2015	18.00	32,576	20.24	SEBA MPS-D3
08/08/2015	19.00	32,574	20.25	SEBA MPS-D3
08/08/2015	20.00	32,644	20.26	SEBA MPS-D3
08/08/2015	21.00	36,997	20.28	SEBA MPS-D3
08/08/2015	21.20	37,571	20.28	SEBA MPS-D3
08/08/2015	21.40	39,955	20.28	SEBA MPS-D3
08/08/2015	21.60	42,381	20.29	SEBA MPS-D3
08/08/2015	21.80	43,942	20.29	SEBA MPS-D3
08/08/2015	22.00	44,762	20.29	SEBA MPS-D3
08/08/2015	22.20	45,335	20.30	SEBA MPS-D3
08/08/2015	22.40	47,615	20.30	SEBA MPS-D3
08/08/2015	22.60	55,270	20.30	SEBA MPS-D3
08/08/2015	22.80	60,715	20.31	SEBA MPS-D3
08/08/2015	23.00	67,053	20.31	SEBA MPS-D3
08/08/2015	23.20	72,377	20.31	SEBA MPS-D3
08/08/2015	23.40	75,047	20.31	SEBA MPS-D3
08/08/2015	23.60	75,679	20.32	SEBA MPS-D3
08/08/2015	23.80	76,162	20.32	SEBA MPS-D3
08/08/2015	24.00	76,753	20.33	SEBA MPS-D3
08/08/2015	24.20	77,720	20.33	SEBA MPS-D3
08/08/2015	24.40	78,587	20.34	SEBA MPS-D3
08/08/2015	24.60	82,324	20.34	SEBA MPS-D3
08/08/2015	24.80	87,857	20.34	SEBA MPS-D3
08/08/2015	25.00	95,117	20.34	SEBA MPS-D3
08/08/2015	25.20	112,697	20.34	SEBA MPS-D3
08/08/2015	25.40	133,331	20.35	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/08/2015	25.60	155,126	20.35	SEBA MPS-D3
08/08/2015	25.80	155,320	20.36	SEBA MPS-D3
08/08/2015	26.00	155,555	20.36	SEBA MPS-D3
08/08/2015	26.20	155,584	20.36	SEBA MPS-D3
08/08/2015	26.50	155,556	20.38	SEBA MPS-D3
08/08/2015	27.00	155,660	20.41	SEBA MPS-D3
08/08/2015	27.50	155,632	20.43	SEBA MPS-D3
08/08/2015	28.00	155,641	20.43	SEBA MPS-D3
08/08/2015	29.00	155,647	20.44	SEBA MPS-D3
08/08/2015	30.00	155,635	20.44	SEBA MPS-D3
08/08/2015	31.00	155,612	20.45	SEBA MPS-D3
08/08/2015	33.00	157,155	20.49	SEBA MPS-D3
08/08/2015	35.00	168,323	20.52	SEBA MPS-D3
08/08/2015	37.00	188,980	20.56	SEBA MPS-D3
08/08/2015	39.00	220,334	20.60	SEBA MPS-D3
08/08/2015	41.00	223,115	20.64	SEBA MPS-D3
08/08/2015	43.00	223,367	20.68	SEBA MPS-D3
08/08/2015	45.00	225,937	20.71	SEBA MPS-D3
08/08/2015	47.00	227,451	20.75	SEBA MPS-D3
08/08/2015	49.00	228,343	20.78	SEBA MPS-D3
08/08/2015	51.00	228,515	20.83	SEBA MPS-D3
08/08/2015	53.00	229,260	20.88	SEBA MPS-D3
08/08/2015	55.00	229,365	20.90	SEBA MPS-D3
08/08/2015	57.00	229,436	21.00	SEBA MPS-D3
08/08/2015	59.00	229,555	21.02	SEBA MPS-D3
08/08/2015	61.00	229,486	21.07	SEBA MPS-D3
08/08/2015	63.00	229,484	21.12	SEBA MPS-D3
08/08/2015	65.00	229,391	21.17	SEBA MPS-D3
08/08/2015	67.00	229,302	21.22	SEBA MPS-D3
08/08/2015	69.00	229,536	21.27	SEBA MPS-D3
08/08/2015	71.00	229,478	21.33	SEBA MPS-D3
08/08/2015	72.50	113,554	21.39	SEBA MPS-D3
06/09/2015	1.40	20,740	19.71	SEBA MPS-D3
06/09/2015	2.00	20,750	19.84	SEBA MPS-D3
06/09/2015	4.00	20,740	20.03	SEBA MPS-D3
06/09/2015	6.00	20,740	20.18	SEBA MPS-D3
06/09/2015	8.00	20,740	20.20	SEBA MPS-D3
06/09/2015	10.00	20,760	20.20	SEBA MPS-D3
06/09/2015	11.00	20,780	20.20	SEBA MPS-D3
06/09/2015	12.00	20,750	20.20	SEBA MPS-D3
06/09/2015	13.00	26,250	20.21	SEBA MPS-D3
06/09/2015	13.20	27,240	20.21	SEBA MPS-D3
06/09/2015	13.40	28,250	20.21	SEBA MPS-D3
06/09/2015	13.60	29,810	20.22	SEBA MPS-D3
06/09/2015	13.80	30,060	20.22	SEBA MPS-D3
06/09/2015	14.00	31,530	20.22	SEBA MPS-D3
06/09/2015	15.00	33,600	20.23	SEBA MPS-D3
06/09/2015	16.00	34,560	20.24	SEBA MPS-D3
06/09/2015	18.00	34,680	20.25	SEBA MPS-D3
06/09/2015	20.00	34,750	20.27	SEBA MPS-D3
06/09/2015	21.00	39,910	20.28	SEBA MPS-D3
06/09/2015	21.20	40,170	20.29	SEBA MPS-D3
06/09/2015	21.40	43,100	20.29	SEBA MPS-D3
06/09/2015	21.60	46,370	20.29	SEBA MPS-D3
06/09/2015	21.80	48,090	20.30	SEBA MPS-D3
06/09/2015	22.00	48,890	20.30	SEBA MPS-D3
06/09/2015	22.20	49,390	20.30	SEBA MPS-D3
06/09/2015	22.40	51,960	20.30	SEBA MPS-D3
06/09/2015	22.60	60,640	20.31	SEBA MPS-D3
06/09/2015	22.80	66,670	20.31	SEBA MPS-D3
06/09/2015	23.00	74,570	20.31	SEBA MPS-D3
06/09/2015	23.20	80,110	20.32	SEBA MPS-D3
06/09/2015	23.40	82,480	20.32	SEBA MPS-D3
06/09/2015	23.60	82,940	20.32	SEBA MPS-D3
06/09/2015	23.80	83,310	20.33	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/09/2015	24.00	84,030	20.34	SEBA MPS-D3
06/09/2015	24.20	85,110	20.34	SEBA MPS-D3
06/09/2015	24.40	86,330	20.34	SEBA MPS-D3
06/09/2015	24.60	91,440	20.34	SEBA MPS-D3
06/09/2015	24.80	98,090	20.35	SEBA MPS-D3
06/09/2015	25.00	104,800	20.35	SEBA MPS-D3
06/09/2015	25.50	152,000	20.37	SEBA MPS-D3
06/09/2015	26.00	161,300	20.42	SEBA MPS-D3
06/09/2015	27.00	161,300	20.43	SEBA MPS-D3
06/09/2015	29.00	161,300	20.44	SEBA MPS-D3
06/09/2015	31.00	161,300	20.44	SEBA MPS-D3
06/09/2015	33.00	161,900	20.49	SEBA MPS-D3
06/09/2015	35.00	174,300	20.52	SEBA MPS-D3
06/09/2015	37.00	195,400	20.56	SEBA MPS-D3
06/09/2015	39.00	228,200	20.61	SEBA MPS-D3
06/09/2015	41.00	230,700	20.64	SEBA MPS-D3
06/09/2015	43.00	231,200	20.67	SEBA MPS-D3
06/09/2015	45.00	234,200	20.72	SEBA MPS-D3
06/09/2015	47.00	235,300	20.76	SEBA MPS-D3
06/09/2015	49.00	236,000	20.80	SEBA MPS-D3
06/09/2015	51.00	236,600	20.82	SEBA MPS-D3
06/09/2015	53.00	237,200	20.88	SEBA MPS-D3
06/09/2015	55.00	237,200	20.93	SEBA MPS-D3
06/09/2015	57.00	237,200	20.94	SEBA MPS-D3
06/09/2015	59.00	237,300	21.20	SEBA MPS-D3
06/09/2015	61.00	237,400	21.11	SEBA MPS-D3
06/09/2015	63.00	237,400	21.15	SEBA MPS-D3
06/09/2015	65.00	237,500	21.18	SEBA MPS-D3
06/09/2015	67.00	237,400	21.23	SEBA MPS-D3
06/09/2015	69.00	237,500	21.29	SEBA MPS-D3
06/09/2015	71.00	237,400	21.32	SEBA MPS-D3
06/09/2015	72.00	112,200	21.39	SEBA MPS-D3
06/10/2015	1.40	20,769	19.95	SEBA MPS-D3
06/10/2015	2.00	20,767	20.01	SEBA MPS-D3
06/10/2015	4.00	20,754	20.10	SEBA MPS-D3
06/10/2015	6.00	20,754	20.19	SEBA MPS-D3
06/10/2015	8.00	20,757	20.21	SEBA MPS-D3
06/10/2015	10.00	20,779	20.20	SEBA MPS-D3
06/10/2015	12.00	20,783	20.21	SEBA MPS-D3
06/10/2015	12.50	21,114	20.21	SEBA MPS-D3
06/10/2015	13.00	25,349	20.21	SEBA MPS-D3
06/10/2015	13.50	27,653	20.22	SEBA MPS-D3
06/10/2015	14.00	29,505	20.23	SEBA MPS-D3
06/10/2015	14.50	29,728	20.24	SEBA MPS-D3
06/10/2015	15.00	30,820	20.24	SEBA MPS-D3
06/10/2015	16.00	31,519	20.24	SEBA MPS-D3
06/10/2015	17.00	31,597	20.25	SEBA MPS-D3
06/10/2015	18.00	31,654	20.25	SEBA MPS-D3
06/10/2015	20.00	31,720	20.28	SEBA MPS-D3
06/10/2015	20.50	31,820	20.28	SEBA MPS-D3
06/10/2015	21.00	34,148	20.28	SEBA MPS-D3
06/10/2015	21.50	38,778	20.29	SEBA MPS-D3
06/10/2015	22.00	44,169	20.29	SEBA MPS-D3
06/10/2015	22.20	44,907	20.30	SEBA MPS-D3
06/10/2015	22.40	47,231	20.30	SEBA MPS-D3
06/10/2015	22.60	55,920	20.30	SEBA MPS-D3
06/10/2015	22.80	62,100	20.30	SEBA MPS-D3
06/10/2015	23.00	69,964	20.31	SEBA MPS-D3
06/10/2015	23.20	77,266	20.31	SEBA MPS-D3
06/10/2015	23.40	80,556	20.32	SEBA MPS-D3
06/10/2015	23.60	81,127	20.32	SEBA MPS-D3
06/10/2015	23.80	81,615	20.32	SEBA MPS-D3
06/10/2015	24.00	82,165	20.33	SEBA MPS-D3
06/10/2015	24.20	83,080	20.33	SEBA MPS-D3
06/10/2015	24.40	84,185	20.34	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/10/2015	24.60	89,106	20.34	SEBA MPS-D3
06/10/2015	24.80	95,023	20.34	SEBA MPS-D3
06/10/2015	25.00	103,163	20.34	SEBA MPS-D3
06/10/2015	25.20	117,240	20.34	SEBA MPS-D3
06/10/2015	25.40	144,701	20.35	SEBA MPS-D3
06/10/2015	25.60	158,203	20.37	SEBA MPS-D3
06/10/2015	25.80	158,194	20.36	SEBA MPS-D3
06/10/2015	26.00	158,256	20.36	SEBA MPS-D3
06/10/2015	27.00	158,300	20.40	SEBA MPS-D3
06/10/2015	29.00	158,382	20.45	SEBA MPS-D3
06/10/2015	31.00	158,367	20.46	SEBA MPS-D3
06/10/2015	33.00	159,062	20.49	SEBA MPS-D3
06/10/2015	34.00	167,618	20.51	SEBA MPS-D3
06/10/2015	35.00	171,007	20.52	SEBA MPS-D3
06/10/2015	36.00	188,042	20.53	SEBA MPS-D3
06/10/2015	37.00	191,805	20.56	SEBA MPS-D3
06/10/2015	38.00	210,587	20.58	SEBA MPS-D3
06/10/2015	40.00	225,880	20.62	SEBA MPS-D3
06/10/2015	42.00	226,143	20.65	SEBA MPS-D3
06/10/2015	44.00	226,151	20.69	SEBA MPS-D3
06/10/2015	46.00	229,930	20.73	SEBA MPS-D3
06/10/2015	48.00	230,777	20.76	SEBA MPS-D3
06/10/2015	50.00	231,131	20.80	SEBA MPS-D3
06/10/2015	52.00	231,372	20.84	SEBA MPS-D3
06/10/2015	54.00	232,016	20.89	SEBA MPS-D3
06/10/2015	56.00	232,032	20.93	SEBA MPS-D3
06/10/2015	58.00	232,054	20.99	SEBA MPS-D3
06/10/2015	60.00	232,053	21.07	SEBA MPS-D3
06/10/2015	62.00	232,184	21.10	SEBA MPS-D3
06/10/2015	64.00	232,112	21.15	SEBA MPS-D3
06/10/2015	66.00	232,141	21.20	SEBA MPS-D3
06/10/2015	68.00	232,120	21.26	SEBA MPS-D3
06/10/2015	70.00	232,159	21.29	SEBA MPS-D3
06/10/2015	72.60	108,670	21.37	SEBA MPS-D3
03/11/2015	1.40	20,749	20.28	SEBA MPS-D3
03/11/2015	2.00	20,759	20.18	SEBA MPS-D3
03/11/2015	4.00	20,768	20.16	SEBA MPS-D3
03/11/2015	6.00	20,782	20.21	SEBA MPS-D3
03/11/2015	8.00	20,787	20.22	SEBA MPS-D3
03/11/2015	10.00	20,815	20.21	SEBA MPS-D3
03/11/2015	12.00	20,826	20.21	SEBA MPS-D3
03/11/2015	12.50	20,842	20.22	SEBA MPS-D3
03/11/2015	13.00	25,214	20.22	SEBA MPS-D3
03/11/2015	13.50	27,239	20.23	SEBA MPS-D3
03/11/2015	14.00	29,141	20.24	SEBA MPS-D3
03/11/2015	15.00	30,394	20.24	SEBA MPS-D3
03/11/2015	16.00	31,000	20.25	SEBA MPS-D3
03/11/2015	18.00	31,115	20.26	SEBA MPS-D3
03/11/2015	20.00	31,263	20.28	SEBA MPS-D3
03/11/2015	20.50	31,605	20.28	SEBA MPS-D3
03/11/2015	21.00	32,031	20.28	SEBA MPS-D3
03/11/2015	21.20	32,089	20.28	SEBA MPS-D3
03/11/2015	21.40	38,915	20.29	SEBA MPS-D3
03/11/2015	21.60	40,922	20.29	SEBA MPS-D3
03/11/2015	21.80	41,972	20.29	SEBA MPS-D3
03/11/2015	22.00	42,432	20.30	SEBA MPS-D3
03/11/2015	22.20	43,786	20.30	SEBA MPS-D3
03/11/2015	22.40	47,535	20.30	SEBA MPS-D3
03/11/2015	22.60	57,342	20.30	SEBA MPS-D3
03/11/2015	22.80	64,957	20.30	SEBA MPS-D3
03/11/2015	23.00	74,274	20.31	SEBA MPS-D3
03/11/2015	23.20	81,990	20.31	SEBA MPS-D3
03/11/2015	23.40	84,916	20.32	SEBA MPS-D3
03/11/2015	23.60	85,274	20.32	SEBA MPS-D3
03/11/2015	23.80	85,497	20.32	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
03/11/2015	24.00	85,565	20.33	SEBA MPS-D3
03/11/2015	24.20	85,640	20.33	SEBA MPS-D3
03/11/2015	24.40	85,660	20.33	SEBA MPS-D3
03/11/2015	24.60	85,721	20.33	SEBA MPS-D3
03/11/2015	24.80	89,185	20.34	SEBA MPS-D3
03/11/2015	25.00	93,580	20.34	SEBA MPS-D3
03/11/2015	25.20	109,566	20.35	SEBA MPS-D3
03/11/2015	25.40	137,722	20.35	SEBA MPS-D3
03/11/2015	25.60	156,658	20.36	SEBA MPS-D3
03/11/2015	25.80	156,698	20.36	SEBA MPS-D3
03/11/2015	26.00	156,802	20.38	SEBA MPS-D3
03/11/2015	28.00	157,069	20.43	SEBA MPS-D3
03/11/2015	30.00	157,036	20.46	SEBA MPS-D3
03/11/2015	32.00	157,107	20.48	SEBA MPS-D3
03/11/2015	33.00	157,921	20.49	SEBA MPS-D3
03/11/2015	34.00	166,215	20.51	SEBA MPS-D3
03/11/2015	35.00	169,723	20.52	SEBA MPS-D3
03/11/2015	36.00	186,426	20.53	SEBA MPS-D3
03/11/2015	37.00	190,026	20.56	SEBA MPS-D3
03/11/2015	38.00	208,255	20.57	SEBA MPS-D3
03/11/2015	40.00	222,641	20.62	SEBA MPS-D3
03/11/2015	42.00	222,883	20.66	SEBA MPS-D3
03/11/2015	44.00	223,342	20.69	SEBA MPS-D3
03/11/2015	46.00	226,797	20.72	SEBA MPS-D3
03/11/2015	48.00	227,577	20.76	SEBA MPS-D3
03/11/2015	50.00	228,099	20.80	SEBA MPS-D3
03/11/2015	52.00	228,295	20.84	SEBA MPS-D3
03/11/2015	54.00	228,880	20.92	SEBA MPS-D3
03/11/2015	56.00	228,921	20.96	SEBA MPS-D3
03/11/2015	58.00	228,922	21.03	SEBA MPS-D3
03/11/2015	60.00	228,918	21.04	SEBA MPS-D3
03/11/2015	62.00	228,927	21.07	SEBA MPS-D3
03/11/2015	64.00	228,972	21.14	SEBA MPS-D3
03/11/2015	66.00	228,943	21.19	SEBA MPS-D3
03/11/2015	68.00	228,912	21.24	SEBA MPS-D3
03/11/2015	70.00	228,827	21.31	SEBA MPS-D3
03/11/2015	71.60	109,240	21.37	SEBA MPS-D3
07/12/2015	1.50	22,807	20.26	SEBA MPS-D3
07/12/2015	2.00	22,837	20.32	SEBA MPS-D3
07/12/2015	4.00	22,701	20.22	SEBA MPS-D3
07/12/2015	6.00	22,682	20.22	SEBA MPS-D3
07/12/2015	8.00	22,699	20.23	SEBA MPS-D3
07/12/2015	10.00	22,724	20.22	SEBA MPS-D3
07/12/2015	12.00	22,744	20.22	SEBA MPS-D3
07/12/2015	13.00	28,045	20.23	SEBA MPS-D3
07/12/2015	13.50	30,433	20.24	SEBA MPS-D3
07/12/2015	14.00	33,008	20.24	SEBA MPS-D3
07/12/2015	15.00	34,605	20.25	SEBA MPS-D3
07/12/2015	17.00	35,491	20.26	SEBA MPS-D3
07/12/2015	19.00	35,528	20.27	SEBA MPS-D3
07/12/2015	21.00	37,694	20.29	SEBA MPS-D3
07/12/2015	21.50	47,208	20.29	SEBA MPS-D3
07/12/2015	22.00	54,497	20.30	SEBA MPS-D3
07/12/2015	22.20	54,763	20.30	SEBA MPS-D3
07/12/2015	22.40	58,275	20.30	SEBA MPS-D3
07/12/2015	22.60	68,393	20.31	SEBA MPS-D3
07/12/2015	22.80	75,814	20.31	SEBA MPS-D3
07/12/2015	23.00	85,641	20.31	SEBA MPS-D3
07/12/2015	23.20	94,809	20.31	SEBA MPS-D3
07/12/2015	23.40	98,634	20.32	SEBA MPS-D3
07/12/2015	23.60	99,790	20.32	SEBA MPS-D3
07/12/2015	23.80	100,656	20.33	SEBA MPS-D3
07/12/2015	24.00	101,667	20.33	SEBA MPS-D3
07/12/2015	24.50	108,230	20.34	SEBA MPS-D3
07/12/2015	25.00	124,014	20.34	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/12/2015	25.20	136,565	20.35	SEBA MPS-D3
07/12/2015	25.40	154,846	20.36	SEBA MPS-D3
07/12/2015	25.60	161,832	20.41	SEBA MPS-D3
07/12/2015	25.80	161,912	20.42	SEBA MPS-D3
07/12/2015	26.00	161,870	20.42	SEBA MPS-D3
07/12/2015	28.00	161,938	20.43	SEBA MPS-D3
07/12/2015	30.00	161,923	20.44	SEBA MPS-D3
07/12/2015	32.00	161,952	20.44	SEBA MPS-D3
07/12/2015	33.00	162,695	20.49	SEBA MPS-D3
07/12/2015	34.00	170,997	20.51	SEBA MPS-D3
07/12/2015	35.00	174,491	20.52	SEBA MPS-D3
07/12/2015	36.00	191,451	20.54	SEBA MPS-D3
07/12/2015	37.00	195,495	20.57	SEBA MPS-D3
07/12/2015	38.00	214,340	20.58	SEBA MPS-D3
07/12/2015	40.00	230,446	20.62	SEBA MPS-D3
07/12/2015	42.00	230,241	20.66	SEBA MPS-D3
07/12/2015	44.00	230,632	20.70	SEBA MPS-D3
07/12/2015	46.00	234,299	20.73	SEBA MPS-D3
07/12/2015	48.00	235,094	20.76	SEBA MPS-D3
07/12/2015	50.00	235,538	20.80	SEBA MPS-D3
07/12/2015	52.00	235,823	20.86	SEBA MPS-D3
07/12/2015	54.00	236,392	20.93	SEBA MPS-D3
07/12/2015	56.00	236,367	20.95	SEBA MPS-D3
07/12/2015	58.00	236,377	21.00	SEBA MPS-D3
07/12/2015	60.00	236,463	21.09	SEBA MPS-D3
07/12/2015	62.00	236,502	21.11	SEBA MPS-D3
07/12/2015	64.00	236,199	21.16	SEBA MPS-D3
07/12/2015	66.00	236,423	21.22	SEBA MPS-D3
07/12/2015	68.00	236,477	21.27	SEBA MPS-D3
07/12/2015	70.00	236,434	21.31	SEBA MPS-D3
07/12/2015	71.50	105,578	21.37	SEBA MPS-D3
16/01/2016	1.50	22,617	20.82	SEBA MPS-D3
16/01/2016	2.00	22,550	20.59	SEBA MPS-D3
16/01/2016	4.00	22,576	20.30	SEBA MPS-D3
16/01/2016	6.00	22,584	20.24	SEBA MPS-D3
16/01/2016	8.00	22,587	20.24	SEBA MPS-D3
16/01/2016	10.00	22,587	20.24	SEBA MPS-D3
16/01/2016	12.00	22,548	20.23	SEBA MPS-D3
16/01/2016	13.00	27,880	20.24	SEBA MPS-D3
16/01/2016	13.50	30,289	20.25	SEBA MPS-D3
16/01/2016	14.00	33,069	20.25	SEBA MPS-D3
16/01/2016	15.00	35,207	20.26	SEBA MPS-D3
16/01/2016	17.00	36,294	20.26	SEBA MPS-D3
16/01/2016	19.00	36,268	20.27	SEBA MPS-D3
16/01/2016	21.00	41,379	20.29	SEBA MPS-D3
16/01/2016	21.50	49,424	20.30	SEBA MPS-D3
16/01/2016	22.00	60,166	20.30	SEBA MPS-D3
16/01/2016	22.20	60,557	20.30	SEBA MPS-D3
16/01/2016	22.40	64,383	20.31	SEBA MPS-D3
16/01/2016	22.60	75,839	20.30	SEBA MPS-D3
16/01/2016	22.80	84,443	20.31	SEBA MPS-D3
16/01/2016	23.00	94,962	20.31	SEBA MPS-D3
16/01/2016	23.20	106,482	20.32	SEBA MPS-D3
16/01/2016	23.40	110,626	20.32	SEBA MPS-D3
16/01/2016	23.60	111,536	20.33	SEBA MPS-D3
16/01/2016	23.80	112,413	20.33	SEBA MPS-D3
16/01/2016	24.00	113,310	20.34	SEBA MPS-D3
16/01/2016	24.20	114,916	20.34	SEBA MPS-D3
16/01/2016	24.40	116,678	20.34	SEBA MPS-D3
16/01/2016	24.60	121,446	20.34	SEBA MPS-D3
16/01/2016	24.80	127,057	20.35	SEBA MPS-D3
16/01/2016	25.00	132,934	20.35	SEBA MPS-D3
16/01/2016	25.20	142,867	20.35	SEBA MPS-D3
16/01/2016	25.40	158,091	20.35	SEBA MPS-D3
16/01/2016	25.60	161,893	20.36	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/01/2016	25.80	161,931	20.37	SEBA MPS-D3
16/01/2016	26.00	161,939	20.37	SEBA MPS-D3
16/01/2016	28.00	162,048	20.44	SEBA MPS-D3
16/01/2016	30.00	162,025	20.46	SEBA MPS-D3
16/01/2016	32.00	162,067	20.48	SEBA MPS-D3
16/01/2016	33.00	162,746	20.49	SEBA MPS-D3
16/01/2016	34.00	171,174	20.52	SEBA MPS-D3
16/01/2016	35.00	174,750	20.52	SEBA MPS-D3
16/01/2016	36.00	191,736	20.54	SEBA MPS-D3
16/01/2016	37.00	195,633	20.57	SEBA MPS-D3
16/01/2016	38.00	213,980	20.59	SEBA MPS-D3
16/01/2016	40.00	228,999	20.63	SEBA MPS-D3
16/01/2016	42.00	229,130	20.66	SEBA MPS-D3
16/01/2016	44.00	229,360	20.70	SEBA MPS-D3
16/01/2016	46.00	233,131	20.73	SEBA MPS-D3
16/01/2016	48.00	233,837	20.76	SEBA MPS-D3
16/01/2016	50.00	234,251	20.81	SEBA MPS-D3
16/01/2016	52.00	234,507	20.85	SEBA MPS-D3
16/01/2016	54.00	235,137	21.00	SEBA MPS-D3
16/01/2016	56.00	235,204	21.00	SEBA MPS-D3
16/01/2016	58.00	235,139	21.02	SEBA MPS-D3
16/01/2016	60.00	235,154	21.04	SEBA MPS-D3
16/01/2016	62.00	235,177	21.08	SEBA MPS-D3
16/01/2016	64.00	235,172	21.14	SEBA MPS-D3
16/01/2016	66.00	235,132	21.21	SEBA MPS-D3
16/01/2016	68.00	235,118	21.26	SEBA MPS-D3
16/01/2016	70.00	235,152	21.29	SEBA MPS-D3
16/01/2016	71.45	116,189	21.37	SEBA MPS-D3
09/02/2016	1.50	23,261	20.76	SEBA MPS-D3
09/02/2016	2.00	23,220	20.68	SEBA MPS-D3
09/02/2016	4.00	23,208	20.34	SEBA MPS-D3
09/02/2016	6.00	23,213	20.25	SEBA MPS-D3
09/02/2016	8.00	23,222	20.23	SEBA MPS-D3
09/02/2016	10.00	23,243	20.23	SEBA MPS-D3
09/02/2016	12.00	23,180	20.23	SEBA MPS-D3
09/02/2016	14.00	33,984	20.25	SEBA MPS-D3
09/02/2016	16.00	37,606	20.26	SEBA MPS-D3
09/02/2016	18.00	37,750	20.26	SEBA MPS-D3
09/02/2016	20.00	37,660	20.27	SEBA MPS-D3
09/02/2016	20.50	38,995	20.28	SEBA MPS-D3
09/02/2016	21.00	44,846	20.28	SEBA MPS-D3
09/02/2016	21.50	52,145	20.29	SEBA MPS-D3
09/02/2016	22.00	66,421	20.30	SEBA MPS-D3
09/02/2016	22.50	72,885	20.30	SEBA MPS-D3
09/02/2016	23.00	106,639	20.30	SEBA MPS-D3
09/02/2016	23.50	118,463	20.32	SEBA MPS-D3
09/02/2016	24.00	119,974	20.32	SEBA MPS-D3
09/02/2016	24.50	124,712	20.33	SEBA MPS-D3
09/02/2016	25.00	138,054	20.34	SEBA MPS-D3
09/02/2016	25.50	162,782	20.37	SEBA MPS-D3
09/02/2016	26.00	164,911	20.41	SEBA MPS-D3
09/02/2016	28.00	164,954	20.42	SEBA MPS-D3
09/02/2016	30.00	164,923	20.44	SEBA MPS-D3
09/02/2016	32.00	164,924	20.46	SEBA MPS-D3
09/02/2016	33.00	165,558	20.49	SEBA MPS-D3
09/02/2016	34.00	174,140	20.51	SEBA MPS-D3
09/02/2016	35.00	177,612	20.52	SEBA MPS-D3
09/02/2016	36.00	195,250	20.54	SEBA MPS-D3
09/02/2016	37.00	199,101	20.56	SEBA MPS-D3
09/02/2016	38.00	218,180	20.58	SEBA MPS-D3
09/02/2016	39.00	230,529	20.61	SEBA MPS-D3
09/02/2016	40.00	233,293	20.62	SEBA MPS-D3
09/02/2016	42.00	233,346	20.65	SEBA MPS-D3
09/02/2016	44.00	233,622	20.69	SEBA MPS-D3
09/02/2016	46.00	237,361	20.72	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/02/2016	48.00	238,226	20.75	SEBA MPS-D3
09/02/2016	50.00	238,669	20.80	SEBA MPS-D3
09/02/2016	52.00	238,873	20.84	SEBA MPS-D3
09/02/2016	54.00	239,680	20.97	SEBA MPS-D3
09/02/2016	56.00	239,625	21.00	SEBA MPS-D3
09/02/2016	58.00	239,573	21.01	SEBA MPS-D3
09/02/2016	60.00	239,574	21.03	SEBA MPS-D3
09/02/2016	62.00	239,567	21.07	SEBA MPS-D3
09/02/2016	64.00	239,603	21.13	SEBA MPS-D3
09/02/2016	66.00	239,515	21.19	SEBA MPS-D3
09/02/2016	68.00	239,562	21.24	SEBA MPS-D3
09/02/2016	70.00	239,522	21.30	SEBA MPS-D3
09/02/2016	71.45	89,394	21.37	SEBA MPS-D3
08/03/2016	1.50	22,920	20.97	SEBA MPS-D3
08/03/2016	2.00	22,880	20.75	SEBA MPS-D3
08/03/2016	4.00	22,870	20.37	SEBA MPS-D3
08/03/2016	6.00	22,890	20.26	SEBA MPS-D3
08/03/2016	8.00	22,900	20.25	SEBA MPS-D3
08/03/2016	10.00	22,920	20.24	SEBA MPS-D3
08/03/2016	12.00	22,920	20.24	SEBA MPS-D3
08/03/2016	14.00	33,210	20.26	SEBA MPS-D3
08/03/2016	16.00	36,430	20.27	SEBA MPS-D3
08/03/2016	18.00	36,570	20.27	SEBA MPS-D3
08/03/2016	20.00	36,530	20.28	SEBA MPS-D3
08/03/2016	22.00	71,010	20.30	SEBA MPS-D3
08/03/2016	24.00	123,700	20.33	SEBA MPS-D3
08/03/2016	26.00	163,300	20.37	SEBA MPS-D3
08/03/2016	27.00	163,400	20.39	SEBA MPS-D3
08/03/2016	28.00	163,400	20.44	SEBA MPS-D3
08/03/2016	29.00	163,400	20.45	SEBA MPS-D3
08/03/2016	30.00	163,400	20.46	SEBA MPS-D3
08/03/2016	31.00	163,400	20.47	SEBA MPS-D3
08/03/2016	32.00	163,500	20.49	SEBA MPS-D3
08/03/2016	33.00	164,300	20.49	SEBA MPS-D3
08/03/2016	34.00	172,600	20.51	SEBA MPS-D3
08/03/2016	35.00	172,800	20.52	SEBA MPS-D3
08/03/2016	36.00	193,100	20.55	SEBA MPS-D3
08/03/2016	37.00	197,600	20.57	SEBA MPS-D3
08/03/2016	38.00	215,800	20.59	SEBA MPS-D3
08/03/2016	40.00	228,200	20.61	SEBA MPS-D3
08/03/2016	41.00	231,200	20.65	SEBA MPS-D3
08/03/2016	42.00	231,000	20.62	SEBA MPS-D3
08/03/2016	44.00	231,300	20.70	SEBA MPS-D3
08/03/2016	46.00	235,100	20.73	SEBA MPS-D3
08/03/2016	48.00	235,900	20.76	SEBA MPS-D3
08/03/2016	50.00	236,400	20.80	SEBA MPS-D3
08/03/2016	52.00	236,600	20.85	SEBA MPS-D3
08/03/2016	54.00	237,200	20.93	SEBA MPS-D3
08/03/2016	56.00	237,300	21.00	SEBA MPS-D3
08/03/2016	58.00	237,300	21.02	SEBA MPS-D3
08/03/2016	60.00	237,200	21.04	SEBA MPS-D3
08/03/2016	62.00	237,300	21.08	SEBA MPS-D3
08/03/2016	64.00	237,200	21.14	SEBA MPS-D3
08/03/2016	66.00	237,200	21.20	SEBA MPS-D3
08/03/2016	68.00	237,200	21.25	SEBA MPS-D3
08/03/2016	70.00	237,300	21.30	SEBA MPS-D3
08/03/2016	71.45	90,090	21.36	SEBA MPS-D3
06/05/2016	1.60	23,270	20.44	SEBA KLL-Q
06/05/2016	2.00	23,280	20.53	SEBA KLL-Q
06/05/2016	3.00	23,280	20.45	SEBA KLL-Q
06/05/2016	4.00	23,320	20.34	SEBA KLL-Q
06/05/2016	5.00	23,300	20.26	SEBA KLL-Q
06/05/2016	6.00	23,310	20.24	SEBA KLL-Q
06/05/2016	7.00	23,310	20.24	SEBA KLL-Q
06/05/2016	8.00	23,320	20.23	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/05/2016	9.00	23,320	20.23	SEBA KLL-Q
06/05/2016	10.00	23,340	20.23	SEBA KLL-Q
06/05/2016	11.00	23,380	20.23	SEBA KLL-Q
06/05/2016	12.00	23,200	20.23	SEBA KLL-Q
06/05/2016	13.00	28,760	20.24	SEBA KLL-Q
06/05/2016	14.00	33,770	20.25	SEBA KLL-Q
06/05/2016	14.50	34,180	20.25	SEBA KLL-Q
06/05/2016	15.00	36,080	20.25	SEBA KLL-Q
06/05/2016	15.50	36,780	20.25	SEBA KLL-Q
06/05/2016	16.00	36,920	20.25	SEBA KLL-Q
06/05/2016	16.50	36,990	20.26	SEBA KLL-Q
06/05/2016	17.00	37,010	20.26	SEBA KLL-Q
06/05/2016	17.50	37,030	20.26	SEBA KLL-Q
06/05/2016	18.00	37,050	20.26	SEBA KLL-Q
06/05/2016	19.00	36,950	20.26	SEBA KLL-Q
06/05/2016	20.00	36,930	20.27	SEBA KLL-Q
06/05/2016	21.00	41,240	20.27	SEBA KLL-Q
06/05/2016	21.50	57,930	20.28	SEBA KLL-Q
06/05/2016	21.75	82,190	20.29	SEBA KLL-Q
06/05/2016	22.00	82,720	20.29	SEBA KLL-Q
06/05/2016	22.25	86,160	20.29	SEBA KLL-Q
06/05/2016	22.50	92,580	20.28	SEBA KLL-Q
06/05/2016	22.75	111,300	20.28	SEBA KLL-Q
06/05/2016	23.00	123,500	20.29	SEBA KLL-Q
06/05/2016	23.25	129,100	20.30	SEBA KLL-Q
06/05/2016	23.50	129,800	20.30	SEBA KLL-Q
06/05/2016	23.75	130,500	20.31	SEBA KLL-Q
06/05/2016	24.00	131,300	20.31	SEBA KLL-Q
06/05/2016	24.25	132,800	20.32	SEBA KLL-Q
06/05/2016	24.50	135,500	20.32	SEBA KLL-Q
06/05/2016	24.75	139,500	20.32	SEBA KLL-Q
06/05/2016	25.00	143,800	20.33	SEBA KLL-Q
06/05/2016	25.25	152,200	20.33	SEBA KLL-Q
06/05/2016	25.50	159,500	20.36	SEBA KLL-Q
06/05/2016	25.75	160,900	20.38	SEBA KLL-Q
06/05/2016	26.00	160,100	20.38	SEBA KLL-Q
06/05/2016	26.25	160,100	20.39	SEBA KLL-Q
06/05/2016	26.50	160,100	20.39	SEBA KLL-Q
06/05/2016	26.75	160,100	20.39	SEBA KLL-Q
06/05/2016	27.00	160,100	20.40	SEBA KLL-Q
06/05/2016	27.25	160,100	20.40	SEBA KLL-Q
06/05/2016	27.50	160,000	20.40	SEBA KLL-Q
06/05/2016	28.00	160,100	20.41	SEBA KLL-Q
06/05/2016	28.50	160,100	20.40	SEBA KLL-Q
06/05/2016	29.00	160,100	20.41	SEBA KLL-Q
06/05/2016	30.00	160,100	20.43	SEBA KLL-Q
06/05/2016	31.00	160,100	20.44	SEBA KLL-Q
06/05/2016	32.00	160,100	20.46	SEBA KLL-Q
06/05/2016	33.00	160,900	20.47	SEBA KLL-Q
06/05/2016	34.00	169,100	20.50	SEBA KLL-Q
06/05/2016	34.50	169,600	20.50	SEBA KLL-Q
06/05/2016	35.00	172,800	20.51	SEBA KLL-Q
06/05/2016	35.50	177,200	20.51	SEBA KLL-Q
06/05/2016	36.00	189,500	20.53	SEBA KLL-Q
06/05/2016	36.25	191,400	20.53	SEBA KLL-Q
06/05/2016	36.50	192,200	20.54	SEBA KLL-Q
06/05/2016	36.75	192,700	20.55	SEBA KLL-Q
06/05/2016	37.00	193,500	20.54	SEBA KLL-Q
06/05/2016	37.25	194,300	20.55	SEBA KLL-Q
06/05/2016	37.50	200,100	20.55	SEBA KLL-Q
06/05/2016	37.75	207,600	20.55	SEBA KLL-Q
06/05/2016	38.00	211,700	20.57	SEBA KLL-Q
06/05/2016	38.25	219,200	20.58	SEBA KLL-Q
06/05/2016	38.50	221,500	20.58	SEBA KLL-Q
06/05/2016	38.75	222,100	20.58	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/05/2016	39.00	223,800	20.59	SEBA KLL-Q
06/05/2016	40.00	226,400	20.60	SEBA KLL-Q
06/05/2016	41.00	226,400	20.62	SEBA KLL-Q
06/05/2016	42.00	226,400	20.64	SEBA KLL-Q
06/05/2016	44.00	226,700	20.68	SEBA KLL-Q
06/05/2016	46.00	230,500	20.71	SEBA KLL-Q
06/05/2016	48.00	231,300	20.75	SEBA KLL-Q
06/05/2016	50.00	231,700	20.79	SEBA KLL-Q
06/05/2016	55.00	232,700	20.98	SEBA KLL-Q
06/05/2016	60.00	232,700	21.02	SEBA KLL-Q
06/05/2016	65.00	232,700	21.15	SEBA KLL-Q
06/05/2016	70.00	232,600	21.28	SEBA KLL-Q
06/05/2016	71.35	105,200	21.33	SEBA KLL-Q
11/07/2016	1.60	25,240	19.70	SEBA KLL-Q
11/07/2016	2.00	25,140	20.00	SEBA KLL-Q
11/07/2016	3.00	25,140	20.25	SEBA KLL-Q
11/07/2016	4.00	25,160	20.27	SEBA KLL-Q
11/07/2016	5.00	25,160	20.25	SEBA KLL-Q
11/07/2016	6.00	25,180	20.24	SEBA KLL-Q
11/07/2016	7.00	25,180	20.25	SEBA KLL-Q
11/07/2016	8.00	25,180	20.25	SEBA KLL-Q
11/07/2016	9.00	25,200	20.24	SEBA KLL-Q
11/07/2016	10.00	25,240	20.24	SEBA KLL-Q
11/07/2016	11.00	25,280	20.24	SEBA KLL-Q
11/07/2016	12.00	25,200	20.25	SEBA KLL-Q
11/07/2016	13.00	31,080	20.25	SEBA KLL-Q
11/07/2016	14.00	35,470	20.26	SEBA KLL-Q
11/07/2016	14.50	36,530	20.26	SEBA KLL-Q
11/07/2016	15.00	37,980	20.26	SEBA KLL-Q
11/07/2016	15.50	38,710	20.26	SEBA KLL-Q
11/07/2016	16.00	38,830	20.26	SEBA KLL-Q
11/07/2016	16.50	38,890	20.26	SEBA KLL-Q
11/07/2016	17.00	38,920	20.27	SEBA KLL-Q
11/07/2016	18.00	38,900	20.27	SEBA KLL-Q
11/07/2016	19.00	38,800	20.27	SEBA KLL-Q
11/07/2016	20.00	38,780	20.27	SEBA KLL-Q
11/07/2016	21.00	41,830	20.28	SEBA KLL-Q
11/07/2016	21.50	53,410	20.29	SEBA KLL-Q
11/07/2016	21.75	103,500	20.28	SEBA KLL-Q
11/07/2016	22.00	104,200	20.28	SEBA KLL-Q
11/07/2016	22.25	106,200	20.28	SEBA KLL-Q
11/07/2016	22.50	112,700	20.29	SEBA KLL-Q
11/07/2016	22.75	121,500	20.29	SEBA KLL-Q
11/07/2016	23.00	126,700	20.30	SEBA KLL-Q
11/07/2016	23.25	127,500	20.31	SEBA KLL-Q
11/07/2016	23.50	127,700	20.31	SEBA KLL-Q
11/07/2016	23.75	128,000	20.32	SEBA KLL-Q
11/07/2016	24.00	128,700	20.33	SEBA KLL-Q
11/07/2016	24.50	130,400	20.33	SEBA KLL-Q
11/07/2016	24.75	131,800	20.34	SEBA KLL-Q
11/07/2016	25.00	133,700	20.34	SEBA KLL-Q
11/07/2016	25.25	138,200	20.34	SEBA KLL-Q
11/07/2016	25.50	143,400	20.36	SEBA KLL-Q
11/07/2016	25.75	145,200	20.38	SEBA KLL-Q
11/07/2016	26.00	147,800	20.42	SEBA KLL-Q
11/07/2016	26.25	147,900	20.42	SEBA KLL-Q
11/07/2016	26.50	147,900	20.42	SEBA KLL-Q
11/07/2016	27.00	147,900	20.42	SEBA KLL-Q
11/07/2016	27.50	147,900	20.42	SEBA KLL-Q
11/07/2016	28.00	147,900	20.43	SEBA KLL-Q
11/07/2016	29.00	147,900	20.43	SEBA KLL-Q
11/07/2016	30.00	147,900	20.43	SEBA KLL-Q
11/07/2016	31.00	147,900	20.43	SEBA KLL-Q
11/07/2016	31.50	147,800	20.44	SEBA KLL-Q
11/07/2016	32.00	147,900	20.43	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/07/2016	33.00	148,900	20.47	SEBA KLL-Q
11/07/2016	33.50	156,200	20.49	SEBA KLL-Q
11/07/2016	33.75	157,800	20.50	SEBA KLL-Q
11/07/2016	34.00	158,500	20.50	SEBA KLL-Q
11/07/2016	34.25	158,700	20.51	SEBA KLL-Q
11/07/2016	34.75	161,300	20.51	SEBA KLL-Q
11/07/2016	35.00	162,700	20.51	SEBA KLL-Q
11/07/2016	35.25	165,300	20.51	SEBA KLL-Q
11/07/2016	35.50	168,100	20.51	SEBA KLL-Q
11/07/2016	35.75	171,000	20.52	SEBA KLL-Q
11/07/2016	36.00	184,700	20.53	SEBA KLL-Q
11/07/2016	36.25	187,600	20.54	SEBA KLL-Q
11/07/2016	36.50	188,700	20.56	SEBA KLL-Q
11/07/2016	36.75	189,600	20.55	SEBA KLL-Q
11/07/2016	37.00	190,400	20.56	SEBA KLL-Q
11/07/2016	37.25	191,000	20.56	SEBA KLL-Q
11/07/2016	37.50	198,900	20.56	SEBA KLL-Q
11/07/2016	37.75	208,700	20.58	SEBA KLL-Q
11/07/2016	38.00	213,800	20.59	SEBA KLL-Q
11/07/2016	38.25	217,800	20.58	SEBA KLL-Q
11/07/2016	38.50	218,800	20.59	SEBA KLL-Q
11/07/2016	38.75	219,000	20.59	SEBA KLL-Q
11/07/2016	39.00	219,300	20.59	SEBA KLL-Q
11/07/2016	39.50	219,500	20.60	SEBA KLL-Q
11/07/2016	40.00	219,500	20.61	SEBA KLL-Q
11/07/2016	45.00	221,000	20.71	SEBA KLL-Q
11/07/2016	50.00	222,600	20.75	SEBA KLL-Q
11/07/2016	55.00	223,500	20.92	SEBA KLL-Q
11/07/2016	60.00	223,600	21.04	SEBA KLL-Q
11/07/2016	65.00	223,600	21.14	SEBA KLL-Q
11/07/2016	70.00	223,800	21.34	SEBA KLL-Q
11/07/2016	71.35	106,700	21.38	SEBA KLL-Q
22/10/2016	1.60	22,620	20.14	SEBA KLL-Q
22/10/2016	2.00	22,643	20.21	SEBA KLL-Q
22/10/2016	3.00	22,631	20.23	SEBA KLL-Q
22/10/2016	4.00	22,633	20.23	SEBA KLL-Q
22/10/2016	6.00	22,612	20.27	SEBA KLL-Q
22/10/2016	8.00	22,630	20.27	SEBA KLL-Q
22/10/2016	10.00	22,670	20.27	SEBA KLL-Q
22/10/2016	12.00	22,612	20.27	SEBA KLL-Q
22/10/2016	13.00	28,725	20.27	SEBA KLL-Q
22/10/2016	14.00	33,588	20.27	SEBA KLL-Q
22/10/2016	14.50	34,067	20.28	SEBA KLL-Q
22/10/2016	15.00	36,400	20.28	SEBA KLL-Q
22/10/2016	15.50	37,345	20.28	SEBA KLL-Q
22/10/2016	16.00	37,461	20.28	SEBA KLL-Q
22/10/2016	16.50	37,519	20.28	SEBA KLL-Q
22/10/2016	17.00	37,555	20.28	SEBA KLL-Q
22/10/2016	18.00	37,552	20.29	SEBA KLL-Q
22/10/2016	19.00	37,430	20.29	SEBA KLL-Q
22/10/2016	19.50	37,397	20.29	SEBA KLL-Q
22/10/2016	20.00	37,395	20.29	SEBA KLL-Q
22/10/2016	20.50	37,560	20.30	SEBA KLL-Q
22/10/2016	21.00	39,701	20.30	SEBA KLL-Q
22/10/2016	21.20	40,219	20.30	SEBA KLL-Q
22/10/2016	21.40	44,690	20.30	SEBA KLL-Q
22/10/2016	21.60	80,310	20.30	SEBA KLL-Q
22/10/2016	21.80	96,420	20.30	SEBA KLL-Q
22/10/2016	22.00	97,988	20.30	SEBA KLL-Q
22/10/2016	22.20	99,412	20.30	SEBA KLL-Q
22/10/2016	22.40	105,432	20.29	SEBA KLL-Q
22/10/2016	22.60	121,342	20.29	SEBA KLL-Q
22/10/2016	22.80	130,000	20.30	SEBA KLL-Q
22/10/2016	23.00	142,171	20.31	SEBA KLL-Q
22/10/2016	23.20	147,118	20.31	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2016	23.40	147,200	20.32	SEBA KLL-Q
22/10/2016	23.60	148,204	20.33	SEBA KLL-Q
22/10/2016	23.80	148,554	20.33	SEBA KLL-Q
22/10/2016	24.00	149,254	20.34	SEBA KLL-Q
22/10/2016	24.20	150,362	20.34	SEBA KLL-Q
22/10/2016	24.40	151,169	20.35	SEBA KLL-Q
22/10/2016	24.60	153,345	20.35	SEBA KLL-Q
22/10/2016	24.80	154,270	20.35	SEBA KLL-Q
22/10/2016	25.00	155,613	20.37	SEBA KLL-Q
22/10/2016	25.20	158,003	20.37	SEBA KLL-Q
22/10/2016	25.40	158,895	20.40	SEBA KLL-Q
22/10/2016	25.60	159,002	20.42	SEBA KLL-Q
22/10/2016	25.80	159,016	20.42	SEBA KLL-Q
22/10/2016	26.00	158,985	20.43	SEBA KLL-Q
22/10/2016	26.20	158,997	20.42	SEBA KLL-Q
22/10/2016	26.40	159,005	20.43	SEBA KLL-Q
22/10/2016	26.60	159,012	20.43	SEBA KLL-Q
22/10/2016	26.80	159,024	20.43	SEBA KLL-Q
22/10/2016	27.00	159,008	20.44	SEBA KLL-Q
22/10/2016	27.20	158,993	20.43	SEBA KLL-Q
22/10/2016	27.40	159,000	20.43	SEBA KLL-Q
22/10/2016	27.60	159,000	20.43	SEBA KLL-Q
22/10/2016	27.80	158,957	20.44	SEBA KLL-Q
22/10/2016	28.00	158,984	20.44	SEBA KLL-Q
22/10/2016	28.20	159,015	20.44	SEBA KLL-Q
22/10/2016	28.40	159,015	20.44	SEBA KLL-Q
22/10/2016	28.60	158,996	20.44	SEBA KLL-Q
22/10/2016	28.80	158,991	20.45	SEBA KLL-Q
22/10/2016	29.00	158,991	20.45	SEBA KLL-Q
22/10/2016	29.50	158,975	20.46	SEBA KLL-Q
22/10/2016	30.00	159,011	20.45	SEBA KLL-Q
22/10/2016	30.50	159,014	20.46	SEBA KLL-Q
22/10/2016	31.00	158,975	20.46	SEBA KLL-Q
22/10/2016	31.50	158,998	20.47	SEBA KLL-Q
22/10/2016	32.00	159,084	20.50	SEBA KLL-Q
22/10/2016	32.50	159,199	20.50	SEBA KLL-Q
22/10/2016	33.00	159,644	20.51	SEBA KLL-Q
22/10/2016	33.50	164,321	20.51	SEBA KLL-Q
22/10/2016	33.70	165,258	20.52	SEBA KLL-Q
22/10/2016	33.90	165,668	20.52	SEBA KLL-Q
22/10/2016	34.10	165,817	20.53	SEBA KLL-Q
22/10/2016	34.50	166,060	20.52	SEBA KLL-Q
22/10/2016	35.00	168,667	20.53	SEBA KLL-Q
22/10/2016	35.50	172,803	20.53	SEBA KLL-Q
22/10/2016	35.70	174,577	20.53	SEBA KLL-Q
22/10/2016	35.90	182,324	20.54	SEBA KLL-Q
22/10/2016	36.10	186,052	20.55	SEBA KLL-Q
22/10/2016	36.30	187,311	20.56	SEBA KLL-Q
22/10/2016	36.50	187,854	20.56	SEBA KLL-Q
22/10/2016	36.70	188,488	20.56	SEBA KLL-Q
22/10/2016	36.90	189,179	20.56	SEBA KLL-Q
22/10/2016	37.10	189,299	20.57	SEBA KLL-Q
22/10/2016	37.50	196,220	20.56	SEBA KLL-Q
22/10/2016	37.70	203,801	20.57	SEBA KLL-Q
22/10/2016	37.90	207,936	20.58	SEBA KLL-Q
22/10/2016	38.10	214,820	20.59	SEBA KLL-Q
22/10/2016	38.30	220,735	20.60	SEBA KLL-Q
22/10/2016	38.50	223,769	20.60	SEBA KLL-Q
22/10/2016	38.70	224,772	20.61	SEBA KLL-Q
22/10/2016	38.90	225,429	20.61	SEBA KLL-Q
22/10/2016	39.10	228,977	20.61	SEBA KLL-Q
22/10/2016	39.30	229,452	20.61	SEBA KLL-Q
22/10/2016	39.50	229,590	20.61	SEBA KLL-Q
22/10/2016	40.00	230,136	20.63	SEBA KLL-Q
22/10/2016	40.50	230,179	20.63	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2016	41.00	230,272	20.63	SEBA KLL-Q
22/10/2016	42.00	230,251	20.66	SEBA KLL-Q
22/10/2016	43.00	230,492	20.67	SEBA KLL-Q
22/10/2016	44.00	230,492	20.70	SEBA KLL-Q
22/10/2016	46.00	232,479	20.73	SEBA KLL-Q
22/10/2016	48.00	232,977	20.76	SEBA KLL-Q
22/10/2016	50.00	233,365	20.80	SEBA KLL-Q
22/10/2016	52.00	233,830	20.85	SEBA KLL-Q
22/10/2016	54.00	234,173	20.88	SEBA KLL-Q
22/10/2016	56.00	234,228	20.95	SEBA KLL-Q
22/10/2016	58.00	234,218	20.96	SEBA KLL-Q
22/10/2016	63.00	234,328	21.12	SEBA KLL-Q
22/10/2016	68.00	234,349	21.29	SEBA KLL-Q
22/10/2016	71.35	111,941	21.37	SEBA KLL-Q
15/01/2017	1.80	24,230	20.80	SEBA KLL-Q
15/01/2017	2.00	24,200	20.58	SEBA KLL-Q
15/01/2017	4.00	24,190	20.33	SEBA KLL-Q
15/01/2017	6.00	24,190	20.29	SEBA KLL-Q
15/01/2017	8.00	24,180	20.28	SEBA KLL-Q
15/01/2017	10.00	24,210	20.28	SEBA KLL-Q
15/01/2017	12.00	24,170	20.27	SEBA KLL-Q
15/01/2017	14.00	33,450	20.28	SEBA KLL-Q
15/01/2017	15.00	34,950	20.28	SEBA KLL-Q
15/01/2017	16.00	36,250	20.28	SEBA KLL-Q
15/01/2017	17.00	36,350	20.28	SEBA KLL-Q
15/01/2017	18.00	36,340	20.29	SEBA KLL-Q
15/01/2017	19.00	36,320	20.29	SEBA KLL-Q
15/01/2017	20.00	36,380	20.29	SEBA KLL-Q
15/01/2017	21.00	43,750	20.29	SEBA KLL-Q
15/01/2017	21.50	49,890	20.30	SEBA KLL-Q
15/01/2017	22.00	103,800	20.30	SEBA KLL-Q
15/01/2017	22.20	105,200	20.29	SEBA KLL-Q
15/01/2017	22.40	110,000	20.29	SEBA KLL-Q
15/01/2017	22.60	120,600	20.29	SEBA KLL-Q
15/01/2017	22.80	126,100	20.30	SEBA KLL-Q
15/01/2017	23.00	132,100	20.31	SEBA KLL-Q
15/01/2017	23.20	132,900	20.32	SEBA KLL-Q
15/01/2017	23.40	133,000	20.32	SEBA KLL-Q
15/01/2017	23.60	133,100	20.33	SEBA KLL-Q
15/01/2017	23.80	133,200	20.33	SEBA KLL-Q
15/01/2017	24.00	133,500	20.33	SEBA KLL-Q
15/01/2017	24.50	134,800	20.34	SEBA KLL-Q
15/01/2017	25.00	138,800	20.34	SEBA KLL-Q
15/01/2017	25.50	152,100	20.35	SEBA KLL-Q
15/01/2017	25.80	154,600	20.36	SEBA KLL-Q
15/01/2017	26.00	176,600	20.40	SEBA KLL-Q
15/01/2017	26.20	176,600	20.40	SEBA KLL-Q
15/01/2017	26.40	176,600	20.41	SEBA KLL-Q
15/01/2017	26.60	176,600	20.40	SEBA KLL-Q
15/01/2017	26.80	176,600	20.40	SEBA KLL-Q
15/01/2017	27.00	176,600	20.41	SEBA KLL-Q
15/01/2017	27.50	176,600	20.41	SEBA KLL-Q
15/01/2017	28.00	176,600	20.41	SEBA KLL-Q
15/01/2017	28.50	176,600	20.42	SEBA KLL-Q
15/01/2017	29.00	176,600	20.43	SEBA KLL-Q
15/01/2017	29.50	176,600	20.43	SEBA KLL-Q
15/01/2017	30.00	176,600	20.44	SEBA KLL-Q
15/01/2017	31.00	176,600	20.45	SEBA KLL-Q
15/01/2017	32.00	176,600	20.46	SEBA KLL-Q
15/01/2017	33.00	177,400	20.48	SEBA KLL-Q
15/01/2017	33.50	183,600	20.50	SEBA KLL-Q
15/01/2017	33.80	185,200	20.50	SEBA KLL-Q
15/01/2017	34.00	185,400	20.50	SEBA KLL-Q
15/01/2017	34.20	185,600	20.50	SEBA KLL-Q
15/01/2017	34.40	185,700	20.50	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
15/01/2017	34.60	186,300	20.50	SEBA KLL-Q
15/01/2017	34.80	188,000	20.50	SEBA KLL-Q
15/01/2017	35.00	188,900	20.51	SEBA KLL-Q
15/01/2017	35.20	191,100	20.51	SEBA KLL-Q
15/01/2017	35.40	192,600	20.51	SEBA KLL-Q
15/01/2017	35.60	195,200	20.51	SEBA KLL-Q
15/01/2017	35.80	201,200	20.52	SEBA KLL-Q
15/01/2017	36.00	207,900	20.54	SEBA KLL-Q
15/01/2017	36.20	209,200	20.54	SEBA KLL-Q
15/01/2017	36.40	209,900	20.55	SEBA KLL-Q
15/01/2017	36.60	210,400	20.55	SEBA KLL-Q
15/01/2017	36.80	211,100	20.55	SEBA KLL-Q
15/01/2017	37.00	211,300	20.55	SEBA KLL-Q
15/01/2017	37.50	220,600	20.56	SEBA KLL-Q
15/01/2017	37.80	228,200	20.57	SEBA KLL-Q
15/01/2017	38.00	233,200	20.58	SEBA KLL-Q
15/01/2017	38.20	239,700	20.58	SEBA KLL-Q
15/01/2017	38.50	243,200	20.60	SEBA KLL-Q
15/01/2017	38.80	243,900	20.60	SEBA KLL-Q
15/01/2017	39.00	246,100	20.61	SEBA KLL-Q
15/01/2017	39.20	247,700	20.61	SEBA KLL-Q
15/01/2017	39.50	247,900	20.61	SEBA KLL-Q
15/01/2017	39.80	248,700	20.61	SEBA KLL-Q
15/01/2017	40.00	248,700	20.61	SEBA KLL-Q
15/01/2017	40.50	248,800	20.61	SEBA KLL-Q
15/01/2017	41.00	248,800	20.62	SEBA KLL-Q
15/01/2017	42.00	248,800	20.64	SEBA KLL-Q
15/01/2017	44.00	249,000	20.68	SEBA KLL-Q
15/01/2017	46.00	251,300	20.72	SEBA KLL-Q
15/01/2017	48.00	251,800	20.76	SEBA KLL-Q
15/01/2017	50.00	252,300	20.80	SEBA KLL-Q
15/01/2017	52.00	252,800	20.84	SEBA KLL-Q
15/01/2017	54.00	253,300	20.96	SEBA KLL-Q
15/01/2017	56.00	253,200	20.98	SEBA KLL-Q
15/01/2017	58.00	253,300	20.99	SEBA KLL-Q
15/01/2017	60.00	253,300	21.01	SEBA KLL-Q
15/01/2017	64.00	253,300	21.12	SEBA KLL-Q
15/01/2017	68.00	253,200	21.24	SEBA KLL-Q
23/04/2017	1.50	22,910	20.80	SEBA KLL-Q
23/04/2017	2.00	22,890	20.70	SEBA KLL-Q
23/04/2017	4.00	22,910	20.30	SEBA KLL-Q
23/04/2017	6.00	22,920	20.20	SEBA KLL-Q
23/04/2017	8.00	22,940	20.20	SEBA KLL-Q
23/04/2017	10.00	22,970	20.20	SEBA KLL-Q
23/04/2017	12.00	22,950	20.20	SEBA KLL-Q
23/04/2017	14.00	32,350	20.20	SEBA KLL-Q
23/04/2017	16.00	35,420	20.20	SEBA KLL-Q
23/04/2017	18.00	35,490	20.20	SEBA KLL-Q
23/04/2017	20.00	55,500	20.20	SEBA KLL-Q
23/04/2017	22.00	55,590	20.20	SEBA KLL-Q
23/04/2017	23.00	123,600	20.20	SEBA KLL-Q
23/04/2017	23.50	128,100	20.20	SEBA KLL-Q
23/04/2017	24.00	129,500	20.30	SEBA KLL-Q
23/04/2017	24.50	133,000	20.30	SEBA KLL-Q
23/04/2017	25.00	139,200	20.30	SEBA KLL-Q
23/04/2017	25.50	158,000	20.30	SEBA KLL-Q
23/04/2017	25.70	163,300	20.30	SEBA KLL-Q
23/04/2017	26.00	177,500	20.30	SEBA KLL-Q
23/04/2017	26.20	177,600	20.30	SEBA KLL-Q
23/04/2017	26.40	177,600	20.30	SEBA KLL-Q
23/04/2017	26.60	177,600	20.30	SEBA KLL-Q
23/04/2017	27.00	177,600	20.30	SEBA KLL-Q
23/04/2017	27.20	177,600	20.30	SEBA KLL-Q
23/04/2017	27.50	177,500	20.30	SEBA KLL-Q
23/04/2017	27.70	177,500	20.30	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/04/2017	28.00	177,500	20.30	SEBA KLL-Q
23/04/2017	28.50	177,500	20.30	SEBA KLL-Q
23/04/2017	29.00	177,400	20.30	SEBA KLL-Q
23/04/2017	29.50	177,500	20.30	SEBA KLL-Q
23/04/2017	30.00	177,300	20.30	SEBA KLL-Q
23/04/2017	30.50	177,400	20.30	SEBA KLL-Q
23/04/2017	31.00	177,300	20.30	SEBA KLL-Q
23/04/2017	32.00	177,400	20.30	SEBA KLL-Q
23/04/2017	33.00	178,100	20.40	SEBA KLL-Q
23/04/2017	33.50	184,300	20.40	SEBA KLL-Q
23/04/2017	33.70	185,700	20.40	SEBA KLL-Q
23/04/2017	33.90	185,900	20.40	SEBA KLL-Q
23/04/2017	34.10	186,200	20.40	SEBA KLL-Q
23/04/2017	34.30	186,300	20.40	SEBA KLL-Q
23/04/2017	34.50	186,600	20.40	SEBA KLL-Q
23/04/2017	35.00	189,800	20.40	SEBA KLL-Q
23/04/2017	35.20	192,100	20.40	SEBA KLL-Q
23/04/2017	35.40	193,600	20.40	SEBA KLL-Q
23/04/2017	35.60	196,000	20.40	SEBA KLL-Q
23/04/2017	35.80	202,500	20.40	SEBA KLL-Q
23/04/2017	36.00	206,500	20.40	SEBA KLL-Q
23/04/2017	37.00	212,700	20.50	SEBA KLL-Q
23/04/2017	38.00	236,400	20.50	SEBA KLL-Q
23/04/2017	40.00	255,600	20.50	SEBA KLL-Q
23/04/2017	42.00	255,600	20.40	SEBA KLL-Q
23/04/2017	44.00	256,200	20.60	SEBA KLL-Q
23/04/2017	46.00	258,900	20.60	SEBA KLL-Q
23/04/2017	48.00	258,900	20.70	SEBA KLL-Q
23/04/2017	50.00	260,000	20.70	SEBA KLL-Q
23/04/2017	52.00	260,300	20.70	SEBA KLL-Q
23/04/2017	54.00	260,900	20.80	SEBA KLL-Q
23/04/2017	56.00	260,800	20.80	SEBA KLL-Q
23/04/2017	58.00	260,700	20.90	SEBA KLL-Q
23/04/2017	60.00	260,700	20.90	SEBA KLL-Q
23/04/2017	62.00	260,600	21.00	SEBA KLL-Q
23/04/2017	64.00	260,600	21.00	SEBA KLL-Q
23/04/2017	66.00	260,500	21.10	SEBA KLL-Q
23/04/2017	68.00	260,400	21.10	SEBA KLL-Q
23/04/2017	70.00	260,400	21.20	SEBA KLL-Q
04/07/2017	1.50	19,110	20.02	SEBA KLL-Q
04/07/2017	2.00	19,130	20.08	SEBA KLL-Q
04/07/2017	4.00	19,110	20.30	SEBA KLL-Q
04/07/2017	6.00	19,090	20.29	SEBA KLL-Q
04/07/2017	8.00	19,070	20.29	SEBA KLL-Q
04/07/2017	10.00	19,070	20.29	SEBA KLL-Q
04/07/2017	12.00	19,030	20.29	SEBA KLL-Q
04/07/2017	14.00	24,840	20.29	SEBA KLL-Q
04/07/2017	16.00	26,840	20.29	SEBA KLL-Q
04/07/2017	18.00	26,970	20.29	SEBA KLL-Q
04/07/2017	20.00	26,920	20.29	SEBA KLL-Q
04/07/2017	22.00	88,450	20.30	SEBA KLL-Q
04/07/2017	23.00	91,200	20.29	SEBA KLL-Q
04/07/2017	23.50	91,330	20.30	SEBA KLL-Q
04/07/2017	24.00	91,450	20.28	SEBA KLL-Q
04/07/2017	25.00	92,200	20.28	SEBA KLL-Q
04/07/2017	26.00	102,400	20.29	SEBA KLL-Q
04/07/2017	26.50	122,800	20.31	SEBA KLL-Q
04/07/2017	26.70	144,500	20.40	SEBA KLL-Q
04/07/2017	26.90	144,700	20.43	SEBA KLL-Q
04/07/2017	27.10	144,800	20.43	SEBA KLL-Q
04/07/2017	27.30	144,700	20.43	SEBA KLL-Q
04/07/2017	27.50	144,700	20.44	SEBA KLL-Q
04/07/2017	28.00	144,700	20.44	SEBA KLL-Q
04/07/2017	29.00	144,700	20.44	SEBA KLL-Q
04/07/2017	30.00	144,700	20.44	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/07/2017	31.00	144,700	20.44	SEBA KLL-Q
04/07/2017	32.00	144,700	20.44	SEBA KLL-Q
04/07/2017	33.00	145,400	20.47	SEBA KLL-Q
04/07/2017	34.00	153,000	20.50	SEBA KLL-Q
04/07/2017	35.00	156,200	20.51	SEBA KLL-Q
04/07/2017	35.50	160,800	20.51	SEBA KLL-Q
04/07/2017	36.00	172,700	20.53	SEBA KLL-Q
04/07/2017	36.20	174,200	20.54	SEBA KLL-Q
04/07/2017	36.40	174,900	20.54	SEBA KLL-Q
04/07/2017	36.60	175,400	20.55	SEBA KLL-Q
04/07/2017	36.80	175,900	20.56	SEBA KLL-Q
04/07/2017	37.00	176,300	20.55	SEBA KLL-Q
04/07/2017	37.20	176,700	20.55	SEBA KLL-Q
04/07/2017	37.40	179,300	20.56	SEBA KLL-Q
04/07/2017	37.60	187,100	20.57	SEBA KLL-Q
04/07/2017	37.80	190,500	20.57	SEBA KLL-Q
04/07/2017	38.00	194,900	20.57	SEBA KLL-Q
04/07/2017	38.20	200,300	20.59	SEBA KLL-Q
04/07/2017	38.40	202,600	20.59	SEBA KLL-Q
04/07/2017	38.60	204,100	20.60	SEBA KLL-Q
04/07/2017	38.80	204,300	20.61	SEBA KLL-Q
04/07/2017	39.00	206,200	20.60	SEBA KLL-Q
04/07/2017	40.00	208,800	20.62	SEBA KLL-Q
04/07/2017	42.00	209,000	20.64	SEBA KLL-Q
04/07/2017	44.00	209,100	20.70	SEBA KLL-Q
04/07/2017	46.00	211,400	20.73	SEBA KLL-Q
04/07/2017	48.00	212,100	20.76	SEBA KLL-Q
04/07/2017	50.00	212,600	20.80	SEBA KLL-Q
04/07/2017	52.00	212,800	20.84	SEBA KLL-Q
04/07/2017	54.00	213,400	20.97	SEBA KLL-Q
04/07/2017	56.00	213,300	20.98	SEBA KLL-Q
04/07/2017	58.00	213,400	20.99	SEBA KLL-Q
04/07/2017	60.00	213,400	21.02	SEBA KLL-Q
04/07/2017	62.00	213,400	21.05	SEBA KLL-Q
04/07/2017	64.00	213,400	21.12	SEBA KLL-Q
04/07/2017	66.00	213,300	21.17	SEBA KLL-Q
04/07/2017	68.00	213,400	21.21	SEBA KLL-Q
04/07/2017	70.00	213,300	21.28	SEBA KLL-Q
09/10/2017	2.00	21,190	19.28	SEBA KLL-Q
09/10/2017	4.00	21,110	20.04	SEBA KLL-Q
09/10/2017	6.00	21,130	20.22	SEBA KLL-Q
09/10/2017	8.00	21,150	20.23	SEBA KLL-Q
09/10/2017	10.00	21,200	20.23	SEBA KLL-Q
09/10/2017	12.00	21,150	20.23	SEBA KLL-Q
09/10/2017	13.00	24,910	20.23	SEBA KLL-Q
09/10/2017	14.00	27,370	20.23	SEBA KLL-Q
09/10/2017	16.00	29,830	20.23	SEBA KLL-Q
09/10/2017	18.00	29,900	20.23	SEBA KLL-Q
09/10/2017	19.00	29,810	20.23	SEBA KLL-Q
09/10/2017	20.00	29,900	20.23	SEBA KLL-Q
09/10/2017	20.20	30,160	20.23	SEBA KLL-Q
09/10/2017	20.40	30,650	20.23	SEBA KLL-Q
09/10/2017	20.60	39,370	20.23	SEBA KLL-Q
09/10/2017	20.80	40,490	20.23	SEBA KLL-Q
09/10/2017	21.00	41,020	20.23	SEBA KLL-Q
09/10/2017	21.20	41,220	20.23	SEBA KLL-Q
09/10/2017	21.40	45,130	20.24	SEBA KLL-Q
09/10/2017	21.60	112,100	20.23	SEBA KLL-Q
09/10/2017	21.80	112,400	20.24	SEBA KLL-Q
09/10/2017	22.00	112,500	20.23	SEBA KLL-Q
09/10/2017	22.40	113,700	20.24	SEBA KLL-Q
09/10/2017	22.80	116,600	20.25	SEBA KLL-Q
09/10/2017	23.20	116,900	20.25	SEBA KLL-Q
09/10/2017	23.60	117,100	20.25	SEBA KLL-Q
09/10/2017	24.00	117,300	20.25	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/10/2017	24.50	117,900	20.24	SEBA KLL-Q
09/10/2017	25.00	119,200	20.23	SEBA KLL-Q
09/10/2017	25.40	121,100	20.21	SEBA KLL-Q
09/10/2017	25.80	135,100	20.23	SEBA KLL-Q
09/10/2017	26.20	150,800	20.25	SEBA KLL-Q
09/10/2017	26.40	164,200	20.29	SEBA KLL-Q
09/10/2017	26.60	170,900	20.36	SEBA KLL-Q
09/10/2017	26.80	171,000	20.36	SEBA KLL-Q
09/10/2017	27.00	171,100	20.36	SEBA KLL-Q
09/10/2017	27.50	171,100	20.36	SEBA KLL-Q
09/10/2017	28.00	171,100	20.37	SEBA KLL-Q
09/10/2017	29.00	171,100	20.38	SEBA KLL-Q
09/10/2017	30.00	171,200	20.37	SEBA KLL-Q
09/10/2017	31.00	171,300	20.39	SEBA KLL-Q
09/10/2017	32.00	171,300	20.40	SEBA KLL-Q
09/10/2017	33.00	172,200	20.40	SEBA KLL-Q
09/10/2017	33.40	178,500	20.42	SEBA KLL-Q
09/10/2017	33.80	180,600	20.42	SEBA KLL-Q
09/10/2017	34.20	181,000	20.42	SEBA KLL-Q
09/10/2017	34.60	181,900	20.43	SEBA KLL-Q
09/10/2017	35.00	184,800	20.42	SEBA KLL-Q
09/10/2017	35.20	186,700	20.42	SEBA KLL-Q
09/10/2017	35.40	188,700	20.43	SEBA KLL-Q
09/10/2017	35.60	191,100	20.44	SEBA KLL-Q
09/10/2017	35.80	197,100	20.44	SEBA KLL-Q
09/10/2017	36.00	203,800	20.45	SEBA KLL-Q
09/10/2017	36.20	205,600	20.46	SEBA KLL-Q
09/10/2017	36.40	206,700	20.47	SEBA KLL-Q
09/10/2017	36.60	207,300	20.47	SEBA KLL-Q
09/10/2017	36.80	208,100	20.47	SEBA KLL-Q
09/10/2017	37.00	208,400	20.48	SEBA KLL-Q
09/10/2017	37.20	209,100	20.48	SEBA KLL-Q
09/10/2017	37.40	212,300	20.49	SEBA KLL-Q
09/10/2017	37.60	222,100	20.49	SEBA KLL-Q
09/10/2017	38.00	230,500	20.51	SEBA KLL-Q
09/10/2017	38.40	238,900	20.51	SEBA KLL-Q
09/10/2017	38.80	240,900	20.52	SEBA KLL-Q
09/10/2017	39.20	244,700	20.53	SEBA KLL-Q
09/10/2017	39.60	245,400	20.53	SEBA KLL-Q
09/10/2017	40.00	246,000	20.54	SEBA KLL-Q
09/10/2017	42.00	246,100	20.57	SEBA KLL-Q
09/10/2017	44.00	246,300	20.61	SEBA KLL-Q
09/10/2017	46.00	248,900	20.64	SEBA KLL-Q
09/10/2017	48.00	249,800	20.68	SEBA KLL-Q
09/10/2017	50.00	250,300	20.71	SEBA KLL-Q
09/10/2017	52.00	250,500	20.75	SEBA KLL-Q
09/10/2017	54.00	251,000	20.86	SEBA KLL-Q
09/10/2017	56.00	251,100	20.88	SEBA KLL-Q
09/10/2017	58.00	251,100	20.91	SEBA KLL-Q
09/10/2017	60.00	251,100	20.95	SEBA KLL-Q
09/10/2017	62.00	251,100	21.01	SEBA KLL-Q
09/10/2017	64.00	251,000	21.06	SEBA KLL-Q
09/10/2017	66.00	251,000	21.12	SEBA KLL-Q
09/10/2017	68.00	251,100	21.19	SEBA KLL-Q
09/10/2017	70.00	251,100	21.22	SEBA KLL-Q
02/01/2018	2.0	20,290	20.80	SEBA KLL-Q
02/01/2018	4.0	20,150	20.50	SEBA KLL-Q
02/01/2018	6.0	20,150	20.40	SEBA KLL-Q
02/01/2018	8.0	20,140	20.40	SEBA KLL-Q
02/01/2018	10.0	20,190	20.40	SEBA KLL-Q
02/01/2018	12.0	20,160	20.40	SEBA KLL-Q
02/01/2018	14.0	20,360	20.40	SEBA KLL-Q
02/01/2018	16.0	28,160	20.40	SEBA KLL-Q
02/01/2018	18.0	28,360	20.40	SEBA KLL-Q
02/01/2018	20.0	28,340	20.40	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/01/2018	22.0	112,500	20.40	SEBA KLL-Q
02/01/2018	23.0	112,800	20.40	SEBA KLL-Q
02/01/2018	23.5	117,500	20.40	SEBA KLL-Q
02/01/2018	24.0	117,500	20.40	SEBA KLL-Q
02/01/2018	25.0	118,000	20.40	SEBA KLL-Q
02/01/2018	26.0	136,800	20.40	SEBA KLL-Q
02/01/2018	26.5	162,100	20.40	SEBA KLL-Q
02/01/2018	26.7	162,700	20.50	SEBA KLL-Q
02/01/2018	26.9	162,700	20.50	SEBA KLL-Q
02/01/2018	27.1	162,800	20.50	SEBA KLL-Q
02/01/2018	27.3	162,700	20.50	SEBA KLL-Q
02/01/2018	27.5	162,700	20.50	SEBA KLL-Q
02/01/2018	28.0	162,700	20.50	SEBA KLL-Q
02/01/2018	28.5	162,800	20.50	SEBA KLL-Q
02/01/2018	29.0	162,700	20.50	SEBA KLL-Q
02/01/2018	29.5	162,700	20.50	SEBA KLL-Q
02/01/2018	30.0	162,700	20.50	SEBA KLL-Q
02/01/2018	30.5	162,600	20.50	SEBA KLL-Q
02/01/2018	31.0	162,600	20.50	SEBA KLL-Q
02/01/2018	31.5	162,600	20.50	SEBA KLL-Q
02/01/2018	32.0	162,400	20.50	SEBA KLL-Q
02/01/2018	32.5	163,000	20.50	SEBA KLL-Q
02/01/2018	33.0	163,300	20.50	SEBA KLL-Q
02/01/2018	33.5	168,500	20.50	SEBA KLL-Q
02/01/2018	34.0	171,400	20.60	SEBA KLL-Q
02/01/2018	34.2	171,500	20.50	SEBA KLL-Q
02/01/2018	34.4	171,500	20.60	SEBA KLL-Q
02/01/2018	34.6	172,100	20.60	SEBA KLL-Q
02/01/2018	34.8	173,600	20.60	SEBA KLL-Q
02/01/2018	35.0	174,500	20.50	SEBA KLL-Q
02/01/2018	35.2	175,600	20.60	SEBA KLL-Q
02/01/2018	35.4	177,500	20.60	SEBA KLL-Q
02/01/2018	35.8	185,500	20.60	SEBA KLL-Q
02/01/2018	36.0	192,200	20.60	SEBA KLL-Q
02/01/2018	36.2	192,900	20.60	SEBA KLL-Q
02/01/2018	36.4	194,600	20.60	SEBA KLL-Q
02/01/2018	36.6	195,100	20.60	SEBA KLL-Q
02/01/2018	36.8	195,700	20.60	SEBA KLL-Q
02/01/2018	37.0	196,200	20.60	SEBA KLL-Q
02/01/2018	37.2	196,300	20.60	SEBA KLL-Q
02/01/2018	37.4	198,800	20.60	SEBA KLL-Q
02/01/2018	37.6	207,300	20.60	SEBA KLL-Q
02/01/2018	37.8	211,300	20.60	SEBA KLL-Q
02/01/2018	38.0	215,700	20.60	SEBA KLL-Q
02/01/2018	38.5	224,500	20.60	SEBA KLL-Q
02/01/2018	39.0	227,100	20.60	SEBA KLL-Q
02/01/2018	39.5	228,600	20.60	SEBA KLL-Q
02/01/2018	40.0	229,700	20.60	SEBA KLL-Q
02/01/2018	41.0	229,700	20.70	SEBA KLL-Q
02/01/2018	42.0	229,800	20.70	SEBA KLL-Q
02/01/2018	44.0	230,000	20.70	SEBA KLL-Q
02/01/2018	46.0	232,100	20.70	SEBA KLL-Q
02/01/2018	48.0	232,800	20.70	SEBA KLL-Q
02/01/2018	50.0	233,100	20.80	SEBA KLL-Q
02/01/2018	52.0	233,700	20.80	SEBA KLL-Q
02/01/2018	54.0	234,400	20.90	SEBA KLL-Q
02/01/2018	56.0	234,400	21.00	SEBA KLL-Q
02/01/2018	58.0	234,300	21.00	SEBA KLL-Q
02/01/2018	60.0	234,200	21.00	SEBA KLL-Q
02/01/2018	62.0	234,400	21.00	SEBA KLL-Q
02/01/2018	64.0	234,400	21.00	SEBA KLL-Q
02/01/2018	66.0	234,200	21.20	SEBA KLL-Q
02/01/2018	68.0	234,100	21.20	SEBA KLL-Q
02/01/2018	70.0	234,100	21.30	SEBA KLL-Q
02/01/2018	71.0	234,100	21.30	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/04/2018	1.6	22,160	21.43	SEBA KLL-Q
23/04/2018	1.8	22,160	21.35	SEBA KLL-Q
23/04/2018	2.0	22,180	21.22	SEBA KLL-Q
23/04/2018	2.2	22,200	21.12	SEBA KLL-Q
23/04/2018	2.4	22,200	21.00	SEBA KLL-Q
23/04/2018	2.6	22,190	20.90	SEBA KLL-Q
23/04/2018	2.8	22,200	20.80	SEBA KLL-Q
23/04/2018	3.0	22,210	20.70	SEBA KLL-Q
23/04/2018	3.5	22,210	20.60	SEBA KLL-Q
23/04/2018	4.0	22,210	20.50	SEBA KLL-Q
23/04/2018	4.5	22,200	20.40	SEBA KLL-Q
23/04/2018	5.0	22,210	20.40	SEBA KLL-Q
23/04/2018	6.0	22,220	20.30	SEBA KLL-Q
23/04/2018	7.0	22,220	20.30	SEBA KLL-Q
23/04/2018	8.0	22,220	20.30	SEBA KLL-Q
23/04/2018	9.0	22,230	20.30	SEBA KLL-Q
23/04/2018	10.0	22,240	20.30	SEBA KLL-Q
23/04/2018	12.0	22,400	20.30	SEBA KLL-Q
23/04/2018	14.0	28,530	20.30	SEBA KLL-Q
23/04/2018	15.0	29,740	20.30	SEBA KLL-Q
23/04/2018	16.0	30,250	20.30	SEBA KLL-Q
23/04/2018	16.5	30,310	20.30	SEBA KLL-Q
23/04/2018	17.0	30,400	20.30	SEBA KLL-Q
23/04/2018	17.5	30,350	20.30	SEBA KLL-Q
23/04/2018	18.0	30,250	20.30	SEBA KLL-Q
23/04/2018	19.0	30,470	20.30	SEBA KLL-Q
23/04/2018	20.0	30,610	20.30	SEBA KLL-Q
23/04/2018	21.0	42,010	20.30	SEBA KLL-Q
23/04/2018	22.0	118,200	20.30	SEBA KLL-Q
23/04/2018	22.5	120,800	20.30	SEBA KLL-Q
23/04/2018	23.0	122,100	20.30	SEBA KLL-Q
23/04/2018	23.5	122,200	20.30	SEBA KLL-Q
23/04/2018	24.0	122,300	20.30	SEBA KLL-Q
23/04/2018	25.0	123,800	20.30	SEBA KLL-Q
23/04/2018	26.0	142,700	20.30	SEBA KLL-Q
23/04/2018	26.5	165,900	20.40	SEBA KLL-Q
23/04/2018	26.7	166,100	20.40	SEBA KLL-Q
23/04/2018	26.9	166,200	20.40	SEBA KLL-Q
23/04/2018	27.0	166,100	20.40	SEBA KLL-Q
23/04/2018	27.5	166,200	20.40	SEBA KLL-Q
23/04/2018	28.0	166,100	20.40	SEBA KLL-Q
23/04/2018	29.0	166,200	20.50	SEBA KLL-Q
23/04/2018	30.0	166,200	20.50	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/04/2018	31.0	166,200	20.50	SEBA KLL-Q
23/04/2018	31.5	166,200	20.50	SEBA KLL-Q
23/04/2018	32.0	166,900	20.50	SEBA KLL-Q
23/04/2018	32.5	166,900	20.50	SEBA KLL-Q
23/04/2018	33.0	173,200	20.50	SEBA KLL-Q
23/04/2018	33.2	175,200	20.50	SEBA KLL-Q
23/04/2018	33.4	175,300	20.50	SEBA KLL-Q
23/04/2018	33.6	176,000	20.50	SEBA KLL-Q
23/04/2018	33.8	177,400	20.50	SEBA KLL-Q
23/04/2018	34.0	178,400	20.50	SEBA KLL-Q
23/04/2018	34.2	180,300	20.50	SEBA KLL-Q
23/04/2018	34.4	182,600	20.50	SEBA KLL-Q
23/04/2018	34.6	184,300	20.50	SEBA KLL-Q
23/04/2018	34.8	190,100	20.50	SEBA KLL-Q
23/04/2018	35.0	195,600	20.50	SEBA KLL-Q
23/04/2018	35.2	197,400	20.60	SEBA KLL-Q
23/04/2018	35.4	198,300	20.60	SEBA KLL-Q
23/04/2018	35.6	198,700	20.60	SEBA KLL-Q
23/04/2018	35.8	199,300	20.60	SEBA KLL-Q
23/04/2018	36.0	199,600	20.60	SEBA KLL-Q
23/04/2018	36.2	200,100	20.60	SEBA KLL-Q
23/04/2018	36.4	203,700	20.60	SEBA KLL-Q
23/04/2018	36.6	210,900	20.60	SEBA KLL-Q
23/04/2018	36.8	214,900	20.60	SEBA KLL-Q
23/04/2018	37.0	219,700	20.60	SEBA KLL-Q
23/04/2018	37.5	228,200	20.60	SEBA KLL-Q
23/04/2018	38.0	231,000	20.60	SEBA KLL-Q
23/04/2018	39.0	232,500	20.60	SEBA KLL-Q
23/04/2018	40.0	233,300	20.60	SEBA KLL-Q
23/04/2018	42.0	233,400	20.70	SEBA KLL-Q
23/04/2018	44.0	233,400	20.70	SEBA KLL-Q
23/04/2018	46.0	235,900	20.70	SEBA KLL-Q
23/04/2018	48.0	235,900	20.70	SEBA KLL-Q
23/04/2018	50.0	237,000	20.80	SEBA KLL-Q
23/04/2018	52.0	237,700	20.80	SEBA KLL-Q
23/04/2018	54.0	237,900	20.90	SEBA KLL-Q
23/04/2018	56.0	237,900	20.90	SEBA KLL-Q
23/04/2018	58.0	237,800	20.90	SEBA KLL-Q
23/04/2018	60.0	237,800	21.00	SEBA KLL-Q
23/04/2018	62.0	237,800	21.00	SEBA KLL-Q
23/04/2018	64.0	238,000	21.20	SEBA KLL-Q
23/04/2018	66.0	237,900	21.20	SEBA KLL-Q
23/04/2018	68.0	236,000	21.20	SEBA KLL-Q
23/04/2018	70.0	238,000	21.30	SEBA KLL-Q
27/07/2018	1.6	27,370	19.54	SEBA KLL-Q
27/07/2018	1.8	27,250	20.01	SEBA KLL-Q
27/07/2018	2.0	27,170	20.11	SEBA KLL-Q
27/07/2018	2.5	27,140	20.16	SEBA KLL-Q
27/07/2018	3.0	27,120	20.23	SEBA KLL-Q
27/07/2018	3.5	27,110	20.25	SEBA KLL-Q
27/07/2018	4.0	27,090	20.31	SEBA KLL-Q
27/07/2018	4.5	27,090	20.35	SEBA KLL-Q
27/07/2018	5.0	27,080	20.36	SEBA KLL-Q
27/07/2018	6.0	27,060	20.38	SEBA KLL-Q
27/07/2018	7.0	27,030	20.38	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
27/07/2018	8.0	27,050	20.37	SEBA KLL-Q
27/07/2018	10.0	27,050	20.38	SEBA KLL-Q
27/07/2018	12.0	27,240	20.37	SEBA KLL-Q
27/07/2018	14.0	34,280	20.36	SEBA KLL-Q
27/07/2018	15.0	36,310	20.36	SEBA KLL-Q
27/07/2018	16.0	36,710	20.37	SEBA KLL-Q
27/07/2018	17.0	36,960	20.36	SEBA KLL-Q
27/07/2018	18.0	36,930	20.36	SEBA KLL-Q
27/07/2018	20.0	37,080	20.38	SEBA KLL-Q
27/07/2018	22.0	116,900	20.35	SEBA KLL-Q
27/07/2018	22.2	117,300	20.34	SEBA KLL-Q
27/07/2018	22.4	118,000	20.37	SEBA KLL-Q
27/07/2018	22.6	118,400	20.34	SEBA KLL-Q
27/07/2018	22.8	118,600	20.34	SEBA KLL-Q
27/07/2018	23.0	118,700	20.34	SEBA KLL-Q
27/07/2018	23.5	118,700	20.34	SEBA KLL-Q
27/07/2018	24.0	118,700	20.33	SEBA KLL-Q
27/07/2018	25.0	118,800	20.34	SEBA KLL-Q
27/07/2018	26.0	128,600	20.33	SEBA KLL-Q
27/07/2018	26.2	129,400	20.34	SEBA KLL-Q
27/07/2018	26.4	151,400	20.35	SEBA KLL-Q
27/07/2018	26.6	183,300	20.38	SEBA KLL-Q
27/07/2018	26.8	195,900	20.46	SEBA KLL-Q
27/07/2018	27.0	196,700	20.48	SEBA KLL-Q
27/07/2018	27.5	196,700	20.51	SEBA KLL-Q
27/07/2018	28.0	196,800	20.49	SEBA KLL-Q
27/07/2018	28.5	196,800	20.48	SEBA KLL-Q
27/07/2018	29.0	196,800	20.46	SEBA KLL-Q
27/07/2018	30.0	196,900	20.48	SEBA KLL-Q
27/07/2018	31.0	196,900	20.48	SEBA KLL-Q
27/07/2018	32.0	196,900	20.49	SEBA KLL-Q
27/07/2018	33.0	197,800	20.48	SEBA KLL-Q
27/07/2018	34.0	207,900	20.53	SEBA KLL-Q
27/07/2018	34.2	208,200	20.54	SEBA KLL-Q
27/07/2018	34.4	208,400	20.53	SEBA KLL-Q
27/07/2018	34.6	210,900	20.53	SEBA KLL-Q
27/07/2018	34.8	211,000	20.55	SEBA KLL-Q
27/07/2018	35.0	212,000	20.54	SEBA KLL-Q
27/07/2018	35.5	216,700	20.55	SEBA KLL-Q
27/07/2018	36.0	217,700	20.57	SEBA KLL-Q
27/07/2018	36.5	233,800	20.53	SEBA KLL-Q
27/07/2018	37.0	238,500	20.62	SEBA KLL-Q
27/07/2018	37.5	238,900	20.63	SEBA KLL-Q
27/07/2018	38.0	262,400	20.62	SEBA KLL-Q
27/07/2018	38.5	272,800	20.63	SEBA KLL-Q
27/07/2018	39.0	275,400	20.64	SEBA KLL-Q
27/07/2018	39.5	275,600	20.64	SEBA KLL-Q
27/07/2018	40.0	278,700	20.67	SEBA KLL-Q
27/07/2018	41.0	279,000	20.67	SEBA KLL-Q
27/07/2018	42.0	279,000	20.69	SEBA KLL-Q
27/07/2018	44.0	279,200	20.71	SEBA KLL-Q
27/07/2018	46.0	281,800	20.75	SEBA KLL-Q
27/07/2018	48.0	282,000	20.78	SEBA KLL-Q
27/07/2018	50.0	283,300	20.73	SEBA KLL-Q
27/07/2018	52.0	283,600	20.74	SEBA KLL-Q
27/07/2018	54.0	283,800	20.86	SEBA KLL-Q
27/07/2018	56.0	284,400	20.91	SEBA KLL-Q
27/07/2018	58.0	284,500	21.06	SEBA KLL-Q
27/07/2018	60.0	284,600	21.03	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/08/2018	2.0	23,090	19.84	SEBA KLL-Q
26/08/2018	2.5	23,040	20.15	SEBA KLL-Q
26/08/2018	3.0	22,990	20.26	SEBA KLL-Q
26/08/2018	4.0	22,980	20.32	SEBA KLL-Q
26/08/2018	6.0	22,950	20.41	SEBA KLL-Q
26/08/2018	8.0	22,950	20.44	SEBA KLL-Q
26/08/2018	10.0	22,980	20.41	SEBA KLL-Q
26/08/2018	12.0	28,940	20.43	SEBA KLL-Q
26/08/2018	14.0	28,930	20.44	SEBA KLL-Q
26/08/2018	16.0	31,040	20.43	SEBA KLL-Q
26/08/2018	18.0	31,420	20.42	SEBA KLL-Q
26/08/2018	20.0	31,590	20.41	SEBA KLL-Q
26/08/2018	22.0	110,600	20.4	SEBA KLL-Q
26/08/2018	22.2	110,800	20.39	SEBA KLL-Q
26/08/2018	22.4	111,600	20.39	SEBA KLL-Q
26/08/2018	22.6	112,200	20.38	SEBA KLL-Q
26/08/2018	22.8	112,300	20.38	SEBA KLL-Q
26/08/2018	23.0	112,400	20.4	SEBA KLL-Q
26/08/2018	23.5	112,400	20.39	SEBA KLL-Q
26/08/2018	24.0	112,500	20.4	SEBA KLL-Q
26/08/2018	24.5	112,500	20.41	SEBA KLL-Q
26/08/2018	25.0	112,800	20.37	SEBA KLL-Q
26/08/2018	25.5	113,600	20.35	SEBA KLL-Q
26/08/2018	26.0	124,500	20.37	SEBA KLL-Q
26/08/2018	26.5	150,300	20.41	SEBA KLL-Q
26/08/2018	27.0	176,900	20.54	SEBA KLL-Q
26/08/2018	27.2	176,900	20.52	SEBA KLL-Q
26/08/2018	27.4	177,000	20.52	SEBA KLL-Q
26/08/2018	27.6	177,100	20.54	SEBA KLL-Q
26/08/2018	27.8	177,000	20.51	SEBA KLL-Q
26/08/2018	28.0	177,100	20.52	SEBA KLL-Q
26/08/2018	29.0	177,100	20.52	SEBA KLL-Q
26/08/2018	30.0	177,100	20.55	SEBA KLL-Q
26/08/2018	32.0	177,200	20.51	SEBA KLL-Q
26/08/2018	33.0	178,000	20.57	SEBA KLL-Q
26/08/2018	33.5	184,800	20.58	SEBA KLL-Q
26/08/2018	34.0	187,000	20.57	SEBA KLL-Q
26/08/2018	34.5	187,500	20.56	SEBA KLL-Q
26/08/2018	35.0	187,500	20.57	SEBA KLL-Q
26/08/2018	35.5	195,500	20.61	SEBA KLL-Q
26/08/2018	36.0	208,700	20.61	SEBA KLL-Q
26/08/2018	36.2	211,700	20.61	SEBA KLL-Q
26/08/2018	36.4	212,500	20.62	SEBA KLL-Q
26/08/2018	36.6	219,100	20.62	SEBA KLL-Q
26/08/2018	36.8	213,800	20.63	SEBA KLL-Q
26/08/2018	37.0	214,300	20.63	SEBA KLL-Q
26/08/2018	37.5	221,900	20.64	SEBA KLL-Q
26/08/2018	38.0	222,100	20.62	SEBA KLL-Q
26/08/2018	38.5	235,700	20.63	SEBA KLL-Q
26/08/2018	39.0	245,300	20.66	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/08/2018	40.0	251,000	20.62	SEBA KLL-Q
26/08/2018	40.5	251,100	20.7	SEBA KLL-Q
26/08/2018	41.0	251,100	20.69	SEBA KLL-Q
26/08/2018	42.0	251,200	20.7	SEBA KLL-Q
26/08/2018	44.0	251,400	20.74	SEBA KLL-Q
26/08/2018	46.0	254,000	20.76	SEBA KLL-Q
26/08/2018	48.0	254,800	20.76	SEBA KLL-Q
26/08/2018	50.0	255,200	20.84	SEBA KLL-Q
26/08/2018	52.0	255,600	20.89	SEBA KLL-Q
26/08/2018	54.0	256,200	20.9	SEBA KLL-Q
26/08/2018	56.0	256,200	20.91	SEBA KLL-Q
26/08/2018	58.0	256,300	21.06	SEBA KLL-Q
26/08/2018	60.0	256,300	21.09	SEBA KLL-Q
26/08/2018	62.0	256,400	21.12	SEBA KLL-Q
26/08/2018	64.0	256,300	21.18	SEBA KLL-Q
26/08/2018	66.0	256,400	21.22	SEBA KLL-Q
26/08/2018	68.0	256,300	21.29	SEBA KLL-Q
26/08/2018	69.0	256,300	21.31	SEBA KLL-Q
26/08/2018	70.0	256,300	21.31	SEBA KLL-Q
05/09/2018	1.5	21,370	19.86	SEBA KLL-Q
05/09/2018	1.7	21,430	19.86	SEBA KLL-Q
05/09/2018	1.9	21,420	20.15	SEBA KLL-Q
05/09/2018	2.2	21,460	20.22	SEBA KLL-Q
05/09/2018	2.5	21,460	20.20	SEBA KLL-Q
05/09/2018	3.0	21,470	20.30	SEBA KLL-Q
05/09/2018	4.0	21,460	20.30	SEBA KLL-Q
05/09/2018	5.0	21,470	20.40	SEBA KLL-Q
05/09/2018	6.0	21,460	20.50	SEBA KLL-Q
05/09/2018	8.0	21,460	20.50	SEBA KLL-Q
05/09/2018	10.0	21,490	20.50	SEBA KLL-Q
05/09/2018	12.0	21,460	20.50	SEBA KLL-Q
05/09/2018	14.0	26,890	20.50	SEBA KLL-Q
05/09/2018	16.0	29,030	20.50	SEBA KLL-Q
05/09/2018	16.5	29,050	20.50	SEBA KLL-Q
05/09/2018	17.0	29,240	20.50	SEBA KLL-Q
05/09/2018	18.0	29,320	20.50	SEBA KLL-Q
05/09/2018	18.5	29,330	20.50	SEBA KLL-Q
05/09/2018	19.0	29,360	20.50	SEBA KLL-Q
05/09/2018	19.5	29,450	20.50	SEBA KLL-Q
05/09/2018	20.0	29,690	20.50	SEBA KLL-Q
05/09/2018	20.5	40,260	20.50	SEBA KLL-Q
05/09/2018	21.0	82,690	20.50	SEBA KLL-Q
05/09/2018	21.2	104,800	20.50	SEBA KLL-Q
05/09/2018	21.4	115,800	20.50	SEBA KLL-Q
05/09/2018	21.6	116,900	20.50	SEBA KLL-Q
05/09/2018	21.8	117,000	20.50	SEBA KLL-Q
05/09/2018	22.0	117,000	20.50	SEBA KLL-Q
05/09/2018	23.0	119,300	20.50	SEBA KLL-Q
05/09/2018	24.0	119,400	20.50	SEBA KLL-Q
05/09/2018	25.0	120,300	20.50	SEBA KLL-Q
05/09/2018	26.0	134,700	20.50	SEBA KLL-Q
05/09/2018	26.5	165,600	20.50	SEBA KLL-Q
05/09/2018	26.7	176,100	20.60	SEBA KLL-Q
05/09/2018	26.9	177,900	20.60	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/09/2018	27.2	176,500	20.60	SEBA KLL-Q
05/09/2018	27.4	176,100	20.60	SEBA KLL-Q
05/09/2018	27.6	176,200	20.60	SEBA KLL-Q
05/09/2018	27.8	176,200	20.60	SEBA KLL-Q
05/09/2018	28.0	176,300	20.60	SEBA KLL-Q
05/09/2018	28.5	176,300	20.60	SEBA KLL-Q
05/09/2018	29.0	176,200	20.60	SEBA KLL-Q
05/09/2018	30.0	176,200	20.60	SEBA KLL-Q
05/09/2018	31.0	176,300	20.60	SEBA KLL-Q
05/09/2018	32.0	176,200	20.60	SEBA KLL-Q
05/09/2018	32.5	176,700	20.60	SEBA KLL-Q
05/09/2018	33.0	176,100	20.60	SEBA KLL-Q
05/09/2018	33.5	183,900	20.70	SEBA KLL-Q
05/09/2018	33.7	185,300	20.70	SEBA KLL-Q
05/09/2018	33.9	186,000	20.70	SEBA KLL-Q
05/09/2018	34.2	186,300	20.70	SEBA KLL-Q
05/09/2018	34.4	186,400	20.70	SEBA KLL-Q
05/09/2018	35.0	189,700	20.70	SEBA KLL-Q
05/09/2018	35.2	191,600	20.70	SEBA KLL-Q
05/09/2018	35.4	193,600	20.70	SEBA KLL-Q
05/09/2018	35.6	196,300	20.70	SEBA KLL-Q
05/09/2018	35.8	201,600	20.60	SEBA KLL-Q
05/09/2018	36.0	209,300	20.60	SEBA KLL-Q
05/09/2018	36.5	212,200	20.70	SEBA KLL-Q
05/09/2018	37.0	213,500	20.70	SEBA KLL-Q
05/09/2018	38.0	235,700	20.70	SEBA KLL-Q
05/09/2018	39.0	248,200	20.70	SEBA KLL-Q
05/09/2018	40.0	251,800	20.70	SEBA KLL-Q
05/09/2018	42.0	256,900	20.80	SEBA KLL-Q
05/09/2018	44.0	252,300	20.80	SEBA KLL-Q
05/09/2018	46.0	254,900	20.80	SEBA KLL-Q
05/09/2018	48.0	255,600	20.90	SEBA KLL-Q
05/09/2018	50.0	256,200	20.90	SEBA KLL-Q
05/09/2018	52.0	256,600	20.90	SEBA KLL-Q
05/09/2018	54.0	257,200	21.00	SEBA KLL-Q
05/09/2018	56.0	257,300	21.00	SEBA KLL-Q
05/09/2018	58.0	257,300	21.00	SEBA KLL-Q
05/09/2018	60.0	257,300	21.10	SEBA KLL-Q
05/09/2018	62.0	257,300	21.10	SEBA KLL-Q
05/09/2018	64.0	257,400	21.20	SEBA KLL-Q
05/09/2018	66.0	257,500	21.30	SEBA KLL-Q
05/09/2018	68.0	257,500	21.30	SEBA KLL-Q
05/09/2018	70.0	257,300	21.40	SEBA KLL-Q
05/09/2018	71.0	257,400	21	SEBA KLL-Q
13/11/2018	2.0	22,770	20.43	SEBA KLL-Q
13/11/2018	2.5	22,740	20.39	SEBA KLL-Q
13/11/2018	3.0	22,720	20.37	SEBA KLL-Q
13/11/2018	4.0	22,750	20.37	SEBA KLL-Q
13/11/2018	6.0	22,730	20.38	SEBA KLL-Q
13/11/2018	8.0	22,730	20.38	SEBA KLL-Q
13/11/2018	10.0	22,810	20.38	SEBA KLL-Q
13/11/2018	12.0	23,150	20.38	SEBA KLL-Q
13/11/2018	14.0	29,340	20.37	SEBA KLL-Q
13/11/2018	16.0	30,530	20.37	SEBA KLL-Q
13/11/2018	18.0	30,680	20.37	SEBA KLL-Q
13/11/2018	20.0	30,500	20.38	SEBA KLL-Q
13/11/2018	21.0	45,220	20.37	SEBA KLL-Q
13/11/2018	21.2	45,360	20.37	SEBA KLL-Q
13/11/2018	21.4	45,370	20.37	SEBA KLL-Q
13/11/2018	21.6	119,400	20.37	SEBA KLL-Q
13/11/2018	21.8	119,600	20.36	SEBA KLL-Q
13/11/2018	22.0	119,600	20.37	SEBA KLL-Q
13/11/2018	22.2	120,700	20.38	SEBA KLL-Q
13/11/2018	22.4	121,500	20.36	SEBA KLL-Q
13/11/2018	22.6	122,500	20.37	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/11/2018	22.8	122,900	20.38	SEBA KLL-Q
13/11/2018	23.0	123,100	20.37	SEBA KLL-Q
13/11/2018	23.5	123,200	20.36	SEBA KLL-Q
13/11/2018	24.0	123,200	20.37	SEBA KLL-Q
13/11/2018	24.5	123,300	20.36	SEBA KLL-Q
13/11/2018	25.0	123,600	20.34	SEBA KLL-Q
13/11/2018	25.5	124,800	20.32	SEBA KLL-Q
13/11/2018	26.0	146,800	20.38	SEBA KLL-Q
13/11/2018	26.2	156,100	20.37	SEBA KLL-Q
13/11/2018	26.4	166,500	20.38	SEBA KLL-Q
13/11/2018	26.6	171,200	20.41	SEBA KLL-Q
13/11/2018	26.8	171,400	20.43	SEBA KLL-Q
13/11/2018	27.0	171,400	20.44	SEBA KLL-Q
13/11/2018	27.2	171,300	20.46	SEBA KLL-Q
13/11/2018	27.4	171,500	20.45	SEBA KLL-Q
13/11/2018	27.6	171,300	20.47	SEBA KLL-Q
13/11/2018	27.8	171,400	20.47	SEBA KLL-Q
13/11/2018	28.0	171,400	20.46	SEBA KLL-Q
13/11/2018	28.5	171,300	20.48	SEBA KLL-Q
13/11/2018	29.0	171,200	20.48	SEBA KLL-Q
13/11/2018	30.0	171,400	20.47	SEBA KLL-Q
13/11/2018	31.0	171,400	20.48	SEBA KLL-Q
13/11/2018	33.0	171,400	20.50	SEBA KLL-Q
13/11/2018	34.0	172,200	20.50	SEBA KLL-Q
13/11/2018	34.5	178,600	20.52	SEBA KLL-Q
13/11/2018	35.0	183,800	20.54	SEBA KLL-Q
13/11/2018	35.2	186,300	20.55	SEBA KLL-Q
13/11/2018	35.4	187,900	20.54	SEBA KLL-Q
13/11/2018	35.6	190,200	20.54	SEBA KLL-Q
13/11/2018	35.8	196,800	20.54	SEBA KLL-Q
13/11/2018	36.0	201,900	20.55	SEBA KLL-Q
13/11/2018	36.2	203,500	20.58	SEBA KLL-Q
13/11/2018	36.4	204,200	20.57	SEBA KLL-Q
13/11/2018	36.6	204,500	20.58	SEBA KLL-Q
13/11/2018	36.8	205,300	20.58	SEBA KLL-Q
13/11/2018	37.0	205,300	20.58	SEBA KLL-Q
13/11/2018	37.5	215,300	20.61	SEBA KLL-Q
13/11/2018	38.0	226,100	20.61	SEBA KLL-Q
13/11/2018	38.2	230,700	20.61	SEBA KLL-Q
13/11/2018	38.4	232,600	20.64	SEBA KLL-Q
13/11/2018	38.6	233,700	20.62	SEBA KLL-Q
13/11/2018	38.8	233,800	20.63	SEBA KLL-Q
13/11/2018	39.0	235,900	20.64	SEBA KLL-Q
13/11/2018	39.5	237,500	20.64	SEBA KLL-Q
13/11/2018	40.0	238,000	20.65	SEBA KLL-Q
13/11/2018	41.0	238,200	20.66	SEBA KLL-Q
13/11/2018	42.0	238,200	20.68	SEBA KLL-Q
13/11/2018	44.0	238,400	20.70	SEBA KLL-Q
13/11/2018	46.0	240,700	20.72	SEBA KLL-Q
13/11/2018	48.0	241,100	20.73	SEBA KLL-Q
13/11/2018	50.0	241,800	20.74	SEBA KLL-Q
13/11/2018	52.0	242,200	20.86	SEBA KLL-Q
13/11/2018	55.0	242,700	20.99	SEBA KLL-Q
13/11/2018	58.0	242,800	21.01	SEBA KLL-Q
13/11/2018	61.0	242,700	21.03	SEBA KLL-Q
13/11/2018	64.0	242,700	21.12	SEBA KLL-Q
13/11/2018	67.0	242,700	21.26	SEBA KLL-Q
13/11/2018	70.0	242,700	21.32	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/07/2017	2.00	12,520	20.26	SEBA KLL-Q
14/07/2017	4.00	12,470	20.51	SEBA KLL-Q
14/07/2017	6.00	12,470	20.65	SEBA KLL-Q
14/07/2017	8.00	12,470	20.65	SEBA KLL-Q
14/07/2017	10.00	12,450	20.65	SEBA KLL-Q
14/07/2017	12.00	12,440	20.65	SEBA KLL-Q
14/07/2017	14.00	12,440	20.65	SEBA KLL-Q
14/07/2017	16.00	12,450	20.65	SEBA KLL-Q
14/07/2017	18.00	12,450	20.65	SEBA KLL-Q
14/07/2017	20.00	12,550	20.66	SEBA KLL-Q
14/07/2017	22.00	12,580	20.67	SEBA KLL-Q
14/07/2017	24.00	12,840	20.69	SEBA KLL-Q
14/07/2017	26.00	13,360	20.73	SEBA KLL-Q
14/07/2017	28.00	23,820	21.70	SEBA KLL-Q
14/07/2017	30.00	26,360	21.99	SEBA KLL-Q
14/07/2017	32.00	27,710	21.81	SEBA KLL-Q
14/07/2017	34.00	29,640	22.20	SEBA KLL-Q
14/07/2017	36.00	29,680	22.29	SEBA KLL-Q
14/07/2017	38.00	29,680	22.30	SEBA KLL-Q
14/07/2017	40.00	29,700	22.29	SEBA KLL-Q
14/07/2017	42.00	29,680	22.29	SEBA KLL-Q
14/07/2017	44.00	29,670	22.30	SEBA KLL-Q
14/07/2017	46.00	29,690	22.30	SEBA KLL-Q
14/07/2017	48.00	29,670	22.30	SEBA KLL-Q
14/07/2017	50.00	29,690	22.29	SEBA KLL-Q
14/07/2017	52.00	29,670	22.30	SEBA KLL-Q
14/07/2017	54.00	29,640	22.30	SEBA KLL-Q
14/07/2017	56.00	29,660	22.30	SEBA KLL-Q
14/07/2017	58.00	29,660	22.30	SEBA KLL-Q
14/07/2017	60.00	36,900	22.44	SEBA KLL-Q
14/07/2017	61.00	37,250	22.48	SEBA KLL-Q
14/07/2017	62.00	37,350	22.49	SEBA KLL-Q
14/07/2017	62.50	37,420	22.49	SEBA KLL-Q
14/07/2017	63.00	37,680	22.51	SEBA KLL-Q
14/07/2017	63.20	37,710	22.51	SEBA KLL-Q
14/07/2017	63.40	37,710	22.51	SEBA KLL-Q
14/07/2017	63.60	37,710	22.51	SEBA KLL-Q
14/07/2017	63.80	139,100	22.63	SEBA KLL-Q
14/07/2017	64.00	139,200	22.62	SEBA KLL-Q
14/07/2017	64.50	139,200	22.63	SEBA KLL-Q
14/07/2017	65.00	139,100	22.63	SEBA KLL-Q
14/07/2017	66.00	139,200	22.62	SEBA KLL-Q
14/07/2017	68.00	139,200	22.62	SEBA KLL-Q
14/07/2017	70.00	139,300	22.63	SEBA KLL-Q
14/07/2017	72.00	139,300	22.63	SEBA KLL-Q
14/07/2017	74.00	139,300	22.63	SEBA KLL-Q
14/07/2017	76.00	139,200	22.63	SEBA KLL-Q
14/07/2017	78.00	139,300	22.63	SEBA KLL-Q
14/07/2017	80.00	139,200	22.63	SEBA KLL-Q
14/07/2017	82.00	139,200	22.63	SEBA KLL-Q
14/07/2017	84.00	139,300	22.63	SEBA KLL-Q
14/07/2017	86.00	139,300	22.63	SEBA KLL-Q
14/07/2017	88.00	139,300	22.63	SEBA KLL-Q
14/07/2017	90.00	148,700	22.66	SEBA KLL-Q
14/07/2017	91.00	148,800	22.66	SEBA KLL-Q
14/07/2017	92.00	149,100	22.66	SEBA KLL-Q
14/07/2017	93.00	149,700	22.66	SEBA KLL-Q
14/07/2017	94.00	150,200	22.67	SEBA KLL-Q
14/07/2017	95.00	151,300	22.67	SEBA KLL-Q
14/07/2017	96.00	152,400	22.67	SEBA KLL-Q
14/07/2017	97.00	158,100	22.69	SEBA KLL-Q
14/07/2017	98.00	184,700	22.78	SEBA KLL-Q
14/07/2017	98.50	184,800	22.81	SEBA KLL-Q
14/07/2017	99.00	185,200	22.81	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/07/2017	99.50	186,700	22.81	SEBA KLL-Q
14/07/2017	100.00	186,300	22.80	SEBA KLL-Q
14/07/2017	100.50	180,700	22.80	SEBA KLL-Q
14/07/2017	101.00	252,000	23.63	SEBA KLL-Q
14/07/2017	102.00	252,000	23.74	SEBA KLL-Q
14/07/2017	104.00	251,900	23.75	SEBA KLL-Q
14/07/2017	106.00	251,900	23.79	SEBA KLL-Q
14/07/2017	108.00	251,900	23.77	SEBA KLL-Q
14/07/2017	110.00	251,900	23.78	SEBA KLL-Q
14/07/2017	112.00	251,900	23.78	SEBA KLL-Q
14/07/2017	114.00	251,800	23.78	SEBA KLL-Q
14/07/2017	116.00	251,800	23.81	SEBA KLL-Q
14/07/2017	118.00	251,900	23.81	SEBA KLL-Q
14/07/2017	120.00	251,600	23.87	SEBA KLL-Q
14/07/2017	122.00	251,500	23.88	SEBA KLL-Q
14/07/2017	124.00	251,600	23.88	SEBA KLL-Q
14/07/2017	126.00	251,500	23.90	SEBA KLL-Q
14/07/2017	128.00	251,500	23.92	SEBA KLL-Q
14/07/2017	130.00	251,500	23.98	SEBA KLL-Q
14/07/2017	132.00	251,500	23.97	SEBA KLL-Q
14/07/2017	134.00	251,500	23.99	SEBA KLL-Q
14/07/2017	136.00	251,500	24.05	SEBA KLL-Q
14/07/2017	138.00	251,600	24.11	SEBA KLL-Q
14/07/2017	139.00	251,600	24.19	SEBA KLL-Q
16/12/2017	1.00	14,500	20.91	SEBA KLL-Q
16/12/2017	2.00	14,490	20.80	SEBA KLL-Q
16/12/2017	4.00	14,480	20.86	SEBA KLL-Q
16/12/2017	6.00	14,500	20.85	SEBA KLL-Q
16/12/2017	8.00	14,470	20.84	SEBA KLL-Q
16/12/2017	10.00	14,560	20.88	SEBA KLL-Q
16/12/2017	12.00	14,590	20.85	SEBA KLL-Q
16/12/2017	14.00	14,590	20.96	SEBA KLL-Q
16/12/2017	16.00	14,640	20.84	SEBA KLL-Q
16/12/2017	18.00	14,680	20.83	SEBA KLL-Q
16/12/2017	20.00	14,730	20.93	SEBA KLL-Q
16/12/2017	22.00	14,860	20.92	SEBA KLL-Q
16/12/2017	24.00	15,110	20.89	SEBA KLL-Q
16/12/2017	26.00	15,810	21.01	SEBA KLL-Q
16/12/2017	28.00	28,000	21.97	SEBA KLL-Q
16/12/2017	28.50	28,240	22.01	SEBA KLL-Q
16/12/2017	29.00	28,780	22.16	SEBA KLL-Q
16/12/2017	30.00	30,870	22.32	SEBA KLL-Q
16/12/2017	31.00	31,150	22.30	SEBA KLL-Q
16/12/2017	32.00	32,530	22.39	SEBA KLL-Q
16/12/2017	33.00	32,970	22.42	SEBA KLL-Q
16/12/2017	34.00	34,410	22.49	SEBA KLL-Q
16/12/2017	35.00	34,810	22.56	SEBA KLL-Q
16/12/2017	36.00	34,800	22.58	SEBA KLL-Q
16/12/2017	38.00	34,810	22.59	SEBA KLL-Q
16/12/2017	40.00	34,820	22.57	SEBA KLL-Q
16/12/2017	42.00	34,820	22.57	SEBA KLL-Q
16/12/2017	44.00	34,850	22.57	SEBA KLL-Q
16/12/2017	46.00	34,860	22.54	SEBA KLL-Q
16/12/2017	48.00	34,870	22.53	SEBA KLL-Q
16/12/2017	50.00	34,840	22.64	SEBA KLL-Q
16/12/2017	52.00	34,890	22.53	SEBA KLL-Q
16/12/2017	54.00	34,930	22.50	SEBA KLL-Q
16/12/2017	56.00	34,940	22.49	SEBA KLL-Q
16/12/2017	58.00	34,960	22.49	SEBA KLL-Q
16/12/2017	60.00	38,930	22.58	SEBA KLL-Q
16/12/2017	62.00	45,840	22.77	SEBA KLL-Q
16/12/2017	63.00	46,700	22.80	SEBA KLL-Q
16/12/2017	64.00	153,200	22.83	SEBA KLL-Q
16/12/2017	64.20	153,700	22.82	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/12/2017	64.40	154,100	22.80	SEBA KLL-Q
16/12/2017	64.60	154,300	22.81	SEBA KLL-Q
16/12/2017	64.80	154,700	22.78	SEBA KLL-Q
16/12/2017	65.00	154,800	22.81	SEBA KLL-Q
16/12/2017	65.50	155,200	22.76	SEBA KLL-Q
16/12/2017	66.00	155,400	22.75	SEBA KLL-Q
16/12/2017	67.00	155,500	22.76	SEBA KLL-Q
16/12/2017	68.00	155,700	22.75	SEBA KLL-Q
16/12/2017	70.00	156,000	22.72	SEBA KLL-Q
16/12/2017	72.00	156,100	22.72	SEBA KLL-Q
16/12/2017	74.00	156,200	22.72	SEBA KLL-Q
16/12/2017	76.00	156,100	22.72	SEBA KLL-Q
16/12/2017	78.00	156,100	22.73	SEBA KLL-Q
16/12/2017	80.00	156,200	22.73	SEBA KLL-Q
16/12/2017	82.00	156,300	22.73	SEBA KLL-Q
16/12/2017	84.00	156,300	22.72	SEBA KLL-Q
16/12/2017	86.00	156,500	22.73	SEBA KLL-Q
16/12/2017	88.00	157,100	22.72	SEBA KLL-Q
16/12/2017	90.00	166,500	22.76	SEBA KLL-Q
16/12/2017	91.00	166,600	22.76	SEBA KLL-Q
16/12/2017	92.00	166,700	22.77	SEBA KLL-Q
16/12/2017	94.00	167,900	22.76	SEBA KLL-Q
16/12/2017	96.00	170,100	22.77	SEBA KLL-Q
16/12/2017	98.00	202,900	22.89	SEBA KLL-Q
16/12/2017	98.50	203,500	22.90	SEBA KLL-Q
16/12/2017	99.00	202,300	22.89	SEBA KLL-Q
16/12/2017	100.00	200,400	22.88	SEBA KLL-Q
16/12/2017	102.00	280,900	23.80	SEBA KLL-Q
16/12/2017	102.50	281,200	23.87	SEBA KLL-Q
16/12/2017	103.00	281,700	23.89	SEBA KLL-Q
16/12/2017	104.00	281,700	23.89	SEBA KLL-Q
16/12/2017	106.00	282,400	23.90	SEBA KLL-Q
16/12/2017	108.00	282,700	23.91	SEBA KLL-Q
16/12/2017	110.00	283,000	23.90	SEBA KLL-Q
16/12/2017	112.00	283,100	23.91	SEBA KLL-Q
16/12/2017	114.00	283,300	23.92	SEBA KLL-Q
16/12/2017	116.00	283,100	23.93	SEBA KLL-Q
16/12/2017	118.00	283,200	23.94	SEBA KLL-Q
16/12/2017	120.00	283,100	23.94	SEBA KLL-Q
16/12/2017	122.00	282,900	24.00	SEBA KLL-Q
16/12/2017	124.00	282,900	24.00	SEBA KLL-Q
16/12/2017	126.00	282,900	24.04	SEBA KLL-Q
16/12/2017	128.00	282,800	24.07	SEBA KLL-Q
16/12/2017	130.00	282,700	24.09	SEBA KLL-Q
16/12/2017	132.00	282,500	24.10	SEBA KLL-Q
16/12/2017	134.00	282,300	24.10	SEBA KLL-Q
16/12/2017	136.00	282,300	24.18	SEBA KLL-Q
16/12/2017	138.00	282,200	24.24	SEBA KLL-Q
29/03/2018	0.8	11,000	20.00	Solinst TLC 107
29/03/2018	1.0	11,300	20.40	Solinst TLC 107
29/03/2018	1.2	11,400	20.50	Solinst TLC 107
29/03/2018	1.4	11,500	20.50	Solinst TLC 107
29/03/2018	1.6	11,500	20.50	Solinst TLC 107
29/03/2018	1.8	11,600	20.60	Solinst TLC 107
29/03/2018	2.0	11,600	20.60	Solinst TLC 107
29/03/2018	2.5	11,600	20.70	Solinst TLC 107
29/03/2018	3.0	11,700	20.70	Solinst TLC 107
29/03/2018	3.5	11,700	20.70	Solinst TLC 107
29/03/2018	4.0	11,700	20.70	Solinst TLC 107
29/03/2018	5.0	11,700	20.80	Solinst TLC 107
29/03/2018	6.0	11,700	20.80	Solinst TLC 107
29/03/2018	7.0	12,000	20.80	Solinst TLC 107
29/03/2018	8.0	12,000	20.80	Solinst TLC 107
29/03/2018	10.0	12,100	20.80	Solinst TLC 107

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [$\mu\text{S}/\text{cm}$]	TEMP [°C]	Equipo
29/03/2018	12.0	12,100	20.80	Solinst TLC 107
29/03/2018	14.0	12,200	20.80	Solinst TLC 107
29/03/2018	16.0	12,200	20.80	Solinst TLC 107
29/03/2018	18.0	12,200	20.80	Solinst TLC 107
29/03/2018	20.0	12,200	20.80	Solinst TLC 107
29/03/2018	22.0	12,400	20.80	Solinst TLC 107
29/03/2018	24.0	12,600	20.80	Solinst TLC 107
29/03/2018	26.0	13,200	20.80	Solinst TLC 107
29/03/2018	28.0	25,900	21.80	Solinst TLC 107
29/03/2018	29.0	26,700	21.80	Solinst TLC 107
29/03/2018	30.0	28,700	22.80	Solinst TLC 107
29/03/2018	32.0	30,500	22.10	Solinst TLC 107
29/03/2018	34.0	31,400	22.30	Solinst TLC 107
29/03/2018	36.0	35,500	22.50	Solinst TLC 107
29/03/2018	38.0	35,500	22.50	Solinst TLC 107
29/03/2018	40.0	35,700	22.50	Solinst TLC 107
29/03/2018	42.0	36,300	22.50	Solinst TLC 107
29/03/2018	44.0	36,600	22.50	Solinst TLC 107
29/03/2018	46.0	36,800	22.50	Solinst TLC 107
29/03/2018	48.0	37,000	22.50	Solinst TLC 107
29/03/2018	50.0	37,500	22.50	Solinst TLC 107
29/03/2018	51.0	37,600	22.50	Solinst TLC 107
29/03/2018	52.0	37,500	22.50	Solinst TLC 107
29/03/2018	53.0	37,500	22.50	Solinst TLC 107
29/03/2018	54.0	37,600	22.50	Solinst TLC 107
29/03/2018	55.0	37,700	22.50	Solinst TLC 107
29/03/2018	56.0	37,800	22.50	Solinst TLC 107
29/03/2018	57.0	37,900	22.50	Solinst TLC 107
29/03/2018	58.0	38,000	22.50	Solinst TLC 107
29/03/2018	59.0	38,100	22.50	Solinst TLC 107
29/03/2018	60.0	47,100	22.60	Solinst TLC 107
29/03/2018	60.2	47,700	22.70	Solinst TLC 107
29/03/2018	60.4	47,900	22.70	Solinst TLC 107
29/03/2018	60.6	48,000	22.70	Solinst TLC 107
29/03/2018	60.8	48,100	22.70	Solinst TLC 107
29/03/2018	61.0	48,200	22.70	Solinst TLC 107
29/03/2018	61.2	48,200	22.70	Solinst TLC 107
29/03/2018	61.4	48,200	22.70	Solinst TLC 107
29/03/2018	61.6	48,300	22.70	Solinst TLC 107
29/03/2018	61.8	48,400	22.70	Solinst TLC 107
29/03/2018	62.0	48,700	22.70	Solinst TLC 107
29/03/2018	62.2	48,700	22.70	Solinst TLC 107
29/03/2018	62.4	48,700	22.70	Solinst TLC 107
29/03/2018	62.6	48,900	22.70	Solinst TLC 107
29/03/2018	62.8	49,000	22.80	Solinst TLC 107
29/03/2018	63.0	49,200	22.80	Solinst TLC 107
29/03/2018	63.2	53,200	22.80	Solinst TLC 107
29/03/2018	63.4	55,200	22.80	Solinst TLC 107
29/03/2018	63.6	125,900	22.80	Solinst TLC 107
29/03/2018	63.8	127,200	22.80	Solinst TLC 107
29/03/2018	64.0	127,700	22.80	Solinst TLC 107
29/03/2018	64.5	127,800	22.80	Solinst TLC 107
29/03/2018	65.0	127,800	22.80	Solinst TLC 107
29/03/2018	66.0	127,600	22.80	Solinst TLC 107
29/03/2018	68.0	127,200	22.80	Solinst TLC 107
29/03/2018	70.0	127,200	22.80	Solinst TLC 107
29/03/2018	72.0	127,800	22.80	Solinst TLC 107
29/03/2018	74.0	127,900	22.80	Solinst TLC 107
29/03/2018	76.0	127,900	22.80	Solinst TLC 107
29/03/2018	78.0	127,700	22.80	Solinst TLC 107
29/03/2018	80.0	127,700	22.80	Solinst TLC 107
29/03/2018	82.0	127,600	22.80	Solinst TLC 107
29/03/2018	84.0	128,300	22.80	Solinst TLC 107
29/03/2018	86.0	127,300	22.80	Solinst TLC 107

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
29/03/2018	88.0	127,400	22.80	Solinst TLC 107
29/03/2018	90.0	129,800	22.80	Solinst TLC 107
29/03/2018	91.0	129,800	22.80	Solinst TLC 107
29/03/2018	92.0	130,400	22.80	Solinst TLC 107
29/03/2018	94.0	130,300	22.80	Solinst TLC 107
29/03/2018	96.0	130,200	22.80	Solinst TLC 107
29/03/2018	98.0	145,700	22.90	Solinst TLC 107
29/03/2018	99.0	146,000	22.90	Solinst TLC 107
29/03/2018	100.0	142,200	23.00	Solinst TLC 107
29/03/2018	102.0	127,300	23.80	Solinst TLC 107
29/03/2018	104.0	126,000	23.90	Solinst TLC 107
29/03/2018	106.0	125,000	23.90	Solinst TLC 107
29/03/2018	108.0	124,700	23.90	Solinst TLC 107
29/03/2018	110.0	123,800	23.90	Solinst TLC 107
29/03/2018	112.0	123,000	23.90	Solinst TLC 107
29/03/2018	114.0	123,000	23.90	Solinst TLC 107
29/03/2018	116.0	123,700	23.90	Solinst TLC 107
29/03/2018	118.0	124,000	23.90	Solinst TLC 107
29/03/2018	119.0	124,200	23.90	Solinst TLC 107
29/03/2018	120.0	124,300	24.00	Solinst TLC 107
29/03/2018	121.0	124,700	24.00	Solinst TLC 107
29/03/2018	122.0	125,200	24.00	Solinst TLC 107
29/03/2018	123.0	125,500	24.00	Solinst TLC 107
29/03/2018	124.0	125,900	24.00	Solinst TLC 107
29/03/2018	125.0	126,200	24.00	Solinst TLC 107
29/03/2018	126.0	126,600	24.00	Solinst TLC 107
29/03/2018	127.0	125,800	24.00	Solinst TLC 107
29/03/2018	128.0	126,700	24.00	Solinst TLC 107
29/03/2018	129.0	126,600	24.00	Solinst TLC 107
29/03/2018	130.0	128,100	24.20	Solinst TLC 107
29/03/2018	131.0	128,200	24.20	Solinst TLC 107
29/03/2018	132.0	129,600	24.20	Solinst TLC 107
29/03/2018	133.0	128,800	24.20	Solinst TLC 107
29/03/2018	134.0	129,600	24.20	Solinst TLC 107
29/03/2018	135.0	131,500	24.20	Solinst TLC 107
29/03/2018	136.0	127,800	24.30	Solinst TLC 107
29/03/2018	137.0	136,200	24.30	Solinst TLC 107
29/03/2018	138.0	141,500	24.30	Solinst TLC 107
29/03/2018	139.0	150,000	24.30	Solinst TLC 107
29/03/2018	140.0	107,000	24.40	Solinst TLC 107
29/03/2018	141.0	106,200	24.40	Solinst TLC 107
29/03/2018	142.0	107,500	24.40	Solinst TLC 107
29/03/2018	143.0	109,800	24.40	Solinst TLC 107
29/03/2018	144.0	112,200	24.40	Solinst TLC 107
06/04/2018	0.8	11,700	20.90	Solinst TLC 107
06/04/2018	1.0	11,800	20.80	Solinst TLC 107
06/04/2018	2.0	11,900	20.70	Solinst TLC 107
06/04/2018	4.0	12,100	20.80	Solinst TLC 107
06/04/2018	6.0	12,100	20.80	Solinst TLC 107
06/04/2018	8.0	11,900	20.80	Solinst TLC 107
06/04/2018	10.0	12,000	20.80	Solinst TLC 107
06/04/2018	12.0	12,100	20.80	Solinst TLC 107
06/04/2018	14.0	11,900	20.80	Solinst TLC 107
06/04/2018	16.0	11,900	20.80	Solinst TLC 107
06/04/2018	18.0	11,900	20.80	Solinst TLC 107
06/04/2018	20.0	12,000	20.80	Solinst TLC 107
06/04/2018	22.0	12,200	20.80	Solinst TLC 107
06/04/2018	24.0	12,300	20.80	Solinst TLC 107
06/04/2018	26.0	13,100	20.80	Solinst TLC 107
06/04/2018	28.0	26,100	21.80	Solinst TLC 107
06/04/2018	30.0	29,200	22.00	Solinst TLC 107
06/04/2018	32.0	30,900	22.10	Solinst TLC 107
06/04/2018	34.0	32,200	22.30	Solinst TLC 107
06/04/2018	36.0	34,500	22.50	Solinst TLC 107

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/04/2018	38.0	34,400	22.50	Solinst TLC 107
06/04/2018	40.0	34,200	22.50	Solinst TLC 107
06/04/2018	42.0	34,000	22.50	Solinst TLC 107
06/04/2018	44.0	33,900	22.50	Solinst TLC 107
06/04/2018	46.0	33,700	22.50	Solinst TLC 107
06/04/2018	48.0	33,500	22.50	Solinst TLC 107
06/04/2018	50.0	33,400	22.50	Solinst TLC 107
06/04/2018	52.0	33,200	22.50	Solinst TLC 107
06/04/2018	54.0	32,900	22.50	Solinst TLC 107
06/04/2018	56.0	33,000	22.50	Solinst TLC 107
06/04/2018	58.0	32,800	22.50	Solinst TLC 107
06/04/2018	60.0	39,800	22.70	Solinst TLC 107
06/04/2018	62.0	42,400	22.70	Solinst TLC 107
06/04/2018	63.0	42,500	22.80	Solinst TLC 107
06/04/2018	63.5	104,500	22.80	Solinst TLC 107
06/04/2018	63.7	105,800	22.80	Solinst TLC 107
06/04/2018	64.0	105,900	22.80	Solinst TLC 107
06/04/2018	64.2	105,900	22.80	Solinst TLC 107
06/04/2018	64.4	105,700	22.80	Solinst TLC 107
06/04/2018	64.6	105,800	22.80	Solinst TLC 107
06/04/2018	64.8	105,800	22.80	Solinst TLC 107
06/04/2018	65.0	105,600	22.80	Solinst TLC 107
06/04/2018	65.2	105,700	22.80	Solinst TLC 107
06/04/2018	65.4	105,700	22.80	Solinst TLC 107
06/04/2018	65.6	105,600	22.80	Solinst TLC 107
06/04/2018	65.8	105,100	22.80	Solinst TLC 107
06/04/2018	66.0	105,000	22.80	Solinst TLC 107
06/04/2018	66.5	105,100	22.80	Solinst TLC 107
06/04/2018	67.0	104,800	22.80	Solinst TLC 107
06/04/2018	68.0	105,500	22.80	Solinst TLC 107
06/04/2018	70.0	106,400	22.80	Solinst TLC 107
06/04/2018	72.0	105,400	22.80	Solinst TLC 107
06/04/2018	74.0	105,200	22.80	Solinst TLC 107
06/04/2018	76.0	98,700	22.80	Solinst TLC 107
06/04/2018	78.0	98,100	22.80	Solinst TLC 107
06/04/2018	80.0	97,600	22.80	Solinst TLC 107
06/04/2018	82.0	97,600	22.80	Solinst TLC 107
06/04/2018	84.0	97,200	22.80	Solinst TLC 107
06/04/2018	86.0	97,300	22.80	Solinst TLC 107
06/04/2018	88.0	96,900	22.80	Solinst TLC 107
06/04/2018	90.0	103,300	22.80	Solinst TLC 107
06/04/2018	92.0	102,600	22.80	Solinst TLC 107
06/04/2018	94.0	103,000	22.80	Solinst TLC 107
06/04/2018	96.0	101,400	22.80	Solinst TLC 107
06/04/2018	98.0	108,500	22.90	Solinst TLC 107
06/04/2018	100.0	109,200	22.90	Solinst TLC 107
06/04/2018	102.0	104,000	22.80	Solinst TLC 107
06/04/2018	104.0	105,000	23.90	Solinst TLC 107
06/04/2018	106.0	107,200	23.90	Solinst TLC 107
06/04/2018	108.0	108,800	23.90	Solinst TLC 107
06/04/2018	110.0	110,000	23.90	Solinst TLC 107
06/04/2018	112.0	111,600	23.90	Solinst TLC 107
06/04/2018	114.0	112,600	23.90	Solinst TLC 107
06/04/2018	116.0	116,400	23.90	Solinst TLC 107
06/04/2018	118.0	117,500	23.90	Solinst TLC 107
06/04/2018	120.0	119,100	24.00	Solinst TLC 107
06/04/2018	122.0	119,100	24.00	Solinst TLC 107
06/04/2018	124.0	122,700	24.00	Solinst TLC 107
06/04/2018	126.0	121,500	24.00	Solinst TLC 107
06/04/2018	128.0	123,400	24.00	Solinst TLC 107
06/04/2018	130.0	125,100	24.20	Solinst TLC 107
06/04/2018	132.0	126,200	24.20	Solinst TLC 107
06/04/2018	134.0	121,700	24.20	Solinst TLC 107
06/04/2018	136.0	124,600	24.30	Solinst TLC 107

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [$\mu\text{S}/\text{cm}$]	TEMP [°C]	Equipo
06/04/2018	138.0	115,300	24.30	Solinst TLC 107
06/04/2018	140.0	105,400	24.30	Solinst TLC 107
06/04/2018	142.0	105,200	24.40	Solinst TLC 107
30/07/2018	1.0	14,020	19.91	SEBA KLL-Q
30/07/2018	2.0	13,920	20.24	SEBA KLL-Q
30/07/2018	3.0	13,900	20.43	SEBA KLL-Q
30/07/2018	5.0	13,890	20.49	SEBA KLL-Q
30/07/2018	7.0	13,840	20.60	SEBA KLL-Q
30/07/2018	9.0	13,850	20.63	SEBA KLL-Q
30/07/2018	11.0	13,860	20.63	SEBA KLL-Q
30/07/2018	13.0	13,870	20.62	SEBA KLL-Q
30/07/2018	15.0	13,860	20.61	SEBA KLL-Q
30/07/2018	17.0	13,850	20.61	SEBA KLL-Q
30/07/2018	19.0	13,920	20.61	SEBA KLL-Q
30/07/2018	21.0	13,980	20.62	SEBA KLL-Q
30/07/2018	23.0	14,040	20.63	SEBA KLL-Q
30/07/2018	25.0	14,370	20.65	SEBA KLL-Q
30/07/2018	27.0	27,840	21.70	SEBA KLL-Q
30/07/2018	27.5	28,030	21.77	SEBA KLL-Q
30/07/2018	28.0	28,450	21.81	SEBA KLL-Q
30/07/2018	29.0	29,290	21.88	SEBA KLL-Q
30/07/2018	30.0	31,690	22.08	SEBA KLL-Q
30/07/2018	32.0	33,700	22.20	SEBA KLL-Q
30/07/2018	34.0	35,980	22.39	SEBA KLL-Q
30/07/2018	36.0	36,080	22.40	SEBA KLL-Q
30/07/2018	38.0	36,070	22.40	SEBA KLL-Q
30/07/2018	40.0	36,070	22.39	SEBA KLL-Q
30/07/2018	42.0	36,100	22.40	SEBA KLL-Q
30/07/2018	44.0	36,110	22.39	SEBA KLL-Q
30/07/2018	46.0	36,090	22.41	SEBA KLL-Q
30/07/2018	48.0	36,110	22.40	SEBA KLL-Q
30/07/2018	50.0	36,100	22.41	SEBA KLL-Q
30/07/2018	52.0	36,020	22.41	SEBA KLL-Q
30/07/2018	54.0	35,410	22.37	SEBA KLL-Q
30/07/2018	56.0	35,410	22.37	SEBA KLL-Q
30/07/2018	58.0	35,430	22.38	SEBA KLL-Q
30/07/2018	60.0	39,210	22.41	SEBA KLL-Q
30/07/2018	62.0	44,280	22.61	SEBA KLL-Q
30/07/2018	63.0	44,550	22.61	SEBA KLL-Q
30/07/2018	63.5	161,100	22.66	SEBA KLL-Q
30/07/2018	64.0	161,200	22.67	SEBA KLL-Q
30/07/2018	65.0	161,400	22.67	SEBA KLL-Q
30/07/2018	67.0	161,400	22.66	SEBA KLL-Q
30/07/2018	69.0	161,400	22.67	SEBA KLL-Q
30/07/2018	71.0	161,400	22.67	SEBA KLL-Q
30/07/2018	73.0	161,400	22.69	SEBA KLL-Q
30/07/2018	75.0	161,400	22.67	SEBA KLL-Q
30/07/2018	77.0	161,400	22.67	SEBA KLL-Q
30/07/2018	79.0	161,400	22.68	SEBA KLL-Q
30/07/2018	81.0	161,400	22.67	SEBA KLL-Q
30/07/2018	83.0	161,400	22.68	SEBA KLL-Q
30/07/2018	85.0	161,400	22.69	SEBA KLL-Q
30/07/2018	87.0	161,400	22.68	SEBA KLL-Q
30/07/2018	89.0	163,700	22.78	SEBA KLL-Q
30/07/2018	91.0	171,500	22.70	SEBA KLL-Q
30/07/2018	92.0	171,700	22.70	SEBA KLL-Q
30/07/2018	94.0	172,300	22.72	SEBA KLL-Q
30/07/2018	96.0	174,700	22.71	SEBA KLL-Q
30/07/2018	98.0	209,300	22.84	SEBA KLL-Q
30/07/2018	98.2	210,200	22.84	SEBA KLL-Q
30/07/2018	98.4	209,200	22.83	SEBA KLL-Q
30/07/2018	98.6	210,400	22.84	SEBA KLL-Q
30/07/2018	98.8	209,800	22.85	SEBA KLL-Q
30/07/2018	99.0	210,100	22.83	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
30/07/2018	100.0	206,700	22.83	SEBA KLL-Q
30/07/2018	101.0	288,100	23.73	SEBA KLL-Q
30/07/2018	101.2	288,300	23.76	SEBA KLL-Q
30/07/2018	101.4	288,400	23.77	SEBA KLL-Q
30/07/2018	101.6	288,300	23.80	SEBA KLL-Q
30/07/2018	101.8	288,300	23.81	SEBA KLL-Q
30/07/2018	102.0	288,300	23.80	SEBA KLL-Q
30/07/2018	104.0	288,200	23.84	SEBA KLL-Q
30/07/2018	106.0	288,100	23.83	SEBA KLL-Q
30/07/2018	108.0	288,000	23.83	SEBA KLL-Q
30/07/2018	110.0	288,000	23.83	SEBA KLL-Q
30/07/2018	112.0	287,900	23.85	SEBA KLL-Q
30/07/2018	114.0	287,900	23.86	SEBA KLL-Q
30/07/2018	116.0	287,800	23.78	SEBA KLL-Q
30/07/2018	118.0	287,700	23.87	SEBA KLL-Q
21/08/2018	0.8	12,300	20.48	SEBA KLL-Q
21/08/2018	1.0	12,270	20.48	SEBA KLL-Q
21/08/2018	1.5	12,240	20.50	SEBA KLL-Q
21/08/2018	2.0	12,240	20.53	SEBA KLL-Q
21/08/2018	3.0	12,230	20.62	SEBA KLL-Q
21/08/2018	4.0	12,240	20.64	SEBA KLL-Q
21/08/2018	6.0	12,300	20.73	SEBA KLL-Q
21/08/2018	8.0	12,300	20.73	SEBA KLL-Q
21/08/2018	10.0	12,300	20.74	SEBA KLL-Q
21/08/2018	12.0	12,300	20.76	SEBA KLL-Q
21/08/2018	14.0	12,320	20.74	SEBA KLL-Q
21/08/2018	16.0	12,330	20.74	SEBA KLL-Q
21/08/2018	18.0	12,330	20.76	SEBA KLL-Q
21/08/2018	20.0	12,320	20.76	SEBA KLL-Q
21/08/2018	22.0	12,380	20.73	SEBA KLL-Q
21/08/2018	24.0	12,640	20.79	SEBA KLL-Q
21/08/2018	26.0	13,100	20.79	SEBA KLL-Q
21/08/2018	28.0	24,860	21.84	SEBA KLL-Q
21/08/2018	28.5	25,160	21.92	SEBA KLL-Q
21/08/2018	29.0	25,690	22.00	SEBA KLL-Q
21/08/2018	30.0	27,800	22.15	SEBA KLL-Q
21/08/2018	31.0	28,050	22.23	SEBA KLL-Q
21/08/2018	32.0	29,620	22.32	SEBA KLL-Q
21/08/2018	34.0	30,370	22.37	SEBA KLL-Q
21/08/2018	36.0	32,660	22.55	SEBA KLL-Q
21/08/2018	38.0	32,630	22.55	SEBA KLL-Q
21/08/2018	40.0	32,720	22.60	SEBA KLL-Q
21/08/2018	42.0	32,680	22.59	SEBA KLL-Q
21/08/2018	44.0	32,660	22.55	SEBA KLL-Q
21/08/2018	46.0	32,750	22.55	SEBA KLL-Q
21/08/2018	48.0	32,600	22.55	SEBA KLL-Q
21/08/2018	50.0	32,760	22.56	SEBA KLL-Q
21/08/2018	52.0	32,760	22.60	SEBA KLL-Q
21/08/2018	54.0	32,600	22.56	SEBA KLL-Q
21/08/2018	56.0	32,430	22.60	SEBA KLL-Q
21/08/2018	58.0	31,830	22.52	SEBA KLL-Q
21/08/2018	60.0	34,270	22.55	SEBA KLL-Q
21/08/2018	62.0	38,700	22.75	SEBA KLL-Q
21/08/2018	63.0	38,930	22.72	SEBA KLL-Q
21/08/2018	64.0	144,900	22.84	SEBA KLL-Q
21/08/2018	64.2	145,000	22.84	SEBA KLL-Q
21/08/2018	64.4	145,000	22.81	SEBA KLL-Q
21/08/2018	64.6	145,000	22.78	SEBA KLL-Q
21/08/2018	64.8	145,000	22.80	SEBA KLL-Q
21/08/2018	65.0	145,000	22.78	SEBA KLL-Q
21/08/2018	65.5	145,000	22.83	SEBA KLL-Q
21/08/2018	66.0	144,900	22.84	SEBA KLL-Q
21/08/2018	67.0	144,900	22.84	SEBA KLL-Q
21/08/2018	68.0	145,000	22.81	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/08/2018	70.0	144,900	22.79	SEBA KLL-Q
21/08/2018	72.0	145,000	22.78	SEBA KLL-Q
21/08/2018	74.0	144,900	22.81	SEBA KLL-Q
21/08/2018	76.0	144,800	22.85	SEBA KLL-Q
21/08/2018	78.0	144,900	22.80	SEBA KLL-Q
21/08/2018	80.0	144,900	22.81	SEBA KLL-Q
21/08/2018	82.0	145,000	22.78	SEBA KLL-Q
21/08/2018	84.0	144,900	22.78	SEBA KLL-Q
21/08/2018	86.0	145,000	22.77	SEBA KLL-Q
21/08/2018	88.0	144,900	22.78	SEBA KLL-Q
21/08/2018	90.0	153,700	22.81	SEBA KLL-Q
21/08/2018	91.0	153,700	22.79	SEBA KLL-Q
21/08/2018	92.0	153,600	22.87	SEBA KLL-Q
21/08/2018	94.0	155,100	22.80	SEBA KLL-Q
21/08/2018	96.0	156,900	22.85	SEBA KLL-Q
21/08/2018	98.0	188,900	22.93	SEBA KLL-Q
21/08/2018	98.5	188,000	22.95	SEBA KLL-Q
21/08/2018	99.0	187,500	22.94	SEBA KLL-Q
21/08/2018	100.0	189,400	22.93	SEBA KLL-Q
21/08/2018	100.2	190,100	22.94	SEBA KLL-Q
21/08/2018	100.4	189,100	22.94	SEBA KLL-Q
21/08/2018	100.6	185,200	22.91	SEBA KLL-Q
21/08/2018	100.8	251,200	23.62	SEBA KLL-Q
21/08/2018	101.0	258,400	23.89	SEBA KLL-Q
21/08/2018	101.2	258,600	23.86	SEBA KLL-Q
21/08/2018	101.4	258,700	23.86	SEBA KLL-Q
21/08/2018	101.6	258,600	23.88	SEBA KLL-Q
21/08/2018	101.8	258,500	23.89	SEBA KLL-Q
21/08/2018	102.0	258,600	23.88	SEBA KLL-Q
21/08/2018	102.5	258,500	23.90	SEBA KLL-Q
21/08/2018	103.0	258,600	23.90	SEBA KLL-Q
21/08/2018	104.0	258,200	23.97	SEBA KLL-Q
21/08/2018	106.0	258,300	23.90	SEBA KLL-Q
21/08/2018	108.0	258,300	23.91	SEBA KLL-Q
21/08/2018	110.0	258,200	23.92	SEBA KLL-Q
21/08/2018	112.0	258,100	23.96	SEBA KLL-Q
21/08/2018	115.0	257,900	23.98	SEBA KLL-Q
21/08/2018	118.0	257,900	23.99	SEBA KLL-Q
21/08/2018	121.0	257,900	24.00	SEBA KLL-Q
21/08/2018	124.0	257,700	24.04	SEBA KLL-Q
21/08/2018	127.0	257,800	24.05	SEBA KLL-Q
21/08/2018	130.0	257,500	24.14	SEBA KLL-Q
21/08/2018	133.0	257,900	24.10	SEBA KLL-Q
21/08/2018	136.0	257,600	24.22	SEBA KLL-Q
21/08/2018	139.0	257,800	24.27	SEBA KLL-Q
08/09/2018	0.6	12,480	20.00	SEBA KLL-Q
08/09/2018	0.8	12,480	20.20	SEBA KLL-Q
08/09/2018	1.0	12,480	20.20	SEBA KLL-Q
08/09/2018	1.5	12,480	20.30	SEBA KLL-Q
08/09/2018	2.0	12,480	20.40	SEBA KLL-Q
08/09/2018	3.0	12,480	20.40	SEBA KLL-Q
08/09/2018	4.0	12,470	20.50	SEBA KLL-Q
08/09/2018	6.0	12,460	20.60	SEBA KLL-Q
08/09/2018	8.0	12,460	20.70	SEBA KLL-Q
08/09/2018	10.0	12,460	20.70	SEBA KLL-Q
08/09/2018	12.0	12,460	20.70	SEBA KLL-Q
08/09/2018	14.0	12,470	20.70	SEBA KLL-Q
08/09/2018	16.0	12,470	20.70	SEBA KLL-Q
08/09/2018	18.0	12,460	20.70	SEBA KLL-Q
08/09/2018	20.0	12,480	20.70	SEBA KLL-Q
08/09/2018	22.0	12,620	20.70	SEBA KLL-Q
08/09/2018	24.0	12,840	20.70	SEBA KLL-Q
08/09/2018	26.0	13,330	20.70	SEBA KLL-Q
08/09/2018	27.0	28,860	20.70	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/09/2018	28.0	25,280	21.80	SEBA KLL-Q
08/09/2018	29.0	25,900	21.90	SEBA KLL-Q
08/09/2018	30.0	28,320	22.10	SEBA KLL-Q
08/09/2018	32.0	30,250	22.20	SEBA KLL-Q
08/09/2018	34.0	31,030	22.30	SEBA KLL-Q
08/09/2018	36.0	33,300	22.50	SEBA KLL-Q
08/09/2018	38.0	33,360	22.50	SEBA KLL-Q
08/09/2018	40.0	33,380	22.60	SEBA KLL-Q
08/09/2018	42.0	33,380	22.60	SEBA KLL-Q
08/09/2018	44.0	33,360	22.60	SEBA KLL-Q
08/09/2018	46.0	33,430	22.60	SEBA KLL-Q
08/09/2018	48.0	33,280	22.60	SEBA KLL-Q
08/09/2018	50.0	33,450	22.50	SEBA KLL-Q
08/09/2018	52.0	33,430	22.50	SEBA KLL-Q
08/09/2018	54.0	33,420	22.50	SEBA KLL-Q
08/09/2018	56.0	32,980	22.50	SEBA KLL-Q
08/09/2018	58.0	33,580	22.50	SEBA KLL-Q
08/09/2018	60.0	33,980	22.50	SEBA KLL-Q
08/09/2018	62.0	39,250	22.50	SEBA KLL-Q
08/09/2018	64.0	146,000	22.80	SEBA KLL-Q
08/09/2018	66.0	146,000	22.80	SEBA KLL-Q
08/09/2018	68.0	146,000	22.80	SEBA KLL-Q
08/09/2018	70.0	146,000	22.80	SEBA KLL-Q
08/09/2018	72.0	146,000	22.80	SEBA KLL-Q
08/09/2018	74.0	146,000	22.80	SEBA KLL-Q
08/09/2018	76.0	146,000	22.80	SEBA KLL-Q
08/09/2018	78.0	146,000	22.80	SEBA KLL-Q
08/09/2018	80.0	146,000	22.80	SEBA KLL-Q
08/09/2018	82.0	146,000	22.80	SEBA KLL-Q
08/09/2018	84.0	146,100	22.80	SEBA KLL-Q
08/09/2018	85.0	146,100	22.80	SEBA KLL-Q
08/09/2018	86.0	146,100	22.80	SEBA KLL-Q
08/09/2018	87.0	146,200	22.80	SEBA KLL-Q
08/09/2018	88.0	146,600	22.80	SEBA KLL-Q
08/09/2018	89.0	147,800	22.80	SEBA KLL-Q
08/09/2018	90.0	155,000	22.80	SEBA KLL-Q
08/09/2018	91.0	154,900	22.80	SEBA KLL-Q
08/09/2018	92.0	155,100	22.80	SEBA KLL-Q
08/09/2018	93.0	155,300	22.80	SEBA KLL-Q
08/09/2018	94.0	156,400	22.80	SEBA KLL-Q
08/09/2018	95.0	157,500	22.80	SEBA KLL-Q
08/09/2018	96.0	158,200	22.80	SEBA KLL-Q
08/09/2018	98.0	190,200	22.90	SEBA KLL-Q
08/09/2018	98.2	190,000	22.90	SEBA KLL-Q
08/09/2018	98.5	190,200	22.90	SEBA KLL-Q
08/09/2018	99.0	188,500	22.90	SEBA KLL-Q
08/09/2018	99.5	188,400	22.90	SEBA KLL-Q
08/09/2018	100.0	190,400	23.00	SEBA KLL-Q
08/09/2018	100.5	186,500	23.00	SEBA KLL-Q
08/09/2018	101.0	264,200	23.00	SEBA KLL-Q
08/09/2018	101.2	264,200	23.00	SEBA KLL-Q
08/09/2018	101.4	261,500	23.00	SEBA KLL-Q
08/09/2018	101.6	261,500	23.90	SEBA KLL-Q
08/09/2018	102.0	261,400	23.90	SEBA KLL-Q
08/09/2018	104.0	261,400	23.90	SEBA KLL-Q
08/09/2018	106.0	261,300	23.90	SEBA KLL-Q
08/09/2018	108.0	261,300	23.90	SEBA KLL-Q
08/09/2018	110.0	261,300	23.90	SEBA KLL-Q
08/09/2018	112.0	261,300	23.90	SEBA KLL-Q
08/09/2018	114.0	261,200	23.90	SEBA KLL-Q
08/09/2018	116.0	261,200	23.90	SEBA KLL-Q
08/09/2018	118.0	261,100	24.00	SEBA KLL-Q
08/09/2018	121.0	261,100	24.00	SEBA KLL-Q
08/09/2018	124.0	260,800	24.00	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/09/2018	127.0	260,800	24.10	SEBA KLL-Q
08/09/2018	130.0	260,800	24.10	SEBA KLL-Q
08/09/2018	133.0	260,700	24.10	SEBA KLL-Q
08/09/2018	134.6	260,700	24.10	SEBA KLL-Q
05/11/2018	0.8	12,110	21.57	SEBA KLL-Q
05/11/2018	1.0	12,110	21.30	SEBA KLL-Q
05/11/2018	1.5	12,120	21.17	SEBA KLL-Q
05/11/2018	2.0	12,110	21.16	SEBA KLL-Q
05/11/2018	4.0	12,110	21.16	SEBA KLL-Q
05/11/2018	6.0	12,140	21.22	SEBA KLL-Q
05/11/2018	8.0	12,200	21.22	SEBA KLL-Q
05/11/2018	10.0	12,210	21.23	SEBA KLL-Q
05/11/2018	12.0	12,220	21.25	SEBA KLL-Q
05/11/2018	14.0	12,220	21.26	SEBA KLL-Q
05/11/2018	16.0	12,220	21.28	SEBA KLL-Q
05/11/2018	18.0	12,230	21.30	SEBA KLL-Q
05/11/2018	20.0	12,290	21.31	SEBA KLL-Q
05/11/2018	22.0	12,470	21.34	SEBA KLL-Q
05/11/2018	24.0	12,600	21.35	SEBA KLL-Q
05/11/2018	26.0	13,050	21.40	SEBA KLL-Q
05/11/2018	28.0	25,510	22.52	SEBA KLL-Q
05/11/2018	30.0	28,600	22.90	SEBA KLL-Q
05/11/2018	32.0	30,540	23.08	SEBA KLL-Q
05/11/2018	34.0	32,010	23.25	SEBA KLL-Q
05/11/2018	36.0	32,070	23.26	SEBA KLL-Q
05/11/2018	38.0	32,010	23.25	SEBA KLL-Q
05/11/2018	40.0	32,110	23.23	SEBA KLL-Q
05/11/2018	42.0	32,110	23.25	SEBA KLL-Q
05/11/2018	44.0	32,200	23.25	SEBA KLL-Q
05/11/2018	46.0	31,930	23.26	SEBA KLL-Q
05/11/2018	48.0	32,000	23.24	SEBA KLL-Q
05/11/2018	50.0	32,060	23.24	SEBA KLL-Q
05/11/2018	52.0	31,930	23.24	SEBA KLL-Q
05/11/2018	54.0	32,280	23.25	SEBA KLL-Q
05/11/2018	56.0	31,600	23.23	SEBA KLL-Q
05/11/2018	58.0	31,050	23.22	SEBA KLL-Q
05/11/2018	60.0	36,780	23.35	SEBA KLL-Q
05/11/2018	62.0	36,900	23.39	SEBA KLL-Q
05/11/2018	64.0	140,000	23.48	SEBA KLL-Q
05/11/2018	64.5	139,800	23.55	SEBA KLL-Q
05/11/2018	65.0	139,800	23.56	SEBA KLL-Q
05/11/2018	66.0	140,100	23.47	SEBA KLL-Q
05/11/2018	67.0	140,000	23.50	SEBA KLL-Q
05/11/2018	68.0	140,200	23.45	SEBA KLL-Q
05/11/2018	69.0	139,500	23.68	SEBA KLL-Q
05/11/2018	70.0	140,300	23.44	SEBA KLL-Q
05/11/2018	72.0	140,300	23.42	SEBA KLL-Q
05/11/2018	74.0	140,300	23.44	SEBA KLL-Q
05/11/2018	76.0	140,300	23.41	SEBA KLL-Q
05/11/2018	78.0	140,300	23.43	SEBA KLL-Q
05/11/2018	80.0	140,500	23.39	SEBA KLL-Q
05/11/2018	82.0	140,500	23.39	SEBA KLL-Q
05/11/2018	84.0	140,500	23.41	SEBA KLL-Q
05/11/2018	86.0	140,600	23.38	SEBA KLL-Q
05/11/2018	88.0	140,900	23.36	SEBA KLL-Q
05/11/2018	90.0	149,100	23.38	SEBA KLL-Q
05/11/2018	91.0	149,100	23.39	SEBA KLL-Q
05/11/2018	92.0	150,300	23.39	SEBA KLL-Q
05/11/2018	93.0	151,300	23.38	SEBA KLL-Q
05/11/2018	94.0	152,000	23.37	SEBA KLL-Q
05/11/2018	95.0	159,300	23.39	SEBA KLL-Q
05/11/2018	95.5	182,100	23.50	SEBA KLL-Q
05/11/2018	95.7	182,400	23.51	SEBA KLL-Q
05/11/2018	96.0	182,400	23.50	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [$\mu\text{S}/\text{cm}$]	TEMP [°C]	Equipo
05/11/2018	96.5	182,100	23.50	SEBA KLL-Q
05/11/2018	97.0	181,100	23.50	SEBA KLL-Q
05/11/2018	97.5	180,100	23.49	SEBA KLL-Q
05/11/2018	98.0	181,100	23.49	SEBA KLL-Q
05/11/2018	98.5	187,700	23.47	SEBA KLL-Q
05/11/2018	99.0	251,200	24.39	SEBA KLL-Q
05/11/2018	100.0	251,300	24.46	SEBA KLL-Q
05/11/2018	102.0	251,300	24.48	SEBA KLL-Q
05/11/2018	104.0	251,300	24.49	SEBA KLL-Q
05/11/2018	106.0	251,300	24.49	SEBA KLL-Q
05/11/2018	108.0	251,300	24.49	SEBA KLL-Q
05/11/2018	110.0	251,300	24.49	SEBA KLL-Q
05/11/2018	114.0	251,200	24.52	SEBA KLL-Q
05/11/2018	118.0	251,100	24.53	SEBA KLL-Q
05/11/2018	122.0	250,900	24.59	SEBA KLL-Q
05/11/2018	126.0	250,800	24.63	SEBA KLL-Q
05/11/2018	130.0	250,800	24.69	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/07/2016	9.10	4,598	23.6	SEBA KLL-Q
12/07/2016	10.00	4,588	23.8	SEBA KLL-Q
12/07/2016	11.00	4,588	24.1	SEBA KLL-Q
12/07/2016	12.00	4,581	24.1	SEBA KLL-Q
12/07/2016	13.00	4,581	24.1	SEBA KLL-Q
12/07/2016	14.00	4,581	24.2	SEBA KLL-Q
12/07/2016	15.00	4,583	24.2	SEBA KLL-Q
12/07/2016	16.00	4,584	24.2	SEBA KLL-Q
12/07/2016	17.00	4,584	24.2	SEBA KLL-Q
12/07/2016	18.00	4,584	24.2	SEBA KLL-Q
12/07/2016	19.00	4,585	24.2	SEBA KLL-Q
12/07/2016	20.00	4,584	24.2	SEBA KLL-Q
12/07/2016	21.00	4,584	24.2	SEBA KLL-Q
12/07/2016	22.00	4,584	24.2	SEBA KLL-Q
12/07/2016	23.00	4,585	24.2	SEBA KLL-Q
12/07/2016	24.00	4,584	24.2	SEBA KLL-Q
12/07/2016	25.00	4,584	24.2	SEBA KLL-Q
12/07/2016	26.00	4,584	24.2	SEBA KLL-Q
12/07/2016	27.00	4,583	24.3	SEBA KLL-Q
12/07/2016	28.00	4,582	24.3	SEBA KLL-Q
12/07/2016	29.00	4,582	24.3	SEBA KLL-Q
12/07/2016	30.00	4,583	24.3	SEBA KLL-Q
12/07/2016	31.00	4,582	24.3	SEBA KLL-Q
12/07/2016	32.00	4,581	24.4	SEBA KLL-Q
12/07/2016	33.00	4,580	24.4	SEBA KLL-Q
12/07/2016	34.00	4,577	24.5	SEBA KLL-Q
12/07/2016	35.00	4,574	24.6	SEBA KLL-Q
12/07/2016	36.00	4,574	24.6	SEBA KLL-Q
12/07/2016	37.00	4,576	24.6	SEBA KLL-Q
12/07/2016	38.00	4,575	24.6	SEBA KLL-Q
12/07/2016	39.00	4,574	24.6	SEBA KLL-Q
12/07/2016	40.00	4,572	24.6	SEBA KLL-Q
12/07/2016	41.00	4,570	24.7	SEBA KLL-Q
12/07/2016	42.00	4,568	24.7	SEBA KLL-Q
12/07/2016	43.00	4,568	24.7	SEBA KLL-Q
12/07/2016	44.00	4,568	24.7	SEBA KLL-Q
12/07/2016	45.00	4,567	24.7	SEBA KLL-Q
12/07/2016	46.00	4,561	24.8	SEBA KLL-Q
12/07/2016	47.00	4,554	24.8	SEBA KLL-Q
12/07/2016	48.00	4,553	24.8	SEBA KLL-Q
12/07/2016	49.00	4,553	24.9	SEBA KLL-Q
12/07/2016	50.00	4,554	24.9	SEBA KLL-Q
12/07/2016	51.00	4,558	24.8	SEBA KLL-Q
12/07/2016	52.00	4,551	24.9	SEBA KLL-Q
12/07/2016	53.00	4,542	24.9	SEBA KLL-Q
12/07/2016	54.00	4,552	24.9	SEBA KLL-Q
12/07/2016	55.00	4,548	24.9	SEBA KLL-Q
12/07/2016	56.00	4,484	25.2	SEBA KLL-Q
12/07/2016	57.00	4,374	25.5	SEBA KLL-Q
12/07/2016	58.00	4,344	25.6	SEBA KLL-Q
12/07/2016	59.00	4,341	25.6	SEBA KLL-Q
12/07/2016	60.00	4,322	25.7	SEBA KLL-Q
12/07/2016	61.00	4,296	25.7	SEBA KLL-Q
12/07/2016	62.00	4,292	25.7	SEBA KLL-Q
12/07/2016	63.00	4,308	25.7	SEBA KLL-Q
12/07/2016	64.00	4,383	25.7	SEBA KLL-Q
12/07/2016	65.00	4,395	25.7	SEBA KLL-Q
12/07/2016	66.00	4,496	25.7	SEBA KLL-Q
12/07/2016	66.50	4,494	25.7	SEBA KLL-Q
12/07/2016	67.00	4,702	25.7	SEBA KLL-Q
12/07/2016	67.50	4,708	25.7	SEBA KLL-Q
12/07/2016	68.00	10,790	25.7	SEBA KLL-Q
12/07/2016	68.25	18,370	25.7	SEBA KLL-Q
12/07/2016	68.50	24,040	25.7	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/07/2016	68.75	26,310	25.7	SEBA KLL-Q
12/07/2016	69.00	33,640	25.7	SEBA KLL-Q
12/07/2016	69.25	41,350	25.7	SEBA KLL-Q
12/07/2016	69.50	54,410	25.7	SEBA KLL-Q
12/07/2016	69.75	66,270	25.7	SEBA KLL-Q
12/07/2016	70.00	74,630	25.7	SEBA KLL-Q
12/07/2016	70.25	90,260	25.7	SEBA KLL-Q
12/07/2016	70.50	103,800	25.8	SEBA KLL-Q
12/07/2016	70.75	111,100	25.8	SEBA KLL-Q
12/07/2016	71.00	119,400	25.8	SEBA KLL-Q
12/07/2016	71.25	130,300	25.8	SEBA KLL-Q
12/07/2016	71.50	142,700	25.8	SEBA KLL-Q
12/07/2016	71.75	150,500	25.8	SEBA KLL-Q
12/07/2016	72.00	157,100	25.9	SEBA KLL-Q
12/07/2016	72.25	160,700	25.9	SEBA KLL-Q
12/07/2016	72.50	167,100	25.9	SEBA KLL-Q
12/07/2016	72.75	189,900	25.9	SEBA KLL-Q
12/07/2016	73.00	210,900	25.9	SEBA KLL-Q
12/07/2016	73.25	220,300	25.9	SEBA KLL-Q
12/07/2016	73.50	220,600	25.9	SEBA KLL-Q
12/07/2016	73.75	221,200	25.9	SEBA KLL-Q
12/07/2016	74.00	221,400	25.9	SEBA KLL-Q
12/07/2016	75.00	222,800	25.9	SEBA KLL-Q
12/07/2016	76.00	223,800	26.0	SEBA KLL-Q
12/07/2016	78.00	223,200	26.0	SEBA KLL-Q
12/07/2016	80.00	221,700	26.1	SEBA KLL-Q
12/07/2016	85.00	221,700	26.2	SEBA KLL-Q
12/07/2016	90.00	221,700	26.3	SEBA KLL-Q
12/07/2016	95.00	221,700	26.4	SEBA KLL-Q
12/07/2016	100.00	221,700	26.5	SEBA KLL-Q
12/07/2016	100.40	117,000	26.5	SEBA KLL-Q
23/10/2016	9.10	4,210	23.4	SEBA KLL-Q
23/10/2016	10.00	4,198	23.7	SEBA KLL-Q
23/10/2016	11.00	4,194	23.9	SEBA KLL-Q
23/10/2016	12.00	4,189	24.0	SEBA KLL-Q
23/10/2016	13.00	4,190	24.0	SEBA KLL-Q
23/10/2016	14.00	4,188	24.0	SEBA KLL-Q
23/10/2016	16.00	4,187	24.0	SEBA KLL-Q
23/10/2016	18.00	4,188	24.0	SEBA KLL-Q
23/10/2016	20.00	4,187	24.0	SEBA KLL-Q
23/10/2016	22.00	4,187	24.0	SEBA KLL-Q
23/10/2016	24.00	4,186	24.0	SEBA KLL-Q
23/10/2016	26.00	4,185	24.0	SEBA KLL-Q
23/10/2016	28.00	4,186	24.1	SEBA KLL-Q
23/10/2016	30.00	4,185	24.1	SEBA KLL-Q
23/10/2016	32.00	4,183	24.2	SEBA KLL-Q
23/10/2016	34.00	4,181	24.5	SEBA KLL-Q
23/10/2016	36.00	4,173	25.1	SEBA KLL-Q
23/10/2016	38.00	4,173	25.2	SEBA KLL-Q
23/10/2016	40.00	4,172	25.2	SEBA KLL-Q
23/10/2016	41.00	4,171	25.2	SEBA KLL-Q
23/10/2016	42.00	4,172	25.2	SEBA KLL-Q
23/10/2016	43.00	4,172	25.2	SEBA KLL-Q
23/10/2016	44.00	4,172	25.3	SEBA KLL-Q
23/10/2016	45.00	4,171	25.3	SEBA KLL-Q
23/10/2016	46.00	4,172	25.3	SEBA KLL-Q
23/10/2016	47.00	4,171	25.3	SEBA KLL-Q
23/10/2016	48.00	4,171	25.3	SEBA KLL-Q
23/10/2016	49.00	4,171	25.3	SEBA KLL-Q
23/10/2016	50.00	4,174	25.3	SEBA KLL-Q
23/10/2016	51.00	4,172	25.3	SEBA KLL-Q
23/10/2016	52.00	4,170	25.4	SEBA KLL-Q
23/10/2016	53.00	4,170	25.4	SEBA KLL-Q
23/10/2016	54.00	4,171	25.4	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/10/2016	55.00	4,171	25.4	SEBA KLL-Q
23/10/2016	56.00	4,163	25.5	SEBA KLL-Q
23/10/2016	57.00	4,155	25.7	SEBA KLL-Q
23/10/2016	58.00	4,151	25.7	SEBA KLL-Q
23/10/2016	59.00	4,151	25.8	SEBA KLL-Q
23/10/2016	60.00	4,149	25.8	SEBA KLL-Q
23/10/2016	61.00	4,149	25.8	SEBA KLL-Q
23/10/2016	62.00	4,142	25.8	SEBA KLL-Q
23/10/2016	63.00	4,138	25.8	SEBA KLL-Q
23/10/2016	64.00	4,138	25.8	SEBA KLL-Q
23/10/2016	65.00	4,139	25.8	SEBA KLL-Q
23/10/2016	66.00	4,139	25.9	SEBA KLL-Q
23/10/2016	67.00	4,139	25.9	SEBA KLL-Q
23/10/2016	68.00	4,308	25.9	SEBA KLL-Q
23/10/2016	68.20	5,142	25.9	SEBA KLL-Q
23/10/2016	68.40	7,249	25.9	SEBA KLL-Q
23/10/2016	68.60	11,028	25.9	SEBA KLL-Q
23/10/2016	68.80	14,972	25.9	SEBA KLL-Q
23/10/2016	69.00	19,522	25.9	SEBA KLL-Q
23/10/2016	69.20	24,475	25.9	SEBA KLL-Q
23/10/2016	69.40	29,942	25.9	SEBA KLL-Q
23/10/2016	69.60	34,348	25.9	SEBA KLL-Q
23/10/2016	69.80	39,198	25.9	SEBA KLL-Q
23/10/2016	70.00	45,753	25.9	SEBA KLL-Q
23/10/2016	70.20	60,671	25.9	SEBA KLL-Q
23/10/2016	70.40	81,570	25.9	SEBA KLL-Q
23/10/2016	70.60	94,703	25.9	SEBA KLL-Q
23/10/2016	70.80	104,959	25.9	SEBA KLL-Q
23/10/2016	71.00	116,090	25.9	SEBA KLL-Q
23/10/2016	71.20	127,415	25.9	SEBA KLL-Q
23/10/2016	71.40	139,346	25.9	SEBA KLL-Q
23/10/2016	71.60	150,715	25.9	SEBA KLL-Q
23/10/2016	71.80	160,969	25.9	SEBA KLL-Q
23/10/2016	72.00	170,149	25.9	SEBA KLL-Q
23/10/2016	72.20	180,496	25.9	SEBA KLL-Q
23/10/2016	72.40	196,592	25.9	SEBA KLL-Q
23/10/2016	72.60	214,650	25.9	SEBA KLL-Q
23/10/2016	72.80	225,746	25.9	SEBA KLL-Q
23/10/2016	73.00	230,980	25.9	SEBA KLL-Q
23/10/2016	73.20	233,097	25.9	SEBA KLL-Q
23/10/2016	73.40	234,079	26.0	SEBA KLL-Q
23/10/2016	73.60	234,000	26.0	SEBA KLL-Q
23/10/2016	73.80	234,891	26.0	SEBA KLL-Q
23/10/2016	74.00	235,169	26.0	SEBA KLL-Q
23/10/2016	74.50	235,752	26.0	SEBA KLL-Q
23/10/2016	75.00	235,993	26.0	SEBA KLL-Q
23/10/2016	76.00	236,400	26.0	SEBA KLL-Q
23/10/2016	77.00	236,444	26.0	SEBA KLL-Q
23/10/2016	78.00	236,511	26.1	SEBA KLL-Q
23/10/2016	80.00	232,578	26.1	SEBA KLL-Q
23/10/2016	82.00	232,507	26.1	SEBA KLL-Q
23/10/2016	84.00	232,448	26.2	SEBA KLL-Q
23/10/2016	86.00	232,347	26.2	SEBA KLL-Q
23/10/2016	90.00	232,414	26.3	SEBA KLL-Q
23/10/2016	95.00	232,321	26.5	SEBA KLL-Q
23/10/2016	100.00	232,348	26.5	SEBA KLL-Q
18/11/2016	9.10	4,234	23.8	SEBA KLL-Q
18/11/2016	10.00	4,228	23.8	SEBA KLL-Q
18/11/2016	11.00	4,228	24.0	SEBA KLL-Q
18/11/2016	12.00	4,227	24.0	SEBA KLL-Q
18/11/2016	14.00	4,226	24.0	SEBA KLL-Q
18/11/2016	16.00	4,226	24.0	SEBA KLL-Q
18/11/2016	18.00	4,226	24.0	SEBA KLL-Q
18/11/2016	20.00	4,226	24.0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/11/2016	22.00	4,226	24.0	SEBA KLL-Q
18/11/2016	24.00	4,225	24.0	SEBA KLL-Q
18/11/2016	26.00	4,227	24.0	SEBA KLL-Q
18/11/2016	28.00	4,226	24.1	SEBA KLL-Q
18/11/2016	30.00	4,226	24.1	SEBA KLL-Q
18/11/2016	32.00	4,225	24.2	SEBA KLL-Q
18/11/2016	34.00	4,225	24.5	SEBA KLL-Q
18/11/2016	36.00	4,215	25.1	SEBA KLL-Q
18/11/2016	38.00	4,214	25.2	SEBA KLL-Q
18/11/2016	40.00	4,213	25.2	SEBA KLL-Q
18/11/2016	42.00	4,214	25.2	SEBA KLL-Q
18/11/2016	44.00	4,215	25.2	SEBA KLL-Q
18/11/2016	46.00	4,214	25.3	SEBA KLL-Q
18/11/2016	48.00	4,214	25.3	SEBA KLL-Q
18/11/2016	50.00	4,213	25.3	SEBA KLL-Q
18/11/2016	52.00	4,214	25.3	SEBA KLL-Q
18/11/2016	54.00	4,213	25.4	SEBA KLL-Q
18/11/2016	56.00	4,208	25.5	SEBA KLL-Q
18/11/2016	58.00	4,197	25.7	SEBA KLL-Q
18/11/2016	60.00	4,198	25.7	SEBA KLL-Q
18/11/2016	62.00	4,192	25.8	SEBA KLL-Q
18/11/2016	64.00	4,191	25.8	SEBA KLL-Q
18/11/2016	66.00	4,191	25.8	SEBA KLL-Q
18/11/2016	68.00	5,146	25.8	SEBA KLL-Q
18/11/2016	68.20	6,170	25.8	SEBA KLL-Q
18/11/2016	68.40	8,417	25.8	SEBA KLL-Q
18/11/2016	68.60	10,800	25.8	SEBA KLL-Q
18/11/2016	68.80	13,970	25.8	SEBA KLL-Q
18/11/2016	69.00	18,120	25.8	SEBA KLL-Q
18/11/2016	69.20	23,220	25.8	SEBA KLL-Q
18/11/2016	69.40	26,060	25.8	SEBA KLL-Q
18/11/2016	69.60	32,180	25.8	SEBA KLL-Q
18/11/2016	69.80	37,500	25.8	SEBA KLL-Q
18/11/2016	70.00	43,580	25.8	SEBA KLL-Q
18/11/2016	70.20	58,280	25.9	SEBA KLL-Q
18/11/2016	70.40	75,910	25.9	SEBA KLL-Q
18/11/2016	70.60	88,370	25.9	SEBA KLL-Q
18/11/2016	70.80	101,700	25.9	SEBA KLL-Q
18/11/2016	71.00	113,100	25.9	SEBA KLL-Q
18/11/2016	71.20	126,000	25.9	SEBA KLL-Q
18/11/2016	71.40	139,700	25.9	SEBA KLL-Q
18/11/2016	71.60	148,200	25.9	SEBA KLL-Q
18/11/2016	71.80	159,300	25.9	SEBA KLL-Q
18/11/2016	72.00	170,500	25.9	SEBA KLL-Q
18/11/2016	72.20	182,300	25.9	SEBA KLL-Q
18/11/2016	72.40	198,100	25.9	SEBA KLL-Q
18/11/2016	72.60	212,400	25.9	SEBA KLL-Q
18/11/2016	72.80	221,900	25.9	SEBA KLL-Q
18/11/2016	73.00	227,500	25.9	SEBA KLL-Q
18/11/2016	73.50	230,800	25.9	SEBA KLL-Q
18/11/2016	74.00	231,500	25.9	SEBA KLL-Q
18/11/2016	75.00	232,300	25.9	SEBA KLL-Q
18/11/2016	76.00	232,800	26.0	SEBA KLL-Q
18/11/2016	77.00	232,800	26.0	SEBA KLL-Q
18/11/2016	78.00	233,000	26.0	SEBA KLL-Q
18/11/2016	80.00	229,000	26.0	SEBA KLL-Q
18/11/2016	85.00	228,900	26.2	SEBA KLL-Q
18/11/2016	90.00	228,900	26.3	SEBA KLL-Q
18/11/2016	95.00	228,900	26.4	SEBA KLL-Q
18/11/2016	100.00	228,900	26.5	SEBA KLL-Q
18/11/2016	100.40	126,300	26.5	SEBA KLL-Q
21/12/2016	9.50	4,246	23.5	SEBA KLL-Q
21/12/2016	10.00	4,231	23.7	SEBA KLL-Q
21/12/2016	12.00	4,234	23.9	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/12/2016	14.00	4,233	24.0	SEBA KLL-Q
21/12/2016	16.00	4,234	24.0	SEBA KLL-Q
21/12/2016	18.00	4,235	24.0	SEBA KLL-Q
21/12/2016	20.00	4,235	24.0	SEBA KLL-Q
21/12/2016	22.00	4,235	24.0	SEBA KLL-Q
21/12/2016	24.00	4,236	24.0	SEBA KLL-Q
21/12/2016	26.00	4,236	24.1	SEBA KLL-Q
21/12/2016	28.00	4,234	24.1	SEBA KLL-Q
21/12/2016	30.00	4,235	24.1	SEBA KLL-Q
21/12/2016	32.00	4,236	24.2	SEBA KLL-Q
21/12/2016	34.00	4,233	24.5	SEBA KLL-Q
21/12/2016	36.00	4,233	25.1	SEBA KLL-Q
21/12/2016	38.00	4,227	25.2	SEBA KLL-Q
21/12/2016	40.00	4,228	25.2	SEBA KLL-Q
21/12/2016	42.00	4,228	25.2	SEBA KLL-Q
21/12/2016	44.00	4,228	25.2	SEBA KLL-Q
21/12/2016	46.00	4,228	25.3	SEBA KLL-Q
21/12/2016	48.00	4,227	25.3	SEBA KLL-Q
21/12/2016	50.00	4,227	25.3	SEBA KLL-Q
21/12/2016	52.00	4,227	25.4	SEBA KLL-Q
21/12/2016	54.00	4,227	25.4	SEBA KLL-Q
21/12/2016	56.00	4,223	25.4	SEBA KLL-Q
21/12/2016	58.00	4,213	25.7	SEBA KLL-Q
21/12/2016	60.00	4,215	25.7	SEBA KLL-Q
21/12/2016	62.00	4,218	25.8	SEBA KLL-Q
21/12/2016	64.00	4,218	25.8	SEBA KLL-Q
21/12/2016	66.00	4,219	25.8	SEBA KLL-Q
21/12/2016	68.00	4,815	25.8	SEBA KLL-Q
21/12/2016	68.50	9,890	25.8	SEBA KLL-Q
21/12/2016	68.70	11,890	25.8	SEBA KLL-Q
21/12/2016	68.90	15,190	25.8	SEBA KLL-Q
21/12/2016	69.10	18,240	25.8	SEBA KLL-Q
21/12/2016	69.30	24,210	25.8	SEBA KLL-Q
21/12/2016	69.50	28,350	25.8	SEBA KLL-Q
21/12/2016	69.70	33,210	25.9	SEBA KLL-Q
21/12/2016	69.90	38,670	25.9	SEBA KLL-Q
21/12/2016	70.10	45,950	25.9	SEBA KLL-Q
21/12/2016	70.30	60,800	25.9	SEBA KLL-Q
21/12/2016	70.50	74,650	25.9	SEBA KLL-Q
21/12/2016	70.70	89,470	25.9	SEBA KLL-Q
21/12/2016	70.90	104,200	25.9	SEBA KLL-Q
21/12/2016	71.10	115,700	25.9	SEBA KLL-Q
21/12/2016	71.30	130,400	25.9	SEBA KLL-Q
21/12/2016	71.50	143,700	25.9	SEBA KLL-Q
21/12/2016	71.70	154,900	25.9	SEBA KLL-Q
21/12/2016	71.90	155,100	25.9	SEBA KLL-Q
21/12/2016	72.10	179,600	25.9	SEBA KLL-Q
21/12/2016	72.30	191,800	25.9	SEBA KLL-Q
21/12/2016	72.50	210,100	25.9	SEBA KLL-Q
21/12/2016	72.70	220,500	25.9	SEBA KLL-Q
21/12/2016	72.90	220,500	25.9	SEBA KLL-Q
21/12/2016	73.10	227,200	25.9	SEBA KLL-Q
21/12/2016	73.30	232,400	25.9	SEBA KLL-Q
21/12/2016	73.50	232,700	25.9	SEBA KLL-Q
21/12/2016	73.70	233,000	25.9	SEBA KLL-Q
21/12/2016	73.90	233,400	25.9	SEBA KLL-Q
21/12/2016	74.10	233,700	25.9	SEBA KLL-Q
21/12/2016	74.30	234,000	25.9	SEBA KLL-Q
21/12/2016	74.50	234,200	25.9	SEBA KLL-Q
21/12/2016	75.00	234,400	25.9	SEBA KLL-Q
21/12/2016	75.50	234,700	26.0	SEBA KLL-Q
21/12/2016	76.00	234,800	26.0	SEBA KLL-Q
21/12/2016	77.00	234,800	26.0	SEBA KLL-Q
21/12/2016	78.00	234,900	26.0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/12/2016	80.00	230,800	26.0	SEBA KLL-Q
21/12/2016	82.00	230,800	26.1	SEBA KLL-Q
21/12/2016	84.00	230,800	26.1	SEBA KLL-Q
21/12/2016	86.00	230,800	26.2	SEBA KLL-Q
21/12/2016	88.00	230,800	26.2	SEBA KLL-Q
21/12/2016	90.00	230,800	26.3	SEBA KLL-Q
21/12/2016	92.00	230,800	26.3	SEBA KLL-Q
21/12/2016	94.00	230,800	26.4	SEBA KLL-Q
21/12/2016	96.00	230,700	26.4	SEBA KLL-Q
21/12/2016	98.00	230,800	26.4	SEBA KLL-Q
21/12/2016	100.00	230,800	26.5	SEBA KLL-Q
21/12/2016	100.40	129,600	26.5	SEBA KLL-Q
04/07/2017	9.50	3,472	23.0	SEBA KLL-Q
04/07/2017	10.00	3,442	23.8	SEBA KLL-Q
04/07/2017	12.00	3,432	24.1	SEBA KLL-Q
04/07/2017	14.00	3,416	24.1	SEBA KLL-Q
04/07/2017	16.00	3,421	24.1	SEBA KLL-Q
04/07/2017	18.00	3,411	24.1	SEBA KLL-Q
04/07/2017	20.00	3,408	24.1	SEBA KLL-Q
04/07/2017	22.00	3,409	24.1	SEBA KLL-Q
04/07/2017	24.00	3,405	24.2	SEBA KLL-Q
04/07/2017	26.00	3,410	24.2	SEBA KLL-Q
04/07/2017	28.00	3,406	24.2	SEBA KLL-Q
04/07/2017	30.00	3,408	24.2	SEBA KLL-Q
04/07/2017	32.00	3,407	24.3	SEBA KLL-Q
04/07/2017	34.00	3,401	24.7	SEBA KLL-Q
04/07/2017	36.00	3,402	25.2	SEBA KLL-Q
04/07/2017	38.00	3,404	25.3	SEBA KLL-Q
04/07/2017	40.00	3,404	25.3	SEBA KLL-Q
04/07/2017	42.00	3,405	25.3	SEBA KLL-Q
04/07/2017	44.00	3,404	25.3	SEBA KLL-Q
04/07/2017	46.00	3,405	25.4	SEBA KLL-Q
04/07/2017	48.00	3,405	25.4	SEBA KLL-Q
04/07/2017	50.00	3,405	25.4	SEBA KLL-Q
04/07/2017	52.00	3,404	25.4	SEBA KLL-Q
04/07/2017	54.00	3,403	25.4	SEBA KLL-Q
04/07/2017	56.00	3,403	25.6	SEBA KLL-Q
04/07/2017	58.00	3,401	25.7	SEBA KLL-Q
04/07/2017	60.00	3,402	25.7	SEBA KLL-Q
04/07/2017	63.00	3,411	25.8	SEBA KLL-Q
04/07/2017	64.00	3,416	25.8	SEBA KLL-Q
04/07/2017	66.00	3,416	25.8	SEBA KLL-Q
04/07/2017	68.00	3,447	25.8	SEBA KLL-Q
04/07/2017	70.00	34,990	25.8	SEBA KLL-Q
04/07/2017	71.00	89,110	25.8	SEBA KLL-Q
04/07/2017	71.50	129,200	25.9	SEBA KLL-Q
04/07/2017	71.70	145,800	25.9	SEBA KLL-Q
04/07/2017	71.90	163,600	25.9	SEBA KLL-Q
04/07/2017	72.10	179,200	25.9	SEBA KLL-Q
04/07/2017	72.30	190,800	25.9	SEBA KLL-Q
04/07/2017	72.50	200,100	25.9	SEBA KLL-Q
04/07/2017	72.70	206,800	25.9	SEBA KLL-Q
04/07/2017	72.90	211,100	25.9	SEBA KLL-Q
04/07/2017	73.10	213,200	25.9	SEBA KLL-Q
04/07/2017	73.30	214,700	25.9	SEBA KLL-Q
04/07/2017	73.50	215,000	25.9	SEBA KLL-Q
04/07/2017	74.00	215,900	25.9	SEBA KLL-Q
04/07/2017	75.00	216,400	25.9	SEBA KLL-Q
04/07/2017	76.00	216,800	25.9	SEBA KLL-Q
04/07/2017	78.00	217,000	26.0	SEBA KLL-Q
04/07/2017	80.00	213,200	26.0	SEBA KLL-Q
04/07/2017	82.00	212,800	26.1	SEBA KLL-Q
04/07/2017	84.00	212,900	26.1	SEBA KLL-Q
04/07/2017	86.00	212,800	26.1	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/07/2017	88.00	212,800	26.2	SEBA KLL-Q
04/07/2017	90.00	212,800	26.2	SEBA KLL-Q
04/07/2017	92.00	212,800	26.3	SEBA KLL-Q
04/07/2017	94.00	212,800	26.4	SEBA KLL-Q
04/07/2017	96.00	212,800	26.4	SEBA KLL-Q
04/07/2017	98.00	212,800	26.5	SEBA KLL-Q
04/07/2017	100.00	212,800	26.4	SEBA KLL-Q
10/10/2017	9.50	4,086	23.7	SEBA KLL-Q
10/10/2017	10.00	4,081	24.0	SEBA KLL-Q
10/10/2017	12.00	4,088	24.1	SEBA KLL-Q
10/10/2017	14.00	4,079	24.1	SEBA KLL-Q
10/10/2017	17.00	4,076	24.1	SEBA KLL-Q
10/10/2017	20.00	4,080	24.1	SEBA KLL-Q
10/10/2017	23.00	4,079	24.1	SEBA KLL-Q
10/10/2017	26.00	4,080	24.2	SEBA KLL-Q
10/10/2017	29.00	4,079	24.2	SEBA KLL-Q
10/10/2017	32.00	4,078	24.3	SEBA KLL-Q
10/10/2017	35.00	4,075	25.1	SEBA KLL-Q
10/10/2017	38.00	4,077	25.3	SEBA KLL-Q
10/10/2017	41.00	4,077	25.3	SEBA KLL-Q
10/10/2017	44.00	4,076	25.3	SEBA KLL-Q
10/10/2017	47.00	4,076	25.4	SEBA KLL-Q
10/10/2017	50.00	4,076	25.4	SEBA KLL-Q
10/10/2017	53.00	4,075	25.4	SEBA KLL-Q
10/10/2017	56.00	4,075	25.5	SEBA KLL-Q
10/10/2017	59.00	4,075	25.7	SEBA KLL-Q
10/10/2017	65.00	4,090	25.7	SEBA KLL-Q
10/10/2017	66.00	4,095	25.8	SEBA KLL-Q
10/10/2017	68.00	4,159	25.8	SEBA KLL-Q
10/10/2017	68.20	5,349	25.8	SEBA KLL-Q
10/10/2017	68.40	7,794	25.8	SEBA KLL-Q
10/10/2017	68.60	10,100	25.8	SEBA KLL-Q
10/10/2017	68.80	13,060	25.8	SEBA KLL-Q
10/10/2017	69.00	15,930	25.8	SEBA KLL-Q
10/10/2017	69.20	18,920	25.8	SEBA KLL-Q
10/10/2017	69.40	22,400	25.8	SEBA KLL-Q
10/10/2017	69.60	26,580	25.8	SEBA KLL-Q
10/10/2017	69.80	31,180	25.8	SEBA KLL-Q
10/10/2017	70.00	35,910	25.8	SEBA KLL-Q
10/10/2017	70.20	48,140	25.8	SEBA KLL-Q
10/10/2017	70.40	57,470	25.8	SEBA KLL-Q
10/10/2017	70.60	70,320	25.8	SEBA KLL-Q
10/10/2017	70.80	85,070	25.8	SEBA KLL-Q
10/10/2017	71.00	102,700	25.8	SEBA KLL-Q
10/10/2017	71.20	123,200	25.8	SEBA KLL-Q
10/10/2017	71.40	143,600	25.8	SEBA KLL-Q
10/10/2017	71.60	167,200	25.8	SEBA KLL-Q
10/10/2017	71.80	190,100	25.8	SEBA KLL-Q
10/10/2017	72.00	209,900	25.8	SEBA KLL-Q
10/10/2017	72.20	225,900	25.8	SEBA KLL-Q
10/10/2017	72.40	237,900	25.8	SEBA KLL-Q
10/10/2017	72.60	244,700	25.8	SEBA KLL-Q
10/10/2017	72.80	249,900	25.8	SEBA KLL-Q
10/10/2017	73.00	252,300	25.8	SEBA KLL-Q
10/10/2017	73.50	255,200	25.8	SEBA KLL-Q
10/10/2017	74.00	256,100	25.9	SEBA KLL-Q
10/10/2017	75.00	256,800	25.9	SEBA KLL-Q
10/10/2017	76.00	257,100	25.9	SEBA KLL-Q
10/10/2017	78.00	257,200	25.9	SEBA KLL-Q
10/10/2017	80.00	252,800	26.0	SEBA KLL-Q
10/10/2017	82.00	252,200	26.0	SEBA KLL-Q
10/10/2017	84.00	252,200	26.1	SEBA KLL-Q
10/10/2017	86.00	252,200	26.1	SEBA KLL-Q
10/10/2017	88.00	252,200	26.2	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
10/10/2017	90.00	252,300	26.2	SEBA KLL-Q
10/10/2017	92.00	252,300	26.2	SEBA KLL-Q
10/10/2017	94.00	252,300	26.3	SEBA KLL-Q
10/10/2017	96.00	252,300	26.3	SEBA KLL-Q
10/10/2017	98.00	252,300	26.3	SEBA KLL-Q
10/10/2017	100.00	252,200	26.4	SEBA KLL-Q
02/01/2018	10.0	4,270	24.00	SEBA KLL-Q
02/01/2018	12.0	4,272	24.40	SEBA KLL-Q
02/01/2018	14.0	4,240	24.50	SEBA KLL-Q
02/01/2018	16.0	4,240	24.50	SEBA KLL-Q
02/01/2018	18.0	4,240	24.50	SEBA KLL-Q
02/01/2018	20.0	4,232	24.50	SEBA KLL-Q
02/01/2018	22.0	4,233	24.50	SEBA KLL-Q
02/01/2018	24.0	4,232	24.50	SEBA KLL-Q
02/01/2018	26.0	4,232	24.50	SEBA KLL-Q
02/01/2018	28.0	4,231	24.50	SEBA KLL-Q
02/01/2018	30.0	4,220	24.60	SEBA KLL-Q
02/01/2018	32.0	4,231	24.70	SEBA KLL-Q
02/01/2018	34.0	4,235	25.30	SEBA KLL-Q
02/01/2018	36.0	4,225	25.60	SEBA KLL-Q
02/01/2018	38.0	4,223	25.60	SEBA KLL-Q
02/01/2018	40.0	4,224	25.60	SEBA KLL-Q
02/01/2018	42.0	4,221	25.60	SEBA KLL-Q
02/01/2018	44.0	4,222	25.60	SEBA KLL-Q
02/01/2018	46.0	4,223	25.60	SEBA KLL-Q
02/01/2018	48.0	4,221	25.70	SEBA KLL-Q
02/01/2018	50.0	4,223	25.70	SEBA KLL-Q
02/01/2018	52.0	4,220	25.70	SEBA KLL-Q
02/01/2018	54.0	4,221	25.70	SEBA KLL-Q
02/01/2018	55.0	4,219	25.70	SEBA KLL-Q
02/01/2018	56.0	4,222	25.80	SEBA KLL-Q
02/01/2018	57.0	4,222	25.90	SEBA KLL-Q
02/01/2018	58.0	4,218	25.90	SEBA KLL-Q
02/01/2018	59.0	4,220	25.90	SEBA KLL-Q
02/01/2018	60.0	4,237	25.90	SEBA KLL-Q
02/01/2018	61.0	4,235	25.90	SEBA KLL-Q
02/01/2018	62.0	4,235	25.90	SEBA KLL-Q
02/01/2018	62.5	4,238	25.90	SEBA KLL-Q
02/01/2018	63.0	4,240	25.90	SEBA KLL-Q
02/01/2018	63.5	4,238	25.90	SEBA KLL-Q
02/01/2018	64.0	4,236	25.90	SEBA KLL-Q
02/01/2018	64.5	4,238	25.90	SEBA KLL-Q
02/01/2018	65.0	4,237	25.90	SEBA KLL-Q
02/01/2018	65.2	4,238	25.90	SEBA KLL-Q
02/01/2018	65.4	4,240	25.90	SEBA KLL-Q
02/01/2018	65.6	4,238	25.90	SEBA KLL-Q
02/01/2018	65.8	4,239	25.90	SEBA KLL-Q
02/01/2018	66.0	4,236	25.90	SEBA KLL-Q
02/01/2018	66.2	4,241	25.90	SEBA KLL-Q
02/01/2018	66.4	4,242	25.90	SEBA KLL-Q
02/01/2018	66.6	4,244	26.00	SEBA KLL-Q
02/01/2018	66.8	4,241	26.00	SEBA KLL-Q
02/01/2018	67.0	4,245	26.00	SEBA KLL-Q
02/01/2018	67.2	4,242	26.00	SEBA KLL-Q
02/01/2018	67.4	4,256	26.00	SEBA KLL-Q
02/01/2018	67.6	4,305	26.00	SEBA KLL-Q
02/01/2018	67.8	4,325	26.00	SEBA KLL-Q
02/01/2018	68.0	4,329	26.00	SEBA KLL-Q
02/01/2018	68.2	4,503	26.00	SEBA KLL-Q
02/01/2018	68.4	7,035	26.00	SEBA KLL-Q
02/01/2018	68.6	9,249	26.00	SEBA KLL-Q
02/01/2018	68.8	11,422	26.00	SEBA KLL-Q
02/01/2018	69.0	13,945	26.00	SEBA KLL-Q
02/01/2018	69.2	17,797	26.00	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/01/2018	69.4	21,252	26.00	SEBA KLL-Q
02/01/2018	69.6	25,607	26.00	SEBA KLL-Q
02/01/2018	69.8	29,722	26.00	SEBA KLL-Q
02/01/2018	70.0	34,295	26.00	SEBA KLL-Q
02/01/2018	70.2	44,754	26.00	SEBA KLL-Q
02/01/2018	70.4	54,621	26.00	SEBA KLL-Q
02/01/2018	70.6	66,200	26.00	SEBA KLL-Q
02/01/2018	70.8	76,810	26.00	SEBA KLL-Q
02/01/2018	71.0	96,790	26.00	SEBA KLL-Q
02/01/2018	71.2	116,330	26.00	SEBA KLL-Q
02/01/2018	71.4	139,010	26.00	SEBA KLL-Q
02/01/2018	71.6	162,250	26.00	SEBA KLL-Q
02/01/2018	71.8	186,550	26.00	SEBA KLL-Q
02/01/2018	72.0	186,600	26.00	SEBA KLL-Q
02/01/2018	72.2	205,000	26.00	SEBA KLL-Q
02/01/2018	72.4	206,200	26.00	SEBA KLL-Q
02/01/2018	72.6	217,500	26.00	SEBA KLL-Q
02/01/2018	72.8	222,300	26.00	SEBA KLL-Q
02/01/2018	73.0	224,300	26.00	SEBA KLL-Q
02/01/2018	73.2	225,700	26.00	SEBA KLL-Q
02/01/2018	73.4	227,000	26.00	SEBA KLL-Q
02/01/2018	73.6	227,400	26.00	SEBA KLL-Q
02/01/2018	73.8	227,900	26.00	SEBA KLL-Q
02/01/2018	74.0	228,300	26.00	SEBA KLL-Q
02/01/2018	74.5	228,400	26.00	SEBA KLL-Q
02/01/2018	75.0	229,200	26.00	SEBA KLL-Q
02/01/2018	75.5	229,800	26.00	SEBA KLL-Q
02/01/2018	76.0	229,900	26.10	SEBA KLL-Q
02/01/2018	76.5	230,000	26.10	SEBA KLL-Q
02/01/2018	77.0	230,100	26.10	SEBA KLL-Q
02/01/2018	78.0	230,100	26.10	SEBA KLL-Q
02/01/2018	79.0	230,200	26.10	SEBA KLL-Q
02/01/2018	80.0	228,400	26.10	SEBA KLL-Q
02/01/2018	81.0	226,400	26.10	SEBA KLL-Q
02/01/2018	82.0	226,000	26.20	SEBA KLL-Q
02/01/2018	83.0	226,000	26.20	SEBA KLL-Q
02/01/2018	85.0	225,800	26.20	SEBA KLL-Q
02/01/2018	87.0	225,800	26.20	SEBA KLL-Q
02/01/2018	89.0	225,900	26.20	SEBA KLL-Q
02/01/2018	91.0	225,900	26.20	SEBA KLL-Q
02/01/2018	93.0	225,800	26.30	SEBA KLL-Q
02/01/2018	94.0	226,000	26.40	SEBA KLL-Q
02/01/2018	96.0	225,900	26.50	SEBA KLL-Q
02/01/2018	97.0	225,800	26.50	SEBA KLL-Q
02/01/2018	98.0	225,800	26.40	SEBA KLL-Q
02/01/2018	99.0	225,800	26.40	SEBA KLL-Q
23/04/2018	9.2	4,311	24.50	SEBA KLL-Q
23/04/2018	9.4	4,309	24.57	SEBA KLL-Q
23/04/2018	9.6	4,308	24.58	SEBA KLL-Q
23/04/2018	9.8	4,311	24.65	SEBA KLL-Q
23/04/2018	10.0	4,308	24.69	SEBA KLL-Q
23/04/2018	10.2	4,310	24.68	SEBA KLL-Q
23/04/2018	10.4	4,310	24.71	SEBA KLL-Q
23/04/2018	10.6	4,310	24.72	SEBA KLL-Q
23/04/2018	10.8	4,309	24.72	SEBA KLL-Q
23/04/2018	11.0	4,310	24.72	SEBA KLL-Q
23/04/2018	11.5	4,310	24.72	SEBA KLL-Q
23/04/2018	12.0	4,312	24.72	SEBA KLL-Q
23/04/2018	12.5	4,310	24.72	SEBA KLL-Q
23/04/2018	13.0	4,311	24.72	SEBA KLL-Q
23/04/2018	14.0	4,312	24.72	SEBA KLL-Q
23/04/2018	15.0	4,312	24.72	SEBA KLL-Q
23/04/2018	16.0	4,312	24.72	SEBA KLL-Q
23/04/2018	18.0	4,313	24.72	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/04/2018	20.0	4,313	24.72	SEBA KLL-Q
23/04/2018	22.0	4,312	24.73	SEBA KLL-Q
23/04/2018	24.0	4,312	24.73	SEBA KLL-Q
23/04/2018	26.0	4,313	24.74	SEBA KLL-Q
23/04/2018	28.0	4,313	24.79	SEBA KLL-Q
23/04/2018	30.0	4,314	24.82	SEBA KLL-Q
23/04/2018	32.0	4,311	24.90	SEBA KLL-Q
23/04/2018	34.0	4,310	25.49	SEBA KLL-Q
23/04/2018	36.0	4,310	25.55	SEBA KLL-Q
23/04/2018	38.0	4,310	25.56	SEBA KLL-Q
23/04/2018	40.0	4,310	25.56	SEBA KLL-Q
23/04/2018	42.0	4,310	25.59	SEBA KLL-Q
23/04/2018	44.0	4,310	25.60	SEBA KLL-Q
23/04/2018	46.0	4,311	25.63	SEBA KLL-Q
23/04/2018	48.0	4,310	25.64	SEBA KLL-Q
23/04/2018	50.0	4,310	25.63	SEBA KLL-Q
23/04/2018	52.0	4,311	25.64	SEBA KLL-Q
23/04/2018	54.0	4,310	25.65	SEBA KLL-Q
23/04/2018	56.0	4,308	25.78	SEBA KLL-Q
23/04/2018	58.0	4,308	25.81	SEBA KLL-Q
23/04/2018	60.0	4,311	25.82	SEBA KLL-Q
23/04/2018	62.0	4,321	25.83	SEBA KLL-Q
23/04/2018	63.0	4,320	25.84	SEBA KLL-Q
23/04/2018	63.5	4,321	25.84	SEBA KLL-Q
23/04/2018	64.0	4,321	25.84	SEBA KLL-Q
23/04/2018	64.2	4,321	25.84	SEBA KLL-Q
23/04/2018	64.4	4,321	25.84	SEBA KLL-Q
23/04/2018	64.6	4,322	25.85	SEBA KLL-Q
23/04/2018	64.8	4,322	25.85	SEBA KLL-Q
23/04/2018	65.0	4,322	25.85	SEBA KLL-Q
23/04/2018	65.2	4,322	25.85	SEBA KLL-Q
23/04/2018	65.4	4,322	25.85	SEBA KLL-Q
23/04/2018	65.6	4,324	25.85	SEBA KLL-Q
23/04/2018	65.8	4,326	25.85	SEBA KLL-Q
23/04/2018	66.0	4,328	25.85	SEBA KLL-Q
23/04/2018	66.2	4,327	25.85	SEBA KLL-Q
23/04/2018	66.4	4,326	25.85	SEBA KLL-Q
23/04/2018	66.6	4,325	25.85	SEBA KLL-Q
23/04/2018	66.8	4,326	25.85	SEBA KLL-Q
23/04/2018	67.0	4,325	25.85	SEBA KLL-Q
23/04/2018	67.2	4,325	25.85	SEBA KLL-Q
23/04/2018	67.4	4,321	25.85	SEBA KLL-Q
23/04/2018	67.6	4,350	25.85	SEBA KLL-Q
23/04/2018	67.8	4,368	25.85	SEBA KLL-Q
23/04/2018	68.0	5,113	25.85	SEBA KLL-Q
23/04/2018	68.2	5,638	25.86	SEBA KLL-Q
23/04/2018	68.4	7,402	25.86	SEBA KLL-Q
23/04/2018	68.6	10,400	25.86	SEBA KLL-Q
23/04/2018	68.8	12,840	25.87	SEBA KLL-Q
23/04/2018	69.0	15,690	25.87	SEBA KLL-Q
23/04/2018	69.2	18,870	25.87	SEBA KLL-Q
23/04/2018	69.4	22,520	25.87	SEBA KLL-Q
23/04/2018	69.6	26,770	25.87	SEBA KLL-Q
23/04/2018	69.8	31,230	25.87	SEBA KLL-Q
23/04/2018	70.0	38,370	25.88	SEBA KLL-Q
23/04/2018	70.2	46,260	25.88	SEBA KLL-Q
23/04/2018	70.4	56,760	25.88	SEBA KLL-Q
23/04/2018	70.6	65,680	25.88	SEBA KLL-Q
23/04/2018	70.8	80,970	25.89	SEBA KLL-Q
23/04/2018	71.0	98,500	25.89	SEBA KLL-Q
23/04/2018	71.2	115,000	25.90	SEBA KLL-Q
23/04/2018	71.4	136,400	25.90	SEBA KLL-Q
23/04/2018	71.6	159,700	25.90	SEBA KLL-Q
23/04/2018	71.8	184,600	25.90	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/04/2018	72.0	203,000	25.90	SEBA KLL-Q
23/04/2018	72.2	215,300	25.90	SEBA KLL-Q
23/04/2018	72.4	224,500	25.90	SEBA KLL-Q
23/04/2018	72.6	231,200	25.90	SEBA KLL-Q
23/04/2018	72.8	234,100	25.90	SEBA KLL-Q
23/04/2018	73.0	236,200	25.90	SEBA KLL-Q
23/04/2018	73.2	237,500	25.90	SEBA KLL-Q
23/04/2018	73.4	238,400	25.90	SEBA KLL-Q
23/04/2018	73.6	238,900	25.90	SEBA KLL-Q
23/04/2018	73.8	239,200	25.90	SEBA KLL-Q
23/04/2018	74.0	239,500	25.90	SEBA KLL-Q
23/04/2018	74.5	239,900	25.90	SEBA KLL-Q
23/04/2018	75.0	240,100	25.90	SEBA KLL-Q
23/04/2018	76.0	240,100	25.90	SEBA KLL-Q
23/04/2018	77.0	240,300	26.00	SEBA KLL-Q
23/04/2018	78.0	240,300	26.00	SEBA KLL-Q
23/04/2018	80.0	238,100	26.00	SEBA KLL-Q
23/04/2018	82.0	235,900	26.00	SEBA KLL-Q
23/04/2018	84.0	235,900	26.10	SEBA KLL-Q
23/04/2018	86.0	235,900	26.10	SEBA KLL-Q
23/04/2018	88.0	235,900	26.20	SEBA KLL-Q
23/04/2018	90.0	235,800	26.20	SEBA KLL-Q
23/04/2018	92.0	235,800	26.20	SEBA KLL-Q
23/04/2018	94.0	235,800	26.40	SEBA KLL-Q
23/04/2018	96.0	235,800	26.40	SEBA KLL-Q
23/04/2018	98.0	235,800	26.40	SEBA KLL-Q
23/04/2018	100.0	235,900	26.40	SEBA KLL-Q
27/07/2018	9.1	4,903	24.03	SEBA KLL-Q
27/07/2018	9.3	4,877	24.67	SEBA KLL-Q
27/07/2018	9.5	4,843	24.72	SEBA KLL-Q
27/07/2018	10.0	4,793	24.76	SEBA KLL-Q
27/07/2018	10.5	4,793	24.83	SEBA KLL-Q
27/07/2018	11.0	4,760	24.89	SEBA KLL-Q
27/07/2018	12.0	4,743	24.88	SEBA KLL-Q
27/07/2018	13.0	4,743	24.89	SEBA KLL-Q
27/07/2018	14.0	4,734	24.90	SEBA KLL-Q
27/07/2018	16.0	4,731	24.89	SEBA KLL-Q
27/07/2018	18.0	4,728	24.88	SEBA KLL-Q
27/07/2018	20.0	4,725	24.89	SEBA KLL-Q
27/07/2018	22.0	4,722	24.88	SEBA KLL-Q
27/07/2018	24.0	4,720	24.91	SEBA KLL-Q
27/07/2018	26.0	4,720	24.92	SEBA KLL-Q
27/07/2018	28.0	4,725	24.94	SEBA KLL-Q
27/07/2018	30.0	4,718	24.98	SEBA KLL-Q
27/07/2018	32.0	4,723	25.10	SEBA KLL-Q
27/07/2018	34.0	4,719	25.56	SEBA KLL-Q
27/07/2018	36.0	4,717	25.63	SEBA KLL-Q
27/07/2018	38.0	4,717	25.63	SEBA KLL-Q
27/07/2018	40.0	4,710	25.65	SEBA KLL-Q
27/07/2018	42.0	4,714	25.68	SEBA KLL-Q
27/07/2018	44.0	4,710	25.68	SEBA KLL-Q
27/07/2018	46.0	4,720	25.69	SEBA KLL-Q
27/07/2018	48.0	4,715	25.71	SEBA KLL-Q
27/07/2018	50.0	4,714	25.69	SEBA KLL-Q
27/07/2018	52.0	4,714	25.70	SEBA KLL-Q
27/07/2018	54.0	4,716	25.73	SEBA KLL-Q
27/07/2018	56.0	4,711	25.83	SEBA KLL-Q
27/07/2018	58.0	4,712	25.86	SEBA KLL-Q
27/07/2018	60.0	4,708	25.88	SEBA KLL-Q
27/07/2018	62.0	4,727	25.88	SEBA KLL-Q
27/07/2018	64.0	4,727	25.90	SEBA KLL-Q
27/07/2018	66.0	4,733	25.91	SEBA KLL-Q
27/07/2018	68.0	15,220	25.94	SEBA KLL-Q
27/07/2018	68.2	19,040	25.92	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
27/07/2018	68.4	20,080	25.92	SEBA KLL-Q
27/07/2018	68.6	24,510	25.93	SEBA KLL-Q
27/07/2018	68.8	26,420	25.94	SEBA KLL-Q
27/07/2018	69.0	35,160	25.94	SEBA KLL-Q
27/07/2018	69.2	35,800	25.93	SEBA KLL-Q
27/07/2018	69.4	45,030	25.93	SEBA KLL-Q
27/07/2018	69.6	55,620	25.95	SEBA KLL-Q
27/07/2018	69.8	61,590	25.93	SEBA KLL-Q
27/07/2018	70.0	69,890	25.93	SEBA KLL-Q
27/07/2018	70.2	79,820	25.93	SEBA KLL-Q
27/07/2018	70.4	96,150	25.94	SEBA KLL-Q
27/07/2018	70.6	100,700	25.96	SEBA KLL-Q
27/07/2018	70.8	120,000	25.95	SEBA KLL-Q
27/07/2018	71.0	139,800	25.97	SEBA KLL-Q
27/07/2018	71.2	144,200	25.98	SEBA KLL-Q
27/07/2018	71.4	163,800	25.98	SEBA KLL-Q
27/07/2018	71.6	191,600	25.97	SEBA KLL-Q
27/07/2018	71.8	204,200	25.96	SEBA KLL-Q
27/07/2018	72.0	223,500	25.97	SEBA KLL-Q
27/07/2018	72.2	240,000	25.97	SEBA KLL-Q
27/07/2018	72.4	254,000	25.96	SEBA KLL-Q
27/07/2018	72.6	259,900	25.98	SEBA KLL-Q
27/07/2018	72.8	271,400	25.98	SEBA KLL-Q
27/07/2018	73.0	273,700	25.79	SEBA KLL-Q
27/07/2018	73.5	286,500	26.00	SEBA KLL-Q
27/07/2018	74.0	287,300	25.98	SEBA KLL-Q
27/07/2018	74.5	287,700	25.99	SEBA KLL-Q
27/07/2018	75.0	287,700	26.01	SEBA KLL-Q
27/07/2018	76.0	287,600	26.02	SEBA KLL-Q
27/07/2018	78.0	287,800	26.06	SEBA KLL-Q
27/07/2018	80.0	285,500	26.09	SEBA KLL-Q
27/07/2018	82.0	283,100	26.15	SEBA KLL-Q
27/07/2018	84.0	282,600	26.19	SEBA KLL-Q
26/08/2018	9.2	4,390	23.35	SEBA KLL-Q
26/08/2018	9.4	4,303	24.32	SEBA KLL-Q
26/08/2018	9.6	4,309	24.33	SEBA KLL-Q
26/08/2018	9.8	4,290	24.81	SEBA KLL-Q
26/08/2018	10.0	4,285	24.85	SEBA KLL-Q
26/08/2018	10.5	4,263	25.09	SEBA KLL-Q
26/08/2018	11.0	4,265	25.15	SEBA KLL-Q
26/08/2018	12.0	4,258	25.18	SEBA KLL-Q
26/08/2018	14.0	4,254	25.19	SEBA KLL-Q
26/08/2018	16.0	4,255	25.17	SEBA KLL-Q
26/08/2018	18.0	4,254	25.19	SEBA KLL-Q
26/08/2018	20.0	4,251	25.21	SEBA KLL-Q
26/08/2018	22.0	4,254	25.15	SEBA KLL-Q
26/08/2018	24.0	4,253	25.20	SEBA KLL-Q
26/08/2018	26.0	4,256	25.19	SEBA KLL-Q
26/08/2018	28.0	4,255	25.25	SEBA KLL-Q
26/08/2018	30.0	4,256	25.24	SEBA KLL-Q
26/08/2018	32.0	4,257	25.63	SEBA KLL-Q
26/08/2018	34.0	4,253	25.82	SEBA KLL-Q
26/08/2018	36.0	4,255	25.83	SEBA KLL-Q
26/08/2018	38.0	4,252	25.84	SEBA KLL-Q
26/08/2018	40.0	4,253	25.90	SEBA KLL-Q
26/08/2018	42.0	4,259	25.86	SEBA KLL-Q
26/08/2018	44.0	4,258	25.88	SEBA KLL-Q
26/08/2018	46.0	4,258	25.89	SEBA KLL-Q
26/08/2018	48.0	4,258	25.90	SEBA KLL-Q
26/08/2018	50.0	4,257	25.91	SEBA KLL-Q
26/08/2018	52.0	4,256	25.92	SEBA KLL-Q
26/08/2018	54.0	4,258	25.94	SEBA KLL-Q
26/08/2018	56.0	4,262	26.00	SEBA KLL-Q
26/08/2018	58.0	4,258	26.03	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/08/2018	60.0	4,274	26.04	SEBA KLL-Q
26/08/2018	62.0	4,273	26.08	SEBA KLL-Q
26/08/2018	64.0	4,275	26.11	SEBA KLL-Q
26/08/2018	66.0	4,277	26.15	SEBA KLL-Q
26/08/2018	68.0	4,318	26.07	SEBA KLL-Q
26/08/2018	68.5	16,650	26.06	SEBA KLL-Q
26/08/2018	69.0	23,910	26.12	SEBA KLL-Q
26/08/2018	69.2	28,980	26.10	SEBA KLL-Q
26/08/2018	69.4	32,760	26.09	SEBA KLL-Q
26/08/2018	69.6	38,930	26.07	SEBA KLL-Q
26/08/2018	69.8	46,420	26.08	SEBA KLL-Q
26/08/2018	70.0	54,700	26.13	SEBA KLL-Q
26/08/2018	70.2	65,700	26.10	SEBA KLL-Q
26/08/2018	70.4	80,050	26.13	SEBA KLL-Q
26/08/2018	70.6	89,880	26.09	SEBA KLL-Q
26/08/2018	70.8	101,700	26.10	SEBA KLL-Q
26/08/2018	71.0	118,400	26.12	SEBA KLL-Q
26/08/2018	71.2	131,600	26.13	SEBA KLL-Q
26/08/2018	71.4	147,400	26.07	SEBA KLL-Q
26/08/2018	71.6	167,800	26.15	SEBA KLL-Q
26/08/2018	71.8	186,700	26.10	SEBA KLL-Q
26/08/2018	72.0	204,300	26.09	SEBA KLL-Q
26/08/2018	72.2	220,400	26.14	SEBA KLL-Q
26/08/2018	72.4	230,100	26.09	SEBA KLL-Q
26/08/2018	72.6	238,100	26.14	SEBA KLL-Q
26/08/2018	72.8	244,700	26.09	SEBA KLL-Q
26/08/2018	73.0	250,300	26.13	SEBA KLL-Q
26/08/2018	73.2	254,500	26.10	SEBA KLL-Q
26/08/2018	73.4	255,900	26.11	SEBA KLL-Q
26/08/2018	73.6	256,500	26.09	SEBA KLL-Q
26/08/2018	73.8	256,900	26.07	SEBA KLL-Q
26/08/2018	74.0	256,900	26.09	SEBA KLL-Q
26/08/2018	74.5	257,100	26.15	SEBA KLL-Q
26/08/2018	75.0	257,100	26.16	SEBA KLL-Q
26/08/2018	76.0	257,600	26.16	SEBA KLL-Q
26/08/2018	78.0	257,700	26.12	SEBA KLL-Q
26/08/2018	80.0	257,500	26.13	SEBA KLL-Q
26/08/2018	82.0	253,300	26.25	SEBA KLL-Q
26/08/2018	84.0	252,100	26.27	SEBA KLL-Q
26/08/2018	86.0	253,000	26.31	SEBA KLL-Q
26/08/2018	88.0	253,000	26.35	SEBA KLL-Q
26/08/2018	90.0	252,700	26.37	SEBA KLL-Q
26/08/2018	92.0	253,000	26.24	SEBA KLL-Q
26/08/2018	94.0	253,000	26.47	SEBA KLL-Q
26/08/2018	96.0	252,800	26.53	SEBA KLL-Q
26/08/2018	98.0	252,700	26.54	SEBA KLL-Q
26/08/2018	98.5	253,000	26.57	SEBA KLL-Q
05/09/2018	9.1	4,293	24.40	SEBA KLL-Q
05/09/2018	9.5	4,287	24.60	SEBA KLL-Q
05/09/2018	9.7	4,285	24.60	SEBA KLL-Q
05/09/2018	9.9	4,283	24.80	SEBA KLL-Q
05/09/2018	10.2	4,283	24.80	SEBA KLL-Q
05/09/2018	10.5	4,274	25.10	SEBA KLL-Q
05/09/2018	11.0	4,272	25.10	SEBA KLL-Q
05/09/2018	11.5	4,268	25.10	SEBA KLL-Q
05/09/2018	12.0	4,266	25.10	SEBA KLL-Q
05/09/2018	13.0	4,264	25.10	SEBA KLL-Q
05/09/2018	14.0	4,264	25.10	SEBA KLL-Q
05/09/2018	16.0	4,262	25.20	SEBA KLL-Q
05/09/2018	18.0	4,262	25.20	SEBA KLL-Q
05/09/2018	20.0	4,260	25.20	SEBA KLL-Q
05/09/2018	22.0	4,259	25.20	SEBA KLL-Q
05/09/2018	24.0	4,258	25.20	SEBA KLL-Q
05/09/2018	26.0	4,260	25.20	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/09/2018	28.0	4,261	25.20	SEBA KLL-Q
05/09/2018	30.0	4,258	25.20	SEBA KLL-Q
05/09/2018	32.0	4,256	25.30	SEBA KLL-Q
05/09/2018	34.0	4,256	25.80	SEBA KLL-Q
05/09/2018	36.0	4,256	25.90	SEBA KLL-Q
05/09/2018	38.0	4,256	25.90	SEBA KLL-Q
05/09/2018	40.0	4,254	25.90	SEBA KLL-Q
05/09/2018	42.0	4,258	25.90	SEBA KLL-Q
05/09/2018	44.0	4,257	25.90	SEBA KLL-Q
05/09/2018	46.0	4,257	25.90	SEBA KLL-Q
05/09/2018	48.0	4,260	25.90	SEBA KLL-Q
05/09/2018	50.0	4,259	25.90	SEBA KLL-Q
05/09/2018	52.0	4,257	25.90	SEBA KLL-Q
05/09/2018	54.0	4,254	25.90	SEBA KLL-Q
05/09/2018	56.0	4,254	26.10	SEBA KLL-Q
05/09/2018	58.0	4,260	26.10	SEBA KLL-Q
05/09/2018	60.0	4,259	26.10	SEBA KLL-Q
05/09/2018	62.0	4,254	26.10	SEBA KLL-Q
05/09/2018	64.0	4,273	26.10	SEBA KLL-Q
05/09/2018	65.0	4,273	26.10	SEBA KLL-Q
05/09/2018	65.5	4,272	26.10	SEBA KLL-Q
05/09/2018	66.0	4,269	26.20	SEBA KLL-Q
05/09/2018	67.0	4,269	26.20	SEBA KLL-Q
05/09/2018	68.0	4,554	26.20	SEBA KLL-Q
05/09/2018	68.5	14,920	26.20	SEBA KLL-Q
05/09/2018	69.0	23,660	26.20	SEBA KLL-Q
05/09/2018	69.2	28,470	26.20	SEBA KLL-Q
05/09/2018	69.4	32,610	26.20	SEBA KLL-Q
05/09/2018	69.6	39,030	26.20	SEBA KLL-Q
05/09/2018	69.8	45,840	26.20	SEBA KLL-Q
05/09/2018	70.0	55,830	26.20	SEBA KLL-Q
05/09/2018	70.2	65,530	26.20	SEBA KLL-Q
05/09/2018	70.4	78,370	26.20	SEBA KLL-Q
05/09/2018	70.6	91,830	26.20	SEBA KLL-Q
05/09/2018	70.8	103,300	26.20	SEBA KLL-Q
05/09/2018	71.0	119,400	26.20	SEBA KLL-Q
05/09/2018	71.2	132,100	26.20	SEBA KLL-Q
05/09/2018	71.4	147,600	26.20	SEBA KLL-Q
05/09/2018	71.6	165,200	26.20	SEBA KLL-Q
05/09/2018	71.8	185,200	26.20	SEBA KLL-Q
05/09/2018	72.0	204,200	26.20	SEBA KLL-Q
05/09/2018	72.2	220,800	26.20	SEBA KLL-Q
05/09/2018	72.4	230,000	26.20	SEBA KLL-Q
05/09/2018	72.6	239,300	26.20	SEBA KLL-Q
05/09/2018	72.8	245,500	26.20	SEBA KLL-Q
05/09/2018	73.0	251,700	26.20	SEBA KLL-Q
05/09/2018	73.5	257,200	26.20	SEBA KLL-Q
05/09/2018	74.0	258,100	26.20	SEBA KLL-Q
05/09/2018	75.0	258,500	26.20	SEBA KLL-Q
05/09/2018	76.0	258,800	26.20	SEBA KLL-Q
05/09/2018	78.0	258,900	26.30	SEBA KLL-Q
05/09/2018	80.0	257,300	26.30	SEBA KLL-Q
05/09/2018	82.0	254,400	26.30	SEBA KLL-Q
05/09/2018	84.0	254,300	26.40	SEBA KLL-Q
05/09/2018	86.0	254,200	26.40	SEBA KLL-Q
05/09/2018	88.0	254,000	26.50	SEBA KLL-Q
05/09/2018	90.0	254,300	26.50	SEBA KLL-Q
05/09/2018	92.0	254,200	26.60	SEBA KLL-Q
05/09/2018	94.0	254,200	26.60	SEBA KLL-Q
05/09/2018	96.0	254,400	26.70	SEBA KLL-Q
05/09/2018	98.0	254,400	26.70	SEBA KLL-Q
05/09/2018	99.0	254,400	26.70	SEBA KLL-Q
05/09/2018	99.5	254,200	26.70	SEBA KLL-Q
13/11/2018	10.0	4,511	24.95	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/11/2018	10.5	4,510	25.00	SEBA KLL-Q
13/11/2018	11.0	4,509	25.03	SEBA KLL-Q
13/11/2018	12.0	4,509	25.04	SEBA KLL-Q
13/11/2018	14.0	4,509	25.02	SEBA KLL-Q
13/11/2018	16.0	4,510	25.03	SEBA KLL-Q
13/11/2018	18.0	4,509	25.03	SEBA KLL-Q
13/11/2018	20.0	4,510	25.04	SEBA KLL-Q
13/11/2018	22.0	4,511	25.04	SEBA KLL-Q
13/11/2018	24.0	4,510	25.05	SEBA KLL-Q
13/11/2018	26.0	4,509	25.07	SEBA KLL-Q
13/11/2018	28.0	4,510	25.10	SEBA KLL-Q
13/11/2018	30.0	4,510	25.11	SEBA KLL-Q
13/11/2018	32.0	4,508	25.25	SEBA KLL-Q
13/11/2018	34.0	4,510	25.57	SEBA KLL-Q
13/11/2018	36.0	4,508	25.64	SEBA KLL-Q
13/11/2018	38.0	4,508	25.65	SEBA KLL-Q
13/11/2018	40.0	4,508	25.66	SEBA KLL-Q
13/11/2018	42.0	4,509	25.67	SEBA KLL-Q
13/11/2018	44.0	4,508	25.68	SEBA KLL-Q
13/11/2018	46.0	4,509	25.70	SEBA KLL-Q
13/11/2018	48.0	4,508	25.71	SEBA KLL-Q
13/11/2018	50.0	4,510	25.70	SEBA KLL-Q
13/11/2018	52.0	4,508	25.71	SEBA KLL-Q
13/11/2018	54.0	4,509	25.72	SEBA KLL-Q
13/11/2018	56.0	4,508	25.72	SEBA KLL-Q
13/11/2018	58.0	4,509	25.70	SEBA KLL-Q
13/11/2018	60.0	4,520	25.72	SEBA KLL-Q
13/11/2018	62.0	4,521	25.86	SEBA KLL-Q
13/11/2018	64.0	4,521	25.86	SEBA KLL-Q
13/11/2018	66.0	4,522	25.87	SEBA KLL-Q
13/11/2018	68.0	4,565	25.87	SEBA KLL-Q
13/11/2018	70.0	48,070	25.89	SEBA KLL-Q
13/11/2018	70.2	68,290	25.90	SEBA KLL-Q
13/11/2018	70.4	70,800	25.91	SEBA KLL-Q
13/11/2018	70.6	87,220	25.90	SEBA KLL-Q
13/11/2018	70.8	100,200	25.90	SEBA KLL-Q
13/11/2018	71.0	115,000	25.91	SEBA KLL-Q
13/11/2018	71.2	131,500	25.91	SEBA KLL-Q
13/11/2018	71.4	148,400	25.91	SEBA KLL-Q
13/11/2018	71.6	166,700	25.92	SEBA KLL-Q
13/11/2018	71.8	186,100	25.92	SEBA KLL-Q
13/11/2018	72.0	203,600	25.93	SEBA KLL-Q
13/11/2018	72.2	216,500	25.92	SEBA KLL-Q
13/11/2018	72.4	225,500	25.92	SEBA KLL-Q
13/11/2018	72.6	232,700	25.93	SEBA KLL-Q
13/11/2018	72.8	237,900	25.93	SEBA KLL-Q
13/11/2018	73.0	241,200	25.94	SEBA KLL-Q
13/11/2018	73.5	243,700	25.95	SEBA KLL-Q
13/11/2018	74.0	244,300	25.96	SEBA KLL-Q
13/11/2018	74.5	244,700	25.97	SEBA KLL-Q
13/11/2018	75.0	244,700	25.97	SEBA KLL-Q
13/11/2018	76.0	245,100	25.99	SEBA KLL-Q
13/11/2018	78.0	245,200	26.03	SEBA KLL-Q
13/11/2018	80.0	243,100	26.07	SEBA KLL-Q
13/11/2018	82.0	240,800	26.12	SEBA KLL-Q
13/11/2018	84.0	240,700	26.15	SEBA KLL-Q
13/11/2018	87.0	240,700	26.16	SEBA KLL-Q
13/11/2018	90.0	240,600	26.15	SEBA KLL-Q
13/11/2018	93.0	240,800	26.21	SEBA KLL-Q
13/11/2018	96.0	240,600	26.42	SEBA KLL-Q
13/11/2018	99.0	240,600	26.46	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/10/2016	9.70	18,208	22.8	SEBA KLL-Q
12/10/2016	11.00	18,159	22.7	SEBA KLL-Q
12/10/2016	12.00	18,149	22.8	SEBA KLL-Q
12/10/2016	14.00	18,107	22.8	SEBA KLL-Q
12/10/2016	16.00	18,048	22.8	SEBA KLL-Q
12/10/2016	18.00	18,000	22.9	SEBA KLL-Q
12/10/2016	20.00	18,339	22.9	SEBA KLL-Q
12/10/2016	21.00	24,105	22.9	SEBA KLL-Q
12/10/2016	22.00	33,548	22.9	SEBA KLL-Q
12/10/2016	22.50	33,869	22.9	SEBA KLL-Q
12/10/2016	23.00	33,903	22.9	SEBA KLL-Q
12/10/2016	23.50	34,595	22.9	SEBA KLL-Q
12/10/2016	24.00	35,606	22.9	SEBA KLL-Q
12/10/2016	24.50	37,003	22.9	SEBA KLL-Q
12/10/2016	25.00	38,833	23.0	SEBA KLL-Q
12/10/2016	25.50	40,078	23.0	SEBA KLL-Q
12/10/2016	26.00	42,954	23.0	SEBA KLL-Q
12/10/2016	26.50	44,435	23.0	SEBA KLL-Q
12/10/2016	27.00	47,845	23.0	SEBA KLL-Q
12/10/2016	27.50	48,786	23.0	SEBA KLL-Q
12/10/2016	28.00	49,626	23.0	SEBA KLL-Q
12/10/2016	28.50	50,033	23.0	SEBA KLL-Q
12/10/2016	29.00	50,206	23.0	SEBA KLL-Q
12/10/2016	29.50	50,664	23.1	SEBA KLL-Q
12/10/2016	30.00	50,794	23.1	SEBA KLL-Q
12/10/2016	31.00	51,057	23.1	SEBA KLL-Q
12/10/2016	32.00	52,064	23.1	SEBA KLL-Q
12/10/2016	32.50	52,915	23.1	SEBA KLL-Q
12/10/2016	33.00	54,072	23.1	SEBA KLL-Q
12/10/2016	33.50	55,203	23.2	SEBA KLL-Q
12/10/2016	34.00	55,307	23.2	SEBA KLL-Q
12/10/2016	34.50	55,820	23.2	SEBA KLL-Q
12/10/2016	35.00	56,615	23.2	SEBA KLL-Q
12/10/2016	35.50	57,143	23.2	SEBA KLL-Q
12/10/2016	36.00	57,719	23.2	SEBA KLL-Q
12/10/2016	36.50	58,299	23.2	SEBA KLL-Q
12/10/2016	37.00	58,677	23.2	SEBA KLL-Q
12/10/2016	37.50	59,163	23.3	SEBA KLL-Q
12/10/2016	38.00	59,590	23.3	SEBA KLL-Q
12/10/2016	38.50	60,075	23.3	SEBA KLL-Q
12/10/2016	39.00	60,166	23.3	SEBA KLL-Q
12/10/2016	40.00	60,280	23.3	SEBA KLL-Q
12/10/2016	41.00	60,801	23.3	SEBA KLL-Q
12/10/2016	41.50	61,403	23.4	SEBA KLL-Q
12/10/2016	42.00	61,452	23.4	SEBA KLL-Q
12/10/2016	43.00	62,071	23.4	SEBA KLL-Q
12/10/2016	44.00	62,599	23.4	SEBA KLL-Q
12/10/2016	45.00	63,185	23.5	SEBA KLL-Q
12/10/2016	46.00	63,689	23.5	SEBA KLL-Q
12/10/2016	47.00	64,318	23.5	SEBA KLL-Q
12/10/2016	48.00	65,071	23.5	SEBA KLL-Q
12/10/2016	49.00	66,059	23.6	SEBA KLL-Q
12/10/2016	50.00	67,305	23.6	SEBA KLL-Q
12/10/2016	51.00	68,407	23.6	SEBA KLL-Q
12/10/2016	51.50	70,959	23.6	SEBA KLL-Q
12/10/2016	52.00	76,474	23.6	SEBA KLL-Q
12/10/2016	52.20	76,712	23.6	SEBA KLL-Q
12/10/2016	52.40	78,841	23.6	SEBA KLL-Q
12/10/2016	52.60	79,642	23.6	SEBA KLL-Q
12/10/2016	52.80	80,236	23.6	SEBA KLL-Q
12/10/2016	53.00	81,742	23.6	SEBA KLL-Q
12/10/2016	53.20	83,491	23.6	SEBA KLL-Q
12/10/2016	53.40	83,989	23.6	SEBA KLL-Q
12/10/2016	53.60	84,635	23.6	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/10/2016	53.80	90,923	23.6	SEBA KLL-Q
12/10/2016	54.00	94,308	23.6	SEBA KLL-Q
12/10/2016	54.20	96,133	23.6	SEBA KLL-Q
12/10/2016	54.40	99,849	23.6	SEBA KLL-Q
12/10/2016	54.60	103,053	23.6	SEBA KLL-Q
12/10/2016	54.80	104,931	23.7	SEBA KLL-Q
12/10/2016	55.00	106,808	23.7	SEBA KLL-Q
12/10/2016	55.20	110,272	23.6	SEBA KLL-Q
12/10/2016	55.40	114,950	23.7	SEBA KLL-Q
12/10/2016	55.60	116,647	23.7	SEBA KLL-Q
12/10/2016	55.80	118,407	23.7	SEBA KLL-Q
12/10/2016	56.00	119,893	23.7	SEBA KLL-Q
12/10/2016	56.20	122,115	23.7	SEBA KLL-Q
12/10/2016	56.40	124,169	23.7	SEBA KLL-Q
12/10/2016	56.60	125,573	23.7	SEBA KLL-Q
12/10/2016	56.80	127,493	23.7	SEBA KLL-Q
12/10/2016	57.00	128,507	23.7	SEBA KLL-Q
12/10/2016	57.20	129,662	23.7	SEBA KLL-Q
12/10/2016	57.40	132,561	23.7	SEBA KLL-Q
12/10/2016	57.60	134,064	23.6	SEBA KLL-Q
12/10/2016	57.80	135,451	23.6	SEBA KLL-Q
12/10/2016	58.00	136,624	23.6	SEBA KLL-Q
12/10/2016	58.20	137,159	23.6	SEBA KLL-Q
12/10/2016	58.40	140,092	23.6	SEBA KLL-Q
12/10/2016	58.60	140,894	23.6	SEBA KLL-Q
12/10/2016	58.80	141,356	23.6	SEBA KLL-Q
12/10/2016	59.00	142,912	23.6	SEBA KLL-Q
12/10/2016	59.20	144,218	23.6	SEBA KLL-Q
12/10/2016	59.40	145,608	23.7	SEBA KLL-Q
12/10/2016	59.60	147,777	23.7	SEBA KLL-Q
12/10/2016	59.80	151,234	23.7	SEBA KLL-Q
12/10/2016	60.00	154,509	23.7	SEBA KLL-Q
12/10/2016	60.20	155,419	23.7	SEBA KLL-Q
12/10/2016	60.40	156,065	23.7	SEBA KLL-Q
12/10/2016	60.60	157,899	23.7	SEBA KLL-Q
12/10/2016	60.80	160,235	23.7	SEBA KLL-Q
12/10/2016	61.00	162,677	23.7	SEBA KLL-Q
12/10/2016	61.20	167,260	23.7	SEBA KLL-Q
12/10/2016	61.40	170,190	23.8	SEBA KLL-Q
12/10/2016	61.60	174,750	23.8	SEBA KLL-Q
12/10/2016	61.80	177,409	23.8	SEBA KLL-Q
12/10/2016	62.00	179,819	23.8	SEBA KLL-Q
12/10/2016	62.20	181,266	23.8	SEBA KLL-Q
12/10/2016	62.40	183,194	23.8	SEBA KLL-Q
12/10/2016	62.60	184,462	23.8	SEBA KLL-Q
12/10/2016	62.80	185,533	23.8	SEBA KLL-Q
12/10/2016	63.00	186,353	23.9	SEBA KLL-Q
12/10/2016	63.20	187,369	23.9	SEBA KLL-Q
12/10/2016	63.40	188,398	23.9	SEBA KLL-Q
12/10/2016	63.60	189,575	23.9	SEBA KLL-Q
12/10/2016	63.80	189,956	23.9	SEBA KLL-Q
12/10/2016	64.00	190,841	23.9	SEBA KLL-Q
12/10/2016	64.20	191,749	23.9	SEBA KLL-Q
12/10/2016	64.40	192,364	23.9	SEBA KLL-Q
12/10/2016	64.60	193,094	23.9	SEBA KLL-Q
12/10/2016	64.80	193,646	23.9	SEBA KLL-Q
12/10/2016	65.00	194,964	23.9	SEBA KLL-Q
12/10/2016	65.20	196,581	23.9	SEBA KLL-Q
12/10/2016	65.40	198,123	23.9	SEBA KLL-Q
12/10/2016	65.60	200,673	23.9	SEBA KLL-Q
12/10/2016	65.80	202,191	24.0	SEBA KLL-Q
12/10/2016	66.00	203,785	24.0	SEBA KLL-Q
12/10/2016	66.20	205,800	24.0	SEBA KLL-Q
12/10/2016	66.40	205,913	24.0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/10/2016	66.60	206,528	24.0	SEBA KLL-Q
12/10/2016	66.80	207,641	24.0	SEBA KLL-Q
12/10/2016	67.00	208,760	24.0	SEBA KLL-Q
12/10/2016	67.20	209,509	24.0	SEBA KLL-Q
12/10/2016	67.40	209,728	24.0	SEBA KLL-Q
12/10/2016	67.60	209,879	24.0	SEBA KLL-Q
12/10/2016	67.80	210,130	24.0	SEBA KLL-Q
12/10/2016	68.00	210,648	24.0	SEBA KLL-Q
12/10/2016	68.50	211,370	24.0	SEBA KLL-Q
12/10/2016	69.00	212,230	24.0	SEBA KLL-Q
12/10/2016	69.50	214,406	24.1	SEBA KLL-Q
12/10/2016	70.00	216,640	24.1	SEBA KLL-Q
12/10/2016	70.50	219,627	24.1	SEBA KLL-Q
12/10/2016	71.00	221,341	24.1	SEBA KLL-Q
12/10/2016	71.50	223,900	24.1	SEBA KLL-Q
12/10/2016	72.00	225,713	24.1	SEBA KLL-Q
12/10/2016	72.50	226,112	24.1	SEBA KLL-Q
12/10/2016	73.00	226,400	24.2	SEBA KLL-Q
12/10/2016	73.50	226,482	24.2	SEBA KLL-Q
12/10/2016	74.00	226,618	24.2	SEBA KLL-Q
12/10/2016	75.00	226,990	24.2	SEBA KLL-Q
12/10/2016	76.00	226,990	24.2	SEBA KLL-Q
12/10/2016	78.00	227,025	24.3	SEBA KLL-Q
12/10/2016	80.00	229,702	24.4	SEBA KLL-Q
12/10/2016	82.00	230,238	24.4	SEBA KLL-Q
12/10/2016	84.00	230,338	24.5	SEBA KLL-Q
12/10/2016	86.00	230,970	24.6	SEBA KLL-Q
12/10/2016	90.00	231,030	24.6	SEBA KLL-Q
12/10/2016	95.00	231,012	24.8	SEBA KLL-Q
12/10/2016	99.20	230,991	24.8	SEBA KLL-Q
18/11/2016	9.70	14,360	21.7	SEBA KLL-Q
18/11/2016	11.00	14,280	22.7	SEBA KLL-Q
18/11/2016	12.00	14,270	22.7	SEBA KLL-Q
18/11/2016	13.00	14,260	22.7	SEBA KLL-Q
18/11/2016	14.00	14,250	22.7	SEBA KLL-Q
18/11/2016	15.00	14,220	22.7	SEBA KLL-Q
18/11/2016	16.00	14,210	22.8	SEBA KLL-Q
18/11/2016	18.00	14,180	22.8	SEBA KLL-Q
18/11/2016	20.00	14,170	22.8	SEBA KLL-Q
18/11/2016	20.50	15,050	22.8	SEBA KLL-Q
18/11/2016	21.00	17,370	22.8	SEBA KLL-Q
18/11/2016	21.50	22,570	22.8	SEBA KLL-Q
18/11/2016	22.00	27,540	22.8	SEBA KLL-Q
18/11/2016	22.50	27,600	22.8	SEBA KLL-Q
18/11/2016	23.00	27,650	22.9	SEBA KLL-Q
18/11/2016	23.50	29,190	22.9	SEBA KLL-Q
18/11/2016	24.00	30,990	22.9	SEBA KLL-Q
18/11/2016	24.50	33,030	22.9	SEBA KLL-Q
18/11/2016	25.00	35,800	22.9	SEBA KLL-Q
18/11/2016	25.50	36,230	22.9	SEBA KLL-Q
18/11/2016	26.00	37,090	22.9	SEBA KLL-Q
18/11/2016	26.50	39,690	22.9	SEBA KLL-Q
18/11/2016	27.00	42,420	23.0	SEBA KLL-Q
18/11/2016	27.50	43,440	23.0	SEBA KLL-Q
18/11/2016	28.00	44,980	23.0	SEBA KLL-Q
18/11/2016	28.50	45,030	23.0	SEBA KLL-Q
18/11/2016	29.00	45,110	23.0	SEBA KLL-Q
18/11/2016	30.00	48,460	23.0	SEBA KLL-Q
18/11/2016	31.00	49,510	23.0	SEBA KLL-Q
18/11/2016	32.00	50,590	23.1	SEBA KLL-Q
18/11/2016	33.00	55,470	23.1	SEBA KLL-Q
18/11/2016	34.00	57,560	23.1	SEBA KLL-Q
18/11/2016	35.00	58,100	23.1	SEBA KLL-Q
18/11/2016	36.00	58,490	23.2	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/11/2016	37.00	59,580	23.2	SEBA KLL-Q
18/11/2016	38.00	60,810	23.2	SEBA KLL-Q
18/11/2016	39.00	62,000	23.2	SEBA KLL-Q
18/11/2016	40.00	62,760	23.3	SEBA KLL-Q
18/11/2016	41.00	63,340	23.3	SEBA KLL-Q
18/11/2016	42.00	63,960	23.3	SEBA KLL-Q
18/11/2016	43.00	64,580	23.3	SEBA KLL-Q
18/11/2016	44.00	65,160	23.4	SEBA KLL-Q
18/11/2016	45.00	65,890	23.4	SEBA KLL-Q
18/11/2016	46.00	66,920	23.4	SEBA KLL-Q
18/11/2016	47.00	67,890	23.5	SEBA KLL-Q
18/11/2016	48.00	69,000	23.5	SEBA KLL-Q
18/11/2016	49.00	70,540	23.5	SEBA KLL-Q
18/11/2016	50.00	72,730	23.5	SEBA KLL-Q
18/11/2016	51.00	74,650	23.5	SEBA KLL-Q
18/11/2016	51.50	76,430	23.5	SEBA KLL-Q
18/11/2016	52.00	79,720	23.6	SEBA KLL-Q
18/11/2016	52.20	80,040	23.6	SEBA KLL-Q
18/11/2016	52.40	81,340	23.6	SEBA KLL-Q
18/11/2016	52.60	82,740	23.6	SEBA KLL-Q
18/11/2016	52.80	83,540	23.6	SEBA KLL-Q
18/11/2016	53.00	84,360	23.6	SEBA KLL-Q
18/11/2016	53.20	85,560	23.6	SEBA KLL-Q
18/11/2016	53.40	86,300	23.6	SEBA KLL-Q
18/11/2016	53.60	87,210	23.6	SEBA KLL-Q
18/11/2016	53.80	90,810	23.6	SEBA KLL-Q
18/11/2016	54.00	97,500	23.6	SEBA KLL-Q
18/11/2016	54.20	97,240	23.6	SEBA KLL-Q
18/11/2016	54.40	100,400	23.6	SEBA KLL-Q
18/11/2016	54.60	104,900	23.6	SEBA KLL-Q
18/11/2016	54.80	107,000	23.6	SEBA KLL-Q
18/11/2016	55.00	109,400	23.6	SEBA KLL-Q
18/11/2016	55.20	112,000	23.6	SEBA KLL-Q
18/11/2016	55.40	115,500	23.6	SEBA KLL-Q
18/11/2016	55.60	116,600	23.6	SEBA KLL-Q
18/11/2016	55.80	117,500	23.6	SEBA KLL-Q
18/11/2016	56.00	118,100	23.6	SEBA KLL-Q
18/11/2016	56.20	118,800	23.6	SEBA KLL-Q
18/11/2016	56.40	120,100	23.6	SEBA KLL-Q
18/11/2016	56.60	121,000	23.6	SEBA KLL-Q
18/11/2016	56.80	122,000	23.6	SEBA KLL-Q
18/11/2016	57.00	122,600	23.6	SEBA KLL-Q
18/11/2016	57.20	123,200	23.6	SEBA KLL-Q
18/11/2016	57.40	124,600	23.6	SEBA KLL-Q
18/11/2016	57.60	126,500	23.6	SEBA KLL-Q
18/11/2016	57.80	127,600	23.7	SEBA KLL-Q
18/11/2016	58.00	128,600	23.6	SEBA KLL-Q
18/11/2016	58.20	129,100	23.7	SEBA KLL-Q
18/11/2016	58.40	131,500	23.7	SEBA KLL-Q
18/11/2016	58.60	133,500	23.7	SEBA KLL-Q
18/11/2016	58.80	136,300	23.7	SEBA KLL-Q
18/11/2016	59.00	139,400	23.7	SEBA KLL-Q
18/11/2016	59.20	141,600	23.7	SEBA KLL-Q
18/11/2016	59.40	144,000	23.7	SEBA KLL-Q
18/11/2016	59.60	146,400	23.7	SEBA KLL-Q
18/11/2016	59.80	150,600	23.7	SEBA KLL-Q
18/11/2016	60.00	153,900	23.7	SEBA KLL-Q
18/11/2016	60.20	154,700	23.7	SEBA KLL-Q
18/11/2016	60.40	155,500	23.7	SEBA KLL-Q
18/11/2016	60.60	156,800	23.7	SEBA KLL-Q
18/11/2016	60.80	159,100	23.7	SEBA KLL-Q
18/11/2016	61.00	161,600	23.7	SEBA KLL-Q
18/11/2016	61.20	164,900	23.7	SEBA KLL-Q
18/11/2016	61.40	166,700	23.8	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/11/2016	61.60	169,700	23.8	SEBA KLL-Q
18/11/2016	61.80	172,600	23.8	SEBA KLL-Q
18/11/2016	62.00	175,400	23.8	SEBA KLL-Q
18/11/2016	62.20	176,800	23.8	SEBA KLL-Q
18/11/2016	62.40	180,800	23.8	SEBA KLL-Q
18/11/2016	62.60	182,600	23.8	SEBA KLL-Q
18/11/2016	62.80	184,000	23.8	SEBA KLL-Q
18/11/2016	63.00	185,400	23.8	SEBA KLL-Q
18/11/2016	63.20	186,800	23.8	SEBA KLL-Q
18/11/2016	63.40	187,900	23.8	SEBA KLL-Q
18/11/2016	63.60	188,500	23.8	SEBA KLL-Q
18/11/2016	63.80	188,900	23.8	SEBA KLL-Q
18/11/2016	64.00	189,600	23.9	SEBA KLL-Q
18/11/2016	64.20	190,000	23.9	SEBA KLL-Q
18/11/2016	64.40	190,100	23.9	SEBA KLL-Q
18/11/2016	64.60	190,100	23.9	SEBA KLL-Q
18/11/2016	64.80	190,900	23.9	SEBA KLL-Q
18/11/2016	65.00	191,100	23.9	SEBA KLL-Q
18/11/2016	65.20	194,400	23.9	SEBA KLL-Q
18/11/2016	65.40	196,800	23.9	SEBA KLL-Q
18/11/2016	65.60	199,800	23.9	SEBA KLL-Q
18/11/2016	65.80	201,800	23.9	SEBA KLL-Q
18/11/2016	66.00	203,600	23.9	SEBA KLL-Q
18/11/2016	66.20	204,600	23.9	SEBA KLL-Q
18/11/2016	66.40	205,500	23.9	SEBA KLL-Q
18/11/2016	66.60	206,400	23.9	SEBA KLL-Q
18/11/2016	66.80	207,300	23.9	SEBA KLL-Q
18/11/2016	67.00	208,600	24.0	SEBA KLL-Q
18/11/2016	67.20	209,600	24.0	SEBA KLL-Q
18/11/2016	67.40	210,000	24.0	SEBA KLL-Q
18/11/2016	67.60	210,400	24.0	SEBA KLL-Q
18/11/2016	67.80	211,000	24.0	SEBA KLL-Q
18/11/2016	68.00	211,000	24.0	SEBA KLL-Q
18/11/2016	68.50	212,000	24.0	SEBA KLL-Q
18/11/2016	69.00	213,200	24.0	SEBA KLL-Q
18/11/2016	69.50	215,900	24.0	SEBA KLL-Q
18/11/2016	70.00	219,000	24.0	SEBA KLL-Q
18/11/2016	70.50	221,500	24.1	SEBA KLL-Q
18/11/2016	71.00	222,800	24.1	SEBA KLL-Q
18/11/2016	72.00	225,600	24.1	SEBA KLL-Q
18/11/2016	73.00	226,100	24.1	SEBA KLL-Q
18/11/2016	74.00	226,200	24.2	SEBA KLL-Q
18/11/2016	76.00	226,500	24.2	SEBA KLL-Q
18/11/2016	78.00	226,700	24.3	SEBA KLL-Q
18/11/2016	80.00	228,900	24.3	SEBA KLL-Q
18/11/2016	85.00	230,600	24.5	SEBA KLL-Q
18/11/2016	90.00	230,700	24.6	SEBA KLL-Q
18/11/2016	95.00	230,600	24.7	SEBA KLL-Q
18/11/2016	99.20	230,600	24.8	SEBA KLL-Q
21/12/2016	10.00	12,370	22.8	SEBA KLL-Q
21/12/2016	12.00	12,370	22.7	SEBA KLL-Q
21/12/2016	14.00	12,370	22.7	SEBA KLL-Q
21/12/2016	16.00	12,360	22.7	SEBA KLL-Q
21/12/2016	18.00	12,360	22.8	SEBA KLL-Q
21/12/2016	20.00	13,310	22.8	SEBA KLL-Q
21/12/2016	20.50	14,310	22.8	SEBA KLL-Q
21/12/2016	21.00	16,270	22.8	SEBA KLL-Q
21/12/2016	21.50	20,290	22.8	SEBA KLL-Q
21/12/2016	22.00	23,990	22.8	SEBA KLL-Q
21/12/2016	22.50	24,230	22.8	SEBA KLL-Q
21/12/2016	23.00	24,260	22.9	SEBA KLL-Q
21/12/2016	23.50	26,350	22.9	SEBA KLL-Q
21/12/2016	24.00	28,120	22.9	SEBA KLL-Q
21/12/2016	24.50	30,260	22.9	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/12/2016	25.00	32,380	22.9	SEBA KLL-Q
21/12/2016	25.50	33,800	22.9	SEBA KLL-Q
21/12/2016	26.00	35,220	22.9	SEBA KLL-Q
21/12/2016	27.00	38,800	22.9	SEBA KLL-Q
21/12/2016	28.00	42,310	23.0	SEBA KLL-Q
21/12/2016	29.00	43,290	23.0	SEBA KLL-Q
21/12/2016	30.00	46,580	23.0	SEBA KLL-Q
21/12/2016	31.00	47,400	23.0	SEBA KLL-Q
21/12/2016	32.00	47,900	23.1	SEBA KLL-Q
21/12/2016	34.00	56,940	23.1	SEBA KLL-Q
21/12/2016	36.00	58,990	23.1	SEBA KLL-Q
21/12/2016	38.00	61,880	23.2	SEBA KLL-Q
21/12/2016	40.00	64,610	23.3	SEBA KLL-Q
21/12/2016	42.00	66,020	23.3	SEBA KLL-Q
21/12/2016	44.00	67,520	23.4	SEBA KLL-Q
21/12/2016	46.00	69,670	23.4	SEBA KLL-Q
21/12/2016	48.00	72,010	23.5	SEBA KLL-Q
21/12/2016	49.00	73,920	23.5	SEBA KLL-Q
21/12/2016	50.00	76,300	23.5	SEBA KLL-Q
21/12/2016	50.50	77,650	23.5	SEBA KLL-Q
21/12/2016	51.00	78,470	23.5	SEBA KLL-Q
21/12/2016	51.50	79,480	23.5	SEBA KLL-Q
21/12/2016	52.00	82,110	23.6	SEBA KLL-Q
21/12/2016	52.50	84,260	23.6	SEBA KLL-Q
21/12/2016	53.00	86,630	23.6	SEBA KLL-Q
21/12/2016	53.50	89,400	23.6	SEBA KLL-Q
21/12/2016	54.00	96,320	23.6	SEBA KLL-Q
21/12/2016	54.20	97,620	23.6	SEBA KLL-Q
21/12/2016	54.40	101,500	23.6	SEBA KLL-Q
21/12/2016	54.60	106,500	23.7	SEBA KLL-Q
21/12/2016	54.80	108,600	23.6	SEBA KLL-Q
21/12/2016	55.00	110,700	23.6	SEBA KLL-Q
21/12/2016	55.20	112,500	23.6	SEBA KLL-Q
21/12/2016	55.40	115,000	23.6	SEBA KLL-Q
21/12/2016	55.60	116,100	23.6	SEBA KLL-Q
21/12/2016	55.80	117,100	23.6	SEBA KLL-Q
21/12/2016	56.00	117,700	23.6	SEBA KLL-Q
21/12/2016	56.20	118,700	23.6	SEBA KLL-Q
21/12/2016	56.40	119,900	23.6	SEBA KLL-Q
21/12/2016	56.60	120,200	23.6	SEBA KLL-Q
21/12/2016	56.80	120,600	23.6	SEBA KLL-Q
21/12/2016	57.00	122,400	23.7	SEBA KLL-Q
21/12/2016	57.20	123,800	23.7	SEBA KLL-Q
21/12/2016	57.40	124,000	23.7	SEBA KLL-Q
21/12/2016	57.60	125,900	23.7	SEBA KLL-Q
21/12/2016	57.80	127,100	23.7	SEBA KLL-Q
21/12/2016	58.00	128,700	23.7	SEBA KLL-Q
21/12/2016	58.20	129,400	23.7	SEBA KLL-Q
21/12/2016	58.40	131,600	23.7	SEBA KLL-Q
21/12/2016	58.60	133,100	23.7	SEBA KLL-Q
21/12/2016	58.80	134,800	23.7	SEBA KLL-Q
21/12/2016	59.00	138,900	23.7	SEBA KLL-Q
21/12/2016	59.20	142,400	23.7	SEBA KLL-Q
21/12/2016	59.40	144,300	23.6	SEBA KLL-Q
21/12/2016	59.60	147,200	23.6	SEBA KLL-Q
21/12/2016	59.80	150,900	23.7	SEBA KLL-Q
21/12/2016	60.00	155,500	23.7	SEBA KLL-Q
21/12/2016	60.20	156,400	23.7	SEBA KLL-Q
21/12/2016	60.40	157,500	23.7	SEBA KLL-Q
21/12/2016	60.60	158,100	23.7	SEBA KLL-Q
21/12/2016	60.80	160,600	23.7	SEBA KLL-Q
21/12/2016	61.00	162,600	23.7	SEBA KLL-Q
21/12/2016	61.20	165,700	23.8	SEBA KLL-Q
21/12/2016	61.40	167,200	23.8	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/12/2016	61.60	171,100	23.8	SEBA KLL-Q
21/12/2016	61.80	173,400	23.7	SEBA KLL-Q
21/12/2016	62.00	175,600	23.8	SEBA KLL-Q
21/12/2016	62.20	178,200	23.8	SEBA KLL-Q
21/12/2016	62.40	180,400	23.8	SEBA KLL-Q
21/12/2016	62.60	183,100	23.8	SEBA KLL-Q
21/12/2016	62.80	184,300	23.8	SEBA KLL-Q
21/12/2016	63.00	185,400	23.8	SEBA KLL-Q
21/12/2016	63.20	186,600	23.8	SEBA KLL-Q
21/12/2016	63.40	187,300	23.8	SEBA KLL-Q
21/12/2016	63.60	187,500	23.8	SEBA KLL-Q
21/12/2016	63.80	187,700	23.9	SEBA KLL-Q
21/12/2016	64.00	187,900	23.9	SEBA KLL-Q
21/12/2016	64.20	188,100	23.9	SEBA KLL-Q
21/12/2016	64.40	188,900	23.9	SEBA KLL-Q
21/12/2016	64.60	189,800	23.9	SEBA KLL-Q
21/12/2016	64.80	191,500	23.9	SEBA KLL-Q
21/12/2016	65.00	192,800	23.9	SEBA KLL-Q
21/12/2016	65.20	196,600	23.9	SEBA KLL-Q
21/12/2016	65.40	199,990	23.9	SEBA KLL-Q
21/12/2016	65.60	201,700	23.9	SEBA KLL-Q
21/12/2016	65.80	203,900	23.9	SEBA KLL-Q
21/12/2016	66.00	205,500	23.9	SEBA KLL-Q
21/12/2016	66.20	206,700	23.9	SEBA KLL-Q
21/12/2016	66.40	207,400	23.9	SEBA KLL-Q
21/12/2016	66.60	208,100	23.9	SEBA KLL-Q
21/12/2016	66.80	209,000	24.0	SEBA KLL-Q
21/12/2016	67.00	210,000	23.9	SEBA KLL-Q
21/12/2016	67.20	211,400	24.0	SEBA KLL-Q
21/12/2016	67.40	212,100	24.0	SEBA KLL-Q
21/12/2016	67.60	212,400	24.0	SEBA KLL-Q
21/12/2016	67.80	213,000	24.0	SEBA KLL-Q
21/12/2016	68.00	213,200	24.0	SEBA KLL-Q
21/12/2016	68.20	213,600	24.0	SEBA KLL-Q
21/12/2016	68.40	213,800	24.0	SEBA KLL-Q
21/12/2016	68.60	213,800	24.0	SEBA KLL-Q
21/12/2016	68.80	214,100	24.0	SEBA KLL-Q
21/12/2016	69.00	214,900	24.1	SEBA KLL-Q
21/12/2016	69.20	216,200	24.0	SEBA KLL-Q
21/12/2016	69.40	217,400	24.0	SEBA KLL-Q
21/12/2016	69.60	218,300	24.0	SEBA KLL-Q
21/12/2016	69.80	219,700	24.0	SEBA KLL-Q
21/12/2016	70.00	220,700	24.0	SEBA KLL-Q
21/12/2016	70.20	221,600	24.0	SEBA KLL-Q
21/12/2016	70.40	222,700	24.0	SEBA KLL-Q
21/12/2016	70.60	223,500	24.1	SEBA KLL-Q
21/12/2016	70.80	224,300	24.1	SEBA KLL-Q
21/12/2016	71.00	224,800	24.1	SEBA KLL-Q
21/12/2016	71.20	225,600	24.1	SEBA KLL-Q
21/12/2016	71.40	226,200	24.1	SEBA KLL-Q
21/12/2016	71.60	227,000	24.1	SEBA KLL-Q
21/12/2016	71.80	227,700	24.1	SEBA KLL-Q
21/12/2016	72.00	228,000	24.1	SEBA KLL-Q
21/12/2016	72.20	228,200	24.1	SEBA KLL-Q
21/12/2016	72.40	228,300	24.1	SEBA KLL-Q
21/12/2016	72.60	228,400	24.1	SEBA KLL-Q
21/12/2016	72.80	228,500	24.1	SEBA KLL-Q
21/12/2016	73.00	228,500	24.1	SEBA KLL-Q
21/12/2016	73.50	228,700	24.1	SEBA KLL-Q
21/12/2016	74.00	228,800	24.2	SEBA KLL-Q
21/12/2016	75.00	229,100	24.2	SEBA KLL-Q
21/12/2016	76.00	229,200	24.2	SEBA KLL-Q
21/12/2016	78.00	229,200	24.3	SEBA KLL-Q
21/12/2016	80.00	231,200	24.3	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/12/2016	82.00	233,100	24.4	SEBA KLL-Q
21/12/2016	84.00	233,000	24.5	SEBA KLL-Q
21/12/2016	86.00	233,000	24.6	SEBA KLL-Q
21/12/2016	88.00	233,000	24.6	SEBA KLL-Q
21/12/2016	89.70	233,000	24.6	SEBA KLL-Q
19/07/2017	10.00	8,304	21.8	SEBA KLL-Q
19/07/2017	12.00	8,702	22.6	SEBA KLL-Q
19/07/2017	14.00	10,320	22.7	SEBA KLL-Q
19/07/2017	16.00	10,840	22.7	SEBA KLL-Q
19/07/2017	20.00	12,760	22.7	SEBA KLL-Q
19/07/2017	21.00	16,720	22.8	SEBA KLL-Q
19/07/2017	22.00	21,140	22.8	SEBA KLL-Q
19/07/2017	23.00	21,390	22.8	SEBA KLL-Q
19/07/2017	24.00	24,830	22.8	SEBA KLL-Q
19/07/2017	25.00	26,940	22.9	SEBA KLL-Q
19/07/2017	26.00	29,000	22.9	SEBA KLL-Q
19/07/2017	27.00	30,790	22.9	SEBA KLL-Q
19/07/2017	28.00	31,960	22.9	SEBA KLL-Q
19/07/2017	29.00	32,520	22.9	SEBA KLL-Q
19/07/2017	30.00	34,010	23.0	SEBA KLL-Q
19/07/2017	31.00	34,390	23.0	SEBA KLL-Q
19/07/2017	32.00	35,540	23.0	SEBA KLL-Q
19/07/2017	33.00	42,600	23.0	SEBA KLL-Q
19/07/2017	33.50	50,090	23.1	SEBA KLL-Q
19/07/2017	34.00	50,190	23.1	SEBA KLL-Q
19/07/2017	35.00	52,240	23.1	SEBA KLL-Q
19/07/2017	36.00	55,110	23.1	SEBA KLL-Q
19/07/2017	37.00	57,980	23.1	SEBA KLL-Q
19/07/2017	38.00	61,920	23.1	SEBA KLL-Q
19/07/2017	39.00	65,100	23.2	SEBA KLL-Q
19/07/2017	40.00	66,240	23.2	SEBA KLL-Q
19/07/2017	41.00	67,320	23.2	SEBA KLL-Q
19/07/2017	42.00	68,020	23.2	SEBA KLL-Q
19/07/2017	43.00	68,870	23.3	SEBA KLL-Q
19/07/2017	44.00	69,610	23.3	SEBA KLL-Q
19/07/2017	45.00	70,390	23.3	SEBA KLL-Q
19/07/2017	46.00	71,580	23.4	SEBA KLL-Q
19/07/2017	47.00	72,990	23.4	SEBA KLL-Q
19/07/2017	48.00	75,140	23.4	SEBA KLL-Q
19/07/2017	49.00	76,980	23.4	SEBA KLL-Q
19/07/2017	50.00	79,940	23.5	SEBA KLL-Q
19/07/2017	51.00	82,150	23.5	SEBA KLL-Q
19/07/2017	52.00	83,790	23.5	SEBA KLL-Q
19/07/2017	53.00	85,720	23.5	SEBA KLL-Q
19/07/2017	54.00	97,210	23.5	SEBA KLL-Q
19/07/2017	54.50	107,100	23.6	SEBA KLL-Q
19/07/2017	55.00	112,400	23.6	SEBA KLL-Q
19/07/2017	55.50	117,000	23.6	SEBA KLL-Q
19/07/2017	56.00	119,300	23.6	SEBA KLL-Q
19/07/2017	56.50	122,000	23.6	SEBA KLL-Q
19/07/2017	57.00	124,000	23.6	SEBA KLL-Q
19/07/2017	57.50	126,300	23.6	SEBA KLL-Q
19/07/2017	58.00	129,400	23.7	SEBA KLL-Q
19/07/2017	58.50	132,200	23.7	SEBA KLL-Q
19/07/2017	59.00	138,000	23.7	SEBA KLL-Q
19/07/2017	59.20	140,800	23.7	SEBA KLL-Q
19/07/2017	59.40	143,300	23.7	SEBA KLL-Q
19/07/2017	59.60	149,000	23.7	SEBA KLL-Q
19/07/2017	59.80	154,900	23.7	SEBA KLL-Q
19/07/2017	60.00	158,700	23.7	SEBA KLL-Q
19/07/2017	60.20	160,200	23.7	SEBA KLL-Q
19/07/2017	60.40	161,500	23.7	SEBA KLL-Q
19/07/2017	60.60	162,400	23.7	SEBA KLL-Q
19/07/2017	60.80	165,100	23.7	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/07/2017	61.00	167,200	23.7	SEBA KLL-Q
19/07/2017	61.50	172,500	23.8	SEBA KLL-Q
19/07/2017	62.00	176,400	23.8	SEBA KLL-Q
19/07/2017	62.50	180,000	23.8	SEBA KLL-Q
19/07/2017	63.00	183,000	23.8	SEBA KLL-Q
19/07/2017	63.50	187,000	23.8	SEBA KLL-Q
19/07/2017	64.00	191,300	23.8	SEBA KLL-Q
19/07/2017	64.50	194,600	23.8	SEBA KLL-Q
19/07/2017	65.00	198,900	23.9	SEBA KLL-Q
19/07/2017	65.50	205,500	23.9	SEBA KLL-Q
19/07/2017	66.00	210,200	23.9	SEBA KLL-Q
19/07/2017	66.50	212,200	23.9	SEBA KLL-Q
19/07/2017	67.00	214,200	23.9	SEBA KLL-Q
19/07/2017	67.50	216,900	23.9	SEBA KLL-Q
19/07/2017	68.00	219,400	23.9	SEBA KLL-Q
19/07/2017	69.00	222,600	24.0	SEBA KLL-Q
19/07/2017	70.00	227,100	24.0	SEBA KLL-Q
19/07/2017	71.00	229,700	24.0	SEBA KLL-Q
19/07/2017	72.00	233,400	24.1	SEBA KLL-Q
19/07/2017	73.00	235,000	24.1	SEBA KLL-Q
19/07/2017	74.00	236,100	24.1	SEBA KLL-Q
19/07/2017	76.00	236,900	24.2	SEBA KLL-Q
19/07/2017	78.00	237,200	24.2	SEBA KLL-Q
19/07/2017	80.00	239,000	24.3	SEBA KLL-Q
19/07/2017	82.00	241,600	24.4	SEBA KLL-Q
19/07/2017	84.00	241,300	24.4	SEBA KLL-Q
19/07/2017	86.00	241,300	24.4	SEBA KLL-Q
19/07/2017	88.00	241,200	24.5	SEBA KLL-Q
19/07/2017	90.00	241,200	24.5	SEBA KLL-Q
17/10/2017	10.00	8,935	23.7	SEBA KLL-Q
17/10/2017	12.00	10,280	22.6	SEBA KLL-Q
17/10/2017	14.00	11,940	22.6	SEBA KLL-Q
17/10/2017	16.00	12,420	22.7	SEBA KLL-Q
17/10/2017	18.00	12,830	22.7	SEBA KLL-Q
17/10/2017	20.00	14,070	22.7	SEBA KLL-Q
17/10/2017	21.00	19,180	22.7	SEBA KLL-Q
17/10/2017	22.00	22,350	22.8	SEBA KLL-Q
17/10/2017	23.00	22,920	22.8	SEBA KLL-Q
17/10/2017	24.00	26,230	22.8	SEBA KLL-Q
17/10/2017	25.00	29,540	22.8	SEBA KLL-Q
17/10/2017	26.00	31,900	22.8	SEBA KLL-Q
17/10/2017	27.00	34,270	22.9	SEBA KLL-Q
17/10/2017	28.00	36,160	22.9	SEBA KLL-Q
17/10/2017	29.00	36,950	22.9	SEBA KLL-Q
17/10/2017	30.00	38,950	22.9	SEBA KLL-Q
17/10/2017	31.00	39,820	22.9	SEBA KLL-Q
17/10/2017	32.00	41,190	22.9	SEBA KLL-Q
17/10/2017	33.00	47,590	23.0	SEBA KLL-Q
17/10/2017	34.00	56,300	23.0	SEBA KLL-Q
17/10/2017	35.00	58,070	23.0	SEBA KLL-Q
17/10/2017	36.00	61,650	23.1	SEBA KLL-Q
17/10/2017	37.00	65,410	23.1	SEBA KLL-Q
17/10/2017	38.00	69,960	23.1	SEBA KLL-Q
17/10/2017	39.00	74,280	23.1	SEBA KLL-Q
17/10/2017	40.00	77,180	23.2	SEBA KLL-Q
17/10/2017	41.00	77,860	23.2	SEBA KLL-Q
17/10/2017	42.00	78,620	23.2	SEBA KLL-Q
17/10/2017	43.00	79,340	23.2	SEBA KLL-Q
17/10/2017	44.00	80,250	23.3	SEBA KLL-Q
17/10/2017	45.00	81,060	23.3	SEBA KLL-Q
17/10/2017	46.00	82,800	23.3	SEBA KLL-Q
17/10/2017	47.00	84,400	23.3	SEBA KLL-Q
17/10/2017	48.00	87,040	23.4	SEBA KLL-Q
17/10/2017	49.00	89,110	23.4	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/10/2017	50.00	92,790	23.4	SEBA KLL-Q
17/10/2017	51.00	94,980	23.4	SEBA KLL-Q
17/10/2017	52.00	96,610	23.5	SEBA KLL-Q
17/10/2017	53.00	97,380	23.5	SEBA KLL-Q
17/10/2017	54.00	111,800	23.5	SEBA KLL-Q
17/10/2017	54.50	122,600	23.5	SEBA KLL-Q
17/10/2017	55.00	130,000	23.5	SEBA KLL-Q
17/10/2017	55.50	135,700	23.6	SEBA KLL-Q
17/10/2017	56.00	138,800	23.6	SEBA KLL-Q
17/10/2017	56.50	142,200	23.6	SEBA KLL-Q
17/10/2017	57.00	144,300	23.6	SEBA KLL-Q
17/10/2017	57.50	146,700	23.6	SEBA KLL-Q
17/10/2017	58.00	150,300	23.6	SEBA KLL-Q
17/10/2017	58.50	153,400	23.6	SEBA KLL-Q
17/10/2017	59.00	158,600	23.6	SEBA KLL-Q
17/10/2017	59.50	167,500	23.7	SEBA KLL-Q
17/10/2017	60.00	183,100	23.7	SEBA KLL-Q
17/10/2017	60.20	185,800	23.7	SEBA KLL-Q
17/10/2017	60.40	187,200	23.7	SEBA KLL-Q
17/10/2017	60.60	188,900	23.7	SEBA KLL-Q
17/10/2017	60.80	191,400	23.7	SEBA KLL-Q
17/10/2017	61.00	194,200	23.7	SEBA KLL-Q
17/10/2017	61.50	200,300	23.7	SEBA KLL-Q
17/10/2017	62.00	203,500	23.7	SEBA KLL-Q
17/10/2017	62.50	208,200	23.8	SEBA KLL-Q
17/10/2017	63.00	212,300	23.8	SEBA KLL-Q
17/10/2017	63.50	217,300	23.8	SEBA KLL-Q
17/10/2017	64.00	222,000	23.8	SEBA KLL-Q
17/10/2017	64.50	225,900	23.8	SEBA KLL-Q
17/10/2017	65.00	229,300	23.8	SEBA KLL-Q
17/10/2017	65.50	238,300	23.8	SEBA KLL-Q
17/10/2017	66.00	243,900	23.8	SEBA KLL-Q
17/10/2017	66.50	246,400	23.9	SEBA KLL-Q
17/10/2017	67.00	248,800	23.9	SEBA KLL-Q
17/10/2017	67.50	252,200	23.9	SEBA KLL-Q
17/10/2017	68.00	254,300	23.9	SEBA KLL-Q
17/10/2017	68.50	255,900	23.9	SEBA KLL-Q
17/10/2017	69.00	258,500	23.9	SEBA KLL-Q
17/10/2017	70.00	263,500	23.9	SEBA KLL-Q
17/10/2017	71.00	265,900	24.0	SEBA KLL-Q
17/10/2017	72.00	269,900	24.0	SEBA KLL-Q
17/10/2017	73.00	272,000	24.0	SEBA KLL-Q
17/10/2017	74.00	273,400	24.1	SEBA KLL-Q
17/10/2017	76.00	274,200	24.1	SEBA KLL-Q
17/10/2017	78.00	274,500	24.1	SEBA KLL-Q
17/10/2017	80.00	276,000	24.2	SEBA KLL-Q
17/10/2017	82.00	278,700	24.3	SEBA KLL-Q
17/10/2017	84.00	278,800	24.3	SEBA KLL-Q
17/10/2017	86.00	278,800	24.4	SEBA KLL-Q
17/10/2017	88.00	278,500	24.5	SEBA KLL-Q
17/10/2017	89.30	278,500	24.5	SEBA KLL-Q
23/01/2018	10.0	7,326	22.79	SEBA KLL-Q
23/01/2018	12.0	8,539	22.81	SEBA KLL-Q
23/01/2018	14.0	9,767	22.84	SEBA KLL-Q
23/01/2018	16.0	10,100	22.87	SEBA KLL-Q
23/01/2018	18.0	10,570	22.89	SEBA KLL-Q
23/01/2018	20.0	11,800	22.92	SEBA KLL-Q
23/01/2018	22.0	18,200	22.94	SEBA KLL-Q
23/01/2018	23.0	18,710	22.97	SEBA KLL-Q
23/01/2018	24.0	22,210	23.01	SEBA KLL-Q
23/01/2018	24.5	23,590	22.99	SEBA KLL-Q
23/01/2018	25.0	24,790	23.02	SEBA KLL-Q
23/01/2018	25.5	25,790	23.04	SEBA KLL-Q
23/01/2018	26.0	27,090	23.04	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/01/2018	26.5	28,150	23.06	SEBA KLL-Q
23/01/2018	27.0	29,250	23.07	SEBA KLL-Q
23/01/2018	27.5	30,010	23.07	SEBA KLL-Q
23/01/2018	28.0	30,680	23.09	SEBA KLL-Q
23/01/2018	28.5	30,840	23.10	SEBA KLL-Q
23/01/2018	29.0	31,480	23.11	SEBA KLL-Q
23/01/2018	29.5	32,490	23.11	SEBA KLL-Q
23/01/2018	30.0	33,100	23.12	SEBA KLL-Q
23/01/2018	30.5	33,420	23.13	SEBA KLL-Q
23/01/2018	31.0	33,830	23.14	SEBA KLL-Q
23/01/2018	32.0	35,420	23.18	SEBA KLL-Q
23/01/2018	33.0	41,550	23.19	SEBA KLL-Q
23/01/2018	33.5	44,720	23.21	SEBA KLL-Q
23/01/2018	34.0	46,620	23.21	SEBA KLL-Q
23/01/2018	34.5	46,980	23.23	SEBA KLL-Q
23/01/2018	35.0	48,860	23.24	SEBA KLL-Q
23/01/2018	35.5	50,950	23.24	SEBA KLL-Q
23/01/2018	36.0	52,220	23.25	SEBA KLL-Q
23/01/2018	36.5	53,860	23.26	SEBA KLL-Q
23/01/2018	37.0	55,810	23.27	SEBA KLL-Q
23/01/2018	37.5	58,120	23.29	SEBA KLL-Q
23/01/2018	38.0	60,260	23.30	SEBA KLL-Q
23/01/2018	39.0	63,700	23.32	SEBA KLL-Q
23/01/2018	39.5	64,890	23.34	SEBA KLL-Q
23/01/2018	40.0	65,740	23.35	SEBA KLL-Q
23/01/2018	40.5	65,920	23.36	SEBA KLL-Q
23/01/2018	41.0	66,200	23.37	SEBA KLL-Q
23/01/2018	41.5	66,480	23.38	SEBA KLL-Q
23/01/2018	42.0	66,880	23.40	SEBA KLL-Q
23/01/2018	43.0	67,640	23.43	SEBA KLL-Q
23/01/2018	44.0	68,330	23.46	SEBA KLL-Q
23/01/2018	45.0	69,220	23.48	SEBA KLL-Q
23/01/2018	46.0	70,710	23.51	SEBA KLL-Q
23/01/2018	47.0	72,460	23.53	SEBA KLL-Q
23/01/2018	48.0	74,340	23.58	SEBA KLL-Q
23/01/2018	49.0	76,710	23.59	SEBA KLL-Q
23/01/2018	50.0	79,060	23.62	SEBA KLL-Q
23/01/2018	51.0	80,730	23.63	SEBA KLL-Q
23/01/2018	52.0	82,100	23.66	SEBA KLL-Q
23/01/2018	53.0	82,900	23.70	SEBA KLL-Q
23/01/2018	54.0	96,910	23.72	SEBA KLL-Q
23/01/2018	54.5	105,300	23.72	SEBA KLL-Q
23/01/2018	55.0	110,500	23.74	SEBA KLL-Q
23/01/2018	55.2	112,300	23.74	SEBA KLL-Q
23/01/2018	55.4	115,200	23.75	SEBA KLL-Q
23/01/2018	55.6	116,300	23.77	SEBA KLL-Q
23/01/2018	55.8	117,500	23.78	SEBA KLL-Q
23/01/2018	56.0	118,500	23.77	SEBA KLL-Q
23/01/2018	56.5	122,100	23.79	SEBA KLL-Q
23/01/2018	57.0	123,700	23.81	SEBA KLL-Q
23/01/2018	57.5	125,800	23.80	SEBA KLL-Q
23/01/2018	58.0	128,700	23.82	SEBA KLL-Q
23/01/2018	58.5	131,200	23.84	SEBA KLL-Q
23/01/2018	59.0	136,100	23.86	SEBA KLL-Q
23/01/2018	59.5	145,200	23.87	SEBA KLL-Q
23/01/2018	60.0	157,600	23.88	SEBA KLL-Q
23/01/2018	60.2	158,800	23.88	SEBA KLL-Q
23/01/2018	60.4	160,100	23.88	SEBA KLL-Q
23/01/2018	60.6	161,400	23.90	SEBA KLL-Q
23/01/2018	60.8	163,600	23.90	SEBA KLL-Q
23/01/2018	61.0	166,400	23.92	SEBA KLL-Q
23/01/2018	61.2	168,900	23.92	SEBA KLL-Q
23/01/2018	61.4	170,300	23.93	SEBA KLL-Q
23/01/2018	61.6	171,500	23.94	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/01/2018	61.8	172,400	23.94	SEBA KLL-Q
23/01/2018	62.0	173,400	23.95	SEBA KLL-Q
23/01/2018	62.2	174,600	23.95	SEBA KLL-Q
23/01/2018	62.4	176,000	23.96	SEBA KLL-Q
23/01/2018	62.6	177,800	23.96	SEBA KLL-Q
23/01/2018	62.8	179,500	23.97	SEBA KLL-Q
23/01/2018	63.0	181,300	23.98	SEBA KLL-Q
23/01/2018	63.2	182,900	23.99	SEBA KLL-Q
23/01/2018	63.4	184,500	23.98	SEBA KLL-Q
23/01/2018	63.6	186,500	24.00	SEBA KLL-Q
23/01/2018	63.8	187,600	23.99	SEBA KLL-Q
23/01/2018	64.0	189,400	24.00	SEBA KLL-Q
23/01/2018	64.2	191,100	24.00	SEBA KLL-Q
23/01/2018	64.4	192,400	24.00	SEBA KLL-Q
23/01/2018	64.6	193,700	24.00	SEBA KLL-Q
23/01/2018	64.8	194,900	24.01	SEBA KLL-Q
23/01/2018	65.0	195,800	24.03	SEBA KLL-Q
23/01/2018	65.5	203,700	24.02	SEBA KLL-Q
23/01/2018	66.0	208,400	24.04	SEBA KLL-Q
23/01/2018	66.5	210,400	24.06	SEBA KLL-Q
23/01/2018	67.0	212,500	24.08	SEBA KLL-Q
23/01/2018	67.5	215,300	24.09	SEBA KLL-Q
23/01/2018	68.0	217,200	24.11	SEBA KLL-Q
23/01/2018	68.5	218,900	24.12	SEBA KLL-Q
23/01/2018	69.0	221,000	24.13	SEBA KLL-Q
23/01/2018	70.0	225,200	24.15	SEBA KLL-Q
23/01/2018	71.0	227,200	24.18	SEBA KLL-Q
23/01/2018	72.0	230,700	24.22	SEBA KLL-Q
23/01/2018	74.0	233,000	24.27	SEBA KLL-Q
23/01/2018	76.0	234,000	24.33	SEBA KLL-Q
23/01/2018	78.0	234,200	24.39	SEBA KLL-Q
23/01/2018	80.0	235,700	24.43	SEBA KLL-Q
23/01/2018	82.0	237,900	24.52	SEBA KLL-Q
23/01/2018	84.0	237,900	24.54	SEBA KLL-Q
23/01/2018	86.0	238,000	24.59	SEBA KLL-Q
23/01/2018	88.0	237,900	24.64	SEBA KLL-Q
23/01/2018	90.0	237,500	24.69	SEBA KLL-Q
21/04/2018	9.8	6,626	22.60	SEBA KLL-Q
21/04/2018	10.0	6,639	22.60	SEBA KLL-Q
21/04/2018	10.2	6,643	22.60	SEBA KLL-Q
21/04/2018	10.4	6,640	22.60	SEBA KLL-Q
21/04/2018	10.6	6,641	22.60	SEBA KLL-Q
21/04/2018	10.8	6,738	22.60	SEBA KLL-Q
21/04/2018	11.0	7,088	22.60	SEBA KLL-Q
21/04/2018	11.2	7,147	22.60	SEBA KLL-Q
21/04/2018	11.4	7,277	22.60	SEBA KLL-Q
21/04/2018	11.6	7,432	22.60	SEBA KLL-Q
21/04/2018	11.8	7,597	22.60	SEBA KLL-Q
21/04/2018	12.0	7,816	22.60	SEBA KLL-Q
21/04/2018	12.2	8,053	22.60	SEBA KLL-Q
21/04/2018	12.4	8,550	22.60	SEBA KLL-Q
21/04/2018	13.0	9,108	22.70	SEBA KLL-Q
21/04/2018	13.5	9,847	22.70	SEBA KLL-Q
21/04/2018	14.0	10,020	22.70	SEBA KLL-Q
21/04/2018	15.0	10,220	22.70	SEBA KLL-Q
21/04/2018	16.0	10,350	22.70	SEBA KLL-Q
21/04/2018	17.0	10,400	22.80	SEBA KLL-Q
21/04/2018	18.0	10,620	22.80	SEBA KLL-Q
21/04/2018	18.5	10,800	22.80	SEBA KLL-Q
21/04/2018	19.0	10,950	22.80	SEBA KLL-Q
21/04/2018	19.5	11,230	22.80	SEBA KLL-Q
21/04/2018	20.0	11,690	22.80	SEBA KLL-Q
21/04/2018	20.5	12,630	22.80	SEBA KLL-Q
21/04/2018	21.0	14,060	22.80	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/04/2018	22.0	17,800	22.80	SEBA KLL-Q
21/04/2018	23.0	17,930	22.90	SEBA KLL-Q
21/04/2018	24.0	22,050	22.90	SEBA KLL-Q
21/04/2018	26.0	26,560	22.90	SEBA KLL-Q
21/04/2018	28.0	31,720	22.90	SEBA KLL-Q
21/04/2018	30.0	34,880	23.00	SEBA KLL-Q
21/04/2018	32.0	37,220	23.00	SEBA KLL-Q
21/04/2018	34.0	40,640	23.00	SEBA KLL-Q
21/04/2018	36.0	53,820	23.10	SEBA KLL-Q
21/04/2018	38.0	61,230	23.20	SEBA KLL-Q
21/04/2018	40.0	66,640	23.20	SEBA KLL-Q
21/04/2018	42.0	67,870	23.30	SEBA KLL-Q
21/04/2018	44.0	69,270	23.30	SEBA KLL-Q
21/04/2018	46.0	71,650	23.40	SEBA KLL-Q
21/04/2018	48.0	74,580	23.40	SEBA KLL-Q
21/04/2018	48.5	75,500	23.40	SEBA KLL-Q
21/04/2018	49.0	76,430	23.50	SEBA KLL-Q
21/04/2018	49.5	78,150	23.50	SEBA KLL-Q
21/04/2018	50.0	78,850	23.50	SEBA KLL-Q
21/04/2018	50.5	79,440	23.50	SEBA KLL-Q
21/04/2018	51.0	80,180	23.50	SEBA KLL-Q
21/04/2018	51.5	80,540	23.50	SEBA KLL-Q
21/04/2018	52.0	81,350	23.50	SEBA KLL-Q
21/04/2018	52.5	81,380	23.50	SEBA KLL-Q
21/04/2018	53.0	82,180	23.60	SEBA KLL-Q
21/04/2018	53.5	84,200	23.60	SEBA KLL-Q
21/04/2018	54.0	94,720	23.60	SEBA KLL-Q
21/04/2018	54.2	97,040	23.60	SEBA KLL-Q
21/04/2018	54.4	100,800	23.60	SEBA KLL-Q
21/04/2018	54.6	103,500	23.60	SEBA KLL-Q
21/04/2018	54.8	105,000	23.60	SEBA KLL-Q
21/04/2018	55.0	107,200	23.60	SEBA KLL-Q
21/04/2018	55.2	109,700	23.60	SEBA KLL-Q
21/04/2018	55.4	111,800	23.60	SEBA KLL-Q
21/04/2018	55.6	113,100	23.60	SEBA KLL-Q
21/04/2018	55.8	114,200	23.70	SEBA KLL-Q
21/04/2018	56.0	115,400	23.70	SEBA KLL-Q
21/04/2018	56.5	118,300	23.70	SEBA KLL-Q
21/04/2018	57.0	120,200	23.70	SEBA KLL-Q
21/04/2018	57.5	122,100	23.70	SEBA KLL-Q
21/04/2018	58.0	124,500	23.70	SEBA KLL-Q
21/04/2018	58.5	127,200	23.70	SEBA KLL-Q
21/04/2018	59.0	131,000	23.70	SEBA KLL-Q
21/04/2018	59.5	136,700	23.70	SEBA KLL-Q
21/04/2018	60.0	150,800	23.80	SEBA KLL-Q
21/04/2018	60.2	152,000	23.80	SEBA KLL-Q
21/04/2018	60.4	152,800	23.80	SEBA KLL-Q
21/04/2018	60.6	153,800	23.80	SEBA KLL-Q
21/04/2018	60.8	155,800	23.80	SEBA KLL-Q
21/04/2018	61.0	157,500	23.80	SEBA KLL-Q
21/04/2018	61.2	160,200	23.80	SEBA KLL-Q
21/04/2018	61.4	161,500	23.80	SEBA KLL-Q
21/04/2018	61.6	162,800	23.80	SEBA KLL-Q
21/04/2018	61.8	163,700	23.80	SEBA KLL-Q
21/04/2018	62.0	164,300	23.80	SEBA KLL-Q
21/04/2018	62.2	165,300	23.80	SEBA KLL-Q
21/04/2018	62.4	166,700	23.80	SEBA KLL-Q
21/04/2018	62.6	168,800	23.80	SEBA KLL-Q
21/04/2018	62.8	170,200	23.80	SEBA KLL-Q
21/04/2018	63.0	172,700	23.90	SEBA KLL-Q
21/04/2018	63.5	174,700	23.90	SEBA KLL-Q
21/04/2018	64.0	179,200	23.90	SEBA KLL-Q
21/04/2018	64.2	181,100	23.90	SEBA KLL-Q
21/04/2018	64.4	182,100	23.90	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/04/2018	64.6	183,100	23.90	SEBA KLL-Q
21/04/2018	64.8	184,400	23.90	SEBA KLL-Q
21/04/2018	65.0	185,500	23.90	SEBA KLL-Q
21/04/2018	65.5	193,100	23.90	SEBA KLL-Q
21/04/2018	65.7	194,400	23.90	SEBA KLL-Q
21/04/2018	66.0	196,500	23.90	SEBA KLL-Q
21/04/2018	66.2	197,200	23.90	SEBA KLL-Q
21/04/2018	66.4	198,000	23.90	SEBA KLL-Q
21/04/2018	66.6	198,700	23.90	SEBA KLL-Q
21/04/2018	66.8	199,700	24.00	SEBA KLL-Q
21/04/2018	67.0	200,300	24.00	SEBA KLL-Q
21/04/2018	67.2	201,100	24.00	SEBA KLL-Q
21/04/2018	67.4	202,100	24.00	SEBA KLL-Q
21/04/2018	67.6	203,200	24.00	SEBA KLL-Q
21/04/2018	67.8	203,700	24.00	SEBA KLL-Q
21/04/2018	68.0	204,500	24.00	SEBA KLL-Q
21/04/2018	68.5	206,100	24.00	SEBA KLL-Q
21/04/2018	69.0	208,200	24.00	SEBA KLL-Q
21/04/2018	70.0	211,100	24.00	SEBA KLL-Q
21/04/2018	71.0	213,800	24.00	SEBA KLL-Q
21/04/2018	73.0	217,900	24.00	SEBA KLL-Q
21/04/2018	75.0	217,900	24.10	SEBA KLL-Q
21/04/2018	77.0	220,100	24.20	SEBA KLL-Q
21/04/2018	79.0	220,800	24.30	SEBA KLL-Q
21/04/2018	81.0	223,400	24.40	SEBA KLL-Q
21/04/2018	83.0	223,600	24.40	SEBA KLL-Q
21/04/2018	85.0	223,500	24.40	SEBA KLL-Q
21/04/2018	87.0	223,500	24.40	SEBA KLL-Q
28/07/2018	10.0	10,910	22.01	SEBA KLL-Q
28/07/2018	10.2	10,770	22.49	SEBA KLL-Q
28/07/2018	10.4	10,720	22.45	SEBA KLL-Q
28/07/2018	10.6	10,680	22.59	SEBA KLL-Q
28/07/2018	10.8	10,690	22.63	SEBA KLL-Q
28/07/2018	11.0	10,750	22.64	SEBA KLL-Q
28/07/2018	11.5	10,830	22.65	SEBA KLL-Q
28/07/2018	12.0	10,890	22.66	SEBA KLL-Q
28/07/2018	13.0	11,360	22.70	SEBA KLL-Q
28/07/2018	13.5	11,420	22.69	SEBA KLL-Q
28/07/2018	14.0	12,050	22.72	SEBA KLL-Q
28/07/2018	14.5	12,260	22.74	SEBA KLL-Q
28/07/2018	15.0	12,440	22.75	SEBA KLL-Q
28/07/2018	16.0	13,020	22.78	SEBA KLL-Q
28/07/2018	16.5	13,150	22.81	SEBA KLL-Q
28/07/2018	17.0	13,400	22.81	SEBA KLL-Q
28/07/2018	18.0	13,980	22.82	SEBA KLL-Q
28/07/2018	19.0	14,550	22.83	SEBA KLL-Q
28/07/2018	20.0	14,870	22.84	SEBA KLL-Q
28/07/2018	21.0	14,860	22.85	SEBA KLL-Q
28/07/2018	22.0	20,980	22.90	SEBA KLL-Q
28/07/2018	22.2	21,830	22.90	SEBA KLL-Q
28/07/2018	22.4	21,950	22.98	SEBA KLL-Q
28/07/2018	22.6	21,960	22.91	SEBA KLL-Q
28/07/2018	22.8	22,040	22.91	SEBA KLL-Q
28/07/2018	23.0	22,060	22.91	SEBA KLL-Q
28/07/2018	24.0	25,310	22.94	SEBA KLL-Q
28/07/2018	24.2	26,220	22.95	SEBA KLL-Q
28/07/2018	24.4	26,880	22.95	SEBA KLL-Q
28/07/2018	24.6	26,950	22.96	SEBA KLL-Q
28/07/2018	24.8	28,980	22.96	SEBA KLL-Q
28/07/2018	25.0	29,750	22.95	SEBA KLL-Q
28/07/2018	25.5	30,830	22.96	SEBA KLL-Q
28/07/2018	26.0	32,300	22.97	SEBA KLL-Q
28/07/2018	26.5	33,710	22.98	SEBA KLL-Q
28/07/2018	27.0	35,520	22.99	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
28/07/2018	27.5	36,730	23.00	SEBA KLL-Q
28/07/2018	28.0	38,750	23.02	SEBA KLL-Q
28/07/2018	28.5	38,880	23.02	SEBA KLL-Q
28/07/2018	29.0	39,490	23.04	SEBA KLL-Q
28/07/2018	30.0	43,270	23.07	SEBA KLL-Q
28/07/2018	31.0	44,470	23.07	SEBA KLL-Q
28/07/2018	32.0	44,520	23.09	SEBA KLL-Q
28/07/2018	33.0	44,700	23.10	SEBA KLL-Q
28/07/2018	34.0	59,390	23.16	SEBA KLL-Q
28/07/2018	34.2	59,440	23.15	SEBA KLL-Q
28/07/2018	34.4	59,470	23.15	SEBA KLL-Q
28/07/2018	34.6	59,540	23.15	SEBA KLL-Q
28/07/2018	34.8	60,170	23.17	SEBA KLL-Q
28/07/2018	35.0	61,090	23.16	SEBA KLL-Q
28/07/2018	35.5	63,580	23.16	SEBA KLL-Q
28/07/2018	36.0	65,520	23.17	SEBA KLL-Q
28/07/2018	37.0	67,680	23.18	SEBA KLL-Q
28/07/2018	38.0	74,000	23.20	SEBA KLL-Q
28/07/2018	38.5	74,100	23.22	SEBA KLL-Q
28/07/2018	39.0	78,580	23.24	SEBA KLL-Q
28/07/2018	40.0	81,180	23.29	SEBA KLL-Q
28/07/2018	40.5	82,180	23.29	SEBA KLL-Q
28/07/2018	41.0	82,930	23.30	SEBA KLL-Q
28/07/2018	42.0	84,190	23.31	SEBA KLL-Q
28/07/2018	43.0	84,990	23.34	SEBA KLL-Q
28/07/2018	44.0	86,020	23.40	SEBA KLL-Q
28/07/2018	45.0	87,410	23.43	SEBA KLL-Q
28/07/2018	46.0	88,450	23.46	SEBA KLL-Q
28/07/2018	47.0	90,460	23.47	SEBA KLL-Q
28/07/2018	48.0	92,160	23.47	SEBA KLL-Q
28/07/2018	49.0	95,000	23.52	SEBA KLL-Q
28/07/2018	50.0	97,720	23.57	SEBA KLL-Q
28/07/2018	51.0	99,690	23.53	SEBA KLL-Q
28/07/2018	52.0	101,800	23.61	SEBA KLL-Q
28/07/2018	53.0	104,900	23.64	SEBA KLL-Q
28/07/2018	54.0	117,200	23.65	SEBA KLL-Q
28/07/2018	54.2	120,600	23.65	SEBA KLL-Q
28/07/2018	54.4	122,600	23.66	SEBA KLL-Q
28/07/2018	54.6	126,600	23.67	SEBA KLL-Q
28/07/2018	54.8	129,000	23.69	SEBA KLL-Q
28/07/2018	55.0	132,100	23.69	SEBA KLL-Q
28/07/2018	55.5	138,100	23.69	SEBA KLL-Q
28/07/2018	56.0	142,900	23.70	SEBA KLL-Q
28/07/2018	56.5	148,500	23.74	SEBA KLL-Q
28/07/2018	57.0	151,700	23.73	SEBA KLL-Q
28/07/2018	58.0	158,600	23.75	SEBA KLL-Q
28/07/2018	59.0	168,000	23.78	SEBA KLL-Q
28/07/2018	59.2	170,600	23.79	SEBA KLL-Q
28/07/2018	59.4	174,100	23.79	SEBA KLL-Q
28/07/2018	59.6	177,200	23.81	SEBA KLL-Q
28/07/2018	59.8	182,200	23.80	SEBA KLL-Q
28/07/2018	60.0	187,500	23.81	SEBA KLL-Q
28/07/2018	60.5	193,800	23.81	SEBA KLL-Q
28/07/2018	61.0	199,900	23.84	SEBA KLL-Q
28/07/2018	62.0	210,100	23.86	SEBA KLL-Q
28/07/2018	62.5	214,500	23.88	SEBA KLL-Q
28/07/2018	63.0	219,700	23.90	SEBA KLL-Q
28/07/2018	63.5	224,100	23.91	SEBA KLL-Q
28/07/2018	64.0	229,500	23.95	SEBA KLL-Q
28/07/2018	65.0	239,400	23.95	SEBA KLL-Q
28/07/2018	66.0	250,400	23.97	SEBA KLL-Q
28/07/2018	67.0	256,800	23.99	SEBA KLL-Q
28/07/2018	68.0	262,800	24.03	SEBA KLL-Q
28/07/2018	69.0	267,200	24.04	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
28/07/2018	70.0	272,100	24.07	SEBA KLL-Q
28/07/2018	71.0	275,200	24.09	SEBA KLL-Q
28/07/2018	72.0	278,300	24.13	SEBA KLL-Q
28/07/2018	74.0	280,500	24.15	SEBA KLL-Q
28/07/2018	76.0	282,700	24.25	SEBA KLL-Q
28/07/2018	78.0	283,000	24.30	SEBA KLL-Q
28/07/2018	80.0	283,700	24.30	SEBA KLL-Q
23/08/2018	10.0	8,199	22.53	SEBA KLL-Q
23/08/2018	10.2	8,156	22.82	SEBA KLL-Q
23/08/2018	10.4	8,145	22.84	SEBA KLL-Q
23/08/2018	10.6	8,139	22.89	SEBA KLL-Q
23/08/2018	10.8	8,127	22.92	SEBA KLL-Q
23/08/2018	11.0	8,244	22.98	SEBA KLL-Q
23/08/2018	11.5	8,356	22.90	SEBA KLL-Q
23/08/2018	12.0	8,572	22.92	SEBA KLL-Q
23/08/2018	13.0	10,220	22.94	SEBA KLL-Q
23/08/2018	13.5	10,620	22.94	SEBA KLL-Q
23/08/2018	14.0	10,910	22.96	SEBA KLL-Q
23/08/2018	15.0	11,210	23.01	SEBA KLL-Q
23/08/2018	16.0	11,400	23.03	SEBA KLL-Q
23/08/2018	18.0	11,420	23.06	SEBA KLL-Q
23/08/2018	20.0	11,510	23.09	SEBA KLL-Q
23/08/2018	22.0	18,580	23.13	SEBA KLL-Q
23/08/2018	22.5	18,640	23.14	SEBA KLL-Q
23/08/2018	23.0	18,730	23.14	SEBA KLL-Q
23/08/2018	23.5	18,810	23.14	SEBA KLL-Q
23/08/2018	24.0	22,380	23.14	SEBA KLL-Q
23/08/2018	25.0	25,820	23.15	SEBA KLL-Q
23/08/2018	26.0	28,630	23.17	SEBA KLL-Q
23/08/2018	27.0	32,010	23.19	SEBA KLL-Q
23/08/2018	28.0	34,190	23.25	SEBA KLL-Q
23/08/2018	29.0	35,030	23.26	SEBA KLL-Q
23/08/2018	30.0	36,950	23.22	SEBA KLL-Q
23/08/2018	32.0	38,860	23.31	SEBA KLL-Q
23/08/2018	34.0	51,030	23.35	SEBA KLL-Q
23/08/2018	34.5	51,160	23.41	SEBA KLL-Q
23/08/2018	35.0	53,090	23.40	SEBA KLL-Q
23/08/2018	36.0	56,720	23.41	SEBA KLL-Q
23/08/2018	38.0	64,840	23.41	SEBA KLL-Q
23/08/2018	38.5	67,830	23.48	SEBA KLL-Q
23/08/2018	39.0	69,630	23.48	SEBA KLL-Q
23/08/2018	40.0	72,930	23.44	SEBA KLL-Q
23/08/2018	41.0	73,970	23.54	SEBA KLL-Q
23/08/2018	42.0	74,590	23.58	SEBA KLL-Q
23/08/2018	44.0	76,040	23.59	SEBA KLL-Q
23/08/2018	46.0	76,240	23.59	SEBA KLL-Q
23/08/2018	48.0	82,210	23.72	SEBA KLL-Q
23/08/2018	50.0	86,900	23.80	SEBA KLL-Q
23/08/2018	52.0	89,900	23.77	SEBA KLL-Q
23/08/2018	54.0	103,800	23.80	SEBA KLL-Q
23/08/2018	54.5	110,800	23.80	SEBA KLL-Q
23/08/2018	55.0	116,400	23.92	SEBA KLL-Q
23/08/2018	56.0	126,900	23.87	SEBA KLL-Q
23/08/2018	56.5	130,600	23.89	SEBA KLL-Q
23/08/2018	57.0	133,900	23.89	SEBA KLL-Q
23/08/2018	58.0	140,300	23.93	SEBA KLL-Q
23/08/2018	59.0	148,100	23.99	SEBA KLL-Q
23/08/2018	60.0	166,700	23.97	SEBA KLL-Q
23/08/2018	61.0	176,200	24.01	SEBA KLL-Q
23/08/2018	62.0	184,600	24.06	SEBA KLL-Q
23/08/2018	63.0	192,500	24.07	SEBA KLL-Q
23/08/2018	64.0	200,400	24.10	SEBA KLL-Q
23/08/2018	65.0	210,100	24.09	SEBA KLL-Q
23/08/2018	65.2	216,300	24.09	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/08/2018	65.4	214,700	24.09	SEBA KLL-Q
23/08/2018	65.6	217,100	24.10	SEBA KLL-Q
23/08/2018	65.8	219,200	24.11	SEBA KLL-Q
23/08/2018	66.0	219,900	24.12	SEBA KLL-Q
23/08/2018	66.5	223,600	24.11	SEBA KLL-Q
23/08/2018	67.0	225,700	24.14	SEBA KLL-Q
23/08/2018	68.0	231,200	24.14	SEBA KLL-Q
23/08/2018	70.0	239,600	24.18	SEBA KLL-Q
23/08/2018	72.0	244,800	24.19	SEBA KLL-Q
23/08/2018	74.0	247,600	24.29	SEBA KLL-Q
23/08/2018	76.0	248,700	24.35	SEBA KLL-Q
23/08/2018	78.0	248,500	24.54	SEBA KLL-Q
23/08/2018	80.0	252,100	24.46	SEBA KLL-Q
23/08/2018	82.0	253,000	24.50	SEBA KLL-Q
23/08/2018	84.0	253,000	24.59	SEBA KLL-Q
23/08/2018	86.0	253,100	24.64	SEBA KLL-Q
23/08/2018	87.5	252,500	24.76	SEBA KLL-Q
07/09/2018	9.6	8,206	22.40	SEBA KLL-Q
07/09/2018	9.7	8,220	22.40	SEBA KLL-Q
07/09/2018	9.9	8,210	22.40	SEBA KLL-Q
07/09/2018	10.2	8,208	22.50	SEBA KLL-Q
07/09/2018	10.4	8,206	22.60	SEBA KLL-Q
07/09/2018	10.6	8,201	22.60	SEBA KLL-Q
07/09/2018	10.8	8,206	22.60	SEBA KLL-Q
07/09/2018	11.0	8,390	22.70	SEBA KLL-Q
07/09/2018	11.5	8,513	22.70	SEBA KLL-Q
07/09/2018	12.0	8,786	22.70	SEBA KLL-Q
07/09/2018	13.0	10,440	22.70	SEBA KLL-Q
07/09/2018	14.0	11,210	22.70	SEBA KLL-Q
07/09/2018	15.0	11,440	22.80	SEBA KLL-Q
07/09/2018	16.0	11,530	22.80	SEBA KLL-Q
07/09/2018	18.0	11,540	22.80	SEBA KLL-Q
07/09/2018	20.0	11,800	22.90	SEBA KLL-Q
07/09/2018	22.0	14,440	22.90	SEBA KLL-Q
07/09/2018	24.0	19,290	22.90	SEBA KLL-Q
07/09/2018	26.0	26,670	23.00	SEBA KLL-Q
07/09/2018	28.0	34,970	23.00	SEBA KLL-Q
07/09/2018	30.0	38,010	23.00	SEBA KLL-Q
07/09/2018	32.0	39,460	23.10	SEBA KLL-Q
07/09/2018	34.0	52,240	23.20	SEBA KLL-Q
07/09/2018	36.0	57,800	23.20	SEBA KLL-Q
07/09/2018	38.0	66,200	23.30	SEBA KLL-Q
07/09/2018	40.0	74,810	23.30	SEBA KLL-Q
07/09/2018	42.0	76,580	23.40	SEBA KLL-Q
07/09/2018	44.0	78,240	23.40	SEBA KLL-Q
07/09/2018	46.0	80,540	23.50	SEBA KLL-Q
07/09/2018	48.0	84,400	23.50	SEBA KLL-Q
07/09/2018	50.0	89,430	23.60	SEBA KLL-Q
07/09/2018	51.0	91,210	23.60	SEBA KLL-Q
07/09/2018	51.5	92,010	23.60	SEBA KLL-Q
07/09/2018	52.0	92,920	23.60	SEBA KLL-Q
07/09/2018	52.5	93,850	23.70	SEBA KLL-Q
07/09/2018	53.0	94,860	23.70	SEBA KLL-Q
07/09/2018	54.0	105,600	23.70	SEBA KLL-Q
07/09/2018	55.0	119,300	23.70	SEBA KLL-Q
07/09/2018	56.0	125,200	23.70	SEBA KLL-Q
07/09/2018	57.0	135,600	23.80	SEBA KLL-Q
07/09/2018	58.0	144,800	23.80	SEBA KLL-Q
07/09/2018	59.0	152,800	23.80	SEBA KLL-Q
07/09/2018	59.5	157,600	23.80	SEBA KLL-Q
07/09/2018	60.0	171,400	23.87	SEBA KLL-Q
07/09/2018	60.2	174,900	23.90	SEBA KLL-Q
07/09/2018	60.4	176,500	23.90	SEBA KLL-Q
07/09/2018	60.6	177,900	23.90	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/09/2018	60.8	180,000	23.90	SEBA KLL-Q
07/09/2018	61.0	182,300	23.90	SEBA KLL-Q
07/09/2018	61.2	184,800	23.90	SEBA KLL-Q
07/09/2018	61.4	186,900	23.90	SEBA KLL-Q
07/09/2018	61.6	188,600	23.90	SEBA KLL-Q
07/09/2018	61.8	189,900	23.90	SEBA KLL-Q
07/09/2018	62.0	191,100	23.90	SEBA KLL-Q
07/09/2018	62.2	192,600	24.00	SEBA KLL-Q
07/09/2018	62.4	194,300	24.00	SEBA KLL-Q
07/09/2018	62.6	196,000	24.00	SEBA KLL-Q
07/09/2018	62.8	197,800	24.00	SEBA KLL-Q
07/09/2018	63.0	199,600	24.00	SEBA KLL-Q
07/09/2018	63.2	201,300	24.00	SEBA KLL-Q
07/09/2018	63.4	203,400	24.00	SEBA KLL-Q
07/09/2018	63.6	205,600	24.00	SEBA KLL-Q
07/09/2018	63.8	207,300	24.00	SEBA KLL-Q
07/09/2018	64.0	209,100	24.00	SEBA KLL-Q
07/09/2018	64.5	213,600	24.00	SEBA KLL-Q
07/09/2018	65.0	217,600	24.00	SEBA KLL-Q
07/09/2018	65.5	223,600	24.00	SEBA KLL-Q
07/09/2018	66.0	228,600	24.00	SEBA KLL-Q
07/09/2018	67.0	234,400	24.00	SEBA KLL-Q
07/09/2018	68.0	239,600	24.00	SEBA KLL-Q
07/09/2018	69.0	243,800	24.10	SEBA KLL-Q
07/09/2018	70.0	248,400	24.10	SEBA KLL-Q
07/09/2018	72.0	251,000	24.20	SEBA KLL-Q
07/09/2018	74.0	255,400	24.20	SEBA KLL-Q
07/09/2018	76.0	257,000	24.20	SEBA KLL-Q
07/09/2018	78.0	258,200	24.40	SEBA KLL-Q
07/09/2018	80.0	260,200	24.40	SEBA KLL-Q
07/09/2018	82.0	262,600	24.40	SEBA KLL-Q
07/09/2018	84.0	262,400	24.50	SEBA KLL-Q
07/09/2018	86.0	262,300	24.60	SEBA KLL-Q
07/09/2018	88.0	262,200	24.60	SEBA KLL-Q
17/11/2018	10.0	7,575	22.71	SEBA KLL-Q
17/11/2018	10.5	7,654	22.66	SEBA KLL-Q
17/11/2018	11.0	8,437	22.64	SEBA KLL-Q
17/11/2018	11.5	8,870	22.66	SEBA KLL-Q
17/11/2018	12.0	9,335	22.66	SEBA KLL-Q
17/11/2018	13.0	10,550	22.69	SEBA KLL-Q
17/11/2018	14.0	10,940	22.70	SEBA KLL-Q
17/11/2018	15.0	11,100	22.70	SEBA KLL-Q
17/11/2018	16.0	11,210	22.75	SEBA KLL-Q
17/11/2018	18.0	11,340	22.79	SEBA KLL-Q
17/11/2018	20.0	11,810	22.82	SEBA KLL-Q
17/11/2018	22.0	19,130	23.07	SEBA KLL-Q
17/11/2018	24.0	23,990	22.90	SEBA KLL-Q
17/11/2018	26.0	29,960	22.94	SEBA KLL-Q
17/11/2018	28.0	34,550	22.99	SEBA KLL-Q
17/11/2018	30.0	37,350	23.03	SEBA KLL-Q
17/11/2018	32.0	39,420	23.08	SEBA KLL-Q
17/11/2018	34.0	50,090	23.11	SEBA KLL-Q
17/11/2018	36.0	55,910	23.16	SEBA KLL-Q
17/11/2018	38.0	64,910	23.20	SEBA KLL-Q
17/11/2018	40.0	73,930	23.25	SEBA KLL-Q
17/11/2018	41.0	74,340	23.27	SEBA KLL-Q
17/11/2018	42.0	74,830	23.29	SEBA KLL-Q
17/11/2018	43.0	75,400	23.33	SEBA KLL-Q
17/11/2018	44.0	76,050	23.35	SEBA KLL-Q
17/11/2018	46.0	78,310	23.44	SEBA KLL-Q
17/11/2018	48.0	82,130	23.46	SEBA KLL-Q
17/11/2018	49.0	84,540	23.49	SEBA KLL-Q
17/11/2018	50.0	87,400	23.52	SEBA KLL-Q
17/11/2018	51.0	88,800	23.54	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/11/2018	52.0	90,000	23.56	SEBA KLL-Q
17/11/2018	53.0	90,920	23.59	SEBA KLL-Q
17/11/2018	54.0	104,100	23.61	SEBA KLL-Q
17/11/2018	54.5	111,200	23.63	SEBA KLL-Q
17/11/2018	55.0	115,800	23.64	SEBA KLL-Q
17/11/2018	56.0	126,100	23.67	SEBA KLL-Q
17/11/2018	57.0	133,000	23.69	SEBA KLL-Q
17/11/2018	58.0	139,000	23.72	SEBA KLL-Q
17/11/2018	59.0	145,800	23.74	SEBA KLL-Q
17/11/2018	60.0	165,000	23.77	SEBA KLL-Q
17/11/2018	60.5	168,300	23.79	SEBA KLL-Q
17/11/2018	61.0	172,800	23.80	SEBA KLL-Q
17/11/2018	61.2	175,700	23.82	SEBA KLL-Q
17/11/2018	61.4	177,200	23.82	SEBA KLL-Q
17/11/2018	61.6	178,300	23.83	SEBA KLL-Q
17/11/2018	61.8	179,300	23.83	SEBA KLL-Q
17/11/2018	62.0	180,400	23.84	SEBA KLL-Q
17/11/2018	62.2	181,900	23.85	SEBA KLL-Q
17/11/2018	62.4	183,400	23.86	SEBA KLL-Q
17/11/2018	62.6	184,900	23.86	SEBA KLL-Q
17/11/2018	62.8	186,500	23.86	SEBA KLL-Q
17/11/2018	63.0	188,300	23.87	SEBA KLL-Q
17/11/2018	63.5	192,900	23.88	SEBA KLL-Q
17/11/2018	64.0	197,800	23.89	SEBA KLL-Q
17/11/2018	64.5	200,700	23.90	SEBA KLL-Q
17/11/2018	65.0	203,700	23.92	SEBA KLL-Q
17/11/2018	65.2	206,200	23.92	SEBA KLL-Q
17/11/2018	65.4	209,000	23.93	SEBA KLL-Q
17/11/2018	65.6	211,100	23.93	SEBA KLL-Q
17/11/2018	65.8	212,900	23.94	SEBA KLL-Q
17/11/2018	66.0	214,500	23.95	SEBA KLL-Q
17/11/2018	66.5	217,200	23.96	SEBA KLL-Q
17/11/2018	67.0	219,600	23.97	SEBA KLL-Q
17/11/2018	68.0	223,900	23.99	SEBA KLL-Q
17/11/2018	69.0	227,600	24.03	SEBA KLL-Q
17/11/2018	70.0	231,800	24.06	SEBA KLL-Q
17/11/2018	72.0	236,700	24.12	SEBA KLL-Q
17/11/2018	74.0	239,200	24.17	SEBA KLL-Q
17/11/2018	76.0	240,500	24.22	SEBA KLL-Q
17/11/2018	78.0	240,800	24.27	SEBA KLL-Q
17/11/2018	80.0	242,300	24.34	SEBA KLL-Q
17/11/2018	83.0	244,100	24.43	SEBA KLL-Q
17/11/2018	86.0	244,000	24.51	SEBA KLL-Q
17/11/2018	89.0	243,900	24.55	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/10/2013	0.80	78,000	19.3	TLC-107 SONDA 1
24/10/2013	1.00	81,100	19.1	TLC-107 SONDA 1
24/10/2013	1.20	98,800	18.4	TLC-107 SONDA 1
24/10/2013	1.40	105,300	17.5	TLC-107 SONDA 1
24/10/2013	1.60	113,100	16.5	TLC-107 SONDA 1
24/10/2013	1.80	155,000	15.9	TLC-107 SONDA 1
24/10/2013	2.00	181,000	15.5	TLC-107 SONDA 1
24/10/2013	2.20	193,200	15.3	TLC-107 SONDA 1
24/10/2013	2.40	200,900	15.1	TLC-107 SONDA 1
24/10/2013	2.60	204,000	15.0	TLC-107 SONDA 1
24/10/2013	2.80	221,100	14.8	TLC-107 SONDA 1
24/10/2013	3.00	237,200	14.8	TLC-107 SONDA 1
24/10/2013	3.20	263,900	14.8	TLC-107 SONDA 1
24/10/2013	3.40	269,400	14.8	TLC-107 SONDA 1
24/10/2013	3.60	272,300	14.8	TLC-107 SONDA 1
24/10/2013	3.80	271,700	14.9	TLC-107 SONDA 1
24/10/2013	4.00	271,900	14.9	TLC-107 SONDA 1
24/10/2013	4.50	271,300	15.1	TLC-107 SONDA 1
24/10/2013	5.00	271,600	15.2	TLC-107 SONDA 1
24/10/2013	5.50	269,700	15.3	TLC-107 SONDA 1
24/10/2013	6.00	268,200	15.4	TLC-107 SONDA 1
24/10/2013	6.50	268,200	15.4	TLC-107 SONDA 1
24/10/2013	7.00	268,200	15.4	TLC-107 SONDA 1
24/10/2013	7.50	268,000	15.4	TLC-107 SONDA 1
24/10/2013	8.00	268,000	15.4	TLC-107 SONDA 1
24/10/2013	9.00	263,300	15.4	TLC-107 SONDA 1
24/10/2013	10.00	261,200	15.3	TLC-107 SONDA 1
24/10/2013	11.00	260,900	15.3	TLC-107 SONDA 1
24/10/2013	12.00	257,300	15.3	TLC-107 SONDA 1
24/10/2013	13.00	256,000	15.3	TLC-107 SONDA 1
24/10/2013	14.00	255,700	15.3	TLC-107 SONDA 1
24/10/2013	15.00	256,000	15.3	TLC-107 SONDA 1
24/10/2013	20.00	254,200	15.4	TLC-107 SONDA 1
24/10/2013	25.00	253,900	15.4	TLC-107 SONDA 1
24/10/2013	30.00	253,200	15.7	TLC-107 SONDA 1
24/10/2013	35.00	249,700	15.9	TLC-107 SONDA 1
24/10/2013	40.00	248,200	16.0	TLC-107 SONDA 1
24/10/2013	41.77	214,600	16.0	TLC-107 SONDA 1
24/11/2013	0.90	46,400	20.0	TLC-107 SONDA 1
24/11/2013	1.10	53,400	20.0	TLC-107 SONDA 1
24/11/2013	1.30	60,400	19.2	TLC-107 SONDA 1
24/11/2013	1.50	61,900	18.4	TLC-107 SONDA 1
24/11/2013	1.70	62,700	17.7	TLC-107 SONDA 1
24/11/2013	1.90	93,900	17.2	TLC-107 SONDA 1
24/11/2013	2.10	100,200	16.6	TLC-107 SONDA 1
24/11/2013	2.30	104,600	16.3	TLC-107 SONDA 1
24/11/2013	2.50	120,500	16.1	TLC-107 SONDA 1
24/11/2013	2.70	138,000	15.8	TLC-107 SONDA 1
24/11/2013	2.90	143,800	15.5	TLC-107 SONDA 1
24/11/2013	3.10	163,500	15.4	TLC-107 SONDA 1
24/11/2013	3.30	173,500	15.3	TLC-107 SONDA 1
24/11/2013	3.50	182,800	15.2	TLC-107 SONDA 1
24/11/2013	4.00	190,500	15.1	TLC-107 SONDA 1
24/11/2013	4.50	203,800	15.1	TLC-107 SONDA 1
24/11/2013	5.00	210,000	15.2	TLC-107 SONDA 1
24/11/2013	6.00	211,400	15.2	TLC-107 SONDA 1
24/11/2013	7.00	211,000	15.3	TLC-107 SONDA 1
24/11/2013	8.00	204,100	15.4	TLC-107 SONDA 1
24/11/2013	9.00	189,900	15.4	TLC-107 SONDA 1
24/11/2013	10.00	180,300	15.3	TLC-107 SONDA 1
24/11/2013	15.00	154,400	15.3	TLC-107 SONDA 1
24/11/2013	50.00	147,900	15.3	TLC-107 SONDA 1
24/11/2013	25.00	147,400	15.4	TLC-107 SONDA 1
24/11/2013	30.00	147,200	15.7	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/11/2013	35.00	139,900	15.9	TLC-107 SONDA 1
24/11/2013	40.00	136,700	16.0	TLC-107 SONDA 1
14/12/2013	0.80	40,300	22.1	TLC-107 SONDA 1
14/12/2013	1.00	41,700	22.3	TLC-107 SONDA 1
14/12/2013	1.20	42,600	21.7	TLC-107 SONDA 1
14/12/2013	1.40	43,200	20.5	TLC-107 SONDA 1
14/12/2013	1.60	43,500	19.4	TLC-107 SONDA 1
14/12/2013	1.80	63,900	18.4	TLC-107 SONDA 1
14/12/2013	2.00	70,400	17.8	TLC-107 SONDA 1
14/12/2013	2.20	73,000	17.4	TLC-107 SONDA 1
14/12/2013	2.40	75,500	17.0	TLC-107 SONDA 1
14/12/2013	2.60	81,900	16.5	TLC-107 SONDA 1
14/12/2013	2.80	91,600	16.3	TLC-107 SONDA 1
14/12/2013	3.00	105,600	16.1	TLC-107 SONDA 1
14/12/2013	3.50	136,300	15.7	TLC-107 SONDA 1
14/12/2013	4.00	146,600	15.5	TLC-107 SONDA 1
14/12/2013	4.50	150,600	15.4	TLC-107 SONDA 1
14/12/2013	5.00	168,400	15.4	TLC-107 SONDA 1
14/12/2013	5.50	175,000	15.4	TLC-107 SONDA 1
14/12/2013	6.00	178,500	15.4	TLC-107 SONDA 1
14/12/2013	7.00	181,600	15.5	TLC-107 SONDA 1
14/12/2013	8.00	190,200	15.5	TLC-107 SONDA 1
14/12/2013	9.00	211,300	15.5	TLC-107 SONDA 1
14/12/2013	10.00	215,500	15.4	TLC-107 SONDA 1
14/12/2013	11.00	223,700	15.4	TLC-107 SONDA 1
14/12/2013	12.00	229,600	15.4	TLC-107 SONDA 1
14/12/2013	13.00	235,200	15.4	TLC-107 SONDA 1
14/12/2013	14.00	239,400	15.4	TLC-107 SONDA 1
14/12/2013	15.00	241,600	15.4	TLC-107 SONDA 1
14/12/2013	20.00	246,900	15.4	TLC-107 SONDA 1
14/12/2013	25.00	254,000	15.4	TLC-107 SONDA 1
14/12/2013	30.00	258,600	15.7	TLC-107 SONDA 1
14/12/2013	35.00	264,200	16.0	TLC-107 SONDA 1
14/12/2013	40.00	269,700	16.1	TLC-107 SONDA 1
14/12/2013	41.20	143,500	16.1	TLC-107 SONDA 1
16/01/2014	1.50	94,800	20.7	ALT FTC
16/01/2014	1.75	119,900	20.2	ALT FTC
16/01/2014	2.00	148,100	19.0	ALT FTC
16/01/2014	2.25	167,400	18.4	ALT FTC
16/01/2014	2.50	186,100	17.8	ALT FTC
16/01/2014	2.75	201,300	17.3	ALT FTC
16/01/2014	3.00	202,700	17.0	ALT FTC
16/01/2014	3.25	200,100	16.6	ALT FTC
16/01/2014	3.50	193,400	16.3	ALT FTC
16/01/2014	3.75	192,100	16.1	ALT FTC
16/01/2014	4.00	185,700	16.0	ALT FTC
16/01/2014	4.25	183,700	15.8	ALT FTC
16/01/2014	4.50	180,000	15.7	ALT FTC
16/01/2014	4.75	175,000	15.7	ALT FTC
16/01/2014	5.00	165,100	15.5	ALT FTC
16/01/2014	5.25	157,600	15.4	ALT FTC
16/01/2014	5.50	155,600	15.4	ALT FTC
16/01/2014	5.75	154,800	15.4	ALT FTC
16/01/2014	6.00	152,300	15.4	ALT FTC
16/01/2014	6.25	151,500	15.4	ALT FTC
16/01/2014	6.50	150,600	15.4	ALT FTC
16/01/2014	6.75	154,800	15.4	ALT FTC
16/01/2014	7.00	148,800	15.4	ALT FTC
16/01/2014	7.25	149,200	15.4	ALT FTC
16/01/2014	7.50	146,100	15.4	ALT FTC
16/01/2014	7.75	145,200	15.4	ALT FTC
16/01/2014	8.00	146,600	15.4	ALT FTC
16/01/2014	8.50	140,800	15.4	ALT FTC
16/01/2014	9.00	134,400	15.4	ALT FTC

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/01/2014	9.50	130,500	15.3	ALT FTC
16/01/2014	10.00	127,200	15.3	ALT FTC
16/01/2014	11.00	121,500	15.3	ALT FTC
16/01/2014	12.00	120,300	15.3	ALT FTC
16/01/2014	13.00	117,900	15.3	ALT FTC
16/01/2014	14.00	115,900	15.3	ALT FTC
16/01/2014	15.00	111,700	15.3	ALT FTC
16/01/2014	16.00	116,700	15.3	ALT FTC
16/01/2014	17.00	114,200	15.3	ALT FTC
16/01/2014	18.00	113,000	15.3	ALT FTC
16/01/2014	19.00	113,000	15.3	ALT FTC
16/01/2014	20.00	112,700	15.4	ALT FTC
16/01/2014	21.00	125,800	15.4	ALT FTC
16/01/2014	22.00	111,400	15.4	ALT FTC
16/01/2014	23.00	110,100	15.4	ALT FTC
16/01/2014	24.00	111,400	15.4	ALT FTC
16/01/2014	25.00	112,700	15.4	ALT FTC
16/01/2014	26.00	116,400	15.4	ALT FTC
16/01/2014	27.00	112,700	15.4	ALT FTC
16/01/2014	28.00	109,800	15.5	ALT FTC
16/01/2014	29.00	119,700	15.5	ALT FTC
16/01/2014	30.00	109,500	15.7	ALT FTC
16/01/2014	31.00	112,100	15.7	ALT FTC
16/01/2014	32.00	110,800	15.7	ALT FTC
16/01/2014	33.00	108,300	15.8	ALT FTC
16/01/2014	34.00	106,700	15.8	ALT FTC
16/01/2014	35.00	105,400	15.8	ALT FTC
16/01/2014	36.00	102,500	15.9	ALT FTC
16/01/2014	37.00	110,200	15.9	ALT FTC
16/01/2014	38.00	107,700	15.9	ALT FTC
16/01/2014	39.00	106,100	16.0	ALT FTC
16/01/2014	40.00	102,200	16.0	ALT FTC
16/01/2014	41.00	103,500	16.0	ALT FTC
16/01/2014	42.00	194,900	16.0	ALT FTC
21/03/2014	0.90	22,900	21.1	TLC-107 SONDA 1
21/03/2014	1.00	23,300	20.8	TLC-107 SONDA 1
21/03/2014	1.20	23,900	20.6	TLC-107 SONDA 1
21/03/2014	1.40	24,500	20.3	TLC-107 SONDA 1
21/03/2014	1.60	26,100	19.9	TLC-107 SONDA 1
21/03/2014	1.80	33,900	19.4	TLC-107 SONDA 1
21/03/2014	2.00	35,300	19.1	TLC-107 SONDA 1
21/03/2014	2.50	39,400	18.6	TLC-107 SONDA 1
21/03/2014	3.00	44,800	18.0	TLC-107 SONDA 1
21/03/2014	3.50	51,300	17.0	TLC-107 SONDA 1
21/03/2014	4.00	52,700	16.8	TLC-107 SONDA 1
21/03/2014	4.50	53,300	16.6	TLC-107 SONDA 1
21/03/2014	5.00	54,800	16.2	TLC-107 SONDA 1
21/03/2014	5.50	55,700	16.0	TLC-107 SONDA 1
21/03/2014	6.00	56,200	15.9	TLC-107 SONDA 1
21/03/2014	7.00	56,800	15.7	TLC-107 SONDA 1
21/03/2014	8.00	56,800	15.5	TLC-107 SONDA 1
21/03/2014	9.00	57,700	15.5	TLC-107 SONDA 1
21/03/2014	10.00	59,100	15.4	TLC-107 SONDA 1
21/03/2014	11.00	59,100	15.4	TLC-107 SONDA 1
21/03/2014	12.00	59,100	15.4	TLC-107 SONDA 1
21/03/2014	14.00	59,700	15.4	TLC-107 SONDA 1
21/03/2014	16.00	59,600	15.4	TLC-107 SONDA 1
21/03/2014	18.00	60,400	15.4	TLC-107 SONDA 1
21/03/2014	20.00	61,400	15.4	TLC-107 SONDA 1
21/03/2014	22.00	61,100	15.5	TLC-107 SONDA 1
21/03/2014	24.00	61,400	15.5	TLC-107 SONDA 1
21/03/2014	26.00	66,400	15.5	TLC-107 SONDA 1
21/03/2014	28.00	69,400	15.7	TLC-107 SONDA 1
21/03/2014	30.00	74,400	15.7	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/03/2014	32.00	72,100	15.7	TLC-107 SONDA 1
21/03/2014	34.00	74,400	15.9	TLC-107 SONDA 1
21/03/2014	36.00	76,100	15.9	TLC-107 SONDA 1
21/03/2014	38.00	77,600	16.0	TLC-107 SONDA 1
21/03/2014	39.00	78,500	16.1	TLC-107 SONDA 1
21/03/2014	40.00	79,700	16.1	TLC-107 SONDA 1
23/04/2014	1.40	158,100	19.7	TLC-107 SONDA 1
23/04/2014	1.60	165,800	20.3	TLC-107 SONDA 1
23/04/2014	1.80	174,100	20.5	TLC-107 SONDA 1
23/04/2014	2.00	181,700	20.5	TLC-107 SONDA 1
23/04/2014	2.20	202,800	20.4	TLC-107 SONDA 1
23/04/2014	2.40	218,800	20.2	TLC-107 SONDA 1
23/04/2014	2.60	227,700	19.9	TLC-107 SONDA 1
23/04/2014	2.80	235,000	19.7	TLC-107 SONDA 1
23/04/2014	3.00	247,600	19.3	TLC-107 SONDA 1
23/04/2014	3.50	261,700	18.6	TLC-107 SONDA 1
23/04/2014	4.00	311,100	17.7	TLC-107 SONDA 1
23/04/2014	4.50	323,400	17.3	TLC-107 SONDA 1
23/04/2014	5.00	339,100	17.0	TLC-107 SONDA 1
23/04/2014	5.50	341,600	17.0	TLC-107 SONDA 1
23/04/2014	6.00	335,700	16.4	TLC-107 SONDA 1
23/04/2014	6.50	338,800	16.3	TLC-107 SONDA 1
23/04/2014	7.00	344,700	16.3	TLC-107 SONDA 1
23/04/2014	8.00	349,300	16.3	TLC-107 SONDA 1
23/04/2014	9.00	349,900	16.2	TLC-107 SONDA 1
23/04/2014	10.00	352,900	16.3	TLC-107 SONDA 1
23/04/2014	11.00	355,800	16.3	TLC-107 SONDA 1
23/04/2014	12.00	359,000	16.3	TLC-107 SONDA 1
23/04/2014	13.00	339,000	16.4	TLC-107 SONDA 1
23/04/2014	14.00	336,000	16.6	TLC-107 SONDA 1
23/04/2014	15.00	339,500	16.6	TLC-107 SONDA 1
23/04/2014	16.00	339,200	16.7	TLC-107 SONDA 1
23/04/2014	17.00	339,200	16.7	TLC-107 SONDA 1
23/04/2014	18.00	346,100	16.8	TLC-107 SONDA 1
23/04/2014	19.00	350,700	17.0	TLC-107 SONDA 1
23/04/2014	20.00	353,900	17.0	TLC-107 SONDA 1
23/04/2014	21.00	380,400	17.1	TLC-107 SONDA 1
23/04/2014	22.00	384,100	17.2	TLC-107 SONDA 1
23/04/2014	23.00	379,400	17.2	TLC-107 SONDA 1
23/04/2014	24.00	400,000	17.2	TLC-107 SONDA 1
23/04/2014	25.00	400,000	17.2	TLC-107 SONDA 1
23/04/2014	26.00	400,000	17.2	TLC-107 SONDA 1
23/04/2014	27.00	400,000	17.3	TLC-107 SONDA 1
23/04/2014	28.00	400,000	17.3	TLC-107 SONDA 1
23/04/2014	29.00	400,000	17.3	TLC-107 SONDA 1
23/04/2014	30.00	400,000	17.4	TLC-107 SONDA 1
23/04/2014	31.00	400,000	17.4	TLC-107 SONDA 1
23/04/2014	32.00	400,000	17.4	TLC-107 SONDA 1
23/04/2014	33.00	400,000	17.4	TLC-107 SONDA 1
23/04/2014	34.00	400,000	17.4	TLC-107 SONDA 1
23/04/2014	35.00	400,000	17.5	TLC-107 SONDA 1
23/04/2014	36.00	400,000	17.5	TLC-107 SONDA 1
23/04/2014	37.00	400,000	17.5	TLC-107 SONDA 1
23/04/2014	37.20	272,500	17.5	TLC-107 SONDA 1
20/05/2014	1.00	92,700	14.1	TLC-107 SONDA 1
20/05/2014	1.20	92,500	14.1	TLC-107 SONDA 1
20/05/2014	1.40	92,300	14.2	TLC-107 SONDA 1
20/05/2014	1.60	93,500	14.3	TLC-107 SONDA 1
20/05/2014	1.80	110,200	15.2	TLC-107 SONDA 1
20/05/2014	2.00	143,500	15.3	TLC-107 SONDA 1
20/05/2014	2.20	160,400	16.8	TLC-107 SONDA 1
20/05/2014	2.40	176,800	17.2	TLC-107 SONDA 1
20/05/2014	2.60	187,900	17.4	TLC-107 SONDA 1
20/05/2014	2.80	203,600	17.4	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/05/2014	3.00	214,700	17.5	TLC-107 SONDA 1
20/05/2014	3.20	225,300	17.4	TLC-107 SONDA 1
20/05/2014	3.40	247,000	17.4	TLC-107 SONDA 1
20/05/2014	3.60	260,800	17.3	TLC-107 SONDA 1
20/05/2014	3.80	271,400	17.2	TLC-107 SONDA 1
20/05/2014	4.00	278,300	17.2	TLC-107 SONDA 1
20/05/2014	4.50	283,400	16.8	TLC-107 SONDA 1
20/05/2014	5.00	294,700	16.6	TLC-107 SONDA 1
20/05/2014	6.00	301,700	16.2	TLC-107 SONDA 1
20/05/2014	7.00	307,300	15.9	TLC-107 SONDA 1
20/05/2014	8.00	307,000	15.7	TLC-107 SONDA 1
20/05/2014	9.00	318,000	15.5	TLC-107 SONDA 1
20/05/2014	10.00	319,900	15.5	TLC-107 SONDA 1
20/05/2014	11.00	324,400	15.4	TLC-107 SONDA 1
20/05/2014	12.00	326,800	15.4	TLC-107 SONDA 1
20/05/2014	13.00	326,000	15.4	TLC-107 SONDA 1
20/05/2014	14.00	328,000	15.4	TLC-107 SONDA 1
20/05/2014	15.00	329,300	15.4	TLC-107 SONDA 1
20/05/2014	16.00	330,500	15.4	TLC-107 SONDA 1
20/05/2014	17.00	330,500	15.4	TLC-107 SONDA 1
20/05/2014	18.00	330,900	15.4	TLC-107 SONDA 1
20/05/2014	19.00	330,800	15.4	TLC-107 SONDA 1
20/05/2014	20.00	330,800	15.5	TLC-107 SONDA 1
20/05/2014	21.00	330,800	15.5	TLC-107 SONDA 1
20/05/2014	22.00	331,500	15.5	TLC-107 SONDA 1
20/05/2014	23.00	331,300	15.5	TLC-107 SONDA 1
20/05/2014	24.00	333,000	15.5	TLC-107 SONDA 1
20/05/2014	25.00	333,000	15.5	TLC-107 SONDA 1
20/05/2014	26.00	332,400	15.7	TLC-107 SONDA 1
20/05/2014	28.00	333,000	15.7	TLC-107 SONDA 1
20/05/2014	30.00	334,600	15.7	TLC-107 SONDA 1
20/05/2014	32.00	334,900	15.8	TLC-107 SONDA 1
20/05/2014	36.00	336,100	16.0	TLC-107 SONDA 1
20/05/2014	38.00	337,400	16.1	TLC-107 SONDA 1
20/05/2014	40.00	338,700	15.1	TLC-107 SONDA 1
20/05/2014	41.20	243,300	15.1	TLC-107 SONDA 1
18/06/2014	0.80	69,800	11.3	TLC-107 SONDA 1
18/06/2014	1.00	69,600	11.5	TLC-107 SONDA 1
18/06/2014	1.20	69,600	11.5	TLC-107 SONDA 1
18/06/2014	1.40	69,800	11.5	TLC-107 SONDA 1
18/06/2014	1.60	69,400	11.6	TLC-107 SONDA 1
18/06/2014	1.80	75,900	12.1	TLC-107 SONDA 1
18/06/2014	2.00	107,000	14.1	TLC-107 SONDA 1
18/06/2014	2.20	120,700	15.0	TLC-107 SONDA 1
18/06/2014	2.40	124,700	15.5	TLC-107 SONDA 1
18/06/2014	2.60	134,500	15.9	TLC-107 SONDA 1
18/06/2014	2.80	146,700	16.2	TLC-107 SONDA 1
18/06/2014	3.00	156,900	16.4	TLC-107 SONDA 1
18/06/2014	3.20	170,800	16.5	TLC-107 SONDA 1
18/06/2014	3.40	179,600	16.7	TLC-107 SONDA 1
18/06/2014	3.60	183,600	17.2	TLC-107 SONDA 1
18/06/2014	3.80	186,800	16.8	TLC-107 SONDA 1
18/06/2014	4.00	191,400	16.8	TLC-107 SONDA 1
18/06/2014	4.20	194,900	16.7	TLC-107 SONDA 1
18/06/2014	4.40	197,500	16.7	TLC-107 SONDA 1
18/06/2014	4.60	198,600	16.7	TLC-107 SONDA 1
18/06/2014	4.80	204,500	16.6	TLC-107 SONDA 1
18/06/2014	5.00	207,800	16.5	TLC-107 SONDA 1
18/06/2014	5.50	210,800	16.4	TLC-107 SONDA 1
18/06/2014	6.00	212,400	16.3	TLC-107 SONDA 1
18/06/2014	7.00	213,400	16.0	TLC-107 SONDA 1
18/06/2014	8.00	220,600	15.7	TLC-107 SONDA 1
18/06/2014	9.00	227,500	15.5	TLC-107 SONDA 1
18/06/2014	10.00	228,600	15.3	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/06/2014	12.00	235,400	15.4	TLC-107 SONDA 1
18/06/2014	14.00	238,500	15.4	TLC-107 SONDA 1
18/06/2014	16.00	239,300	15.4	TLC-107 SONDA 1
18/06/2014	18.00	240,000	15.4	TLC-107 SONDA 1
18/06/2014	20.00	245,300	15.5	TLC-107 SONDA 1
18/06/2014	24.00	247,500	15.5	TLC-107 SONDA 1
18/06/2014	28.00	247,900	15.7	TLC-107 SONDA 1
18/06/2014	32.00	253,500	15.8	TLC-107 SONDA 1
18/06/2014	36.00	262,900	16.0	TLC-107 SONDA 1
18/06/2014	40.00	255,300	16.1	TLC-107 SONDA 1
23/07/2014	1.00	34,300	11.0	TLC-107 SONDA 1
23/07/2014	2.00	47,300	12.6	TLC-107 SONDA 1
23/07/2014	3.00	69,200	15.0	TLC-107 SONDA 1
23/07/2014	4.00	82,700	16.1	TLC-107 SONDA 1
23/07/2014	5.00	92,900	16.3	TLC-107 SONDA 1
23/07/2014	6.00	97,400	16.2	TLC-107 SONDA 1
23/07/2014	7.00	100,900	16.0	TLC-107 SONDA 1
23/07/2014	8.00	105,600	15.8	TLC-107 SONDA 1
23/07/2014	9.00	111,600	15.5	TLC-107 SONDA 1
23/07/2014	10.00	113,700	15.5	TLC-107 SONDA 1
23/07/2014	11.00	116,900	15.5	TLC-107 SONDA 1
23/07/2014	12.00	125,200	15.4	TLC-107 SONDA 1
23/07/2014	13.00	133,400	15.4	TLC-107 SONDA 1
23/07/2014	14.00	142,400	15.4	TLC-107 SONDA 1
23/07/2014	15.00	151,900	15.4	TLC-107 SONDA 1
23/07/2014	16.00	167,900	15.4	TLC-107 SONDA 1
23/07/2014	17.00	198,800	15.4	TLC-107 SONDA 1
23/07/2014	18.00	240,900	15.4	TLC-107 SONDA 1
23/07/2014	19.00	270,500	15.4	TLC-107 SONDA 1
23/07/2014	20.00	291,500	15.5	TLC-107 SONDA 1
23/07/2014	22.00	313,300	15.5	TLC-107 SONDA 1
23/07/2014	24.00	353,700	15.5	TLC-107 SONDA 1
23/07/2014	26.00	367,400	15.7	TLC-107 SONDA 1
23/07/2014	28.00	380,200	15.7	TLC-107 SONDA 1
23/07/2014	30.00	383,500	15.7	TLC-107 SONDA 1
23/07/2014	32.00	397,800	15.8	TLC-107 SONDA 1
23/07/2014	34.00	400,000	15.9	TLC-107 SONDA 1
23/07/2014	36.00	400,000	16.0	TLC-107 SONDA 1
23/07/2014	38.00	400,000	16.1	TLC-107 SONDA 1
23/07/2014	40.00	400,000	16.1	TLC-107 SONDA 1
23/07/2014	41.10	216,000	16.1	TLC-107 SONDA 1
16/08/2014	0.90	64,600	11.9	TLC-107 SONDA 1
16/08/2014	1.50	64,400	11.9	TLC-107 SONDA 1
16/08/2014	2.00	91,200	12.3	TLC-107 SONDA 1
16/08/2014	2.50	115,600	13.3	TLC-107 SONDA 1
16/08/2014	2.70	122,700	13.7	TLC-107 SONDA 1
16/08/2014	2.90	135,200	14.0	TLC-107 SONDA 1
16/08/2014	3.10	147,900	14.4	TLC-107 SONDA 1
16/08/2014	3.30	156,600	14.7	TLC-107 SONDA 1
16/08/2014	3.50	164,100	15.1	TLC-107 SONDA 1
16/08/2014	3.70	169,300	15.3	TLC-107 SONDA 1
16/08/2014	3.90	175,200	15.4	TLC-107 SONDA 1
16/08/2014	4.10	179,500	15.7	TLC-107 SONDA 1
16/08/2014	4.30	185,100	15.7	TLC-107 SONDA 1
16/08/2014	4.50	194,700	15.9	TLC-107 SONDA 1
16/08/2014	4.70	204,200	16.0	TLC-107 SONDA 1
16/08/2014	4.90	217,100	16.1	TLC-107 SONDA 1
16/08/2014	5.00	246,300	16.1	TLC-107 SONDA 1
16/08/2014	5.50	289,900	16.1	TLC-107 SONDA 1
16/08/2014	6.00	381,600	16.1	TLC-107 SONDA 1
16/08/2014	7.00	400,000	16.1	TLC-107 SONDA 1
16/08/2014	8.00	400,000	15.8	TLC-107 SONDA 1
16/08/2014	9.00	400,000	15.7	TLC-107 SONDA 1
16/08/2014	10.00	400,000	15.5	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/08/2014	12.00	400,000	15.4	TLC-107 SONDA 1
16/08/2014	14.00	400,000	15.4	TLC-107 SONDA 1
16/08/2014	16.00	400,000	15.4	TLC-107 SONDA 1
16/08/2014	18.00	400,000	15.4	TLC-107 SONDA 1
16/08/2014	20.00	400,000	15.5	TLC-107 SONDA 1
16/08/2014	22.00	400,000	15.5	TLC-107 SONDA 1
16/08/2014	24.00	400,000	15.5	TLC-107 SONDA 1
16/08/2014	26.00	400,000	15.7	TLC-107 SONDA 1
16/08/2014	28.00	400,000	15.7	TLC-107 SONDA 1
16/08/2014	30.00	400,000	15.7	TLC-107 SONDA 1
16/08/2014	32.00	400,000	15.8	TLC-107 SONDA 1
16/08/2014	34.00	400,000	15.9	TLC-107 SONDA 1
16/08/2014	36.00	400,000	16.0	TLC-107 SONDA 1
16/08/2014	38.00	400,000	16.0	TLC-107 SONDA 1
16/08/2014	40.00	400,000	16.1	TLC-107 SONDA 1
16/08/2014	40.80	400,000	16.1	TLC-107 SONDA 1
03/09/2014	0.90	49,200	13.8	TLC-107 SONDA 1
03/09/2014	1.20	49,500	13.6	TLC-107 SONDA 1
03/09/2014	1.40	49,600	13.2	TLC-107 SONDA 1
03/09/2014	1.60	49,500	13.1	TLC-107 SONDA 1
03/09/2014	1.80	50,100	13.0	TLC-107 SONDA 1
03/09/2014	2.00	68,400	13.2	TLC-107 SONDA 1
03/09/2014	2.50	85,200	13.6	TLC-107 SONDA 1
03/09/2014	3.00	97,700	14.1	TLC-107 SONDA 1
03/09/2014	3.50	114,900	14.7	TLC-107 SONDA 1
03/09/2014	4.00	124,900	15.2	TLC-107 SONDA 1
03/09/2014	4.50	129,900	15.5	TLC-107 SONDA 1
03/09/2014	5.00	138,500	15.9	TLC-107 SONDA 1
03/09/2014	5.50	142,900	16.0	TLC-107 SONDA 1
03/09/2014	6.00	148,000	16.0	TLC-107 SONDA 1
03/09/2014	6.50	153,100	16.0	TLC-107 SONDA 1
03/09/2014	7.00	159,500	16.0	TLC-107 SONDA 1
03/09/2014	7.50	167,900	15.9	TLC-107 SONDA 1
03/09/2014	8.00	190,000	15.8	TLC-107 SONDA 1
03/09/2014	8.50	220,700	15.7	TLC-107 SONDA 1
03/09/2014	9.00	269,500	15.7	TLC-107 SONDA 1
03/09/2014	10.00	333,900	15.5	TLC-107 SONDA 1
03/09/2014	12.00	400,000	15.4	TLC-107 SONDA 1
03/09/2014	14.00	400,000	15.4	TLC-107 SONDA 1
03/09/2014	16.00	400,000	15.4	TLC-107 SONDA 1
03/09/2014	18.00	400,000	15.5	TLC-107 SONDA 1
03/09/2014	20.00	400,000	15.5	TLC-107 SONDA 1
03/09/2014	22.00	400,000	15.5	TLC-107 SONDA 1
03/09/2014	24.00	400,000	15.5	TLC-107 SONDA 1
03/09/2014	26.00	400,000	15.7	TLC-107 SONDA 1
03/09/2014	28.00	400,000	15.7	TLC-107 SONDA 1
03/09/2014	30.00	400,000	15.7	TLC-107 SONDA 1
03/09/2014	32.00	400,000	15.8	TLC-107 SONDA 1
03/09/2014	34.00	400,000	15.9	TLC-107 SONDA 1
03/09/2014	36.00	400,000	16.0	TLC-107 SONDA 1
03/09/2014	38.00	400,000	16.1	TLC-107 SONDA 1
03/09/2014	40.00	400,000	16.1	TLC-107 SONDA 1
03/09/2014	41.30	369,200	16.1	TLC-107 SONDA 1
09/10/2014	0.90	65,400	17.6	TLC-107 SONDA 1
09/10/2014	1.10	65,600	17.3	TLC-107 SONDA 1
09/10/2014	1.50	65,600	15.8	TLC-107 SONDA 1
09/10/2014	2.00	88,100	14.7	TLC-107 SONDA 1
09/10/2014	2.20	103,000	14.4	TLC-107 SONDA 1
09/10/2014	2.40	110,900	14.3	TLC-107 SONDA 1
09/10/2014	2.60	119,900	14.3	TLC-107 SONDA 1
09/10/2014	2.80	126,900	14.3	TLC-107 SONDA 1
09/10/2014	3.00	138,500	14.4	TLC-107 SONDA 1
09/10/2014	3.20	149,200	14.6	TLC-107 SONDA 1
09/10/2014	3.40	160,900	14.7	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/10/2014	3.60	166,500	14.8	TLC-107 SONDA 1
09/10/2014	3.80	170,900	14.9	TLC-107 SONDA 1
09/10/2014	4.00	176,800	15.0	TLC-107 SONDA 1
09/10/2014	4.20	182,600	15.1	TLC-107 SONDA 1
09/10/2014	4.40	186,300	15.2	TLC-107 SONDA 1
09/10/2014	4.60	187,000	15.3	TLC-107 SONDA 1
09/10/2014	4.80	192,900	15.4	TLC-107 SONDA 1
09/10/2014	5.00	199,700	15.5	TLC-107 SONDA 1
09/10/2014	5.50	205,400	15.7	TLC-107 SONDA 1
09/10/2014	6.00	208,700	15.8	TLC-107 SONDA 1
09/10/2014	7.00	213,900	15.9	TLC-107 SONDA 1
09/10/2014	8.00	219,100	15.8	TLC-107 SONDA 1
09/10/2014	9.00	234,900	15.7	TLC-107 SONDA 1
09/10/2014	10.00	254,900	15.5	TLC-107 SONDA 1
09/10/2014	12.00	306,500	15.5	TLC-107 SONDA 1
09/10/2014	14.00	343,800	15.4	TLC-107 SONDA 1
09/10/2014	16.00	379,900	15.4	TLC-107 SONDA 1
09/10/2014	18.00	400,000	15.4	TLC-107 SONDA 1
09/10/2014	20.00	400,000	15.5	TLC-107 SONDA 1
09/10/2014	22.00	400,000	15.5	TLC-107 SONDA 1
09/10/2014	24.00	400,000	15.5	TLC-107 SONDA 1
09/10/2014	26.00	400,000	15.7	TLC-107 SONDA 1
09/10/2014	28.00	400,000	15.7	TLC-107 SONDA 1
09/10/2014	30.00	400,000	15.7	TLC-107 SONDA 1
09/10/2014	32.00	400,000	15.8	TLC-107 SONDA 1
09/10/2014	34.00	400,000	15.9	TLC-107 SONDA 1
09/10/2014	36.00	400,000	16.0	TLC-107 SONDA 1
09/10/2014	38.00	400,000	16.1	TLC-107 SONDA 1
09/10/2014	39.00	400,000	16.1	TLC-107 SONDA 1
09/10/2014	40.00	400,000	16.1	TLC-107 SONDA 1
09/10/2014	41.10	238,100	16.1	TLC-107 SONDA 1
08/11/2014	0.80	57,200	19.9	TLC-107 SONDA 1
08/11/2014	1.00	57,300	19.8	TLC-107 SONDA 1
08/11/2014	1.50	57,900	17.6	TLC-107 SONDA 1
08/11/2014	2.00	80,300	16.2	TLC-107 SONDA 1
08/11/2014	2.20	89,900	15.8	TLC-107 SONDA 1
08/11/2014	2.40	98,900	15.7	TLC-107 SONDA 1
08/11/2014	2.60	104,300	15.3	TLC-107 SONDA 1
08/11/2014	2.80	109,400	15.2	TLC-107 SONDA 1
08/11/2014	3.00	124,500	15.1	TLC-107 SONDA 1
08/11/2014	3.20	137,700	15.0	TLC-107 SONDA 1
08/11/2014	3.40	146,200	15.0	TLC-107 SONDA 1
08/11/2014	3.60	150,900	15.0	TLC-107 SONDA 1
08/11/2014	3.80	157,600	15.0	TLC-107 SONDA 1
08/11/2014	4.00	159,700	15.1	TLC-107 SONDA 1
08/11/2014	4.20	163,600	15.1	TLC-107 SONDA 1
08/11/2014	4.40	165,600	15.2	TLC-107 SONDA 1
08/11/2014	4.60	168,100	15.2	TLC-107 SONDA 1
08/11/2014	4.80	177,800	15.3	TLC-107 SONDA 1
08/11/2014	5.00	190,500	15.3	TLC-107 SONDA 1
08/11/2014	5.20	198,500	15.4	TLC-107 SONDA 1
08/11/2014	5.50	203,600	15.5	TLC-107 SONDA 1
08/11/2014	6.50	214,800	15.7	TLC-107 SONDA 1
08/11/2014	7.50	221,900	15.8	TLC-107 SONDA 1
08/11/2014	8.50	231,900	15.7	TLC-107 SONDA 1
08/11/2014	10.00	259,000	15.7	TLC-107 SONDA 1
08/11/2014	12.00	305,600	15.5	TLC-107 SONDA 1
08/11/2014	14.00	350,300	15.5	TLC-107 SONDA 1
08/11/2014	16.00	393,300	15.4	TLC-107 SONDA 1
08/11/2014	18.00	400,000	15.5	TLC-107 SONDA 1
08/11/2014	20.00	400,000	15.5	TLC-107 SONDA 1
08/11/2014	22.00	400,000	15.5	TLC-107 SONDA 1
08/11/2014	24.00	400,000	15.5	TLC-107 SONDA 1
08/11/2014	26.00	400,000	15.5	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/11/2014	28.00	400,000	15.7	TLC-107 SONDA 1
08/11/2014	30.00	400,000	15.8	TLC-107 SONDA 1
08/11/2014	32.00	400,000	15.8	TLC-107 SONDA 1
08/11/2014	34.00	400,000	15.9	TLC-107 SONDA 1
08/11/2014	36.00	400,000	16.0	TLC-107 SONDA 1
08/11/2014	38.00	400,000	16.0	TLC-107 SONDA 1
08/11/2014	40.00	400,000	16.1	TLC-107 SONDA 1
08/11/2014	41.20	291,600	16.2	TLC-107 SONDA 1
11/01/2015	1.00	50,100	21.7	TLC-107 SONDA 1
11/01/2015	1.50	57,200	19.1	TLC-107 SONDA 1
11/01/2015	2.00	81,300	17.7	TLC-107 SONDA 1
11/01/2015	2.20	89,100	17.4	TLC-107 SONDA 1
11/01/2015	2.40	99,400	17.1	TLC-107 SONDA 1
11/01/2015	2.60	104,900	16.7	TLC-107 SONDA 1
11/01/2015	2.80	110,800	16.5	TLC-107 SONDA 1
11/01/2015	3.00	117,400	16.4	TLC-107 SONDA 1
11/01/2015	3.20	125,900	16.2	TLC-107 SONDA 1
11/01/2015	3.40	143,100	16.1	TLC-107 SONDA 1
11/01/2015	3.60	149,200	15.9	TLC-107 SONDA 1
11/01/2015	3.80	150,400	15.8	TLC-107 SONDA 1
11/01/2015	4.00	154,400	15.8	TLC-107 SONDA 1
11/01/2015	4.20	157,800	15.7	TLC-107 SONDA 1
11/01/2015	4.40	159,300	15.7	TLC-107 SONDA 1
11/01/2015	4.60	159,900	15.5	TLC-107 SONDA 1
11/01/2015	4.80	164,800	15.5	TLC-107 SONDA 1
11/01/2015	5.00	166,400	15.5	TLC-107 SONDA 1
11/01/2015	5.20	167,900	15.5	TLC-107 SONDA 1
11/01/2015	5.40	169,000	15.5	TLC-107 SONDA 1
11/01/2015	5.60	169,900	15.5	TLC-107 SONDA 1
11/01/2015	5.80	170,200	15.5	TLC-107 SONDA 1
11/01/2015	6.00	170,700	15.5	TLC-107 SONDA 1
11/01/2015	6.20	171,200	15.5	TLC-107 SONDA 1
11/01/2015	6.40	171,300	15.7	TLC-107 SONDA 1
11/01/2015	6.60	172,800	15.7	TLC-107 SONDA 1
11/01/2015	6.80	171,300	15.7	TLC-107 SONDA 1
11/01/2015	7.00	171,500	15.7	TLC-107 SONDA 1
11/01/2015	7.20	172,200	15.7	TLC-107 SONDA 1
11/01/2015	7.40	171,700	15.7	TLC-107 SONDA 1
11/01/2015	7.60	172,600	15.7	TLC-107 SONDA 1
11/01/2015	7.80	172,600	15.7	TLC-107 SONDA 1
11/01/2015	8.00	172,800	15.7	TLC-107 SONDA 1
11/01/2015	8.50	174,200	15.7	TLC-107 SONDA 1
11/01/2015	8.99	179,300	15.7	TLC-107 SONDA 1
11/01/2015	9.49	180,300	15.7	TLC-107 SONDA 1
11/01/2015	9.99	182,000	15.5	TLC-107 SONDA 1
11/01/2015	10.50	184,100	15.5	TLC-107 SONDA 1
11/01/2015	11.00	185,800	15.5	TLC-107 SONDA 1
11/01/2015	11.49	188,500	15.5	TLC-107 SONDA 1
11/01/2015	11.99	189,000	15.5	TLC-107 SONDA 1
11/01/2015	12.49	193,100	15.5	TLC-107 SONDA 1
11/01/2015	12.99	194,500	15.5	TLC-107 SONDA 1
11/01/2015	13.49	195,900	15.5	TLC-107 SONDA 1
11/01/2015	13.99	199,900	15.4	TLC-107 SONDA 1
11/01/2015	15.00	200,000	15.5	TLC-107 SONDA 1
11/01/2015	16.00	203,300	15.5	TLC-107 SONDA 1
11/01/2015	18.00	205,900	15.5	TLC-107 SONDA 1
11/01/2015	20.00	215,500	15.5	TLC-107 SONDA 1
11/01/2015	23.00	225,700	15.5	TLC-107 SONDA 1
11/01/2015	26.00	229,700	15.7	TLC-107 SONDA 1
11/01/2015	28.00	235,800	15.7	TLC-107 SONDA 1
11/01/2015	30.00	237,900	15.7	TLC-107 SONDA 1
11/01/2015	32.00	241,200	15.8	TLC-107 SONDA 1
11/01/2015	34.00	241,300	15.9	TLC-107 SONDA 1
11/01/2015	36.00	243,700	16.0	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/01/2015	38.00	246,000	16.0	TLC-107 SONDA 1
11/01/2015	40.00	246,200	16.1	TLC-107 SONDA 1
11/01/2015	41.50	150,200	16.1	TLC-107 SONDA 1
16/02/2015	1.00	50,400	24.0	TLC-107 SONDA 1
16/02/2015	1.50	56,600	20.7	TLC-107 SONDA 1
16/02/2015	1.80	65,000	19.4	TLC-107 SONDA 1
16/02/2015	2.00	89,900	18.7	TLC-107 SONDA 1
16/02/2015	2.20	96,800	18.3	TLC-107 SONDA 1
16/02/2015	2.40	108,500	17.9	TLC-107 SONDA 1
16/02/2015	2.60	116,700	17.6	TLC-107 SONDA 1
16/02/2015	2.80	132,400	17.4	TLC-107 SONDA 1
16/02/2015	3.00	145,000	17.1	TLC-107 SONDA 1
16/02/2015	3.20	169,100	16.8	TLC-107 SONDA 1
16/02/2015	3.40	202,800	16.6	TLC-107 SONDA 1
16/02/2015	3.60	217,800	16.4	TLC-107 SONDA 1
16/02/2015	3.80	231,600	16.3	TLC-107 SONDA 1
16/02/2015	4.00	242,300	16.2	TLC-107 SONDA 1
16/02/2015	5.00	279,900	15.8	TLC-107 SONDA 1
16/02/2015	7.00	307,300	15.7	TLC-107 SONDA 1
16/02/2015	9.00	345,000	15.7	TLC-107 SONDA 1
16/02/2015	11.00	400,000	15.5	TLC-107 SONDA 1
16/02/2015	13.00	400,000	15.5	TLC-107 SONDA 1
16/02/2015	15.00	400,000	15.5	TLC-107 SONDA 1
16/02/2015	17.00	400,000	15.5	TLC-107 SONDA 1
16/02/2015	19.00	400,000	15.5	TLC-107 SONDA 1
16/02/2015	21.00	400,000	15.5	TLC-107 SONDA 1
16/02/2015	23.00	400,000	15.5	TLC-107 SONDA 1
16/02/2015	25.00	400,000	15.7	TLC-107 SONDA 1
16/02/2015	27.00	400,000	15.7	TLC-107 SONDA 1
16/02/2015	29.00	400,000	15.7	TLC-107 SONDA 1
16/02/2015	31.00	400,000	15.8	TLC-107 SONDA 1
16/02/2015	33.00	400,000	15.9	TLC-107 SONDA 1
16/02/2015	35.00	400,000	15.9	TLC-107 SONDA 1
16/02/2015	37.00	400,000	16.0	TLC-107 SONDA 1
16/02/2015	39.00	400,000	16.1	TLC-107 SONDA 1
16/02/2015	40.00	400,000	16.1	TLC-107 SONDA 1
16/02/2015	41.12	389,200	16.1	TLC-107 SONDA 1
07/03/2015	1.00	64,800	21.3	TLC-107 SONDA 1
07/03/2015	1.50	71,000	19.8	TLC-107 SONDA 1
07/03/2015	2.00	103,600	18.7	TLC-107 SONDA 1
07/03/2015	2.50	126,700	17.9	TLC-107 SONDA 1
07/03/2015	3.00	154,100	17.1	TLC-107 SONDA 1
07/03/2015	3.50	193,000	16.7	TLC-107 SONDA 1
07/03/2015	4.00	213,500	16.4	TLC-107 SONDA 1
07/03/2015	5.00	231,900	16.0	TLC-107 SONDA 1
07/03/2015	7.00	239,900	15.7	TLC-107 SONDA 1
07/03/2015	9.00	258,100	15.7	TLC-107 SONDA 1
07/03/2015	11.00	267,500	15.5	TLC-107 SONDA 1
07/03/2015	13.00	275,200	15.5	TLC-107 SONDA 1
07/03/2015	15.00	277,000	15.5	TLC-107 SONDA 1
07/03/2015	17.00	278,100	15.5	TLC-107 SONDA 1
07/03/2015	20.00	281,600	15.5	TLC-107 SONDA 1
07/03/2015	22.00	282,200	15.5	TLC-107 SONDA 1
07/03/2015	24.00	282,200	15.5	TLC-107 SONDA 1
07/03/2015	26.00	282,100	15.7	TLC-107 SONDA 1
07/03/2015	28.00	283,300	15.7	TLC-107 SONDA 1
07/03/2015	30.00	283,700	15.8	TLC-107 SONDA 1
07/03/2015	32.00	284,900	15.8	TLC-107 SONDA 1
07/03/2015	34.00	287,300	15.9	TLC-107 SONDA 1
07/03/2015	36.00	288,900	15.9	TLC-107 SONDA 1
07/03/2015	38.00	288,300	16.1	TLC-107 SONDA 1
07/03/2015	40.00	289,500	16.1	TLC-107 SONDA 1
07/03/2015	41.60	290,400	16.1	TLC-107 SONDA 1
13/04/2015	0.70	104,900	18.6	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/04/2015	1.00	124,000	18.7	TLC-107 SONDA 1
13/04/2015	1.20	130,400	18.4	TLC-107 SONDA 1
13/04/2015	1.40	135,900	18.0	TLC-107 SONDA 1
13/04/2015	1.60	137,600	17.9	TLC-107 SONDA 1
13/04/2015	1.80	140,100	17.9	TLC-107 SONDA 1
13/04/2015	2.00	158,300	17.9	TLC-107 SONDA 1
13/04/2015	2.20	182,500	17.9	TLC-107 SONDA 1
13/04/2015	2.40	207,900	17.9	TLC-107 SONDA 1
13/04/2015	3.00	338,900	17.6	TLC-107 SONDA 1
13/04/2015	4.00	400,000	16.8	TLC-107 SONDA 1
13/04/2015	6.00	400,000	16.0	TLC-107 SONDA 1
13/04/2015	8.00	400,000	15.7	TLC-107 SONDA 1
13/04/2015	10.00	400,000	15.7	TLC-107 SONDA 1
13/04/2015	12.00	400,000	15.5	TLC-107 SONDA 1
13/04/2015	14.00	400,000	15.5	TLC-107 SONDA 1
13/04/2015	16.00	400,000	15.5	TLC-107 SONDA 1
13/04/2015	18.00	400,000	15.5	TLC-107 SONDA 1
13/04/2015	20.00	400,000	15.5	TLC-107 SONDA 1
13/04/2015	22.00	400,000	15.5	TLC-107 SONDA 1
13/04/2015	24.00	400,000	15.5	TLC-107 SONDA 1
13/04/2015	26.00	400,000	15.7	TLC-107 SONDA 1
13/04/2015	28.00	400,000	15.7	TLC-107 SONDA 1
13/04/2015	30.00	400,000	15.7	TLC-107 SONDA 1
13/04/2015	32.00	400,000	15.8	TLC-107 SONDA 1
13/04/2015	34.00	400,000	15.9	TLC-107 SONDA 1
13/04/2015	36.00	400,000	16.0	TLC-107 SONDA 1
13/04/2015	38.00	400,000	16.0	TLC-107 SONDA 1
13/04/2015	40.00	400,000	16.1	TLC-107 SONDA 1
13/04/2015	41.60	400,000	16.1	TLC-107 SONDA 1
10/05/2015	0.80	121,600	17.7	TLC-107 SONDA 2
10/05/2015	1.00	140,900	17.1	TLC-107 SONDA 2
10/05/2015	1.20	141,800	16.6	TLC-107 SONDA 2
10/05/2015	1.40	143,300	16.4	TLC-107 SONDA 2
10/05/2015	1.60	142,400	16.4	TLC-107 SONDA 2
10/05/2015	1.80	144,900	17.0	TLC-107 SONDA 2
10/05/2015	2.00	166,200	17.3	TLC-107 SONDA 2
10/05/2015	2.20	194,400	17.4	TLC-107 SONDA 2
10/05/2015	2.40	218,100	17.4	TLC-107 SONDA 2
10/05/2015	3.00	312,300	17.4	TLC-107 SONDA 2
10/05/2015	4.00	381,900	16.9	TLC-107 SONDA 2
10/05/2015	5.00	400,000	16.4	TLC-107 SONDA 2
10/05/2015	7.00	400,000	15.9	TLC-107 SONDA 2
10/05/2015	9.00	400,000	15.7	TLC-107 SONDA 2
10/05/2015	11.00	400,000	15.7	TLC-107 SONDA 2
10/05/2015	13.00	400,000	15.6	TLC-107 SONDA 2
10/05/2015	15.00	400,000	15.6	TLC-107 SONDA 2
10/05/2015	17.00	400,000	15.6	TLC-107 SONDA 2
10/05/2015	19.00	400,000	15.6	TLC-107 SONDA 2
10/05/2015	21.00	400,000	15.6	TLC-107 SONDA 2
10/05/2015	23.00	400,000	15.7	TLC-107 SONDA 2
10/05/2015	25.00	400,000	15.7	TLC-107 SONDA 2
10/05/2015	27.00	400,000	15.7	TLC-107 SONDA 2
10/05/2015	29.00	400,000	15.8	TLC-107 SONDA 2
10/05/2015	31.00	400,000	15.8	TLC-107 SONDA 2
10/05/2015	33.00	400,000	15.9	TLC-107 SONDA 2
10/05/2015	35.00	400,000	16.0	TLC-107 SONDA 2
10/05/2015	37.00	400,000	16.1	TLC-107 SONDA 2
10/05/2015	39.00	400,000	16.1	TLC-107 SONDA 2
10/05/2015	41.20	324,000	16.2	TLC-107 SONDA 2
04/06/2015	0.80	68,300	12.8	TLC-107 SONDA 2
04/06/2015	1.00	79,500	12.8	TLC-107 SONDA 2
04/06/2015	1.50	82,500	12.9	TLC-107 SONDA 2
04/06/2015	2.00	103,600	15.0	TLC-107 SONDA 2
04/06/2015	2.20	128,800	16.0	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/06/2015	2.40	155,300	16.2	TLC-107 SONDA 2
04/06/2015	2.60	171,700	16.5	TLC-107 SONDA 2
04/06/2015	2.80	189,900	16.6	TLC-107 SONDA 2
04/06/2015	3.00	212,000	16.9	TLC-107 SONDA 2
04/06/2015	3.50	238,900	16.9	TLC-107 SONDA 2
04/06/2015	4.00	244,500	16.9	TLC-107 SONDA 2
04/06/2015	5.00	251,600	16.4	TLC-107 SONDA 2
04/06/2015	6.00	254,200	16.2	TLC-107 SONDA 2
04/06/2015	8.00	257,100	15.8	TLC-107 SONDA 2
04/06/2015	10.00	257,200	15.7	TLC-107 SONDA 2
04/06/2015	12.00	256,200	15.6	TLC-107 SONDA 2
04/06/2015	14.00	255,400	15.6	TLC-107 SONDA 2
04/06/2015	16.00	254,600	15.6	TLC-107 SONDA 2
04/06/2015	18.00	254,600	15.6	TLC-107 SONDA 2
04/06/2015	20.00	254,800	15.6	TLC-107 SONDA 2
04/06/2015	22.00	254,400	15.7	TLC-107 SONDA 2
04/06/2015	24.00	254,200	15.7	TLC-107 SONDA 2
04/06/2015	26.00	253,500	15.7	TLC-107 SONDA 2
04/06/2015	28.00	253,900	15.7	TLC-107 SONDA 2
04/06/2015	30.00	252,800	15.8	TLC-107 SONDA 2
04/06/2015	32.00	253,300	15.8	TLC-107 SONDA 2
04/06/2015	34.00	251,900	15.9	TLC-107 SONDA 2
04/06/2015	36.00	250,800	16.0	TLC-107 SONDA 2
04/06/2015	38.00	250,600	16.1	TLC-107 SONDA 2
04/06/2015	39.00	250,400	16.1	TLC-107 SONDA 2
04/06/2015	41.15	194,500	16.2	TLC-107 SONDA 2
09/07/2015	0.80	70,600	11.0	TLC-107 SONDA 1
09/07/2015	1.00	84,400	11.4	TLC-107 SONDA 1
09/07/2015	1.50	87,200	11.6	TLC-107 SONDA 1
09/07/2015	1.70	88,600	11.6	TLC-107 SONDA 1
09/07/2015	1.90	104,300	12.8	TLC-107 SONDA 1
09/07/2015	2.10	111,700	13.6	TLC-107 SONDA 1
09/07/2015	2.30	126,900	14.1	TLC-107 SONDA 1
09/07/2015	2.50	149,600	14.8	TLC-107 SONDA 1
09/07/2015	2.74	167,900	15.1	TLC-107 SONDA 1
09/07/2015	2.90	195,200	15.2	TLC-107 SONDA 1
09/07/2015	3.10	218,800	15.7	TLC-107 SONDA 1
09/07/2015	3.30	242,600	15.9	TLC-107 SONDA 1
09/07/2015	3.50	253,600	16.0	TLC-107 SONDA 1
09/07/2015	4.00	262,900	16.2	TLC-107 SONDA 1
09/07/2015	5.00	268,900	16.3	TLC-107 SONDA 1
09/07/2015	7.00	274,300	16.0	TLC-107 SONDA 1
09/07/2015	9.00	279,600	15.7	TLC-107 SONDA 1
09/07/2015	11.00	278,400	15.7	TLC-107 SONDA 1
09/07/2015	13.00	276,500	15.6	TLC-107 SONDA 1
09/07/2015	15.00	275,100	15.6	TLC-107 SONDA 1
09/07/2015	17.00	274,600	15.6	TLC-107 SONDA 1
09/07/2015	19.00	272,900	15.6	TLC-107 SONDA 1
09/07/2015	21.00	272,500	15.7	TLC-107 SONDA 1
09/07/2015	23.00	271,600	15.7	TLC-107 SONDA 1
09/07/2015	25.00	270,600	15.7	TLC-107 SONDA 1
09/07/2015	27.00	270,900	15.7	TLC-107 SONDA 1
09/07/2015	29.00	270,200	15.7	TLC-107 SONDA 1
09/07/2015	31.00	268,800	15.8	TLC-107 SONDA 1
09/07/2015	33.00	267,100	15.9	TLC-107 SONDA 1
09/07/2015	35.00	267,000	16.0	TLC-107 SONDA 1
09/07/2015	37.00	265,900	16.0	TLC-107 SONDA 1
09/07/2015	39.00	264,300	16.1	TLC-107 SONDA 1
09/07/2015	40.00	263,900	16.1	TLC-107 SONDA 1
09/07/2015	41.00	264,300	16.1	TLC-107 SONDA 1
09/07/2015	41.80	244,700	16.2	TLC-107 SONDA 1
08/08/2015	0.80	73,278	11.5	SEBA MPS-D3
08/08/2015	1.00	73,537	11.2	SEBA MPS-D3
08/08/2015	1.20	73,829	11.0	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/08/2015	1.40	74,143	11.2	SEBA MPS-D3
08/08/2015	1.60	74,249	11.3	SEBA MPS-D3
08/08/2015	1.80	85,564	11.8	SEBA MPS-D3
08/08/2015	2.00	87,658	12.5	SEBA MPS-D3
08/08/2015	2.20	94,049	12.9	SEBA MPS-D3
08/08/2015	2.40	104,787	13.5	SEBA MPS-D3
08/08/2015	2.60	115,732	13.9	SEBA MPS-D3
08/08/2015	2.80	129,111	14.2	SEBA MPS-D3
08/08/2015	3.00	145,704	14.5	SEBA MPS-D3
08/08/2015	3.20	160,617	14.8	SEBA MPS-D3
08/08/2015	3.40	171,377	15.1	SEBA MPS-D3
08/08/2015	3.60	178,928	15.3	SEBA MPS-D3
08/08/2015	3.80	184,903	15.4	SEBA MPS-D3
08/08/2015	4.00	188,269	15.6	SEBA MPS-D3
08/08/2015	4.20	188,950	15.7	SEBA MPS-D3
08/08/2015	4.40	189,360	15.8	SEBA MPS-D3
08/08/2015	4.60	193,627	15.8	SEBA MPS-D3
08/08/2015	4.80	198,067	15.9	SEBA MPS-D3
08/08/2015	5.00	200,090	15.9	SEBA MPS-D3
08/08/2015	7.00	204,096	15.8	SEBA MPS-D3
08/08/2015	9.00	216,480	15.5	SEBA MPS-D3
08/08/2015	11.00	224,339	15.4	SEBA MPS-D3
08/08/2015	13.00	230,113	15.3	SEBA MPS-D3
08/08/2015	15.00	231,883	15.3	SEBA MPS-D3
08/08/2015	17.00	232,853	15.3	SEBA MPS-D3
08/08/2015	19.00	232,954	15.3	SEBA MPS-D3
08/08/2015	21.00	232,995	15.4	SEBA MPS-D3
08/08/2015	23.00	232,940	15.4	SEBA MPS-D3
08/08/2015	25.00	232,955	15.4	SEBA MPS-D3
08/08/2015	27.00	232,856	15.4	SEBA MPS-D3
08/08/2015	29.00	232,834	15.5	SEBA MPS-D3
08/08/2015	31.00	233,165	15.5	SEBA MPS-D3
08/08/2015	33.00	232,953	15.6	SEBA MPS-D3
08/08/2015	35.00	232,884	15.7	SEBA MPS-D3
08/08/2015	37.00	232,754	15.8	SEBA MPS-D3
08/08/2015	39.00	232,831	15.9	SEBA MPS-D3
08/08/2015	41.00	232,700	15.9	SEBA MPS-D3
08/08/2015	41.10	191,720	16.0	SEBA MPS-D3
07/09/2015	1.00	73,070	15.0	SEBA MPS-D3
07/09/2015	1.50	74,810	13.5	SEBA MPS-D3
07/09/2015	2.00	92,280	13.1	SEBA MPS-D3
07/09/2015	2.50	111,900	13.4	SEBA MPS-D3
07/09/2015	3.00	147,300	14.0	SEBA MPS-D3
07/09/2015	3.50	179,900	14.5	SEBA MPS-D3
07/09/2015	4.00	194,400	15.0	SEBA MPS-D3
07/09/2015	4.50	195,800	15.3	SEBA MPS-D3
07/09/2015	5.00	207,200	15.6	SEBA MPS-D3
07/09/2015	7.00	211,200	15.7	SEBA MPS-D3
07/09/2015	9.00	224,100	15.5	SEBA MPS-D3
07/09/2015	11.00	232,000	15.4	SEBA MPS-D3
07/09/2015	13.00	237,900	15.4	SEBA MPS-D3
07/09/2015	15.00	239,800	15.4	SEBA MPS-D3
07/09/2015	17.00	240,800	15.4	SEBA MPS-D3
07/09/2015	19.00	241,000	15.4	SEBA MPS-D3
07/09/2015	21.00	241,000	15.4	SEBA MPS-D3
07/09/2015	23.00	241,000	15.4	SEBA MPS-D3
07/09/2015	25.00	241,000	15.4	SEBA MPS-D3
07/09/2015	27.00	241,000	15.5	SEBA MPS-D3
07/09/2015	29.00	240,800	15.5	SEBA MPS-D3
07/09/2015	31.00	240,900	15.5	SEBA MPS-D3
07/09/2015	33.00	240,900	15.7	SEBA MPS-D3
07/09/2015	35.00	240,900	15.7	SEBA MPS-D3
07/09/2015	37.00	240,800	15.8	SEBA MPS-D3
07/09/2015	39.00	240,800	15.9	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/09/2015	41.00	240,800	15.9	SEBA MPS-D3
07/09/2015	41.20	176,000	16.0	SEBA MPS-D3
10/10/2015	0.80	66,191	17.5	SEBA MPS-D3
10/10/2015	1.50	72,207	15.2	SEBA MPS-D3
10/10/2015	2.00	90,848	14.2	SEBA MPS-D3
10/10/2015	2.50	108,132	14.1	SEBA MPS-D3
10/10/2015	3.00	143,701	14.2	SEBA MPS-D3
10/10/2015	3.50	176,540	14.5	SEBA MPS-D3
10/10/2015	4.00	190,262	14.8	SEBA MPS-D3
10/10/2015	4.50	191,617	15.0	SEBA MPS-D3
10/10/2015	5.00	202,925	15.3	SEBA MPS-D3
10/10/2015	7.00	207,081	15.6	SEBA MPS-D3
10/10/2015	9.00	219,323	15.5	SEBA MPS-D3
10/10/2015	11.00	227,388	15.4	SEBA MPS-D3
10/10/2015	13.00	233,211	15.4	SEBA MPS-D3
10/10/2015	15.00	235,077	15.3	SEBA MPS-D3
10/10/2015	17.00	236,117	15.3	SEBA MPS-D3
10/10/2015	19.00	236,277	15.3	SEBA MPS-D3
10/10/2015	21.00	236,210	15.4	SEBA MPS-D3
10/10/2015	23.00	236,185	15.4	SEBA MPS-D3
10/10/2015	25.00	236,196	15.4	SEBA MPS-D3
10/10/2015	27.00	236,188	15.4	SEBA MPS-D3
10/10/2015	29.00	236,216	15.5	SEBA MPS-D3
10/10/2015	31.00	236,148	15.6	SEBA MPS-D3
10/10/2015	33.00	236,112	15.6	SEBA MPS-D3
10/10/2015	35.00	236,197	15.7	SEBA MPS-D3
10/10/2015	37.00	236,048	15.8	SEBA MPS-D3
10/10/2015	39.00	236,006	15.9	SEBA MPS-D3
10/10/2015	41.00	236,068	15.9	SEBA MPS-D3
10/10/2015	41.10	156,179	16.0	SEBA MPS-D3
07/11/2015	0.80	62,868	18.4	SEBA MPS-D3
07/11/2015	1.50	70,190	16.7	SEBA MPS-D3
07/11/2015	2.00	88,990	15.4	SEBA MPS-D3
07/11/2015	2.50	107,214	14.8	SEBA MPS-D3
07/11/2015	3.00	141,921	14.6	SEBA MPS-D3
07/11/2015	3.50	173,673	14.7	SEBA MPS-D3
07/11/2015	4.00	187,672	14.8	SEBA MPS-D3
07/11/2015	4.50	189,439	14.9	SEBA MPS-D3
07/11/2015	5.00	200,112	15.1	SEBA MPS-D3
07/11/2015	7.00	204,218	15.5	SEBA MPS-D3
07/11/2015	9.00	216,161	15.5	SEBA MPS-D3
07/11/2015	11.00	224,081	15.4	SEBA MPS-D3
07/11/2015	13.00	229,925	15.4	SEBA MPS-D3
07/11/2015	15.00	231,723	15.3	SEBA MPS-D3
07/11/2015	17.00	232,784	15.3	SEBA MPS-D3
07/11/2015	19.00	232,844	15.4	SEBA MPS-D3
07/11/2015	21.00	232,875	15.4	SEBA MPS-D3
07/11/2015	23.00	232,827	15.4	SEBA MPS-D3
07/11/2015	25.00	232,820	15.4	SEBA MPS-D3
07/11/2015	27.00	232,860	15.4	SEBA MPS-D3
07/11/2015	29.00	232,810	15.5	SEBA MPS-D3
07/11/2015	31.00	232,786	15.6	SEBA MPS-D3
07/11/2015	33.00	232,818	15.7	SEBA MPS-D3
07/11/2015	35.00	232,780	15.7	SEBA MPS-D3
07/11/2015	37.00	232,735	15.8	SEBA MPS-D3
07/11/2015	39.00	232,652	15.9	SEBA MPS-D3
07/11/2015	41.00	232,741	15.9	SEBA MPS-D3
07/11/2015	41.10	166,114	16.0	SEBA MPS-D3
06/12/2015	0.80	63,181	20.8	SEBA MPS-D3
06/12/2015	1.00	63,649	20.6	SEBA MPS-D3
06/12/2015	1.50	70,885	17.9	SEBA MPS-D3
06/12/2015	2.00	91,627	16.4	SEBA MPS-D3
06/12/2015	2.50	110,082	15.6	SEBA MPS-D3
06/12/2015	3.00	146,073	15.2	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/12/2015	3.50	179,414	15.0	SEBA MPS-D3
06/12/2015	4.00	193,463	15.0	SEBA MPS-D3
06/12/2015	4.50	196,480	15.0	SEBA MPS-D3
06/12/2015	5.00	206,777	15.1	SEBA MPS-D3
06/12/2015	7.00	210,937	15.4	SEBA MPS-D3
06/12/2015	9.00	223,129	15.5	SEBA MPS-D3
06/12/2015	11.00	231,451	15.4	SEBA MPS-D3
06/12/2015	13.00	237,366	15.4	SEBA MPS-D3
06/12/2015	15.00	239,358	15.4	SEBA MPS-D3
06/12/2015	17.00	240,475	15.3	SEBA MPS-D3
06/12/2015	19.00	240,592	15.3	SEBA MPS-D3
06/12/2015	21.00	240,612	15.4	SEBA MPS-D3
06/12/2015	23.00	240,603	15.4	SEBA MPS-D3
06/12/2015	25.00	240,534	15.4	SEBA MPS-D3
06/12/2015	27.00	240,508	15.5	SEBA MPS-D3
06/12/2015	29.00	240,493	15.5	SEBA MPS-D3
06/12/2015	31.00	240,463	15.6	SEBA MPS-D3
06/12/2015	33.00	240,441	15.7	SEBA MPS-D3
06/12/2015	35.00	240,365	15.7	SEBA MPS-D3
06/12/2015	37.00	240,392	15.8	SEBA MPS-D3
06/12/2015	39.00	240,374	15.9	SEBA MPS-D3
06/12/2015	41.00	240,405	15.9	SEBA MPS-D3
06/12/2015	41.10	169,709	16.0	SEBA MPS-D3
16/01/2016	0.90	60,097	21.6	SEBA MPS-D3
16/01/2016	1.50	67,532	19.6	SEBA MPS-D3
16/01/2016	2.00	90,327	17.6	SEBA MPS-D3
16/01/2016	2.50	108,656	16.6	SEBA MPS-D3
16/01/2016	3.00	146,424	16.1	SEBA MPS-D3
16/01/2016	3.50	178,057	15.7	SEBA MPS-D3
16/01/2016	4.00	192,170	15.4	SEBA MPS-D3
16/01/2016	4.50	194,657	15.3	SEBA MPS-D3
16/01/2016	5.00	205,159	15.2	SEBA MPS-D3
16/01/2016	7.00	209,485	15.4	SEBA MPS-D3
16/01/2016	9.00	222,056	15.5	SEBA MPS-D3
16/01/2016	11.00	229,890	15.4	SEBA MPS-D3
16/01/2016	13.00	235,957	15.4	SEBA MPS-D3
16/01/2016	15.00	237,796	15.4	SEBA MPS-D3
16/01/2016	17.00	238,797	15.4	SEBA MPS-D3
16/01/2016	19.00	238,957	15.4	SEBA MPS-D3
16/01/2016	21.00	238,925	15.4	SEBA MPS-D3
16/01/2016	23.00	239,009	15.4	SEBA MPS-D3
16/01/2016	25.00	238,997	15.4	SEBA MPS-D3
16/01/2016	27.00	239,002	15.4	SEBA MPS-D3
16/01/2016	29.00	238,890	15.5	SEBA MPS-D3
16/01/2016	31.00	238,886	15.6	SEBA MPS-D3
16/01/2016	33.00	238,921	15.7	SEBA MPS-D3
16/01/2016	35.00	238,982	15.7	SEBA MPS-D3
16/01/2016	37.00	238,817	15.8	SEBA MPS-D3
16/01/2016	39.00	238,922	15.9	SEBA MPS-D3
16/01/2016	41.00	238,896	15.9	SEBA MPS-D3
16/01/2016	41.10	165,644	16.0	SEBA MPS-D3
14/02/2016	0.90	59,760	21.8	SEBA MPS-D3
14/02/2016	1.50	67,766	19.7	SEBA MPS-D3
14/02/2016	2.00	92,214	18.1	SEBA MPS-D3
14/02/2016	2.50	112,038	17.2	SEBA MPS-D3
14/02/2016	3.00	182,291	16.1	SEBA MPS-D3
14/02/2016	3.50	196,149	15.8	SEBA MPS-D3
14/02/2016	4.00	199,742	15.5	SEBA MPS-D3
14/02/2016	4.50	209,295	15.4	SEBA MPS-D3
14/02/2016	5.00	213,582	15.4	SEBA MPS-D3
14/02/2016	7.00	226,166	15.5	SEBA MPS-D3
14/02/2016	9.00	226,198	15.5	SEBA MPS-D3
14/02/2016	11.00	234,420	15.4	SEBA MPS-D3
14/02/2016	13.00	240,317	15.4	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/02/2016	15.00	242,332	15.4	SEBA MPS-D3
14/02/2016	17.00	243,456	15.4	SEBA MPS-D3
14/02/2016	19.00	243,640	15.4	SEBA MPS-D3
14/02/2016	21.00	243,626	15.4	SEBA MPS-D3
14/02/2016	23.00	243,585	15.4	SEBA MPS-D3
14/02/2016	25.00	243,599	15.4	SEBA MPS-D3
14/02/2016	27.00	243,546	15.5	SEBA MPS-D3
14/02/2016	29.00	243,521	15.5	SEBA MPS-D3
14/02/2016	31.00	243,530	15.6	SEBA MPS-D3
14/02/2016	33.00	243,603	15.6	SEBA MPS-D3
14/02/2016	35.00	243,341	15.8	SEBA MPS-D3
14/02/2016	37.00	243,425	15.8	SEBA MPS-D3
14/02/2016	39.00	243,452	15.9	SEBA MPS-D3
14/02/2016	41.00	237,631	15.9	SEBA MPS-D3
14/02/2016	41.10	164,841	16.0	SEBA MPS-D3
17/03/2016	1.10	59,855	21.0	SEBA MPS-D3
17/03/2016	1.50	61,544	19.7	SEBA MPS-D3
17/03/2016	2.00	110,930	17.7	SEBA MPS-D3
17/03/2016	2.50	149,512	17.1	SEBA MPS-D3
17/03/2016	3.00	178,996	16.6	SEBA MPS-D3
17/03/2016	3.50	193,592	16.1	SEBA MPS-D3
17/03/2016	4.00	196,939	15.9	SEBA MPS-D3
17/03/2016	4.50	197,052	15.8	SEBA MPS-D3
17/03/2016	5.00	206,922	15.6	SEBA MPS-D3
17/03/2016	7.00	211,564	15.4	SEBA MPS-D3
17/03/2016	9.00	224,234	15.4	SEBA MPS-D3
17/03/2016	11.00	232,567	15.4	SEBA MPS-D3
17/03/2016	13.00	238,999	15.4	SEBA MPS-D3
17/03/2016	15.00	241,115	15.4	SEBA MPS-D3
17/03/2016	17.00	242,258	15.4	SEBA MPS-D3
17/03/2016	19.00	242,601	15.4	SEBA MPS-D3
17/03/2016	21.00	242,588	15.4	SEBA MPS-D3
17/03/2016	23.00	242,593	15.4	SEBA MPS-D3
17/03/2016	25.00	242,659	15.4	SEBA MPS-D3
17/03/2016	27.00	242,555	15.5	SEBA MPS-D3
17/03/2016	29.00	242,775	15.5	SEBA MPS-D3
17/03/2016	31.00	242,664	15.6	SEBA MPS-D3
17/03/2016	33.00	242,738	15.7	SEBA MPS-D3
17/03/2016	35.00	242,658	15.7	SEBA MPS-D3
17/03/2016	37.00	242,703	15.8	SEBA MPS-D3
17/03/2016	39.00	242,649	15.9	SEBA MPS-D3
17/03/2016	41.00	242,672	15.9	SEBA MPS-D3
17/03/2016	41.10	167,059	16.0	SEBA MPS-D3
07/05/2016	0.85	58,850	16.1	SEBA KLL-Q
07/05/2016	1.00	59,110	16.4	SEBA KLL-Q
07/05/2016	1.50	59,600	16.4	SEBA KLL-Q
07/05/2016	2.00	88,450	17.1	SEBA KLL-Q
07/05/2016	2.50	103,300	17.2	SEBA KLL-Q
07/05/2016	3.00	142,100	17.1	SEBA KLL-Q
07/05/2016	3.25	162,400	17.0	SEBA KLL-Q
07/05/2016	3.50	173,700	16.8	SEBA KLL-Q
07/05/2016	3.75	183,200	16.7	SEBA KLL-Q
07/05/2016	4.00	188,300	16.5	SEBA KLL-Q
07/05/2016	4.25	190,300	16.4	SEBA KLL-Q
07/05/2016	4.50	190,900	16.2	SEBA KLL-Q
07/05/2016	4.75	199,800	16.1	SEBA KLL-Q
07/05/2016	5.00	202,500	16.0	SEBA KLL-Q
07/05/2016	5.25	204,300	15.9	SEBA KLL-Q
07/05/2016	5.50	205,600	15.8	SEBA KLL-Q
07/05/2016	6.00	206,600	15.7	SEBA KLL-Q
07/05/2016	7.00	206,900	15.5	SEBA KLL-Q
07/05/2016	8.00	207,000	15.4	SEBA KLL-Q
07/05/2016	9.00	219,400	15.4	SEBA KLL-Q
07/05/2016	10.00	224,000	15.4	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/05/2016	12.00	231,100	15.4	SEBA KLL-Q
07/05/2016	14.00	234,700	15.3	SEBA KLL-Q
07/05/2016	16.00	235,900	15.3	SEBA KLL-Q
07/05/2016	18.00	236,400	15.3	SEBA KLL-Q
07/05/2016	20.00	236,400	15.4	SEBA KLL-Q
07/05/2016	22.00	236,400	15.4	SEBA KLL-Q
07/05/2016	25.00	236,400	15.4	SEBA KLL-Q
07/05/2016	30.00	236,200	15.5	SEBA KLL-Q
07/05/2016	35.00	236,300	15.7	SEBA KLL-Q
07/05/2016	40.00	236,200	15.9	SEBA KLL-Q
07/05/2016	41.00	168,700	16.0	SEBA KLL-Q
09/07/2016	0.85	58,100	11.1	SEBA KLL-Q
09/07/2016	1.00	57,930	11.1	SEBA KLL-Q
09/07/2016	1.50	57,870	11.1	SEBA KLL-Q
09/07/2016	2.00	84,920	13.0	SEBA KLL-Q
09/07/2016	2.50	103,300	14.7	SEBA KLL-Q
09/07/2016	2.75	115,700	15.2	SEBA KLL-Q
09/07/2016	3.00	133,000	15.5	SEBA KLL-Q
09/07/2016	3.25	155,400	15.8	SEBA KLL-Q
09/07/2016	3.50	166,100	15.9	SEBA KLL-Q
09/07/2016	3.75	175,500	16.0	SEBA KLL-Q
09/07/2016	4.00	180,000	16.1	SEBA KLL-Q
09/07/2016	4.50	182,800	16.1	SEBA KLL-Q
09/07/2016	5.00	194,900	16.0	SEBA KLL-Q
09/07/2016	5.50	197,800	15.9	SEBA KLL-Q
09/07/2016	6.00	198,600	15.9	SEBA KLL-Q
09/07/2016	7.00	199,000	15.7	SEBA KLL-Q
09/07/2016	8.00	199,100	15.5	SEBA KLL-Q
09/07/2016	9.00	211,800	15.4	SEBA KLL-Q
09/07/2016	10.00	215,500	15.4	SEBA KLL-Q
09/07/2016	12.00	222,900	15.4	SEBA KLL-Q
09/07/2016	14.00	226,400	15.4	SEBA KLL-Q
09/07/2016	16.00	227,500	15.4	SEBA KLL-Q
09/07/2016	20.00	228,100	15.4	SEBA KLL-Q
09/07/2016	25.00	228,100	15.4	SEBA KLL-Q
09/07/2016	30.00	228,000	15.5	SEBA KLL-Q
09/07/2016	35.00	228,100	15.7	SEBA KLL-Q
09/07/2016	40.00	228,000	15.9	SEBA KLL-Q
09/07/2016	41.00	159,900	16.0	SEBA KLL-Q
08/10/2016	0.85	60,335	16.6	SEBA KLL-Q
08/10/2016	1.00	60,389	16.5	SEBA KLL-Q
08/10/2016	1.50	60,421	15.2	SEBA KLL-Q
08/10/2016	2.00	82,985	14.1	SEBA KLL-Q
08/10/2016	2.20	90,265	13.9	SEBA KLL-Q
08/10/2016	2.40	99,139	13.9	SEBA KLL-Q
08/10/2016	2.60	108,375	13.9	SEBA KLL-Q
08/10/2016	2.80	116,881	14.0	SEBA KLL-Q
08/10/2016	3.00	130,959	14.1	SEBA KLL-Q
08/10/2016	3.20	153,690	14.2	SEBA KLL-Q
08/10/2016	3.40	165,228	14.3	SEBA KLL-Q
08/10/2016	3.60	172,595	14.5	SEBA KLL-Q
08/10/2016	3.80	180,419	14.6	SEBA KLL-Q
08/10/2016	4.00	184,092	14.8	SEBA KLL-Q
08/10/2016	4.20	187,938	14.9	SEBA KLL-Q
08/10/2016	4.40	188,139	15.0	SEBA KLL-Q
08/10/2016	4.60	188,179	15.1	SEBA KLL-Q
08/10/2016	4.80	199,508	15.2	SEBA KLL-Q
08/10/2016	5.00	201,348	15.3	SEBA KLL-Q
08/10/2016	5.20	202,643	15.4	SEBA KLL-Q
08/10/2016	5.40	203,947	15.4	SEBA KLL-Q
08/10/2016	5.60	204,375	15.4	SEBA KLL-Q
08/10/2016	5.80	204,684	15.5	SEBA KLL-Q
08/10/2016	6.00	204,871	15.5	SEBA KLL-Q
08/10/2016	6.50	205,149	15.6	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/10/2016	7.00	205,110	15.6	SEBA KLL-Q
08/10/2016	7.50	205,128	15.6	SEBA KLL-Q
08/10/2016	8.00	205,049	15.6	SEBA KLL-Q
08/10/2016	8.50	205,076	15.5	SEBA KLL-Q
08/10/2016	9.00	217,876	15.5	SEBA KLL-Q
08/10/2016	9.20	218,675	15.5	SEBA KLL-Q
08/10/2016	9.40	219,108	15.5	SEBA KLL-Q
08/10/2016	9.60	219,521	15.5	SEBA KLL-Q
08/10/2016	9.80	219,100	15.4	SEBA KLL-Q
08/10/2016	10.00	221,891	15.4	SEBA KLL-Q
08/10/2016	10.20	221,960	15.5	SEBA KLL-Q
08/10/2016	10.40	222,572	15.4	SEBA KLL-Q
08/10/2016	10.60	224,857	15.4	SEBA KLL-Q
08/10/2016	10.80	225,201	15.4	SEBA KLL-Q
08/10/2016	11.00	225,478	15.4	SEBA KLL-Q
08/10/2016	11.50	226,809	15.4	SEBA KLL-Q
08/10/2016	12.00	229,464	15.4	SEBA KLL-Q
08/10/2016	13.00	231,823	15.4	SEBA KLL-Q
08/10/2016	14.00	233,073	15.4	SEBA KLL-Q
08/10/2016	15.00	233,820	15.4	SEBA KLL-Q
08/10/2016	16.00	234,363	15.4	SEBA KLL-Q
08/10/2016	17.00	234,899	15.4	SEBA KLL-Q
08/10/2016	18.00	235,050	15.4	SEBA KLL-Q
08/10/2016	20.00	235,138	15.4	SEBA KLL-Q
08/10/2016	22.00	235,125	15.4	SEBA KLL-Q
08/10/2016	24.00	235,090	15.4	SEBA KLL-Q
08/10/2016	26.00	235,203	15.5	SEBA KLL-Q
08/10/2016	28.00	235,109	15.5	SEBA KLL-Q
08/10/2016	30.00	235,168	15.5	SEBA KLL-Q
08/10/2016	32.00	235,150	15.6	SEBA KLL-Q
08/10/2016	34.00	235,193	15.7	SEBA KLL-Q
08/10/2016	36.00	235,055	15.8	SEBA KLL-Q
08/10/2016	38.00	235,181	15.9	SEBA KLL-Q
08/10/2016	40.00	235,214	15.9	SEBA KLL-Q
08/10/2016	41.10	202,319	16.0	SEBA KLL-Q
15/01/2017	1.00	55,670	22.1	SEBA KLL-Q
15/01/2017	1.20	56,790	21.0	SEBA KLL-Q
15/01/2017	1.40	61,270	19.5	SEBA KLL-Q
15/01/2017	1.60	66,050	18.4	SEBA KLL-Q
15/01/2017	1.80	77,980	17.6	SEBA KLL-Q
15/01/2017	2.00	91,150	17.1	SEBA KLL-Q
15/01/2017	2.20	101,000	16.7	SEBA KLL-Q
15/01/2017	2.40	111,000	16.4	SEBA KLL-Q
15/01/2017	2.60	119,700	16.2	SEBA KLL-Q
15/01/2017	2.80	130,800	16.0	SEBA KLL-Q
15/01/2017	3.00	148,800	15.8	SEBA KLL-Q
15/01/2017	3.20	169,600	15.6	SEBA KLL-Q
15/01/2017	3.40	181,700	15.5	SEBA KLL-Q
15/01/2017	3.60	190,500	15.4	SEBA KLL-Q
15/01/2017	3.80	197,600	15.3	SEBA KLL-Q
15/01/2017	4.00	201,900	15.2	SEBA KLL-Q
15/01/2017	4.20	205,700	15.2	SEBA KLL-Q
15/01/2017	4.40	205,700	15.2	SEBA KLL-Q
15/01/2017	4.60	209,700	15.2	SEBA KLL-Q
15/01/2017	4.80	219,400	15.2	SEBA KLL-Q
15/01/2017	5.00	221,400	15.1	SEBA KLL-Q
15/01/2017	5.20	222,500	15.2	SEBA KLL-Q
15/01/2017	5.50	224,200	15.2	SEBA KLL-Q
15/01/2017	6.00	224,900	15.2	SEBA KLL-Q
15/01/2017	7.00	225,000	15.4	SEBA KLL-Q
15/01/2017	9.00	238,200	15.5	SEBA KLL-Q
15/01/2017	10.00	244,300	15.4	SEBA KLL-Q
15/01/2017	11.00	248,500	15.4	SEBA KLL-Q
15/01/2017	12.00	252,800	15.4	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
15/01/2017	13.00	255,500	15.4	SEBA KLL-Q
15/01/2017	15.00	257,800	15.4	SEBA KLL-Q
15/01/2017	17.00	259,000	15.4	SEBA KLL-Q
15/01/2017	19.00	259,100	15.4	SEBA KLL-Q
15/01/2017	21.00	259,100	15.4	SEBA KLL-Q
15/01/2017	23.00	259,100	15.4	SEBA KLL-Q
15/01/2017	25.00	259,100	15.5	SEBA KLL-Q
15/01/2017	27.00	259,100	15.5	SEBA KLL-Q
15/01/2017	29.00	259,100	15.5	SEBA KLL-Q
15/01/2017	31.00	259,100	15.6	SEBA KLL-Q
15/01/2017	33.00	259,100	15.6	SEBA KLL-Q
15/01/2017	35.00	259,100	15.7	SEBA KLL-Q
15/01/2017	37.00	259,000	15.8	SEBA KLL-Q
15/01/2017	39.00	259,000	15.9	SEBA KLL-Q
15/01/2017	41.00	258,800	15.9	SEBA KLL-Q
07/04/2017	1.00	69,900	20.2	TLC-107 SONDA 1
07/04/2017	2.00	76,400	18.7	TLC-107 SONDA 1
07/04/2017	2.50	99,100	19.9	TLC-107 SONDA 1
07/04/2017	2.70	119,300	17.6	TLC-107 SONDA 1
07/04/2017	2.90	134,100	17.5	TLC-107 SONDA 1
07/04/2017	3.10	152,100	17.2	TLC-107 SONDA 1
07/04/2017	3.30	159,900	17.1	TLC-107 SONDA 1
07/04/2017	3.50	179,400	16.9	TLC-107 SONDA 1
07/04/2017	3.70	184,700	16.8	TLC-107 SONDA 1
07/04/2017	3.90	189,300	16.5	TLC-107 SONDA 1
07/04/2017	4.10	194,300	16.4	TLC-107 SONDA 1
07/04/2017	4.30	202,300	16.2	TLC-107 SONDA 1
07/04/2017	4.50	204,000	16.2	TLC-107 SONDA 1
07/04/2017	4.70	209,700	16.1	TLC-107 SONDA 1
07/04/2017	4.90	216,400	16.0	TLC-107 SONDA 1
07/04/2017	5.10	224,700	15.9	TLC-107 SONDA 1
07/04/2017	5.30	230,500	15.9	TLC-107 SONDA 1
07/04/2017	5.50	239,000	15.8	TLC-107 SONDA 1
07/04/2017	5.70	245,100	15.8	TLC-107 SONDA 1
07/04/2017	5.90	250,400	15.8	TLC-107 SONDA 1
07/04/2017	6.10	252,800	15.7	TLC-107 SONDA 1
07/04/2017	6.30	257,600	15.7	TLC-107 SONDA 1
07/04/2017	6.50	260,800	15.7	TLC-107 SONDA 1
07/04/2017	7.00	262,600	15.7	TLC-107 SONDA 1
07/04/2017	8.00	263,700	15.7	TLC-107 SONDA 1
07/04/2017	10.00	270,500	15.7	TLC-107 SONDA 1
07/04/2017	12.00	273,100	15.7	TLC-107 SONDA 1
07/04/2017	14.00	274,700	15.7	TLC-107 SONDA 1
07/04/2017	16.00	274,900	15.7	TLC-107 SONDA 1
07/04/2017	19.00	275,300	15.7	TLC-107 SONDA 1
07/04/2017	20.00	275,700	15.7	TLC-107 SONDA 1
07/04/2017	22.00	276,400	15.7	TLC-107 SONDA 1
07/04/2017	24.00	276,800	15.7	TLC-107 SONDA 1
07/04/2017	26.00	277,400	15.7	TLC-107 SONDA 1
07/04/2017	28.00	277,000	15.8	TLC-107 SONDA 1
07/04/2017	30.00	277,700	15.8	TLC-107 SONDA 1
07/04/2017	32.00	277,000	15.9	TLC-107 SONDA 1
07/04/2017	34.00	277,700	15.9	TLC-107 SONDA 1
07/04/2017	36.00	277,500	16.0	TLC-107 SONDA 1
07/04/2017	38.00	276,900	16.1	TLC-107 SONDA 1
07/04/2017	40.00	277,400	16.1	TLC-107 SONDA 1
07/04/2017	42.00	276,700	16.1	TLC-107 SONDA 1
26/07/2017	0.80	79,310	10.8	SEBA KLL-Q
26/07/2017	1.00	79,050	10.8	SEBA KLL-Q
26/07/2017	1.20	79,010	10.8	SEBA KLL-Q
26/07/2017	1.40	78,970	10.8	SEBA KLL-Q
26/07/2017	1.60	78,940	10.8	SEBA KLL-Q
26/07/2017	1.80	79,520	11.0	SEBA KLL-Q
26/07/2017	2.00	88,680	12.4	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/07/2017	2.20	94,470	13.0	SEBA KLL-Q
26/07/2017	2.40	103,900	13.5	SEBA KLL-Q
26/07/2017	2.60	114,200	13.9	SEBA KLL-Q
26/07/2017	2.80	130,600	14.3	SEBA KLL-Q
26/07/2017	3.00	147,500	14.6	SEBA KLL-Q
26/07/2017	3.20	164,000	14.8	SEBA KLL-Q
26/07/2017	3.40	176,400	15.1	SEBA KLL-Q
26/07/2017	3.60	185,700	15.3	SEBA KLL-Q
26/07/2017	3.80	193,500	15.4	SEBA KLL-Q
26/07/2017	4.00	197,900	15.5	SEBA KLL-Q
26/07/2017	4.20	199,900	15.6	SEBA KLL-Q
26/07/2017	4.40	201,900	15.7	SEBA KLL-Q
26/07/2017	4.60	206,700	15.7	SEBA KLL-Q
26/07/2017	4.80	211,200	15.7	SEBA KLL-Q
26/07/2017	5.00	213,100	15.8	SEBA KLL-Q
26/07/2017	5.20	214,500	15.8	SEBA KLL-Q
26/07/2017	5.40	216,000	15.7	SEBA KLL-Q
26/07/2017	5.60	216,500	15.7	SEBA KLL-Q
26/07/2017	6.00	217,200	15.7	SEBA KLL-Q
26/07/2017	6.50	217,500	15.7	SEBA KLL-Q
26/07/2017	7.00	217,500	15.6	SEBA KLL-Q
26/07/2017	7.50	217,400	15.5	SEBA KLL-Q
26/07/2017	8.00	217,500	15.5	SEBA KLL-Q
26/07/2017	8.50	227,800	15.4	SEBA KLL-Q
26/07/2017	9.00	231,200	15.4	SEBA KLL-Q
26/07/2017	9.50	233,200	15.4	SEBA KLL-Q
26/07/2017	10.00	236,600	15.4	SEBA KLL-Q
26/07/2017	10.50	239,000	15.4	SEBA KLL-Q
26/07/2017	11.00	240,200	15.4	SEBA KLL-Q
26/07/2017	11.50	241,700	15.4	SEBA KLL-Q
26/07/2017	12.00	244,400	15.4	SEBA KLL-Q
26/07/2017	13.00	246,900	15.4	SEBA KLL-Q
26/07/2017	14.00	248,400	15.3	SEBA KLL-Q
26/07/2017	15.00	249,100	15.3	SEBA KLL-Q
26/07/2017	16.00	249,900	15.3	SEBA KLL-Q
26/07/2017	17.00	250,400	15.4	SEBA KLL-Q
26/07/2017	18.00	250,500	15.4	SEBA KLL-Q
26/07/2017	19.00	250,500	15.4	SEBA KLL-Q
26/07/2017	20.00	250,600	15.4	SEBA KLL-Q
26/07/2017	21.00	250,600	15.4	SEBA KLL-Q
26/07/2017	22.00	250,600	15.4	SEBA KLL-Q
26/07/2017	24.00	250,700	15.4	SEBA KLL-Q
26/07/2017	26.00	250,700	15.4	SEBA KLL-Q
26/07/2017	28.00	250,700	15.5	SEBA KLL-Q
26/07/2017	30.00	250,600	15.5	SEBA KLL-Q
26/07/2017	32.00	250,600	15.6	SEBA KLL-Q
26/07/2017	34.00	250,600	15.7	SEBA KLL-Q
26/07/2017	36.00	250,600	15.7	SEBA KLL-Q
26/07/2017	38.00	250,600	15.8	SEBA KLL-Q
26/07/2017	40.00	250,700	15.9	SEBA KLL-Q
26/07/2017	41.00	250,500	15.9	SEBA KLL-Q
21/10/2017	0.80	69,620	19.9	SEBA KLL-Q
21/10/2017	1.00	70,190	17.9	SEBA KLL-Q
21/10/2017	1.20	70,980	17.1	SEBA KLL-Q
21/10/2017	1.40	76,300	15.8	SEBA KLL-Q
21/10/2017	1.60	80,720	15.1	SEBA KLL-Q
21/10/2017	1.80	68,190	14.4	SEBA KLL-Q
21/10/2017	2.00	95,480	14.2	SEBA KLL-Q
21/10/2017	2.20	102,800	14.0	SEBA KLL-Q
21/10/2017	2.40	112,800	13.9	SEBA KLL-Q
21/10/2017	2.60	124,200	13.9	SEBA KLL-Q
21/10/2017	2.80	145,700	13.9	SEBA KLL-Q
21/10/2017	3.00	165,300	13.9	SEBA KLL-Q
21/10/2017	3.20	182,800	14.0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/10/2017	3.40	196,900	14.1	SEBA KLL-Q
21/10/2017	3.60	207,700	14.2	SEBA KLL-Q
21/10/2017	3.80	216,400	14.3	SEBA KLL-Q
21/10/2017	4.00	221,500	14.4	SEBA KLL-Q
21/10/2017	4.20	223,600	14.5	SEBA KLL-Q
21/10/2017	4.40	224,200	14.6	SEBA KLL-Q
21/10/2017	4.60	233,100	14.8	SEBA KLL-Q
21/10/2017	4.80	237,100	14.8	SEBA KLL-Q
21/10/2017	5.00	239,900	14.9	SEBA KLL-Q
21/10/2017	5.20	241,400	15.0	SEBA KLL-Q
21/10/2017	5.40	242,900	15.1	SEBA KLL-Q
21/10/2017	5.60	243,600	15.1	SEBA KLL-Q
21/10/2017	5.80	244,300	15.2	SEBA KLL-Q
21/10/2017	6.00	244,600	15.2	SEBA KLL-Q
21/10/2017	6.50	245,100	15.3	SEBA KLL-Q
21/10/2017	7.00	245,000	15.4	SEBA KLL-Q
21/10/2017	7.50	245,600	15.4	SEBA KLL-Q
21/10/2017	8.00	244,900	15.4	SEBA KLL-Q
21/10/2017	8.50	256,400	15.4	SEBA KLL-Q
21/10/2017	9.00	259,100	15.4	SEBA KLL-Q
21/10/2017	9.50	260,400	15.4	SEBA KLL-Q
21/10/2017	10.00	264,400	15.4	SEBA KLL-Q
21/10/2017	10.50	266,300	15.4	SEBA KLL-Q
21/10/2017	11.00	267,100	15.3	SEBA KLL-Q
21/10/2017	11.50	267,600	15.3	SEBA KLL-Q
21/10/2017	12.00	269,700	15.3	SEBA KLL-Q
21/10/2017	14.00	271,800	15.3	SEBA KLL-Q
21/10/2017	16.00	273,900	15.3	SEBA KLL-Q
21/10/2017	17.00	273,000	15.3	SEBA KLL-Q
21/10/2017	18.00	273,100	15.3	SEBA KLL-Q
21/10/2017	19.00	272,500	15.3	SEBA KLL-Q
21/10/2017	20.00	271,800	15.3	SEBA KLL-Q
21/10/2017	22.00	271,500	15.3	SEBA KLL-Q
21/10/2017	24.00	270,300	15.4	SEBA KLL-Q
21/10/2017	26.00	268,400	15.4	SEBA KLL-Q
21/10/2017	28.00	267,200	15.4	SEBA KLL-Q
21/10/2017	30.00	265,600	15.5	SEBA KLL-Q
21/10/2017	32.00	264,600	15.5	SEBA KLL-Q
21/10/2017	34.00	263,600	15.6	SEBA KLL-Q
21/10/2017	36.00	262,600	15.7	SEBA KLL-Q
21/10/2017	38.00	261,400	15.8	SEBA KLL-Q
21/10/2017	40.00	259,700	15.8	SEBA KLL-Q
21/10/2017	41.00	258,200	15.8	SEBA KLL-Q
10/01/2018	1.00	51,640	20.83	SEBA KLL-Q
10/01/2018	1.20	51,630	19.85	SEBA KLL-Q
10/01/2018	1.40	58,990	18.81	SEBA KLL-Q
10/01/2018	1.60	63,730	17.98	SEBA KLL-Q
10/01/2018	1.80	72,370	17.37	SEBA KLL-Q
10/01/2018	2.00	80,670	16.94	SEBA KLL-Q
10/01/2018	2.20	86,990	16.59	SEBA KLL-Q
10/01/2018	2.40	96,510	16.30	SEBA KLL-Q
10/01/2018	2.60	105,800	16.01	SEBA KLL-Q
10/01/2018	2.80	122,000	15.83	SEBA KLL-Q
10/01/2018	3.00	138,900	15.69	SEBA KLL-Q
10/01/2018	3.20	154,200	15.52	SEBA KLL-Q
10/01/2018	3.40	165,000	15.36	SEBA KLL-Q
10/01/2018	3.60	174,700	15.29	SEBA KLL-Q
10/01/2018	3.80	181,600	15.20	SEBA KLL-Q
10/01/2018	4.00	185,800	15.14	SEBA KLL-Q
10/01/2018	4.20	187,800	15.11	SEBA KLL-Q
10/01/2018	4.40	190,800	15.10	SEBA KLL-Q
10/01/2018	4.60	196,100	15.10	SEBA KLL-Q
10/01/2018	4.80	199,200	15.10	SEBA KLL-Q
10/01/2018	5.00	200,600	15.12	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
10/01/2018	5.20	201,900	15.10	SEBA KLL-Q
10/01/2018	5.40	203,200	15.16	SEBA KLL-Q
10/01/2018	5.60	204,000	15.15	SEBA KLL-Q
10/01/2018	5.80	204,500	15.18	SEBA KLL-Q
10/01/2018	6.00	204,900	15.23	SEBA KLL-Q
10/01/2018	6.50	205,300	15.32	SEBA KLL-Q
10/01/2018	7.00	205,100	15.41	SEBA KLL-Q
10/01/2018	7.50	205,500	15.45	SEBA KLL-Q
10/01/2018	8.00	205,500	15.43	SEBA KLL-Q
10/01/2018	8.50	214,600	15.48	SEBA KLL-Q
10/01/2018	9.00	217,600	15.60	SEBA KLL-Q
10/01/2018	9.50	218,400	15.58	SEBA KLL-Q
10/01/2018	10.00	221,600	15.55	SEBA KLL-Q
10/01/2018	10.50	223,700	15.53	SEBA KLL-Q
10/01/2018	11.00	224,600	15.57	SEBA KLL-Q
10/01/2018	11.50	225,200	15.55	SEBA KLL-Q
10/01/2018	12.00	227,800	15.51	SEBA KLL-Q
10/01/2018	14.00	230,600	15.50	SEBA KLL-Q
10/01/2018	16.00	231,200	15.49	SEBA KLL-Q
10/01/2018	18.00	231,600	15.48	SEBA KLL-Q
10/01/2018	20.00	231,400	15.52	SEBA KLL-Q
10/01/2018	22.00	231,500	15.52	SEBA KLL-Q
10/01/2018	24.00	230,800	15.57	SEBA KLL-Q
10/01/2018	26.00	230,800	15.60	SEBA KLL-Q
10/01/2018	28.00	230,500	15.65	SEBA KLL-Q
10/01/2018	30.00	230,400	15.70	SEBA KLL-Q
10/01/2018	32.00	230,500	15.75	SEBA KLL-Q
10/01/2018	34.00	230,300	15.77	SEBA KLL-Q
10/01/2018	36.00	229,800	15.90	SEBA KLL-Q
10/01/2018	38.00	229,800	15.98	SEBA KLL-Q
10/01/2018	40.00	227,500	16.03	SEBA KLL-Q
10/01/2018	41.00	224,600	16.04	SEBA KLL-Q
04/04/2018	1.00	48,210	18.39	SEBA KLL-Q
04/04/2018	2.00	76,920	17.65	SEBA KLL-Q
04/04/2018	2.20	83,540	17.40	SEBA KLL-Q
04/04/2018	2.40	92,300	17.18	SEBA KLL-Q
04/04/2018	2.60	102,700	16.98	SEBA KLL-Q
04/04/2018	2.80	115,400	16.84	SEBA KLL-Q
04/04/2018	3.00	130,900	16.66	SEBA KLL-Q
04/04/2018	3.20	140,500	16.50	SEBA KLL-Q
04/04/2018	3.40	152,200	16.31	SEBA KLL-Q
04/04/2018	3.60	160,700	16.14	SEBA KLL-Q
04/04/2018	3.80	166,300	16.01	SEBA KLL-Q
04/04/2018	4.00	169,800	15.88	SEBA KLL-Q
04/04/2018	4.20	171,300	15.76	SEBA KLL-Q
04/04/2018	4.40	174,200	15.65	SEBA KLL-Q
04/04/2018	4.60	179,300	15.57	SEBA KLL-Q
04/04/2018	4.80	181,900	15.49	SEBA KLL-Q
04/04/2018	5.00	183,500	15.42	SEBA KLL-Q
04/04/2018	5.20	184,500	15.37	SEBA KLL-Q
04/04/2018	5.40	185,600	15.33	SEBA KLL-Q
04/04/2018	5.60	186,100	15.29	SEBA KLL-Q
04/04/2018	5.80	186,200	15.28	SEBA KLL-Q
04/04/2018	6.00	186,700	15.25	SEBA KLL-Q
04/04/2018	6.20	186,800	15.25	SEBA KLL-Q
04/04/2018	6.40	187,000	15.24	SEBA KLL-Q
04/04/2018	6.60	186,900	15.26	SEBA KLL-Q
04/04/2018	6.80	187,000	15.25	SEBA KLL-Q
04/04/2018	7.00	187,000	15.26	SEBA KLL-Q
04/04/2018	7.50	186,900	15.27	SEBA KLL-Q
04/04/2018	8.00	186,900	15.29	SEBA KLL-Q
04/04/2018	8.50	194,700	15.33	SEBA KLL-Q
04/04/2018	9.00	199,400	15.35	SEBA KLL-Q
04/04/2018	9.50	199,900	15.37	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/04/2018	10.00	202,900	15.38	SEBA KLL-Q
04/04/2018	11.00	206,500	15.40	SEBA KLL-Q
04/04/2018	12.00	209,900	15.39	SEBA KLL-Q
04/04/2018	13.00	212,300	15.39	SEBA KLL-Q
04/04/2018	14.00	213,300	15.40	SEBA KLL-Q
04/04/2018	16.00	214,700	15.39	SEBA KLL-Q
04/04/2018	18.00	215,200	15.40	SEBA KLL-Q
04/04/2018	20.00	215,300	15.41	SEBA KLL-Q
04/04/2018	22.00	215,300	15.43	SEBA KLL-Q
04/04/2018	24.00	215,200	15.44	SEBA KLL-Q
04/04/2018	26.00	215,200	15.48	SEBA KLL-Q
04/04/2018	28.00	215,100	15.50	SEBA KLL-Q
04/04/2018	30.00	215,100	15.54	SEBA KLL-Q
04/04/2018	32.00	215,100	15.64	SEBA KLL-Q
04/04/2018	34.00	215,000	15.72	SEBA KLL-Q
04/04/2018	36.00	215,000	15.79	SEBA KLL-Q
04/04/2018	38.00	215,000	15.85	SEBA KLL-Q
04/04/2018	40.00	214,900	15.90	SEBA KLL-Q
04/04/2018	40.90	214,800	15.92	SEBA KLL-Q
25/07/2018	0.85	60,620	11.45	SEBA KLL-Q
25/07/2018	1.05	60,090	11.58	SEBA KLL-Q
25/07/2018	1.25	60,140	11.01	SEBA KLL-Q
25/07/2018	1.55	62,370	11.40	SEBA KLL-Q
25/07/2018	2.05	90,500	12.51	SEBA KLL-Q
25/07/2018	2.55	115,000	13.65	SEBA KLL-Q
25/07/2018	3.05	148,900	14.33	SEBA KLL-Q
25/07/2018	3.55	193,100	15.03	SEBA KLL-Q
25/07/2018	3.75	203,700	15.21	SEBA KLL-Q
25/07/2018	3.95	201,100	15.36	SEBA KLL-Q
25/07/2018	4.45	215,300	15.55	SEBA KLL-Q
25/07/2018	4.95	232,500	15.71	SEBA KLL-Q
25/07/2018	5.45	236,700	15.73	SEBA KLL-Q
25/07/2018	5.95	238,000	15.70	SEBA KLL-Q
25/07/2018	6.45	238,900	15.69	SEBA KLL-Q
25/07/2018	7.45	239,300	15.61	SEBA KLL-Q
25/07/2018	8.45	239,700	15.55	SEBA KLL-Q
25/07/2018	9.45	257,400	15.54	SEBA KLL-Q
25/07/2018	9.95	261,600	15.53	SEBA KLL-Q
25/07/2018	10.45	264,300	15.53	SEBA KLL-Q
25/07/2018	10.95	266,200	15.52	SEBA KLL-Q
25/07/2018	11.45	267,100	15.56	SEBA KLL-Q
25/07/2018	12.45	271,300	15.56	SEBA KLL-Q
25/07/2018	13.45	274,800	15.52	SEBA KLL-Q
25/07/2018	14.45	275,300	15.53	SEBA KLL-Q
25/07/2018	15.45	276,300	15.54	SEBA KLL-Q
25/07/2018	17.45	275,700	15.54	SEBA KLL-Q
25/07/2018	19.45	275,200	15.55	SEBA KLL-Q
22/08/2018	1.00	60,920	11.50	SEBA KLL-Q
22/08/2018	1.50	61,160	10.71	SEBA KLL-Q
22/08/2018	2.00	87,450	12.23	SEBA KLL-Q
22/08/2018	2.50	109,000	13.11	SEBA KLL-Q
22/08/2018	3.00	139,200	13.68	SEBA KLL-Q
22/08/2018	3.20	165,400	13.89	SEBA KLL-Q
22/08/2018	3.40	177,400	14.15	SEBA KLL-Q
22/08/2018	3.60	186,700	14.39	SEBA KLL-Q
22/08/2018	3.80	196,200	14.57	SEBA KLL-Q
22/08/2018	4.00	201,200	14.76	SEBA KLL-Q
22/08/2018	4.20	205,200	14.93	SEBA KLL-Q
22/08/2018	4.40	205,200	15.03	SEBA KLL-Q
22/08/2018	4.60	207,200	15.12	SEBA KLL-Q
22/08/2018	4.80	219,700	15.21	SEBA KLL-Q
22/08/2018	5.00	221,000	15.28	SEBA KLL-Q
22/08/2018	5.20	222,300	15.35	SEBA KLL-Q
22/08/2018	5.40	223,600	15.39	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/08/2018	5.60	224,300	15.40	SEBA KLL-Q
22/08/2018	5.80	224,500	15.44	SEBA KLL-Q
22/08/2018	6.00	224,700	15.48	SEBA KLL-Q
22/08/2018	6.50	224,900	15.49	SEBA KLL-Q
22/08/2018	7.00	224,700	15.50	SEBA KLL-Q
22/08/2018	8.00	224,200	15.49	SEBA KLL-Q
22/08/2018	9.00	237,500	15.46	SEBA KLL-Q
22/08/2018	9.50	239,600	15.47	SEBA KLL-Q
22/08/2018	10.00	243,100	15.45	SEBA KLL-Q
22/08/2018	11.00	246,100	15.44	SEBA KLL-Q
22/08/2018	12.00	249,100	15.46	SEBA KLL-Q
22/08/2018	14.00	251,800	15.48	SEBA KLL-Q
22/08/2018	16.00	253,300	15.49	SEBA KLL-Q
22/08/2018	18.00	252,600	15.46	SEBA KLL-Q
22/08/2018	20.00	252,000	15.49	SEBA KLL-Q
22/08/2018	22.00	251,800	15.52	SEBA KLL-Q
22/08/2018	24.00	252,500	15.51	SEBA KLL-Q
22/08/2018	26.00	252,600	15.56	SEBA KLL-Q
22/08/2018	28.00	251,700	15.60	SEBA KLL-Q
22/08/2018	30.00	251,000	15.59	SEBA KLL-Q
22/08/2018	32.00	250,500	15.68	SEBA KLL-Q
22/08/2018	34.00	250,600	15.77	SEBA KLL-Q
22/08/2018	37.00	249,900	15.90	SEBA KLL-Q
22/08/2018	40.00	249,300	16.00	SEBA KLL-Q
22/08/2018	40.80	249,200	16.00	SEBA KLL-Q
09/09/2018	0.83	61,700	12.30	SEBA KLL-Q
09/09/2018	1.00	62,000	12.78	SEBA KLL-Q
09/09/2018	1.20	62,020	12.71	SEBA KLL-Q
09/09/2018	1.40	62,310	12.36	SEBA KLL-Q
09/09/2018	1.60	62,610	12.28	SEBA KLL-Q
09/09/2018	1.80	81,330	12.43	SEBA KLL-Q
09/09/2018	2.00	92,360	12.60	SEBA KLL-Q
09/09/2018	2.20	99,990	12.80	SEBA KLL-Q
09/09/2018	2.40	110,500	12.88	SEBA KLL-Q
09/09/2018	2.60	118,400	13.22	SEBA KLL-Q
09/09/2018	2.80	130,700	13.42	SEBA KLL-Q
09/09/2018	3.00	146,100	13.60	SEBA KLL-Q
09/09/2018	3.20	169,500	13.80	SEBA KLL-Q
09/09/2018	3.40	181,100	13.96	SEBA KLL-Q
09/09/2018	3.60	190,900	14.21	SEBA KLL-Q
09/09/2018	3.80	200,800	14.42	SEBA KLL-Q
09/09/2018	4.00	204,800	14.50	SEBA KLL-Q
09/09/2018	4.20	208,700	14.71	SEBA KLL-Q
09/09/2018	4.40	209,000	14.77	SEBA KLL-Q
09/09/2018	4.60	210,000	14.86	SEBA KLL-Q
09/09/2018	4.80	223,600	14.98	SEBA KLL-Q
09/09/2018	5.00	225,700	15.08	SEBA KLL-Q
09/09/2018	5.20	226,500	15.12	SEBA KLL-Q
09/09/2018	5.40	227,800	15.17	SEBA KLL-Q
09/09/2018	5.60	228,300	15.20	SEBA KLL-Q
09/09/2018	5.80	228,800	15.24	SEBA KLL-Q
09/09/2018	6.00	229,200	15.30	SEBA KLL-Q
09/09/2018	6.50	229,300	15.36	SEBA KLL-Q
09/09/2018	7.00	229,500	15.40	SEBA KLL-Q
09/09/2018	8.00	229,700	15.39	SEBA KLL-Q
09/09/2018	10.00	248,900	15.39	SEBA KLL-Q
09/09/2018	11.00	252,100	15.40	SEBA KLL-Q
09/09/2018	12.00	253,400	15.37	SEBA KLL-Q
09/09/2018	13.00	258,900	15.38	SEBA KLL-Q
09/09/2018	14.00	259,100	15.39	SEBA KLL-Q
09/09/2018	15.00	259,200	15.40	SEBA KLL-Q
09/09/2018	16.00	257,800	15.41	SEBA KLL-Q
09/09/2018	18.00	254,400	15.40	SEBA KLL-Q
09/09/2018	20.00	252,600	15.43	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/09/2018	22.00	251,400	15.45	SEBA KLL-Q
09/09/2018	24.00	250,600	15.46	SEBA KLL-Q
09/09/2018	26.00	250,000	15.53	SEBA KLL-Q
09/09/2018	28.00	248,800	15.55	SEBA KLL-Q
09/09/2018	30.00	248,500	15.58	SEBA KLL-Q
09/09/2018	32.00	247,500	15.65	SEBA KLL-Q
09/09/2018	34.00	247,000	15.75	SEBA KLL-Q
09/09/2018	36.00	246,400	15.83	SEBA KLL-Q
09/09/2018	38.00	246,200	15.90	SEBA KLL-Q
09/09/2018	40.00	246,000	15.92	SEBA KLL-Q
09/09/2018	40.80	245,500	15.94	SEBA KLL-Q
28/11/2018	0.90	57,780	19.56	SEBA KLL-Q
28/11/2018	1.00	58,020	19.58	SEBA KLL-Q
28/11/2018	1.20	58,280	19.78	SEBA KLL-Q
28/11/2018	1.40	58,280	18.25	SEBA KLL-Q
28/11/2018	1.60	58,500	16.98	SEBA KLL-Q
28/11/2018	1.80	62,760	16.17	SEBA KLL-Q
28/11/2018	2.00	77,510	15.70	SEBA KLL-Q
28/11/2018	2.50	97,110	15.14	SEBA KLL-Q
28/11/2018	3.00	119,100	14.94	SEBA KLL-Q
28/11/2018	3.20	143,800	14.51	SEBA KLL-Q
28/11/2018	3.40	155,100	14.43	SEBA KLL-Q
28/11/2018	3.60	163,200	14.43	SEBA KLL-Q
28/11/2018	3.80	174,200	14.42	SEBA KLL-Q
28/11/2018	4.00	175,500	14.40	SEBA KLL-Q
28/11/2018	4.20	179,500	14.43	SEBA KLL-Q
28/11/2018	4.40	179,800	14.43	SEBA KLL-Q
28/11/2018	4.60	182,800	14.53	SEBA KLL-Q
28/11/2018	4.80	193,500	14.58	SEBA KLL-Q
28/11/2018	5.00	195,500	14.64	SEBA KLL-Q
28/11/2018	5.20	196,000	14.70	SEBA KLL-Q
28/11/2018	5.40	198,200	14.75	SEBA KLL-Q
28/11/2018	5.60	198,900	14.75	SEBA KLL-Q
28/11/2018	5.80	199,500	14.83	SEBA KLL-Q
28/11/2018	6.00	200,200	14.90	SEBA KLL-Q
28/11/2018	6.20	200,800	15.04	SEBA KLL-Q
28/11/2018	6.40	204,600	15.11	SEBA KLL-Q
28/11/2018	6.60	208,600	15.14	SEBA KLL-Q
28/11/2018	6.80	213,500	15.15	SEBA KLL-Q
28/11/2018	7.00	223,600	15.15	SEBA KLL-Q
28/11/2018	7.50	226,500	15.16	SEBA KLL-Q
28/11/2018	8.00	229,300	15.19	SEBA KLL-Q
28/11/2018	8.50	236,400	15.19	SEBA KLL-Q
28/11/2018	9.00	238,500	15.31	SEBA KLL-Q
28/11/2018	10.00	240,500	15.35	SEBA KLL-Q
28/11/2018	11.00	240,500	15.35	SEBA KLL-Q
28/11/2018	12.00	246,200	15.35	SEBA KLL-Q
28/11/2018	14.00	247,500	15.37	SEBA KLL-Q
28/11/2018	16.00	249,100	15.38	SEBA KLL-Q
28/11/2018	18.00	249,100	15.40	SEBA KLL-Q
28/11/2018	20.00	249,900	15.45	SEBA KLL-Q
28/11/2018	22.00	250,000	15.42	SEBA KLL-Q
28/11/2018	24.00	250,200	15.46	SEBA KLL-Q
28/11/2018	26.00	250,200	15.48	SEBA KLL-Q
28/11/2018	28.00	250,200	15.51	SEBA KLL-Q
28/11/2018	30.00	250,200	15.56	SEBA KLL-Q
28/11/2018	32.00	250,200	15.62	SEBA KLL-Q
28/11/2018	34.00	250,000	15.64	SEBA KLL-Q
28/11/2018	36.00	250,000	15.70	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/10/2013	1.10	251,200	17.8	TLC-107 SONDA 1
24/10/2013	1.30	253,800	17.4	TLC-107 SONDA 1
24/10/2013	1.50	255,200	17.1	TLC-107 SONDA 1
24/10/2013	1.70	258,500	16.5	TLC-107 SONDA 1
24/10/2013	1.90	259,100	16.1	TLC-107 SONDA 1
24/10/2013	2.10	262,500	15.8	TLC-107 SONDA 1
24/10/2013	2.30	262,900	15.5	TLC-107 SONDA 1
24/10/2013	2.50	265,800	13.3	TLC-107 SONDA 1
24/10/2013	2.70	268,600	15.1	TLC-107 SONDA 1
24/10/2013	2.90	268,900	15.1	TLC-107 SONDA 1
24/10/2013	3.10	270,000	15.0	TLC-107 SONDA 1
24/10/2013	3.30	270,600	15.0	TLC-107 SONDA 1
24/10/2013	3.50	271,000	15.0	TLC-107 SONDA 1
24/10/2013	4.00	271,600	15.2	TLC-107 SONDA 1
24/10/2013	4.50	259,500	15.3	TLC-107 SONDA 1
24/10/2013	5.00	259,200	15.3	TLC-107 SONDA 1
24/10/2013	5.50	258,800	15.5	TLC-107 SONDA 1
24/10/2013	6.00	258,100	15.5	TLC-107 SONDA 1
24/10/2013	6.50	256,800	15.8	TLC-107 SONDA 1
24/10/2013	7.00	256,400	15.8	TLC-107 SONDA 1
24/10/2013	7.50	256,400	15.8	TLC-107 SONDA 1
24/10/2013	8.00	256,100	15.8	TLC-107 SONDA 1
24/10/2013	9.00	253,900	16.0	TLC-107 SONDA 1
24/10/2013	10.00	235,500	16.1	TLC-107 SONDA 1
24/10/2013	11.00	253,500	16.1	TLC-107 SONDA 1
24/10/2013	12.00	251,600	16.2	TLC-107 SONDA 1
24/10/2013	13.00	251,600	16.2	TLC-107 SONDA 1
24/10/2013	18.00	241,400	17.1	TLC-107 SONDA 1
24/10/2013	23.00	239,000	17.3	TLC-107 SONDA 1
24/10/2013	28.00	239,400	17.3	TLC-107 SONDA 1
24/10/2013	33.00	239,500	17.4	TLC-107 SONDA 1
24/10/2013	38.00	252,400	17.4	TLC-107 SONDA 1
24/10/2013	38.77	219,800	17.4	TLC-107 SONDA 1
24/11/2013	1.10	189,400	19.9	TLC-107 SONDA 1
24/11/2013	1.30	191,100	19.7	TLC-107 SONDA 1
24/11/2013	1.50	194,500	18.8	TLC-107 SONDA 1
24/11/2013	1.70	196,300	18.4	TLC-107 SONDA 1
24/11/2013	1.90	197,000	17.9	TLC-107 SONDA 1
24/11/2013	2.10	198,100	17.4	TLC-107 SONDA 1
24/11/2013	2.30	199,100	17.1	TLC-107 SONDA 1
24/11/2013	2.50	198,800	16.7	TLC-107 SONDA 1
24/11/2013	2.70	197,700	16.4	TLC-107 SONDA 1
24/11/2013	2.90	198,800	16.2	TLC-107 SONDA 1
24/11/2013	3.10	197,000	16.0	TLC-107 SONDA 1
24/11/2013	3.30	196,600	15.8	TLC-107 SONDA 1
24/11/2013	3.50	193,900	15.7	TLC-107 SONDA 1
24/11/2013	4.00	154,000	15.4	TLC-107 SONDA 1
24/11/2013	4.50	131,200	15.4	TLC-107 SONDA 1
24/11/2013	5.00	131,200	15.4	TLC-107 SONDA 1
24/11/2013	5.50	131,200	15.5	TLC-107 SONDA 1
24/11/2013	6.00	130,200	15.6	TLC-107 SONDA 1
24/11/2013	6.50	127,300	15.8	TLC-107 SONDA 1
24/11/2013	7.00	128,100	16.0	TLC-107 SONDA 1
24/11/2013	8.00	125,500	16.0	TLC-107 SONDA 1
24/11/2013	9.00	123,300	16.4	TLC-107 SONDA 1
24/11/2013	10.00	123,000	16.1	TLC-107 SONDA 1
24/11/2013	15.00	120,600	16.4	TLC-107 SONDA 1
24/11/2013	20.00	147,900	17.1	TLC-107 SONDA 1
24/11/2013	25.00	110,300	17.3	TLC-107 SONDA 1
24/11/2013	30.00	100,200	17.3	TLC-107 SONDA 1
24/11/2013	35.00	109,900	17.4	TLC-107 SONDA 1
24/11/2013	38.69	92,400	17.4	TLC-107 SONDA 1
15/12/2013	1.10	189,500	22.0	TLC-107 SONDA 1
15/12/2013	1.30	192,800	21.5	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
15/12/2013	1.50	193,300	20.8	TLC-107 SONDA 1
15/12/2013	1.70	196,300	19.9	TLC-107 SONDA 1
15/12/2013	1.90	195,900	19.1	TLC-107 SONDA 1
15/12/2013	2.10	195,500	18.7	TLC-107 SONDA 1
15/12/2013	2.30	197,400	18.1	TLC-107 SONDA 1
15/12/2013	2.50	205,600	17.6	TLC-107 SONDA 1
15/12/2013	3.00	210,600	17.0	TLC-107 SONDA 1
15/12/2013	3.50	220,200	16.3	TLC-107 SONDA 1
15/12/2013	4.00	255,900	15.9	TLC-107 SONDA 1
15/12/2013	4.50	284,700	15.8	TLC-107 SONDA 1
15/12/2013	5.00	284,600	15.7	TLC-107 SONDA 1
15/12/2013	6.00	284,600	15.7	TLC-107 SONDA 1
15/12/2013	7.00	281,000	15.9	TLC-107 SONDA 1
15/12/2013	8.00	279,500	16.0	TLC-107 SONDA 1
15/12/2013	9.00	279,700	16.1	TLC-107 SONDA 1
15/12/2013	10.00	281,500	16.1	TLC-107 SONDA 1
15/12/2013	11.00	282,600	16.2	TLC-107 SONDA 1
15/12/2013	12.00	285,500	16.2	TLC-107 SONDA 1
15/12/2013	13.00	285,700	16.3	TLC-107 SONDA 1
15/12/2013	14.00	286,700	16.3	TLC-107 SONDA 1
15/12/2013	15.00	287,100	16.5	TLC-107 SONDA 1
15/12/2013	20.00	294,800	17.3	TLC-107 SONDA 1
15/12/2013	25.00	297,200	17.3	TLC-107 SONDA 1
15/12/2013	30.00	299,600	17.4	TLC-107 SONDA 1
15/12/2013	35.00	301,700	17.4	TLC-107 SONDA 1
15/12/2013	36.00	306,000	17.4	TLC-107 SONDA 1
15/12/2013	37.00	304,900	17.5	TLC-107 SONDA 1
15/12/2013	38.00	295,400	17.5	TLC-107 SONDA 1
15/12/2013	38.50	121,100	17.5	TLC-107 SONDA 1
15/01/2014	1.50	185,600	21.1	ALT FTC
15/01/2014	1.75	185,700	21.1	ALT FTC
15/01/2014	2.00	187,100	20.8	ALT FTC
15/01/2014	2.25	188,900	20.2	ALT FTC
15/01/2014	2.50	193,300	19.2	ALT FTC
15/01/2014	2.75	195,200	18.7	ALT FTC
15/01/2014	3.00	195,200	18.3	ALT FTC
15/01/2014	3.25	195,500	17.8	ALT FTC
15/01/2014	3.50	196,000	17.3	ALT FTC
15/01/2014	3.75	193,500	17.0	ALT FTC
15/01/2014	4.00	174,700	16.5	ALT FTC
15/01/2014	4.25	170,700	16.1	ALT FTC
15/01/2014	4.50	171,200	16.0	ALT FTC
15/01/2014	4.75	171,800	16.0	ALT FTC
15/01/2014	5.00	171,000	15.9	ALT FTC
15/01/2014	5.25	172,300	15.9	ALT FTC
15/01/2014	5.50	172,700	15.8	ALT FTC
15/01/2014	5.75	173,300	15.8	ALT FTC
15/01/2014	6.00	174,500	15.8	ALT FTC
15/01/2014	6.25	175,100	15.8	ALT FTC
15/01/2014	6.50	172,100	15.8	ALT FTC
15/01/2014	6.75	172,700	15.8	ALT FTC
15/01/2014	7.00	172,700	15.8	ALT FTC
15/01/2014	7.50	171,500	15.8	ALT FTC
15/01/2014	8.00	171,600	15.9	ALT FTC
15/01/2014	8.50	171,000	15.9	ALT FTC
15/01/2014	9.00	169,900	15.9	ALT FTC
15/01/2014	9.50	169,300	16.0	ALT FTC
15/01/2014	10.00	167,400	16.0	ALT FTC
15/01/2014	10.50	168,100	16.0	ALT FTC
15/01/2014	11.00	165,000	16.1	ALT FTC
15/01/2014	11.50	167,000	16.1	ALT FTC
15/01/2014	12.00	163,200	16.2	ALT FTC
15/01/2014	12.50	163,200	16.2	ALT FTC
15/01/2014	13.00	161,100	16.3	ALT FTC

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
15/01/2014	13.50	160,000	16.3	ALT FTC
15/01/2014	14.00	160,700	16.3	ALT FTC
15/01/2014	14.50	155,900	16.4	ALT FTC
15/01/2014	15.00	155,900	16.4	ALT FTC
15/01/2014	15.50	154,000	16.5	ALT FTC
15/01/2014	16.00	148,400	16.7	ALT FTC
15/01/2014	17.00	145,600	16.8	ALT FTC
15/01/2014	18.00	143,100	17.1	ALT FTC
15/01/2014	19.00	141,400	17.1	ALT FTC
15/01/2014	20.00	139,600	17.1	ALT FTC
15/01/2014	21.00	140,100	17.2	ALT FTC
15/01/2014	22.00	140,200	17.2	ALT FTC
15/01/2014	23.00	137,100	17.3	ALT FTC
15/01/2014	24.00	137,100	17.3	ALT FTC
15/01/2014	25.00	135,700	17.3	ALT FTC
15/01/2014	26.00	135,300	17.3	ALT FTC
15/01/2014	27.00	131,500	17.3	ALT FTC
15/01/2014	28.00	135,300	17.3	ALT FTC
15/01/2014	29.00	132,500	17.3	ALT FTC
15/01/2014	30.00	132,200	17.3	ALT FTC
15/01/2014	31.00	132,200	17.4	ALT FTC
15/01/2014	32.00	133,100	17.4	ALT FTC
21/03/2014	1.50	71,000	22.5	TLC-107 SONDA 1
21/03/2014	2.00	72,600	21.7	TLC-107 SONDA 1
21/03/2014	3.00	75,300	21.7	TLC-107 SONDA 1
21/03/2014	4.00	87,300	17.7	TLC-107 SONDA 1
21/03/2014	5.00	89,500	16.8	TLC-107 SONDA 1
21/03/2014	6.00	87,800	16.4	TLC-107 SONDA 1
21/03/2014	7.00	87,000	16.2	TLC-107 SONDA 1
21/03/2014	8.00	86,500	16.1	TLC-107 SONDA 1
21/03/2014	9.00	86,000	16.1	TLC-107 SONDA 1
21/03/2014	10.00	85,800	16.2	TLC-107 SONDA 1
21/03/2014	11.00	85,600	16.3	TLC-107 SONDA 1
21/03/2014	12.00	85,500	16.3	TLC-107 SONDA 1
21/03/2014	14.00	86,200	16.5	TLC-107 SONDA 1
21/03/2014	16.00	86,000	16.7	TLC-107 SONDA 1
21/03/2014	18.00	86,200	16.8	TLC-107 SONDA 1
21/03/2014	20.00	87,200	17.1	TLC-107 SONDA 1
21/03/2014	22.00	87,600	17.2	TLC-107 SONDA 1
21/03/2014	24.00	101,600	17.3	TLC-107 SONDA 1
21/03/2014	26.00	101,800	17.3	TLC-107 SONDA 1
21/03/2014	28.00	102,100	17.4	TLC-107 SONDA 1
21/03/2014	30.00	102,100	17.4	TLC-107 SONDA 1
21/03/2014	32.00	102,800	17.4	TLC-107 SONDA 1
21/03/2014	34.00	103,100	17.4	TLC-107 SONDA 1
21/03/2014	36.00	102,600	17.5	TLC-107 SONDA 1
21/03/2014	38.00	102,300	17.5	TLC-107 SONDA 1
21/03/2014	38.50	66,200	17.5	TLC-107 SONDA 1
23/04/2014	1.40	158,100	19.7	TLC-107 SONDA 1
23/04/2014	1.60	165,800	20.3	TLC-107 SONDA 1
23/04/2014	1.80	174,100	20.5	TLC-107 SONDA 1
23/04/2014	2.00	181,700	20.5	TLC-107 SONDA 1
23/04/2014	2.20	202,800	20.4	TLC-107 SONDA 1
23/04/2014	2.40	218,800	20.2	TLC-107 SONDA 1
23/04/2014	2.60	227,700	19.9	TLC-107 SONDA 1
23/04/2014	2.80	235,000	19.7	TLC-107 SONDA 1
23/04/2014	3.00	247,600	19.3	TLC-107 SONDA 1
23/04/2014	3.50	261,700	18.6	TLC-107 SONDA 1
23/04/2014	4.00	311,100	17.7	TLC-107 SONDA 1
23/04/2014	4.50	323,400	17.3	TLC-107 SONDA 1
23/04/2014	5.00	339,100	17.0	TLC-107 SONDA 1
23/04/2014	5.50	341,600	17.0	TLC-107 SONDA 1
23/04/2014	6.00	335,700	16.4	TLC-107 SONDA 1
23/04/2014	6.50	338,800	16.3	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/04/2014	7.00	344,700	16.3	TLC-107 SONDA 1
23/04/2014	8.00	349,300	16.3	TLC-107 SONDA 1
23/04/2014	9.00	349,900	16.2	TLC-107 SONDA 1
23/04/2014	10.00	352,900	16.3	TLC-107 SONDA 1
23/04/2014	11.00	355,800	16.3	TLC-107 SONDA 1
23/04/2014	12.00	359,000	16.3	TLC-107 SONDA 1
23/04/2014	13.00	339,000	16.4	TLC-107 SONDA 1
23/04/2014	14.00	336,000	16.6	TLC-107 SONDA 1
23/04/2014	15.00	339,500	16.6	TLC-107 SONDA 1
23/04/2014	16.00	339,200	16.7	TLC-107 SONDA 1
23/04/2014	17.00	339,200	16.7	TLC-107 SONDA 1
23/04/2014	18.00	346,100	16.8	TLC-107 SONDA 1
23/04/2014	19.00	350,700	17.0	TLC-107 SONDA 1
23/04/2014	20.00	353,900	17.0	TLC-107 SONDA 1
23/04/2014	21.00	380,400	17.1	TLC-107 SONDA 1
23/04/2014	22.00	384,100	17.2	TLC-107 SONDA 1
23/04/2014	23.00	379,400	17.2	TLC-107 SONDA 1
23/04/2014	24.00	400,000	17.2	TLC-107 SONDA 1
23/04/2014	25.00	400,000	17.2	TLC-107 SONDA 1
23/04/2014	26.00	400,000	17.2	TLC-107 SONDA 1
23/04/2014	27.00	400,000	17.3	TLC-107 SONDA 1
23/04/2014	28.00	400,000	17.3	TLC-107 SONDA 1
23/04/2014	29.00	400,000	17.3	TLC-107 SONDA 1
23/04/2014	30.00	400,000	17.4	TLC-107 SONDA 1
23/04/2014	31.00	400,000	17.4	TLC-107 SONDA 1
23/04/2014	32.00	400,000	17.4	TLC-107 SONDA 1
23/04/2014	34.00	400,000	17.4	TLC-107 SONDA 1
23/04/2014	33.00	400,000	17.4	TLC-107 SONDA 1
23/04/2014	35.00	400,000	17.5	TLC-107 SONDA 1
23/04/2014	36.00	400,000	17.5	TLC-107 SONDA 1
23/04/2014	37.00	400,000	17.5	TLC-107 SONDA 1
23/04/2014	37.20	272,500	17.5	TLC-107 SONDA 1
20/05/2014	1.40	135,400	17.7	TLC-107 SONDA 1
20/05/2014	1.60	157,100	17.7	TLC-107 SONDA 1
20/05/2014	1.80	165,900	17.9	TLC-107 SONDA 1
20/05/2014	2.00	170,500	17.9	TLC-107 SONDA 1
20/05/2014	2.20	178,600	18.6	TLC-107 SONDA 1
20/05/2014	2.40	183,700	18.7	TLC-107 SONDA 1
20/05/2014	2.60	188,500	18.8	TLC-107 SONDA 1
20/05/2014	2.80	191,600	18.7	TLC-107 SONDA 1
20/05/2014	3.00	193,000	18.7	TLC-107 SONDA 1
20/05/2014	3.20	195,100	18.5	TLC-107 SONDA 1
20/05/2014	3.40	198,300	18.3	TLC-107 SONDA 1
20/05/2014	3.60	203,700	18.0	TLC-107 SONDA 1
20/05/2014	3.80	207,600	17.8	TLC-107 SONDA 1
20/05/2014	4.00	214,700	17.6	TLC-107 SONDA 1
20/05/2014	4.20	217,600	17.4	TLC-107 SONDA 1
20/05/2014	4.40	218,000	17.3	TLC-107 SONDA 1
20/05/2014	4.60	217,500	17.2	TLC-107 SONDA 1
20/05/2014	4.80	217,200	17.0	TLC-107 SONDA 1
20/05/2014	5.00	220,600	17.8	TLC-107 SONDA 1
20/05/2014	5.20	215,500	17.7	TLC-107 SONDA 1
20/05/2014	5.40	214,700	16.7	TLC-107 SONDA 1
20/05/2014	5.60	214,600	16.5	TLC-107 SONDA 1
20/05/2014	6.00	213,200	16.4	TLC-107 SONDA 1
20/05/2014	6.50	213,200	16.4	TLC-107 SONDA 1
20/05/2014	7.00	213,600	16.3	TLC-107 SONDA 1
20/05/2014	7.50	213,600	16.3	TLC-107 SONDA 1
20/05/2014	8.00	214,000	16.3	TLC-107 SONDA 1
20/05/2014	9.00	214,500	16.3	TLC-107 SONDA 1
20/05/2014	10.00	215,100	16.3	TLC-107 SONDA 1
20/05/2014	11.00	215,600	16.3	TLC-107 SONDA 1
20/05/2014	12.00	216,100	16.4	TLC-107 SONDA 1
20/05/2014	13.00	216,300	16.5	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/05/2014	14.00	218,300	16.6	TLC-107 SONDA 1
20/05/2014	15.00	219,400	16.6	TLC-107 SONDA 1
20/05/2014	16.00	220,300	16.7	TLC-107 SONDA 1
20/05/2014	17.00	220,600	16.7	TLC-107 SONDA 1
20/05/2014	18.00	223,600	16.8	TLC-107 SONDA 1
20/05/2014	19.00	231,600	17.0	TLC-107 SONDA 1
20/05/2014	21.00	239,500	17.1	TLC-107 SONDA 1
20/05/2014	20.00	235,900	17.1	TLC-107 SONDA 1
20/05/2014	22.00	242,500	17.1	TLC-107 SONDA 1
20/05/2014	23.00	284,100	17.2	TLC-107 SONDA 1
20/05/2014	24.00	250,100	17.2	TLC-107 SONDA 1
20/05/2014	25.00	233,800	17.2	TLC-107 SONDA 1
20/05/2014	26.00	254,700	17.2	TLC-107 SONDA 1
20/05/2014	27.00	256,700	17.2	TLC-107 SONDA 1
20/05/2014	28.00	258,900	17.3	TLC-107 SONDA 1
20/05/2014	29.00	260,300	17.3	TLC-107 SONDA 1
20/05/2014	30.00	263,800	17.3	TLC-107 SONDA 1
20/05/2014	31.00	264,900	17.3	TLC-107 SONDA 1
20/05/2014	32.00	267,300	17.4	TLC-107 SONDA 1
20/05/2014	33.00	270,200	17.4	TLC-107 SONDA 1
20/05/2014	34.00	262,900	17.4	TLC-107 SONDA 1
20/05/2014	35.00	275,000	17.4	TLC-107 SONDA 1
20/05/2014	36.00	278,700	17.4	TLC-107 SONDA 1
20/05/2014	37.00	280,900	17.4	TLC-107 SONDA 1
20/05/2014	37.20	190,200	17.4	TLC-107 SONDA 1
18/06/2014	1.30	155,100	14.8	TLC-107 SONDA 1
18/06/2014	1.50	159,300	14.8	TLC-107 SONDA 1
18/06/2014	1.70	161,300	14.9	TLC-107 SONDA 1
18/06/2014	1.90	162,700	14.9	TLC-107 SONDA 1
18/06/2014	2.10	163,700	15.2	TLC-107 SONDA 1
18/06/2014	2.30	171,400	16.2	TLC-107 SONDA 1
18/06/2014	2.50	180,500	16.6	TLC-107 SONDA 1
18/06/2014	3.00	182,700	17.2	TLC-107 SONDA 1
18/06/2014	3.50	192,600	17.3	TLC-107 SONDA 1
18/06/2014	4.00	216,400	17.2	TLC-107 SONDA 1
18/06/2014	4.50	219,900	17.0	TLC-107 SONDA 1
18/06/2014	5.00	219,500	16.0	TLC-107 SONDA 1
18/06/2014	6.00	217,300	16.5	TLC-107 SONDA 1
18/06/2014	7.00	218,400	16.4	TLC-107 SONDA 1
18/06/2014	8.00	220,800	16.4	TLC-107 SONDA 1
18/06/2014	10.00	221,700	16.3	TLC-107 SONDA 1
18/06/2014	12.00	220,700	16.5	TLC-107 SONDA 1
18/06/2014	14.00	227,800	16.6	TLC-107 SONDA 1
18/06/2014	16.00	231,400	16.7	TLC-107 SONDA 1
18/06/2014	18.00	232,400	16.8	TLC-107 SONDA 1
18/06/2014	20.00	236,300	17.0	TLC-107 SONDA 1
18/06/2014	22.00	238,600	17.1	TLC-107 SONDA 1
18/06/2014	24.00	237,700	17.2	TLC-107 SONDA 1
18/06/2014	26.00	237,700	17.2	TLC-107 SONDA 1
18/06/2014	28.00	236,800	17.2	TLC-107 SONDA 1
18/06/2014	30.00	237,900	17.3	TLC-107 SONDA 1
18/06/2014	32.00	239,000	17.3	TLC-107 SONDA 1
18/06/2014	36.00	238,600	17.4	TLC-107 SONDA 1
18/06/2014	37.32	190,100	17.4	TLC-107 SONDA 1
23/07/2014	1.50	70,700	12.8	TLC-107 SONDA 1
23/07/2014	2.00	78,400	13.1	TLC-107 SONDA 1
23/07/2014	2.50	181,300	14.2	TLC-107 SONDA 1
23/07/2014	3.00	300,700	15.3	TLC-107 SONDA 1
23/07/2014	4.00	400,000	16.3	TLC-107 SONDA 1
23/07/2014	5.00	400,000	16.3	TLC-107 SONDA 1
23/07/2014	7.00	400,000	16.4	TLC-107 SONDA 1
23/07/2014	9.00	400,000	16.4	TLC-107 SONDA 1
23/07/2014	12.00	400,000	16.4	TLC-107 SONDA 1
23/07/2014	15.00	400,000	16.7	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/07/2014	18.00	400,000	16.7	TLC-107 SONDA 1
23/07/2014	21.00	400,000	17.0	TLC-107 SONDA 1
23/07/2014	24.00	400,000	17.1	TLC-107 SONDA 1
23/07/2014	27.00	400,000	17.2	TLC-107 SONDA 1
23/07/2014	30.00	400,000	17.3	TLC-107 SONDA 1
23/07/2014	33.00	400,000	17.3	TLC-107 SONDA 1
23/07/2014	36.00	400,000	17.4	TLC-107 SONDA 1
23/07/2014	38.10	347,600	17.4	TLC-107 SONDA 1
16/08/2014	1.30	96,000	13.2	TLC-107 SONDA 1
16/08/2014	1.50	98,900	13.1	TLC-107 SONDA 1
16/08/2014	2.00	108,400	13.2	TLC-107 SONDA 1
16/08/2014	2.20	117,100	13.5	TLC-107 SONDA 1
16/08/2014	2.40	130,600	13.8	TLC-107 SONDA 1
16/08/2014	2.60	139,100	14.1	TLC-107 SONDA 1
16/08/2014	2.80	148,500	14.3	TLC-107 SONDA 1
16/08/2014	3.00	152,400	14.7	TLC-107 SONDA 1
16/08/2014	3.20	158,500	14.9	TLC-107 SONDA 1
16/08/2014	3.40	168,700	15.2	TLC-107 SONDA 1
16/08/2014	3.60	177,900	15.4	TLC-107 SONDA 1
16/08/2014	3.80	203,700	15.8	TLC-107 SONDA 1
16/08/2014	4.00	216,100	15.9	TLC-107 SONDA 1
16/08/2014	4.50	239,100	16.1	TLC-107 SONDA 1
16/08/2014	5.00	245,900	16.1	TLC-107 SONDA 1
16/08/2014	5.50	251,100	16.2	TLC-107 SONDA 1
16/08/2014	6.00	261,800	16.3	TLC-107 SONDA 1
16/08/2014	6.50	293,200	16.4	TLC-107 SONDA 1
16/08/2014	7.00	317,000	16.4	TLC-107 SONDA 1
16/08/2014	7.50	336,800	16.4	TLC-107 SONDA 1
16/08/2014	8.00	366,400	16.4	TLC-107 SONDA 1
16/08/2014	9.00	400,000	16.4	TLC-107 SONDA 1
16/08/2014	10.00	400,000	16.4	TLC-107 SONDA 1
16/08/2014	11.00	400,000	16.4	TLC-107 SONDA 1
16/08/2014	12.00	400,000	16.5	TLC-107 SONDA 1
16/08/2014	13.00	400,000	16.5	TLC-107 SONDA 1
16/08/2014	15.00	400,000	16.7	TLC-107 SONDA 1
16/08/2014	17.00	400,000	16.8	TLC-107 SONDA 1
16/08/2014	19.00	400,000	16.8	TLC-107 SONDA 1
16/08/2014	21.00	400,000	17.0	TLC-107 SONDA 1
16/08/2014	23.00	400,000	17.1	TLC-107 SONDA 1
16/08/2014	25.00	400,000	17.2	TLC-107 SONDA 1
16/08/2014	27.00	400,000	17.2	TLC-107 SONDA 1
16/08/2014	29.00	400,000	17.2	TLC-107 SONDA 1
16/08/2014	31.00	400,000	17.3	TLC-107 SONDA 1
16/08/2014	33.00	400,000	17.3	TLC-107 SONDA 1
16/08/2014	35.00	400,000	17.4	TLC-107 SONDA 1
16/08/2014	37.00	400,000	17.4	TLC-107 SONDA 1
16/08/2014	37.82	400,000	17.4	TLC-107 SONDA 1
03/09/2014	1.30	110,000	14.1	TLC-107 SONDA 1
03/09/2014	2.00	118,000	14.0	TLC-107 SONDA 1
03/09/2014	3.00	133,300	14.6	TLC-107 SONDA 1
03/09/2014	3.50	146,900	15.2	TLC-107 SONDA 1
03/09/2014	4.00	179,400	15.5	TLC-107 SONDA 1
03/09/2014	4.50	224,500	15.8	TLC-107 SONDA 1
03/09/2014	5.00	242,400	15.8	TLC-107 SONDA 1
03/09/2014	6.00	268,900	16.3	TLC-107 SONDA 1
03/09/2014	7.00	335,900	16.3	TLC-107 SONDA 1
03/09/2014	8.00	400,000	16.3	TLC-107 SONDA 1
03/09/2014	9.00	400,000	16.4	TLC-107 SONDA 1
03/09/2014	10.00	400,000	16.4	TLC-107 SONDA 1
03/09/2014	12.00	400,000	16.5	TLC-107 SONDA 1
03/09/2014	14.00	400,000	16.6	TLC-107 SONDA 1
03/09/2014	16.00	400,000	16.4	TLC-107 SONDA 1
03/09/2014	18.00	400,000	16.8	TLC-107 SONDA 1
03/09/2014	20.00	400,000	17.0	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
03/09/2014	22.00	400,000	17.1	TLC-107 SONDA 1
03/09/2014	24.00	400,000	17.1	TLC-107 SONDA 1
03/09/2014	26.00	400,000	17.2	TLC-107 SONDA 1
03/09/2014	28.00	400,000	17.3	TLC-107 SONDA 1
03/09/2014	30.00	400,000	17.3	TLC-107 SONDA 1
03/09/2014	32.00	400,000	17.3	TLC-107 SONDA 1
03/09/2014	34.00	400,000	16.4	TLC-107 SONDA 1
03/09/2014	36.00	400,000	16.4	TLC-107 SONDA 1
03/09/2014	37.60	400,000	16.4	TLC-107 SONDA 1
09/10/2014	1.30	135,900	17.0	TLC-107 SONDA 1
09/10/2014	1.50	145,700	16.7	TLC-107 SONDA 1
09/10/2014	1.70	168,900	16.0	TLC-107 SONDA 1
09/10/2014	1.90	185,900	15.9	TLC-107 SONDA 1
09/10/2014	2.10	208,900	15.5	TLC-107 SONDA 1
09/10/2014	2.30	225,500	15.3	TLC-107 SONDA 1
09/10/2014	2.50	233,800	15.2	TLC-107 SONDA 1
09/10/2014	3.00	266,900	15.1	TLC-107 SONDA 1
09/10/2014	4.00	370,900	15.4	TLC-107 SONDA 1
09/10/2014	5.00	400,000	15.5	TLC-107 SONDA 1
09/10/2014	7.00	400,000	15.1	TLC-107 SONDA 1
09/10/2014	9.00	400,000	16.3	TLC-107 SONDA 1
09/10/2014	11.00	400,000	16.3	TLC-107 SONDA 1
09/10/2014	13.00	400,000	16.5	TLC-107 SONDA 1
09/10/2014	15.00	400,000	16.7	TLC-107 SONDA 1
09/10/2014	17.00	400,000	16.7	TLC-107 SONDA 1
09/10/2014	19.00	400,000	16.8	TLC-107 SONDA 1
09/10/2014	21.00	400,000	17.0	TLC-107 SONDA 1
09/10/2014	23.00	400,000	17.1	TLC-107 SONDA 1
09/10/2014	25.00	400,000	17.2	TLC-107 SONDA 1
09/10/2014	27.00	400,000	17.2	TLC-107 SONDA 1
09/10/2014	29.00	400,000	17.3	TLC-107 SONDA 1
09/10/2014	31.00	400,000	17.3	TLC-107 SONDA 1
09/10/2014	33.00	400,000	17.3	TLC-107 SONDA 1
09/10/2014	35.00	400,000	17.4	TLC-107 SONDA 1
09/10/2014	37.00	400,000	17.4	TLC-107 SONDA 1
09/10/2014	37.60	242,300	17.4	TLC-107 SONDA 1
08/11/2014	1.30	166,900	19.9	TLC-107 SONDA 1
08/11/2014	2.00	202,900	18.0	TLC-107 SONDA 1
08/11/2014	2.50	225,900	16.6	TLC-107 SONDA 1
08/11/2014	3.00	237,300	16.2	TLC-107 SONDA 1
08/11/2014	4.00	319,300	15.7	TLC-107 SONDA 1
08/11/2014	5.00	356,900	15.7	TLC-107 SONDA 1
08/11/2014	6.00	357,900	16.1	TLC-107 SONDA 1
08/11/2014	8.00	375,200	16.2	TLC-107 SONDA 1
08/11/2014	10.00	398,600	16.3	TLC-107 SONDA 1
08/11/2014	12.00	400,000	16.4	TLC-107 SONDA 1
08/11/2014	14.00	400,000	16.6	TLC-107 SONDA 1
08/11/2014	16.00	400,000	16.7	TLC-107 SONDA 1
08/11/2014	18.00	400,000	16.8	TLC-107 SONDA 1
08/11/2014	20.00	400,000	17.0	TLC-107 SONDA 1
08/11/2014	22.00	400,000	17.0	TLC-107 SONDA 1
08/11/2014	24.00	400,000	17.1	TLC-107 SONDA 1
08/11/2014	26.00	400,000	17.2	TLC-107 SONDA 1
08/11/2014	28.00	400,000	17.3	TLC-107 SONDA 1
08/11/2014	30.00	400,000	17.3	TLC-107 SONDA 1
08/11/2014	32.00	400,000	17.3	TLC-107 SONDA 1
08/11/2014	34.00	400,000	17.4	TLC-107 SONDA 1
08/11/2014	36.00	400,000	17.4	TLC-107 SONDA 1
08/11/2014	37.50	263,300	17.4	TLC-107 SONDA 1
11/01/2015	1.50	113,500	21.8	TLC-107 SONDA 1
11/01/2015	2.00	131,900	20.4	TLC-107 SONDA 1
11/01/2015	2.50	138,300	19.1	TLC-107 SONDA 1
11/01/2015	3.00	141,300	18.3	TLC-107 SONDA 1
11/01/2015	3.50	145,700	17.4	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/01/2015	4.00	163,900	16.6	TLC-107 SONDA 1
11/01/2015	4.50	173,200	16.4	TLC-107 SONDA 1
11/01/2015	5.00	173,200	16.1	TLC-107 SONDA 1
11/01/2015	5.50	171,000	16.1	TLC-107 SONDA 1
11/01/2015	6.00	169,200	16.2	TLC-107 SONDA 1
11/01/2015	6.20	169,400	16.1	TLC-107 SONDA 1
11/01/2015	6.40	168,900	16.2	TLC-107 SONDA 1
11/01/2015	6.60	169,000	16.1	TLC-107 SONDA 1
11/01/2015	6.80	168,900	16.1	TLC-107 SONDA 1
11/01/2015	7.00	169,200	16.1	TLC-107 SONDA 1
11/01/2015	7.20	169,200	16.2	TLC-107 SONDA 1
11/01/2015	7.40	169,200	16.2	TLC-107 SONDA 1
11/01/2015	7.60	169,000	16.2	TLC-107 SONDA 1
11/01/2015	7.80	169,600	16.2	TLC-107 SONDA 1
11/01/2015	8.00	169,600	16.2	TLC-107 SONDA 1
11/01/2015	8.50	170,100	16.2	TLC-107 SONDA 1
11/01/2015	9.00	170,500	16.3	TLC-107 SONDA 1
11/01/2015	9.50	170,300	16.3	TLC-107 SONDA 1
11/01/2015	10.00	170,500	16.3	TLC-107 SONDA 1
11/01/2015	10.50	170,900	16.3	TLC-107 SONDA 1
11/01/2015	11.00	170,300	16.3	TLC-107 SONDA 1
11/01/2015	11.50	170,500	16.4	TLC-107 SONDA 1
11/01/2015	12.00	170,400	16.5	TLC-107 SONDA 1
11/01/2015	12.50	170,400	16.5	TLC-107 SONDA 1
11/01/2015	13.00	171,300	16.5	TLC-107 SONDA 1
11/01/2015	14.00	172,700	16.6	TLC-107 SONDA 1
11/01/2015	15.00	172,900	16.7	TLC-107 SONDA 1
11/01/2015	16.00	174,300	16.7	TLC-107 SONDA 1
11/01/2015	17.00	174,500	16.7	TLC-107 SONDA 1
11/01/2015	18.00	175,500	16.8	TLC-107 SONDA 1
11/01/2015	19.00	178,400	16.8	TLC-107 SONDA 1
11/01/2015	20.00	179,700	17.0	TLC-107 SONDA 1
11/01/2015	21.00	184,900	17.0	TLC-107 SONDA 1
11/01/2015	22.00	187,500	17.1	TLC-107 SONDA 1
11/01/2015	23.00	191,200	17.1	TLC-107 SONDA 1
11/01/2015	24.00	197,900	17.1	TLC-107 SONDA 1
11/01/2015	25.00	202,300	17.1	TLC-107 SONDA 1
11/01/2015	27.00	206,600	17.2	TLC-107 SONDA 1
11/01/2015	29.00	208,500	17.3	TLC-107 SONDA 1
11/01/2015	31.00	214,000	17.3	TLC-107 SONDA 1
11/01/2015	33.00	217,300	17.3	TLC-107 SONDA 1
11/01/2015	35.00	221,600	17.4	TLC-107 SONDA 1
11/01/2015	37.00	224,300	17.4	TLC-107 SONDA 1
11/01/2015	37.80	112,400	17.4	TLC-107 SONDA 1
16/02/2015	1.30	157,700	24.0	TLC-107 SONDA 1
16/02/2015	2.00	166,700	21.9	TLC-107 SONDA 1
16/02/2015	3.00	196,000	19.4	TLC-107 SONDA 1
16/02/2015	4.00	247,800	17.3	TLC-107 SONDA 1
16/02/2015	6.00	299,400	16.4	TLC-107 SONDA 1
16/02/2015	8.00	318,800	16.3	TLC-107 SONDA 1
16/02/2015	10.00	340,400	16.4	TLC-107 SONDA 1
16/02/2015	12.00	385,100	16.5	TLC-107 SONDA 1
16/02/2015	14.00	400,000	16.6	TLC-107 SONDA 1
16/02/2015	16.00	400,000	16.7	TLC-107 SONDA 1
16/02/2015	18.00	400,000	16.8	TLC-107 SONDA 1
16/02/2015	20.00	400,000	17.0	TLC-107 SONDA 1
16/02/2015	22.00	400,000	17.0	TLC-107 SONDA 1
16/02/2015	24.00	400,000	17.1	TLC-107 SONDA 1
16/02/2015	26.00	400,000	17.2	TLC-107 SONDA 1
16/02/2015	28.00	400,000	17.2	TLC-107 SONDA 1
16/02/2015	30.00	400,000	17.3	TLC-107 SONDA 1
16/02/2015	32.00	400,000	17.3	TLC-107 SONDA 1
16/02/2015	34.00	400,000	17.3	TLC-107 SONDA 1
16/02/2015	36.00	400,000	17.4	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/02/2015	37.20	296,000	17.4	TLC-107 SONDA 1
07/03/2015	1.30	185,100	23.1	TLC-107 SONDA 1
07/03/2015	2.00	198,300	21.8	TLC-107 SONDA 1
07/03/2015	2.50	216,400	20.6	TLC-107 SONDA 1
07/03/2015	3.00	225,300	19.5	TLC-107 SONDA 1
07/03/2015	4.00	276,100	17.5	TLC-107 SONDA 1
07/03/2015	5.00	304,600	16.6	TLC-107 SONDA 1
07/03/2015	7.00	301,800	16.3	TLC-107 SONDA 1
07/03/2015	9.00	299,100	16.3	TLC-107 SONDA 1
07/03/2015	10.00	297,800	16.3	TLC-107 SONDA 1
07/03/2015	12.00	295,600	16.5	TLC-107 SONDA 1
07/03/2015	14.00	296,200	16.6	TLC-107 SONDA 1
07/03/2015	16.00	295,100	16.7	TLC-107 SONDA 1
07/03/2015	18.00	294,700	16.8	TLC-107 SONDA 1
07/03/2015	20.00	294,700	17.0	TLC-107 SONDA 1
07/03/2015	22.00	294,000	17.0	TLC-107 SONDA 1
07/03/2015	24.00	293,900	17.1	TLC-107 SONDA 1
07/03/2015	26.00	295,200	17.2	TLC-107 SONDA 1
07/03/2015	28.00	294,500	17.3	TLC-107 SONDA 1
07/03/2015	30.00	294,100	17.3	TLC-107 SONDA 1
07/03/2015	32.00	294,400	17.4	TLC-107 SONDA 1
07/03/2015	34.00	293,700	17.4	TLC-107 SONDA 1
07/03/2015	36.00	293,800	17.4	TLC-107 SONDA 1
07/03/2015	37.30	144,500	17.5	TLC-107 SONDA 1
13/04/2015	1.00	145,300	20.4	TLC-107 SONDA 1
13/04/2015	1.50	276,200	20.9	TLC-107 SONDA 1
13/04/2015	2.00	271,900	20.8	TLC-107 SONDA 1
13/04/2015	3.00	278,200	20.0	TLC-107 SONDA 1
13/04/2015	4.00	394,800	18.4	TLC-107 SONDA 1
13/04/2015	5.00	400,000	17.4	TLC-107 SONDA 1
13/04/2015	6.00	400,000	17.1	TLC-107 SONDA 1
13/04/2015	7.00	400,000	17.0	TLC-107 SONDA 1
13/04/2015	8.00	400,000	16.6	TLC-107 SONDA 1
13/04/2015	9.00	400,000	16.5	TLC-107 SONDA 1
13/04/2015	10.00	400,000	16.5	TLC-107 SONDA 1
13/04/2015	12.00	400,000	16.4	TLC-107 SONDA 1
13/04/2015	14.00	400,000	16.4	TLC-107 SONDA 1
13/04/2015	16.00	400,000	16.7	TLC-107 SONDA 1
13/04/2015	18.00	400,000	16.7	TLC-107 SONDA 1
13/04/2015	20.00	400,000	17.2	TLC-107 SONDA 1
13/04/2015	22.00	400,000	17.3	TLC-107 SONDA 1
13/04/2015	24.00	400,000	17.3	TLC-107 SONDA 1
13/04/2015	26.00	400,000	17.4	TLC-107 SONDA 1
13/04/2015	28.00	400,000	17.4	TLC-107 SONDA 1
13/04/2015	30.00	400,000	17.4	TLC-107 SONDA 1
13/04/2015	32.00	400,000	17.4	TLC-107 SONDA 1
13/04/2015	34.00	400,000	17.4	TLC-107 SONDA 1
13/04/2015	36.00	400,000	17.4	TLC-107 SONDA 1
13/04/2015	37.30	400,000	17.5	TLC-107 SONDA 1
10/05/2015	1.00	326,000	18.9	TLC-107 SONDA 2
10/05/2015	1.50	332,900	18.9	TLC-107 SONDA 2
10/05/2015	2.00	359,500	19.1	TLC-107 SONDA 2
10/05/2015	4.00	400,000	18.3	TLC-107 SONDA 2
10/05/2015	6.00	400,000	17.3	TLC-107 SONDA 2
10/05/2015	8.00	400,000	16.5	TLC-107 SONDA 2
10/05/2015	10.00	400,000	16.5	TLC-107 SONDA 2
10/05/2015	12.00	400,000	16.5	TLC-107 SONDA 2
10/05/2015	14.00	400,000	16.5	TLC-107 SONDA 2
10/05/2015	16.00	400,000	16.8	TLC-107 SONDA 2
10/05/2015	18.00	400,000	17.1	TLC-107 SONDA 2
10/05/2015	20.00	400,000	17.2	TLC-107 SONDA 2
10/05/2015	22.00	400,000	17.3	TLC-107 SONDA 2
10/05/2015	24.00	400,000	17.3	TLC-107 SONDA 2
10/05/2015	26.00	400,000	17.4	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
10/05/2015	28.00	400,000	17.4	TLC-107 SONDA 2
10/05/2015	30.00	400,000	17.4	TLC-107 SONDA 2
10/05/2015	32.00	400,000	17.4	TLC-107 SONDA 2
10/05/2015	34.00	400,000	17.5	TLC-107 SONDA 2
10/05/2015	36.00	400,000	17.5	TLC-107 SONDA 2
10/05/2015	37.40	278,200	17.5	TLC-107 SONDA 2
04/06/2015	1.00	157,300	15.8	TLC-107 SONDA 2
04/06/2015	1.50	172,500	15.9	TLC-107 SONDA 2
04/06/2015	2.00	189,500	16.5	TLC-107 SONDA 2
04/06/2015	2.50	215,200	17.8	TLC-107 SONDA 2
04/06/2015	3.00	223,600	18.2	TLC-107 SONDA 2
04/06/2015	4.00	239,600	17.8	TLC-107 SONDA 2
04/06/2015	6.00	248,300	17.2	TLC-107 SONDA 2
04/06/2015	8.00	251,500	16.8	TLC-107 SONDA 2
04/06/2015	10.00	252,800	16.5	TLC-107 SONDA 2
04/06/2015	12.00	252,800	16.5	TLC-107 SONDA 2
04/06/2015	14.00	252,600	16.5	TLC-107 SONDA 2
04/06/2015	16.00	251,100	16.8	TLC-107 SONDA 2
04/06/2015	18.00	249,200	17.0	TLC-107 SONDA 2
04/06/2015	20.00	247,300	17.2	TLC-107 SONDA 2
04/06/2015	22.00	246,300	17.2	TLC-107 SONDA 2
04/06/2015	24.00	245,100	17.3	TLC-107 SONDA 2
04/06/2015	26.00	244,200	17.4	TLC-107 SONDA 2
04/06/2015	28.00	242,900	17.4	TLC-107 SONDA 2
04/06/2015	30.00	242,200	17.4	TLC-107 SONDA 2
04/06/2015	32.00	240,800	17.5	TLC-107 SONDA 2
04/06/2015	34.00	240,800	17.5	TLC-107 SONDA 2
04/06/2015	36.00	240,300	17.5	TLC-107 SONDA 2
04/06/2015	37.00	239,400	17.5	TLC-107 SONDA 2
04/06/2015	37.60	189,800	17.5	TLC-107 SONDA 2
09/07/2015	1.00	56,500	11.9	TLC-107 SONDA 1
09/07/2015	1.50	241,200	13.0	TLC-107 SONDA 1
09/07/2015	2.00	245,800	14.0	TLC-107 SONDA 1
09/07/2015	3.00	257,300	16.1	TLC-107 SONDA 1
09/07/2015	4.00	268,400	17.1	TLC-107 SONDA 1
09/07/2015	6.00	267,300	17.1	TLC-107 SONDA 1
09/07/2015	8.00	270,800	16.6	TLC-107 SONDA 1
09/07/2015	10.00	270,500	16.4	TLC-107 SONDA 1
09/07/2015	12.00	268,900	16.5	TLC-107 SONDA 1
09/07/2015	14.00	267,900	16.6	TLC-107 SONDA 1
09/07/2015	16.00	267,300	16.8	TLC-107 SONDA 1
09/07/2015	18.00	264,700	16.9	TLC-107 SONDA 1
09/07/2015	20.00	262,500	17.1	TLC-107 SONDA 1
09/07/2015	22.00	261,500	17.2	TLC-107 SONDA 1
09/07/2015	24.00	261,100	17.3	TLC-107 SONDA 1
09/07/2015	26.00	260,500	17.3	TLC-107 SONDA 1
09/07/2015	28.00	260,500	17.3	TLC-107 SONDA 1
09/07/2015	30.00	259,200	17.4	TLC-107 SONDA 1
09/07/2015	32.00	258,800	17.4	TLC-107 SONDA 1
09/07/2015	34.00	259,200	17.4	TLC-107 SONDA 1
09/07/2015	36.00	258,800	17.5	TLC-107 SONDA 1
09/07/2015	37.40	186,800	17.5	TLC-107 SONDA 1
08/08/2015	1.20	155,975	12.1	SEBA MPS-D3
08/08/2015	1.40	156,005	12.1	SEBA MPS-D3
08/08/2015	1.60	156,015	12.1	SEBA MPS-D3
08/08/2015	1.80	155,956	12.4	SEBA MPS-D3
08/08/2015	2.00	156,342	12.9	SEBA MPS-D3
08/08/2015	2.20	157,665	13.6	SEBA MPS-D3
08/08/2015	2.40	164,130	14.0	SEBA MPS-D3
08/08/2015	2.60	168,686	14.4	SEBA MPS-D3
08/08/2015	2.80	169,702	14.7	SEBA MPS-D3
08/08/2015	3.00	170,122	15.0	SEBA MPS-D3
08/08/2015	3.20	170,749	15.4	SEBA MPS-D3
08/08/2015	3.40	171,717	15.6	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/08/2015	3.60	174,807	16.0	SEBA MPS-D3
08/08/2015	3.80	185,848	16.2	SEBA MPS-D3
08/08/2015	4.00	220,581	16.4	SEBA MPS-D3
08/08/2015	4.50	234,571	16.6	SEBA MPS-D3
08/08/2015	5.00	234,424	16.7	SEBA MPS-D3
08/08/2015	7.00	232,916	16.7	SEBA MPS-D3
08/08/2015	9.00	232,841	16.4	SEBA MPS-D3
08/08/2015	11.00	232,965	16.3	SEBA MPS-D3
08/08/2015	13.00	232,635	16.4	SEBA MPS-D3
08/08/2015	15.00	232,047	16.5	SEBA MPS-D3
08/08/2015	17.00	231,969	16.6	SEBA MPS-D3
08/08/2015	19.00	232,219	16.7	SEBA MPS-D3
08/08/2015	21.00	232,352	16.9	SEBA MPS-D3
08/08/2015	23.00	232,342	16.9	SEBA MPS-D3
08/08/2015	25.00	232,013	17.0	SEBA MPS-D3
08/08/2015	27.00	231,746	17.1	SEBA MPS-D3
08/08/2015	29.00	231,750	17.2	SEBA MPS-D3
08/08/2015	31.00	231,785	17.2	SEBA MPS-D3
08/08/2015	33.00	231,715	17.2	SEBA MPS-D3
08/08/2015	35.00	231,766	17.3	SEBA MPS-D3
08/08/2015	37.00	231,782	17.3	SEBA MPS-D3
08/08/2015	37.20	110,262	17.3	SEBA MPS-D3
07/09/2015	1.20	159,400	14.4	SEBA MPS-D3
07/09/2015	2.00	161,100	13.7	SEBA MPS-D3
07/09/2015	2.50	173,700	14.0	SEBA MPS-D3
07/09/2015	3.00	176,700	14.4	SEBA MPS-D3
07/09/2015	3.50	178,300	15.1	SEBA MPS-D3
07/09/2015	4.00	232,500	15.8	SEBA MPS-D3
07/09/2015	6.00	241,000	16.5	SEBA MPS-D3
07/09/2015	8.00	240,900	16.5	SEBA MPS-D3
07/09/2015	10.00	241,000	16.4	SEBA MPS-D3
07/09/2015	12.00	241,000	16.3	SEBA MPS-D3
07/09/2015	14.00	240,100	16.4	SEBA MPS-D3
07/09/2015	16.00	240,100	16.5	SEBA MPS-D3
07/09/2015	18.00	239,900	16.6	SEBA MPS-D3
07/09/2015	20.00	240,300	16.8	SEBA MPS-D3
07/09/2015	22.00	240,300	16.8	SEBA MPS-D3
07/09/2015	24.00	239,700	17.0	SEBA MPS-D3
07/09/2015	26.00	239,700	17.1	SEBA MPS-D3
07/09/2015	28.00	239,600	17.1	SEBA MPS-D3
07/09/2015	30.00	239,700	17.2	SEBA MPS-D3
07/09/2015	32.00	239,600	17.2	SEBA MPS-D3
07/09/2015	34.00	239,600	17.3	SEBA MPS-D3
07/09/2015	36.00	239,600	17.3	SEBA MPS-D3
07/09/2015	37.30	156,800	17.3	SEBA MPS-D3
10/10/2015	1.10	155,416	17.2	SEBA MPS-D3
10/10/2015	2.00	157,410	15.4	SEBA MPS-D3
10/10/2015	2.50	169,710	15.0	SEBA MPS-D3
10/10/2015	3.00	172,311	15.0	SEBA MPS-D3
10/10/2015	3.50	174,629	15.2	SEBA MPS-D3
10/10/2015	4.00	225,474	15.6	SEBA MPS-D3
10/10/2015	6.00	236,270	16.3	SEBA MPS-D3
10/10/2015	8.00	236,304	16.4	SEBA MPS-D3
10/10/2015	10.00	236,225	16.4	SEBA MPS-D3
10/10/2015	12.00	236,339	16.3	SEBA MPS-D3
10/10/2015	14.00	235,527	16.4	SEBA MPS-D3
10/10/2015	16.00	235,457	16.5	SEBA MPS-D3
10/10/2015	18.00	235,279	16.7	SEBA MPS-D3
10/10/2015	20.00	235,882	16.9	SEBA MPS-D3
10/10/2015	22.00	235,912	17.0	SEBA MPS-D3
10/10/2015	24.00	235,832	17.1	SEBA MPS-D3
10/10/2015	26.00	235,905	17.1	SEBA MPS-D3
10/10/2015	28.00	235,848	17.2	SEBA MPS-D3
10/10/2015	30.00	235,885	17.2	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
10/10/2015	32.00	235,833	17.2	SEBA MPS-D3
10/10/2015	34.00	235,305	17.3	SEBA MPS-D3
10/10/2015	36.00	235,304	17.3	SEBA MPS-D3
10/10/2015	37.30	135,918	17.4	SEBA MPS-D3
07/11/2015	1.10	152,236	18.3	SEBA MPS-D3
07/11/2015	1.50	152,988	17.9	SEBA MPS-D3
07/11/2015	2.00	154,623	16.8	SEBA MPS-D3
07/11/2015	2.50	167,045	16.1	SEBA MPS-D3
07/11/2015	3.00	168,753	15.8	SEBA MPS-D3
07/11/2015	3.50	171,962	15.6	SEBA MPS-D3
07/11/2015	4.00	225,870	15.7	SEBA MPS-D3
07/11/2015	6.00	233,125	16.1	SEBA MPS-D3
07/11/2015	8.00	233,014	16.3	SEBA MPS-D3
07/11/2015	10.00	232,970	16.3	SEBA MPS-D3
07/11/2015	12.00	232,918	16.4	SEBA MPS-D3
07/11/2015	14.00	232,234	16.4	SEBA MPS-D3
07/11/2015	16.00	232,114	16.5	SEBA MPS-D3
07/11/2015	18.00	232,615	16.8	SEBA MPS-D3
07/11/2015	20.00	232,560	17.0	SEBA MPS-D3
07/11/2015	22.00	232,651	17.0	SEBA MPS-D3
07/11/2015	24.00	232,610	17.1	SEBA MPS-D3
07/11/2015	26.00	232,578	17.1	SEBA MPS-D3
07/11/2015	28.00	232,630	17.1	SEBA MPS-D3
07/11/2015	30.00	232,584	17.2	SEBA MPS-D3
07/11/2015	32.00	232,596	17.2	SEBA MPS-D3
07/11/2015	34.00	232,178	17.3	SEBA MPS-D3
07/11/2015	36.00	232,060	17.3	SEBA MPS-D3
07/11/2015	37.20	106,294	17.4	SEBA MPS-D3
06/12/2015	1.20	156,760	20.3	SEBA MPS-D3
06/12/2015	2.00	159,000	18.3	SEBA MPS-D3
06/12/2015	2.50	171,160	17.3	SEBA MPS-D3
06/12/2015	3.00	172,872	16.7	SEBA MPS-D3
06/12/2015	3.50	177,488	16.3	SEBA MPS-D3
06/12/2015	4.00	228,320	16.0	SEBA MPS-D3
06/12/2015	6.00	240,768	16.1	SEBA MPS-D3
06/12/2015	8.00	240,755	16.2	SEBA MPS-D3
06/12/2015	10.00	240,710	16.3	SEBA MPS-D3
06/12/2015	12.00	240,709	16.4	SEBA MPS-D3
06/12/2015	14.00	240,095	16.4	SEBA MPS-D3
06/12/2015	16.00	239,866	16.5	SEBA MPS-D3
06/12/2015	18.00	239,697	16.7	SEBA MPS-D3
06/12/2015	20.00	240,355	16.9	SEBA MPS-D3
06/12/2015	22.00	240,263	17.0	SEBA MPS-D3
06/12/2015	24.00	240,316	17.1	SEBA MPS-D3
06/12/2015	26.00	240,309	17.1	SEBA MPS-D3
06/12/2015	28.00	240,299	17.2	SEBA MPS-D3
06/12/2015	30.00	240,338	17.2	SEBA MPS-D3
06/12/2015	32.00	240,303	17.2	SEBA MPS-D3
06/12/2015	34.00	240,283	17.3	SEBA MPS-D3
06/12/2015	36.00	240,346	17.3	SEBA MPS-D3
06/12/2015	37.20	102,368	17.4	SEBA MPS-D3
16/01/2016	1.20	154,732	22.8	SEBA MPS-D3
16/01/2016	1.50	155,226	21.6	SEBA MPS-D3
16/01/2016	2.00	156,914	20.0	SEBA MPS-D3
16/01/2016	2.50	166,816	18.9	SEBA MPS-D3
16/01/2016	3.00	170,399	18.0	SEBA MPS-D3
16/01/2016	3.50	176,834	17.2	SEBA MPS-D3
16/01/2016	4.00	229,036	16.6	SEBA MPS-D3
16/01/2016	6.00	239,205	16.2	SEBA MPS-D3
16/01/2016	8.00	239,140	16.3	SEBA MPS-D3
16/01/2016	10.00	239,024	16.3	SEBA MPS-D3
16/01/2016	12.00	239,104	16.4	SEBA MPS-D3
16/01/2016	14.00	238,324	16.5	SEBA MPS-D3
16/01/2016	16.00	238,240	16.5	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/01/2016	18.00	238,036	16.7	SEBA MPS-D3
16/01/2016	20.00	238,528	16.8	SEBA MPS-D3
16/01/2016	22.00	238,560	16.9	SEBA MPS-D3
16/01/2016	24.00	238,179	17.0	SEBA MPS-D3
16/01/2016	26.00	237,889	17.1	SEBA MPS-D3
16/01/2016	28.00	237,932	17.1	SEBA MPS-D3
16/01/2016	30.00	237,909	17.2	SEBA MPS-D3
16/01/2016	32.00	237,855	17.2	SEBA MPS-D3
16/01/2016	34.00	237,833	17.3	SEBA MPS-D3
16/01/2016	36.00	237,901	17.3	SEBA MPS-D3
16/01/2016	37.00	237,851	17.3	SEBA MPS-D3
16/01/2016	37.20	118,568	17.3	SEBA MPS-D3
14/02/2016	1.20	157,252	22.7	SEBA MPS-D3
14/02/2016	1.50	156,998	22.4	SEBA MPS-D3
14/02/2016	2.00	158,564	20.9	SEBA MPS-D3
14/02/2016	2.50	170,532	19.7	SEBA MPS-D3
14/02/2016	3.00	172,702	18.7	SEBA MPS-D3
14/02/2016	4.00	234,646	17.1	SEBA MPS-D3
14/02/2016	6.00	243,916	16.3	SEBA MPS-D3
14/02/2016	8.00	243,971	16.3	SEBA MPS-D3
14/02/2016	10.00	243,667	16.4	SEBA MPS-D3
14/02/2016	12.00	243,626	16.4	SEBA MPS-D3
14/02/2016	14.00	242,900	16.5	SEBA MPS-D3
14/02/2016	16.00	242,840	16.5	SEBA MPS-D3
14/02/2016	18.00	242,581	16.7	SEBA MPS-D3
14/02/2016	20.00	242,815	16.8	SEBA MPS-D3
14/02/2016	22.00	242,872	16.9	SEBA MPS-D3
14/02/2016	24.00	242,785	16.9	SEBA MPS-D3
14/02/2016	26.00	242,489	17.0	SEBA MPS-D3
14/02/2016	28.00	242,393	17.1	SEBA MPS-D3
14/02/2016	30.00	242,431	17.2	SEBA MPS-D3
14/02/2016	32.00	242,402	17.2	SEBA MPS-D3
14/02/2016	34.00	242,469	17.2	SEBA MPS-D3
14/02/2016	36.00	242,576	17.3	SEBA MPS-D3
14/02/2016	37.00	242,423	17.3	SEBA MPS-D3
14/02/2016	37.20	106,857	17.3	SEBA MPS-D3
17/03/2016	1.20	165,115	22.9	SEBA MPS-D3
17/03/2016	1.50	166,418	22.7	SEBA MPS-D3
17/03/2016	2.00	166,492	21.1	SEBA MPS-D3
17/03/2016	2.50	179,059	19.9	SEBA MPS-D3
17/03/2016	3.00	179,610	18.9	SEBA MPS-D3
17/03/2016	4.00	246,378	17.2	SEBA MPS-D3
17/03/2016	6.00	256,112	16.4	SEBA MPS-D3
17/03/2016	8.00	253,730	16.4	SEBA MPS-D3
17/03/2016	10.00	255,850	16.5	SEBA MPS-D3
17/03/2016	12.00	255,807	16.6	SEBA MPS-D3
17/03/2016	14.00	257,474	16.7	SEBA MPS-D3
17/03/2016	16.00	254,982	16.7	SEBA MPS-D3
17/03/2016	18.00	254,710	16.8	SEBA MPS-D3
17/03/2016	20.00	254,956	16.9	SEBA MPS-D3
17/03/2016	22.00	255,016	17.0	SEBA MPS-D3
17/03/2016	24.00	254,924	17.1	SEBA MPS-D3
17/03/2016	26.00	257,038	17.2	SEBA MPS-D3
17/03/2016	28.00	253,301	17.3	SEBA MPS-D3
17/03/2016	30.00	254,553	17.3	SEBA MPS-D3
17/03/2016	32.00	254,522	17.4	SEBA MPS-D3
17/03/2016	34.00	254,592	17.4	SEBA MPS-D3
17/03/2016	36.00	254,705	17.4	SEBA MPS-D3
17/03/2016	37.00	254,544	17.5	SEBA MPS-D3
17/03/2016	37.20	112,200	17.5	SEBA MPS-D3
07/05/2016	1.25	151,000	19.1	SEBA KLL-Q
07/05/2016	1.50	151,300	19.2	SEBA KLL-Q
07/05/2016	2.00	151,500	19.5	SEBA KLL-Q
07/05/2016	2.50	161,000	19.6	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/05/2016	3.00	166,300	19.2	SEBA KLL-Q
07/05/2016	3.50	173,500	18.6	SEBA KLL-Q
07/05/2016	4.00	229,200	17.8	SEBA KLL-Q
07/05/2016	4.50	239,300	17.4	SEBA KLL-Q
07/05/2016	5.00	239,200	17.0	SEBA KLL-Q
07/05/2016	5.50	238,000	16.8	SEBA KLL-Q
07/05/2016	6.00	236,800	16.6	SEBA KLL-Q
07/05/2016	7.00	236,800	16.5	SEBA KLL-Q
07/05/2016	8.00	236,900	16.4	SEBA KLL-Q
07/05/2016	10.00	236,800	16.4	SEBA KLL-Q
07/05/2016	12.00	236,600	16.4	SEBA KLL-Q
07/05/2016	14.00	236,300	16.5	SEBA KLL-Q
07/05/2016	16.00	236,200	16.8	SEBA KLL-Q
07/05/2016	20.00	236,500	16.7	SEBA KLL-Q
07/05/2016	25.00	235,700	16.9	SEBA KLL-Q
07/05/2016	30.00	235,700	17.0	SEBA KLL-Q
07/05/2016	35.00	235,700	17.1	SEBA KLL-Q
07/05/2016	37.15	109,600	17.2	SEBA KLL-Q
09/07/2016	1.25	145,000	14.4	SEBA KLL-Q
09/07/2016	2.00	145,200	14.4	SEBA KLL-Q
09/07/2016	2.50	149,500	15.9	SEBA KLL-Q
09/07/2016	3.00	156,400	16.8	SEBA KLL-Q
09/07/2016	3.50	164,700	17.1	SEBA KLL-Q
09/07/2016	3.75	175,900	17.2	SEBA KLL-Q
09/07/2016	4.00	217,000	17.2	SEBA KLL-Q
09/07/2016	4.25	229,800	17.1	SEBA KLL-Q
09/07/2016	4.50	229,800	17.1	SEBA KLL-Q
09/07/2016	5.00	229,900	17.0	SEBA KLL-Q
09/07/2016	10.00	227,100	16.5	SEBA KLL-Q
09/07/2016	15.00	226,900	16.6	SEBA KLL-Q
09/07/2016	20.00	226,700	16.7	SEBA KLL-Q
09/07/2016	25.00	226,400	16.9	SEBA KLL-Q
09/07/2016	30.00	226,400	16.9	SEBA KLL-Q
09/07/2016	35.00	226,300	17.1	SEBA KLL-Q
09/07/2016	37.10	117,000	17.2	SEBA KLL-Q
09/10/2016	1.30	144,755	17.1	SEBA KLL-Q
09/10/2016	1.60	145,387	16.6	SEBA KLL-Q
09/10/2016	1.80	146,033	16.1	SEBA KLL-Q
09/10/2016	2.00	147,051	15.8	SEBA KLL-Q
09/10/2016	2.20	148,235	15.6	SEBA KLL-Q
09/10/2016	2.40	151,288	15.4	SEBA KLL-Q
09/10/2016	2.60	156,196	15.3	SEBA KLL-Q
09/10/2016	2.80	158,847	15.3	SEBA KLL-Q
09/10/2016	3.00	160,178	15.3	SEBA KLL-Q
09/10/2016	3.20	162,634	15.4	SEBA KLL-Q
09/10/2016	3.40	168,215	15.5	SEBA KLL-Q
09/10/2016	3.60	172,107	15.6	SEBA KLL-Q
09/10/2016	3.80	185,645	15.7	SEBA KLL-Q
09/10/2016	4.00	224,486	15.8	SEBA KLL-Q
09/10/2016	4.20	240,723	15.9	SEBA KLL-Q
09/10/2016	4.40	240,418	16.0	SEBA KLL-Q
09/10/2016	4.60	240,646	16.0	SEBA KLL-Q
09/10/2016	4.80	240,666	16.0	SEBA KLL-Q
09/10/2016	5.00	240,584	16.0	SEBA KLL-Q
09/10/2016	5.50	238,098	16.3	SEBA KLL-Q
09/10/2016	6.00	237,811	16.4	SEBA KLL-Q
09/10/2016	6.50	237,754	16.5	SEBA KLL-Q
09/10/2016	7.00	237,775	16.5	SEBA KLL-Q
09/10/2016	8.00	237,784	16.5	SEBA KLL-Q
09/10/2016	9.00	237,745	16.5	SEBA KLL-Q
09/10/2016	10.00	237,745	16.6	SEBA KLL-Q
09/10/2016	12.00	237,723	16.5	SEBA KLL-Q
09/10/2016	14.00	237,431	16.6	SEBA KLL-Q
09/10/2016	16.00	237,416	16.6	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/10/2016	18.00	237,247	16.6	SEBA KLL-Q
09/10/2016	20.00	237,123	16.7	SEBA KLL-Q
09/10/2016	22.00	237,336	16.8	SEBA KLL-Q
09/10/2016	24.00	237,102	16.8	SEBA KLL-Q
09/10/2016	26.00	236,863	16.9	SEBA KLL-Q
09/10/2016	28.00	236,829	16.8	SEBA KLL-Q
09/10/2016	30.00	236,811	17.0	SEBA KLL-Q
09/10/2016	32.00	236,878	17.0	SEBA KLL-Q
09/10/2016	34.00	236,819	17.0	SEBA KLL-Q
09/10/2016	36.00	236,883	17.1	SEBA KLL-Q
09/10/2016	37.10	122,874	17.2	SEBA KLL-Q
15/01/2017	1.40	151,900	22.3	SEBA KLL-Q
15/01/2017	1.60	152,000	21.4	SEBA KLL-Q
15/01/2017	1.80	152,300	20.7	SEBA KLL-Q
15/01/2017	2.00	152,600	20.6	SEBA KLL-Q
15/01/2017	2.20	153,900	19.6	SEBA KLL-Q
15/01/2017	2.40	156,600	19.1	SEBA KLL-Q
15/01/2017	2.60	163,600	18.7	SEBA KLL-Q
15/01/2017	2.80	167,200	18.3	SEBA KLL-Q
15/01/2017	3.00	169,400	17.9	SEBA KLL-Q
15/01/2017	3.50	179,000	17.3	SEBA KLL-Q
15/01/2017	4.00	240,900	16.6	SEBA KLL-Q
15/01/2017	4.50	260,800	16.4	SEBA KLL-Q
15/01/2017	5.00	260,800	16.2	SEBA KLL-Q
15/01/2017	6.00	257,600	16.3	SEBA KLL-Q
15/01/2017	8.00	257,500	16.4	SEBA KLL-Q
15/01/2017	10.00	257,500	16.4	SEBA KLL-Q
15/01/2017	12.00	257,400	16.5	SEBA KLL-Q
15/01/2017	14.00	257,100	16.6	SEBA KLL-Q
15/01/2017	16.00	257,000	16.6	SEBA KLL-Q
15/01/2017	18.00	256,800	16.7	SEBA KLL-Q
15/01/2017	20.00	256,700	16.7	SEBA KLL-Q
15/01/2017	22.00	256,800	16.8	SEBA KLL-Q
15/01/2017	24.00	256,500	16.8	SEBA KLL-Q
15/01/2017	26.00	256,300	16.9	SEBA KLL-Q
15/01/2017	28.00	256,300	18.9	SEBA KLL-Q
15/01/2017	30.00	256,300	16.9	SEBA KLL-Q
15/01/2017	32.00	256,300	17.0	SEBA KLL-Q
15/01/2017	34.00	256,200	17.1	SEBA KLL-Q
15/01/2017	36.00	256,200	17.1	SEBA KLL-Q
07/04/2017	1.00	132,000	22.4	TLC-107 SONDA 1
07/04/2017	1.20	149,900	22.1	TLC-107 SONDA 1
07/04/2017	1.40	172,200	22.9	TLC-107 SONDA 1
07/04/2017	1.60	182,600	21.7	TLC-107 SONDA 1
07/04/2017	1.80	190,100	21.5	TLC-107 SONDA 1
07/04/2017	2.00	196,600	21.1	TLC-107 SONDA 1
07/04/2017	2.20	207,400	21.0	TLC-107 SONDA 1
07/04/2017	2.40	212,200	20.9	TLC-107 SONDA 1
07/04/2017	2.60	219,500	20.6	TLC-107 SONDA 1
07/04/2017	2.80	230,600	20.3	TLC-107 SONDA 1
07/04/2017	3.00	233,000	20.0	TLC-107 SONDA 1
07/04/2017	3.20	234,400	19.7	TLC-107 SONDA 1
07/04/2017	3.40	238,700	19.3	TLC-107 SONDA 1
07/04/2017	3.60	245,100	19.0	TLC-107 SONDA 1
07/04/2017	3.80	246,500	18.6	TLC-107 SONDA 1
07/04/2017	4.00	256,400	18.4	TLC-107 SONDA 1
07/04/2017	4.20	267,600	18.2	TLC-107 SONDA 1
07/04/2017	4.40	266,900	18.1	TLC-107 SONDA 1
07/04/2017	4.60	267,900	17.9	TLC-107 SONDA 1
07/04/2017	4.80	268,000	17.8	TLC-107 SONDA 1
07/04/2017	5.00	268,500	17.7	TLC-107 SONDA 1
07/04/2017	5.50	272,900	17.3	TLC-107 SONDA 1
07/04/2017	6.00	273,600	17.3	TLC-107 SONDA 1
07/04/2017	8.00	276,200	16.9	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/04/2017	10.00	277,000	16.8	TLC-107 SONDA 1
07/04/2017	12.00	277,000	16.8	TLC-107 SONDA 1
07/04/2017	14.00	277,100	16.9	TLC-107 SONDA 1
07/04/2017	16.00	276,400	16.9	TLC-107 SONDA 1
07/04/2017	18.00	276,500	17.0	TLC-107 SONDA 1
07/04/2017	20.00	275,700	17.0	TLC-107 SONDA 1
07/04/2017	22.00	275,700	17.0	TLC-107 SONDA 1
07/04/2017	24.00	275,000	17.1	TLC-107 SONDA 1
07/04/2017	26.00	275,000	17.1	TLC-107 SONDA 1
07/04/2017	28.00	274,200	17.2	TLC-107 SONDA 1
07/04/2017	30.00	274,200	17.2	TLC-107 SONDA 1
07/04/2017	32.00	273,300	17.3	TLC-107 SONDA 1
07/04/2017	34.00	273,400	17.3	TLC-107 SONDA 1
07/04/2017	36.00	272,500	17.4	TLC-107 SONDA 1
26/07/2017	1.10	145,900	13.1	SEBA KLL-Q
26/07/2017	1.30	145,300	13.1	SEBA KLL-Q
26/07/2017	1.50	145,200	13.2	SEBA KLL-Q
26/07/2017	1.70	145,200	13.2	SEBA KLL-Q
26/07/2017	1.90	145,100	13.2	SEBA KLL-Q
26/07/2017	2.10	145,200	13.6	SEBA KLL-Q
26/07/2017	2.30	146,100	14.5	SEBA KLL-Q
26/07/2017	2.50	154,100	15.1	SEBA KLL-Q
26/07/2017	2.70	156,900	15.5	SEBA KLL-Q
26/07/2017	2.90	157,600	15.8	SEBA KLL-Q
26/07/2017	3.10	157,900	16.1	SEBA KLL-Q
26/07/2017	3.30	160,400	16.3	SEBA KLL-Q
26/07/2017	3.50	166,900	16.5	SEBA KLL-Q
26/07/2017	3.70	171,800	16.8	SEBA KLL-Q
26/07/2017	3.90	182,400	17.0	SEBA KLL-Q
26/07/2017	4.10	252,700	17.1	SEBA KLL-Q
26/07/2017	4.30	252,700	17.2	SEBA KLL-Q
26/07/2017	4.50	252,700	17.2	SEBA KLL-Q
26/07/2017	5.00	252,600	17.3	SEBA KLL-Q
26/07/2017	5.50	250,700	17.3	SEBA KLL-Q
26/07/2017	6.00	249,300	17.3	SEBA KLL-Q
26/07/2017	6.50	249,100	17.2	SEBA KLL-Q
26/07/2017	7.00	249,100	17.1	SEBA KLL-Q
26/07/2017	8.00	249,100	16.8	SEBA KLL-Q
26/07/2017	9.00	249,000	16.6	SEBA KLL-Q
26/07/2017	10.00	248,900	16.5	SEBA KLL-Q
26/07/2017	12.00	248,700	16.5	SEBA KLL-Q
26/07/2017	14.00	247,800	16.6	SEBA KLL-Q
26/07/2017	16.00	247,700	16.6	SEBA KLL-Q
26/07/2017	18.00	247,400	16.6	SEBA KLL-Q
26/07/2017	20.00	247,100	16.7	SEBA KLL-Q
26/07/2017	22.00	246,900	16.8	SEBA KLL-Q
26/07/2017	24.00	246,800	16.8	SEBA KLL-Q
26/07/2017	26.00	276,700	16.8	SEBA KLL-Q
26/07/2017	28.00	246,600	16.9	SEBA KLL-Q
26/07/2017	30.00	246,600	17.0	SEBA KLL-Q
26/07/2017	32.00	246,500	17.0	SEBA KLL-Q
26/07/2017	34.00	246,600	17.1	SEBA KLL-Q
26/07/2017	36.00	246,500	17.1	SEBA KLL-Q
26/07/2017	37.00	246,500	17.1	SEBA KLL-Q
26/07/2017	37.08	245,900	17.1	SEBA KLL-Q
22/10/2017	1.20	147,600	18.8	SEBA KLL-Q
22/10/2017	1.40	146,300	18.2	SEBA KLL-Q
22/10/2017	1.60	145,100	17.6	SEBA KLL-Q
22/10/2017	1.80	143,600	17.0	SEBA KLL-Q
22/10/2017	2.00	142,200	16.6	SEBA KLL-Q
22/10/2017	2.20	141,600	16.2	SEBA KLL-Q
22/10/2017	2.40	141,500	16.0	SEBA KLL-Q
22/10/2017	2.60	145,800	15.9	SEBA KLL-Q
22/10/2017	2.80	150,900	15.7	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2017	3.00	152,500	15.7	SEBA KLL-Q
22/10/2017	3.20	153,700	15.6	SEBA KLL-Q
22/10/2017	3.40	159,200	15.7	SEBA KLL-Q
22/10/2017	3.60	164,300	15.7	SEBA KLL-Q
22/10/2017	3.80	172,800	15.8	SEBA KLL-Q
22/10/2017	4.00	207,200	15.9	SEBA KLL-Q
22/10/2017	4.20	243,500	16.0	SEBA KLL-Q
22/10/2017	4.40	243,300	16.0	SEBA KLL-Q
22/10/2017	4.60	243,000	16.0	SEBA KLL-Q
22/10/2017	4.80	242,900	16.1	SEBA KLL-Q
22/10/2017	5.00	242,500	16.1	SEBA KLL-Q
22/10/2017	5.50	240,700	16.3	SEBA KLL-Q
22/10/2017	6.00	238,800	16.5	SEBA KLL-Q
22/10/2017	6.50	238,600	16.5	SEBA KLL-Q
22/10/2017	7.00	238,600	16.5	SEBA KLL-Q
22/10/2017	7.80	238,700	16.6	SEBA KLL-Q
22/10/2017	9.00	238,500	16.6	SEBA KLL-Q
22/10/2017	10.00	238,300	16.6	SEBA KLL-Q
22/10/2017	12.00	238,100	16.5	SEBA KLL-Q
22/10/2017	14.00	237,900	16.5	SEBA KLL-Q
22/10/2017	16.00	237,800	16.6	SEBA KLL-Q
22/10/2017	18.00	237,500	16.6	SEBA KLL-Q
22/10/2017	20.00	237,400	16.7	SEBA KLL-Q
22/10/2017	22.00	237,000	16.7	SEBA KLL-Q
22/10/2017	24.00	237,200	16.8	SEBA KLL-Q
22/10/2017	26.00	236,900	16.8	SEBA KLL-Q
22/10/2017	28.00	237,100	16.8	SEBA KLL-Q
22/10/2017	30.00	236,900	16.9	SEBA KLL-Q
22/10/2017	32.00	236,900	16.9	SEBA KLL-Q
22/10/2017	34.00	236,900	17.0	SEBA KLL-Q
22/10/2017	36.00	236,800	17.1	SEBA KLL-Q
22/10/2017	37.08	236,400	17.1	SEBA KLL-Q
10/01/2018	1.2	123,500	22.25	SEBA KLL-Q
10/01/2018	1.4	123,300	22.24	SEBA KLL-Q
10/01/2018	1.6	123,200	21.70	SEBA KLL-Q
10/01/2018	1.8	122,900	21.12	SEBA KLL-Q
10/01/2018	2.0	122,600	20.58	SEBA KLL-Q
10/01/2018	2.2	123,000	20.10	SEBA KLL-Q
10/01/2018	2.4	123,400	19.65	SEBA KLL-Q
10/01/2018	2.6	126,800	19.17	SEBA KLL-Q
10/01/2018	2.8	130,600	18.65	SEBA KLL-Q
10/01/2018	3.0	132,300	18.35	SEBA KLL-Q
10/01/2018	3.2	134,500	18.06	SEBA KLL-Q
10/01/2018	3.4	141,400	17.78	SEBA KLL-Q
10/01/2018	3.6	145,600	17.47	SEBA KLL-Q
10/01/2018	3.8	153,900	17.20	SEBA KLL-Q
10/01/2018	4.0	189,100	17.06	SEBA KLL-Q
10/01/2018	4.2	217,900	16.94	SEBA KLL-Q
10/01/2018	4.4	218,300	16.84	SEBA KLL-Q
10/01/2018	4.6	218,100	16.85	SEBA KLL-Q
10/01/2018	4.8	218,000	16.80	SEBA KLL-Q
10/01/2018	5.0	217,900	16.72	SEBA KLL-Q
10/01/2018	5.5	216,200	16.68	SEBA KLL-Q
10/01/2018	6.0	214,200	16.68	SEBA KLL-Q
10/01/2018	6.5	214,100	16.67	SEBA KLL-Q
10/01/2018	7.0	213,300	16.65	SEBA KLL-Q
10/01/2018	8.0	213,400	16.72	SEBA KLL-Q
10/01/2018	10.0	213,100	16.78	SEBA KLL-Q
10/01/2018	12.0	212,900	16.79	SEBA KLL-Q
10/01/2018	14.0	212,400	16.79	SEBA KLL-Q
10/01/2018	16.0	212,300	16.79	SEBA KLL-Q
10/01/2018	18.0	212,200	16.82	SEBA KLL-Q
10/01/2018	20.0	212,000	16.87	SEBA KLL-Q
10/01/2018	22.0	211,800	16.97	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
10/01/2018	24.0	211,600	16.97	SEBA KLL-Q
10/01/2018	26.0	211,500	17.03	SEBA KLL-Q
10/01/2018	28.0	211,500	17.06	SEBA KLL-Q
10/01/2018	30.0	211,200	17.12	SEBA KLL-Q
10/01/2018	32.0	211,100	17.16	SEBA KLL-Q
10/01/2018	34.0	211,000	17.18	SEBA KLL-Q
10/01/2018	36.0	211,100	17.18	SEBA KLL-Q
10/01/2018	37.1	210,600	17.33	SEBA KLL-Q
04/04/2018	1.5	120,600	21.69	SEBA KLL-Q
04/04/2018	2.0	120,900	21.36	SEBA KLL-Q
04/04/2018	2.2	121,600	20.86	SEBA KLL-Q
04/04/2018	2.4	122,300	20.61	SEBA KLL-Q
04/04/2018	2.6	126,800	20.24	SEBA KLL-Q
04/04/2018	2.8	128,400	19.91	SEBA KLL-Q
04/04/2018	3.0	129,900	19.54	SEBA KLL-Q
04/04/2018	3.2	132,000	19.21	SEBA KLL-Q
04/04/2018	3.4	139,900	18.88	SEBA KLL-Q
04/04/2018	3.6	143,700	18.55	SEBA KLL-Q
04/04/2018	3.8	155,800	18.09	SEBA KLL-Q
04/04/2018	4.0	193,900	17.76	SEBA KLL-Q
04/04/2018	4.2	216,200	17.54	SEBA KLL-Q
04/04/2018	4.4	216,200	17.46	SEBA KLL-Q
04/04/2018	4.6	216,300	17.39	SEBA KLL-Q
04/04/2018	4.8	216,300	17.28	SEBA KLL-Q
04/04/2018	5.0	216,100	17.09	SEBA KLL-Q
04/04/2018	6.0	212,900	16.77	SEBA KLL-Q
04/04/2018	8.0	212,900	16.66	SEBA KLL-Q
04/04/2018	10.0	212,800	16.65	SEBA KLL-Q
04/04/2018	12.0	212,700	16.65	SEBA KLL-Q
04/04/2018	14.0	212,400	16.67	SEBA KLL-Q
04/04/2018	16.0	212,400	16.67	SEBA KLL-Q
04/04/2018	18.0	212,200	16.71	SEBA KLL-Q
04/04/2018	20.0	212,100	16.75	SEBA KLL-Q
04/04/2018	22.0	212,100	16.79	SEBA KLL-Q
04/04/2018	24.0	211,800	16.84	SEBA KLL-Q
04/04/2018	26.0	211,800	16.86	SEBA KLL-Q
04/04/2018	28.0	211,800	16.88	SEBA KLL-Q
04/04/2018	30.0	211,700	16.92	SEBA KLL-Q
04/04/2018	32.0	211,700	16.96	SEBA KLL-Q
04/04/2018	34.0	211,700	17.02	SEBA KLL-Q
04/04/2018	36.0	211,600	17.09	SEBA KLL-Q
04/04/2018	37.6	211,400	17.13	SEBA KLL-Q
25/07/2018	1.3	152,900	13.88	SEBA KLL-Q
25/07/2018	1.5	152,800	14.08	SEBA KLL-Q
25/07/2018	1.7	152,500	14.10	SEBA KLL-Q
25/07/2018	1.9	152,200	14.11	SEBA KLL-Q
25/07/2018	2.0	151,900	14.13	SEBA KLL-Q
25/07/2018	2.5	151,900	14.57	SEBA KLL-Q
25/07/2018	3.0	159,700	15.92	SEBA KLL-Q
25/07/2018	3.5	168,600	16.64	SEBA KLL-Q
25/07/2018	3.7	178,600	16.88	SEBA KLL-Q
25/07/2018	3.9	193,800	17.00	SEBA KLL-Q
25/07/2018	4.1	265,200	17.07	SEBA KLL-Q
25/07/2018	4.3	267,100	17.10	SEBA KLL-Q
25/07/2018	4.5	266,000	17.09	SEBA KLL-Q
25/07/2018	4.7	264,700	17.07	SEBA KLL-Q
25/07/2018	5.0	263,800	17.10	SEBA KLL-Q
25/07/2018	5.5	259,500	17.05	SEBA KLL-Q
25/07/2018	6.0	259,100	17.03	SEBA KLL-Q
25/07/2018	7.0	259,000	16.95	SEBA KLL-Q
25/07/2018	8.0	258,600	16.88	SEBA KLL-Q
25/07/2018	10.0	258,400	16.84	SEBA KLL-Q
25/07/2018	12.0	258,000	16.83	SEBA KLL-Q
25/07/2018	14.0	257,800	16.85	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
25/07/2018	16.0	257,700	16.83	SEBA KLL-Q
25/07/2018	18.0	257,300	16.85	SEBA KLL-Q
25/07/2018	20.0	256,900	16.91	SEBA KLL-Q
25/07/2018	22.0	256,800	16.92	SEBA KLL-Q
25/07/2018	24.0	256,200	16.96	SEBA KLL-Q
25/07/2018	26.0	256,100	16.96	SEBA KLL-Q
22/08/2018	1.5	129,500	14.34	SEBA KLL-Q
22/08/2018	2.0	137,100	14.34	SEBA KLL-Q
22/08/2018	2.5	137,000	14.63	SEBA KLL-Q
22/08/2018	3.0	144,300	15.46	SEBA KLL-Q
22/08/2018	3.5	154,200	15.89	SEBA KLL-Q
22/08/2018	4.0	190,300	16.36	SEBA KLL-Q
22/08/2018	4.2	241,900	16.67	SEBA KLL-Q
22/08/2018	4.4	239,800	16.68	SEBA KLL-Q
22/08/2018	4.6	238,600	16.69	SEBA KLL-Q
22/08/2018	4.8	237,900	16.69	SEBA KLL-Q
22/08/2018	5.0	237,900	16.70	SEBA KLL-Q
22/08/2018	5.5	233,500	16.90	SEBA KLL-Q
22/08/2018	6.0	232,400	16.95	SEBA KLL-Q
22/08/2018	7.0	231,800	16.95	SEBA KLL-Q
22/08/2018	8.0	231,900	16.93	SEBA KLL-Q
22/08/2018	10.0	231,400	16.91	SEBA KLL-Q
22/08/2018	12.0	231,300	16.86	SEBA KLL-Q
22/08/2018	14.0	230,800	16.86	SEBA KLL-Q
22/08/2018	16.0	230,400	16.88	SEBA KLL-Q
22/08/2018	18.0	230,300	16.90	SEBA KLL-Q
22/08/2018	20.0	230,200	16.93	SEBA KLL-Q
22/08/2018	22.0	230,100	16.97	SEBA KLL-Q
22/08/2018	24.0	229,800	17.04	SEBA KLL-Q
22/08/2018	26.0	229,100	17.05	SEBA KLL-Q
22/08/2018	28.0	228,400	17.02	SEBA KLL-Q
22/08/2018	30.0	228,900	17.06	SEBA KLL-Q
22/08/2018	33.0	228,600	17.10	SEBA KLL-Q
22/08/2018	36.0	218,800	17.22	SEBA KLL-Q
22/08/2018	36.5	228,400	17.27	SEBA KLL-Q
09/09/2018	1.3	139,900	14.28	SEBA KLL-Q
09/09/2018	1.4	138,000	14.31	SEBA KLL-Q
09/09/2018	1.6	137,700	14.34	SEBA KLL-Q
09/09/2018	1.8	137,400	14.37	SEBA KLL-Q
09/09/2018	2.0	136,600	14.38	SEBA KLL-Q
09/09/2018	2.2	136,500	14.56	SEBA KLL-Q
09/09/2018	2.4	136,800	14.68	SEBA KLL-Q
09/09/2018	2.6	140,800	14.85	SEBA KLL-Q
09/09/2018	2.8	143,900	15.18	SEBA KLL-Q
09/09/2018	3.0	144,200	15.29	SEBA KLL-Q
09/09/2018	3.2	145,000	15.43	SEBA KLL-Q
09/09/2018	3.5	154,900	15.70	SEBA KLL-Q
09/09/2018	3.7	162,400	15.90	SEBA KLL-Q
09/09/2018	3.9	173,400	16.07	SEBA KLL-Q
09/09/2018	4.0	200,400	16.17	SEBA KLL-Q
09/09/2018	4.2	245,000	16.28	SEBA KLL-Q
09/09/2018	4.4	244,900	16.34	SEBA KLL-Q
09/09/2018	4.6	244,800	16.33	SEBA KLL-Q
09/09/2018	4.8	244,700	16.33	SEBA KLL-Q
09/09/2018	5.0	244,600	16.37	SEBA KLL-Q
09/09/2018	5.5	240,900	16.67	SEBA KLL-Q
09/09/2018	6.0	239,700	16.76	SEBA KLL-Q
09/09/2018	6.5	239,600	16.77	SEBA KLL-Q
09/09/2018	7.0	239,600	16.75	SEBA KLL-Q
09/09/2018	8.0	239,400	16.78	SEBA KLL-Q
09/09/2018	10.0	239,300	16.74	SEBA KLL-Q
09/09/2018	12.0	239,100	16.73	SEBA KLL-Q
09/09/2018	14.0	238,700	16.73	SEBA KLL-Q
09/09/2018	16.0	238,600	16.74	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/09/2018	18.0	238,700	16.75	SEBA KLL-Q
09/09/2018	20.0	238,500	16.77	SEBA KLL-Q
09/09/2018	22.0	238,500	16.80	SEBA KLL-Q
09/09/2018	24.0	238,100	16.84	SEBA KLL-Q
09/09/2018	26.0	238,000	16.89	SEBA KLL-Q
09/09/2018	28.0	238,200	16.86	SEBA KLL-Q
09/09/2018	30.0	237,300	16.93	SEBA KLL-Q
09/09/2018	32.0	237,400	16.96	SEBA KLL-Q
09/09/2018	34.0	237,300	16.99	SEBA KLL-Q
09/09/2018	36.0	237,000	17.06	SEBA KLL-Q
09/09/2018	37.1	236,800	17.12	SEBA KLL-Q
28/11/2018	1.3	125,900	20.70	SEBA KLL-Q
28/11/2018	1.5	125,900	20.20	SEBA KLL-Q
28/11/2018	1.7	136,300	19.40	SEBA KLL-Q
28/11/2018	1.9	136,300	19.01	SEBA KLL-Q
28/11/2018	2.2	136,600	18.80	SEBA KLL-Q
28/11/2018	2.4	138,300	17.70	SEBA KLL-Q
28/11/2018	2.6	140,300	17.31	SEBA KLL-Q
28/11/2018	2.8	142,800	17.06	SEBA KLL-Q
28/11/2018	3.0	144,600	16.50	SEBA KLL-Q
28/11/2018	3.5	156,300	16.50	SEBA KLL-Q
28/11/2018	3.7	161,600	16.30	SEBA KLL-Q
28/11/2018	3.9	170,000	16.20	SEBA KLL-Q
28/11/2018	4.0	187,700	16.20	SEBA KLL-Q
28/11/2018	4.2	232,800	16.20	SEBA KLL-Q
28/11/2018	4.4	242,800	16.18	SEBA KLL-Q
28/11/2018	4.6	242,800	16.17	SEBA KLL-Q
28/11/2018	4.8	242,800	16.17	SEBA KLL-Q
28/11/2018	5.0	242,700	16.18	SEBA KLL-Q
28/11/2018	6.0	239,000	16.49	SEBA KLL-Q
28/11/2018	8.0	239,100	16.60	SEBA KLL-Q
28/11/2018	10.0	239,100	16.60	SEBA KLL-Q
28/11/2018	12.0	238,800	16.70	SEBA KLL-Q
28/11/2018	14.0	238,700	16.71	SEBA KLL-Q
28/11/2018	16.0	238,700	16.73	SEBA KLL-Q
28/11/2018	18.0	238,500	16.74	SEBA KLL-Q
28/11/2018	20.0	238,500	16.75	SEBA KLL-Q
28/11/2018	22.0	238,400	16.74	SEBA KLL-Q
28/11/2018	24.0	238,200	16.82	SEBA KLL-Q
28/11/2018	26.0	238,300	16.86	SEBA KLL-Q
28/11/2018	28.0	238,300	16.87	SEBA KLL-Q
28/11/2018	30.0	238,000	16.90	SEBA KLL-Q
28/11/2018	32.0	238,100	16.95	SEBA KLL-Q
28/11/2018	34.0	238,300	16.97	SEBA KLL-Q
28/11/2018	36.0	238,000	17.00	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/07/2016	1.00	17,990	17.3	SEBA KLL-Q
11/07/2016	2.00	18,100	17.5	SEBA KLL-Q
11/07/2016	3.00	28,700	19.4	SEBA KLL-Q
11/07/2016	3.50	28,950	19.8	SEBA KLL-Q
11/07/2016	4.00	28,980	19.8	SEBA KLL-Q
11/07/2016	4.50	28,980	19.8	SEBA KLL-Q
11/07/2016	5.00	28,980	19.8	SEBA KLL-Q
11/07/2016	6.00	29,000	19.8	SEBA KLL-Q
11/07/2016	7.00	28,980	19.8	SEBA KLL-Q
11/07/2016	8.00	29,000	19.8	SEBA KLL-Q
11/07/2016	9.00	28,980	19.8	SEBA KLL-Q
11/07/2016	10.00	28,990	19.8	SEBA KLL-Q
11/07/2016	11.00	28,980	19.8	SEBA KLL-Q
11/07/2016	12.00	29,000	19.8	SEBA KLL-Q
11/07/2016	13.00	28,970	19.8	SEBA KLL-Q
11/07/2016	14.00	28,960	19.8	SEBA KLL-Q
11/07/2016	15.00	28,970	19.9	SEBA KLL-Q
11/07/2016	16.00	28,980	19.9	SEBA KLL-Q
11/07/2016	17.00	28,980	19.9	SEBA KLL-Q
11/07/2016	18.00	28,990	19.9	SEBA KLL-Q
11/07/2016	19.00	29,000	19.9	SEBA KLL-Q
11/07/2016	20.00	29,000	19.9	SEBA KLL-Q
11/07/2016	21.00	29,000	19.9	SEBA KLL-Q
11/07/2016	22.00	28,990	19.9	SEBA KLL-Q
11/07/2016	23.00	28,990	19.9	SEBA KLL-Q
11/07/2016	24.00	28,970	19.9	SEBA KLL-Q
11/07/2016	25.00	28,930	20.0	SEBA KLL-Q
11/07/2016	26.00	28,840	20.0	SEBA KLL-Q
11/07/2016	27.00	28,880	20.1	SEBA KLL-Q
11/07/2016	28.00	28,810	20.3	SEBA KLL-Q
11/07/2016	29.00	44,000	20.1	SEBA KLL-Q
11/07/2016	29.25	44,680	20.1	SEBA KLL-Q
11/07/2016	29.50	44,980	20.1	SEBA KLL-Q
11/07/2016	30.00	45,150	20.1	SEBA KLL-Q
11/07/2016	30.50	45,270	20.0	SEBA KLL-Q
11/07/2016	31.00	45,360	20.0	SEBA KLL-Q
11/07/2016	31.50	46,830	20.1	SEBA KLL-Q
11/07/2016	32.00	47,070	20.1	SEBA KLL-Q
11/07/2016	32.50	47,750	20.1	SEBA KLL-Q
11/07/2016	33.00	48,110	20.1	SEBA KLL-Q
11/07/2016	33.50	48,470	20.0	SEBA KLL-Q
11/07/2016	34.00	48,950	20.0	SEBA KLL-Q
11/07/2016	35.00	52,200	20.5	SEBA KLL-Q
11/07/2016	35.50	52,230	20.6	SEBA KLL-Q
11/07/2016	36.00	52,260	20.6	SEBA KLL-Q
11/07/2016	37.00	52,260	20.6	SEBA KLL-Q
11/07/2016	38.00	52,280	20.6	SEBA KLL-Q
11/07/2016	39.00	52,270	20.6	SEBA KLL-Q
11/07/2016	40.00	52,270	20.6	SEBA KLL-Q
11/07/2016	41.00	52,260	20.6	SEBA KLL-Q
11/07/2016	42.00	52,260	20.6	SEBA KLL-Q
11/07/2016	43.00	52,260	20.6	SEBA KLL-Q
11/07/2016	44.00	52,270	20.6	SEBA KLL-Q
11/07/2016	45.00	52,280	20.6	SEBA KLL-Q
11/07/2016	46.00	52,300	20.6	SEBA KLL-Q
11/07/2016	47.00	52,280	20.6	SEBA KLL-Q
11/07/2016	48.00	52,280	20.6	SEBA KLL-Q
11/07/2016	49.00	52,270	20.6	SEBA KLL-Q
11/07/2016	50.00	59,380	20.6	SEBA KLL-Q
11/07/2016	50.50	59,540	20.6	SEBA KLL-Q
11/07/2016	51.00	59,510	20.6	SEBA KLL-Q
11/07/2016	52.00	59,710	20.6	SEBA KLL-Q
11/07/2016	53.00	97,660	20.4	SEBA KLL-Q
11/07/2016	53.25	100,400	20.4	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/07/2016	53.50	102,100	20.5	SEBA KLL-Q
11/07/2016	54.00	102,400	20.6	SEBA KLL-Q
11/07/2016	54.50	102,400	20.6	SEBA KLL-Q
11/07/2016	55.00	102,400	20.6	SEBA KLL-Q
11/07/2016	55.50	102,400	20.6	SEBA KLL-Q
11/07/2016	56.00	102,400	20.6	SEBA KLL-Q
11/07/2016	57.00	102,400	20.6	SEBA KLL-Q
11/07/2016	58.00	102,400	20.6	SEBA KLL-Q
11/07/2016	59.00	102,400	20.6	SEBA KLL-Q
11/07/2016	60.00	112,700	20.7	SEBA KLL-Q
11/07/2016	60.50	112,900	20.8	SEBA KLL-Q
11/07/2016	61.00	113,100	20.8	SEBA KLL-Q
11/07/2016	61.50	115,600	20.9	SEBA KLL-Q
11/07/2016	62.00	115,700	20.9	SEBA KLL-Q
11/07/2016	63.00	125,000	21.0	SEBA KLL-Q
11/07/2016	63.50	125,600	21.1	SEBA KLL-Q
11/07/2016	64.00	126,400	21.1	SEBA KLL-Q
11/07/2016	65.00	129,000	21.1	SEBA KLL-Q
11/07/2016	66.00	131,500	21.2	SEBA KLL-Q
11/07/2016	67.00	133,500	21.2	SEBA KLL-Q
11/07/2016	68.00	133,900	21.3	SEBA KLL-Q
11/07/2016	69.00	133,900	21.3	SEBA KLL-Q
11/07/2016	70.00	133,900	21.3	SEBA KLL-Q
11/07/2016	71.00	133,900	21.3	SEBA KLL-Q
11/07/2016	72.00	133,900	21.3	SEBA KLL-Q
11/07/2016	73.00	133,900	21.3	SEBA KLL-Q
11/07/2016	74.00	133,900	21.3	SEBA KLL-Q
11/07/2016	75.00	146,700	21.4	SEBA KLL-Q
11/07/2016	75.00	147,100	21.5	SEBA KLL-Q
11/07/2016	76.00	147,900	21.5	SEBA KLL-Q
11/07/2016	77.00	149,300	21.5	SEBA KLL-Q
11/07/2016	78.00	149,500	21.5	SEBA KLL-Q
11/07/2016	79.00	226,500	22.0	SEBA KLL-Q
11/07/2016	79.50	226,600	22.1	SEBA KLL-Q
11/07/2016	80.00	226,600	22.0	SEBA KLL-Q
11/07/2016	82.00	226,600	22.0	SEBA KLL-Q
11/07/2016	84.00	226,600	22.1	SEBA KLL-Q
11/07/2016	89.00	226,600	22.2	SEBA KLL-Q
11/07/2016	94.00	226,600	22.3	SEBA KLL-Q
11/07/2016	99.00	226,700	22.3	SEBA KLL-Q
11/07/2016	99.70	118,600	22.4	SEBA KLL-Q
22/10/2016	1.00	16,656	20.0	SEBA KLL-Q
22/10/2016	2.00	23,976	19.7	SEBA KLL-Q
22/10/2016	3.00	28,905	20.3	SEBA KLL-Q
22/10/2016	4.00	28,930	20.3	SEBA KLL-Q
22/10/2016	5.00	28,956	20.3	SEBA KLL-Q
22/10/2016	6.00	28,939	20.3	SEBA KLL-Q
22/10/2016	7.00	28,943	20.3	SEBA KLL-Q
22/10/2016	8.00	28,943	20.3	SEBA KLL-Q
22/10/2016	9.00	28,946	20.3	SEBA KLL-Q
22/10/2016	10.00	28,948	20.3	SEBA KLL-Q
22/10/2016	11.00	28,948	20.3	SEBA KLL-Q
22/10/2016	12.00	28,939	20.3	SEBA KLL-Q
22/10/2016	13.00	28,961	20.3	SEBA KLL-Q
22/10/2016	14.00	28,969	20.3	SEBA KLL-Q
22/10/2016	15.00	28,935	20.3	SEBA KLL-Q
22/10/2016	16.00	28,958	20.3	SEBA KLL-Q
22/10/2016	17.00	28,960	20.3	SEBA KLL-Q
22/10/2016	18.00	28,935	20.3	SEBA KLL-Q
22/10/2016	19.00	28,958	20.4	SEBA KLL-Q
22/10/2016	20.00	28,964	20.4	SEBA KLL-Q
22/10/2016	21.00	28,979	20.4	SEBA KLL-Q
22/10/2016	22.00	28,977	20.4	SEBA KLL-Q
22/10/2016	23.00	29,009	20.4	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2016	24.00	29,026	20.4	SEBA KLL-Q
22/10/2016	25.00	29,043	20.4	SEBA KLL-Q
22/10/2016	26.00	29,022	20.4	SEBA KLL-Q
22/10/2016	27.00	29,041	20.4	SEBA KLL-Q
22/10/2016	28.00	29,092	20.4	SEBA KLL-Q
22/10/2016	28.20	29,451	20.4	SEBA KLL-Q
22/10/2016	28.40	31,045	20.4	SEBA KLL-Q
22/10/2016	28.60	52,096	20.5	SEBA KLL-Q
22/10/2016	28.80	52,199	20.5	SEBA KLL-Q
22/10/2016	29.00	52,610	20.5	SEBA KLL-Q
22/10/2016	29.50	55,074	20.5	SEBA KLL-Q
22/10/2016	30.00	55,307	20.5	SEBA KLL-Q
22/10/2016	30.50	55,551	20.6	SEBA KLL-Q
22/10/2016	31.00	55,703	20.6	SEBA KLL-Q
22/10/2016	31.50	56,082	20.6	SEBA KLL-Q
22/10/2016	32.00	57,210	20.6	SEBA KLL-Q
22/10/2016	32.50	57,940	20.7	SEBA KLL-Q
22/10/2016	33.00	57,915	20.7	SEBA KLL-Q
22/10/2016	34.00	57,860	20.7	SEBA KLL-Q
22/10/2016	35.00	57,891	20.7	SEBA KLL-Q
22/10/2016	36.00	57,874	20.7	SEBA KLL-Q
22/10/2016	37.00	57,879	20.7	SEBA KLL-Q
22/10/2016	38.00	57,872	20.8	SEBA KLL-Q
22/10/2016	39.00	57,855	20.8	SEBA KLL-Q
22/10/2016	40.00	57,800	20.8	SEBA KLL-Q
22/10/2016	41.00	57,836	20.8	SEBA KLL-Q
22/10/2016	42.00	57,851	20.8	SEBA KLL-Q
22/10/2016	43.00	57,865	20.8	SEBA KLL-Q
22/10/2016	44.00	57,867	20.8	SEBA KLL-Q
22/10/2016	45.00	57,893	20.9	SEBA KLL-Q
22/10/2016	46.00	57,865	20.9	SEBA KLL-Q
22/10/2016	47.00	57,884	20.9	SEBA KLL-Q
22/10/2016	48.00	57,890	20.9	SEBA KLL-Q
22/10/2016	49.00	57,890	20.9	SEBA KLL-Q
22/10/2016	49.20	58,597	20.9	SEBA KLL-Q
22/10/2016	49.40	58,716	20.9	SEBA KLL-Q
22/10/2016	49.60	60,078	20.9	SEBA KLL-Q
22/10/2016	49.80	77,324	21.1	SEBA KLL-Q
22/10/2016	50.00	77,491	21.1	SEBA KLL-Q
22/10/2016	50.20	77,758	21.1	SEBA KLL-Q
22/10/2016	50.40	77,796	21.1	SEBA KLL-Q
22/10/2016	50.60	77,802	21.1	SEBA KLL-Q
22/10/2016	50.80	77,766	21.1	SEBA KLL-Q
22/10/2016	51.00	77,791	21.1	SEBA KLL-Q
22/10/2016	51.50	77,804	21.1	SEBA KLL-Q
22/10/2016	52.00	77,798	21.1	SEBA KLL-Q
22/10/2016	52.50	77,787	21.1	SEBA KLL-Q
22/10/2016	53.00	77,781	21.1	SEBA KLL-Q
22/10/2016	53.50	77,781	21.1	SEBA KLL-Q
22/10/2016	54.00	77,787	21.1	SEBA KLL-Q
22/10/2016	54.50	77,776	21.1	SEBA KLL-Q
22/10/2016	55.00	77,776	21.1	SEBA KLL-Q
22/10/2016	56.00	77,783	21.1	SEBA KLL-Q
22/10/2016	57.00	77,802	21.1	SEBA KLL-Q
22/10/2016	58.00	77,834	21.1	SEBA KLL-Q
22/10/2016	58.50	77,853	21.1	SEBA KLL-Q
22/10/2016	59.00	78,215	21.1	SEBA KLL-Q
22/10/2016	59.20	78,323	21.1	SEBA KLL-Q
22/10/2016	59.40	78,412	21.2	SEBA KLL-Q
22/10/2016	59.60	78,438	21.2	SEBA KLL-Q
22/10/2016	59.80	78,463	21.2	SEBA KLL-Q
22/10/2016	60.00	78,487	21.2	SEBA KLL-Q
22/10/2016	60.20	78,482	21.2	SEBA KLL-Q
22/10/2016	60.40	78,463	21.2	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [µS/cm]	TEMP [°C]	Equipo
22/10/2016	60.60	78,501	21.2	SEBA KLL-Q
22/10/2016	60.80	78,544	21.2	SEBA KLL-Q
22/10/2016	61.00	78,520	21.2	SEBA KLL-Q
22/10/2016	61.50	78,576	21.2	SEBA KLL-Q
22/10/2016	62.00	95,751	21.2	SEBA KLL-Q
22/10/2016	62.20	103,281	21.2	SEBA KLL-Q
22/10/2016	62.40	107,694	21.2	SEBA KLL-Q
22/10/2016	62.60	119,502	21.2	SEBA KLL-Q
22/10/2016	62.80	124,235	21.2	SEBA KLL-Q
22/10/2016	63.00	128,775	21.2	SEBA KLL-Q
22/10/2016	63.20	133,380	21.2	SEBA KLL-Q
22/10/2016	63.40	143,475	21.2	SEBA KLL-Q
22/10/2016	63.60	150,984	21.3	SEBA KLL-Q
22/10/2016	63.80	153,474	21.3	SEBA KLL-Q
22/10/2016	64.00	153,758	21.3	SEBA KLL-Q
22/10/2016	64.20	153,837	21.4	SEBA KLL-Q
22/10/2016	64.40	153,913	21.4	SEBA KLL-Q
22/10/2016	64.60	153,939	21.4	SEBA KLL-Q
22/10/2016	64.80	154,011	21.4	SEBA KLL-Q
22/10/2016	65.00	154,007	21.4	SEBA KLL-Q
22/10/2016	65.50	154,105	21.4	SEBA KLL-Q
22/10/2016	66.00	154,102	21.4	SEBA KLL-Q
22/10/2016	66.50	154,091	21.4	SEBA KLL-Q
22/10/2016	67.00	154,110	21.4	SEBA KLL-Q
22/10/2016	67.50	154,054	21.4	SEBA KLL-Q
22/10/2016	68.00	154,087	21.4	SEBA KLL-Q
22/10/2016	68.50	154,076	21.4	SEBA KLL-Q
22/10/2016	69.00	154,061	21.4	SEBA KLL-Q
22/10/2016	69.50	154,065	21.4	SEBA KLL-Q
22/10/2016	70.00	154,046	21.4	SEBA KLL-Q
22/10/2016	70.50	154,095	21.4	SEBA KLL-Q
22/10/2016	71.00	154,046	21.4	SEBA KLL-Q
22/10/2016	71.50	154,084	21.4	SEBA KLL-Q
22/10/2016	72.00	154,035	21.4	SEBA KLL-Q
22/10/2016	72.50	154,050	21.4	SEBA KLL-Q
22/10/2016	73.00	154,061	21.4	SEBA KLL-Q
22/10/2016	73.50	154,069	21.4	SEBA KLL-Q
22/10/2016	74.00	154,322	21.4	SEBA KLL-Q
22/10/2016	74.20	154,440	21.4	SEBA KLL-Q
22/10/2016	74.40	154,440	21.5	SEBA KLL-Q
22/10/2016	74.60	154,671	21.5	SEBA KLL-Q
22/10/2016	74.80	154,754	21.5	SEBA KLL-Q
22/10/2016	75.00	154,724	21.5	SEBA KLL-Q
22/10/2016	75.50	155,405	21.6	SEBA KLL-Q
22/10/2016	76.00	157,175	21.7	SEBA KLL-Q
22/10/2016	76.20	158,800	21.7	SEBA KLL-Q
22/10/2016	76.40	159,800	21.7	SEBA KLL-Q
22/10/2016	76.60	160,096	21.8	SEBA KLL-Q
22/10/2016	76.80	160,639	21.8	SEBA KLL-Q
22/10/2016	77.00	161,322	21.8	SEBA KLL-Q
22/10/2016	77.20	161,858	21.9	SEBA KLL-Q
22/10/2016	77.40	162,800	21.9	SEBA KLL-Q
22/10/2016	77.60	162,107	21.9	SEBA KLL-Q
22/10/2016	77.80	164,189	22.0	SEBA KLL-Q
22/10/2016	78.00	166,707	22.0	SEBA KLL-Q
22/10/2016	78.20	214,188	22.2	SEBA KLL-Q
22/10/2016	78.40	237,275	22.4	SEBA KLL-Q
22/10/2016	78.60	237,359	22.4	SEBA KLL-Q
22/10/2016	78.80	237,503	22.4	SEBA KLL-Q
22/10/2016	79.00	237,456	22.4	SEBA KLL-Q
22/10/2016	79.50	237,460	22.4	SEBA KLL-Q
22/10/2016	80.00	237,530	22.4	SEBA KLL-Q
22/10/2016	81.00	237,530	22.4	SEBA KLL-Q
22/10/2016	82.00	237,545	22.4	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2016	84.00	237,512	22.4	SEBA KLL-Q
22/10/2016	86.00	237,533	22.4	SEBA KLL-Q
22/10/2016	90.00	237,543	22.5	SEBA KLL-Q
22/10/2016	95.00	237,563	22.5	SEBA KLL-Q
22/10/2016	99.55	134,759	22.6	SEBA KLL-Q
20/11/2016	1.10	15,240	20.8	SEBA KLL-Q
20/11/2016	2.00	23,430	19.9	SEBA KLL-Q
20/11/2016	4.00	29,160	20.2	SEBA KLL-Q
20/11/2016	6.00	29,150	20.2	SEBA KLL-Q
20/11/2016	8.00	29,130	20.3	SEBA KLL-Q
20/11/2016	10.00	29,140	20.3	SEBA KLL-Q
20/11/2016	12.00	29,160	20.3	SEBA KLL-Q
20/11/2016	14.00	29,130	20.3	SEBA KLL-Q
20/11/2016	16.00	29,150	20.3	SEBA KLL-Q
20/11/2016	18.00	29,150	20.3	SEBA KLL-Q
20/11/2016	20.00	29,210	20.4	SEBA KLL-Q
20/11/2016	22.00	29,260	20.4	SEBA KLL-Q
20/11/2016	24.00	29,290	20.4	SEBA KLL-Q
20/11/2016	26.00	29,310	20.4	SEBA KLL-Q
20/11/2016	28.00	29,450	20.4	SEBA KLL-Q
20/11/2016	29.00	54,450	20.5	SEBA KLL-Q
20/11/2016	29.50	55,160	20.5	SEBA KLL-Q
20/11/2016	30.00	55,710	20.5	SEBA KLL-Q
20/11/2016	31.00	55,970	20.6	SEBA KLL-Q
20/11/2016	32.00	57,630	20.6	SEBA KLL-Q
20/11/2016	34.00	58,150	20.7	SEBA KLL-Q
20/11/2016	36.00	58,190	20.7	SEBA KLL-Q
20/11/2016	38.00	58,180	20.7	SEBA KLL-Q
20/11/2016	40.00	58,160	20.7	SEBA KLL-Q
20/11/2016	42.00	58,200	20.7	SEBA KLL-Q
20/11/2016	44.00	58,210	20.7	SEBA KLL-Q
20/11/2016	46.00	58,180	20.8	SEBA KLL-Q
20/11/2016	48.00	58,210	20.8	SEBA KLL-Q
20/11/2016	49.00	58,230	20.9	SEBA KLL-Q
20/11/2016	49.50	59,010	20.9	SEBA KLL-Q
20/11/2016	49.70	74,970	21.0	SEBA KLL-Q
20/11/2016	49.90	79,890	21.0	SEBA KLL-Q
20/11/2016	50.10	77,220	21.1	SEBA KLL-Q
20/11/2016	50.50	77,430	21.1	SEBA KLL-Q
20/11/2016	51.00	77,490	21.1	SEBA KLL-Q
20/11/2016	52.00	77,500	21.1	SEBA KLL-Q
20/11/2016	54.00	77,550	21.1	SEBA KLL-Q
20/11/2016	56.00	77,570	21.1	SEBA KLL-Q
20/11/2016	58.00	77,610	21.1	SEBA KLL-Q
20/11/2016	60.00	78,320	21.1	SEBA KLL-Q
20/11/2016	61.00	78,280	21.1	SEBA KLL-Q
20/11/2016	61.20	78,300	21.1	SEBA KLL-Q
20/11/2016	61.40	78,390	21.1	SEBA KLL-Q
20/11/2016	61.60	85,320	21.1	SEBA KLL-Q
20/11/2016	61.80	90,830	21.1	SEBA KLL-Q
20/11/2016	62.00	92,040	21.1	SEBA KLL-Q
20/11/2016	62.20	99,750	21.2	SEBA KLL-Q
20/11/2016	62.40	102,500	21.2	SEBA KLL-Q
20/11/2016	62.60	135,800	21.2	SEBA KLL-Q
20/11/2016	62.80	141,400	21.2	SEBA KLL-Q
20/11/2016	63.00	146,000	21.2	SEBA KLL-Q
20/11/2016	63.20	147,000	21.2	SEBA KLL-Q
20/11/2016	63.40	147,200	21.2	SEBA KLL-Q
20/11/2016	63.60	147,400	21.2	SEBA KLL-Q
20/11/2016	63.80	151,200	21.2	SEBA KLL-Q
20/11/2016	64.00	152,800	21.2	SEBA KLL-Q
20/11/2016	64.20	153,300	21.3	SEBA KLL-Q
20/11/2016	64.40	153,100	21.3	SEBA KLL-Q
20/11/2016	64.60	153,100	21.3	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/11/2016	64.80	153,100	21.3	SEBA KLL-Q
20/11/2016	65.00	153,100	21.3	SEBA KLL-Q
20/11/2016	66.00	153,200	21.3	SEBA KLL-Q
20/11/2016	67.00	153,100	21.4	SEBA KLL-Q
20/11/2016	68.00	153,000	21.4	SEBA KLL-Q
20/11/2016	69.00	153,000	21.4	SEBA KLL-Q
20/11/2016	70.00	153,100	21.4	SEBA KLL-Q
20/11/2016	72.00	153,000	21.4	SEBA KLL-Q
20/11/2016	74.00	153,000	21.4	SEBA KLL-Q
20/11/2016	75.00	155,300	21.5	SEBA KLL-Q
20/11/2016	75.20	155,300	21.6	SEBA KLL-Q
20/11/2016	75.40	155,300	21.6	SEBA KLL-Q
20/11/2016	75.60	155,500	21.6	SEBA KLL-Q
20/11/2016	75.80	156,000	21.6	SEBA KLL-Q
20/11/2016	76.00	156,700	21.6	SEBA KLL-Q
20/11/2016	76.20	157,000	21.7	SEBA KLL-Q
20/11/2016	76.40	157,900	21.7	SEBA KLL-Q
20/11/2016	76.60	157,600	21.7	SEBA KLL-Q
20/11/2016	76.80	159,300	21.8	SEBA KLL-Q
20/11/2016	77.00	159,600	21.8	SEBA KLL-Q
20/11/2016	77.20	160,200	21.8	SEBA KLL-Q
20/11/2016	77.40	161,000	21.9	SEBA KLL-Q
20/11/2016	77.60	162,800	21.9	SEBA KLL-Q
20/11/2016	77.80	166,200	21.9	SEBA KLL-Q
20/11/2016	78.00	174,700	22.0	SEBA KLL-Q
20/11/2016	78.20	206,800	22.2	SEBA KLL-Q
20/11/2016	78.40	235,800	22.3	SEBA KLL-Q
20/11/2016	78.60	231,100	22.4	SEBA KLL-Q
20/11/2016	78.80	235,100	22.4	SEBA KLL-Q
20/11/2016	79.00	235,100	22.4	SEBA KLL-Q
20/11/2016	80.00	235,100	22.4	SEBA KLL-Q
20/11/2016	85.00	235,100	22.4	SEBA KLL-Q
20/11/2016	90.00	235,400	22.4	SEBA KLL-Q
20/11/2016	95.00	235,100	22.5	SEBA KLL-Q
20/11/2016	99.55	162,100	22.6	SEBA KLL-Q
20/12/2016	1.50	15,210	23.1	SEBA KLL-Q
20/12/2016	2.00	20,290	20.7	SEBA KLL-Q
20/12/2016	4.00	29,750	20.3	SEBA KLL-Q
20/12/2016	6.00	29,720	20.3	SEBA KLL-Q
20/12/2016	8.00	29,700	20.3	SEBA KLL-Q
20/12/2016	10.00	29,710	20.3	SEBA KLL-Q
20/12/2016	12.00	29,680	20.3	SEBA KLL-Q
20/12/2016	14.00	29,660	20.3	SEBA KLL-Q
20/12/2016	16.00	29,640	20.3	SEBA KLL-Q
20/12/2016	18.00	29,650	20.3	SEBA KLL-Q
20/12/2016	20.00	29,690	20.4	SEBA KLL-Q
20/12/2016	22.00	29,730	20.4	SEBA KLL-Q
20/12/2016	24.00	29,850	20.4	SEBA KLL-Q
20/12/2016	26.00	29,820	20.4	SEBA KLL-Q
20/12/2016	28.00	29,980	20.4	SEBA KLL-Q
20/12/2016	28.20	30,290	20.4	SEBA KLL-Q
20/12/2016	28.40	32,120	20.4	SEBA KLL-Q
20/12/2016	28.60	52,410	20.4	SEBA KLL-Q
20/12/2016	28.80	52,700	20.5	SEBA KLL-Q
20/12/2016	29.00	53,030	20.5	SEBA KLL-Q
20/12/2016	31.00	55,300	20.6	SEBA KLL-Q
20/12/2016	33.00	58,140	20.7	SEBA KLL-Q
20/12/2016	35.00	58,210	20.7	SEBA KLL-Q
20/12/2016	37.00	58,220	20.8	SEBA KLL-Q
20/12/2016	39.00	58,370	20.8	SEBA KLL-Q
20/12/2016	41.00	58,460	20.8	SEBA KLL-Q
20/12/2016	43.00	58,470	20.9	SEBA KLL-Q
20/12/2016	45.00	58,460	20.9	SEBA KLL-Q
20/12/2016	47.00	58,460	20.9	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/12/2016	49.00	58,460	20.9	SEBA KLL-Q
20/12/2016	49.20	58,520	20.9	SEBA KLL-Q
20/12/2016	49.40	58,630	20.9	SEBA KLL-Q
20/12/2016	49.60	59,200	20.9	SEBA KLL-Q
20/12/2016	49.80	76,870	21.0	SEBA KLL-Q
20/12/2016	50.00	77,040	21.1	SEBA KLL-Q
20/12/2016	52.00	77,240	21.1	SEBA KLL-Q
20/12/2016	54.00	77,240	21.1	SEBA KLL-Q
20/12/2016	56.00	77,290	21.1	SEBA KLL-Q
20/12/2016	58.00	77,310	21.1	SEBA KLL-Q
20/12/2016	60.00	77,990	21.1	SEBA KLL-Q
20/12/2016	61.00	78,070	21.1	SEBA KLL-Q
20/12/2016	61.20	78,110	21.1	SEBA KLL-Q
20/12/2016	61.40	78,140	21.1	SEBA KLL-Q
20/12/2016	61.60	86,300	21.1	SEBA KLL-Q
20/12/2016	61.80	89,790	21.1	SEBA KLL-Q
20/12/2016	62.00	91,670	21.2	SEBA KLL-Q
20/12/2016	62.20	102,800	21.2	SEBA KLL-Q
20/12/2016	62.40	110,800	21.2	SEBA KLL-Q
20/12/2016	62.60	144,400	21.2	SEBA KLL-Q
20/12/2016	62.80	144,900	21.2	SEBA KLL-Q
20/12/2016	63.00	145,400	21.2	SEBA KLL-Q
20/12/2016	63.20	145,700	21.2	SEBA KLL-Q
20/12/2016	63.40	146,000	21.2	SEBA KLL-Q
20/12/2016	63.60	148,400	21.2	SEBA KLL-Q
20/12/2016	63.80	152,900	21.3	SEBA KLL-Q
20/12/2016	64.00	153,000	21.4	SEBA KLL-Q
20/12/2016	66.00	152,900	21.4	SEBA KLL-Q
20/12/2016	68.00	153,000	21.4	SEBA KLL-Q
20/12/2016	70.00	153,000	21.4	SEBA KLL-Q
20/12/2016	72.00	152,900	21.4	SEBA KLL-Q
20/12/2016	74.00	153,000	21.4	SEBA KLL-Q
20/12/2016	75.00	155,100	21.5	SEBA KLL-Q
20/12/2016	76.00	156,800	21.7	SEBA KLL-Q
20/12/2016	77.00	160,700	21.8	SEBA KLL-Q
20/12/2016	77.20	161,400	21.9	SEBA KLL-Q
20/12/2016	77.40	162,200	21.9	SEBA KLL-Q
20/12/2016	77.60	163,800	22.0	SEBA KLL-Q
20/12/2016	77.80	168,500	22.0	SEBA KLL-Q
20/12/2016	78.00	177,500	22.1	SEBA KLL-Q
20/12/2016	78.20	214,000	22.2	SEBA KLL-Q
20/12/2016	78.40	235,200	22.2	SEBA KLL-Q
20/12/2016	78.60	234,400	22.4	SEBA KLL-Q
20/12/2016	78.80	234,400	22.4	SEBA KLL-Q
20/12/2016	79.00	234,600	22.4	SEBA KLL-Q
20/12/2016	81.00	234,600	22.4	SEBA KLL-Q
20/12/2016	83.00	234,600	22.4	SEBA KLL-Q
20/12/2016	85.00	236,600	22.4	SEBA KLL-Q
20/12/2016	87.00	234,600	22.4	SEBA KLL-Q
20/12/2016	89.00	234,700	22.5	SEBA KLL-Q
20/12/2016	91.00	234,700	22.5	SEBA KLL-Q
20/12/2016	93.00	234,600	22.5	SEBA KLL-Q
20/12/2016	95.00	234,600	22.5	SEBA KLL-Q
20/12/2016	97.00	235,600	22.6	SEBA KLL-Q
20/12/2016	99.00	235,200	22.6	SEBA KLL-Q
20/12/2016	99.49	194,400	22.6	SEBA KLL-Q
14/01/2017	1.10	15,830	24.5	SEBA KLL-Q
14/01/2017	2.00	18,880	21.4	SEBA KLL-Q
14/01/2017	4.00	33,100	20.3	SEBA KLL-Q
14/01/2017	6.00	33,050	20.3	SEBA KLL-Q
14/01/2017	8.00	33,030	20.3	SEBA KLL-Q
14/01/2017	10.00	33,020	20.3	SEBA KLL-Q
14/01/2017	12.00	33,000	20.3	SEBA KLL-Q
14/01/2017	14.00	32,980	20.3	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/01/2017	16.00	32,960	20.3	SEBA KLL-Q
14/01/2017	18.00	32,950	20.3	SEBA KLL-Q
14/01/2017	20.00	32,950	20.3	SEBA KLL-Q
14/01/2017	22.00	32,970	20.4	SEBA KLL-Q
14/01/2017	24.00	33,060	20.4	SEBA KLL-Q
14/01/2017	26.00	33,160	20.4	SEBA KLL-Q
14/01/2017	28.00	33,310	20.4	SEBA KLL-Q
14/01/2017	29.00	56,870	20.5	SEBA KLL-Q
14/01/2017	29.50	58,560	20.5	SEBA KLL-Q
14/01/2017	30.00	58,940	20.5	SEBA KLL-Q
14/01/2017	30.50	59,370	20.5	SEBA KLL-Q
14/01/2017	31.00	59,550	20.5	SEBA KLL-Q
14/01/2017	31.50	59,820	20.6	SEBA KLL-Q
14/01/2017	32.00	63,370	20.6	SEBA KLL-Q
14/01/2017	32.50	63,960	20.7	SEBA KLL-Q
14/01/2017	33.00	64,010	20.7	SEBA KLL-Q
14/01/2017	33.50	64,010	20.7	SEBA KLL-Q
14/01/2017	34.00	64,020	20.7	SEBA KLL-Q
14/01/2017	34.50	64,030	20.7	SEBA KLL-Q
14/01/2017	35.00	64,060	20.8	SEBA KLL-Q
14/01/2017	35.50	64,070	20.8	SEBA KLL-Q
14/01/2017	36.00	64,060	20.8	SEBA KLL-Q
14/01/2017	36.50	64,090	20.8	SEBA KLL-Q
14/01/2017	37.00	64,080	20.8	SEBA KLL-Q
14/01/2017	37.50	64,060	20.8	SEBA KLL-Q
14/01/2017	38.00	64,080	20.8	SEBA KLL-Q
14/01/2017	38.50	64,060	20.8	SEBA KLL-Q
14/01/2017	39.00	64,080	20.8	SEBA KLL-Q
14/01/2017	40.00	64,070	20.8	SEBA KLL-Q
14/01/2017	41.00	64,070	20.8	SEBA KLL-Q
14/01/2017	42.00	64,080	20.8	SEBA KLL-Q
14/01/2017	43.00	64,080	20.8	SEBA KLL-Q
14/01/2017	44.00	64,080	20.8	SEBA KLL-Q
14/01/2017	45.00	64,090	20.8	SEBA KLL-Q
14/01/2017	46.00	64,100	20.8	SEBA KLL-Q
14/01/2017	47.00	64,110	20.8	SEBA KLL-Q
14/01/2017	48.00	64,150	20.9	SEBA KLL-Q
14/01/2017	49.00	64,160	20.9	SEBA KLL-Q
14/01/2017	50.00	84,540	21.1	SEBA KLL-Q
14/01/2017	50.20	84,640	21.1	SEBA KLL-Q
14/01/2017	50.40	84,640	21.1	SEBA KLL-Q
14/01/2017	50.60	84,640	21.1	SEBA KLL-Q
14/01/2017	50.80	84,640	21.1	SEBA KLL-Q
14/01/2017	51.00	84,640	21.1	SEBA KLL-Q
14/01/2017	51.50	84,640	21.1	SEBA KLL-Q
14/01/2017	52.00	84,660	21.1	SEBA KLL-Q
14/01/2017	52.50	84,660	21.1	SEBA KLL-Q
14/01/2017	53.00	84,670	21.1	SEBA KLL-Q
14/01/2017	53.50	84,670	21.1	SEBA KLL-Q
14/01/2017	54.00	84,670	21.1	SEBA KLL-Q
14/01/2017	54.50	84,680	21.1	SEBA KLL-Q
14/01/2017	55.00	84,680	21.1	SEBA KLL-Q
14/01/2017	56.00	84,690	21.1	SEBA KLL-Q
14/01/2017	57.00	84,700	21.1	SEBA KLL-Q
14/01/2017	58.00	84,760	21.1	SEBA KLL-Q
14/01/2017	58.50	84,790	21.1	SEBA KLL-Q
14/01/2017	59.00	85,330	21.1	SEBA KLL-Q
14/01/2017	59.50	85,500	21.1	SEBA KLL-Q
14/01/2017	60.00	85,520	21.1	SEBA KLL-Q
14/01/2017	60.50	85,550	21.1	SEBA KLL-Q
14/01/2017	61.00	85,550	21.1	SEBA KLL-Q
14/01/2017	61.50	85,660	21.1	SEBA KLL-Q
14/01/2017	62.00	101,200	21.2	SEBA KLL-Q
14/01/2017	62.20	122,800	21.2	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/01/2017	62.40	131,100	21.2	SEBA KLL-Q
14/01/2017	62.60	161,600	21.2	SEBA KLL-Q
14/01/2017	62.80	162,100	21.2	SEBA KLL-Q
14/01/2017	63.00	162,400	21.2	SEBA KLL-Q
14/01/2017	63.20	162,900	21.2	SEBA KLL-Q
14/01/2017	63.40	163,100	21.2	SEBA KLL-Q
14/01/2017	63.60	164,800	21.3	SEBA KLL-Q
14/01/2017	63.80	167,600	21.4	SEBA KLL-Q
14/01/2017	64.00	167,700	21.4	SEBA KLL-Q
14/01/2017	64.20	167,700	21.4	SEBA KLL-Q
14/01/2017	64.40	167,700	21.4	SEBA KLL-Q
14/01/2017	64.60	167,700	21.4	SEBA KLL-Q
14/01/2017	64.80	167,700	21.4	SEBA KLL-Q
14/01/2017	65.00	167,700	21.4	SEBA KLL-Q
14/01/2017	65.20	167,700	21.4	SEBA KLL-Q
14/01/2017	65.40	167,700	21.4	SEBA KLL-Q
14/01/2017	65.60	167,700	21.4	SEBA KLL-Q
14/01/2017	66.00	167,700	21.4	SEBA KLL-Q
14/01/2017	66.50	167,700	21.4	SEBA KLL-Q
14/01/2017	67.00	167,700	21.4	SEBA KLL-Q
14/01/2017	67.50	167,700	21.4	SEBA KLL-Q
14/01/2017	68.00	167,700	21.4	SEBA KLL-Q
14/01/2017	68.50	167,700	21.4	SEBA KLL-Q
14/01/2017	69.00	167,700	21.4	SEBA KLL-Q
14/01/2017	69.50	167,700	21.4	SEBA KLL-Q
14/01/2017	70.00	167,700	21.4	SEBA KLL-Q
14/01/2017	70.50	167,700	21.4	SEBA KLL-Q
14/01/2017	71.00	167,700	21.4	SEBA KLL-Q
14/01/2017	72.00	167,700	21.4	SEBA KLL-Q
14/01/2017	73.00	167,700	21.4	SEBA KLL-Q
14/01/2017	75.00	170,300	21.6	SEBA KLL-Q
14/01/2017	76.00	172,400	21.7	SEBA KLL-Q
14/01/2017	77.00	177,300	21.9	SEBA KLL-Q
14/01/2017	78.00	198,100	22.1	SEBA KLL-Q
14/01/2017	78.50	257,600	22.4	SEBA KLL-Q
14/01/2017	79.00	257,600	22.4	SEBA KLL-Q
14/01/2017	80.00	257,600	22.4	SEBA KLL-Q
14/01/2017	82.00	257,600	22.4	SEBA KLL-Q
14/01/2017	84.00	257,600	22.4	SEBA KLL-Q
14/01/2017	86.00	257,600	22.4	SEBA KLL-Q
14/01/2017	88.00	257,500	22.5	SEBA KLL-Q
14/01/2017	90.00	257,600	22.5	SEBA KLL-Q
14/01/2017	92.00	257,500	22.5	SEBA KLL-Q
14/01/2017	94.00	257,600	22.5	SEBA KLL-Q
14/01/2017	96.00	257,600	22.5	SEBA KLL-Q
14/01/2017	98.00	257,400	22.6	SEBA KLL-Q
22/04/2017	1.00	26,470	21.0	SEBA KLL-Q
22/04/2017	3.00	33,050	20.2	SEBA KLL-Q
22/04/2017	5.00	33,110	20.2	SEBA KLL-Q
22/04/2017	7.00	33,150	20.2	SEBA KLL-Q
22/04/2017	9.00	33,170	20.2	SEBA KLL-Q
22/04/2017	11.00	33,190	20.2	SEBA KLL-Q
22/04/2017	13.00	33,200	20.2	SEBA KLL-Q
22/04/2017	15.00	33,240	20.2	SEBA KLL-Q
22/04/2017	17.00	33,260	20.3	SEBA KLL-Q
22/04/2017	19.00	33,350	20.3	SEBA KLL-Q
22/04/2017	21.00	33,440	20.3	SEBA KLL-Q
22/04/2017	23.00	33,550	20.3	SEBA KLL-Q
22/04/2017	25.00	33,600	20.3	SEBA KLL-Q
22/04/2017	27.00	33,700	20.3	SEBA KLL-Q
22/04/2017	29.00	61,210	20.5	SEBA KLL-Q
22/04/2017	30.00	63,700	20.5	SEBA KLL-Q
22/04/2017	32.00	66,250	20.6	SEBA KLL-Q
22/04/2017	34.00	66,700	20.7	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/04/2017	36.00	66,700	20.7	SEBA KLL-Q
22/04/2017	38.00	66,700	20.7	SEBA KLL-Q
22/04/2017	40.00	66,720	20.7	SEBA KLL-Q
22/04/2017	42.00	66,720	20.8	SEBA KLL-Q
22/04/2017	44.00	66,750	20.8	SEBA KLL-Q
22/04/2017	46.00	66,780	20.8	SEBA KLL-Q
22/04/2017	48.00	66,840	20.8	SEBA KLL-Q
22/04/2017	50.00	87,750	20.9	SEBA KLL-Q
22/04/2017	51.00	88,110	21.0	SEBA KLL-Q
22/04/2017	52.00	88,090	21.0	SEBA KLL-Q
22/04/2017	53.00	88,060	21.0	SEBA KLL-Q
22/04/2017	54.00	88,010	21.0	SEBA KLL-Q
22/04/2017	55.00	87,950	21.0	SEBA KLL-Q
22/04/2017	56.00	87,910	21.0	SEBA KLL-Q
22/04/2017	57.00	87,860	21.0	SEBA KLL-Q
22/04/2017	58.00	87,850	21.0	SEBA KLL-Q
22/04/2017	59.00	88,290	21.0	SEBA KLL-Q
22/04/2017	60.00	88,550	21.0	SEBA KLL-Q
22/04/2017	60.50	88,530	21.0	SEBA KLL-Q
22/04/2017	61.00	88,460	21.0	SEBA KLL-Q
22/04/2017	61.50	88,590	21.0	SEBA KLL-Q
22/04/2017	62.00	121,500	21.0	SEBA KLL-Q
22/04/2017	62.50	170,600	21.0	SEBA KLL-Q
22/04/2017	62.70	171,300	21.0	SEBA KLL-Q
22/04/2017	62.90	171,300	21.1	SEBA KLL-Q
22/04/2017	63.10	171,200	21.1	SEBA KLL-Q
22/04/2017	63.30	171,200	21.1	SEBA KLL-Q
22/04/2017	63.50	171,100	21.1	SEBA KLL-Q
22/04/2017	63.70	171,400	21.2	SEBA KLL-Q
22/04/2017	63.90	171,400	21.2	SEBA KLL-Q
22/04/2017	64.10	171,300	21.2	SEBA KLL-Q
22/04/2017	64.30	171,200	21.2	SEBA KLL-Q
22/04/2017	64.50	171,500	21.2	SEBA KLL-Q
22/04/2017	64.70	171,000	21.2	SEBA KLL-Q
22/04/2017	64.90	170,900	21.2	SEBA KLL-Q
22/04/2017	65.50	170,800	21.2	SEBA KLL-Q
22/04/2017	65.70	170,800	21.3	SEBA KLL-Q
22/04/2017	66.00	170,700	21.3	SEBA KLL-Q
22/04/2017	66.50	170,600	21.3	SEBA KLL-Q
22/04/2017	66.70	170,600	21.3	SEBA KLL-Q
22/04/2017	66.90	170,500	21.3	SEBA KLL-Q
22/04/2017	67.10	170,400	21.3	SEBA KLL-Q
22/04/2017	67.30	170,300	21.3	SEBA KLL-Q
22/04/2017	67.50	170,300	21.3	SEBA KLL-Q
22/04/2017	68.00	170,200	21.3	SEBA KLL-Q
22/04/2017	69.00	170,100	21.3	SEBA KLL-Q
22/04/2017	70.00	170,400	21.3	SEBA KLL-Q
22/04/2017	71.00	170,000	21.3	SEBA KLL-Q
22/04/2017	72.00	170,000	21.3	SEBA KLL-Q
22/04/2017	73.00	171,100	21.4	SEBA KLL-Q
22/04/2017	73.50	171,200	21.4	SEBA KLL-Q
22/04/2017	74.00	172,300	21.5	SEBA KLL-Q
22/04/2017	74.50	175,500	21.5	SEBA KLL-Q
22/04/2017	75.00	176,000	21.5	SEBA KLL-Q
22/04/2017	75.50	176,600	21.6	SEBA KLL-Q
22/04/2017	76.00	178,600	21.6	SEBA KLL-Q
22/04/2017	76.50	181,500	21.7	SEBA KLL-Q
22/04/2017	77.00	184,300	21.8	SEBA KLL-Q
22/04/2017	77.50	189,000	21.9	SEBA KLL-Q
22/04/2017	77.70	192,900	21.9	SEBA KLL-Q
22/04/2017	77.90	203,900	22.0	SEBA KLL-Q
22/04/2017	78.00	203,900	22.0	SEBA KLL-Q
22/04/2017	78.50	223,000	22.3	SEBA KLL-Q
22/04/2017	79.00	268,700	22.2	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/04/2017	80.00	268,700	22.2	SEBA KLL-Q
22/04/2017	82.00	268,700	22.2	SEBA KLL-Q
22/04/2017	84.00	268,500	22.2	SEBA KLL-Q
22/04/2017	86.00	268,500	22.2	SEBA KLL-Q
22/04/2017	88.00	268,500	22.2	SEBA KLL-Q
22/04/2017	90.00	268,500	22.2	SEBA KLL-Q
22/04/2017	92.00	268,300	22.2	SEBA KLL-Q
22/04/2017	94.00	268,100	22.4	SEBA KLL-Q
22/04/2017	96.00	268,100	22.4	SEBA KLL-Q
22/04/2017	98.00	267,900	22.5	SEBA KLL-Q
22/04/2017	99.00	267,900	22.5	SEBA KLL-Q
22/04/2017	100.00	267,600	22.5	SEBA KLL-Q
14/07/2017	2.00	27,100	20.1	SEBA KLL-Q
14/07/2017	4.00	28,320	20.2	SEBA KLL-Q
14/07/2017	6.00	28,330	20.2	SEBA KLL-Q
14/07/2017	8.00	28,310	20.2	SEBA KLL-Q
14/07/2017	10.00	28,330	20.2	SEBA KLL-Q
14/07/2017	12.00	28,330	20.2	SEBA KLL-Q
14/07/2017	14.00	28,310	20.2	SEBA KLL-Q
14/07/2017	16.00	28,290	20.3	SEBA KLL-Q
14/07/2017	18.00	28,290	20.3	SEBA KLL-Q
14/07/2017	20.00	28,300	20.3	SEBA KLL-Q
14/07/2017	22.00	28,330	20.3	SEBA KLL-Q
14/07/2017	24.00	28,340	20.4	SEBA KLL-Q
14/07/2017	26.00	28,520	20.4	SEBA KLL-Q
14/07/2017	28.00	28,510	20.4	SEBA KLL-Q
14/07/2017	29.00	32,820	20.5	SEBA KLL-Q
14/07/2017	29.50	53,330	20.5	SEBA KLL-Q
14/07/2017	30.00	53,760	20.5	SEBA KLL-Q
14/07/2017	32.00	57,200	20.6	SEBA KLL-Q
14/07/2017	34.00	57,220	20.7	SEBA KLL-Q
14/07/2017	36.00	57,250	20.8	SEBA KLL-Q
14/07/2017	38.00	57,190	20.8	SEBA KLL-Q
14/07/2017	40.00	57,290	20.8	SEBA KLL-Q
14/07/2017	42.00	57,290	20.8	SEBA KLL-Q
14/07/2017	44.00	57,270	20.8	SEBA KLL-Q
14/07/2017	46.00	57,300	20.8	SEBA KLL-Q
14/07/2017	48.00	57,310	20.8	SEBA KLL-Q
14/07/2017	49.00	57,270	20.8	SEBA KLL-Q
14/07/2017	49.50	57,290	20.8	SEBA KLL-Q
14/07/2017	50.00	79,840	21.0	SEBA KLL-Q
14/07/2017	51.00	80,680	21.1	SEBA KLL-Q
14/07/2017	52.00	80,660	21.1	SEBA KLL-Q
14/07/2017	54.00	80,690	21.1	SEBA KLL-Q
14/07/2017	56.00	80,670	21.1	SEBA KLL-Q
14/07/2017	58.00	80,740	21.1	SEBA KLL-Q
14/07/2017	60.00	81,560	21.1	SEBA KLL-Q
14/07/2017	61.00	81,600	21.1	SEBA KLL-Q
14/07/2017	61.50	81,740	21.1	SEBA KLL-Q
14/07/2017	62.00	138,900	21.2	SEBA KLL-Q
14/07/2017	63.00	148,900	21.2	SEBA KLL-Q
14/07/2017	64.00	148,800	21.3	SEBA KLL-Q
14/07/2017	66.00	148,900	21.3	SEBA KLL-Q
14/07/2017	68.00	148,800	21.3	SEBA KLL-Q
14/07/2017	70.00	148,900	21.3	SEBA KLL-Q
14/07/2017	72.00	148,900	21.3	SEBA KLL-Q
14/07/2017	74.00	157,800	21.5	SEBA KLL-Q
14/07/2017	74.50	167,400	21.6	SEBA KLL-Q
14/07/2017	75.00	167,700	21.6	SEBA KLL-Q
14/07/2017	75.50	167,800	21.6	SEBA KLL-Q
14/07/2017	76.00	169,100	21.6	SEBA KLL-Q
14/07/2017	76.50	173,600	21.7	SEBA KLL-Q
14/07/2017	77.00	178,200	21.8	SEBA KLL-Q
14/07/2017	77.50	222,400	21.9	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/07/2017	77.80	243,900	21.9	SEBA KLL-Q
14/07/2017	78.00	251,400	22.0	SEBA KLL-Q
14/07/2017	80.00	254,800	22.2	SEBA KLL-Q
14/07/2017	82.00	254,800	22.3	SEBA KLL-Q
14/07/2017	84.00	254,900	22.3	SEBA KLL-Q
14/07/2017	86.00	255,000	22.2	SEBA KLL-Q
14/07/2017	88.00	255,000	22.3	SEBA KLL-Q
14/07/2017	90.00	255,200	22.4	SEBA KLL-Q
14/07/2017	92.00	255,200	22.4	SEBA KLL-Q
14/07/2017	94.00	255,100	22.5	SEBA KLL-Q
14/07/2017	96.00	255,200	22.5	SEBA KLL-Q
14/07/2017	98.00	255,000	22.5	SEBA KLL-Q
23/10/2017	2.00	26,220	20.2	SEBA KLL-Q
23/10/2017	4.00	33,500	20.2	SEBA KLL-Q
23/10/2017	6.00	33,480	20.3	SEBA KLL-Q
23/10/2017	8.00	33,490	20.3	SEBA KLL-Q
23/10/2017	10.00	33,520	20.2	SEBA KLL-Q
23/10/2017	12.00	33,520	20.2	SEBA KLL-Q
23/10/2017	14.00	33,500	20.2	SEBA KLL-Q
23/10/2017	16.00	33,530	20.3	SEBA KLL-Q
23/10/2017	18.00	33,590	20.3	SEBA KLL-Q
23/10/2017	20.00	33,670	20.3	SEBA KLL-Q
23/10/2017	22.00	33,720	20.3	SEBA KLL-Q
23/10/2017	24.00	33,820	20.3	SEBA KLL-Q
23/10/2017	26.00	33,850	20.4	SEBA KLL-Q
23/10/2017	28.00	34,380	20.4	SEBA KLL-Q
23/10/2017	28.50	47,370	20.4	SEBA KLL-Q
23/10/2017	29.00	58,670	20.5	SEBA KLL-Q
23/10/2017	29.50	61,470	20.5	SEBA KLL-Q
23/10/2017	30.00	62,110	20.5	SEBA KLL-Q
23/10/2017	31.00	62,310	20.6	SEBA KLL-Q
23/10/2017	32.00	64,640	20.6	SEBA KLL-Q
23/10/2017	34.00	65,050	20.7	SEBA KLL-Q
23/10/2017	36.00	65,040	20.7	SEBA KLL-Q
23/10/2017	38.00	65,060	20.7	SEBA KLL-Q
23/10/2017	40.00	65,070	20.8	SEBA KLL-Q
23/10/2017	42.00	65,120	20.8	SEBA KLL-Q
23/10/2017	44.00	65,180	20.8	SEBA KLL-Q
23/10/2017	46.00	65,200	20.8	SEBA KLL-Q
23/10/2017	48.00	65,150	20.8	SEBA KLL-Q
23/10/2017	49.00	65,550	20.8	SEBA KLL-Q
23/10/2017	50.00	93,400	20.9	SEBA KLL-Q
23/10/2017	51.00	94,380	21.0	SEBA KLL-Q
23/10/2017	52.00	94,590	21.0	SEBA KLL-Q
23/10/2017	54.00	94,620	21.1	SEBA KLL-Q
23/10/2017	56.00	94,630	21.1	SEBA KLL-Q
23/10/2017	58.00	94,760	21.1	SEBA KLL-Q
23/10/2017	60.00	95,800	21.1	SEBA KLL-Q
23/10/2017	61.00	95,890	21.1	SEBA KLL-Q
23/10/2017	61.50	96,170	21.1	SEBA KLL-Q
23/10/2017	62.00	157,100	21.2	SEBA KLL-Q
23/10/2017	62.20	159,800	21.2	SEBA KLL-Q
23/10/2017	62.40	162,400	21.3	SEBA KLL-Q
23/10/2017	62.60	162,500	21.3	SEBA KLL-Q
23/10/2017	62.80	162,400	21.3	SEBA KLL-Q
23/10/2017	63.00	162,500	21.3	SEBA KLL-Q
23/10/2017	64.00	162,400	21.3	SEBA KLL-Q
23/10/2017	65.00	162,600	21.3	SEBA KLL-Q
23/10/2017	66.00	162,500	21.3	SEBA KLL-Q
23/10/2017	68.00	162,200	21.3	SEBA KLL-Q
23/10/2017	70.00	162,600	21.3	SEBA KLL-Q
23/10/2017	72.00	162,200	21.3	SEBA KLL-Q
23/10/2017	74.00	173,700	21.5	SEBA KLL-Q
23/10/2017	74.50	185,200	21.5	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/10/2017	75.00	189,400	21.6	SEBA KLL-Q
23/10/2017	75.50	192,000	21.6	SEBA KLL-Q
23/10/2017	76.00	198,400	21.6	SEBA KLL-Q
23/10/2017	76.50	211,600	21.7	SEBA KLL-Q
23/10/2017	77.00	248,800	21.8	SEBA KLL-Q
23/10/2017	77.50	282,400	21.8	SEBA KLL-Q
23/10/2017	77.60	283,200	21.9	SEBA KLL-Q
23/10/2017	77.80	285,100	22.0	SEBA KLL-Q
23/10/2017	78.00	285,800	22.0	SEBA KLL-Q
23/10/2017	78.50	287,500	22.2	SEBA KLL-Q
23/10/2017	79.00	286,400	22.2	SEBA KLL-Q
23/10/2017	80.00	286,200	22.3	SEBA KLL-Q
23/10/2017	82.00	286,300	22.3	SEBA KLL-Q
23/10/2017	84.00	286,400	22.3	SEBA KLL-Q
23/10/2017	86.00	286,500	22.3	SEBA KLL-Q
23/10/2017	88.00	286,500	22.3	SEBA KLL-Q
23/10/2017	90.00	286,500	22.4	SEBA KLL-Q
23/10/2017	92.00	286,500	22.4	SEBA KLL-Q
23/10/2017	94.00	286,400	22.4	SEBA KLL-Q
23/10/2017	96.00	286,500	22.5	SEBA KLL-Q
23/10/2017	98.00	286,200	22.5	SEBA KLL-Q
11/01/2018	2.0	12,340	20.76	SEBA KLL-Q
11/01/2018	4.0	29,970	20.35	SEBA KLL-Q
11/01/2018	6.0	30,020	20.31	SEBA KLL-Q
11/01/2018	8.0	30,020	20.32	SEBA KLL-Q
11/01/2018	10.0	30,050	20.33	SEBA KLL-Q
11/01/2018	12.0	30,040	20.34	SEBA KLL-Q
11/01/2018	14.0	30,050	20.32	SEBA KLL-Q
11/01/2018	16.0	30,050	20.36	SEBA KLL-Q
11/01/2018	18.0	30,060	20.37	SEBA KLL-Q
11/01/2018	20.0	30,080	20.40	SEBA KLL-Q
11/01/2018	22.0	30,110	20.44	SEBA KLL-Q
11/01/2018	24.0	30,170	20.46	SEBA KLL-Q
11/01/2018	26.0	30,320	20.47	SEBA KLL-Q
11/01/2018	28.0	30,540	20.47	SEBA KLL-Q
11/01/2018	28.5	31,780	20.47	SEBA KLL-Q
11/01/2018	29.0	37,100	20.47	SEBA KLL-Q
11/01/2018	29.5	41,830	20.49	SEBA KLL-Q
11/01/2018	30.0	42,850	20.53	SEBA KLL-Q
11/01/2018	31.0	43,910	20.54	SEBA KLL-Q
11/01/2018	32.0	52,430	20.59	SEBA KLL-Q
11/01/2018	34.0	54,040	20.76	SEBA KLL-Q
11/01/2018	36.0	54,110	20.84	SEBA KLL-Q
11/01/2018	38.0	54,100	20.87	SEBA KLL-Q
11/01/2018	40.0	54,100	20.88	SEBA KLL-Q
11/01/2018	42.0	54,100	20.88	SEBA KLL-Q
11/01/2018	44.0	54,100	20.88	SEBA KLL-Q
11/01/2018	46.0	54,140	20.89	SEBA KLL-Q
11/01/2018	48.0	54,980	20.96	SEBA KLL-Q
11/01/2018	49.0	56,000	20.96	SEBA KLL-Q
11/01/2018	50.0	77,540	21.13	SEBA KLL-Q
11/01/2018	51.0	78,080	21.18	SEBA KLL-Q
11/01/2018	52.0	78,130	21.18	SEBA KLL-Q
11/01/2018	54.0	78,170	21.21	SEBA KLL-Q
11/01/2018	56.0	78,180	21.20	SEBA KLL-Q
11/01/2018	58.0	78,270	21.20	SEBA KLL-Q
11/01/2018	60.0	79,080	21.22	SEBA KLL-Q
11/01/2018	61.0	79,170	21.23	SEBA KLL-Q
11/01/2018	61.5	79,460	21.21	SEBA KLL-Q
11/01/2018	62.0	131,200	21.33	SEBA KLL-Q
11/01/2018	62.2	134,500	21.38	SEBA KLL-Q
11/01/2018	62.4	135,000	21.42	SEBA KLL-Q
11/01/2018	62.6	135,000	21.44	SEBA KLL-Q
11/01/2018	62.8	135,100	21.45	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/01/2018	63.0	135,100	21.45	SEBA KLL-Q
11/01/2018	64.0	135,100	21.45	SEBA KLL-Q
11/01/2018	65.0	135,200	21.44	SEBA KLL-Q
11/01/2018	66.0	135,000	21.45	SEBA KLL-Q
11/01/2018	68.0	135,300	21.46	SEBA KLL-Q
11/01/2018	70.0	135,200	21.45	SEBA KLL-Q
11/01/2018	72.0	135,200	21.46	SEBA KLL-Q
11/01/2018	74.0	142,000	21.65	SEBA KLL-Q
11/01/2018	74.5	150,500	21.71	SEBA KLL-Q
11/01/2018	75.0	157,200	21.74	SEBA KLL-Q
11/01/2018	75.5	160,400	21.78	SEBA KLL-Q
11/01/2018	76.0	170,500	21.86	SEBA KLL-Q
11/01/2018	76.5	185,000	21.91	SEBA KLL-Q
11/01/2018	77.0	207,400	22.00	SEBA KLL-Q
11/01/2018	77.5	230,600	22.12	SEBA KLL-Q
11/01/2018	77.8	233,100	22.20	SEBA KLL-Q
11/01/2018	78.0	234,800	22.20	SEBA KLL-Q
11/01/2018	78.5	235,800	22.36	SEBA KLL-Q
11/01/2018	79.0	235,700	22.45	SEBA KLL-Q
11/01/2018	80.0	235,300	22.46	SEBA KLL-Q
11/01/2018	82.0	235,300	22.47	SEBA KLL-Q
11/01/2018	84.0	235,400	22.46	SEBA KLL-Q
11/01/2018	86.0	235,300	22.49	SEBA KLL-Q
11/01/2018	88.0	235,200	22.51	SEBA KLL-Q
11/01/2018	90.0	235,600	22.54	SEBA KLL-Q
11/01/2018	92.0	235,300	22.59	SEBA KLL-Q
11/01/2018	94.0	235,300	22.61	SEBA KLL-Q
11/01/2018	96.0	235,400	22.60	SEBA KLL-Q
11/01/2018	98.0	235,200	22.65	SEBA KLL-Q
06/04/2018	1.2	11,290	20.93	SEBA KLL-Q
06/04/2018	1.4	11,270	20.77	SEBA KLL-Q
06/04/2018	1.6	11,280	20.76	SEBA KLL-Q
06/04/2018	1.8	11,280	20.71	SEBA KLL-Q
06/04/2018	2.0	11,270	20.71	SEBA KLL-Q
06/04/2018	4.0	29,470	20.31	SEBA KLL-Q
06/04/2018	6.0	29,530	20.23	SEBA KLL-Q
06/04/2018	8.0	29,530	20.23	SEBA KLL-Q
06/04/2018	10.0	29,520	20.22	SEBA KLL-Q
06/04/2018	12.0	29,520	20.22	SEBA KLL-Q
06/04/2018	14.0	29,530	20.22	SEBA KLL-Q
06/04/2018	16.0	29,520	20.22	SEBA KLL-Q
06/04/2018	18.0	29,520	20.24	SEBA KLL-Q
06/04/2018	20.0	29,500	20.26	SEBA KLL-Q
06/04/2018	22.0	29,500	20.28	SEBA KLL-Q
06/04/2018	24.0	29,640	20.36	SEBA KLL-Q
06/04/2018	26.0	29,680	20.39	SEBA KLL-Q
06/04/2018	28.0	29,900	20.38	SEBA KLL-Q
06/04/2018	30.0	38,070	20.42	SEBA KLL-Q
06/04/2018	32.0	49,940	20.50	SEBA KLL-Q
06/04/2018	34.0	51,190	20.70	SEBA KLL-Q
06/04/2018	36.0	51,200	20.75	SEBA KLL-Q
06/04/2018	38.0	51,520	20.81	SEBA KLL-Q
06/04/2018	40.0	51,300	20.84	SEBA KLL-Q
06/04/2018	42.0	51,340	20.85	SEBA KLL-Q
06/04/2018	44.0	52,130	20.88	SEBA KLL-Q
06/04/2018	46.0	52,150	20.88	SEBA KLL-Q
06/04/2018	48.0	52,140	20.88	SEBA KLL-Q
06/04/2018	50.0	73,700	21.07	SEBA KLL-Q
06/04/2018	52.0	74,020	21.13	SEBA KLL-Q
06/04/2018	54.0	74,000	21.14	SEBA KLL-Q
06/04/2018	56.0	74,030	21.14	SEBA KLL-Q
06/04/2018	58.0	74,100	21.14	SEBA KLL-Q
06/04/2018	60.0	74,820	21.15	SEBA KLL-Q
06/04/2018	62.0	121,500	21.29	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/04/2018	62.2	122,800	21.37	SEBA KLL-Q
06/04/2018	62.4	122,900	21.38	SEBA KLL-Q
06/04/2018	62.6	123,000	21.38	SEBA KLL-Q
06/04/2018	62.8	122,900	21.39	SEBA KLL-Q
06/04/2018	63.0	123,000	21.39	SEBA KLL-Q
06/04/2018	63.2	123,000	21.38	SEBA KLL-Q
06/04/2018	63.4	123,000	21.38	SEBA KLL-Q
06/04/2018	63.6	123,000	21.38	SEBA KLL-Q
06/04/2018	63.8	123,000	21.38	SEBA KLL-Q
06/04/2018	64.0	122,900	21.38	SEBA KLL-Q
06/04/2018	65.0	123,000	21.38	SEBA KLL-Q
06/04/2018	66.0	122,900	21.39	SEBA KLL-Q
06/04/2018	68.0	122,900	21.39	SEBA KLL-Q
06/04/2018	70.0	123,000	21.39	SEBA KLL-Q
06/04/2018	72.0	123,000	21.40	SEBA KLL-Q
06/04/2018	73.0	127,000	21.55	SEBA KLL-Q
06/04/2018	73.2	127,000	21.55	SEBA KLL-Q
06/04/2018	73.4	128,000	21.58	SEBA KLL-Q
06/04/2018	73.6	128,100	21.61	SEBA KLL-Q
06/04/2018	73.8	128,100	21.61	SEBA KLL-Q
06/04/2018	74.0	130,300	21.62	SEBA KLL-Q
06/04/2018	74.2	131,900	21.64	SEBA KLL-Q
06/04/2018	74.4	137,300	21.65	SEBA KLL-Q
06/04/2018	74.6	138,500	21.67	SEBA KLL-Q
06/04/2018	74.8	142,700	21.68	SEBA KLL-Q
06/04/2018	75.0	146,100	21.70	SEBA KLL-Q
06/04/2018	75.2	143,700	21.73	SEBA KLL-Q
06/04/2018	75.4	149,000	21.75	SEBA KLL-Q
06/04/2018	75.6	152,500	21.78	SEBA KLL-Q
06/04/2018	75.8	157,200	21.79	SEBA KLL-Q
06/04/2018	76.0	161,700	21.83	SEBA KLL-Q
06/04/2018	76.2	166,100	21.85	SEBA KLL-Q
06/04/2018	76.4	170,700	21.88	SEBA KLL-Q
06/04/2018	76.6	176,400	21.90	SEBA KLL-Q
06/04/2018	76.8	184,800	21.94	SEBA KLL-Q
06/04/2018	77.0	191,900	21.98	SEBA KLL-Q
06/04/2018	77.2	200,100	22.02	SEBA KLL-Q
06/04/2018	77.5	209,400	22.08	SEBA KLL-Q
06/04/2018	78.0	211,800	22.23	SEBA KLL-Q
06/04/2018	80.0	212,300	22.39	SEBA KLL-Q
06/04/2018	82.0	212,300	22.39	SEBA KLL-Q
06/04/2018	84.0	212,300	22.40	SEBA KLL-Q
06/04/2018	86.0	212,300	22.46	SEBA KLL-Q
06/04/2018	88.0	212,300	22.46	SEBA KLL-Q
06/04/2018	90.0	212,300	22.50	SEBA KLL-Q
06/04/2018	92.0	212,200	22.53	SEBA KLL-Q
06/04/2018	94.0	212,300	22.54	SEBA KLL-Q
06/04/2018	96.0	212,300	22.55	SEBA KLL-Q
06/04/2018	98.0	212,200	22.56	SEBA KLL-Q
30/07/2018	1.0	16,420	16.18	SEBA KLL-Q
30/07/2018	1.2	16,290	16.59	SEBA KLL-Q
30/07/2018	1.4	16,240	16.58	SEBA KLL-Q
30/07/2018	1.6	16,250	16.68	SEBA KLL-Q
30/07/2018	1.8	20,680	18.13	SEBA KLL-Q
30/07/2018	2.0	21,110	19.26	SEBA KLL-Q
30/07/2018	3.0	33,530	20.21	SEBA KLL-Q
30/07/2018	3.5	33,610	20.34	SEBA KLL-Q
30/07/2018	4.0	33,590	20.36	SEBA KLL-Q
30/07/2018	5.0	33,610	20.34	SEBA KLL-Q
30/07/2018	6.0	33,630	20.57	SEBA KLL-Q
30/07/2018	8.0	33,630	20.37	SEBA KLL-Q
30/07/2018	10.0	33,610	20.37	SEBA KLL-Q
30/07/2018	12.0	33,630	20.34	SEBA KLL-Q
30/07/2018	14.0	33,630	20.37	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
30/07/2018	16.0	33,600	20.36	SEBA KLL-Q
30/07/2018	18.0	33,570	20.42	SEBA KLL-Q
30/07/2018	20.0	33,570	20.45	SEBA KLL-Q
30/07/2018	22.0	33,580	20.46	SEBA KLL-Q
30/07/2018	24.0	33,630	20.45	SEBA KLL-Q
30/07/2018	26.0	33,790	20.47	SEBA KLL-Q
30/07/2018	28.0	33,760	20.48	SEBA KLL-Q
30/07/2018	30.0	62,230	20.53	SEBA KLL-Q
30/07/2018	30.2	62,310	20.63	SEBA KLL-Q
30/07/2018	30.4	62,490	20.60	SEBA KLL-Q
30/07/2018	30.6	62,590	20.61	SEBA KLL-Q
30/07/2018	30.8	62,710	20.62	SEBA KLL-Q
30/07/2018	31.0	62,840	20.62	SEBA KLL-Q
30/07/2018	32.0	67,170	20.70	SEBA KLL-Q
30/07/2018	34.0	67,500	20.76	SEBA KLL-Q
30/07/2018	36.0	67,550	20.84	SEBA KLL-Q
30/07/2018	38.0	67,550	20.85	SEBA KLL-Q
30/07/2018	40.0	67,560	20.86	SEBA KLL-Q
30/07/2018	42.0	67,590	20.89	SEBA KLL-Q
30/07/2018	44.0	67,620	20.88	SEBA KLL-Q
30/07/2018	46.0	67,650	20.93	SEBA KLL-Q
30/07/2018	48.0	67,630	20.92	SEBA KLL-Q
30/07/2018	50.0	95,770	21.07	SEBA KLL-Q
30/07/2018	50.5	96,880	21.16	SEBA KLL-Q
30/07/2018	51.0	97,050	21.17	SEBA KLL-Q
30/07/2018	52.0	97,110	21.17	SEBA KLL-Q
30/07/2018	54.0	97,130	21.21	SEBA KLL-Q
30/07/2018	56.0	97,160	21.18	SEBA KLL-Q
30/07/2018	58.0	97,200	21.22	SEBA KLL-Q
30/07/2018	60.0	98,200	21.20	SEBA KLL-Q
30/07/2018	62.0	160,400	21.32	SEBA KLL-Q
30/07/2018	62.2	166,000	21.39	SEBA KLL-Q
30/07/2018	62.4	166,400	21.41	SEBA KLL-Q
30/07/2018	62.6	166,500	21.40	SEBA KLL-Q
30/07/2018	62.8	166,500	21.41	SEBA KLL-Q
30/07/2018	63.0	166,600	21.41	SEBA KLL-Q
30/07/2018	63.5	166,600	21.44	SEBA KLL-Q
30/07/2018	64.0	166,700	21.41	SEBA KLL-Q
30/07/2018	66.0	166,700	21.39	SEBA KLL-Q
30/07/2018	68.0	166,700	21.41	SEBA KLL-Q
30/07/2018	70.0	166,800	21.44	SEBA KLL-Q
30/07/2018	72.0	166,800	21.45	SEBA KLL-Q
30/07/2018	74.0	175,400	21.67	SEBA KLL-Q
30/07/2018	75.0	195,400	21.72	SEBA KLL-Q
30/07/2018	75.2	199,300	21.75	SEBA KLL-Q
30/07/2018	75.4	201,600	21.77	SEBA KLL-Q
30/07/2018	75.6	205,500	21.80	SEBA KLL-Q
30/07/2018	75.8	211,300	21.82	SEBA KLL-Q
30/07/2018	76.0	216,600	21.85	SEBA KLL-Q
30/07/2018	77.0	243,000	21.86	SEBA KLL-Q
30/07/2018	78.0	287,700	22.10	SEBA KLL-Q
30/07/2018	78.2	288,300	22.14	SEBA KLL-Q
30/07/2018	78.4	291,000	22.23	SEBA KLL-Q
30/07/2018	78.6	290,700	22.29	SEBA KLL-Q
30/07/2018	78.8	291,000	22.29	SEBA KLL-Q
30/07/2018	79.0	290,900	22.26	SEBA KLL-Q
30/07/2018	80.0	290,900	22.27	SEBA KLL-Q
30/07/2018	82.0	290,700	22.29	SEBA KLL-Q
30/07/2018	84.0	290,700	22.28	SEBA KLL-Q
30/07/2018	86.0	290,900	22.28	SEBA KLL-Q
30/07/2018	88.0	290,900	22.31	SEBA KLL-Q
30/07/2018	90.0	291,100	22.42	SEBA KLL-Q
22/08/2018	1.0	9,420	17.78	SEBA KLL-Q
22/08/2018	1.5	14,640	16.75	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/08/2018	2.0	18,590	19.02	SEBA KLL-Q
22/08/2018	2.5	29,630	20.26	SEBA KLL-Q
22/08/2018	3.0	29,790	20.45	SEBA KLL-Q
22/08/2018	3.5	29,830	20.47	SEBA KLL-Q
22/08/2018	4.0	29,800	20.51	SEBA KLL-Q
22/08/2018	5.0	29,820	20.49	SEBA KLL-Q
22/08/2018	6.0	29,820	20.49	SEBA KLL-Q
22/08/2018	8.0	29,840	20.51	SEBA KLL-Q
22/08/2018	10.0	29,820	20.50	SEBA KLL-Q
22/08/2018	12.0	29,840	20.51	SEBA KLL-Q
22/08/2018	14.0	29,820	20.49	SEBA KLL-Q
22/08/2018	16.0	29,810	20.51	SEBA KLL-Q
22/08/2018	18.0	29,770	20.53	SEBA KLL-Q
22/08/2018	20.0	29,820	20.53	SEBA KLL-Q
22/08/2018	22.0	29,840	20.59	SEBA KLL-Q
22/08/2018	24.0	29,810	20.60	SEBA KLL-Q
22/08/2018	26.0	29,820	20.61	SEBA KLL-Q
22/08/2018	28.0	29,940	20.62	SEBA KLL-Q
22/08/2018	28.5	49,810	20.66	SEBA KLL-Q
22/08/2018	29.0	49,720	20.68	SEBA KLL-Q
22/08/2018	29.5	55,190	20.70	SEBA KLL-Q
22/08/2018	30.0	55,530	20.74	SEBA KLL-Q
22/08/2018	30.5	55,850	20.75	SEBA KLL-Q
22/08/2018	31.0	56,050	20.77	SEBA KLL-Q
22/08/2018	32.0	59,440	20.83	SEBA KLL-Q
22/08/2018	33.0	59,710	20.90	SEBA KLL-Q
22/08/2018	34.0	59,720	20.94	SEBA KLL-Q
22/08/2018	36.0	59,770	20.96	SEBA KLL-Q
22/08/2018	38.0	59,770	21.01	SEBA KLL-Q
22/08/2018	40.0	59,790	20.98	SEBA KLL-Q
22/08/2018	42.0	59,800	20.99	SEBA KLL-Q
22/08/2018	44.0	59,800	21.06	SEBA KLL-Q
22/08/2018	46.0	59,820	21.04	SEBA KLL-Q
22/08/2018	48.0	59,810	21.05	SEBA KLL-Q
22/08/2018	48.5	59,790	21.08	SEBA KLL-Q
22/08/2018	49.0	59,820	21.05	SEBA KLL-Q
22/08/2018	49.5	59,830	21.05	SEBA KLL-Q
22/08/2018	50.0	85,260	21.16	SEBA KLL-Q
22/08/2018	50.2	85,860	21.25	SEBA KLL-Q
22/08/2018	50.4	86,120	21.30	SEBA KLL-Q
22/08/2018	50.6	86,180	21.27	SEBA KLL-Q
22/08/2018	50.8	86,260	21.30	SEBA KLL-Q
22/08/2018	51.0	86,310	21.28	SEBA KLL-Q
22/08/2018	51.5	86,370	21.28	SEBA KLL-Q
22/08/2018	52.0	86,340	21.32	SEBA KLL-Q
22/08/2018	53.0	86,390	21.30	SEBA KLL-Q
22/08/2018	54.0	86,410	21.33	SEBA KLL-Q
22/08/2018	56.0	86,460	21.31	SEBA KLL-Q
22/08/2018	58.0	86,580	21.29	SEBA KLL-Q
22/08/2018	60.0	87,460	21.34	SEBA KLL-Q
22/08/2018	62.0	143,100	21.46	SEBA KLL-Q
22/08/2018	62.2	147,700	21.52	SEBA KLL-Q
22/08/2018	62.4	148,100	21.54	SEBA KLL-Q
22/08/2018	62.6	147,900	21.63	SEBA KLL-Q
22/08/2018	62.8	148,000	21.60	SEBA KLL-Q
22/08/2018	63.0	148,200	21.55	SEBA KLL-Q
22/08/2018	63.5	148,200	21.54	SEBA KLL-Q
22/08/2018	64.0	148,300	21.54	SEBA KLL-Q
22/08/2018	65.0	148,300	21.53	SEBA KLL-Q
22/08/2018	66.0	148,200	21.59	SEBA KLL-Q
22/08/2018	68.0	148,400	21.54	SEBA KLL-Q
22/08/2018	70.0	148,400	21.55	SEBA KLL-Q
22/08/2018	72.0	148,300	21.62	SEBA KLL-Q
22/08/2018	74.0	156,500	21.70	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/08/2018	74.5	164,800	21.80	SEBA KLL-Q
22/08/2018	75.0	176,100	21.83	SEBA KLL-Q
22/08/2018	75.5	181,300	21.86	SEBA KLL-Q
22/08/2018	76.0	192,200	21.95	SEBA KLL-Q
22/08/2018	76.2	198,900	21.93	SEBA KLL-Q
22/08/2018	76.4	202,900	22.01	SEBA KLL-Q
22/08/2018	76.6	208,700	22.03	SEBA KLL-Q
22/08/2018	76.8	215,700	22.04	SEBA KLL-Q
22/08/2018	77.0	222,600	21.99	SEBA KLL-Q
22/08/2018	77.5	248,400	22.04	SEBA KLL-Q
22/08/2018	78.0	256,500	22.13	SEBA KLL-Q
22/08/2018	78.5	259,500	22.35	SEBA KLL-Q
22/08/2018	79.0	259,500	22.36	SEBA KLL-Q
22/08/2018	80.0	259,400	22.36	SEBA KLL-Q
22/08/2018	81.0	259,100	22.42	SEBA KLL-Q
22/08/2018	82.0	259,300	22.37	SEBA KLL-Q
22/08/2018	84.0	259,200	22.38	SEBA KLL-Q
22/08/2018	86.0	259,100	22.46	SEBA KLL-Q
22/08/2018	89.0	258,900	22.56	SEBA KLL-Q
22/08/2018	92.0	259,000	22.59	SEBA KLL-Q
22/08/2018	95.0	259,200	22.63	SEBA KLL-Q
22/08/2018	98.0	258,600	22.72	SEBA KLL-Q
22/08/2018	98.8	259,500	22.67	SEBA KLL-Q
22/08/2018	99.3	187,400	22.64	SEBA KLL-Q
08/09/2018	1.0	14,480	17.50	SEBA KLL-Q
08/09/2018	1.2	14,530	17.60	SEBA KLL-Q
08/09/2018	1.4	14,530	17.60	SEBA KLL-Q
08/09/2018	1.6	14,540	17.60	SEBA KLL-Q
08/09/2018	1.8	16,990	18.50	SEBA KLL-Q
08/09/2018	2.0	20,900	19.20	SEBA KLL-Q
08/09/2018	2.5	30,610	20.30	SEBA KLL-Q
08/09/2018	3.0	30,730	20.40	SEBA KLL-Q
08/09/2018	4.0	30,770	20.40	SEBA KLL-Q
08/09/2018	5.0	30,760	20.40	SEBA KLL-Q
08/09/2018	6.0	30,780	20.40	SEBA KLL-Q
08/09/2018	8.0	30,780	20.40	SEBA KLL-Q
08/09/2018	10.0	30,780	20.40	SEBA KLL-Q
08/09/2018	12.0	30,780	20.40	SEBA KLL-Q
08/09/2018	14.0	30,780	20.50	SEBA KLL-Q
08/09/2018	16.0	30,750	20.50	SEBA KLL-Q
08/09/2018	18.0	30,750	20.50	SEBA KLL-Q
08/09/2018	20.0	30,690	20.50	SEBA KLL-Q
08/09/2018	22.0	30,710	20.50	SEBA KLL-Q
08/09/2018	24.0	30,790	20.50	SEBA KLL-Q
08/09/2018	26.0	30,930	20.50	SEBA KLL-Q
08/09/2018	27.0	30,910	20.50	SEBA KLL-Q
08/09/2018	28.0	30,910	20.50	SEBA KLL-Q
08/09/2018	29.0	51,900	20.60	SEBA KLL-Q
08/09/2018	30.0	57,100	20.70	SEBA KLL-Q
08/09/2018	31.0	57,680	20.70	SEBA KLL-Q
08/09/2018	32.0	60,410	20.80	SEBA KLL-Q
08/09/2018	33.0	60,670	20.90	SEBA KLL-Q
08/09/2018	34.0	60,690	20.90	SEBA KLL-Q
08/09/2018	36.0	60,790	20.90	SEBA KLL-Q
08/09/2018	38.0	60,820	20.90	SEBA KLL-Q
08/09/2018	40.0	60,840	20.90	SEBA KLL-Q
08/09/2018	42.0	60,870	21.00	SEBA KLL-Q
08/09/2018	44.0	60,900	21.00	SEBA KLL-Q
08/09/2018	46.0	60,960	21.00	SEBA KLL-Q
08/09/2018	48.0	60,970	21.00	SEBA KLL-Q
08/09/2018	50.0	86,800	21.20	SEBA KLL-Q
08/09/2018	51.0	87,520	21.20	SEBA KLL-Q
08/09/2018	52.0	87,620	21.30	SEBA KLL-Q
08/09/2018	53.0	87,690	21.30	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/09/2018	54.0	87,740	21.30	SEBA KLL-Q
08/09/2018	56.0	87,800	21.30	SEBA KLL-Q
08/09/2018	58.0	87,860	21.30	SEBA KLL-Q
08/09/2018	60.0	88,800	21.30	SEBA KLL-Q
08/09/2018	61.0	88,920	21.30	SEBA KLL-Q
08/09/2018	62.0	145,000	21.40	SEBA KLL-Q
08/09/2018	62.5	149,900	21.50	SEBA KLL-Q
08/09/2018	63.0	149,900	21.50	SEBA KLL-Q
08/09/2018	64.0	150,000	21.50	SEBA KLL-Q
08/09/2018	66.0	150,100	21.50	SEBA KLL-Q
08/09/2018	68.0	150,100	21.50	SEBA KLL-Q
08/09/2018	69.0	150,200	21.50	SEBA KLL-Q
08/09/2018	70.0	150,200	21.50	SEBA KLL-Q
08/09/2018	71.0	150,300	21.50	SEBA KLL-Q
08/09/2018	72.0	150,400	21.50	SEBA KLL-Q
08/09/2018	72.5	150,300	21.50	SEBA KLL-Q
08/09/2018	73.0	154,200	21.70	SEBA KLL-Q
08/09/2018	74.0	158,700	21.80	SEBA KLL-Q
08/09/2018	74.5	167,400	21.80	SEBA KLL-Q
08/09/2018	75.0	178,700	21.80	SEBA KLL-Q
08/09/2018	75.2	181,700	21.80	SEBA KLL-Q
08/09/2018	75.4	183,400	21.90	SEBA KLL-Q
08/09/2018	75.6	183,500	21.90	SEBA KLL-Q
08/09/2018	75.8	192,400	21.90	SEBA KLL-Q
08/09/2018	76.0	197,100	21.90	SEBA KLL-Q
08/09/2018	76.2	202,400	21.90	SEBA KLL-Q
08/09/2018	76.4	206,400	21.90	SEBA KLL-Q
08/09/2018	76.6	212,300	21.90	SEBA KLL-Q
08/09/2018	76.8	218,500	22.00	SEBA KLL-Q
08/09/2018	77.0	225,400	22.00	SEBA KLL-Q
08/09/2018	77.5	250,900	22.10	SEBA KLL-Q
08/09/2018	78.0	260,800	22.20	SEBA KLL-Q
08/09/2018	79.0	263,600	22.30	SEBA KLL-Q
08/09/2018	80.0	263,400	22.40	SEBA KLL-Q
08/09/2018	82.0	263,400	22.40	SEBA KLL-Q
08/09/2018	84.0	263,400	22.40	SEBA KLL-Q
08/09/2018	86.0	263,300	22.40	SEBA KLL-Q
08/09/2018	88.0	263,300	22.40	SEBA KLL-Q
08/09/2018	90.0	263,200	22.60	SEBA KLL-Q
08/09/2018	92.0	263,200	22.60	SEBA KLL-Q
08/09/2018	94.0	263,300	22.70	SEBA KLL-Q
08/09/2018	96.0	263,300	22.70	SEBA KLL-Q
08/09/2018	98.0	263,100	22.70	SEBA KLL-Q
05/11/2018	1.1	13,330	22.42	SEBA KLL-Q
05/11/2018	1.5	13,230	21.36	SEBA KLL-Q
05/11/2018	2.0	19,850	20.13	SEBA KLL-Q
05/11/2018	3.0	30,100	20.67	SEBA KLL-Q
05/11/2018	4.0	30,330	20.70	SEBA KLL-Q
05/11/2018	6.0	30,410	20.71	SEBA KLL-Q
05/11/2018	8.0	30,470	20.73	SEBA KLL-Q
05/11/2018	10.0	30,570	20.74	SEBA KLL-Q
05/11/2018	12.0	30,610	20.76	SEBA KLL-Q
05/11/2018	14.0	30,650	20.76	SEBA KLL-Q
05/11/2018	16.0	30,650	20.75	SEBA KLL-Q
05/11/2018	18.0	30,650	20.76	SEBA KLL-Q
05/11/2018	20.0	30,630	20.76	SEBA KLL-Q
05/11/2018	22.0	30,710	20.78	SEBA KLL-Q
05/11/2018	24.0	30,720	20.78	SEBA KLL-Q
05/11/2018	26.0	30,800	20.79	SEBA KLL-Q
05/11/2018	28.0	54,410	20.93	SEBA KLL-Q
05/11/2018	29.0	56,940	20.98	SEBA KLL-Q
05/11/2018	30.0	57,220	21.02	SEBA KLL-Q
05/11/2018	31.0	59,560	21.08	SEBA KLL-Q
05/11/2018	32.0	59,730	21.11	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [µS/cm]	TEMP [°C]	Equipo
05/11/2018	33.0	59,750	21.11	SEBA KLL-Q
05/11/2018	35.0	59,770	21.15	SEBA KLL-Q
05/11/2018	37.0	59,890	21.19	SEBA KLL-Q
05/11/2018	39.0	59,990	21.21	SEBA KLL-Q
05/11/2018	41.0	60,060	21.21	SEBA KLL-Q
05/11/2018	43.0	60,080	21.22	SEBA KLL-Q
05/11/2018	45.0	60,070	21.23	SEBA KLL-Q
05/11/2018	47.0	60,020	21.24	SEBA KLL-Q
05/11/2018	49.0	59,980	21.23	SEBA KLL-Q
05/11/2018	51.0	85,880	21.46	SEBA KLL-Q
05/11/2018	51.5	85,920	21.47	SEBA KLL-Q
05/11/2018	52.0	85,940	21.49	SEBA KLL-Q
05/11/2018	53.0	85,950	21.49	SEBA KLL-Q
05/11/2018	54.0	85,970	21.48	SEBA KLL-Q
05/11/2018	56.0	86,000	21.48	SEBA KLL-Q
05/11/2018	58.0	86,550	21.49	SEBA KLL-Q
05/11/2018	60.0	87,000	21.49	SEBA KLL-Q
05/11/2018	62.0	144,900	21.69	SEBA KLL-Q
05/11/2018	62.5	144,900	21.71	SEBA KLL-Q
05/11/2018	63.0	145,000	21.71	SEBA KLL-Q
05/11/2018	64.0	145,100	21.70	SEBA KLL-Q
05/11/2018	65.0	145,000	21.71	SEBA KLL-Q
05/11/2018	66.0	145,100	21.70	SEBA KLL-Q
05/11/2018	67.0	145,100	21.70	SEBA KLL-Q
05/11/2018	68.0	145,200	21.70	SEBA KLL-Q
05/11/2018	70.0	145,200	21.71	SEBA KLL-Q
05/11/2018	71.0	145,100	21.72	SEBA KLL-Q
05/11/2018	72.0	145,100	21.73	SEBA KLL-Q
05/11/2018	73.0	149,600	21.90	SEBA KLL-Q
05/11/2018	73.5	151,200	21.94	SEBA KLL-Q
05/11/2018	74.0	153,700	21.96	SEBA KLL-Q
05/11/2018	74.5	162,200	21.98	SEBA KLL-Q
05/11/2018	75.0	176,000	22.01	SEBA KLL-Q
05/11/2018	75.5	182,000	22.06	SEBA KLL-Q
05/11/2018	76.0	194,200	22.11	SEBA KLL-Q
05/11/2018	76.2	199,100	22.14	SEBA KLL-Q
05/11/2018	76.4	204,100	22.16	SEBA KLL-Q
05/11/2018	76.6	209,000	22.17	SEBA KLL-Q
05/11/2018	76.8	218,100	22.22	SEBA KLL-Q
05/11/2018	77.0	228,000	22.26	SEBA KLL-Q
05/11/2018	78.0	254,300	22.49	SEBA KLL-Q
05/11/2018	80.0	255,000	22.74	SEBA KLL-Q
05/11/2018	82.0	255,000	22.77	SEBA KLL-Q
05/11/2018	84.0	255,000	22.76	SEBA KLL-Q
05/11/2018	86.0	255,100	22.80	SEBA KLL-Q
05/11/2018	88.0	255,100	22.86	SEBA KLL-Q
05/11/2018	90.0	255,100	22.87	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/10/2016	0.70	63,403	21.2	SEBA KLL-Q
11/10/2016	2.00	63,325	21.2	SEBA KLL-Q
11/10/2016	3.00	63,316	21.3	SEBA KLL-Q
11/10/2016	4.00	63,289	21.3	SEBA KLL-Q
11/10/2016	5.00	63,242	21.3	SEBA KLL-Q
11/10/2016	7.00	63,237	21.3	SEBA KLL-Q
11/10/2016	9.00	63,228	21.3	SEBA KLL-Q
11/10/2016	11.00	63,167	21.3	SEBA KLL-Q
11/10/2016	12.00	63,214	21.3	SEBA KLL-Q
11/10/2016	13.00	63,224	21.3	SEBA KLL-Q
11/10/2016	14.00	63,210	21.3	SEBA KLL-Q
11/10/2016	15.00	63,214	21.3	SEBA KLL-Q
11/10/2016	16.00	63,116	21.3	SEBA KLL-Q
11/10/2016	17.00	63,163	21.3	SEBA KLL-Q
11/10/2016	18.00	63,252	21.3	SEBA KLL-Q
11/10/2016	19.00	63,397	21.3	SEBA KLL-Q
11/10/2016	20.00	63,996	21.4	SEBA KLL-Q
11/10/2016	21.00	64,089	21.4	SEBA KLL-Q
11/10/2016	22.00	65,223	21.4	SEBA KLL-Q
11/10/2016	23.00	65,522	21.4	SEBA KLL-Q
11/10/2016	24.00	67,019	21.6	SEBA KLL-Q
11/10/2016	25.00	67,236	21.6	SEBA KLL-Q
11/10/2016	26.00	67,286	21.6	SEBA KLL-Q
11/10/2016	27.00	67,305	21.6	SEBA KLL-Q
11/10/2016	28.00	67,397	21.6	SEBA KLL-Q
11/10/2016	29.00	67,598	21.7	SEBA KLL-Q
11/10/2016	30.00	67,815	21.7	SEBA KLL-Q
11/10/2016	31.00	68,600	21.7	SEBA KLL-Q
11/10/2016	32.00	69,569	21.8	SEBA KLL-Q
11/10/2016	33.00	72,124	21.9	SEBA KLL-Q
11/10/2016	34.00	80,779	22.4	SEBA KLL-Q
11/10/2016	34.50	80,841	22.4	SEBA KLL-Q
11/10/2016	35.00	80,842	22.4	SEBA KLL-Q
11/10/2016	36.00	80,946	22.4	SEBA KLL-Q
11/10/2016	37.00	80,940	22.4	SEBA KLL-Q
11/10/2016	38.00	80,947	22.4	SEBA KLL-Q
11/10/2016	39.00	81,020	22.4	SEBA KLL-Q
11/10/2016	40.00	81,080	22.4	SEBA KLL-Q
11/10/2016	41.00	81,080	22.4	SEBA KLL-Q
11/10/2016	42.00	81,099	22.4	SEBA KLL-Q
11/10/2016	43.00	81,044	22.4	SEBA KLL-Q
11/10/2016	45.00	82,228	22.4	SEBA KLL-Q
11/10/2016	46.00	84,284	22.4	SEBA KLL-Q
11/10/2016	47.00	84,546	22.4	SEBA KLL-Q
11/10/2016	48.00	84,692	22.4	SEBA KLL-Q
11/10/2016	50.00	84,897	22.3	SEBA KLL-Q
11/10/2016	52.00	84,938	22.2	SEBA KLL-Q
11/10/2016	54.00	85,199	22.1	SEBA KLL-Q
11/10/2016	55.00	92,971	22.1	SEBA KLL-Q
11/10/2016	55.50	93,770	22.1	SEBA KLL-Q
11/10/2016	56.00	95,068	22.1	SEBA KLL-Q
11/10/2016	56.20	95,222	22.1	SEBA KLL-Q
11/10/2016	56.50	95,252	22.1	SEBA KLL-Q
11/10/2016	57.00	95,505	22.1	SEBA KLL-Q
11/10/2016	58.00	96,245	22.0	SEBA KLL-Q
11/10/2016	58.50	96,489	22.0	SEBA KLL-Q
11/10/2016	59.00	101,069	22.0	SEBA KLL-Q
11/10/2016	59.20	101,817	22.0	SEBA KLL-Q
11/10/2016	59.40	108,622	22.0	SEBA KLL-Q
11/10/2016	59.60	108,740	22.0	SEBA KLL-Q
11/10/2016	59.80	110,298	22.0	SEBA KLL-Q
11/10/2016	60.00	110,327	22.0	SEBA KLL-Q
11/10/2016	60.20	119,997	22.0	SEBA KLL-Q
11/10/2016	60.40	122,633	22.0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/10/2016	60.60	124,918	22.0	SEBA KLL-Q
11/10/2016	60.80	124,991	22.0	SEBA KLL-Q
11/10/2016	61.00	131,854	22.0	SEBA KLL-Q
11/10/2016	61.20	131,946	22.0	SEBA KLL-Q
11/10/2016	61.40	138,218	22.0	SEBA KLL-Q
11/10/2016	61.60	140,908	22.0	SEBA KLL-Q
11/10/2016	61.80	141,055	22.0	SEBA KLL-Q
11/10/2016	62.00	141,201	22.0	SEBA KLL-Q
11/10/2016	62.20	141,579	22.0	SEBA KLL-Q
11/10/2016	62.40	141,618	22.0	SEBA KLL-Q
11/10/2016	62.60	146,074	22.0	SEBA KLL-Q
11/10/2016	62.80	147,814	22.0	SEBA KLL-Q
11/10/2016	63.00	147,924	22.0	SEBA KLL-Q
11/10/2016	63.20	147,922	22.0	SEBA KLL-Q
11/10/2016	63.40	147,898	22.0	SEBA KLL-Q
11/10/2016	63.60	151,921	22.0	SEBA KLL-Q
11/10/2016	63.80	151,940	22.0	SEBA KLL-Q
11/10/2016	64.00	152,024	22.0	SEBA KLL-Q
11/10/2016	64.20	152,006	22.0	SEBA KLL-Q
11/10/2016	64.40	157,676	22.0	SEBA KLL-Q
11/10/2016	64.60	158,822	22.0	SEBA KLL-Q
11/10/2016	64.80	159,087	22.0	SEBA KLL-Q
11/10/2016	65.00	161,906	22.0	SEBA KLL-Q
11/10/2016	65.20	161,779	22.0	SEBA KLL-Q
11/10/2016	65.40	168,065	22.0	SEBA KLL-Q
11/10/2016	65.60	168,071	22.0	SEBA KLL-Q
11/10/2016	65.80	168,053	22.0	SEBA KLL-Q
11/10/2016	66.00	177,588	22.0	SEBA KLL-Q
11/10/2016	66.20	178,993	22.0	SEBA KLL-Q
11/10/2016	66.40	179,048	22.0	SEBA KLL-Q
11/10/2016	66.60	188,069	22.1	SEBA KLL-Q
11/10/2016	66.80	188,188	22.1	SEBA KLL-Q
11/10/2016	67.00	192,447	22.1	SEBA KLL-Q
11/10/2016	67.20	195,683	22.1	SEBA KLL-Q
11/10/2016	67.40	199,727	22.1	SEBA KLL-Q
11/10/2016	67.60	199,696	22.1	SEBA KLL-Q
11/10/2016	67.80	204,053	22.1	SEBA KLL-Q
11/10/2016	68.00	204,086	22.1	SEBA KLL-Q
11/10/2016	68.20	203,998	22.1	SEBA KLL-Q
11/10/2016	68.40	208,070	22.1	SEBA KLL-Q
11/10/2016	68.60	212,276	22.1	SEBA KLL-Q
11/10/2016	68.80	213,985	22.1	SEBA KLL-Q
11/10/2016	69.00	214,102	22.1	SEBA KLL-Q
11/10/2016	69.20	216,371	22.1	SEBA KLL-Q
11/10/2016	69.40	216,423	22.1	SEBA KLL-Q
11/10/2016	69.60	218,974	22.1	SEBA KLL-Q
11/10/2016	69.80	219,069	22.1	SEBA KLL-Q
11/10/2016	70.00	219,134	22.1	SEBA KLL-Q
11/10/2016	70.20	219,128	22.1	SEBA KLL-Q
11/10/2016	70.40	219,100	22.1	SEBA KLL-Q
11/10/2016	70.60	219,066	22.1	SEBA KLL-Q
11/10/2016	70.80	219,134	22.1	SEBA KLL-Q
11/10/2016	71.00	219,097	22.1	SEBA KLL-Q
11/10/2016	71.50	221,428	22.1	SEBA KLL-Q
11/10/2016	72.00	221,547	22.1	SEBA KLL-Q
11/10/2016	72.20	221,547	22.1	SEBA KLL-Q
11/10/2016	72.40	221,526	22.1	SEBA KLL-Q
11/10/2016	72.60	221,531	22.1	SEBA KLL-Q
11/10/2016	72.80	221,500	22.1	SEBA KLL-Q
11/10/2016	73.00	221,500	22.1	SEBA KLL-Q
11/10/2016	74.00	221,759	22.1	SEBA KLL-Q
11/10/2016	75.00	221,804	22.1	SEBA KLL-Q
11/10/2016	76.00	222,287	22.2	SEBA KLL-Q
11/10/2016	77.00	222,754	22.2	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/10/2016	78.00	223,728	22.2	SEBA KLL-Q
11/10/2016	79.00	224,160	22.2	SEBA KLL-Q
11/10/2016	80.00	224,107	22.2	SEBA KLL-Q
11/10/2016	80.60	102,303	22.2	SEBA KLL-Q
06/11/2016	0.70	46,610	21.0	SEBA KLL-Q
06/11/2016	2.00	46,550	20.9	SEBA KLL-Q
06/11/2016	3.00	46,550	20.9	SEBA KLL-Q
06/11/2016	4.00	48,510	21.0	SEBA KLL-Q
06/11/2016	5.00	48,510	21.0	SEBA KLL-Q
06/11/2016	6.00	48,530	21.0	SEBA KLL-Q
06/11/2016	7.00	48,560	21.0	SEBA KLL-Q
06/11/2016	8.00	48,620	21.0	SEBA KLL-Q
06/11/2016	9.00	48,870	21.0	SEBA KLL-Q
06/11/2016	10.00	49,280	21.0	SEBA KLL-Q
06/11/2016	11.00	49,540	21.0	SEBA KLL-Q
06/11/2016	12.00	49,510	21.0	SEBA KLL-Q
06/11/2016	13.00	49,450	21.0	SEBA KLL-Q
06/11/2016	14.00	49,390	21.0	SEBA KLL-Q
06/11/2016	15.00	49,310	21.0	SEBA KLL-Q
06/11/2016	16.00	49,310	21.0	SEBA KLL-Q
06/11/2016	17.00	49,290	21.0	SEBA KLL-Q
06/11/2016	18.00	49,570	21.1	SEBA KLL-Q
06/11/2016	19.00	49,830	21.0	SEBA KLL-Q
06/11/2016	20.00	63,000	21.3	SEBA KLL-Q
06/11/2016	21.00	64,950	21.4	SEBA KLL-Q
06/11/2016	22.00	64,980	21.4	SEBA KLL-Q
06/11/2016	23.00	65,050	21.4	SEBA KLL-Q
06/11/2016	24.00	66,570	21.5	SEBA KLL-Q
06/11/2016	25.00	67,130	21.6	SEBA KLL-Q
06/11/2016	26.00	67,190	21.6	SEBA KLL-Q
06/11/2016	27.00	67,180	21.6	SEBA KLL-Q
06/11/2016	28.00	67,310	21.6	SEBA KLL-Q
06/11/2016	29.00	67,500	21.7	SEBA KLL-Q
06/11/2016	30.00	67,660	21.7	SEBA KLL-Q
06/11/2016	31.00	68,200	21.8	SEBA KLL-Q
06/11/2016	32.00	69,400	21.8	SEBA KLL-Q
06/11/2016	33.00	72,380	22.1	SEBA KLL-Q
06/11/2016	34.00	80,980	22.4	SEBA KLL-Q
06/11/2016	35.00	81,040	22.4	SEBA KLL-Q
06/11/2016	36.00	81,050	22.4	SEBA KLL-Q
06/11/2016	37.00	81,070	22.5	SEBA KLL-Q
06/11/2016	38.00	81,090	22.4	SEBA KLL-Q
06/11/2016	39.00	81,110	22.4	SEBA KLL-Q
06/11/2016	40.00	81,130	22.4	SEBA KLL-Q
06/11/2016	41.00	81,160	22.4	SEBA KLL-Q
06/11/2016	42.00	81,160	22.4	SEBA KLL-Q
06/11/2016	43.00	81,190	22.4	SEBA KLL-Q
06/11/2016	44.00	81,300	22.4	SEBA KLL-Q
06/11/2016	45.00	82,100	22.4	SEBA KLL-Q
06/11/2016	46.00	84,060	22.4	SEBA KLL-Q
06/11/2016	47.00	84,230	22.4	SEBA KLL-Q
06/11/2016	48.00	88,310	22.4	SEBA KLL-Q
06/11/2016	49.00	84,400	22.3	SEBA KLL-Q
06/11/2016	50.00	84,410	22.3	SEBA KLL-Q
06/11/2016	51.00	84,470	22.2	SEBA KLL-Q
06/11/2016	52.00	84,530	22.2	SEBA KLL-Q
06/11/2016	53.00	84,580	22.2	SEBA KLL-Q
06/11/2016	54.00	93,790	22.1	SEBA KLL-Q
06/11/2016	54.50	93,890	22.1	SEBA KLL-Q
06/11/2016	55.00	94,490	22.1	SEBA KLL-Q
06/11/2016	55.50	94,970	22.1	SEBA KLL-Q
06/11/2016	56.00	95,740	22.1	SEBA KLL-Q
06/11/2016	56.50	95,910	22.0	SEBA KLL-Q
06/11/2016	57.00	95,990	22.0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/11/2016	57.50	96,070	22.0	SEBA KLL-Q
06/11/2016	58.00	96,430	22.0	SEBA KLL-Q
06/11/2016	58.50	98,880	22.0	SEBA KLL-Q
06/11/2016	59.00	101,700	22.0	SEBA KLL-Q
06/11/2016	59.20	106,200	22.0	SEBA KLL-Q
06/11/2016	59.40	108,000	22.0	SEBA KLL-Q
06/11/2016	59.60	109,000	22.0	SEBA KLL-Q
06/11/2016	59.80	110,300	22.0	SEBA KLL-Q
06/11/2016	60.00	117,400	22.0	SEBA KLL-Q
06/11/2016	60.20	118,800	22.0	SEBA KLL-Q
06/11/2016	60.40	120,200	22.0	SEBA KLL-Q
06/11/2016	60.60	124,300	22.0	SEBA KLL-Q
06/11/2016	60.80	126,200	22.0	SEBA KLL-Q
06/11/2016	61.00	130,300	22.0	SEBA KLL-Q
06/11/2016	61.20	130,400	22.0	SEBA KLL-Q
06/11/2016	61.40	137,400	22.0	SEBA KLL-Q
06/11/2016	61.60	142,300	22.0	SEBA KLL-Q
06/11/2016	61.80	142,400	22.0	SEBA KLL-Q
06/11/2016	62.00	142,500	22.0	SEBA KLL-Q
06/11/2016	62.20	142,700	22.0	SEBA KLL-Q
06/11/2016	62.40	144,200	22.0	SEBA KLL-Q
06/11/2016	62.60	146,700	22.0	SEBA KLL-Q
06/11/2016	62.80	147,300	22.0	SEBA KLL-Q
06/11/2016	63.00	148,800	22.0	SEBA KLL-Q
06/11/2016	63.20	148,800	22.0	SEBA KLL-Q
06/11/2016	63.40	148,800	22.0	SEBA KLL-Q
06/11/2016	63.80	152,800	22.1	SEBA KLL-Q
06/11/2016	63.60	151,200	22.0	SEBA KLL-Q
06/11/2016	64.00	152,900	22.0	SEBA KLL-Q
06/11/2016	64.20	155,100	22.0	SEBA KLL-Q
06/11/2016	64.40	157,100	22.0	SEBA KLL-Q
06/11/2016	64.60	159,600	22.0	SEBA KLL-Q
06/11/2016	64.80	160,000	22.1	SEBA KLL-Q
06/11/2016	65.00	162,000	22.1	SEBA KLL-Q
06/11/2016	65.20	165,300	22.1	SEBA KLL-Q
06/11/2016	65.40	167,600	22.1	SEBA KLL-Q
06/11/2016	65.60	167,800	22.1	SEBA KLL-Q
06/11/2016	65.80	169,800	22.1	SEBA KLL-Q
06/11/2016	66.00	177,300	22.1	SEBA KLL-Q
06/11/2016	66.20	178,400	22.1	SEBA KLL-Q
06/11/2016	66.40	182,000	22.1	SEBA KLL-Q
06/11/2016	66.60	187,700	22.1	SEBA KLL-Q
06/11/2016	66.80	188,100	22.1	SEBA KLL-Q
06/11/2016	67.00	193,900	22.1	SEBA KLL-Q
06/11/2016	67.20	197,300	22.1	SEBA KLL-Q
06/11/2016	67.40	202,700	22.1	SEBA KLL-Q
06/11/2016	67.60	202,700	22.1	SEBA KLL-Q
06/11/2016	67.80	207,700	22.1	SEBA KLL-Q
06/11/2016	68.00	207,900	22.1	SEBA KLL-Q
06/11/2016	68.20	210,000	22.1	SEBA KLL-Q
06/11/2016	68.40	212,900	22.1	SEBA KLL-Q
06/11/2016	68.60	216,100	22.1	SEBA KLL-Q
06/11/2016	68.80	216,700	22.1	SEBA KLL-Q
06/11/2016	69.00	217,900	22.1	SEBA KLL-Q
06/11/2016	69.20	218,100	22.1	SEBA KLL-Q
06/11/2016	69.40	220,300	22.1	SEBA KLL-Q
06/11/2016	69.60	220,000	22.1	SEBA KLL-Q
06/11/2016	69.80	220,200	22.1	SEBA KLL-Q
06/11/2016	70.00	220,300	22.1	SEBA KLL-Q
06/11/2016	70.50	220,300	22.1	SEBA KLL-Q
06/11/2016	71.00	220,300	22.1	SEBA KLL-Q
06/11/2016	71.50	222,000	22.1	SEBA KLL-Q
06/11/2016	72.00	222,200	22.1	SEBA KLL-Q
06/11/2016	72.50	222,200	22.1	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/11/2016	73.00	222,200	22.1	SEBA KLL-Q
06/11/2016	74.00	222,500	22.1	SEBA KLL-Q
06/11/2016	75.00	223,000	22.2	SEBA KLL-Q
06/11/2016	77.00	224,000	22.2	SEBA KLL-Q
06/11/2016	79.00	225,500	22.2	SEBA KLL-Q
06/11/2016	80.42	80,300	22.2	SEBA KLL-Q
14/01/2017	0.70	33,880	20.7	SEBA KLL-Q
14/01/2017	2.00	33,780	20.5	SEBA KLL-Q
14/01/2017	4.00	33,740	20.5	SEBA KLL-Q
14/01/2017	6.00	33,760	20.5	SEBA KLL-Q
14/01/2017	8.00	33,850	20.5	SEBA KLL-Q
14/01/2017	10.00	34,020	20.5	SEBA KLL-Q
14/01/2017	12.00	34,410	20.5	SEBA KLL-Q
14/01/2017	14.00	34,450	20.5	SEBA KLL-Q
14/01/2017	16.00	34,430	20.6	SEBA KLL-Q
14/01/2017	18.00	34,600	20.6	SEBA KLL-Q
14/01/2017	20.00	62,660	20.8	SEBA KLL-Q
14/01/2017	22.00	67,900	21.0	SEBA KLL-Q
14/01/2017	23.00	67,880	21.0	SEBA KLL-Q
14/01/2017	24.00	69,260	21.1	SEBA KLL-Q
14/01/2017	25.00	73,270	21.3	SEBA KLL-Q
14/01/2017	25.50	73,590	21.4	SEBA KLL-Q
14/01/2017	26.00	73,800	21.5	SEBA KLL-Q
14/01/2017	26.50	73,810	21.5	SEBA KLL-Q
14/01/2017	27.00	73,830	21.5	SEBA KLL-Q
14/01/2017	28.00	73,910	21.5	SEBA KLL-Q
14/01/2017	29.00	74,330	21.6	SEBA KLL-Q
14/01/2017	30.00	74,360	21.7	SEBA KLL-Q
14/01/2017	31.00	74,990	21.8	SEBA KLL-Q
14/01/2017	32.00	76,180	21.9	SEBA KLL-Q
14/01/2017	33.00	78,730	22.1	SEBA KLL-Q
14/01/2017	34.00	89,440	22.4	SEBA KLL-Q
14/01/2017	34.50	89,550	22.4	SEBA KLL-Q
14/01/2017	35.00	89,570	22.4	SEBA KLL-Q
14/01/2017	35.50	89,590	22.4	SEBA KLL-Q
14/01/2017	36.00	89,590	22.4	SEBA KLL-Q
14/01/2017	37.00	89,570	22.4	SEBA KLL-Q
14/01/2017	38.00	89,610	22.4	SEBA KLL-Q
14/01/2017	39.00	89,600	22.4	SEBA KLL-Q
14/01/2017	40.00	89,620	22.4	SEBA KLL-Q
14/01/2017	42.00	89,630	22.4	SEBA KLL-Q
14/01/2017	44.00	89,670	22.4	SEBA KLL-Q
14/01/2017	46.00	91,960	22.4	SEBA KLL-Q
14/01/2017	48.00	92,230	22.4	SEBA KLL-Q
14/01/2017	50.00	92,320	22.3	SEBA KLL-Q
14/01/2017	51.00	92,330	22.2	SEBA KLL-Q
14/01/2017	52.00	92,580	22.1	SEBA KLL-Q
14/01/2017	53.00	100,400	22.1	SEBA KLL-Q
14/01/2017	53.50	102,200	22.1	SEBA KLL-Q
14/01/2017	54.00	103,400	22.1	SEBA KLL-Q
14/01/2017	54.50	103,700	22.1	SEBA KLL-Q
14/01/2017	55.00	104,200	22.1	SEBA KLL-Q
14/01/2017	55.50	105,100	22.0	SEBA KLL-Q
14/01/2017	56.00	105,300	22.0	SEBA KLL-Q
14/01/2017	56.50	105,400	22.0	SEBA KLL-Q
14/01/2017	57.00	105,400	22.0	SEBA KLL-Q
14/01/2017	57.50	105,600	22.0	SEBA KLL-Q
14/01/2017	58.00	106,200	22.0	SEBA KLL-Q
14/01/2017	58.50	109,700	22.0	SEBA KLL-Q
14/01/2017	59.00	111,100	22.0	SEBA KLL-Q
14/01/2017	59.50	118,100	22.0	SEBA KLL-Q
14/01/2017	60.00	128,300	22.0	SEBA KLL-Q
14/01/2017	60.20	131,000	22.0	SEBA KLL-Q
14/01/2017	60.40	134,600	22.0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/01/2017	60.60	137,100	22.0	SEBA KLL-Q
14/01/2017	60.80	139,200	22.0	SEBA KLL-Q
14/01/2017	61.00	142,100	22.0	SEBA KLL-Q
14/01/2017	61.20	143,700	22.0	SEBA KLL-Q
14/01/2017	61.40	150,800	22.0	SEBA KLL-Q
14/01/2017	61.60	155,400	22.0	SEBA KLL-Q
14/01/2017	61.80	156,900	22.0	SEBA KLL-Q
14/01/2017	62.00	157,200	22.0	SEBA KLL-Q
14/01/2017	62.20	157,400	22.0	SEBA KLL-Q
14/01/2017	62.40	158,900	22.0	SEBA KLL-Q
14/01/2017	62.60	160,500	22.0	SEBA KLL-Q
14/01/2017	62.80	161,600	22.0	SEBA KLL-Q
14/01/2017	63.00	162,400	22.0	SEBA KLL-Q
14/01/2017	63.20	162,300	22.0	SEBA KLL-Q
14/01/2017	63.40	163,700	22.0	SEBA KLL-Q
14/01/2017	63.60	167,200	22.0	SEBA KLL-Q
14/01/2017	63.80	168,000	22.0	SEBA KLL-Q
14/01/2017	64.00	168,300	22.0	SEBA KLL-Q
14/01/2017	64.40	173,000	22.0	SEBA KLL-Q
14/01/2017	64.80	174,200	22.0	SEBA KLL-Q
14/01/2017	65.20	181,300	22.0	SEBA KLL-Q
14/01/2017	65.60	183,100	22.0	SEBA KLL-Q
14/01/2017	66.00	191,000	22.1	SEBA KLL-Q
14/01/2017	66.40	197,200	22.1	SEBA KLL-Q
14/01/2017	66.80	206,400	22.1	SEBA KLL-Q
14/01/2017	67.00	215,300	22.1	SEBA KLL-Q
14/01/2017	67.20	222,000	22.1	SEBA KLL-Q
14/01/2017	67.40	228,800	22.1	SEBA KLL-Q
14/01/2017	67.60	230,100	22.1	SEBA KLL-Q
14/01/2017	67.80	233,700	22.1	SEBA KLL-Q
14/01/2017	68.00	233,700	22.1	SEBA KLL-Q
14/01/2017	68.20	233,900	22.1	SEBA KLL-Q
14/01/2017	68.40	234,400	22.1	SEBA KLL-Q
14/01/2017	68.60	235,600	22.1	SEBA KLL-Q
14/01/2017	68.80	236,800	22.1	SEBA KLL-Q
14/01/2017	69.00	236,800	22.1	SEBA KLL-Q
14/01/2017	69.40	237,400	22.1	SEBA KLL-Q
14/01/2017	69.80	237,400	22.1	SEBA KLL-Q
14/01/2017	70.00	237,500	22.1	SEBA KLL-Q
14/01/2017	70.50	237,600	22.1	SEBA KLL-Q
14/01/2017	71.00	237,700	22.1	SEBA KLL-Q
14/01/2017	72.00	239,800	22.1	SEBA KLL-Q
14/01/2017	74.00	240,400	22.1	SEBA KLL-Q
14/01/2017	76.00	242,100	22.1	SEBA KLL-Q
14/01/2017	78.00	244,100	22.2	SEBA KLL-Q
22/04/2017	1.00	36,450	20.5	SEBA KLL-Q
22/04/2017	3.00	37,620	20.5	SEBA KLL-Q
22/04/2017	5.00	37,640	20.5	SEBA KLL-Q
22/04/2017	7.00	37,650	20.5	SEBA KLL-Q
22/04/2017	9.00	37,600	20.5	SEBA KLL-Q
22/04/2017	11.00	38,640	20.5	SEBA KLL-Q
22/04/2017	13.00	44,320	20.6	SEBA KLL-Q
22/04/2017	15.00	57,130	20.7	SEBA KLL-Q
22/04/2017	17.00	57,760	20.7	SEBA KLL-Q
22/04/2017	19.00	65,190	20.8	SEBA KLL-Q
22/04/2017	21.00	69,390	20.9	SEBA KLL-Q
22/04/2017	23.00	70,110	21.0	SEBA KLL-Q
22/04/2017	25.00	74,060	21.3	SEBA KLL-Q
22/04/2017	27.00	74,320	21.4	SEBA KLL-Q
22/04/2017	29.00	74,620	21.4	SEBA KLL-Q
22/04/2017	31.00	75,200	21.7	SEBA KLL-Q
22/04/2017	33.00	78,870	21.9	SEBA KLL-Q
22/04/2017	35.00	90,110	22.3	SEBA KLL-Q
22/04/2017	37.00	90,120	22.3	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/04/2017	39.00	90,130	22.3	SEBA KLL-Q
22/04/2017	41.00	90,130	22.3	SEBA KLL-Q
22/04/2017	43.00	90,180	22.3	SEBA KLL-Q
22/04/2017	45.00	90,920	22.3	SEBA KLL-Q
22/04/2017	47.00	91,760	22.3	SEBA KLL-Q
22/04/2017	49.00	92,250	22.2	SEBA KLL-Q
22/04/2017	51.00	92,350	22.1	SEBA KLL-Q
22/04/2017	53.00	101,200	22.0	SEBA KLL-Q
22/04/2017	55.00	104,900	21.9	SEBA KLL-Q
22/04/2017	57.00	106,000	21.9	SEBA KLL-Q
22/04/2017	59.00	112,000	21.9	SEBA KLL-Q
22/04/2017	61.00	143,800	21.9	SEBA KLL-Q
22/04/2017	61.50	155,400	21.9	SEBA KLL-Q
22/04/2017	62.00	158,200	22.0	SEBA KLL-Q
22/04/2017	63.00	163,700	22.0	SEBA KLL-Q
22/04/2017	63.50	168,700	22.0	SEBA KLL-Q
22/04/2017	64.00	171,500	22.0	SEBA KLL-Q
22/04/2017	64.50	176,200	22.0	SEBA KLL-Q
22/04/2017	65.00	180,400	22.0	SEBA KLL-Q
22/04/2017	65.50	184,800	22.0	SEBA KLL-Q
22/04/2017	66.00	192,900	22.0	SEBA KLL-Q
22/04/2017	66.20	195,800	22.0	SEBA KLL-Q
22/04/2017	66.40	199,500	22.0	SEBA KLL-Q
22/04/2017	66.60	204,700	22.0	SEBA KLL-Q
22/04/2017	67.00	229,500	22.0	SEBA KLL-Q
22/04/2017	69.00	241,000	22.0	SEBA KLL-Q
22/04/2017	71.00	241,600	22.0	SEBA KLL-Q
22/04/2017	73.00	246,000	22.0	SEBA KLL-Q
22/04/2017	73.50	246,000	22.0	SEBA KLL-Q
22/04/2017	74.00	246,100	22.0	SEBA KLL-Q
22/04/2017	79.80	246,100	22.0	SEBA KLL-Q
14/07/2017	2.00	34,360	19.8	SEBA KLL-Q
14/07/2017	4.00	34,460	20.6	SEBA KLL-Q
14/07/2017	6.00	34,570	20.6	SEBA KLL-Q
14/07/2017	8.00	34,580	20.6	SEBA KLL-Q
14/07/2017	10.00	34,570	20.6	SEBA KLL-Q
14/07/2017	12.00	34,640	20.6	SEBA KLL-Q
14/07/2017	14.00	39,970	20.6	SEBA KLL-Q
14/07/2017	16.00	40,490	20.7	SEBA KLL-Q
14/07/2017	18.00	60,200	20.9	SEBA KLL-Q
14/07/2017	20.00	62,930	21.1	SEBA KLL-Q
14/07/2017	22.00	63,220	21.1	SEBA KLL-Q
14/07/2017	24.00	65,010	21.2	SEBA KLL-Q
14/07/2017	26.00	67,620	21.5	SEBA KLL-Q
14/07/2017	28.00	67,880	21.6	SEBA KLL-Q
14/07/2017	30.00	68,120	21.6	SEBA KLL-Q
14/07/2017	32.00	69,740	21.9	SEBA KLL-Q
14/07/2017	34.00	83,000	22.3	SEBA KLL-Q
14/07/2017	35.00	83,340	22.4	SEBA KLL-Q
14/07/2017	36.00	83,440	22.4	SEBA KLL-Q
14/07/2017	38.00	83,570	22.4	SEBA KLL-Q
14/07/2017	40.00	83,630	22.4	SEBA KLL-Q
14/07/2017	42.00	83,760	22.4	SEBA KLL-Q
14/07/2017	44.00	83,770	22.4	SEBA KLL-Q
14/07/2017	46.00	85,030	22.3	SEBA KLL-Q
14/07/2017	47.00	85,070	22.3	SEBA KLL-Q
14/07/2017	48.00	85,470	22.3	SEBA KLL-Q
14/07/2017	49.00	85,430	22.3	SEBA KLL-Q
14/07/2017	50.00	85,500	22.3	SEBA KLL-Q
14/07/2017	51.00	85,450	22.2	SEBA KLL-Q
14/07/2017	52.00	92,000	22.1	SEBA KLL-Q
14/07/2017	53.00	94,070	22.0	SEBA KLL-Q
14/07/2017	54.00	96,970	22.0	SEBA KLL-Q
14/07/2017	55.00	97,850	22.0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/07/2017	56.00	98,690	22.0	SEBA KLL-Q
14/07/2017	57.00	98,770	22.0	SEBA KLL-Q
14/07/2017	58.00	99,430	22.0	SEBA KLL-Q
14/07/2017	59.00	105,300	22.0	SEBA KLL-Q
14/07/2017	59.50	111,400	22.0	SEBA KLL-Q
14/07/2017	60.00	121,300	22.0	SEBA KLL-Q
14/07/2017	60.20	124,400	22.0	SEBA KLL-Q
14/07/2017	60.40	128,700	22.0	SEBA KLL-Q
14/07/2017	60.60	131,300	22.0	SEBA KLL-Q
14/07/2017	60.80	134,000	22.0	SEBA KLL-Q
14/07/2017	61.00	136,500	22.0	SEBA KLL-Q
14/07/2017	61.20	139,400	22.0	SEBA KLL-Q
14/07/2017	61.40	145,000	22.0	SEBA KLL-Q
14/07/2017	61.60	148,400	22.0	SEBA KLL-Q
14/07/2017	61.80	149,200	22.0	SEBA KLL-Q
14/07/2017	62.00	149,300	22.0	SEBA KLL-Q
14/07/2017	62.50	153,400	22.0	SEBA KLL-Q
14/07/2017	63.00	155,200	22.0	SEBA KLL-Q
14/07/2017	63.50	161,100	22.0	SEBA KLL-Q
14/07/2017	64.00	163,300	22.0	SEBA KLL-Q
14/07/2017	64.50	167,900	22.0	SEBA KLL-Q
14/07/2017	65.00	172,100	22.0	SEBA KLL-Q
14/07/2017	65.50	176,300	22.0	SEBA KLL-Q
14/07/2017	66.00	184,300	22.0	SEBA KLL-Q
14/07/2017	66.50	193,900	22.0	SEBA KLL-Q
14/07/2017	66.80	208,100	22.0	SEBA KLL-Q
14/07/2017	67.00	231,200	22.0	SEBA KLL-Q
14/07/2017	67.50	231,700	22.0	SEBA KLL-Q
14/07/2017	68.00	231,800	22.0	SEBA KLL-Q
14/07/2017	69.00	232,400	22.0	SEBA KLL-Q
14/07/2017	70.00	232,500	22.0	SEBA KLL-Q
14/07/2017	72.00	238,100	22.1	SEBA KLL-Q
14/07/2017	74.00	238,600	22.1	SEBA KLL-Q
14/07/2017	76.00	238,900	22.1	SEBA KLL-Q
14/07/2017	78.00	242,500	22.1	SEBA KLL-Q
11/10/2017	1.00	33,420	20.6	SEBA KLL-Q
11/10/2017	3.00	33,370	20.5	SEBA KLL-Q
11/10/2017	5.00	35,030	20.6	SEBA KLL-Q
11/10/2017	8.00	35,050	20.6	SEBA KLL-Q
11/10/2017	11.00	34,990	20.6	SEBA KLL-Q
11/10/2017	12.00	34,830	20.6	SEBA KLL-Q
11/10/2017	13.00	35,080	20.6	SEBA KLL-Q
11/10/2017	14.00	37,570	20.6	SEBA KLL-Q
11/10/2017	15.00	42,980	20.7	SEBA KLL-Q
11/10/2017	16.00	43,930	20.7	SEBA KLL-Q
11/10/2017	16.50	44,650	20.7	SEBA KLL-Q
11/10/2017	17.00	59,450	20.8	SEBA KLL-Q
11/10/2017	17.50	63,690	20.9	SEBA KLL-Q
11/10/2017	18.00	64,180	20.9	SEBA KLL-Q
11/10/2017	19.00	64,700	21.0	SEBA KLL-Q
11/10/2017	20.00	65,160	21.0	SEBA KLL-Q
11/10/2017	21.00	65,340	21.0	SEBA KLL-Q
11/10/2017	22.00	65,340	21.1	SEBA KLL-Q
11/10/2017	23.00	65,710	21.1	SEBA KLL-Q
11/10/2017	24.00	66,520	21.2	SEBA KLL-Q
11/10/2017	25.00	68,940	21.3	SEBA KLL-Q
11/10/2017	26.00	69,890	21.5	SEBA KLL-Q
11/10/2017	28.00	70,250	21.5	SEBA KLL-Q
11/10/2017	30.00	70,510	21.6	SEBA KLL-Q
11/10/2017	31.00	70,940	21.7	SEBA KLL-Q
11/10/2017	32.00	72,170	21.8	SEBA KLL-Q
11/10/2017	32.50	72,870	21.9	SEBA KLL-Q
11/10/2017	33.00	74,500	22.0	SEBA KLL-Q
11/10/2017	33.50	85,470	22.3	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/10/2017	34.00	85,810	22.3	SEBA KLL-Q
11/10/2017	36.00	85,910	22.4	SEBA KLL-Q
11/10/2017	38.00	85,840	22.3	SEBA KLL-Q
11/10/2017	40.00	85,950	22.3	SEBA KLL-Q
11/10/2017	42.00	85,970	22.3	SEBA KLL-Q
11/10/2017	44.00	86,020	22.3	SEBA KLL-Q
11/10/2017	46.00	87,270	22.3	SEBA KLL-Q
11/10/2017	48.00	87,830	22.3	SEBA KLL-Q
11/10/2017	50.00	87,880	22.2	SEBA KLL-Q
11/10/2017	51.50	88,000	22.1	SEBA KLL-Q
11/10/2017	52.00	94,910	22.0	SEBA KLL-Q
11/10/2017	53.00	96,620	22.0	SEBA KLL-Q
11/10/2017	54.00	99,700	22.0	SEBA KLL-Q
11/10/2017	55.00	100,600	22.0	SEBA KLL-Q
11/10/2017	56.00	101,500	22.0	SEBA KLL-Q
11/10/2017	57.00	101,700	22.0	SEBA KLL-Q
11/10/2017	58.00	103,000	22.0	SEBA KLL-Q
11/10/2017	59.00	108,300	22.0	SEBA KLL-Q
11/10/2017	60.00	124,600	22.0	SEBA KLL-Q
11/10/2017	61.00	141,100	22.0	SEBA KLL-Q
11/10/2017	62.00	154,200	22.0	SEBA KLL-Q
11/10/2017	63.00	159,800	22.0	SEBA KLL-Q
11/10/2017	64.00	168,500	22.0	SEBA KLL-Q
11/10/2017	65.00	177,400	22.0	SEBA KLL-Q
11/10/2017	66.00	188,500	22.0	SEBA KLL-Q
11/10/2017	67.00	237,600	22.0	SEBA KLL-Q
11/10/2017	68.00	237,800	22.0	SEBA KLL-Q
11/10/2017	69.00	238,200	22.0	SEBA KLL-Q
11/10/2017	70.00	238,300	22.0	SEBA KLL-Q
11/10/2017	71.00	241,000	22.0	SEBA KLL-Q
11/10/2017	72.00	244,800	22.0	SEBA KLL-Q
11/10/2017	73.00	245,100	22.0	SEBA KLL-Q
11/10/2017	74.00	245,200	22.0	SEBA KLL-Q
11/10/2017	75.00	245,100	22.1	SEBA KLL-Q
11/10/2017	76.00	245,400	22.1	SEBA KLL-Q
11/10/2017	77.00	246,300	22.1	SEBA KLL-Q
11/10/2017	78.00	248,700	22.1	SEBA KLL-Q
11/10/2017	79.00	249,100	22.1	SEBA KLL-Q
24/01/2018	1.0	26,430	20.17	SEBA KLL-Q
24/01/2018	2.0	26,450	20.33	SEBA KLL-Q
24/01/2018	4.0	27,830	20.59	SEBA KLL-Q
24/01/2018	6.0	27,960	20.62	SEBA KLL-Q
24/01/2018	8.0	27,960	20.62	SEBA KLL-Q
24/01/2018	10.0	27,960	20.62	SEBA KLL-Q
24/01/2018	12.0	27,730	20.62	SEBA KLL-Q
24/01/2018	14.0	29,010	20.64	SEBA KLL-Q
24/01/2018	16.0	50,810	20.80	SEBA KLL-Q
24/01/2018	16.5	51,200	20.83	SEBA KLL-Q
24/01/2018	17.0	51,030	20.84	SEBA KLL-Q
24/01/2018	18.0	57,380	20.91	SEBA KLL-Q
24/01/2018	18.5	57,840	20.94	SEBA KLL-Q
24/01/2018	19.0	57,940	20.96	SEBA KLL-Q
24/01/2018	19.5	58,040	20.99	SEBA KLL-Q
24/01/2018	20.0	58,880	21.00	SEBA KLL-Q
24/01/2018	21.0	59,120	21.03	SEBA KLL-Q
24/01/2018	22.0	59,230	21.07	SEBA KLL-Q
24/01/2018	23.0	59,400	21.09	SEBA KLL-Q
24/01/2018	24.0	60,850	21.16	SEBA KLL-Q
24/01/2018	25.0	63,970	21.34	SEBA KLL-Q
24/01/2018	26.0	64,600	21.51	SEBA KLL-Q
24/01/2018	27.0	64,680	21.53	SEBA KLL-Q
24/01/2018	28.0	64,770	21.59	SEBA KLL-Q
24/01/2018	29.0	65,070	21.71	SEBA KLL-Q
24/01/2018	30.0	65,120	21.74	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/01/2018	32.0	66,590	21.97	SEBA KLL-Q
24/01/2018	34.0	79,140	22.46	SEBA KLL-Q
24/01/2018	35.0	79,260	22.49	SEBA KLL-Q
24/01/2018	36.0	79,380	22.50	SEBA KLL-Q
24/01/2018	37.0	79,450	22.50	SEBA KLL-Q
24/01/2018	38.0	79,510	22.48	SEBA KLL-Q
24/01/2018	40.0	79,550	22.47	SEBA KLL-Q
24/01/2018	42.0	79,640	22.49	SEBA KLL-Q
24/01/2018	44.0	79,710	22.50	SEBA KLL-Q
24/01/2018	46.0	81,030	22.46	SEBA KLL-Q
24/01/2018	48.0	81,580	22.44	SEBA KLL-Q
24/01/2018	50.0	81,670	22.35	SEBA KLL-Q
24/01/2018	52.0	88,590	22.19	SEBA KLL-Q
24/01/2018	53.0	89,450	22.16	SEBA KLL-Q
24/01/2018	54.0	92,580	22.14	SEBA KLL-Q
24/01/2018	55.0	93,490	22.13	SEBA KLL-Q
24/01/2018	56.0	94,260	22.12	SEBA KLL-Q
24/01/2018	57.0	94,550	22.11	SEBA KLL-Q
24/01/2018	58.0	95,280	22.11	SEBA KLL-Q
24/01/2018	59.0	100,500	22.10	SEBA KLL-Q
24/01/2018	60.0	115,700	22.10	SEBA KLL-Q
24/01/2018	61.0	130,900	22.10	SEBA KLL-Q
24/01/2018	62.0	142,700	22.11	SEBA KLL-Q
24/01/2018	63.0	148,200	22.11	SEBA KLL-Q
24/01/2018	64.0	156,000	22.12	SEBA KLL-Q
24/01/2018	65.0	163,800	22.12	SEBA KLL-Q
24/01/2018	66.0	174,500	22.13	SEBA KLL-Q
24/01/2018	67.0	219,000	22.14	SEBA KLL-Q
24/01/2018	67.5	219,100	22.14	SEBA KLL-Q
24/01/2018	68.0	219,000	22.15	SEBA KLL-Q
24/01/2018	70.0	219,500	22.16	SEBA KLL-Q
24/01/2018	72.0	225,400	22.18	SEBA KLL-Q
24/01/2018	74.0	226,000	22.19	SEBA KLL-Q
24/01/2018	76.0	226,200	22.20	SEBA KLL-Q
24/01/2018	78.0	229,400	22.22	SEBA KLL-Q
06/04/2018	1.0	27,410	19.78	SEBA KLL-Q
06/04/2018	2.0	27,370	20.04	SEBA KLL-Q
06/04/2018	4.0	27,920	20.51	SEBA KLL-Q
06/04/2018	6.0	27,920	20.58	SEBA KLL-Q
06/04/2018	8.0	27,930	20.59	SEBA KLL-Q
06/04/2018	10.0	27,910	20.59	SEBA KLL-Q
06/04/2018	12.0	27,710	20.60	SEBA KLL-Q
06/04/2018	14.0	30,570	20.62	SEBA KLL-Q
06/04/2018	16.0	33,490	20.66	SEBA KLL-Q
06/04/2018	18.0	45,310	20.77	SEBA KLL-Q
06/04/2018	20.0	55,710	20.95	SEBA KLL-Q
06/04/2018	22.0	56,140	21.03	SEBA KLL-Q
06/04/2018	24.0	57,570	21.11	SEBA KLL-Q
06/04/2018	26.0	60,980	21.46	SEBA KLL-Q
06/04/2018	28.0	61,100	21.55	SEBA KLL-Q
06/04/2018	30.0	61,320	21.67	SEBA KLL-Q
06/04/2018	32.0	62,570	21.89	SEBA KLL-Q
06/04/2018	34.0	63,870	22.36	SEBA KLL-Q
06/04/2018	36.0	73,880	22.42	SEBA KLL-Q
06/04/2018	38.0	73,850	22.41	SEBA KLL-Q
06/04/2018	40.0	73,860	22.40	SEBA KLL-Q
06/04/2018	42.0	73,880	22.41	SEBA KLL-Q
06/04/2018	44.0	73,900	22.42	SEBA KLL-Q
06/04/2018	46.0	75,090	22.38	SEBA KLL-Q
06/04/2018	48.0	75,590	22.35	SEBA KLL-Q
06/04/2018	50.0	75,680	22.25	SEBA KLL-Q
06/04/2018	51.0	75,820	22.15	SEBA KLL-Q
06/04/2018	52.0	82,060	22.10	SEBA KLL-Q
06/04/2018	53.0	82,460	22.08	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/04/2018	54.0	85,190	22.07	SEBA KLL-Q
06/04/2018	55.0	86,020	22.05	SEBA KLL-Q
06/04/2018	56.0	86,700	22.04	SEBA KLL-Q
06/04/2018	57.0	86,870	22.03	SEBA KLL-Q
06/04/2018	58.0	87,880	22.03	SEBA KLL-Q
06/04/2018	59.0	92,070	22.03	SEBA KLL-Q
06/04/2018	60.0	106,100	22.03	SEBA KLL-Q
06/04/2018	60.2	109,000	22.03	SEBA KLL-Q
06/04/2018	60.4	112,100	22.03	SEBA KLL-Q
06/04/2018	60.6	114,300	22.03	SEBA KLL-Q
06/04/2018	60.8	117,100	22.03	SEBA KLL-Q
06/04/2018	61.0	119,000	22.03	SEBA KLL-Q
06/04/2018	61.2	122,100	22.03	SEBA KLL-Q
06/04/2018	61.4	125,100	22.03	SEBA KLL-Q
06/04/2018	61.6	126,900	22.03	SEBA KLL-Q
06/04/2018	61.8	127,700	22.03	SEBA KLL-Q
06/04/2018	62.0	128,900	22.03	SEBA KLL-Q
06/04/2018	62.2	130,000	22.03	SEBA KLL-Q
06/04/2018	62.4	131,400	22.03	SEBA KLL-Q
06/04/2018	62.6	132,200	22.03	SEBA KLL-Q
06/04/2018	62.8	132,900	22.04	SEBA KLL-Q
06/04/2018	63.0	133,300	22.04	SEBA KLL-Q
06/04/2018	63.2	135,600	22.04	SEBA KLL-Q
06/04/2018	63.4	135,400	22.04	SEBA KLL-Q
06/04/2018	63.6	136,800	22.04	SEBA KLL-Q
06/04/2018	63.8	138,200	22.04	SEBA KLL-Q
06/04/2018	64.0	139,000	22.04	SEBA KLL-Q
06/04/2018	64.2	141,800	22.05	SEBA KLL-Q
06/04/2018	64.4	143,100	22.04	SEBA KLL-Q
06/04/2018	64.6	144,400	22.05	SEBA KLL-Q
06/04/2018	64.8	145,400	22.05	SEBA KLL-Q
06/04/2018	65.0	147,400	22.05	SEBA KLL-Q
06/04/2018	65.2	148,900	22.06	SEBA KLL-Q
06/04/2018	65.4	149,900	22.06	SEBA KLL-Q
06/04/2018	65.6	150,600	22.06	SEBA KLL-Q
06/04/2018	65.8	152,800	22.05	SEBA KLL-Q
06/04/2018	66.0	155,500	22.05	SEBA KLL-Q
06/04/2018	66.2	157,400	22.06	SEBA KLL-Q
06/04/2018	66.4	161,300	22.07	SEBA KLL-Q
06/04/2018	66.6	164,900	22.06	SEBA KLL-Q
06/04/2018	66.8	191,100	22.07	SEBA KLL-Q
06/04/2018	67.0	193,600	22.06	SEBA KLL-Q
06/04/2018	67.2	193,700	22.06	SEBA KLL-Q
06/04/2018	67.4	193,700	22.06	SEBA KLL-Q
06/04/2018	67.6	193,700	22.07	SEBA KLL-Q
06/04/2018	67.8	193,700	22.07	SEBA KLL-Q
06/04/2018	68.0	193,700	22.07	SEBA KLL-Q
06/04/2018	68.2	193,700	22.07	SEBA KLL-Q
06/04/2018	68.4	193,700	22.07	SEBA KLL-Q
06/04/2018	68.6	193,800	22.08	SEBA KLL-Q
06/04/2018	68.8	193,900	22.08	SEBA KLL-Q
06/04/2018	69.0	193,900	22.08	SEBA KLL-Q
06/04/2018	69.2	193,900	22.08	SEBA KLL-Q
06/04/2018	69.4	194,000	22.08	SEBA KLL-Q
06/04/2018	69.6	194,000	22.08	SEBA KLL-Q
06/04/2018	69.8	194,000	22.08	SEBA KLL-Q
06/04/2018	70.0	194,000	22.08	SEBA KLL-Q
06/04/2018	70.5	194,500	22.09	SEBA KLL-Q
06/04/2018	71.0	195,900	22.09	SEBA KLL-Q
06/04/2018	71.5	197,100	22.10	SEBA KLL-Q
06/04/2018	72.0	198,800	22.11	SEBA KLL-Q
06/04/2018	72.5	199,100	22.11	SEBA KLL-Q
06/04/2018	73.0	199,200	22.11	SEBA KLL-Q
06/04/2018	73.5	199,300	22.12	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/04/2018	74.0	199,300	22.12	SEBA KLL-Q
06/04/2018	74.5	199,400	22.12	SEBA KLL-Q
06/04/2018	75.0	199,400	22.13	SEBA KLL-Q
06/04/2018	75.5	199,500	22.13	SEBA KLL-Q
06/04/2018	76.0	199,600	22.14	SEBA KLL-Q
06/04/2018	76.5	200,000	22.14	SEBA KLL-Q
06/04/2018	77.0	200,400	22.14	SEBA KLL-Q
06/04/2018	78.0	202,300	22.15	SEBA KLL-Q
29/07/2018	1.0	42,970	19.25	SEBA KLL-Q
29/07/2018	1.2	42,840	19.21	SEBA KLL-Q
29/07/2018	1.4	42,850	19.76	SEBA KLL-Q
29/07/2018	1.6	42,710	19.90	SEBA KLL-Q
29/07/2018	1.8	42,620	19.92	SEBA KLL-Q
29/07/2018	2.0	42,660	20.03	SEBA KLL-Q
29/07/2018	3.0	42,640	20.30	SEBA KLL-Q
29/07/2018	4.0	43,570	20.73	SEBA KLL-Q
29/07/2018	6.0	43,580	20.78	SEBA KLL-Q
29/07/2018	8.0	43,580	20.78	SEBA KLL-Q
29/07/2018	10.0	43,540	20.78	SEBA KLL-Q
29/07/2018	12.0	43,460	20.78	SEBA KLL-Q
29/07/2018	14.0	43,260	20.80	SEBA KLL-Q
29/07/2018	16.0	43,440	20.80	SEBA KLL-Q
29/07/2018	18.0	44,920	20.82	SEBA KLL-Q
29/07/2018	20.0	73,430	21.20	SEBA KLL-Q
29/07/2018	20.2	73,820	21.20	SEBA KLL-Q
29/07/2018	20.4	74,640	21.20	SEBA KLL-Q
29/07/2018	20.6	74,670	21.21	SEBA KLL-Q
29/07/2018	20.8	74,720	21.21	SEBA KLL-Q
29/07/2018	21.0	74,800	21.20	SEBA KLL-Q
29/07/2018	22.0	74,960	21.24	SEBA KLL-Q
29/07/2018	24.0	76,900	21.33	SEBA KLL-Q
29/07/2018	26.0	79,540	21.61	SEBA KLL-Q
29/07/2018	27.0	79,610	21.62	SEBA KLL-Q
29/07/2018	28.0	79,920	21.64	SEBA KLL-Q
29/07/2018	30.0	80,020	21.66	SEBA KLL-Q
29/07/2018	32.0	81,470	21.77	SEBA KLL-Q
29/07/2018	34.0	96,690	22.45	SEBA KLL-Q
29/07/2018	35.0	96,770	22.46	SEBA KLL-Q
29/07/2018	36.0	96,870	22.44	SEBA KLL-Q
29/07/2018	38.0	96,780	22.46	SEBA KLL-Q
29/07/2018	40.0	96,910	22.41	SEBA KLL-Q
29/07/2018	42.0	97,040	22.43	SEBA KLL-Q
29/07/2018	44.0	97,070	22.44	SEBA KLL-Q
29/07/2018	46.0	97,330	22.44	SEBA KLL-Q
29/07/2018	48.0	98,480	22.47	SEBA KLL-Q
29/07/2018	50.0	99,320	22.26	SEBA KLL-Q
29/07/2018	52.0	107,100	22.14	SEBA KLL-Q
29/07/2018	53.0	108,900	22.11	SEBA KLL-Q
29/07/2018	54.0	112,700	22.08	SEBA KLL-Q
29/07/2018	55.0	113,500	22.10	SEBA KLL-Q
29/07/2018	56.0	114,400	22.08	SEBA KLL-Q
29/07/2018	58.0	114,600	22.08	SEBA KLL-Q
29/07/2018	60.0	139,500	22.13	SEBA KLL-Q
29/07/2018	60.2	139,800	22.07	SEBA KLL-Q
29/07/2018	60.4	147,600	22.08	SEBA KLL-Q
29/07/2018	60.6	151,700	22.06	SEBA KLL-Q
29/07/2018	60.8	155,400	22.07	SEBA KLL-Q
29/07/2018	61.0	160,200	22.08	SEBA KLL-Q
29/07/2018	62.0	172,200	22.09	SEBA KLL-Q
29/07/2018	62.2	174,100	22.09	SEBA KLL-Q
29/07/2018	62.4	176,000	22.09	SEBA KLL-Q
29/07/2018	62.6	177,500	22.07	SEBA KLL-Q
29/07/2018	62.8	178,300	22.09	SEBA KLL-Q
29/07/2018	63.0	178,500	22.07	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
29/07/2018	64.0	188,400	22.07	SEBA KLL-Q
29/07/2018	64.5	193,400	22.09	SEBA KLL-Q
29/07/2018	65.0	197,800	22.08	SEBA KLL-Q
29/07/2018	65.5	202,100	22.08	SEBA KLL-Q
29/07/2018	66.0	210,000	22.08	SEBA KLL-Q
29/07/2018	67.0	261,300	22.08	SEBA KLL-Q
29/07/2018	67.5	262,700	22.08	SEBA KLL-Q
29/07/2018	68.0	263,200	22.12	SEBA KLL-Q
29/07/2018	69.0	264,100	22.11	SEBA KLL-Q
29/07/2018	71.0	266,300	22.12	SEBA KLL-Q
29/07/2018	73.0	270,700	22.14	SEBA KLL-Q
29/07/2018	75.0	272,000	22.14	SEBA KLL-Q
21/08/2018	0.8	35,940	19.90	SEBA KLL-Q
21/08/2018	1.0	35,980	19.92	SEBA KLL-Q
21/08/2018	1.5	36,020	20.12	SEBA KLL-Q
21/08/2018	2.0	36,000	20.40	SEBA KLL-Q
21/08/2018	2.5	36,010	20.61	SEBA KLL-Q
21/08/2018	3.0	36,050	20.71	SEBA KLL-Q
21/08/2018	4.0	36,010	20.91	SEBA KLL-Q
21/08/2018	5.0	36,050	20.98	SEBA KLL-Q
21/08/2018	6.0	36,040	20.98	SEBA KLL-Q
21/08/2018	8.0	36,080	20.97	SEBA KLL-Q
21/08/2018	10.0	36,100	20.98	SEBA KLL-Q
21/08/2018	12.0	36,040	20.97	SEBA KLL-Q
21/08/2018	14.0	35,610	20.97	SEBA KLL-Q
21/08/2018	16.0	36,020	20.97	SEBA KLL-Q
21/08/2018	17.0	35,020	20.98	SEBA KLL-Q
21/08/2018	17.5	36,950	21.00	SEBA KLL-Q
21/08/2018	18.0	37,080	20.96	SEBA KLL-Q
21/08/2018	18.5	38,210	20.90	SEBA KLL-Q
21/08/2018	19.0	38,600	21.01	SEBA KLL-Q
21/08/2018	19.5	52,310	21.21	SEBA KLL-Q
21/08/2018	20.0	63,560	21.33	SEBA KLL-Q
21/08/2018	20.2	63,760	21.36	SEBA KLL-Q
21/08/2018	20.4	63,910	21.35	SEBA KLL-Q
21/08/2018	20.6	64,180	21.36	SEBA KLL-Q
21/08/2018	20.8	64,400	21.36	SEBA KLL-Q
21/08/2018	21.0	64,450	21.38	SEBA KLL-Q
21/08/2018	21.5	64,710	21.38	SEBA KLL-Q
21/08/2018	22.0	64,760	21.39	SEBA KLL-Q
21/08/2018	23.0	65,030	21.42	SEBA KLL-Q
21/08/2018	24.0	66,450	21.52	SEBA KLL-Q
21/08/2018	26.0	69,050	21.07	SEBA KLL-Q
21/08/2018	28.0	69,410	21.81	SEBA KLL-Q
21/08/2018	30.0	69,660	21.87	SEBA KLL-Q
21/08/2018	32.0	71,100	22.02	SEBA KLL-Q
21/08/2018	33.0	72,930	22.17	SEBA KLL-Q
21/08/2018	33.5	78,560	22.47	SEBA KLL-Q
21/08/2018	34.0	84,720	22.61	SEBA KLL-Q
21/08/2018	34.5	84,910	22.60	SEBA KLL-Q
21/08/2018	35.0	85,070	22.61	SEBA KLL-Q
21/08/2018	36.0	85,260	22.60	SEBA KLL-Q
21/08/2018	38.0	85,450	22.58	SEBA KLL-Q
21/08/2018	40.0	85,600	22.57	SEBA KLL-Q
21/08/2018	42.0	85,800	22.58	SEBA KLL-Q
21/08/2018	44.0	85,950	22.60	SEBA KLL-Q
21/08/2018	46.0	87,150	22.58	SEBA KLL-Q
21/08/2018	48.0	87,820	22.57	SEBA KLL-Q
21/08/2018	50.0	88,150	22.44	SEBA KLL-Q
21/08/2018	52.0	96,060	22.33	SEBA KLL-Q
21/08/2018	52.5	96,530	22.26	SEBA KLL-Q
21/08/2018	53.0	96,700	22.28	SEBA KLL-Q
21/08/2018	54.0	100,100	22.24	SEBA KLL-Q
21/08/2018	54.5	100,600	22.24	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/08/2018	55.0	101,200	22.24	SEBA KLL-Q
21/08/2018	56.0	102,100	22.25	SEBA KLL-Q
21/08/2018	58.0	103,000	22.20	SEBA KLL-Q
21/08/2018	60.0	124,700	22.24	SEBA KLL-Q
21/08/2018	60.2	128,500	22.25	SEBA KLL-Q
21/08/2018	60.4	132,100	22.21	SEBA KLL-Q
21/08/2018	60.6	135,500	22.23	SEBA KLL-Q
21/08/2018	60.8	138,800	22.22	SEBA KLL-Q
21/08/2018	61.0	142,300	22.22	SEBA KLL-Q
21/08/2018	61.5	149,700	22.23	SEBA KLL-Q
21/08/2018	62.0	154,300	22.24	SEBA KLL-Q
21/08/2018	62.5	157,900	22.20	SEBA KLL-Q
21/08/2018	63.0	160,200	22.24	SEBA KLL-Q
21/08/2018	64.0	167,800	22.24	SEBA KLL-Q
21/08/2018	65.0	176,700	22.25	SEBA KLL-Q
21/08/2018	66.0	187,800	22.24	SEBA KLL-Q
21/08/2018	67.0	234,100	22.24	SEBA KLL-Q
21/08/2018	67.2	234,200	22.24	SEBA KLL-Q
21/08/2018	67.4	234,300	22.22	SEBA KLL-Q
21/08/2018	67.6	234,300	22.22	SEBA KLL-Q
21/08/2018	67.8	234,400	22.22	SEBA KLL-Q
21/08/2018	68.0	234,200	22.22	SEBA KLL-Q
21/08/2018	68.5	234,200	22.26	SEBA KLL-Q
21/08/2018	69.0	234,500	22.23	SEBA KLL-Q
21/08/2018	70.0	234,600	22.22	SEBA KLL-Q
21/08/2018	72.0	240,100	22.23	SEBA KLL-Q
21/08/2018	74.0	240,900	22.25	SEBA KLL-Q
21/08/2018	76.0	241,500	22.27	SEBA KLL-Q
21/08/2018	79.0	244,600	22.29	SEBA KLL-Q
21/08/2018	79.5	224,200	22.29	SEBA KLL-Q
08/09/2018	0.3	39,410	24.30	SEBA KLL-Q
08/09/2018	0.5	38,380	22.50	SEBA KLL-Q
08/09/2018	0.7	39,760	22.50	SEBA KLL-Q
08/09/2018	1.0	39,680	20.70	SEBA KLL-Q
08/09/2018	1.5	39,690	20.70	SEBA KLL-Q
08/09/2018	2.0	39,670	20.70	SEBA KLL-Q
08/09/2018	3.0	39,680	20.70	SEBA KLL-Q
08/09/2018	4.0	39,780	20.70	SEBA KLL-Q
08/09/2018	6.0	39,720	20.80	SEBA KLL-Q
08/09/2018	7.0	39,740	20.80	SEBA KLL-Q
08/09/2018	10.0	39,710	20.80	SEBA KLL-Q
08/09/2018	12.0	39,660	20.80	SEBA KLL-Q
08/09/2018	14.0	39,420	20.80	SEBA KLL-Q
08/09/2018	16.0	39,760	20.80	SEBA KLL-Q
08/09/2018	18.0	44,490	20.90	SEBA KLL-Q
08/09/2018	20.0	69,160	21.20	SEBA KLL-Q
08/09/2018	22.0	69,880	21.30	SEBA KLL-Q
08/09/2018	24.0	71,640	21.40	SEBA KLL-Q
08/09/2018	26.0	74,120	21.40	SEBA KLL-Q
08/09/2018	28.0	74,220	21.60	SEBA KLL-Q
08/09/2018	30.0	74,430	21.80	SEBA KLL-Q
08/09/2018	32.0	75,890	21.90	SEBA KLL-Q
08/09/2018	34.0	89,890	22.40	SEBA KLL-Q
08/09/2018	36.0	90,130	22.50	SEBA KLL-Q
08/09/2018	38.0	90,130	22.50	SEBA KLL-Q
08/09/2018	40.0	90,130	22.50	SEBA KLL-Q
08/09/2018	42.0	90,140	22.50	SEBA KLL-Q
08/09/2018	44.0	90,220	22.50	SEBA KLL-Q
08/09/2018	46.0	91,450	22.50	SEBA KLL-Q
08/09/2018	48.0	92,030	22.50	SEBA KLL-Q
08/09/2018	50.0	92,200	22.30	SEBA KLL-Q
08/09/2018	52.0	100,600	22.20	SEBA KLL-Q
08/09/2018	54.0	104,400	22.10	SEBA KLL-Q
08/09/2018	56.0	106,300	22.10	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/09/2018	58.0	107,100	22.10	SEBA KLL-Q
08/09/2018	60.0	129,600	22.10	SEBA KLL-Q
08/09/2018	62.0	160,300	22.10	SEBA KLL-Q
08/09/2018	64.0	175,000	22.10	SEBA KLL-Q
08/09/2018	65.0	183,500	22.10	SEBA KLL-Q
08/09/2018	65.5	187,700	22.10	SEBA KLL-Q
08/09/2018	66.0	194,600	22.10	SEBA KLL-Q
08/09/2018	66.2	196,900	22.10	SEBA KLL-Q
08/09/2018	66.4	201,600	22.10	SEBA KLL-Q
08/09/2018	66.6	206,700	22.10	SEBA KLL-Q
08/09/2018	66.8	206,700	22.10	SEBA KLL-Q
08/09/2018	67.0	235,100	22.10	SEBA KLL-Q
08/09/2018	67.5	244,500	22.10	SEBA KLL-Q
08/09/2018	68.0	244,600	22.10	SEBA KLL-Q
08/09/2018	69.0	244,800	22.10	SEBA KLL-Q
08/09/2018	70.0	246,100	22.10	SEBA KLL-Q
08/09/2018	72.0	250,800	22.10	SEBA KLL-Q
08/09/2018	74.0	250,800	22.10	SEBA KLL-Q
08/09/2018	76.0	250,800	22.10	SEBA KLL-Q
05/11/2018	0.4	34,610	19.53	SEBA KLL-Q
05/11/2018	0.5	34,500	20.07	SEBA KLL-Q
05/11/2018	1.0	34,730	20.20	SEBA KLL-Q
05/11/2018	1.5	34,690	20.30	SEBA KLL-Q
05/11/2018	2.0	34,710	20.39	SEBA KLL-Q
05/11/2018	3.0	34,710	20.55	SEBA KLL-Q
05/11/2018	4.0	34,670	20.65	SEBA KLL-Q
05/11/2018	5.0	34,670	20.68	SEBA KLL-Q
05/11/2018	6.0	34,690	20.68	SEBA KLL-Q
05/11/2018	8.0	34,710	20.67	SEBA KLL-Q
05/11/2018	10.0	32,470	23.82	SEBA KLL-Q
05/11/2018	12.0	34,020	22.05	SEBA KLL-Q
05/11/2018	14.0	31,680	26.02	SEBA KLL-Q
05/11/2018	16.0	33,340	25.41	SEBA KLL-Q
05/11/2018	18.0	58,050	25.31	SEBA KLL-Q
05/11/2018	18.5	58,200	25.67	SEBA KLL-Q
05/11/2018	19.0	58,320	25.75	SEBA KLL-Q
05/11/2018	20.0	58,650	25.69	SEBA KLL-Q
05/11/2018	21.0	59,460	25.56	SEBA KLL-Q
05/11/2018	21.5	59,960	25.36	SEBA KLL-Q
05/11/2018	22.0	59,870	25.48	SEBA KLL-Q
05/11/2018	23.0	60,360	25.30	SEBA KLL-Q
05/11/2018	24.0	62,010	25.19	SEBA KLL-Q
05/11/2018	24.5	63,610	25.23	SEBA KLL-Q
05/11/2018	25.0	64,310	25.21	SEBA KLL-Q
05/11/2018	25.5	64,600	25.10	SEBA KLL-Q
05/11/2018	26.0	64,570	25.18	SEBA KLL-Q
05/11/2018	27.0	64,870	25.02	SEBA KLL-Q
05/11/2018	28.0	65,110	25.07	SEBA KLL-Q
05/11/2018	29.0	64,790	25.41	SEBA KLL-Q
05/11/2018	30.0	65,310	25.12	SEBA KLL-Q
05/11/2018	31.0	65,080	25.72	SEBA KLL-Q
05/11/2018	32.0	66,770	25.32	SEBA KLL-Q
05/11/2018	33.0	68,770	25.55	SEBA KLL-Q
05/11/2018	34.0	79,110	25.80	SEBA KLL-Q
05/11/2018	34.5	79,360	25.80	SEBA KLL-Q
05/11/2018	35.0	79,580	25.77	SEBA KLL-Q
05/11/2018	35.5	78,940	26.21	SEBA KLL-Q
05/11/2018	36.0	78,570	26.49	SEBA KLL-Q
05/11/2018	37.0	77,540	27.18	SEBA KLL-Q
05/11/2018	38.0	79,570	25.95	SEBA KLL-Q
05/11/2018	39.0	79,640	25.95	SEBA KLL-Q
05/11/2018	40.0	79,720	25.94	SEBA KLL-Q
05/11/2018	41.0	79,770	25.93	SEBA KLL-Q
05/11/2018	42.0	79,850	25.96	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/11/2018	43.0	79,880	25.98	SEBA KLL-Q
05/11/2018	44.0	80,010	25.94	SEBA KLL-Q
05/11/2018	45.0	80,590	25.96	SEBA KLL-Q
05/11/2018	46.0	80,900	26.11	SEBA KLL-Q
05/11/2018	47.0	81,460	25.86	SEBA KLL-Q
05/11/2018	48.0	80,640	26.65	SEBA KLL-Q
05/11/2018	49.0	82,260	25.70	SEBA KLL-Q
05/11/2018	50.0	82,440	25.63	SEBA KLL-Q
05/11/2018	51.0	82,340	25.67	SEBA KLL-Q
05/11/2018	52.0	88,430	26.12	SEBA KLL-Q
05/11/2018	53.0	89,910	25.54	SEBA KLL-Q
05/11/2018	54.0	92,860	25.67	SEBA KLL-Q
05/11/2018	55.0	94,250	25.39	SEBA KLL-Q
05/11/2018	56.0	95,090	25.36	SEBA KLL-Q
05/11/2018	57.0	94,880	25.55	SEBA KLL-Q
05/11/2018	58.0	95,590	25.59	SEBA KLL-Q
05/11/2018	59.0	101,200	25.36	SEBA KLL-Q
05/11/2018	59.5	106,100	25.61	SEBA KLL-Q
05/11/2018	60.0	115,500	25.66	SEBA KLL-Q
05/11/2018	60.5	125,200	25.29	SEBA KLL-Q
05/11/2018	61.0	131,800	25.59	SEBA KLL-Q
05/11/2018	61.5	138,600	25.63	SEBA KLL-Q
05/11/2018	62.0	143,800	25.21	SEBA KLL-Q
05/11/2018	62.5	145,800	25.58	SEBA KLL-Q
05/11/2018	63.0	149,700	25.32	SEBA KLL-Q
05/11/2018	63.5	153,200	25.41	SEBA KLL-Q
05/11/2018	64.0	156,900	25.21	SEBA KLL-Q
05/11/2018	64.5	161,200	25.09	SEBA KLL-Q
05/11/2018	65.0	165,500	24.98	SEBA KLL-Q
05/11/2018	65.5	169,200	24.89	SEBA KLL-Q
05/11/2018	66.0	175,700	24.81	SEBA KLL-Q
05/11/2018	66.2	177,800	24.83	SEBA KLL-Q
05/11/2018	66.4	182,000	24.83	SEBA KLL-Q
05/11/2018	66.6	186,700	24.76	SEBA KLL-Q
05/11/2018	66.8	214,700	24.71	SEBA KLL-Q
05/11/2018	67.0	220,300	24.79	SEBA KLL-Q
05/11/2018	67.2	220,600	24.72	SEBA KLL-Q
05/11/2018	67.4	220,800	24.66	SEBA KLL-Q
05/11/2018	67.6	221,000	24.62	SEBA KLL-Q
05/11/2018	67.8	221,300	24.55	SEBA KLL-Q
05/11/2018	68.0	220,900	24.64	SEBA KLL-Q
05/11/2018	68.5	221,400	24.57	SEBA KLL-Q
05/11/2018	69.0	221,800	24.52	SEBA KLL-Q
05/11/2018	70.0	222,100	24.49	SEBA KLL-Q
05/11/2018	72.0	226,700	24.57	SEBA KLL-Q
05/11/2018	74.0	227,500	24.64	SEBA KLL-Q
05/11/2018	76.0	228,800	24.54	SEBA KLL-Q
05/11/2018	78.0	231,500	24.59	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
01/08/2016	0.70	26,640	25.4	SEBA KLL-Q
01/08/2016	1.00	24,630	25.5	SEBA KLL-Q
01/08/2016	2.00	24,660	25.5	SEBA KLL-Q
01/08/2016	3.00	24,660	25.5	SEBA KLL-Q
01/08/2016	4.00	25,640	25.5	SEBA KLL-Q
01/08/2016	5.00	24,660	25.5	SEBA KLL-Q
01/08/2016	6.00	24,660	25.5	SEBA KLL-Q
01/08/2016	7.00	24,650	25.5	SEBA KLL-Q
01/08/2016	8.00	24,640	25.5	SEBA KLL-Q
01/08/2016	9.00	24,650	25.5	SEBA KLL-Q
01/08/2016	10.00	24,650	25.5	SEBA KLL-Q
01/08/2016	12.00	24,650	25.5	SEBA KLL-Q
01/08/2016	14.00	24,650	25.5	SEBA KLL-Q
01/08/2016	16.00	24,650	25.5	SEBA KLL-Q
01/08/2016	18.00	24,650	25.5	SEBA KLL-Q
01/08/2016	20.00	24,650	25.5	SEBA KLL-Q
01/08/2016	22.00	24,640	25.5	SEBA KLL-Q
01/08/2016	24.00	24,660	25.5	SEBA KLL-Q
01/08/2016	26.00	24,650	25.5	SEBA KLL-Q
01/08/2016	28.00	24,650	25.5	SEBA KLL-Q
01/08/2016	30.00	24,650	25.5	SEBA KLL-Q
01/08/2016	32.00	24,650	25.5	SEBA KLL-Q
01/08/2016	34.00	24,670	25.5	SEBA KLL-Q
01/08/2016	36.00	24,670	25.5	SEBA KLL-Q
01/08/2016	38.00	24,660	25.5	SEBA KLL-Q
01/08/2016	40.00	24,640	25.6	SEBA KLL-Q
01/08/2016	42.00	24,640	25.6	SEBA KLL-Q
01/08/2016	44.00	24,630	25.6	SEBA KLL-Q
01/08/2016	46.00	24,630	25.6	SEBA KLL-Q
01/08/2016	48.00	24,620	25.6	SEBA KLL-Q
01/08/2016	50.00	24,620	25.6	SEBA KLL-Q
01/08/2016	52.00	24,620	25.6	SEBA KLL-Q
01/08/2016	54.00	24,630	25.6	SEBA KLL-Q
01/08/2016	56.00	24,670	25.6	SEBA KLL-Q
01/08/2016	58.00	24,920	25.6	SEBA KLL-Q
01/08/2016	59.00	24,900	25.6	SEBA KLL-Q
01/08/2016	60.00	24,910	25.7	SEBA KLL-Q
01/08/2016	61.00	24,870	25.6	SEBA KLL-Q
01/08/2016	62.00	24,810	25.6	SEBA KLL-Q
01/08/2016	63.00	24,820	25.7	SEBA KLL-Q
01/08/2016	64.00	24,880	25.7	SEBA KLL-Q
01/08/2016	65.00	24,740	25.7	SEBA KLL-Q
01/08/2016	66.00	24,740	25.7	SEBA KLL-Q
01/08/2016	67.00	24,760	25.7	SEBA KLL-Q
01/08/2016	68.00	24,770	25.7	SEBA KLL-Q
01/08/2016	70.00	24,810	25.7	SEBA KLL-Q
01/08/2016	71.00	24,850	25.7	SEBA KLL-Q
01/08/2016	72.00	24,830	25.9	SEBA KLL-Q
01/08/2016	73.00	25,000	25.7	SEBA KLL-Q
01/08/2016	74.00	25,100	25.7	SEBA KLL-Q
01/08/2016	75.00	24,870	25.7	SEBA KLL-Q
01/08/2016	76.00	24,980	25.7	SEBA KLL-Q
01/08/2016	77.00	24,980	25.7	SEBA KLL-Q
01/08/2016	78.00	25,360	25.7	SEBA KLL-Q
01/08/2016	79.00	25,280	25.7	SEBA KLL-Q
01/08/2016	80.00	25,280	25.7	SEBA KLL-Q
01/08/2016	81.00	25,490	25.7	SEBA KLL-Q
01/08/2016	82.00	25,480	25.7	SEBA KLL-Q
01/08/2016	83.00	25,390	25.7	SEBA KLL-Q
01/08/2016	84.00	25,390	25.7	SEBA KLL-Q
01/08/2016	85.00	25,930	25.7	SEBA KLL-Q
01/08/2016	86.00	26,350	25.7	SEBA KLL-Q
01/08/2016	86.50	27,160	25.7	SEBA KLL-Q
01/08/2016	87.00	28,300	25.7	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
01/08/2016	87.50	28,300	25.7	SEBA KLL-Q
01/08/2016	88.00	28,280	25.7	SEBA KLL-Q
01/08/2016	89.00	28,380	25.7	SEBA KLL-Q
01/08/2016	90.00	29,290	25.7	SEBA KLL-Q
01/08/2016	91.00	62,620	25.5	SEBA KLL-Q
01/08/2016	91.50	63,220	25.5	SEBA KLL-Q
01/08/2016	92.00	63,380	25.5	SEBA KLL-Q
01/08/2016	92.50	63,520	25.5	SEBA KLL-Q
01/08/2016	93.00	64,050	25.5	SEBA KLL-Q
01/08/2016	93.50	66,950	25.6	SEBA KLL-Q
01/08/2016	94.00	67,680	25.6	SEBA KLL-Q
01/08/2016	95.00	69,180	25.5	SEBA KLL-Q
01/08/2016	95.50	70,930	25.6	SEBA KLL-Q
01/08/2016	96.00	74,870	25.6	SEBA KLL-Q
01/08/2016	96.50	77,530	25.6	SEBA KLL-Q
01/08/2016	97.00	78,870	25.7	SEBA KLL-Q
01/08/2016	98.00	80,930	25.8	SEBA KLL-Q
01/08/2016	99.00	85,490	25.8	SEBA KLL-Q
01/08/2016	100.00	111,100	25.8	SEBA KLL-Q
12/10/2016	0.70	24,963	25.1	SEBA KLL-Q
12/10/2016	2.00	25,088	25.6	SEBA KLL-Q
12/10/2016	4.00	25,087	25.6	SEBA KLL-Q
12/10/2016	6.00	25,101	25.7	SEBA KLL-Q
12/10/2016	8.00	25,102	25.7	SEBA KLL-Q
12/10/2016	10.00	25,102	25.7	SEBA KLL-Q
12/10/2016	12.00	25,102	25.7	SEBA KLL-Q
12/10/2016	14.00	25,102	25.7	SEBA KLL-Q
12/10/2016	16.00	25,116	25.7	SEBA KLL-Q
12/10/2016	18.00	25,102	25.7	SEBA KLL-Q
12/10/2016	20.00	25,101	25.7	SEBA KLL-Q
12/10/2016	22.00	25,097	25.7	SEBA KLL-Q
12/10/2016	24.00	25,116	25.7	SEBA KLL-Q
12/10/2016	26.00	25,099	25.7	SEBA KLL-Q
12/10/2016	28.00	25,094	25.7	SEBA KLL-Q
12/10/2016	30.00	25,096	25.7	SEBA KLL-Q
12/10/2016	32.00	25,106	25.7	SEBA KLL-Q
12/10/2016	34.00	25,092	25.7	SEBA KLL-Q
12/10/2016	36.00	25,091	25.7	SEBA KLL-Q
12/10/2016	38.00	25,101	25.7	SEBA KLL-Q
12/10/2016	40.00	25,100	25.7	SEBA KLL-Q
12/10/2016	45.00	25,147	25.7	SEBA KLL-Q
12/10/2016	50.00	25,210	25.7	SEBA KLL-Q
12/10/2016	55.00	25,410	25.7	SEBA KLL-Q
12/10/2016	60.00	25,740	25.7	SEBA KLL-Q
12/10/2016	65.00	25,575	25.8	SEBA KLL-Q
12/10/2016	70.00	25,841	25.8	SEBA KLL-Q
12/10/2016	71.00	25,982	25.8	SEBA KLL-Q
12/10/2016	72.00	26,084	25.8	SEBA KLL-Q
12/10/2016	72.50	25,965	25.8	SEBA KLL-Q
12/10/2016	73.00	26,099	25.8	SEBA KLL-Q
12/10/2016	74.00	26,130	25.8	SEBA KLL-Q
12/10/2016	75.00	26,216	25.8	SEBA KLL-Q
12/10/2016	76.00	26,150	25.8	SEBA KLL-Q
12/10/2016	77.00	26,064	25.8	SEBA KLL-Q
12/10/2016	78.00	26,267	25.8	SEBA KLL-Q
12/10/2016	79.00	26,300	25.8	SEBA KLL-Q
12/10/2016	80.00	26,486	25.8	SEBA KLL-Q
12/10/2016	81.00	26,617	25.8	SEBA KLL-Q
12/10/2016	82.00	26,686	25.8	SEBA KLL-Q
12/10/2016	83.00	26,602	25.8	SEBA KLL-Q
12/10/2016	84.00	26,886	25.8	SEBA KLL-Q
12/10/2016	85.00	27,763	25.8	SEBA KLL-Q
12/10/2016	85.50	28,018	25.8	SEBA KLL-Q
12/10/2016	86.00	28,842	25.8	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/10/2016	86.50	29,113	25.8	SEBA KLL-Q
12/10/2016	87.00	29,927	25.8	SEBA KLL-Q
12/10/2016	87.20	30,063	25.8	SEBA KLL-Q
12/10/2016	87.40	29,976	25.8	SEBA KLL-Q
12/10/2016	87.60	29,891	25.8	SEBA KLL-Q
12/10/2016	87.80	29,997	25.8	SEBA KLL-Q
12/10/2016	88.00	30,555	25.8	SEBA KLL-Q
12/10/2016	88.20	30,837	25.8	SEBA KLL-Q
12/10/2016	88.40	30,939	25.8	SEBA KLL-Q
12/10/2016	88.60	30,970	25.8	SEBA KLL-Q
12/10/2016	88.80	30,954	25.8	SEBA KLL-Q
12/10/2016	89.00	31,089	25.8	SEBA KLL-Q
12/10/2016	89.20	31,176	25.8	SEBA KLL-Q
12/10/2016	89.40	31,223	25.8	SEBA KLL-Q
12/10/2016	89.60	31,394	25.8	SEBA KLL-Q
12/10/2016	89.80	31,379	25.8	SEBA KLL-Q
12/10/2016	90.00	59,954	25.9	SEBA KLL-Q
12/10/2016	90.20	68,729	25.9	SEBA KLL-Q
12/10/2016	90.40	68,902	25.9	SEBA KLL-Q
12/10/2016	90.60	69,084	25.9	SEBA KLL-Q
12/10/2016	90.80	69,147	25.9	SEBA KLL-Q
12/10/2016	91.00	69,126	25.9	SEBA KLL-Q
12/10/2016	91.20	69,109	25.9	SEBA KLL-Q
12/10/2016	91.40	69,121	25.9	SEBA KLL-Q
12/10/2016	91.60	69,112	25.9	SEBA KLL-Q
12/10/2016	91.80	69,100	25.9	SEBA KLL-Q
12/10/2016	92.00	69,125	25.9	SEBA KLL-Q
12/10/2016	92.20	69,134	25.9	SEBA KLL-Q
12/10/2016	92.40	69,188	25.9	SEBA KLL-Q
12/10/2016	92.60	69,243	25.9	SEBA KLL-Q
12/10/2016	92.80	69,582	25.9	SEBA KLL-Q
12/10/2016	93.00	71,385	25.9	SEBA KLL-Q
12/10/2016	93.20	72,006	25.9	SEBA KLL-Q
12/10/2016	93.40	72,573	25.9	SEBA KLL-Q
12/10/2016	93.60	72,764	25.9	SEBA KLL-Q
12/10/2016	93.80	72,776	25.9	SEBA KLL-Q
12/10/2016	94.00	73,030	25.9	SEBA KLL-Q
12/10/2016	94.50	73,398	26.0	SEBA KLL-Q
12/10/2016	95.00	74,092	26.0	SEBA KLL-Q
12/10/2016	95.50	75,347	26.0	SEBA KLL-Q
12/10/2016	95.70	76,560	26.0	SEBA KLL-Q
12/10/2016	95.90	79,862	26.0	SEBA KLL-Q
12/10/2016	96.10	81,854	26.0	SEBA KLL-Q
12/10/2016	96.30	82,937	26.0	SEBA KLL-Q
12/10/2016	96.50	83,530	26.0	SEBA KLL-Q
12/10/2016	96.70	84,370	26.0	SEBA KLL-Q
12/10/2016	96.90	86,491	26.0	SEBA KLL-Q
12/10/2016	97.10	87,026	26.0	SEBA KLL-Q
12/10/2016	97.30	87,246	26.0	SEBA KLL-Q
12/10/2016	97.50	87,432	26.0	SEBA KLL-Q
12/10/2016	98.00	87,979	26.0	SEBA KLL-Q
12/10/2016	98.50	90,791	26.0	SEBA KLL-Q
12/10/2016	98.70	92,408	26.0	SEBA KLL-Q
12/10/2016	98.90	94,409	26.0	SEBA KLL-Q
12/10/2016	99.10	95,959	26.0	SEBA KLL-Q
12/10/2016	99.30	97,102	26.0	SEBA KLL-Q
12/10/2016	99.50	97,468	26.0	SEBA KLL-Q
12/10/2016	100.00	110,597	26.0	SEBA KLL-Q
07/11/2016	0.70	25,040	25.7	SEBA KLL-Q
07/11/2016	2.00	24,990	25.7	SEBA KLL-Q
07/11/2016	3.00	24,990	25.7	SEBA KLL-Q
07/11/2016	4.00	24,970	25.7	SEBA KLL-Q
07/11/2016	5.00	24,970	25.7	SEBA KLL-Q
07/11/2016	6.00	24,980	25.7	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/11/2016	7.00	24,970	25.7	SEBA KLL-Q
07/11/2016	8.00	24,970	25.7	SEBA KLL-Q
07/11/2016	9.00	24,970	25.7	SEBA KLL-Q
07/11/2016	10.00	24,970	25.7	SEBA KLL-Q
07/11/2016	11.00	24,970	25.7	SEBA KLL-Q
07/11/2016	12.00	24,970	25.7	SEBA KLL-Q
07/11/2016	13.00	24,970	25.7	SEBA KLL-Q
07/11/2016	14.00	24,970	25.7	SEBA KLL-Q
07/11/2016	15.00	24,970	25.7	SEBA KLL-Q
07/11/2016	16.00	24,970	25.7	SEBA KLL-Q
07/11/2016	17.00	24,980	25.6	SEBA KLL-Q
07/11/2016	18.00	24,960	25.7	SEBA KLL-Q
07/11/2016	19.00	24,960	25.6	SEBA KLL-Q
07/11/2016	20.00	24,960	25.7	SEBA KLL-Q
07/11/2016	21.00	24,970	25.7	SEBA KLL-Q
07/11/2016	22.00	24,970	25.7	SEBA KLL-Q
07/11/2016	23.00	24,970	25.7	SEBA KLL-Q
07/11/2016	24.00	24,970	25.7	SEBA KLL-Q
07/11/2016	25.00	24,970	25.7	SEBA KLL-Q
07/11/2016	26.00	24,980	25.7	SEBA KLL-Q
07/11/2016	27.00	24,970	25.7	SEBA KLL-Q
07/11/2016	28.00	24,970	25.7	SEBA KLL-Q
07/11/2016	29.00	24,970	25.7	SEBA KLL-Q
07/11/2016	30.00	24,980	25.7	SEBA KLL-Q
07/11/2016	31.00	24,980	25.7	SEBA KLL-Q
07/11/2016	32.00	24,960	25.7	SEBA KLL-Q
07/11/2016	33.00	24,970	25.7	SEBA KLL-Q
07/11/2016	34.00	24,980	25.7	SEBA KLL-Q
07/11/2016	35.00	24,980	25.7	SEBA KLL-Q
07/11/2016	36.00	24,980	25.7	SEBA KLL-Q
07/11/2016	37.00	24,990	25.7	SEBA KLL-Q
07/11/2016	38.00	24,970	25.7	SEBA KLL-Q
07/11/2016	39.00	24,980	25.7	SEBA KLL-Q
07/11/2016	40.00	24,990	25.7	SEBA KLL-Q
07/11/2016	41.00	24,980	25.7	SEBA KLL-Q
07/11/2016	42.00	25,030	25.7	SEBA KLL-Q
07/11/2016	43.00	25,040	25.7	SEBA KLL-Q
07/11/2016	44.00	25,040	25.7	SEBA KLL-Q
07/11/2016	45.00	25,040	25.7	SEBA KLL-Q
07/11/2016	46.00	25,030	25.7	SEBA KLL-Q
07/11/2016	47.00	25,030	25.7	SEBA KLL-Q
07/11/2016	48.00	25,040	25.7	SEBA KLL-Q
07/11/2016	49.00	25,040	25.7	SEBA KLL-Q
07/11/2016	50.00	25,070	25.7	SEBA KLL-Q
07/11/2016	51.00	25,080	25.7	SEBA KLL-Q
07/11/2016	52.00	25,050	25.7	SEBA KLL-Q
07/11/2016	53.00	25,070	25.7	SEBA KLL-Q
07/11/2016	54.00	25,090	25.7	SEBA KLL-Q
07/11/2016	55.00	25,010	25.7	SEBA KLL-Q
07/11/2016	56.00	25,290	25.7	SEBA KLL-Q
07/11/2016	57.00	25,290	25.8	SEBA KLL-Q
07/11/2016	58.00	25,430	25.7	SEBA KLL-Q
07/11/2016	59.00	25,450	25.7	SEBA KLL-Q
07/11/2016	60.00	25,420	25.8	SEBA KLL-Q
07/11/2016	61.00	25,450	25.7	SEBA KLL-Q
07/11/2016	62.00	25,410	25.7	SEBA KLL-Q
07/11/2016	63.00	25,430	25.7	SEBA KLL-Q
07/11/2016	64.00	25,460	25.8	SEBA KLL-Q
07/11/2016	65.00	25,470	25.8	SEBA KLL-Q
07/11/2016	66.00	25,460	25.8	SEBA KLL-Q
07/11/2016	67.00	25,470	25.8	SEBA KLL-Q
07/11/2016	68.00	25,530	25.8	SEBA KLL-Q
07/11/2016	69.00	25,590	25.8	SEBA KLL-Q
07/11/2016	70.00	25,640	25.8	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/11/2016	71.00	25,770	25.8	SEBA KLL-Q
07/11/2016	72.00	25,930	25.8	SEBA KLL-Q
07/11/2016	73.00	25,790	25.8	SEBA KLL-Q
07/11/2016	74.00	25,880	25.8	SEBA KLL-Q
07/11/2016	75.00	26,030	25.8	SEBA KLL-Q
07/11/2016	76.00	25,950	25.8	SEBA KLL-Q
07/11/2016	77.00	26,070	25.8	SEBA KLL-Q
07/11/2016	78.00	26,100	25.8	SEBA KLL-Q
07/11/2016	79.00	26,180	25.8	SEBA KLL-Q
07/11/2016	80.00	26,320	25.8	SEBA KLL-Q
07/11/2016	81.00	26,180	25.8	SEBA KLL-Q
07/11/2016	82.00	26,480	25.8	SEBA KLL-Q
07/11/2016	83.00	26,460	25.8	SEBA KLL-Q
07/11/2016	84.00	26,570	25.8	SEBA KLL-Q
07/11/2016	85.00	27,250	25.8	SEBA KLL-Q
07/11/2016	85.50	27,390	25.8	SEBA KLL-Q
07/11/2016	86.00	28,010	25.8	SEBA KLL-Q
07/11/2016	86.50	28,960	25.8	SEBA KLL-Q
07/11/2016	87.00	29,610	25.8	SEBA KLL-Q
07/11/2016	87.20	29,490	25.8	SEBA KLL-Q
07/11/2016	87.40	29,770	25.8	SEBA KLL-Q
07/11/2016	87.60	29,770	25.8	SEBA KLL-Q
07/11/2016	87.80	29,520	25.8	SEBA KLL-Q
07/11/2016	88.00	30,280	25.8	SEBA KLL-Q
07/11/2016	88.20	31,310	25.8	SEBA KLL-Q
07/11/2016	88.40	31,190	25.8	SEBA KLL-Q
07/11/2016	88.60	31,810	25.8	SEBA KLL-Q
07/11/2016	88.80	31,870	25.8	SEBA KLL-Q
07/11/2016	89.00	32,080	25.8	SEBA KLL-Q
07/11/2016	89.20	33,360	25.8	SEBA KLL-Q
07/11/2016	89.40	34,210	25.8	SEBA KLL-Q
07/11/2016	89.60	35,270	25.9	SEBA KLL-Q
07/11/2016	89.80	37,700	25.8	SEBA KLL-Q
07/11/2016	90.00	68,440	25.9	SEBA KLL-Q
07/11/2016	90.20	68,460	25.9	SEBA KLL-Q
07/11/2016	90.40	68,530	25.9	SEBA KLL-Q
07/11/2016	90.60	68,840	25.9	SEBA KLL-Q
07/11/2016	90.80	69,070	25.9	SEBA KLL-Q
07/11/2016	91.00	69,050	25.9	SEBA KLL-Q
07/11/2016	91.50	69,090	25.9	SEBA KLL-Q
07/11/2016	92.00	69,120	25.9	SEBA KLL-Q
07/11/2016	93.00	71,490	25.9	SEBA KLL-Q
07/11/2016	94.00	73,080	25.9	SEBA KLL-Q
07/11/2016	95.00	74,240	26.0	SEBA KLL-Q
07/11/2016	95.20	75,080	26.0	SEBA KLL-Q
07/11/2016	95.40	75,370	26.0	SEBA KLL-Q
07/11/2016	95.60	76,090	26.0	SEBA KLL-Q
07/11/2016	95.80	77,610	26.0	SEBA KLL-Q
07/11/2016	96.00	81,240	26.0	SEBA KLL-Q
07/11/2016	96.20	82,290	26.0	SEBA KLL-Q
07/11/2016	96.40	82,650	26.0	SEBA KLL-Q
07/11/2016	96.60	83,460	26.0	SEBA KLL-Q
07/11/2016	96.80	84,940	26.0	SEBA KLL-Q
07/11/2016	97.00	86,140	26.0	SEBA KLL-Q
07/11/2016	98.00	87,030	26.0	SEBA KLL-Q
07/11/2016	98.50	89,190	26.0	SEBA KLL-Q
07/11/2016	99.00	92,000	26.0	SEBA KLL-Q
07/11/2016	99.50	93,560	26.0	SEBA KLL-Q
07/11/2016	100.00	104,800	26.0	SEBA KLL-Q
20/12/2016	0.70	25,450	25.5	SEBA KLL-Q
20/12/2016	1.00	25,420	25.6	SEBA KLL-Q
20/12/2016	2.00	25,440	25.6	SEBA KLL-Q
20/12/2016	4.00	25,440	25.6	SEBA KLL-Q
20/12/2016	6.00	25,420	25.6	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/12/2016	8.00	25,440	25.6	SEBA KLL-Q
20/12/2016	10.00	25,420	25.6	SEBA KLL-Q
20/12/2016	12.00	25,420	25.6	SEBA KLL-Q
20/12/2016	14.00	25,420	25.6	SEBA KLL-Q
20/12/2016	16.00	25,420	25.6	SEBA KLL-Q
20/12/2016	18.00	25,440	25.6	SEBA KLL-Q
20/12/2016	20.00	25,440	25.6	SEBA KLL-Q
20/12/2016	22.00	25,430	25.6	SEBA KLL-Q
20/12/2016	24.00	25,440	25.6	SEBA KLL-Q
20/12/2016	26.00	25,420	25.6	SEBA KLL-Q
20/12/2016	28.00	25,430	25.6	SEBA KLL-Q
20/12/2016	30.00	25,460	25.6	SEBA KLL-Q
20/12/2016	32.00	25,460	25.6	SEBA KLL-Q
20/12/2016	34.00	25,460	25.6	SEBA KLL-Q
20/12/2016	36.00	25,440	25.6	SEBA KLL-Q
20/12/2016	38.00	25,440	25.6	SEBA KLL-Q
20/12/2016	40.00	25,470	25.6	SEBA KLL-Q
20/12/2016	42.00	25,490	25.6	SEBA KLL-Q
20/12/2016	44.00	25,520	25.7	SEBA KLL-Q
20/12/2016	46.00	25,500	25.7	SEBA KLL-Q
20/12/2016	48.00	25,520	25.7	SEBA KLL-Q
20/12/2016	50.00	25,540	25.6	SEBA KLL-Q
20/12/2016	52.00	25,550	25.7	SEBA KLL-Q
20/12/2016	54.00	25,550	25.7	SEBA KLL-Q
20/12/2016	56.00	25,530	25.7	SEBA KLL-Q
20/12/2016	58.00	25,890	25.7	SEBA KLL-Q
20/12/2016	60.00	25,900	25.7	SEBA KLL-Q
20/12/2016	62.00	25,880	25.7	SEBA KLL-Q
20/12/2016	64.00	25,940	25.7	SEBA KLL-Q
20/12/2016	66.00	25,870	25.7	SEBA KLL-Q
20/12/2016	68.00	26,010	25.7	SEBA KLL-Q
20/12/2016	70.00	26,180	25.7	SEBA KLL-Q
20/12/2016	72.00	26,320	25.7	SEBA KLL-Q
20/12/2016	74.00	26,410	25.8	SEBA KLL-Q
20/12/2016	76.00	26,340	25.8	SEBA KLL-Q
20/12/2016	78.00	26,570	25.8	SEBA KLL-Q
20/12/2016	80.00	26,670	25.8	SEBA KLL-Q
20/12/2016	82.00	26,940	25.8	SEBA KLL-Q
20/12/2016	84.00	27,070	25.8	SEBA KLL-Q
20/12/2016	85.00	27,560	25.8	SEBA KLL-Q
20/12/2016	86.00	28,350	25.8	SEBA KLL-Q
20/12/2016	87.00	30,270	25.8	SEBA KLL-Q
20/12/2016	88.00	30,490	25.8	SEBA KLL-Q
20/12/2016	88.20	31,310	25.8	SEBA KLL-Q
20/12/2016	88.40	31,520	25.8	SEBA KLL-Q
20/12/2016	88.60	31,500	25.8	SEBA KLL-Q
20/12/2016	88.80	31,510	25.8	SEBA KLL-Q
20/12/2016	89.00	31,710	25.8	SEBA KLL-Q
20/12/2016	89.20	32,180	25.8	SEBA KLL-Q
20/12/2016	89.40	32,470	25.8	SEBA KLL-Q
20/12/2016	89.60	33,100	25.8	SEBA KLL-Q
20/12/2016	89.80	34,770	25.8	SEBA KLL-Q
20/12/2016	90.00	67,270	25.9	SEBA KLL-Q
20/12/2016	90.20	68,740	25.7	SEBA KLL-Q
20/12/2016	90.40	68,880	25.9	SEBA KLL-Q
20/12/2016	90.60	69,120	25.9	SEBA KLL-Q
20/12/2016	90.80	69,290	25.9	SEBA KLL-Q
20/12/2016	91.00	69,340	25.9	SEBA KLL-Q
20/12/2016	92.00	69,470	25.9	SEBA KLL-Q
20/12/2016	93.00	71,840	25.9	SEBA KLL-Q
20/12/2016	94.00	73,460	25.9	SEBA KLL-Q
20/12/2016	95.00	74,820	25.9	SEBA KLL-Q
20/12/2016	95.50	75,920	25.9	SEBA KLL-Q
20/12/2016	96.00	81,480	25.9	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/12/2016	96.50	83,190	25.9	SEBA KLL-Q
20/12/2016	97.00	86,180	26.0	SEBA KLL-Q
20/12/2016	97.50	86,810	26.0	SEBA KLL-Q
20/12/2016	98.00	87,250	26.0	SEBA KLL-Q
20/12/2016	98.50	89,280	26.0	SEBA KLL-Q
20/12/2016	99.00	91,630	26.0	SEBA KLL-Q
20/12/2016	99.20	92,210	26.0	SEBA KLL-Q
20/12/2016	99.40	92,700	26.0	SEBA KLL-Q
20/12/2016	99.60	92,930	26.0	SEBA KLL-Q
20/12/2016	99.80	93,490	26.0	SEBA KLL-Q
20/12/2016	100.00	99,740	26.0	SEBA KLL-Q
20/12/2016	100.20	111,700	26.0	SEBA KLL-Q
20/12/2016	100.40	114,000	26.0	SEBA KLL-Q
20/12/2016	100.60	115,600	26.0	SEBA KLL-Q
20/12/2016	100.80	119,400	26.0	SEBA KLL-Q
20/12/2016	101.00	120,400	26.0	SEBA KLL-Q
20/12/2016	101.20	120,700	26.0	SEBA KLL-Q
20/12/2016	101.40	120,800	26.0	SEBA KLL-Q
20/12/2016	101.60	120,900	26.0	SEBA KLL-Q
20/12/2016	101.80	120,800	26.0	SEBA KLL-Q
20/12/2016	102.00	120,800	26.0	SEBA KLL-Q
20/12/2016	102.20	120,900	26.0	SEBA KLL-Q
20/12/2016	102.40	120,900	26.0	SEBA KLL-Q
20/12/2016	102.60	120,900	26.0	SEBA KLL-Q
20/12/2016	102.80	121,100	26.0	SEBA KLL-Q
20/12/2016	103.00	121,400	26.0	SEBA KLL-Q
20/12/2016	103.20	125,600	26.0	SEBA KLL-Q
20/12/2016	103.40	132,800	26.0	SEBA KLL-Q
20/12/2016	103.60	136,500	26.0	SEBA KLL-Q
20/12/2016	103.80	138,000	26.0	SEBA KLL-Q
20/12/2016	104.00	139,900	26.0	SEBA KLL-Q
20/12/2016	104.20	141,300	26.1	SEBA KLL-Q
20/12/2016	104.40	142,700	26.1	SEBA KLL-Q
20/12/2016	104.60	147,100	26.1	SEBA KLL-Q
20/12/2016	104.80	155,100	26.1	SEBA KLL-Q
20/12/2016	105.00	165,500	26.1	SEBA KLL-Q
20/12/2016	105.20	173,300	26.1	SEBA KLL-Q
20/12/2016	105.40	181,400	26.1	SEBA KLL-Q
20/12/2016	105.60	187,400	26.1	SEBA KLL-Q
20/12/2016	105.80	188,900	26.1	SEBA KLL-Q
20/12/2016	106.00	189,200	26.1	SEBA KLL-Q
20/12/2016	106.20	189,900	26.1	SEBA KLL-Q
20/12/2016	106.40	190,900	26.1	SEBA KLL-Q
20/12/2016	106.60	193,700	26.1	SEBA KLL-Q
20/12/2016	106.80	196,600	26.1	SEBA KLL-Q
20/12/2016	107.00	199,500	26.1	SEBA KLL-Q
20/12/2016	107.20	201,900	26.1	SEBA KLL-Q
20/12/2016	107.40	205,100	26.1	SEBA KLL-Q
20/12/2016	107.60	207,100	26.1	SEBA KLL-Q
20/12/2016	107.80	207,600	26.1	SEBA KLL-Q
20/12/2016	108.00	208,900	26.1	SEBA KLL-Q
20/12/2016	108.20	211,400	26.1	SEBA KLL-Q
20/12/2016	108.40	212,100	26.1	SEBA KLL-Q
20/12/2016	108.60	212,400	26.1	SEBA KLL-Q
20/12/2016	108.80	212,400	26.1	SEBA KLL-Q
20/12/2016	109.00	212,400	26.1	SEBA KLL-Q
20/12/2016	109.20	212,500	26.2	SEBA KLL-Q
20/12/2016	109.40	212,400	26.2	SEBA KLL-Q
20/12/2016	109.60	212,500	26.2	SEBA KLL-Q
20/12/2016	109.80	212,700	26.2	SEBA KLL-Q
20/12/2016	110.00	213,300	26.2	SEBA KLL-Q
20/12/2016	110.20	213,800	26.2	SEBA KLL-Q
20/12/2016	110.40	214,400	26.2	SEBA KLL-Q
20/12/2016	110.60	214,600	26.2	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/12/2016	110.80	214,800	26.2	SEBA KLL-Q
20/12/2016	111.00	214,900	26.2	SEBA KLL-Q
20/12/2016	111.20	215,100	26.2	SEBA KLL-Q
20/12/2016	111.40	215,200	26.2	SEBA KLL-Q
20/12/2016	111.60	215,300	26.2	SEBA KLL-Q
20/12/2016	111.80	215,300	26.2	SEBA KLL-Q
20/12/2016	112.00	215,400	26.2	SEBA KLL-Q
20/12/2016	112.20	215,400	26.2	SEBA KLL-Q
20/12/2016	112.40	215,400	26.2	SEBA KLL-Q
20/12/2016	112.60	215,500	26.2	SEBA KLL-Q
20/12/2016	112.80	215,500	26.2	SEBA KLL-Q
20/12/2016	113.00	215,500	26.3	SEBA KLL-Q
20/12/2016	113.20	215,600	26.3	SEBA KLL-Q
20/12/2016	113.40	215,500	26.3	SEBA KLL-Q
20/12/2016	113.60	215,400	26.3	SEBA KLL-Q
20/12/2016	113.80	215,300	26.3	SEBA KLL-Q
20/12/2016	114.00	215,200	26.3	SEBA KLL-Q
20/12/2016	114.20	215,100	26.3	SEBA KLL-Q
20/12/2016	114.40	215,000	26.3	SEBA KLL-Q
20/12/2016	114.60	214,800	26.3	SEBA KLL-Q
20/12/2016	114.80	214,700	26.3	SEBA KLL-Q
20/12/2016	115.00	214,700	26.3	SEBA KLL-Q
20/12/2016	115.20	214,600	26.3	SEBA KLL-Q
20/12/2016	115.40	214,500	26.3	SEBA KLL-Q
20/12/2016	115.60	214,500	26.3	SEBA KLL-Q
20/12/2016	115.80	214,400	26.3	SEBA KLL-Q
20/12/2016	116.00	214,300	26.3	SEBA KLL-Q
20/12/2016	116.20	214,300	26.3	SEBA KLL-Q
20/12/2016	116.40	214,300	26.4	SEBA KLL-Q
20/12/2016	116.60	214,500	26.4	SEBA KLL-Q
20/12/2016	116.80	216,600	26.4	SEBA KLL-Q
20/12/2016	117.00	217,000	26.4	SEBA KLL-Q
20/12/2016	117.20	217,100	26.4	SEBA KLL-Q
20/12/2016	117.40	219,000	26.4	SEBA KLL-Q
20/12/2016	117.60	220,100	26.4	SEBA KLL-Q
20/12/2016	117.80	220,100	26.4	SEBA KLL-Q
20/12/2016	118.00	220,100	26.4	SEBA KLL-Q
20/12/2016	118.20	135,400	26.4	SEBA KLL-Q
20/12/2016	118.40	119,200	26.4	SEBA KLL-Q
20/12/2016	118.60	119,900	26.4	SEBA KLL-Q
14/01/2017	0.70	27,660	25.6	SEBA KLL-Q
14/01/2017	2.00	27,640	25.6	SEBA KLL-Q
14/01/2017	4.00	27,640	25.6	SEBA KLL-Q
14/01/2017	6.00	27,650	25.6	SEBA KLL-Q
14/01/2017	8.00	27,650	25.6	SEBA KLL-Q
14/01/2017	10.00	27,660	25.6	SEBA KLL-Q
14/01/2017	12.00	27,670	25.6	SEBA KLL-Q
14/01/2017	14.00	27,670	25.6	SEBA KLL-Q
14/01/2017	16.00	27,670	25.6	SEBA KLL-Q
14/01/2017	18.00	27,670	25.6	SEBA KLL-Q
14/01/2017	20.00	27,680	25.6	SEBA KLL-Q
14/01/2017	22.00	27,680	25.6	SEBA KLL-Q
14/01/2017	24.00	27,680	25.6	SEBA KLL-Q
14/01/2017	26.00	27,690	25.6	SEBA KLL-Q
14/01/2017	28.00	27,690	25.6	SEBA KLL-Q
14/01/2017	30.00	27,690	25.6	SEBA KLL-Q
14/01/2017	32.00	27,690	25.6	SEBA KLL-Q
14/01/2017	34.00	27,700	25.6	SEBA KLL-Q
14/01/2017	36.00	27,690	25.6	SEBA KLL-Q
14/01/2017	38.00	27,690	25.6	SEBA KLL-Q
14/01/2017	40.00	27,700	25.6	SEBA KLL-Q
14/01/2017	42.00	27,760	25.6	SEBA KLL-Q
14/01/2017	44.00	27,780	25.7	SEBA KLL-Q
14/01/2017	46.00	27,790	25.7	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/01/2017	48.00	27,800	25.7	SEBA KLL-Q
14/01/2017	50.00	27,800	25.7	SEBA KLL-Q
14/01/2017	52.00	27,810	25.7	SEBA KLL-Q
14/01/2017	54.00	27,840	25.7	SEBA KLL-Q
14/01/2017	56.00	28,030	25.7	SEBA KLL-Q
14/01/2017	57.00	28,240	25.7	SEBA KLL-Q
14/01/2017	58.00	28,240	25.7	SEBA KLL-Q
14/01/2017	59.00	28,240	25.7	SEBA KLL-Q
14/01/2017	60.00	28,230	25.7	SEBA KLL-Q
14/01/2017	62.00	28,240	25.7	SEBA KLL-Q
14/01/2017	64.00	28,310	25.7	SEBA KLL-Q
14/01/2017	66.00	28,260	25.7	SEBA KLL-Q
14/01/2017	68.00	28,380	25.7	SEBA KLL-Q
14/01/2017	70.00	28,530	25.7	SEBA KLL-Q
14/01/2017	72.00	28,720	25.7	SEBA KLL-Q
14/01/2017	74.00	28,790	25.7	SEBA KLL-Q
14/01/2017	76.00	28,730	25.8	SEBA KLL-Q
14/01/2017	78.00	29,050	25.8	SEBA KLL-Q
14/01/2017	79.00	29,000	25.8	SEBA KLL-Q
14/01/2017	80.00	28,940	25.8	SEBA KLL-Q
14/01/2017	81.00	29,190	25.8	SEBA KLL-Q
14/01/2017	82.00	29,290	25.8	SEBA KLL-Q
14/01/2017	84.00	29,330	25.8	SEBA KLL-Q
14/01/2017	86.00	30,050	25.8	SEBA KLL-Q
14/01/2017	87.00	32,910	25.8	SEBA KLL-Q
14/01/2017	87.50	23,920	25.8	SEBA KLL-Q
14/01/2017	88.00	31,520	25.8	SEBA KLL-Q
14/01/2017	88.50	33,930	25.8	SEBA KLL-Q
14/01/2017	89.00	34,330	25.8	SEBA KLL-Q
14/01/2017	89.20	34,280	25.8	SEBA KLL-Q
14/01/2017	89.40	35,310	25.8	SEBA KLL-Q
14/01/2017	89.60	35,820	25.8	SEBA KLL-Q
14/01/2017	89.80	37,460	25.8	SEBA KLL-Q
14/01/2017	90.00	73,710	25.9	SEBA KLL-Q
14/01/2017	90.20	74,580	25.9	SEBA KLL-Q
14/01/2017	90.40	74,860	25.9	SEBA KLL-Q
14/01/2017	90.60	75,100	25.9	SEBA KLL-Q
14/01/2017	90.80	75,240	25.9	SEBA KLL-Q
14/01/2017	91.00	75,410	25.9	SEBA KLL-Q
14/01/2017	91.50	75,480	25.9	SEBA KLL-Q
14/01/2017	92.00	75,510	25.9	SEBA KLL-Q
14/01/2017	92.50	75,680	25.9	SEBA KLL-Q
14/01/2017	93.00	78,470	25.9	SEBA KLL-Q
14/01/2017	93.50	79,500	25.9	SEBA KLL-Q
14/01/2017	94.00	79,990	25.9	SEBA KLL-Q
14/01/2017	94.50	80,790	25.9	SEBA KLL-Q
14/01/2017	95.00	81,500	25.9	SEBA KLL-Q
14/01/2017	95.50	82,780	25.9	SEBA KLL-Q
14/01/2017	96.00	88,490	25.9	SEBA KLL-Q
14/01/2017	96.50	90,570	26.0	SEBA KLL-Q
14/01/2017	97.00	93,770	26.0	SEBA KLL-Q
14/01/2017	97.50	94,420	26.0	SEBA KLL-Q
14/01/2017	98.00	94,870	26.0	SEBA KLL-Q
14/01/2017	98.50	96,870	26.0	SEBA KLL-Q
14/01/2017	99.00	98,750	26.0	SEBA KLL-Q
14/01/2017	99.50	100,100	26.0	SEBA KLL-Q
14/01/2017	100.00	106,900	26.0	SEBA KLL-Q
14/01/2017	100.50	126,400	26.0	SEBA KLL-Q
14/01/2017	100.70	128,500	26.0	SEBA KLL-Q
14/01/2017	100.90	131,500	26.0	SEBA KLL-Q
14/01/2017	101.10	131,700	26.0	SEBA KLL-Q
14/01/2017	101.30	131,800	26.0	SEBA KLL-Q
14/01/2017	101.50	131,900	26.0	SEBA KLL-Q
14/01/2017	101.70	131,900	26.0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/01/2017	101.90	131,900	26.0	SEBA KLL-Q
14/01/2017	102.10	131,900	26.0	SEBA KLL-Q
14/01/2017	102.30	131,900	26.0	SEBA KLL-Q
14/01/2017	102.50	132,000	26.0	SEBA KLL-Q
14/01/2017	102.70	132,000	26.0	SEBA KLL-Q
14/01/2017	102.90	132,300	26.0	SEBA KLL-Q
14/01/2017	103.50	147,900	26.0	SEBA KLL-Q
14/01/2017	103.70	150,100	26.1	SEBA KLL-Q
14/01/2017	103.90	151,700	26.1	SEBA KLL-Q
14/01/2017	104.10	153,800	26.1	SEBA KLL-Q
14/01/2017	104.30	154,100	26.1	SEBA KLL-Q
14/01/2017	104.50	157,800	26.1	SEBA KLL-Q
14/01/2017	104.70	165,000	26.1	SEBA KLL-Q
14/01/2017	104.90	174,700	26.1	SEBA KLL-Q
14/01/2017	105.10	185,800	26.1	SEBA KLL-Q
14/01/2017	105.30	192,900	26.1	SEBA KLL-Q
14/01/2017	105.50	201,500	26.1	SEBA KLL-Q
14/01/2017	105.70	205,800	26.1	SEBA KLL-Q
14/01/2017	105.90	206,500	26.1	SEBA KLL-Q
14/01/2017	106.10	207,200	26.1	SEBA KLL-Q
14/01/2017	106.30	207,600	26.1	SEBA KLL-Q
14/01/2017	106.50	210,500	26.1	SEBA KLL-Q
14/01/2017	106.70	213,700	26.1	SEBA KLL-Q
14/01/2017	106.90	215,900	26.1	SEBA KLL-Q
14/01/2017	107.10	219,700	26.1	SEBA KLL-Q
14/01/2017	107.30	222,800	26.1	SEBA KLL-Q
14/01/2017	107.50	225,800	26.1	SEBA KLL-Q
14/01/2017	107.70	226,400	26.1	SEBA KLL-Q
14/01/2017	107.90	227,400	26.1	SEBA KLL-Q
14/01/2017	108.10	229,600	26.1	SEBA KLL-Q
14/01/2017	108.30	231,300	26.1	SEBA KLL-Q
14/01/2017	108.50	231,800	26.1	SEBA KLL-Q
14/01/2017	109.00	232,000	26.2	SEBA KLL-Q
14/01/2017	109.50	232,000	26.2	SEBA KLL-Q
14/01/2017	110.00	232,700	26.2	SEBA KLL-Q
14/01/2017	110.50	233,900	26.2	SEBA KLL-Q
14/01/2017	111.00	234,300	26.2	SEBA KLL-Q
14/01/2017	111.50	234,500	26.2	SEBA KLL-Q
14/01/2017	112.00	234,600	26.2	SEBA KLL-Q
14/01/2017	113.00	235,000	26.3	SEBA KLL-Q
14/01/2017	114.00	235,200	26.3	SEBA KLL-Q
14/01/2017	115.00	235,100	26.3	SEBA KLL-Q
14/01/2017	116.00	235,000	26.3	SEBA KLL-Q
14/01/2017	117.00	238,400	26.4	SEBA KLL-Q
22/04/2017	0.50	27,550	25.5	SEBA KLL-Q
22/04/2017	2.00	27,500	25.5	SEBA KLL-Q
22/04/2017	4.00	27,500	25.5	SEBA KLL-Q
22/04/2017	6.00	27,500	25.5	SEBA KLL-Q
22/04/2017	8.00	27,500	25.5	SEBA KLL-Q
22/04/2017	10.00	27,600	25.5	SEBA KLL-Q
22/04/2017	12.00	27,600	25.5	SEBA KLL-Q
22/04/2017	14.00	27,600	25.5	SEBA KLL-Q
22/04/2017	16.00	27,600	25.5	SEBA KLL-Q
22/04/2017	18.00	27,600	25.5	SEBA KLL-Q
22/04/2017	20.00	27,600	25.5	SEBA KLL-Q
22/04/2017	22.00	27,600	25.5	SEBA KLL-Q
22/04/2017	24.00	27,600	25.5	SEBA KLL-Q
22/04/2017	26.00	27,600	25.5	SEBA KLL-Q
22/04/2017	28.00	27,600	25.5	SEBA KLL-Q
22/04/2017	30.00	27,600	25.5	SEBA KLL-Q
22/04/2017	32.00	27,600	25.5	SEBA KLL-Q
22/04/2017	34.00	27,500	25.5	SEBA KLL-Q
22/04/2017	36.00	27,500	25.5	SEBA KLL-Q
22/04/2017	38.00	27,500	25.5	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/04/2017	40.00	27,500	25.5	SEBA KLL-Q
22/04/2017	42.00	27,500	25.5	SEBA KLL-Q
22/04/2017	44.00	27,600	25.5	SEBA KLL-Q
22/04/2017	46.00	27,600	25.5	SEBA KLL-Q
22/04/2017	48.00	27,600	25.5	SEBA KLL-Q
22/04/2017	50.00	27,700	26.0	SEBA KLL-Q
22/04/2017	52.00	27,700	26.0	SEBA KLL-Q
22/04/2017	54.00	27,700	26.0	SEBA KLL-Q
22/04/2017	56.00	27,700	26.0	SEBA KLL-Q
22/04/2017	58.00	27,700	26.0	SEBA KLL-Q
22/04/2017	60.00	27,060	26.0	SEBA KLL-Q
22/04/2017	62.00	27,900	25.6	SEBA KLL-Q
22/04/2017	64.00	27,920	25.6	SEBA KLL-Q
22/04/2017	66.00	28,030	25.6	SEBA KLL-Q
22/04/2017	68.00	28,050	25.6	SEBA KLL-Q
22/04/2017	70.00	28,000	25.6	SEBA KLL-Q
22/04/2017	72.00	28,500	25.6	SEBA KLL-Q
22/04/2017	74.00	28,600	25.6	SEBA KLL-Q
22/04/2017	76.00	28,670	25.6	SEBA KLL-Q
22/04/2017	78.00	28,800	25.6	SEBA KLL-Q
22/04/2017	80.00	29,010	25.6	SEBA KLL-Q
22/04/2017	82.00	29,290	25.6	SEBA KLL-Q
22/04/2017	84.00	29,300	25.7	SEBA KLL-Q
22/04/2017	86.00	30,590	25.7	SEBA KLL-Q
22/04/2017	88.00	33,640	25.7	SEBA KLL-Q
22/04/2017	90.00	45,930	25.7	SEBA KLL-Q
22/04/2017	92.00	76,540	25.8	SEBA KLL-Q
22/04/2017	94.00	81,030	25.8	SEBA KLL-Q
22/04/2017	95.00	82,600	25.8	SEBA KLL-Q
22/04/2017	96.00	89,400	25.8	SEBA KLL-Q
22/04/2017	98.00	96,210	25.9	SEBA KLL-Q
22/04/2017	99.00	100,300	25.9	SEBA KLL-Q
22/04/2017	100.00	104,200	25.9	SEBA KLL-Q
22/04/2017	101.00	134,400	25.9	SEBA KLL-Q
22/04/2017	102.00	134,500	25.9	SEBA KLL-Q
22/04/2017	103.00	134,600	25.9	SEBA KLL-Q
22/04/2017	104.00	155,700	26.0	SEBA KLL-Q
22/04/2017	105.00	181,600	26.0	SEBA KLL-Q
22/04/2017	106.00	212,400	26.0	SEBA KLL-Q
22/04/2017	107.00	222,700	26.0	SEBA KLL-Q
22/04/2017	108.00	233,800	26.0	SEBA KLL-Q
22/04/2017	110.00	238,000	26.0	SEBA KLL-Q
22/04/2017	112.00	240,000	26.1	SEBA KLL-Q
22/04/2017	114.00	240,200	26.2	SEBA KLL-Q
22/04/2017	116.00	240,100	26.2	SEBA KLL-Q
22/04/2017	118.00	247,400	26.5	SEBA KLL-Q
14/07/2017	2.00	22,360	25.6	SEBA KLL-Q
14/07/2017	4.00	24,360	25.6	SEBA KLL-Q
14/07/2017	6.00	24,360	25.6	SEBA KLL-Q
14/07/2017	8.00	24,340	25.6	SEBA KLL-Q
14/07/2017	10.00	24,350	25.6	SEBA KLL-Q
14/07/2017	12.00	24,340	25.6	SEBA KLL-Q
14/07/2017	14.00	24,340	25.6	SEBA KLL-Q
14/07/2017	16.00	24,350	25.6	SEBA KLL-Q
14/07/2017	18.00	24,340	25.6	SEBA KLL-Q
14/07/2017	20.00	24,340	25.6	SEBA KLL-Q
14/07/2017	22.00	24,340	25.6	SEBA KLL-Q
14/07/2017	24.00	24,340	25.6	SEBA KLL-Q
14/07/2017	26.00	24,350	25.6	SEBA KLL-Q
14/07/2017	28.00	24,340	25.6	SEBA KLL-Q
14/07/2017	30.00	24,350	25.6	SEBA KLL-Q
14/07/2017	32.00	24,360	25.6	SEBA KLL-Q
14/07/2017	34.00	24,350	25.6	SEBA KLL-Q
14/07/2017	36.00	24,360	25.6	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/07/2017	38.00	24,360	25.6	SEBA KLL-Q
14/07/2017	40.00	24,370	25.6	SEBA KLL-Q
14/07/2017	42.00	24,420	25.6	SEBA KLL-Q
14/07/2017	44.00	24,450	25.6	SEBA KLL-Q
14/07/2017	46.00	24,480	25.6	SEBA KLL-Q
14/07/2017	48.00	24,480	25.6	SEBA KLL-Q
14/07/2017	50.00	24,510	25.6	SEBA KLL-Q
14/07/2017	52.00	24,520	25.6	SEBA KLL-Q
14/07/2017	54.00	24,520	25.6	SEBA KLL-Q
14/07/2017	56.00	24,620	25.7	SEBA KLL-Q
14/07/2017	58.00	24,620	25.7	SEBA KLL-Q
14/07/2017	60.00	24,620	25.7	SEBA KLL-Q
14/07/2017	62.00	24,590	25.7	SEBA KLL-Q
14/07/2017	64.00	24,590	25.7	SEBA KLL-Q
14/07/2017	66.00	24,660	25.7	SEBA KLL-Q
14/07/2017	68.00	24,710	25.7	SEBA KLL-Q
14/07/2017	70.00	24,740	25.7	SEBA KLL-Q
14/07/2017	72.00	25,120	25.7	SEBA KLL-Q
14/07/2017	74.00	25,290	25.7	SEBA KLL-Q
14/07/2017	76.00	25,290	25.7	SEBA KLL-Q
14/07/2017	78.00	25,290	25.7	SEBA KLL-Q
14/07/2017	80.00	25,290	25.7	SEBA KLL-Q
14/07/2017	82.00	25,290	25.7	SEBA KLL-Q
14/07/2017	84.00	25,290	25.7	SEBA KLL-Q
14/07/2017	86.00	27,600	25.7	SEBA KLL-Q
14/07/2017	87.00	29,880	25.8	SEBA KLL-Q
14/07/2017	88.00	29,890	25.8	SEBA KLL-Q
14/07/2017	89.00	30,350	25.8	SEBA KLL-Q
14/07/2017	89.50	30,880	25.8	SEBA KLL-Q
14/07/2017	90.00	69,180	25.8	SEBA KLL-Q
14/07/2017	90.20	69,290	25.8	SEBA KLL-Q
14/07/2017	90.40	69,420	25.8	SEBA KLL-Q
14/07/2017	90.60	69,620	25.8	SEBA KLL-Q
14/07/2017	90.80	69,730	25.9	SEBA KLL-Q
14/07/2017	91.00	69,900	25.9	SEBA KLL-Q
14/07/2017	91.50	69,960	25.9	SEBA KLL-Q
14/07/2017	92.00	69,990	25.9	SEBA KLL-Q
14/07/2017	92.50	70,160	25.9	SEBA KLL-Q
14/07/2017	93.00	72,750	25.9	SEBA KLL-Q
14/07/2017	93.50	73,820	25.9	SEBA KLL-Q
14/07/2017	94.00	74,020	25.9	SEBA KLL-Q
14/07/2017	94.50	75,000	25.9	SEBA KLL-Q
14/07/2017	95.00	75,320	25.9	SEBA KLL-Q
14/07/2017	95.50	76,790	25.9	SEBA KLL-Q
14/07/2017	96.00	81,630	25.9	SEBA KLL-Q
14/07/2017	96.50	84,380	25.9	SEBA KLL-Q
14/07/2017	97.00	87,220	25.9	SEBA KLL-Q
14/07/2017	97.50	88,220	25.9	SEBA KLL-Q
14/07/2017	98.00	88,670	26.0	SEBA KLL-Q
14/07/2017	98.50	90,420	26.0	SEBA KLL-Q
14/07/2017	99.00	92,380	26.0	SEBA KLL-Q
14/07/2017	99.50	93,430	26.0	SEBA KLL-Q
14/07/2017	100.00	97,330	26.0	SEBA KLL-Q
14/07/2017	100.50	117,400	26.0	SEBA KLL-Q
14/07/2017	101.00	125,200	26.0	SEBA KLL-Q
14/07/2017	101.50	125,400	26.0	SEBA KLL-Q
14/07/2017	102.00	126,100	26.0	SEBA KLL-Q
14/07/2017	102.50	126,300	26.0	SEBA KLL-Q
14/07/2017	103.00	125,700	26.0	SEBA KLL-Q
14/07/2017	103.50	139,900	26.0	SEBA KLL-Q
14/07/2017	104.00	146,200	26.1	SEBA KLL-Q
14/07/2017	104.50	150,400	26.1	SEBA KLL-Q
14/07/2017	105.00	171,800	26.1	SEBA KLL-Q
14/07/2017	105.50	192,100	26.1	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/07/2017	106.00	201,100	26.1	SEBA KLL-Q
14/07/2017	106.50	204,900	26.1	SEBA KLL-Q
14/07/2017	107.00	211,500	26.1	SEBA KLL-Q
14/07/2017	108.00	222,000	26.1	SEBA KLL-Q
14/07/2017	109.00	226,100	26.1	SEBA KLL-Q
14/07/2017	110.00	226,000	26.2	SEBA KLL-Q
14/07/2017	112.00	227,500	26.2	SEBA KLL-Q
14/07/2017	114.00	227,600	26.2	SEBA KLL-Q
14/07/2017	116.00	227,600	26.3	SEBA KLL-Q
14/07/2017	118.00	234,200	26.4	SEBA KLL-Q
11/10/2017	1.00	24,770	25.1	SEBA KLL-Q
11/10/2017	3.00	24,840	25.5	SEBA KLL-Q
11/10/2017	6.00	24,850	25.5	SEBA KLL-Q
11/10/2017	9.00	24,870	25.5	SEBA KLL-Q
11/10/2017	12.00	24,870	25.6	SEBA KLL-Q
11/10/2017	15.00	24,900	25.6	SEBA KLL-Q
11/10/2017	18.00	24,920	25.6	SEBA KLL-Q
11/10/2017	21.00	24,920	25.6	SEBA KLL-Q
11/10/2017	24.00	24,930	25.6	SEBA KLL-Q
11/10/2017	27.00	24,930	25.6	SEBA KLL-Q
11/10/2017	30.00	24,950	25.6	SEBA KLL-Q
11/10/2017	33.00	24,940	25.6	SEBA KLL-Q
11/10/2017	36.00	24,960	25.6	SEBA KLL-Q
11/10/2017	39.00	24,970	25.6	SEBA KLL-Q
11/10/2017	42.00	25,020	25.6	SEBA KLL-Q
11/10/2017	45.00	25,060	25.6	SEBA KLL-Q
11/10/2017	48.00	25,120	25.6	SEBA KLL-Q
11/10/2017	51.00	25,150	25.6	SEBA KLL-Q
11/10/2017	54.00	25,160	25.6	SEBA KLL-Q
11/10/2017	57.00	25,180	25.6	SEBA KLL-Q
11/10/2017	60.00	25,330	25.6	SEBA KLL-Q
11/10/2017	63.00	25,280	25.6	SEBA KLL-Q
11/10/2017	66.00	25,360	25.6	SEBA KLL-Q
11/10/2017	69.00	25,410	25.6	SEBA KLL-Q
11/10/2017	72.00	25,830	25.7	SEBA KLL-Q
11/10/2017	75.00	25,940	25.7	SEBA KLL-Q
11/10/2017	78.00	26,300	25.7	SEBA KLL-Q
11/10/2017	81.00	26,430	25.7	SEBA KLL-Q
11/10/2017	83.00	26,570	25.7	SEBA KLL-Q
11/10/2017	85.00	27,680	25.7	SEBA KLL-Q
11/10/2017	86.00	28,080	25.7	SEBA KLL-Q
11/10/2017	87.00	30,500	25.7	SEBA KLL-Q
11/10/2017	88.00	30,530	25.7	SEBA KLL-Q
11/10/2017	88.50	30,770	25.7	SEBA KLL-Q
11/10/2017	89.00	30,840	25.7	SEBA KLL-Q
11/10/2017	89.50	31,130	25.7	SEBA KLL-Q
11/10/2017	89.80	31,990	25.7	SEBA KLL-Q
11/10/2017	90.00	42,860	25.7	SEBA KLL-Q
11/10/2017	90.20	71,010	25.8	SEBA KLL-Q
11/10/2017	90.40	71,110	25.8	SEBA KLL-Q
11/10/2017	90.60	71,420	25.8	SEBA KLL-Q
11/10/2017	90.80	71,610	25.8	SEBA KLL-Q
11/10/2017	91.00	71,850	25.8	SEBA KLL-Q
11/10/2017	91.50	72,000	25.8	SEBA KLL-Q
11/10/2017	92.00	72,060	25.8	SEBA KLL-Q
11/10/2017	92.50	72,280	25.9	SEBA KLL-Q
11/10/2017	93.00	75,060	25.9	SEBA KLL-Q
11/10/2017	93.50	76,060	25.9	SEBA KLL-Q
11/10/2017	94.00	76,620	25.9	SEBA KLL-Q
11/10/2017	94.50	74,600	25.9	SEBA KLL-Q
11/10/2017	95.00	78,230	25.9	SEBA KLL-Q
11/10/2017	95.50	79,500	25.9	SEBA KLL-Q
11/10/2017	96.00	85,090	25.9	SEBA KLL-Q
11/10/2017	96.50	87,060	25.9	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/10/2017	97.00	90,600	25.9	SEBA KLL-Q
11/10/2017	97.50	91,150	25.9	SEBA KLL-Q
11/10/2017	98.00	95,690	25.9	SEBA KLL-Q
11/10/2017	98.50	93,570	25.9	SEBA KLL-Q
11/10/2017	99.00	95,600	25.9	SEBA KLL-Q
11/10/2017	100.00	99,510	26.0	SEBA KLL-Q
11/10/2017	101.00	129,600	26.0	SEBA KLL-Q
11/10/2017	102.00	130,000	26.0	SEBA KLL-Q
11/10/2017	103.00	130,200	26.0	SEBA KLL-Q
11/10/2017	104.00	150,800	26.0	SEBA KLL-Q
11/10/2017	105.00	178,700	26.0	SEBA KLL-Q
11/10/2017	105.50	199,400	26.0	SEBA KLL-Q
11/10/2017	106.00	209,300	26.1	SEBA KLL-Q
11/10/2017	106.50	212,700	26.1	SEBA KLL-Q
11/10/2017	107.00	219,500	26.1	SEBA KLL-Q
11/10/2017	107.50	227,900	26.1	SEBA KLL-Q
11/10/2017	108.00	230,200	26.1	SEBA KLL-Q
11/10/2017	108.50	233,300	26.1	SEBA KLL-Q
11/10/2017	109.00	234,100	26.1	SEBA KLL-Q
11/10/2017	109.50	234,200	26.1	SEBA KLL-Q
11/10/2017	110.00	234,900	26.1	SEBA KLL-Q
11/10/2017	110.50	235,150	26.2	SEBA KLL-Q
11/10/2017	111.00	236,700	26.2	SEBA KLL-Q
11/10/2017	111.50	237,100	26.2	SEBA KLL-Q
11/10/2017	112.00	237,400	26.2	SEBA KLL-Q
11/10/2017	113.00	237,500	26.2	SEBA KLL-Q
11/10/2017	114.00	237,700	26.3	SEBA KLL-Q
11/10/2017	115.00	237,600	26.3	SEBA KLL-Q
11/10/2017	116.00	237,600	26.3	SEBA KLL-Q
11/10/2017	117.00	237,500	26.3	SEBA KLL-Q
11/10/2017	118.00	245,000	26.4	SEBA KLL-Q
24/01/2018	1.0	23,570	25.55	SEBA KLL-Q
24/01/2018	2.0	23,580	25.73	SEBA KLL-Q
24/01/2018	4.0	23,560	25.74	SEBA KLL-Q
24/01/2018	6.0	23,550	25.74	SEBA KLL-Q
24/01/2018	8.0	23,560	25.74	SEBA KLL-Q
24/01/2018	10.0	23,550	25.74	SEBA KLL-Q
24/01/2018	12.0	23,560	25.74	SEBA KLL-Q
24/01/2018	14.0	23,550	25.73	SEBA KLL-Q
24/01/2018	16.0	23,550	25.74	SEBA KLL-Q
24/01/2018	18.0	23,550	25.74	SEBA KLL-Q
24/01/2018	20.0	23,550	25.74	SEBA KLL-Q
24/01/2018	22.0	23,550	25.74	SEBA KLL-Q
24/01/2018	24.0	23,560	25.74	SEBA KLL-Q
24/01/2018	26.0	23,550	25.74	SEBA KLL-Q
24/01/2018	28.0	23,550	25.74	SEBA KLL-Q
24/01/2018	30.0	23,540	25.75	SEBA KLL-Q
24/01/2018	32.0	23,540	25.75	SEBA KLL-Q
24/01/2018	34.0	23,550	25.74	SEBA KLL-Q
24/01/2018	36.0	23,550	25.74	SEBA KLL-Q
24/01/2018	38.0	23,540	25.76	SEBA KLL-Q
24/01/2018	40.0	23,580	25.76	SEBA KLL-Q
24/01/2018	42.0	23,610	25.76	SEBA KLL-Q
24/01/2018	44.0	23,630	25.76	SEBA KLL-Q
24/01/2018	46.0	23,670	25.77	SEBA KLL-Q
24/01/2018	48.0	23,720	25.79	SEBA KLL-Q
24/01/2018	50.0	23,730	25.79	SEBA KLL-Q
24/01/2018	52.0	23,740	25.79	SEBA KLL-Q
24/01/2018	54.0	23,770	25.79	SEBA KLL-Q
24/01/2018	56.0	23,830	25.80	SEBA KLL-Q
24/01/2018	58.0	23,870	25.81	SEBA KLL-Q
24/01/2018	60.0	23,890	25.81	SEBA KLL-Q
24/01/2018	62.0	23,850	25.82	SEBA KLL-Q
24/01/2018	64.0	23,880	25.82	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/01/2018	66.0	23,870	25.82	SEBA KLL-Q
24/01/2018	68.0	23,950	25.82	SEBA KLL-Q
24/01/2018	70.0	24,060	25.83	SEBA KLL-Q
24/01/2018	72.0	24,420	25.84	SEBA KLL-Q
24/01/2018	74.0	24,550	25.85	SEBA KLL-Q
24/01/2018	76.0	24,600	25.86	SEBA KLL-Q
24/01/2018	78.0	24,650	25.86	SEBA KLL-Q
24/01/2018	80.0	24,930	25.87	SEBA KLL-Q
24/01/2018	82.0	25,070	25.87	SEBA KLL-Q
24/01/2018	84.0	25,070	25.88	SEBA KLL-Q
24/01/2018	86.0	26,750	25.88	SEBA KLL-Q
24/01/2018	88.0	28,720	25.90	SEBA KLL-Q
24/01/2018	90.0	39,810	25.92	SEBA KLL-Q
24/01/2018	91.0	67,190	26.00	SEBA KLL-Q
24/01/2018	91.2	67,390	26.01	SEBA KLL-Q
24/01/2018	91.4	67,420	26.01	SEBA KLL-Q
24/01/2018	91.6	67,460	26.01	SEBA KLL-Q
24/01/2018	91.8	67,470	26.02	SEBA KLL-Q
24/01/2018	92.0	67,470	26.01	SEBA KLL-Q
24/01/2018	93.0	70,120	26.03	SEBA KLL-Q
24/01/2018	94.0	71,190	26.05	SEBA KLL-Q
24/01/2018	95.0	72,930	26.05	SEBA KLL-Q
24/01/2018	96.0	79,220	26.07	SEBA KLL-Q
24/01/2018	97.0	84,300	26.08	SEBA KLL-Q
24/01/2018	98.0	85,890	26.11	SEBA KLL-Q
24/01/2018	99.0	88,930	26.12	SEBA KLL-Q
24/01/2018	100.0	92,660	26.13	SEBA KLL-Q
24/01/2018	101.0	120,200	26.16	SEBA KLL-Q
24/01/2018	101.5	120,500	26.17	SEBA KLL-Q
24/01/2018	102.0	120,700	26.17	SEBA KLL-Q
24/01/2018	103.0	120,800	26.20	SEBA KLL-Q
24/01/2018	104.0	139,100	26.21	SEBA KLL-Q
24/01/2018	105.0	163,600	26.23	SEBA KLL-Q
24/01/2018	106.0	193,500	26.25	SEBA KLL-Q
24/01/2018	106.5	197,600	26.26	SEBA KLL-Q
24/01/2018	107.0	202,900	26.28	SEBA KLL-Q
24/01/2018	108.0	212,400	26.29	SEBA KLL-Q
24/01/2018	109.0	215,800	26.31	SEBA KLL-Q
24/01/2018	110.0	216,900	26.34	SEBA KLL-Q
24/01/2018	112.0	218,100	26.37	SEBA KLL-Q
24/01/2018	114.0	218,500	26.44	SEBA KLL-Q
24/01/2018	116.0	218,300	26.48	SEBA KLL-Q
24/01/2018	118.0	225,100	26.54	SEBA KLL-Q
06/04/2018	0.6	22,100	25.30	Solinst TLC 107
06/04/2018	0.8	23,500	25.40	Solinst TLC 107
06/04/2018	1.0	23,700	25.40	Solinst TLC 107
06/04/2018	2.0	24,300	25.60	Solinst TLC 107
06/04/2018	4.0	25,300	25.80	Solinst TLC 107
06/04/2018	6.0	25,400	25.80	Solinst TLC 107
06/04/2018	8.0	25,200	25.80	Solinst TLC 107
06/04/2018	10.0	25,200	25.80	Solinst TLC 107
06/04/2018	12.0	25,400	25.80	Solinst TLC 107
06/04/2018	14.0	25,500	25.80	Solinst TLC 107
06/04/2018	16.0	25,500	25.80	Solinst TLC 107
06/04/2018	18.0	25,400	25.80	Solinst TLC 107
06/04/2018	20.0	25,600	25.80	Solinst TLC 107
06/04/2018	22.0	25,600	25.80	Solinst TLC 107
06/04/2018	24.0	25,700	25.80	Solinst TLC 107
06/04/2018	26.0	25,900	25.80	Solinst TLC 107
06/04/2018	28.0	25,900	25.80	Solinst TLC 107
06/04/2018	30.0	26,000	25.80	Solinst TLC 107
06/04/2018	32.0	26,100	25.80	Solinst TLC 107
06/04/2018	34.0	26,100	25.80	Solinst TLC 107
06/04/2018	36.0	26,100	25.80	Solinst TLC 107

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/04/2018	38.0	26,200	25.80	Solinst TLC 107
06/04/2018	40.0	26,200	25.80	Solinst TLC 107
06/04/2018	42.0	26,300	25.80	Solinst TLC 107
06/04/2018	44.0	26,300	25.80	Solinst TLC 107
06/04/2018	46.0	26,300	25.80	Solinst TLC 107
06/04/2018	48.0	26,400	25.80	Solinst TLC 107
06/04/2018	50.0	26,400	25.80	Solinst TLC 107
06/04/2018	52.0	26,400	25.80	Solinst TLC 107
06/04/2018	54.0	26,400	25.80	Solinst TLC 107
06/04/2018	56.0	26,500	25.80	Solinst TLC 107
06/04/2018	58.0	26,600	25.80	Solinst TLC 107
06/04/2018	60.0	26,600	25.80	Solinst TLC 107
06/04/2018	62.0	26,600	25.80	Solinst TLC 107
06/04/2018	64.0	26,500	25.80	Solinst TLC 107
06/04/2018	66.0	26,600	25.80	Solinst TLC 107
06/04/2018	68.0	26,700	25.90	Solinst TLC 107
06/04/2018	70.0	27,000	25.90	Solinst TLC 107
06/04/2018	72.0	27,200	25.90	Solinst TLC 107
06/04/2018	74.0	27,600	25.90	Solinst TLC 107
06/04/2018	76.0	27,400	25.90	Solinst TLC 107
06/04/2018	78.0	27,300	25.90	Solinst TLC 107
06/04/2018	80.0	27,600	25.90	Solinst TLC 107
06/04/2018	82.0	27,800	25.90	Solinst TLC 107
06/04/2018	84.0	28,100	25.90	Solinst TLC 107
06/04/2018	86.0	28,900	25.90	Solinst TLC 107
06/04/2018	88.0	31,000	25.90	Solinst TLC 107
06/04/2018	90.0	59,700	26.00	Solinst TLC 107
06/04/2018	91.0	60,700	26.00	Solinst TLC 107
06/04/2018	92.0	59,900	26.00	Solinst TLC 107
06/04/2018	93.0	59,400	26.00	Solinst TLC 107
06/04/2018	94.0	60,000	26.00	Solinst TLC 107
06/04/2018	95.0	60,500	26.00	Solinst TLC 107
06/04/2018	96.0	61,300	26.00	Solinst TLC 107
06/04/2018	97.0	63,600	26.10	Solinst TLC 107
06/04/2018	98.0	66,500	26.10	Solinst TLC 107
06/04/2018	99.0	69,300	26.10	Solinst TLC 107
06/04/2018	100.0	70,600	26.10	Solinst TLC 107
06/04/2018	101.0	81,100	26.10	Solinst TLC 107
06/04/2018	102.0	82,500	26.10	Solinst TLC 107
06/04/2018	103.0	82,900	26.20	Solinst TLC 107
06/04/2018	104.0	88,300	26.20	Solinst TLC 107
06/04/2018	105.0	94,900	26.20	Solinst TLC 107
06/04/2018	106.0	104,100	26.20	Solinst TLC 107
06/04/2018	106.2	109,000	26.20	Solinst TLC 107
06/04/2018	106.4	112,000	26.20	Solinst TLC 107
06/04/2018	106.6	114,700	26.20	Solinst TLC 107
06/04/2018	106.8	116,100	26.20	Solinst TLC 107
06/04/2018	107.0	118,000	26.20	Solinst TLC 107
06/04/2018	107.2	120,100	26.20	Solinst TLC 107
06/04/2018	107.4	122,500	26.20	Solinst TLC 107
06/04/2018	107.6	127,900	26.30	Solinst TLC 107
06/04/2018	107.8	132,800	26.30	Solinst TLC 107
06/04/2018	108.0	135,900	26.30	Solinst TLC 107
06/04/2018	108.5	156,100	26.30	Solinst TLC 107
06/04/2018	109.0	167,800	26.30	Solinst TLC 107
06/04/2018	109.2	184,700	26.30	Solinst TLC 107
06/04/2018	109.4	201,500	26.30	Solinst TLC 107
06/04/2018	109.6	223,200	26.30	Solinst TLC 107
06/04/2018	109.8	237,200	26.30	Solinst TLC 107
06/04/2018	110.0	250,700	26.30	Solinst TLC 107
06/04/2018	112.0	266,500	26.30	Solinst TLC 107
06/04/2018	114.0	279,200	26.50	Solinst TLC 107
06/04/2018	116.0	296,500	26.50	Solinst TLC 107
06/04/2018	118.0	315,700	26.60	Solinst TLC 107

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
29/07/2018	1.0	29,270	25.29	SEBA KLL-Q
29/07/2018	2.0	29,320	25.62	SEBA KLL-Q
29/07/2018	4.0	29,290	25.29	SEBA KLL-Q
29/07/2018	6.0	29,270	25.62	SEBA KLL-Q
29/07/2018	8.0	29,260	25.65	SEBA KLL-Q
29/07/2018	10.0	29,260	25.66	SEBA KLL-Q
29/07/2018	12.0	29,270	25.65	SEBA KLL-Q
29/07/2018	14.0	29,250	25.65	SEBA KLL-Q
29/07/2018	16.0	29,250	25.65	SEBA KLL-Q
29/07/2018	18.0	29,250	25.65	SEBA KLL-Q
29/07/2018	20.0	29,240	25.66	SEBA KLL-Q
29/07/2018	22.0	29,260	25.66	SEBA KLL-Q
29/07/2018	24.0	29,260	25.66	SEBA KLL-Q
29/07/2018	26.0	29,250	25.65	SEBA KLL-Q
29/07/2018	28.0	29,260	25.66	SEBA KLL-Q
29/07/2018	30.0	29,260	25.66	SEBA KLL-Q
29/07/2018	32.0	29,240	25.66	SEBA KLL-Q
29/07/2018	34.0	29,260	25.67	SEBA KLL-Q
29/07/2018	36.0	29,240	25.67	SEBA KLL-Q
29/07/2018	38.0	29,260	25.67	SEBA KLL-Q
29/07/2018	40.0	29,250	25.66	SEBA KLL-Q
29/07/2018	42.0	29,290	25.67	SEBA KLL-Q
29/07/2018	44.0	29,340	25.66	SEBA KLL-Q
29/07/2018	46.0	29,410	25.67	SEBA KLL-Q
29/07/2018	48.0	29,510	25.70	SEBA KLL-Q
29/07/2018	50.0	29,540	25.70	SEBA KLL-Q
29/07/2018	52.0	29,570	25.71	SEBA KLL-Q
29/07/2018	54.0	29,570	25.71	SEBA KLL-Q
29/07/2018	56.0	29,840	25.73	SEBA KLL-Q
29/07/2018	58.0	29,810	25.73	SEBA KLL-Q
29/07/2018	60.0	29,820	25.74	SEBA KLL-Q
29/07/2018	62.0	29,690	25.75	SEBA KLL-Q
29/07/2018	64.0	29,850	25.74	SEBA KLL-Q
29/07/2018	66.0	29,820	25.74	SEBA KLL-Q
29/07/2018	68.0	29,910	25.75	SEBA KLL-Q
29/07/2018	70.0	30,020	25.76	SEBA KLL-Q
29/07/2018	72.0	30,390	25.77	SEBA KLL-Q
29/07/2018	74.0	30,390	25.77	SEBA KLL-Q
29/07/2018	76.0	30,460	25.78	SEBA KLL-Q
29/07/2018	78.0	30,540	25.79	SEBA KLL-Q
29/07/2018	80.0	30,970	25.79	SEBA KLL-Q
29/07/2018	82.0	31,040	25.79	SEBA KLL-Q
29/07/2018	84.0	31,040	25.79	SEBA KLL-Q
29/07/2018	86.0	32,740	25.81	SEBA KLL-Q
29/07/2018	88.0	35,350	25.83	SEBA KLL-Q
29/07/2018	90.0	42,270	25.83	SEBA KLL-Q
29/07/2018	91.0	82,720	25.92	SEBA KLL-Q
29/07/2018	91.2	82,790	25.95	SEBA KLL-Q
29/07/2018	91.4	82,810	25.96	SEBA KLL-Q
29/07/2018	91.6	82,830	25.95	SEBA KLL-Q
29/07/2018	91.8	82,830	25.95	SEBA KLL-Q
29/07/2018	92.0	82,870	25.94	SEBA KLL-Q
29/07/2018	93.0	85,080	25.97	SEBA KLL-Q
29/07/2018	94.0	86,770	25.99	SEBA KLL-Q
29/07/2018	96.0	95,870	25.99	SEBA KLL-Q
29/07/2018	96.5	98,040	26.00	SEBA KLL-Q
29/07/2018	97.0	102,200	26.03	SEBA KLL-Q
29/07/2018	98.0	103,700	26.03	SEBA KLL-Q
29/07/2018	100.0	114,000	26.06	SEBA KLL-Q
29/07/2018	101.0	141,900	26.07	SEBA KLL-Q
29/07/2018	101.5	145,400	26.09	SEBA KLL-Q
29/07/2018	102.0	147,100	26.10	SEBA KLL-Q
29/07/2018	103.0	148,600	26.15	SEBA KLL-Q
29/07/2018	105.0	189,800	26.15	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
29/07/2018	105.5	221,700	26.17	SEBA KLL-Q
29/07/2018	106.0	232,000	26.17	SEBA KLL-Q
29/07/2018	106.5	237,500	26.19	SEBA KLL-Q
29/07/2018	107.0	243,500	26.20	SEBA KLL-Q
29/07/2018	108.0	255,900	26.23	SEBA KLL-Q
29/07/2018	109.0	259,200	26.24	SEBA KLL-Q
29/07/2018	110.0	260,800	26.29	SEBA KLL-Q
21/08/2018	0.8	26,040	25.34	SEBA KLL-Q
21/08/2018	1.0	25,990	25.37	SEBA KLL-Q
21/08/2018	1.5	25,940	25.77	SEBA KLL-Q
21/08/2018	2.0	25,900	25.81	SEBA KLL-Q
21/08/2018	3.0	25,900	25.82	SEBA KLL-Q
21/08/2018	4.0	25,910	25.82	SEBA KLL-Q
21/08/2018	6.0	25,890	25.83	SEBA KLL-Q
21/08/2018	8.0	25,890	25.82	SEBA KLL-Q
21/08/2018	10.0	25,890	25.82	SEBA KLL-Q
21/08/2018	12.0	25,890	25.86	SEBA KLL-Q
21/08/2018	14.0	25,890	25.86	SEBA KLL-Q
21/08/2018	16.0	25,890	25.86	SEBA KLL-Q
21/08/2018	18.0	25,880	25.84	SEBA KLL-Q
21/08/2018	20.0	25,890	25.82	SEBA KLL-Q
21/08/2018	22.0	25,890	25.85	SEBA KLL-Q
21/08/2018	24.0	25,900	25.83	SEBA KLL-Q
21/08/2018	26.0	25,880	25.85	SEBA KLL-Q
21/08/2018	28.0	25,890	25.83	SEBA KLL-Q
21/08/2018	30.0	25,860	25.88	SEBA KLL-Q
21/08/2018	32.0	25,890	25.83	SEBA KLL-Q
21/08/2018	34.0	25,880	25.84	SEBA KLL-Q
21/08/2018	36.0	25,880	25.84	SEBA KLL-Q
21/08/2018	38.0	25,890	25.85	SEBA KLL-Q
21/08/2018	40.0	25,900	25.87	SEBA KLL-Q
21/08/2018	42.0	25,970	25.86	SEBA KLL-Q
21/08/2018	44.0	25,970	25.94	SEBA KLL-Q
21/08/2018	46.0	26,040	25.96	SEBA KLL-Q
21/08/2018	48.0	26,110	25.94	SEBA KLL-Q
21/08/2018	50.0	26,130	25.90	SEBA KLL-Q
21/08/2018	52.0	26,150	25.91	SEBA KLL-Q
21/08/2018	54.0	26,150	25.88	SEBA KLL-Q
21/08/2018	56.0	26,390	25.97	SEBA KLL-Q
21/08/2018	58.0	26,410	25.92	SEBA KLL-Q
21/08/2018	60.0	26,390	25.96	SEBA KLL-Q
21/08/2018	62.0	26,390	25.96	SEBA KLL-Q
21/08/2018	64.0	26,440	25.95	SEBA KLL-Q
21/08/2018	66.0	26,460	25.96	SEBA KLL-Q
21/08/2018	68.0	26,540	25.95	SEBA KLL-Q
21/08/2018	70.0	26,620	25.95	SEBA KLL-Q
21/08/2018	72.0	26,850	25.96	SEBA KLL-Q
21/08/2018	74.0	26,810	25.97	SEBA KLL-Q
21/08/2018	76.0	26,940	25.96	SEBA KLL-Q
21/08/2018	78.0	27,100	26.05	SEBA KLL-Q
21/08/2018	80.0	27,310	25.99	SEBA KLL-Q
21/08/2018	82.0	27,450	25.97	SEBA KLL-Q
21/08/2018	84.0	27,430	25.97	SEBA KLL-Q
21/08/2018	86.0	28,610	25.98	SEBA KLL-Q
21/08/2018	88.0	31,030	26.00	SEBA KLL-Q
21/08/2018	90.0	39,830	26.01	SEBA KLL-Q
21/08/2018	91.0	74,020	26.09	SEBA KLL-Q
21/08/2018	91.5	74,160	26.10	SEBA KLL-Q
21/08/2018	92.0	74,260	26.12	SEBA KLL-Q
21/08/2018	93.0	76,730	26.12	SEBA KLL-Q
21/08/2018	94.0	77,780	26.19	SEBA KLL-Q
21/08/2018	95.0	80,190	26.16	SEBA KLL-Q
21/08/2018	96.0	86,510	26.17	SEBA KLL-Q
21/08/2018	97.0	92,020	26.19	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/08/2018	97.5	92,500	26.25	SEBA KLL-Q
21/08/2018	98.0	92,860	26.23	SEBA KLL-Q
21/08/2018	99.0	96,930	26.28	SEBA KLL-Q
21/08/2018	100.0	103,400	26.27	SEBA KLL-Q
21/08/2018	101.0	128,800	26.31	SEBA KLL-Q
21/08/2018	101.5	131,100	26.28	SEBA KLL-Q
21/08/2018	102.0	131,200	26.34	SEBA KLL-Q
21/08/2018	102.5	131,300	26.28	SEBA KLL-Q
21/08/2018	103.0	131,700	26.36	SEBA KLL-Q
21/08/2018	103.5	144,200	26.37	SEBA KLL-Q
21/08/2018	104.0	151,900	26.32	SEBA KLL-Q
21/08/2018	105.0	176,700	26.37	SEBA KLL-Q
21/08/2018	105.5	197,600	26.42	SEBA KLL-Q
21/08/2018	106.0	207,600	26.41	SEBA KLL-Q
21/08/2018	106.2	209,700	26.34	SEBA KLL-Q
21/08/2018	106.4	211,000	26.40	SEBA KLL-Q
21/08/2018	106.6	212,700	26.41	SEBA KLL-Q
21/08/2018	106.8	214,800	26.37	SEBA KLL-Q
21/08/2018	107.0	217,900	26.34	SEBA KLL-Q
21/08/2018	107.5	226,400	26.39	SEBA KLL-Q
21/08/2018	108.0	226,700	26.36	SEBA KLL-Q
21/08/2018	109.0	233,000	26.37	SEBA KLL-Q
21/08/2018	110.0	234,500	26.38	SEBA KLL-Q
21/08/2018	112.0	235,300	26.48	SEBA KLL-Q
21/08/2018	114.0	236,100	26.56	SEBA KLL-Q
21/08/2018	116.0	235,400	26.59	SEBA KLL-Q
21/08/2018	118.0	243,400	26.59	SEBA KLL-Q
08/09/2018	0.5	26,560	25.51	SEBA KLL-Q
08/09/2018	0.7	26,520	25.60	SEBA KLL-Q
08/09/2018	1.0	26,530	25.70	SEBA KLL-Q
08/09/2018	1.5	26,550	25.80	SEBA KLL-Q
08/09/2018	2.0	26,540	25.80	SEBA KLL-Q
08/09/2018	3.0	26,540	25.80	SEBA KLL-Q
08/09/2018	4.0	26,540	25.80	SEBA KLL-Q
08/09/2018	6.0	26,560	25.80	SEBA KLL-Q
08/09/2018	8.0	26,560	25.80	SEBA KLL-Q
08/09/2018	10.0	26,560	25.80	SEBA KLL-Q
08/09/2018	12.0	26,560	25.80	SEBA KLL-Q
08/09/2018	14.0	26,580	25.80	SEBA KLL-Q
08/09/2018	16.0	26,580	25.80	SEBA KLL-Q
08/09/2018	18.0	26,590	25.80	SEBA KLL-Q
08/09/2018	20.0	26,580	25.80	SEBA KLL-Q
08/09/2018	22.0	26,580	25.80	SEBA KLL-Q
08/09/2018	24.0	26,580	25.80	SEBA KLL-Q
08/09/2018	26.0	26,590	25.80	SEBA KLL-Q
08/09/2018	28.0	26,590	25.80	SEBA KLL-Q
08/09/2018	30.0	26,590	25.80	SEBA KLL-Q
08/09/2018	32.0	26,590	25.80	SEBA KLL-Q
08/09/2018	34.0	26,590	25.80	SEBA KLL-Q
08/09/2018	36.0	26,590	25.80	SEBA KLL-Q
08/09/2018	38.0	26,590	25.80	SEBA KLL-Q
08/09/2018	40.0	26,590	25.80	SEBA KLL-Q
08/09/2018	42.0	26,670	25.80	SEBA KLL-Q
08/09/2018	44.0	26,720	25.80	SEBA KLL-Q
08/09/2018	46.0	26,790	25.80	SEBA KLL-Q
08/09/2018	48.0	26,830	25.80	SEBA KLL-Q
08/09/2018	50.0	26,870	25.80	SEBA KLL-Q
08/09/2018	52.0	26,870	25.80	SEBA KLL-Q
08/09/2018	54.0	26,890	25.80	SEBA KLL-Q
08/09/2018	56.0	27,880	25.80	SEBA KLL-Q
08/09/2018	58.0	27,080	25.80	SEBA KLL-Q
08/09/2018	60.0	27,100	25.80	SEBA KLL-Q
08/09/2018	62.0	27,080	25.80	SEBA KLL-Q
08/09/2018	64.0	27,100	25.80	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/09/2018	66.0	27,100	25.80	SEBA KLL-Q
08/09/2018	68.0	27,100	25.80	SEBA KLL-Q
08/09/2018	70.0	27,140	25.80	SEBA KLL-Q
08/09/2018	72.0	27,510	25.90	SEBA KLL-Q
08/09/2018	74.0	27,590	25.90	SEBA KLL-Q
08/09/2018	76.0	27,700	25.90	SEBA KLL-Q
08/09/2018	78.0	27,870	25.90	SEBA KLL-Q
08/09/2018	80.0	27,970	25.90	SEBA KLL-Q
08/09/2018	82.0	28,230	25.90	SEBA KLL-Q
08/09/2018	84.0	28,160	25.90	SEBA KLL-Q
08/09/2018	86.0	29,650	25.90	SEBA KLL-Q
08/09/2018	88.0	30,960	25.90	SEBA KLL-Q
08/09/2018	90.0	40,100	25.90	SEBA KLL-Q
08/09/2018	92.0	75,900	26.00	SEBA KLL-Q
08/09/2018	94.0	79,180	26.00	SEBA KLL-Q
08/09/2018	96.0	88,010	26.00	SEBA KLL-Q
08/09/2018	98.0	95,060	26.00	SEBA KLL-Q
08/09/2018	100.0	98,720	26.00	SEBA KLL-Q
08/09/2018	102.0	134,000	26.00	SEBA KLL-Q
08/09/2018	103.0	135,500	26.20	SEBA KLL-Q
08/09/2018	104.0	156,000	26.20	SEBA KLL-Q
08/09/2018	104.5	160,200	26.20	SEBA KLL-Q
08/09/2018	104.7	167,200	26.20	SEBA KLL-Q
08/09/2018	104.9	176,200	26.20	SEBA KLL-Q
08/09/2018	105.1	184,300	26.30	SEBA KLL-Q
08/09/2018	105.3	198,300	26.30	SEBA KLL-Q
08/09/2018	105.5	203,800	26.30	SEBA KLL-Q
08/09/2018	105.7	208,700	26.30	SEBA KLL-Q
08/09/2018	106.0	214,300	26.30	SEBA KLL-Q
08/09/2018	106.5	218,500	26.30	SEBA KLL-Q
08/09/2018	107.0	224,300	26.30	SEBA KLL-Q
08/09/2018	108.0	224,500	26.30	SEBA KLL-Q
08/09/2018	110.0	241,700	26.30	SEBA KLL-Q
08/09/2018	112.0	243,300	26.30	SEBA KLL-Q
08/09/2018	114.0	243,500	26.50	SEBA KLL-Q
08/09/2018	116.0	243,000	26.50	SEBA KLL-Q
08/09/2018	117.0	243,300	26.50	SEBA KLL-Q
08/09/2018	117.5	249,500	26.89	SEBA KLL-Q
05/11/2018	0.6	25,320	26.24	SEBA KLL-Q
05/11/2018	0.8	25,180	26.62	SEBA KLL-Q
05/11/2018	1.0	25,220	26.64	SEBA KLL-Q
05/11/2018	1.5	25,220	26.83	SEBA KLL-Q
05/11/2018	2.0	25,250	26.90	SEBA KLL-Q
05/11/2018	3.0	25,230	26.91	SEBA KLL-Q
05/11/2018	4.0	25,220	26.91	SEBA KLL-Q
05/11/2018	6.0	25,200	26.95	SEBA KLL-Q
05/11/2018	8.0	25,190	26.98	SEBA KLL-Q
05/11/2018	10.0	25,130	27.09	SEBA KLL-Q
05/11/2018	12.0	25,120	27.12	SEBA KLL-Q
05/11/2018	14.0	25,110	27.12	SEBA KLL-Q
05/11/2018	16.0	25,100	27.15	SEBA KLL-Q
05/11/2018	18.0	25,090	27.17	SEBA KLL-Q
05/11/2018	20.0	25,080	27.21	SEBA KLL-Q
05/11/2018	22.0	25,070	27.21	SEBA KLL-Q
05/11/2018	24.0	25,060	27.23	SEBA KLL-Q
05/11/2018	26.0	25,050	27.27	SEBA KLL-Q
05/11/2018	28.0	24,850	27.65	SEBA KLL-Q
05/11/2018	30.0	24,870	27.63	SEBA KLL-Q
05/11/2018	32.0	24,870	27.63	SEBA KLL-Q
05/11/2018	34.0	24,880	27.59	SEBA KLL-Q
05/11/2018	36.0	24,870	27.61	SEBA KLL-Q
05/11/2018	38.0	24,900	27.54	SEBA KLL-Q
05/11/2018	40.0	24,940	27.52	SEBA KLL-Q
05/11/2018	42.0	24,980	27.50	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/11/2018	44.0	25,070	27.51	SEBA KLL-Q
05/11/2018	46.0	25,110	27.52	SEBA KLL-Q
05/11/2018	48.0	25,160	27.54	SEBA KLL-Q
05/11/2018	50.0	25,190	27.55	SEBA KLL-Q
05/11/2018	52.0	25,200	27.57	SEBA KLL-Q
05/11/2018	54.0	25,190	27.56	SEBA KLL-Q
05/11/2018	56.0	25,410	27.60	SEBA KLL-Q
05/11/2018	58.0	25,450	27.56	SEBA KLL-Q
05/11/2018	60.0	25,430	27.56	SEBA KLL-Q
05/11/2018	62.0	25,460	27.56	SEBA KLL-Q
05/11/2018	64.0	25,470	27.58	SEBA KLL-Q
05/11/2018	66.0	25,500	27.55	SEBA KLL-Q
05/11/2018	68.0	25,550	27.57	SEBA KLL-Q
05/11/2018	70.0	25,700	27.55	SEBA KLL-Q
05/11/2018	72.0	25,860	27.58	SEBA KLL-Q
05/11/2018	74.0	25,970	27.56	SEBA KLL-Q
05/11/2018	76.0	25,920	27.54	SEBA KLL-Q
05/11/2018	78.0	26,200	27.52	SEBA KLL-Q
05/11/2018	80.0	26,240	27.52	SEBA KLL-Q
05/11/2018	82.0	26,590	27.49	SEBA KLL-Q
05/11/2018	84.0	26,420	27.49	SEBA KLL-Q
05/11/2018	86.0	27,540	27.50	SEBA KLL-Q
05/11/2018	88.0	29,250	27.47	SEBA KLL-Q
05/11/2018	89.0	30,670	27.48	SEBA KLL-Q
05/11/2018	90.0	38,150	27.48	SEBA KLL-Q
05/11/2018	90.5	68,500	27.54	SEBA KLL-Q
05/11/2018	91.0	70,920	27.52	SEBA KLL-Q
05/11/2018	91.2	71,110	27.52	SEBA KLL-Q
05/11/2018	91.4	71,150	27.51	SEBA KLL-Q
05/11/2018	91.6	71,210	27.50	SEBA KLL-Q
05/11/2018	91.8	71,220	27.53	SEBA KLL-Q
05/11/2018	92.0	71,290	27.48	SEBA KLL-Q
05/11/2018	92.5	71,510	27.49	SEBA KLL-Q
05/11/2018	93.0	73,830	27.47	SEBA KLL-Q
05/11/2018	93.5	74,490	27.49	SEBA KLL-Q
05/11/2018	94.0	75,170	27.46	SEBA KLL-Q
05/11/2018	94.5	76,340	27.47	SEBA KLL-Q
05/11/2018	95.0	77,260	27.44	SEBA KLL-Q
05/11/2018	95.5	78,470	27.44	SEBA KLL-Q
05/11/2018	96.0	83,350	27.44	SEBA KLL-Q
05/11/2018	96.5	84,910	27.41	SEBA KLL-Q
05/11/2018	97.0	88,690	27.41	SEBA KLL-Q
05/11/2018	97.5	89,080	27.43	SEBA KLL-Q
05/11/2018	98.0	89,570	27.41	SEBA KLL-Q
05/11/2018	98.5	91,570	27.42	SEBA KLL-Q
05/11/2018	99.0	93,520	27.41	SEBA KLL-Q
05/11/2018	99.5	94,590	27.40	SEBA KLL-Q
05/11/2018	100.0	98,690	27.41	SEBA KLL-Q
05/11/2018	100.5	117,200	27.43	SEBA KLL-Q
05/11/2018	101.0	123,500	27.42	SEBA KLL-Q
05/11/2018	101.2	126,600	27.44	SEBA KLL-Q
05/11/2018	101.4	126,800	27.43	SEBA KLL-Q
05/11/2018	101.6	126,900	27.47	SEBA KLL-Q
05/11/2018	101.8	126,900	27.47	SEBA KLL-Q
05/11/2018	102.0	127,000	27.46	SEBA KLL-Q
05/11/2018	102.5	127,000	27.46	SEBA KLL-Q
05/11/2018	103.0	127,600	27.47	SEBA KLL-Q
05/11/2018	103.5	140,900	27.41	SEBA KLL-Q
05/11/2018	104.0	147,400	27.40	SEBA KLL-Q
05/11/2018	104.5	151,300	27.40	SEBA KLL-Q
05/11/2018	105.0	174,700	27.43	SEBA KLL-Q
05/11/2018	105.2	184,200	27.43	SEBA KLL-Q
05/11/2018	105.4	190,100	27.41	SEBA KLL-Q
05/11/2018	105.6	195,400	27.41	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/11/2018	105.8	198,600	27.49	SEBA KLL-Q
05/11/2018	106.0	202,100	27.49	SEBA KLL-Q
05/11/2018	106.5	206,100	27.49	SEBA KLL-Q
05/11/2018	107.0	211,300	27.49	SEBA KLL-Q
05/11/2018	108.0	222,000	27.51	SEBA KLL-Q
05/11/2018	110.0	227,500	27.52	SEBA KLL-Q
05/11/2018	112.0	229,500	27.51	SEBA KLL-Q
05/11/2018	114.0	230,000	27.56	SEBA KLL-Q
05/11/2018	116.0	230,200	27.58	SEBA KLL-Q
05/11/2018	118.0	236,700	27.64	SEBA KLL-Q