

# Anexo G

## Posición de la Interfase Salina

---

# Registro Anexo G

## Posición de la Interfase Salina

### (2013 – 2019)

---

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2013	0,60	59.800	15,30	TLC-107 SONDA 1
22/10/2013	0,80	61.700	15,30	TLC-107 SONDA 1
22/10/2013	1,00	62.100	15,30	TLC-107 SONDA 1
22/10/2013	1,20	62.700	15,30	TLC-107 SONDA 1
22/10/2013	1,40	63.200	15,30	TLC-107 SONDA 1
22/10/2013	1,60	63.700	15,30	TLC-107 SONDA 1
22/10/2013	1,80	64.300	15,30	TLC-107 SONDA 1
22/10/2013	2,00	64.900	15,20	TLC-107 SONDA 1
22/10/2013	2,20	74.400	15,20	TLC-107 SONDA 1
22/10/2013	2,40	75.600	15,20	TLC-107 SONDA 1
22/10/2013	2,60	78.400	15,20	TLC-107 SONDA 1
22/10/2013	2,80	79.700	15,20	TLC-107 SONDA 1
22/10/2013	3,00	80.700	15,20	TLC-107 SONDA 1
22/10/2013	3,20	82.400	15,20	TLC-107 SONDA 1
22/10/2013	3,40	83.100	15,20	TLC-107 SONDA 1
22/10/2013	3,60	83.900	15,20	TLC-107 SONDA 1
22/10/2013	3,80	85.400	15,20	TLC-107 SONDA 1
22/10/2013	4,00	86.700	15,20	TLC-107 SONDA 1
22/10/2013	4,20	87.200	15,20	TLC-107 SONDA 1
22/10/2013	4,40	89.000	15,20	TLC-107 SONDA 1
22/10/2013	4,60	90.200	15,20	TLC-107 SONDA 1
22/10/2013	4,80	90.900	15,20	TLC-107 SONDA 1
22/10/2013	5,00	93.100	15,20	TLC-107 SONDA 1
22/10/2013	5,20	95.100	15,20	TLC-107 SONDA 1
22/10/2013	5,40	96.000	15,20	TLC-107 SONDA 1
22/10/2013	5,60	97.300	15,20	TLC-107 SONDA 1
22/10/2013	5,80	98.500	15,20	TLC-107 SONDA 1
22/10/2013	6,00	100.100	15,20	TLC-107 SONDA 1
22/10/2013	6,50	103.000	15,20	TLC-107 SONDA 1
22/10/2013	7,00	104.600	15,20	TLC-107 SONDA 1
22/10/2013	7,50	105.800	15,20	TLC-107 SONDA 1
22/10/2013	8,00	107.700	15,20	TLC-107 SONDA 1
22/10/2013	8,50	110.800	15,20	TLC-107 SONDA 1
22/10/2013	9,00	118.600	15,20	TLC-107 SONDA 1
22/10/2013	9,50	122.600	15,20	TLC-107 SONDA 1
22/10/2013	10,00	131.100	15,10	TLC-107 SONDA 1
22/10/2013	10,50	138.800	15,10	TLC-107 SONDA 1
22/10/2013	11,00	148.300	15,10	TLC-107 SONDA 1
22/10/2013	11,50	269.800	15,20	TLC-107 SONDA 1
22/10/2013	12,00	270.700	15,20	TLC-107 SONDA 1
22/10/2013	12,50	270.800	15,20	TLC-107 SONDA 1
22/10/2013	13,00	270.800	15,20	TLC-107 SONDA 1
22/10/2013	13,50	270.600	15,20	TLC-107 SONDA 1
22/10/2013	14,00	270.600	15,20	TLC-107 SONDA 1
22/10/2013	15,00	265.500	15,20	TLC-107 SONDA 1
22/10/2013	16,00	265.100	15,20	TLC-107 SONDA 1
22/10/2013	17,00	263.800	15,20	TLC-107 SONDA 1
22/10/2013	18,00	263.400	15,20	TLC-107 SONDA 1
22/10/2013	19,00	262.400	15,20	TLC-107 SONDA 1
22/10/2013	20,00	260.800	15,20	TLC-107 SONDA 1
22/10/2013	21,00	260.800	15,20	TLC-107 SONDA 1
22/10/2013	26,00	260.000	15,10	TLC-107 SONDA 1
22/10/2013	30,47	238.300	15,10	TLC-107 SONDA 1
22/11/2013	0,70	30.900	15,80	TLC-107 SONDA 1
22/11/2013	0,90	30.800	15,40	TLC-107 SONDA 1
22/11/2013	1,10	31.400	15,30	TLC-107 SONDA 1
22/11/2013	1,30	28.600	15,30	TLC-107 SONDA 1
22/11/2013	1,50	28.000	15,30	TLC-107 SONDA 1
22/11/2013	1,70	27.600	15,20	TLC-107 SONDA 1
22/11/2013	1,90	27.400	15,20	TLC-107 SONDA 1
22/11/2013	2,10	27.900	15,20	TLC-107 SONDA 1
22/11/2013	2,30	28.900	15,20	TLC-107 SONDA 1
22/11/2013	2,50	29.200	15,20	TLC-107 SONDA 1
22/11/2013	2,70	29.300	15,20	TLC-107 SONDA 1
22/11/2013	2,90	29.500	15,20	TLC-107 SONDA 1
22/11/2013	3,10	29.800	15,20	TLC-107 SONDA 1
22/11/2013	3,30	29.900	15,20	TLC-107 SONDA 1
22/11/2013	3,50	30.000	15,20	TLC-107 SONDA 1
22/11/2013	4,00	30.900	15,20	TLC-107 SONDA 1
22/11/2013	4,50	31.600	15,20	TLC-107 SONDA 1
22/11/2013	5,50	32.900	15,20	TLC-107 SONDA 1
22/11/2013	6,00	34.100	15,20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/11/2013	6,50	35.100	15,20	TLC-107 SONDA 1
22/11/2013	7,00	35.400	15,20	TLC-107 SONDA 1
22/11/2013	8,00	37.300	15,20	TLC-107 SONDA 1
22/11/2013	9,00	41.600	15,20	TLC-107 SONDA 1
22/11/2013	10,00	45.700	15,10	TLC-107 SONDA 1
22/11/2013	10,20	91.150	15,10	TLC-107 SONDA 1
22/11/2013	10,40	93.200	15,10	TLC-107 SONDA 1
22/11/2013	10,60	101.300	15,00	TLC-107 SONDA 1
22/11/2013	10,80	109.700	15,00	TLC-107 SONDA 1
22/11/2013	11,00	120.900	15,00	TLC-107 SONDA 1
22/11/2013	11,20	138.600	15,00	TLC-107 SONDA 1
22/11/2013	11,40	163.200	15,00	TLC-107 SONDA 1
22/11/2013	11,60	177.300	15,00	TLC-107 SONDA 1
22/11/2013	11,80	187.700	15,20	TLC-107 SONDA 1
22/11/2013	12,00	194.200	15,20	TLC-107 SONDA 1
22/11/2013	12,20	206.800	15,20	TLC-107 SONDA 1
22/11/2013	12,40	210.600	15,20	TLC-107 SONDA 1
22/11/2013	12,60	211.600	15,20	TLC-107 SONDA 1
22/11/2013	12,80	212.200	15,20	TLC-107 SONDA 1
22/11/2013	13,00	212.400	15,20	TLC-107 SONDA 1
22/11/2013	13,50	212.500	15,20	TLC-107 SONDA 1
22/11/2013	14,00	210.600	15,20	TLC-107 SONDA 1
22/11/2013	14,50	206.400	15,20	TLC-107 SONDA 1
22/11/2013	15,00	203.100	15,20	TLC-107 SONDA 1
22/11/2013	15,50	199.200	15,20	TLC-107 SONDA 1
22/11/2013	16,00	194.900	15,20	TLC-107 SONDA 1
22/11/2013	16,50	191.800	15,20	TLC-107 SONDA 1
22/11/2013	17,00	185.000	15,20	TLC-107 SONDA 1
22/11/2013	18,00	181.400	15,20	TLC-107 SONDA 1
22/11/2013	19,00	174.400	15,20	TLC-107 SONDA 1
22/11/2013	20,00	163.500	15,20	TLC-107 SONDA 1
22/11/2013	21,00	157.800	15,20	TLC-107 SONDA 1
22/11/2013	22,00	147.800	15,20	TLC-107 SONDA 1
22/11/2013	23,00	149.100	15,10	TLC-107 SONDA 1
22/11/2013	24,00	144.500	15,10	TLC-107 SONDA 1
22/11/2013	25,00	140.600	15,10	TLC-107 SONDA 1
22/11/2013	26,00	133.400	15,10	TLC-107 SONDA 1
22/11/2013	27,00	127.900	15,10	TLC-107 SONDA 1
22/11/2013	28,00	126.800	15,10	TLC-107 SONDA 1
22/11/2013	29,00	126.800	15,10	TLC-107 SONDA 1
22/11/2013	30,00	204.800	15,10	TLC-107 SONDA 1
16/01/2014	0,80	51.300	15,70	ALT FTC
16/01/2014	1,00	51.600	15,40	ALT FTC
16/01/2014	1,50	51.600	15,40	ALT FTC
16/01/2014	2,00	51.100	15,40	ALT FTC
16/01/2014	2,50	51.800	15,40	ALT FTC
16/01/2014	3,00	52.300	15,40	ALT FTC
16/01/2014	4,00	53.500	15,40	ALT FTC
16/01/2014	5,00	55.600	15,30	ALT FTC
16/01/2014	6,00	57.500	15,30	ALT FTC
16/01/2014	7,00	57.900	15,30	ALT FTC
16/01/2014	8,00	59.000	15,30	ALT FTC
16/01/2014	9,00	62.400	15,30	ALT FTC
16/01/2014	10,00	64.700	15,30	ALT FTC
16/01/2014	11,00	68.900	15,20	ALT FTC
16/01/2014	11,20	71.800	15,20	ALT FTC
16/01/2014	11,40	75.600	15,20	ALT FTC
16/01/2014	11,60	127.700	15,00	ALT FTC
16/01/2014	11,80	230.200	15,30	ALT FTC
16/01/2014	12,00	230.000	15,30	ALT FTC
16/01/2014	12,20	230.600	15,30	ALT FTC
16/01/2014	12,40	230.200	15,30	ALT FTC
16/01/2014	12,60	230.600	15,30	ALT FTC
16/01/2014	12,80	231.300	15,30	ALT FTC
16/01/2014	13,00	232.000	15,30	ALT FTC
16/01/2014	13,50	232.000	15,30	ALT FTC
16/01/2014	14,00	232.000	15,30	ALT FTC
16/01/2014	15,00	232.000	15,30	ALT FTC
16/01/2014	16,00	232.700	15,30	ALT FTC
16/01/2014	17,00	233.700	15,30	ALT FTC
16/01/2014	18,00	234.000	15,30	ALT FTC
16/01/2014	19,00	232.700	15,30	ALT FTC

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/01/2014	20,00	232.700	15,30	ALT FTC
16/01/2014	21,00	234.700	15,30	ALT FTC
16/01/2014	22,00	234.000	15,30	ALT FTC
16/01/2014	24,00	235.400	15,30	ALT FTC
16/01/2014	26,00	236.100	15,20	ALT FTC
16/01/2014	28,00	236.100	15,20	ALT FTC
16/01/2014	29,00	236.800	15,20	ALT FTC
16/01/2014	29,50	236.800	15,20	ALT FTC
16/01/2014	29,70	234.700	15,20	ALT FTC
16/01/2014	29,80	128.000	15,20	ALT FTC
23/03/2014	0,80	47.000	15,40	TLC-107 SONDA 1
23/03/2014	1,00	47.700	15,40	TLC-107 SONDA 1
23/03/2014	1,20	48.100	15,40	TLC-107 SONDA 1
23/03/2014	1,40	48.500	15,40	TLC-107 SONDA 1
23/03/2014	1,60	48.800	15,30	TLC-107 SONDA 1
23/03/2014	1,80	49.000	15,30	TLC-107 SONDA 1
23/03/2014	2,00	49.400	15,30	TLC-107 SONDA 1
23/03/2014	2,50	50.200	15,30	TLC-107 SONDA 1
23/03/2014	3,00	51.500	15,30	TLC-107 SONDA 1
23/03/2014	3,50	52.200	15,30	TLC-107 SONDA 1
23/03/2014	4,00	53.900	15,30	TLC-107 SONDA 1
23/03/2014	5,00	55.800	15,30	TLC-107 SONDA 1
23/03/2014	6,00	57.900	15,30	TLC-107 SONDA 1
23/03/2014	7,00	60.400	15,30	TLC-107 SONDA 1
23/03/2014	8,00	64.100	15,30	TLC-107 SONDA 1
23/03/2014	10,00	69.600	15,20	TLC-107 SONDA 1
23/03/2014	10,50	75.300	15,20	TLC-107 SONDA 1
23/03/2014	11,00	79.500	15,20	TLC-107 SONDA 1
23/03/2014	11,20	82.800	15,20	TLC-107 SONDA 1
23/03/2014	11,40	88.300	15,20	TLC-107 SONDA 1
23/03/2014	11,60	111.900	15,10	TLC-107 SONDA 1
23/03/2014	11,80	251.800	15,20	TLC-107 SONDA 1
23/03/2014	12,00	262.400	15,30	TLC-107 SONDA 1
23/03/2014	12,20	269.900	15,30	TLC-107 SONDA 1
23/03/2014	12,40	286.500	15,30	TLC-107 SONDA 1
23/03/2014	12,60	294.600	15,30	TLC-107 SONDA 1
23/03/2014	12,80	294.600	15,30	TLC-107 SONDA 1
23/03/2014	13,00	305.500	15,30	TLC-107 SONDA 1
23/03/2014	13,50	317.100	15,30	TLC-107 SONDA 1
23/03/2014	14,00	321.100	15,30	TLC-107 SONDA 1
23/03/2014	15,00	326.200	15,30	TLC-107 SONDA 1
23/03/2014	16,00	333.600	15,30	TLC-107 SONDA 1
23/03/2014	17,00	345.800	15,30	TLC-107 SONDA 1
23/03/2014	18,00	361.000	15,30	TLC-107 SONDA 1
23/03/2014	19,00	355.900	15,30	TLC-107 SONDA 1
23/03/2014	20,00	372.300	15,30	TLC-107 SONDA 1
23/03/2014	21,00	371.000	15,30	TLC-107 SONDA 1
23/03/2014	22,00	373.100	15,30	TLC-107 SONDA 1
23/03/2014	24,00	385.400	15,30	TLC-107 SONDA 1
23/03/2014	26,00	381.100	15,20	TLC-107 SONDA 1
23/03/2014	28,00	387.800	15,20	TLC-107 SONDA 1
23/03/2014	29,50	345.600	15,20	TLC-107 SONDA 1
23/03/2014	29,85	160.700	15,20	TLC-107 SONDA 1
17/04/2014	0,80	145.400	15,40	TLC-107 SONDA 1
17/04/2014	1,00	146.000	15,40	TLC-107 SONDA 1
17/04/2014	1,20	146.500	15,40	TLC-107 SONDA 1
17/04/2014	1,40	146.400	15,40	TLC-107 SONDA 1
17/04/2014	1,60	146.600	15,40	TLC-107 SONDA 1
17/04/2014	2,00	146.600	15,40	TLC-107 SONDA 1
17/04/2014	2,50	147.700	15,30	TLC-107 SONDA 1
17/04/2014	3,00	149.300	15,40	TLC-107 SONDA 1
17/04/2014	3,50	150.800	15,30	TLC-107 SONDA 1
17/04/2014	4,00	152.600	15,30	TLC-107 SONDA 1
17/04/2014	4,50	154.500	15,30	TLC-107 SONDA 1
17/04/2014	5,00	154.700	15,30	TLC-107 SONDA 1
17/04/2014	5,50	154.600	15,30	TLC-107 SONDA 1
17/04/2014	6,00	158.000	15,30	TLC-107 SONDA 1
17/04/2014	6,50	159.900	15,30	TLC-107 SONDA 1
17/04/2014	7,00	161.800	15,30	TLC-107 SONDA 1
17/04/2014	8,00	167.300	15,30	TLC-107 SONDA 1
17/04/2014	9,00	167.600	15,30	TLC-107 SONDA 1
17/04/2014	10,00	171.600	15,30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/04/2014	11,00	176.400	15,30	TLC-107 SONDA 1
17/04/2014	11,20	178.500	15,20	TLC-107 SONDA 1
17/04/2014	11,40	184.000	15,20	TLC-107 SONDA 1
17/04/2014	11,60	203.400	15,20	TLC-107 SONDA 1
17/04/2014	11,80	213.500	15,20	TLC-107 SONDA 1
17/04/2014	12,00	400.000	15,30	TLC-107 SONDA 1
17/04/2014	12,20	400.000	15,30	TLC-107 SONDA 1
17/04/2014	12,40	400.000	15,30	TLC-107 SONDA 1
17/04/2014	12,60	400.000	15,30	TLC-107 SONDA 1
17/04/2014	12,80	400.000	15,30	TLC-107 SONDA 1
17/04/2014	13,00	400.000	15,30	TLC-107 SONDA 1
17/04/2014	13,50	400.000	15,30	TLC-107 SONDA 1
17/04/2014	14,00	400.000	15,30	TLC-107 SONDA 1
17/04/2014	15,00	400.000	15,30	TLC-107 SONDA 1
17/04/2014	16,00	400.000	15,30	TLC-107 SONDA 1
17/04/2014	17,00	400.000	15,30	TLC-107 SONDA 1
17/04/2014	18,00	400.000	15,30	TLC-107 SONDA 1
17/04/2014	19,00	400.000	15,30	TLC-107 SONDA 1
17/04/2014	20,00	400.000	15,30	TLC-107 SONDA 1
17/04/2014	21,00	400.000	15,30	TLC-107 SONDA 1
17/04/2014	23,00	400.000	15,30	TLC-107 SONDA 1
17/04/2014	25,00	400.000	15,30	TLC-107 SONDA 1
17/04/2014	27,00	400.000	15,20	TLC-107 SONDA 1
17/04/2014	29,00	400.000	15,20	TLC-107 SONDA 1
17/04/2014	29,80	281.500	15,20	TLC-107 SONDA 1
17/05/2014	0,60	94.200	15,40	TLC-107 SONDA 1
17/05/2014	0,80	96.800	15,40	TLC-107 SONDA 1
17/05/2014	1,00	98.000	15,40	TLC-107 SONDA 1
17/05/2014	1,50	99.300	15,40	TLC-107 SONDA 1
17/05/2014	2,00	99.900	15,40	TLC-107 SONDA 1
17/05/2014	2,50	101.000	15,30	TLC-107 SONDA 1
17/05/2014	3,00	102.100	15,30	TLC-107 SONDA 1
17/05/2014	3,50	104.100	15,30	TLC-107 SONDA 1
17/05/2014	4,00	104.600	15,30	TLC-107 SONDA 1
17/05/2014	4,50	106.900	15,30	TLC-107 SONDA 1
17/05/2014	5,00	107.000	15,30	TLC-107 SONDA 1
17/05/2014	6,00	110.700	15,30	TLC-107 SONDA 1
17/05/2014	7,00	112.400	15,30	TLC-107 SONDA 1
17/05/2014	8,00	116.600	15,30	TLC-107 SONDA 1
17/05/2014	9,00	118.100	15,30	TLC-107 SONDA 1
17/05/2014	10,00	122.100	15,30	TLC-107 SONDA 1
17/05/2014	11,00	129.000	15,20	TLC-107 SONDA 1
17/05/2014	11,20	131.400	15,20	TLC-107 SONDA 1
17/05/2014	11,40	139.500	15,20	TLC-107 SONDA 1
17/05/2014	11,60	138.100	15,20	TLC-107 SONDA 1
17/05/2014	11,80	155.700	15,10	TLC-107 SONDA 1
17/05/2014	12,00	263.000	15,30	TLC-107 SONDA 1
17/05/2014	12,20	269.500	15,30	TLC-107 SONDA 1
17/05/2014	12,40	266.200	15,30	TLC-107 SONDA 1
17/05/2014	12,60	270.600	15,30	TLC-107 SONDA 1
17/05/2014	12,80	271.100	15,30	TLC-107 SONDA 1
17/05/2014	13,00	271.300	15,30	TLC-107 SONDA 1
17/05/2014	13,50	273.900	15,30	TLC-107 SONDA 1
17/05/2014	14,00	283.400	15,30	TLC-107 SONDA 1
17/05/2014	15,00	282.800	15,30	TLC-107 SONDA 1
17/05/2014	16,00	286.400	15,30	TLC-107 SONDA 1
17/05/2014	17,00	287.100	15,30	TLC-107 SONDA 1
17/05/2014	18,00	292.100	15,30	TLC-107 SONDA 1
17/05/2014	19,00	302.900	15,30	TLC-107 SONDA 1
17/05/2014	20,00	304.600	15,30	TLC-107 SONDA 1
17/05/2014	21,00	306.000	15,30	TLC-107 SONDA 1
17/05/2014	22,00	313.000	15,30	TLC-107 SONDA 1
17/05/2014	23,00	322.500	15,30	TLC-107 SONDA 1
17/05/2014	24,00	323.700	15,30	TLC-107 SONDA 1
17/05/2014	25,00	326.200	15,20	TLC-107 SONDA 1
17/05/2014	26,00	332.000	15,20	TLC-107 SONDA 1
17/05/2014	27,00	332.800	15,20	TLC-107 SONDA 1
17/05/2014	28,00	333.700	15,20	TLC-107 SONDA 1
17/05/2014	29,00	337.900	15,20	TLC-107 SONDA 1
17/05/2014	29,30	227.500	15,20	TLC-107 SONDA 1
10/06/2014	0,60	36.100	15,40	TLC-107 SONDA 1
10/06/2014	0,80	35.900	15,40	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
10/06/2014	1,00	35.000	15,40	TLC-107 SONDA 1
10/06/2014	1,20	34.500	15,40	TLC-107 SONDA 1
10/06/2014	1,40	32.700	15,40	TLC-107 SONDA 1
10/06/2014	1,60	32.600	15,40	TLC-107 SONDA 1
10/06/2014	1,80	32.500	15,40	TLC-107 SONDA 1
10/06/2014	2,00	32.400	15,40	TLC-107 SONDA 1
10/06/2014	2,50	32.400	15,40	TLC-107 SONDA 1
10/06/2014	3,00	32.500	15,40	TLC-107 SONDA 1
10/06/2014	3,50	32.500	15,40	TLC-107 SONDA 1
10/06/2014	4,00	32.500	15,30	TLC-107 SONDA 1
10/06/2014	5,00	33.000	15,40	TLC-107 SONDA 1
10/06/2014	6,00	34.300	15,30	TLC-107 SONDA 1
10/06/2014	7,00	34.600	15,30	TLC-107 SONDA 1
10/06/2014	8,00	35.400	15,30	TLC-107 SONDA 1
10/06/2014	10,00	36.600	15,30	TLC-107 SONDA 1
10/06/2014	10,50	41.800	15,30	TLC-107 SONDA 1
10/06/2014	11,00	44.700	15,30	TLC-107 SONDA 1
10/06/2014	11,20	55.400	15,20	TLC-107 SONDA 1
10/06/2014	11,40	75.200	15,10	TLC-107 SONDA 1
10/06/2014	11,60	95.100	15,00	TLC-107 SONDA 1
10/06/2014	11,80	112.500	15,30	TLC-107 SONDA 1
10/06/2014	12,00	111.500	15,30	TLC-107 SONDA 1
10/06/2014	12,20	118.300	15,30	TLC-107 SONDA 1
10/06/2014	12,40	114.800	15,30	TLC-107 SONDA 1
10/06/2014	12,60	113.400	15,30	TLC-107 SONDA 1
10/06/2014	12,80	112.300	15,30	TLC-107 SONDA 1
10/06/2014	13,00	113.200	15,30	TLC-107 SONDA 1
10/06/2014	13,50	112.800	15,30	TLC-107 SONDA 1
10/06/2014	14,00	112.600	15,30	TLC-107 SONDA 1
10/06/2014	14,50	112.300	15,30	TLC-107 SONDA 1
10/06/2014	15,00	112.000	15,30	TLC-107 SONDA 1
10/06/2014	16,00	111.700	15,30	TLC-107 SONDA 1
10/06/2014	17,00	111.300	15,30	TLC-107 SONDA 1
10/06/2014	19,00	111.700	15,30	TLC-107 SONDA 1
10/06/2014	21,00	112.100	15,30	TLC-107 SONDA 1
10/06/2014	23,00	112.100	15,30	TLC-107 SONDA 1
10/06/2014	25,00	113.000	15,20	TLC-107 SONDA 1
10/06/2014	26,00	126.700	15,20	TLC-107 SONDA 1
10/06/2014	27,00	125.000	15,20	TLC-107 SONDA 1
10/06/2014	28,00	125.400	15,20	TLC-107 SONDA 1
10/06/2014	29,00	127.000	15,20	TLC-107 SONDA 1
10/06/2014	29,80	108.500	15,20	TLC-107 SONDA 1
17/07/2014	0,80	45.700	15,30	TLC-107 SONDA 1
17/07/2014	1,00	46.700	15,30	TLC-107 SONDA 1
17/07/2014	1,50	47.600	15,30	TLC-107 SONDA 1
17/07/2014	2,50	48.400	15,40	TLC-107 SONDA 1
17/07/2014	3,50	49.700	15,40	TLC-107 SONDA 1
17/07/2014	4,50	50.700	15,30	TLC-107 SONDA 1
17/07/2014	6,00	51.400	15,30	TLC-107 SONDA 1
17/07/2014	8,00	54.100	15,30	TLC-107 SONDA 1
17/07/2014	10,00	56.500	15,30	TLC-107 SONDA 1
17/07/2014	11,00	62.500	15,20	TLC-107 SONDA 1
17/07/2014	11,50	96.400	15,00	TLC-107 SONDA 1
17/07/2014	12,00	122.400	15,30	TLC-107 SONDA 1
17/07/2014	12,50	122.600	15,30	TLC-107 SONDA 1
17/07/2014	13,00	123.500	15,30	TLC-107 SONDA 1
17/07/2014	14,00	124.400	15,30	TLC-107 SONDA 1
17/07/2014	16,00	126.200	15,30	TLC-107 SONDA 1
17/07/2014	18,00	128.600	15,30	TLC-107 SONDA 1
17/07/2014	20,00	130.000	15,30	TLC-107 SONDA 1
17/07/2014	22,00	130.600	15,30	TLC-107 SONDA 1
17/07/2014	24,00	131.500	15,30	TLC-107 SONDA 1
17/07/2014	26,00	132.700	15,20	TLC-107 SONDA 1
17/07/2014	28,00	132.900	15,20	TLC-107 SONDA 1
17/07/2014	30,00	95.300	15,20	TLC-107 SONDA 1
12/08/2014	0,70	60.300	15,40	TLC-107 SONDA 1
12/08/2014	1,00	61.000	15,40	TLC-107 SONDA 1
12/08/2014	3,00	63.700	15,40	TLC-107 SONDA 1
12/08/2014	5,00	65.900	15,30	TLC-107 SONDA 1
12/08/2014	7,00	67.300	15,30	TLC-107 SONDA 1
12/08/2014	9,00	70.300	15,30	TLC-107 SONDA 1
12/08/2014	10,00	71.900	15,30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/08/2014	11,00	81.500	15,20	TLC-107 SONDA 1
12/08/2014	11,50	116.900	15,20	TLC-107 SONDA 1
12/08/2014	12,00	161.000	15,30	TLC-107 SONDA 1
12/08/2014	12,20	160.800	15,30	TLC-107 SONDA 1
12/08/2014	12,40	162.000	15,30	TLC-107 SONDA 1
12/08/2014	12,60	162.700	15,30	TLC-107 SONDA 1
12/08/2014	12,80	163.700	15,30	TLC-107 SONDA 1
12/08/2014	13,00	166.000	15,30	TLC-107 SONDA 1
12/08/2014	13,20	170.800	15,30	TLC-107 SONDA 1
12/08/2014	13,40	173.500	15,30	TLC-107 SONDA 1
12/08/2014	13,60	177.400	15,30	TLC-107 SONDA 1
12/08/2014	13,80	182.600	15,30	TLC-107 SONDA 1
12/08/2014	14,00	186.700	15,30	TLC-107 SONDA 1
12/08/2014	14,20	191.700	15,30	TLC-107 SONDA 1
12/08/2014	14,40	197.900	15,30	TLC-107 SONDA 1
12/08/2014	14,60	205.400	15,30	TLC-107 SONDA 1
12/08/2014	14,80	208.400	15,30	TLC-107 SONDA 1
12/08/2014	15,00	214.500	15,30	TLC-107 SONDA 1
12/08/2014	15,50	229.800	15,30	TLC-107 SONDA 1
12/08/2014	16,00	244.700	15,30	TLC-107 SONDA 1
12/08/2014	16,50	252.100	15,30	TLC-107 SONDA 1
12/08/2014	17,00	270.300	15,30	TLC-107 SONDA 1
12/08/2014	18,00	305.900	15,30	TLC-107 SONDA 1
12/08/2014	19,00	318.600	15,30	TLC-107 SONDA 1
12/08/2014	20,00	333.500	15,30	TLC-107 SONDA 1
12/08/2014	22,00	344.600	15,30	TLC-107 SONDA 1
12/08/2014	24,00	353.300	15,30	TLC-107 SONDA 1
12/08/2014	26,00	360.300	15,20	TLC-107 SONDA 1
12/08/2014	28,00	365.200	15,20	TLC-107 SONDA 1
12/08/2014	29,00	368.200	15,20	TLC-107 SONDA 1
12/08/2014	29,92	204.200	15,20	TLC-107 SONDA 1
06/09/2014	0,70	51.700	15,00	TLC-107 SONDA 1
06/09/2014	1,00	52.700	15,30	TLC-107 SONDA 1
06/09/2014	2,00	53.300	15,30	TLC-107 SONDA 1
06/09/2014	3,00	53.900	15,30	TLC-107 SONDA 1
06/09/2014	5,00	58.000	15,30	TLC-107 SONDA 1
06/09/2014	7,00	59.100	15,30	TLC-107 SONDA 1
06/09/2014	9,00	61.700	15,30	TLC-107 SONDA 1
06/09/2014	10,00	62.100	15,30	TLC-107 SONDA 1
06/09/2014	11,00	65.300	15,20	TLC-107 SONDA 1
06/09/2014	11,20	64.300	15,20	TLC-107 SONDA 1
06/09/2014	11,40	65.700	15,20	TLC-107 SONDA 1
06/09/2014	11,60	67.100	15,20	TLC-107 SONDA 1
06/09/2014	11,80	71.600	15,20	TLC-107 SONDA 1
06/09/2014	12,00	141.100	15,30	TLC-107 SONDA 1
06/09/2014	12,20	144.200	15,30	TLC-107 SONDA 1
06/09/2014	12,40	146.100	15,30	TLC-107 SONDA 1
06/09/2014	12,60	149.900	15,30	TLC-107 SONDA 1
06/09/2014	12,80	152.600	15,30	TLC-107 SONDA 1
06/09/2014	13,00	155.900	15,30	TLC-107 SONDA 1
06/09/2014	13,20	161.100	15,30	TLC-107 SONDA 1
06/09/2014	13,40	164.900	15,30	TLC-107 SONDA 1
06/09/2014	13,60	174.600	15,30	TLC-107 SONDA 1
06/09/2014	13,80	182.800	15,30	TLC-107 SONDA 1
06/09/2014	14,00	190.900	15,30	TLC-107 SONDA 1
06/09/2014	14,50	204.000	15,30	TLC-107 SONDA 1
06/09/2014	15,00	208.800	15,30	TLC-107 SONDA 1
06/09/2014	16,00	217.900	15,30	TLC-107 SONDA 1
06/09/2014	17,00	221.800	15,30	TLC-107 SONDA 1
06/09/2014	19,00	228.600	15,30	TLC-107 SONDA 1
06/09/2014	21,00	237.700	15,30	TLC-107 SONDA 1
06/09/2014	23,00	238.600	15,30	TLC-107 SONDA 1
06/09/2014	25,00	240.600	15,30	TLC-107 SONDA 1
06/09/2014	27,00	241.900	15,20	TLC-107 SONDA 1
06/09/2014	28,00	245.900	15,20	TLC-107 SONDA 1
06/09/2014	29,00	246.200	15,20	TLC-107 SONDA 1
06/09/2014	29,80	141.100	15,20	TLC-107 SONDA 1
07/10/2014	0,70	86.900	16,00	TLC-107 SONDA 1
07/10/2014	1,00	91.200	15,70	TLC-107 SONDA 1
07/10/2014	1,50	95.000	15,40	TLC-107 SONDA 1
07/10/2014	2,00	99.000	15,40	TLC-107 SONDA 1
07/10/2014	2,50	99.300	15,40	TLC-107 SONDA 1



Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/10/2014	3,00	100.700	15,30	TLC-107 SONDA 1
07/10/2014	3,50	101.900	15,30	TLC-107 SONDA 1
07/10/2014	4,00	106.900	15,30	TLC-107 SONDA 1
07/10/2014	4,50	109.000	15,30	TLC-107 SONDA 1
07/10/2014	5,00	109.700	15,30	TLC-107 SONDA 1
07/10/2014	5,50	110.600	15,30	TLC-107 SONDA 1
07/10/2014	6,00	112.400	15,30	TLC-107 SONDA 1
07/10/2014	6,50	112.600	15,30	TLC-107 SONDA 1
07/10/2014	7,00	113.800	15,30	TLC-107 SONDA 1
07/10/2014	7,50	115.600	15,30	TLC-107 SONDA 1
07/10/2014	8,00	117.900	15,30	TLC-107 SONDA 1
07/10/2014	8,50	119.200	15,30	TLC-107 SONDA 1
07/10/2014	9,00	120.900	15,30	TLC-107 SONDA 1
07/10/2014	9,50	121.000	15,30	TLC-107 SONDA 1
07/10/2014	10,00	122.200	15,30	TLC-107 SONDA 1
07/10/2014	10,50	123.600	15,30	TLC-107 SONDA 1
07/10/2014	11,00	124.900	15,30	TLC-107 SONDA 1
07/10/2014	11,50	134.000	15,20	TLC-107 SONDA 1
07/10/2014	11,70	141.100	15,20	TLC-107 SONDA 1
07/10/2014	11,90	393.000	15,30	TLC-107 SONDA 1
07/10/2014	12,00	400.000	15,30	TLC-107 SONDA 1
07/10/2014	12,20	400.000	15,30	TLC-107 SONDA 1
07/10/2014	12,40	400.000	15,30	TLC-107 SONDA 1
07/10/2014	12,60	400.000	15,30	TLC-107 SONDA 1
07/10/2014	12,80	400.000	15,30	TLC-107 SONDA 1
07/10/2014	13,00	400.000	15,30	TLC-107 SONDA 1
07/10/2014	14,00	400.000	15,30	TLC-107 SONDA 1
07/10/2014	15,00	400.000	15,30	TLC-107 SONDA 1
07/10/2014	17,00	400.000	15,30	TLC-107 SONDA 1
07/10/2014	19,00	400.000	15,30	TLC-107 SONDA 1
07/10/2014	21,00	400.000	15,30	TLC-107 SONDA 1
07/10/2014	23,00	400.000	15,30	TLC-107 SONDA 1
07/10/2014	25,00	400.000	15,20	TLC-107 SONDA 1
07/10/2014	27,00	400.000	15,20	TLC-107 SONDA 1
07/10/2014	29,00	400.000	15,20	TLC-107 SONDA 1
07/10/2014	29,80	215.000	15,20	TLC-107 SONDA 1
04/11/2014	0,60	50.300	15,40	TLC-107 SONDA 1
04/11/2014	1,00	52.300	15,40	TLC-107 SONDA 1
04/11/2014	1,50	52.500	15,30	TLC-107 SONDA 1
04/11/2014	2,00	52.400	15,30	TLC-107 SONDA 1
04/11/2014	2,50	52.700	15,30	TLC-107 SONDA 1
04/11/2014	3,00	53.000	15,30	TLC-107 SONDA 1
04/11/2014	3,50	54.200	15,30	TLC-107 SONDA 1
04/11/2014	4,00	58.800	15,30	TLC-107 SONDA 1
04/11/2014	4,50	60.100	15,30	TLC-107 SONDA 1
04/11/2014	5,00	60.600	15,30	TLC-107 SONDA 1
04/11/2014	5,50	62.000	15,30	TLC-107 SONDA 1
04/11/2014	6,00	63.200	15,30	TLC-107 SONDA 1
04/11/2014	6,50	63.800	15,30	TLC-107 SONDA 1
04/11/2014	7,50	64.500	15,30	TLC-107 SONDA 1
04/11/2014	8,50	65.500	15,30	TLC-107 SONDA 1
04/11/2014	9,50	66.700	15,30	TLC-107 SONDA 1
04/11/2014	10,50	68.600	15,30	TLC-107 SONDA 1
04/11/2014	11,50	76.900	15,20	TLC-107 SONDA 1
04/11/2014	11,70	93.800	15,10	TLC-107 SONDA 1
04/11/2014	11,90	173.000	15,30	TLC-107 SONDA 1
04/11/2014	12,10	184.400	15,30	TLC-107 SONDA 1
04/11/2014	12,30	192.900	15,30	TLC-107 SONDA 1
04/11/2014	12,50	202.000	15,30	TLC-107 SONDA 1
04/11/2014	13,00	213.900	15,30	TLC-107 SONDA 1
04/11/2014	14,00	230.100	15,30	TLC-107 SONDA 1
04/11/2014	15,00	241.900	15,30	TLC-107 SONDA 1
04/11/2014	17,00	254.900	15,30	TLC-107 SONDA 1
04/11/2014	19,00	266.700	15,30	TLC-107 SONDA 1
04/11/2014	21,00	281.900	15,30	TLC-107 SONDA 1
04/11/2014	23,00	300.000	15,30	TLC-107 SONDA 1
04/11/2014	25,00	314.100	15,20	TLC-107 SONDA 1
04/11/2014	27,00	324.400	15,20	TLC-107 SONDA 1
04/11/2014	29,00	334.400	15,20	TLC-107 SONDA 1
04/11/2014	29,90	215.600	15,20	TLC-107 SONDA 1
02/12/2014	7,00	60.100	15,30	TLC-107 SONDA 1
02/12/2014	7,50	63.200	15,30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/12/2014	8,00	64.500	15,30	TLC-107 SONDA 1
02/12/2014	9,00	64.900	15,30	TLC-107 SONDA 1
02/12/2014	10,00	65.500	15,30	TLC-107 SONDA 1
02/12/2014	11,00	67.500	15,30	TLC-107 SONDA 1
02/12/2014	11,20	68.300	15,30	TLC-107 SONDA 1
02/12/2014	11,40	73.700	15,10	TLC-107 SONDA 1
02/12/2014	11,60	80.900	15,10	TLC-107 SONDA 1
02/12/2014	11,80	96.200	15,00	TLC-107 SONDA 1
02/12/2014	12,00	150.500	15,30	TLC-107 SONDA 1
02/12/2014	12,20	148.300	15,30	TLC-107 SONDA 1
02/12/2014	12,40	146.700	15,30	TLC-107 SONDA 1
02/12/2014	12,60	145.800	15,30	TLC-107 SONDA 1
02/12/2014	12,80	145.600	15,30	TLC-107 SONDA 1
02/12/2014	13,00	144.300	15,30	TLC-107 SONDA 1
02/12/2014	13,50	144.100	15,30	TLC-107 SONDA 1
02/12/2014	14,00	143.600	15,30	TLC-107 SONDA 1
02/12/2014	14,50	143.200	15,30	TLC-107 SONDA 1
02/12/2014	15,00	143.000	15,30	TLC-107 SONDA 1
02/12/2014	15,50	142.100	15,30	TLC-107 SONDA 1
02/12/2014	16,00	141.900	15,30	TLC-107 SONDA 1
02/12/2014	17,00	140.500	15,30	TLC-107 SONDA 1
02/12/2014	18,00	140.000	15,30	TLC-107 SONDA 1
02/12/2014	19,00	138.800	15,30	TLC-107 SONDA 1
02/12/2014	20,00	137.800	15,30	TLC-107 SONDA 1
02/12/2014	21,00	136.800	15,30	TLC-107 SONDA 1
02/12/2014	22,00	136.200	15,30	TLC-107 SONDA 1
02/12/2014	23,00	136.000	15,30	TLC-107 SONDA 1
02/12/2014	24,00	136.200	15,30	TLC-107 SONDA 1
02/12/2014	25,00	135.800	15,10	TLC-107 SONDA 1
02/12/2014	26,00	137.000	15,10	TLC-107 SONDA 1
02/12/2014	27,00	136.200	15,10	TLC-107 SONDA 1
02/12/2014	28,00	132.000	15,10	TLC-107 SONDA 1
02/12/2014	29,00	133.300	15,10	TLC-107 SONDA 1
02/12/2014	29,80	96.700	15,10	TLC-107 SONDA 1
02/12/2014	0,70	43.500	15,40	TLC-107 SONDA 1
02/12/2014	1,00	43.700	15,30	TLC-107 SONDA 1
02/12/2014	1,50	43.900	15,30	TLC-107 SONDA 1
02/12/2014	2,00	43.800	15,30	TLC-107 SONDA 1
02/12/2014	3,00	46.600	15,30	TLC-107 SONDA 1
02/12/2014	4,00	51.000	15,30	TLC-107 SONDA 1
02/12/2014	4,50	55.800	15,30	TLC-107 SONDA 1
02/12/2014	5,00	57.200	15,30	TLC-107 SONDA 1
02/12/2014	6,00	60.000	15,30	TLC-107 SONDA 1
02/12/2014	6,50	61.200	15,30	TLC-107 SONDA 1
09/01/2015	0,60	50.700	15,70	TLC-107 SONDA 1
09/01/2015	1,00	50.400	15,40	TLC-107 SONDA 1
09/01/2015	1,50	50.300	15,40	TLC-107 SONDA 1
09/01/2015	2,00	50.400	15,40	TLC-107 SONDA 1
09/01/2015	3,00	51.100	15,40	TLC-107 SONDA 1
09/01/2015	4,00	54.600	15,40	TLC-107 SONDA 1
09/01/2015	4,50	56.100	15,40	TLC-107 SONDA 1
09/01/2015	5,00	56.500	15,40	TLC-107 SONDA 1
09/01/2015	6,00	58.700	15,40	TLC-107 SONDA 1
09/01/2015	7,00	59.100	15,30	TLC-107 SONDA 1
09/01/2015	8,00	60.600	15,30	TLC-107 SONDA 1
09/01/2015	9,00	60.900	15,30	TLC-107 SONDA 1
09/01/2015	10,00	61.500	15,30	TLC-107 SONDA 1
09/01/2015	10,50	61.600	15,30	TLC-107 SONDA 1
09/01/2015	11,00	61.700	15,30	TLC-107 SONDA 1
09/01/2015	11,20	66.900	15,30	TLC-107 SONDA 1
09/01/2015	11,40	65.500	15,30	TLC-107 SONDA 1
09/01/2015	11,60	76.600	15,30	TLC-107 SONDA 1
09/01/2015	11,80	136.100	15,30	TLC-107 SONDA 1
09/01/2015	12,00	152.500	15,40	TLC-107 SONDA 1
09/01/2015	12,20	156.000	15,30	TLC-107 SONDA 1
09/01/2015	12,40	164.900	15,30	TLC-107 SONDA 1
09/01/2015	12,60	167.500	15,30	TLC-107 SONDA 1
09/01/2015	12,80	170.300	15,40	TLC-107 SONDA 1
09/01/2015	13,00	178.000	15,30	TLC-107 SONDA 1
09/01/2015	13,20	178.700	15,40	TLC-107 SONDA 1
09/01/2015	13,40	179.400	15,30	TLC-107 SONDA 1
09/01/2015	13,60	179.600	15,30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/01/2015	13,80	179.900	15,30	TLC-107 SONDA 1
09/01/2015	14,00	181.100	15,30	TLC-107 SONDA 1
09/01/2015	14,50	181.100	15,30	TLC-107 SONDA 1
09/01/2015	15,00	182.100	15,30	TLC-107 SONDA 1
09/01/2015	15,50	185.100	15,30	TLC-107 SONDA 1
09/01/2015	16,00	188.400	15,30	TLC-107 SONDA 1
09/01/2015	16,50	189.800	15,30	TLC-107 SONDA 1
09/01/2015	17,00	189.500	15,30	TLC-107 SONDA 1
09/01/2015	17,50	195.300	15,30	TLC-107 SONDA 1
09/01/2015	18,00	198.200	15,30	TLC-107 SONDA 1
09/01/2015	19,00	202.100	15,30	TLC-107 SONDA 1
09/01/2015	20,00	203.600	15,30	TLC-107 SONDA 1
09/01/2015	21,00	205.900	15,30	TLC-107 SONDA 1
09/01/2015	23,00	214.600	15,30	TLC-107 SONDA 1
09/01/2015	25,00	234.500	15,20	TLC-107 SONDA 1
09/01/2015	27,00	236.900	15,20	TLC-107 SONDA 1
09/01/2015	29,00	239.300	15,20	TLC-107 SONDA 1
09/01/2015	29,90	149.900	15,20	TLC-107 SONDA 1
10/02/2015	24,00	340.000	15,30	TLC-107 SONDA 1
10/02/2015	26,00	357.400	15,20	TLC-107 SONDA 1
10/02/2015	28,00	374.600	15,20	TLC-107 SONDA 1
10/02/2015	29,78	194.700	15,20	TLC-107 SONDA 1
10/02/2015	0,60	45.000	16,00	TLC-107 SONDA 1
10/02/2015	1,00	47.800	15,50	TLC-107 SONDA 1
10/02/2015	1,50	51.300	15,40	TLC-107 SONDA 1
10/02/2015	2,00	51.700	15,40	TLC-107 SONDA 1
10/02/2015	3,00	52.300	15,40	TLC-107 SONDA 1
10/02/2015	4,00	55.700	15,40	TLC-107 SONDA 1
10/02/2015	5,00	57.000	15,40	TLC-107 SONDA 1
10/02/2015	6,00	58.600	15,40	TLC-107 SONDA 1
10/02/2015	7,00	58.400	15,40	TLC-107 SONDA 1
10/02/2015	8,00	60.200	15,40	TLC-107 SONDA 1
10/02/2015	9,00	60.800	15,40	TLC-107 SONDA 1
10/02/2015	10,00	61.400	15,30	TLC-107 SONDA 1
10/02/2015	10,50	62.500	15,30	TLC-107 SONDA 1
10/02/2015	11,00	63.600	15,30	TLC-107 SONDA 1
10/02/2015	11,20	64.100	15,30	TLC-107 SONDA 1
10/02/2015	11,40	70.300	15,30	TLC-107 SONDA 1
10/02/2015	11,60	85.400	15,20	TLC-107 SONDA 1
10/02/2015	11,80	180.300	15,20	TLC-107 SONDA 1
10/02/2015	12,00	200.200	15,40	TLC-107 SONDA 1
10/02/2015	12,50	211.000	15,30	TLC-107 SONDA 1
10/02/2015	13,00	223.000	15,30	TLC-107 SONDA 1
10/02/2015	14,00	240.700	15,30	TLC-107 SONDA 1
10/02/2015	16,00	263.200	15,30	TLC-107 SONDA 1
10/02/2015	18,00	284.300	15,30	TLC-107 SONDA 1
10/02/2015	20,00	304.600	15,30	TLC-107 SONDA 1
10/02/2015	22,00	324.100	15,30	TLC-107 SONDA 1
04/03/2015	0,60	59.400	15,50	TLC-107 SONDA 1
04/03/2015	1,00	61.300	15,40	TLC-107 SONDA 1
04/03/2015	1,50	61.500	15,40	TLC-107 SONDA 1
04/03/2015	2,00	61.600	15,40	TLC-107 SONDA 1
04/03/2015	3,00	62.700	15,40	TLC-107 SONDA 1
04/03/2015	4,00	65.200	15,40	TLC-107 SONDA 1
04/03/2015	5,00	65.700	15,40	TLC-107 SONDA 1
04/03/2015	6,00	67.700	15,40	TLC-107 SONDA 1
04/03/2015	8,00	69.000	15,40	TLC-107 SONDA 1
04/03/2015	10,00	70.000	15,40	TLC-107 SONDA 1
04/03/2015	10,50	70.800	15,30	TLC-107 SONDA 1
04/03/2015	11,00	72.400	15,30	TLC-107 SONDA 1
04/03/2015	11,20	72.300	15,30	TLC-107 SONDA 1
04/03/2015	11,40	76.000	15,30	TLC-107 SONDA 1
04/03/2015	11,60	88.800	15,20	TLC-107 SONDA 1
04/03/2015	11,80	118.500	15,10	TLC-107 SONDA 1
04/03/2015	12,00	157.600	15,30	TLC-107 SONDA 1
04/03/2015	12,20	159.200	15,40	TLC-107 SONDA 1
04/03/2015	12,40	159.200	15,40	TLC-107 SONDA 1
04/03/2015	12,60	158.800	15,30	TLC-107 SONDA 1
04/03/2015	12,80	159.800	15,40	TLC-107 SONDA 1
04/03/2015	13,00	158.800	15,40	TLC-107 SONDA 1
04/03/2015	13,20	160.400	15,40	TLC-107 SONDA 1
04/03/2015	13,40	159.300	15,40	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/03/2015	13,60	159.300	15,40	TLC-107 SONDA 1
04/03/2015	13,80	159.300	15,40	TLC-107 SONDA 1
04/03/2015	14,00	159.500	15,30	TLC-107 SONDA 1
04/03/2015	14,20	160.700	15,40	TLC-107 SONDA 1
04/03/2015	14,40	165.000	15,30	TLC-107 SONDA 1
04/03/2015	14,60	164.800	15,40	TLC-107 SONDA 1
04/03/2015	14,80	165.400	15,40	TLC-107 SONDA 1
04/03/2015	15,00	167.800	15,30	TLC-107 SONDA 1
04/03/2015	15,20	164.800	15,30	TLC-107 SONDA 1
04/03/2015	15,40	166.600	15,40	TLC-107 SONDA 1
04/03/2015	15,60	165.200	15,40	TLC-107 SONDA 1
04/03/2015	15,80	165.800	15,40	TLC-107 SONDA 1
04/03/2015	16,00	165.600	15,30	TLC-107 SONDA 1
04/03/2015	16,50	165.400	15,40	TLC-107 SONDA 1
04/03/2015	17,00	167.800	15,30	TLC-107 SONDA 1
04/03/2015	17,50	167.800	15,30	TLC-107 SONDA 1
04/03/2015	18,00	166.800	15,30	TLC-107 SONDA 1
04/03/2015	18,50	168.900	15,30	TLC-107 SONDA 1
04/03/2015	19,00	182.200	15,30	TLC-107 SONDA 1
04/03/2015	19,50	185.800	15,30	TLC-107 SONDA 1
04/03/2015	20,00	188.100	15,30	TLC-107 SONDA 1
04/03/2015	20,50	188.400	15,30	TLC-107 SONDA 1
04/03/2015	21,00	191.200	15,30	TLC-107 SONDA 1
04/03/2015	21,50	190.700	15,30	TLC-107 SONDA 1
04/03/2015	22,00	191.500	15,30	TLC-107 SONDA 1
04/03/2015	23,00	192.600	15,30	TLC-107 SONDA 1
04/03/2015	24,00	195.900	15,30	TLC-107 SONDA 1
04/03/2015	25,00	197.900	15,30	TLC-107 SONDA 1
04/03/2015	26,00	202.900	15,20	TLC-107 SONDA 1
04/03/2015	27,00	207.100	15,20	TLC-107 SONDA 1
04/03/2015	28,00	210.600	15,20	TLC-107 SONDA 1
04/03/2015	29,00	212.600	15,20	TLC-107 SONDA 1
04/03/2015	29,80	140.900	15,20	TLC-107 SONDA 1
05/05/2015	0,60	74.800	15,50	TLC-107 SONDA 2
05/05/2015	0,80	78.800	15,50	TLC-107 SONDA 2
05/05/2015	1,00	79.300	15,50	TLC-107 SONDA 2
05/05/2015	1,20	80.100	15,50	TLC-107 SONDA 2
05/05/2015	1,50	81.400	15,50	TLC-107 SONDA 2
05/05/2015	1,80	82.600	15,50	TLC-107 SONDA 2
05/05/2015	2,00	82.900	15,50	TLC-107 SONDA 2
05/05/2015	2,50	83.600	15,50	TLC-107 SONDA 2
05/05/2015	3,00	86.100	15,50	TLC-107 SONDA 2
05/05/2015	3,20	92.900	15,50	TLC-107 SONDA 2
05/05/2015	3,40	93.800	15,50	TLC-107 SONDA 2
05/05/2015	3,60	95.000	15,50	TLC-107 SONDA 2
05/05/2015	3,80	98.900	15,50	TLC-107 SONDA 2
05/05/2015	4,00	103.400	15,50	TLC-107 SONDA 2
05/05/2015	4,20	105.100	15,50	TLC-107 SONDA 2
05/05/2015	4,40	105.600	15,50	TLC-107 SONDA 2
05/05/2015	4,60	106.200	15,50	TLC-107 SONDA 2
05/05/2015	4,80	106.000	15,50	TLC-107 SONDA 2
05/05/2015	5,00	106.800	15,50	TLC-107 SONDA 2
05/05/2015	5,50	109.600	15,50	TLC-107 SONDA 2
05/05/2015	6,00	113.300	15,30	TLC-107 SONDA 2
05/05/2015	6,50	113.900	15,30	TLC-107 SONDA 2
05/05/2015	7,00	114.000	15,30	TLC-107 SONDA 2
05/05/2015	7,50	118.900	15,30	TLC-107 SONDA 2
05/05/2015	8,00	121.000	15,30	TLC-107 SONDA 2
05/05/2015	8,50	122.300	15,30	TLC-107 SONDA 2
05/05/2015	9,00	122.500	15,30	TLC-107 SONDA 2
05/05/2015	9,50	125.900	15,30	TLC-107 SONDA 2
05/05/2015	10,00	126.500	15,30	TLC-107 SONDA 2
05/05/2015	11,00	130.100	15,30	TLC-107 SONDA 2
05/05/2015	11,20	154.900	15,30	TLC-107 SONDA 2
05/05/2015	11,40	171.900	15,20	TLC-107 SONDA 2
05/05/2015	11,60	209.000	15,10	TLC-107 SONDA 2
05/05/2015	11,80	359.500	15,10	TLC-107 SONDA 2
05/05/2015	12,00	359.000	15,00	TLC-107 SONDA 2
05/05/2015	13,00	355.000	15,50	TLC-107 SONDA 2
05/05/2015	14,00	352.500	15,50	TLC-107 SONDA 2
05/05/2015	15,00	354.900	15,50	TLC-107 SONDA 2
05/05/2015	17,00	353.100	15,50	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/05/2015	19,00	351.100	15,50	TLC-107 SONDA 2
05/05/2015	21,00	350.100	15,30	TLC-107 SONDA 2
05/05/2015	23,00	351.100	15,30	TLC-107 SONDA 2
05/05/2015	25,00	350.100	15,30	TLC-107 SONDA 2
05/05/2015	27,00	349.600	15,30	TLC-107 SONDA 2
05/05/2015	29,00	349.900	15,30	TLC-107 SONDA 2
05/05/2015	29,80	212.200	15,30	TLC-107 SONDA 2
02/06/2015	0,60	61.200	15,30	TLC-107 SONDA 2
02/06/2015	1,00	61.600	15,50	TLC-107 SONDA 2
02/06/2015	1,20	61.700	15,50	TLC-107 SONDA 2
02/06/2015	1,40	61.900	15,50	TLC-107 SONDA 2
02/06/2015	1,60	62.100	15,50	TLC-107 SONDA 2
02/06/2015	1,80	62.300	15,50	TLC-107 SONDA 2
02/06/2015	2,00	65.300	15,50	TLC-107 SONDA 2
02/06/2015	2,50	65.800	15,50	TLC-107 SONDA 2
02/06/2015	3,00	67.300	15,50	TLC-107 SONDA 2
02/06/2015	3,20	69.300	15,50	TLC-107 SONDA 2
02/06/2015	3,40	71.400	15,50	TLC-107 SONDA 2
02/06/2015	3,60	71.700	15,50	TLC-107 SONDA 2
02/06/2015	3,80	73.100	15,50	TLC-107 SONDA 2
02/06/2015	4,00	75.300	15,50	TLC-107 SONDA 2
02/06/2015	4,20	75.500	15,50	TLC-107 SONDA 2
02/06/2015	4,40	75.900	15,50	TLC-107 SONDA 2
02/06/2015	4,60	77.000	15,50	TLC-107 SONDA 2
02/06/2015	4,80	76.600	15,50	TLC-107 SONDA 2
02/06/2015	5,00	81.000	15,50	TLC-107 SONDA 2
02/06/2015	5,50	83.400	15,30	TLC-107 SONDA 2
02/06/2015	6,00	84.900	15,30	TLC-107 SONDA 2
02/06/2015	6,50	85.200	15,30	TLC-107 SONDA 2
02/06/2015	7,00	83.300	15,30	TLC-107 SONDA 2
02/06/2015	7,50	85.000	15,30	TLC-107 SONDA 2
02/06/2015	8,00	86.700	15,30	TLC-107 SONDA 2
02/06/2015	8,50	88.200	15,30	TLC-107 SONDA 2
02/06/2015	9,00	89.200	15,30	TLC-107 SONDA 2
02/06/2015	9,50	86.100	15,30	TLC-107 SONDA 2
02/06/2015	10,00	88.300	15,30	TLC-107 SONDA 2
02/06/2015	10,50	92.100	15,30	TLC-107 SONDA 2
02/06/2015	11,00	93.900	15,30	TLC-107 SONDA 2
02/06/2015	11,20	91.500	15,30	TLC-107 SONDA 2
02/06/2015	11,40	106.400	15,20	TLC-107 SONDA 2
02/06/2015	11,60	142.700	15,10	TLC-107 SONDA 2
02/06/2015	11,80	200.900	15,10	TLC-107 SONDA 2
02/06/2015	12,00	245.900	15,30	TLC-107 SONDA 2
02/06/2015	12,50	245.700	15,30	TLC-107 SONDA 2
02/06/2015	13,00	245.500	15,50	TLC-107 SONDA 2
02/06/2015	14,00	245.300	15,50	TLC-107 SONDA 2
02/06/2015	16,00	245.300	15,50	TLC-107 SONDA 2
02/06/2015	18,00	244.600	15,50	TLC-107 SONDA 2
02/06/2015	20,00	244.300	15,50	TLC-107 SONDA 2
02/06/2015	22,00	244.800	15,30	TLC-107 SONDA 2
02/06/2015	24,00	244.500	15,30	TLC-107 SONDA 2
02/06/2015	26,00	244.300	15,30	TLC-107 SONDA 2
02/06/2015	28,00	243.800	15,30	TLC-107 SONDA 2
02/06/2015	29,80	156.200	15,30	TLC-107 SONDA 2
07/07/2015	0,60	60.300	15,00	TLC-107 SONDA 1
07/07/2015	1,00	62.200	15,30	TLC-107 SONDA 1
07/07/2015	2,00	64.400	15,50	TLC-107 SONDA 1
07/07/2015	3,00	67.900	15,50	TLC-107 SONDA 1
07/07/2015	4,00	77.200	15,30	TLC-107 SONDA 1
07/07/2015	4,50	79.900	15,30	TLC-107 SONDA 1
07/07/2015	5,00	85.600	15,30	TLC-107 SONDA 1
07/07/2015	5,50	84.800	15,30	TLC-107 SONDA 1
07/07/2015	6,00	91.000	15,30	TLC-107 SONDA 1
07/07/2015	6,50	92.400	15,30	TLC-107 SONDA 1
07/07/2015	7,00	93.300	15,30	TLC-107 SONDA 1
07/07/2015	7,50	96.300	15,30	TLC-107 SONDA 1
07/07/2015	8,00	97.300	15,30	TLC-107 SONDA 1
07/07/2015	9,00	100.400	15,30	TLC-107 SONDA 1
07/07/2015	10,00	101.600	15,30	TLC-107 SONDA 1
07/07/2015	11,00	109.200	15,30	TLC-107 SONDA 1
07/07/2015	11,20	112.600	15,30	TLC-107 SONDA 1
07/07/2015	11,40	120.200	15,20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/07/2015	11,60	145.000	15,20	TLC-107 SONDA 1
07/07/2015	11,80	187.600	15,10	TLC-107 SONDA 1
07/07/2015	12,00	229.900	15,20	TLC-107 SONDA 1
07/07/2015	13,00	235.200	15,50	TLC-107 SONDA 1
07/07/2015	14,00	235.000	15,50	TLC-107 SONDA 1
07/07/2015	16,00	234.800	15,50	TLC-107 SONDA 1
07/07/2015	18,00	235.200	15,50	TLC-107 SONDA 1
07/07/2015	20,00	235.200	15,50	TLC-107 SONDA 1
07/07/2015	22,00	236.400	15,30	TLC-107 SONDA 1
07/07/2015	24,00	236.200	15,30	TLC-107 SONDA 1
07/07/2015	26,00	236.400	15,30	TLC-107 SONDA 1
07/07/2015	27,00	236.200	15,30	TLC-107 SONDA 1
07/07/2015	28,00	236.000	15,30	TLC-107 SONDA 1
07/07/2015	29,00	236.000	15,30	TLC-107 SONDA 1
07/07/2015	29,80	188.100	15,30	TLC-107 SONDA 1
05/08/2015	0,70	63.912	15,20	SEBA MPS-D3
05/08/2015	1,00	63.819	15,20	SEBA MPS-D3
05/08/2015	1,50	64.022	15,20	SEBA MPS-D3
05/08/2015	2,00	63.883	15,20	SEBA MPS-D3
05/08/2015	2,50	64.080	15,19	SEBA MPS-D3
05/08/2015	3,00	64.173	15,19	SEBA MPS-D3
05/08/2015	3,50	64.127	15,19	SEBA MPS-D3
05/08/2015	4,00	68.870	15,15	SEBA MPS-D3
05/08/2015	4,50	69.161	15,14	SEBA MPS-D3
05/08/2015	5,00	69.301	15,14	SEBA MPS-D3
05/08/2015	5,50	70.353	15,14	SEBA MPS-D3
05/08/2015	6,00	70.296	15,13	SEBA MPS-D3
05/08/2015	6,50	70.883	15,12	SEBA MPS-D3
05/08/2015	7,00	70.953	15,12	SEBA MPS-D3
05/08/2015	7,50	71.650	15,12	SEBA MPS-D3
05/08/2015	8,00	72.168	15,12	SEBA MPS-D3
05/08/2015	8,50	72.849	15,12	SEBA MPS-D3
05/08/2015	9,00	73.001	15,11	SEBA MPS-D3
05/08/2015	9,50	73.380	15,11	SEBA MPS-D3
05/08/2015	10,00	74.327	15,11	SEBA MPS-D3
05/08/2015	10,50	75.603	15,10	SEBA MPS-D3
05/08/2015	11,00	77.768	15,07	SEBA MPS-D3
05/08/2015	11,50	95.494	14,99	SEBA MPS-D3
05/08/2015	11,70	108.075	14,92	SEBA MPS-D3
05/08/2015	11,90	131.768	14,85	SEBA MPS-D3
05/08/2015	12,10	233.941	15,17	SEBA MPS-D3
05/08/2015	12,50	234.050	15,20	SEBA MPS-D3
05/08/2015	13,00	233.707	15,20	SEBA MPS-D3
05/08/2015	15,00	233.670	15,19	SEBA MPS-D3
05/08/2015	17,00	232.842	15,17	SEBA MPS-D3
05/08/2015	19,00	232.836	15,16	SEBA MPS-D3
05/08/2015	21,00	232.694	15,16	SEBA MPS-D3
05/08/2015	23,00	232.686	15,12	SEBA MPS-D3
05/08/2015	25,00	232.642	15,09	SEBA MPS-D3
05/08/2015	27,00	232.645	15,07	SEBA MPS-D3
05/08/2015	29,00	232.660	15,06	SEBA MPS-D3
05/08/2015	29,75	230.012	15,07	SEBA MPS-D3
01/09/2015	0,80	63.620	15,20	SEBA MPS-D3
01/09/2015	1,50	63.530	15,20	SEBA MPS-D3
01/09/2015	2,00	63.670	15,20	SEBA MPS-D3
01/09/2015	3,00	64.080	15,19	SEBA MPS-D3
01/09/2015	4,00	67.620	15,17	SEBA MPS-D3
01/09/2015	4,50	68.010	15,16	SEBA MPS-D3
01/09/2015	5,00	68.040	15,16	SEBA MPS-D3
01/09/2015	5,50	68.760	15,16	SEBA MPS-D3
01/09/2015	6,00	69.060	15,15	SEBA MPS-D3
01/09/2015	7,00	69.760	15,15	SEBA MPS-D3
01/09/2015	8,00	69.910	15,15	SEBA MPS-D3
01/09/2015	9,00	70.390	15,15	SEBA MPS-D3
01/09/2015	10,00	71.150	15,14	SEBA MPS-D3
01/09/2015	11,00	78.430	15,09	SEBA MPS-D3
01/09/2015	11,20	87.050	15,05	SEBA MPS-D3
01/09/2015	11,40	91.880	15,03	SEBA MPS-D3
01/09/2015	11,60	105.300	14,95	SEBA MPS-D3
01/09/2015	11,80	122.700	14,89	SEBA MPS-D3
01/09/2015	12,00	239.000	15,15	SEBA MPS-D3
01/09/2015	13,00	239.100	15,20	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
01/09/2015	15,00	239.100	15,19	SEBA MPS-D3
01/09/2015	17,00	238.400	15,17	SEBA MPS-D3
01/09/2015	19,00	238.400	15,18	SEBA MPS-D3
01/09/2015	21,00	238.400	15,15	SEBA MPS-D3
01/09/2015	23,00	238.400	15,10	SEBA MPS-D3
01/09/2015	25,00	238.300	15,10	SEBA MPS-D3
01/09/2015	27,00	238.400	15,06	SEBA MPS-D3
01/09/2015	29,00	238.400	15,06	SEBA MPS-D3
01/09/2015	29,79	120.300	15,06	SEBA MPS-D3
07/10/2015	0,70	62.879	15,19	SEBA MPS-D3
07/10/2015	1,50	62.879	15,19	SEBA MPS-D3
07/10/2015	2,00	62.995	15,19	SEBA MPS-D3
07/10/2015	3,00	63.083	15,19	SEBA MPS-D3
07/10/2015	4,00	65.772	15,18	SEBA MPS-D3
07/10/2015	4,50	66.196	15,17	SEBA MPS-D3
07/10/2015	5,00	66.446	15,18	SEBA MPS-D3
07/10/2015	6,00	66.969	15,17	SEBA MPS-D3
07/10/2015	8,00	67.039	15,17	SEBA MPS-D3
07/10/2015	9,00	67.841	15,16	SEBA MPS-D3
07/10/2015	9,50	68.080	15,16	SEBA MPS-D3
07/10/2015	10,00	69.179	15,16	SEBA MPS-D3
07/10/2015	11,00	78.183	15,11	SEBA MPS-D3
07/10/2015	11,20	80.796	15,09	SEBA MPS-D3
07/10/2015	11,40	86.471	15,05	SEBA MPS-D3
07/10/2015	11,60	94.990	15,01	SEBA MPS-D3
07/10/2015	11,80	101.500	14,97	SEBA MPS-D3
07/10/2015	12,00	124.723	14,88	SEBA MPS-D3
07/10/2015	12,20	236.459	15,17	SEBA MPS-D3
07/10/2015	12,40	236.412	15,20	SEBA MPS-D3
07/10/2015	13,00	236.410	15,20	SEBA MPS-D3
07/10/2015	15,00	236.425	15,19	SEBA MPS-D3
07/10/2015	17,00	235.701	15,19	SEBA MPS-D3
07/10/2015	19,00	235.761	15,17	SEBA MPS-D3
07/10/2015	21,00	235.786	15,14	SEBA MPS-D3
07/10/2015	23,00	235.726	15,12	SEBA MPS-D3
07/10/2015	25,00	235.656	15,09	SEBA MPS-D3
07/10/2015	27,00	235.687	15,07	SEBA MPS-D3
07/10/2015	29,00	235.700	15,06	SEBA MPS-D3
07/10/2015	29,80	148.268	15,06	SEBA MPS-D3
04/11/2015	0,70	56.774	15,22	SEBA MPS-D3
04/11/2015	1,00	56.848	15,22	SEBA MPS-D3
04/11/2015	3,00	57.008	15,22	SEBA MPS-D3
04/11/2015	4,00	58.995	15,22	SEBA MPS-D3
04/11/2015	5,00	59.178	15,22	SEBA MPS-D3
04/11/2015	7,00	59.886	15,22	SEBA MPS-D3
04/11/2015	9,00	60.302	15,21	SEBA MPS-D3
04/11/2015	9,50	62.026	15,21	SEBA MPS-D3
04/11/2015	10,00	62.997	15,20	SEBA MPS-D3
04/11/2015	10,20	64.042	15,19	SEBA MPS-D3
04/11/2015	10,40	66.808	15,19	SEBA MPS-D3
04/11/2015	10,60	70.600	15,16	SEBA MPS-D3
04/11/2015	10,80	71.765	15,14	SEBA MPS-D3
04/11/2015	11,00	75.990	15,13	SEBA MPS-D3
04/11/2015	11,20	80.012	15,09	SEBA MPS-D3
04/11/2015	11,40	87.805	15,06	SEBA MPS-D3
04/11/2015	11,60	109.118	14,93	SEBA MPS-D3
04/11/2015	11,80	141.934	14,83	SEBA MPS-D3
04/11/2015	12,00	233.873	15,16	SEBA MPS-D3
04/11/2015	14,00	234.139	15,18	SEBA MPS-D3
04/11/2015	16,00	233.963	15,19	SEBA MPS-D3
04/11/2015	18,00	232.822	15,16	SEBA MPS-D3
04/11/2015	20,00	232.585	15,15	SEBA MPS-D3
04/11/2015	22,00	232.392	15,14	SEBA MPS-D3
04/11/2015	24,00	232.249	15,13	SEBA MPS-D3
04/11/2015	26,00	232.479	15,06	SEBA MPS-D3
04/11/2015	28,00	232.384	15,06	SEBA MPS-D3
04/11/2015	29,80	119.556	15,06	SEBA MPS-D3
02/12/2015	0,70	56.648	15,23	SEBA MPS-D3
02/12/2015	1,00	56.461	15,23	SEBA MPS-D3
02/12/2015	3,00	56.901	15,24	SEBA MPS-D3
02/12/2015	4,00	58.558	15,24	SEBA MPS-D3
02/12/2015	5,00	58.676	15,24	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/12/2015	7,00	59.313	15,24	SEBA MPS-D3
02/12/2015	9,00	60.630	15,23	SEBA MPS-D3
02/12/2015	9,50	63.151	15,21	SEBA MPS-D3
02/12/2015	10,00	66.308	15,20	SEBA MPS-D3
02/12/2015	10,20	67.439	15,20	SEBA MPS-D3
02/12/2015	10,40	70.096	15,18	SEBA MPS-D3
02/12/2015	10,60	72.631	15,16	SEBA MPS-D3
02/12/2015	10,80	74.193	15,16	SEBA MPS-D3
02/12/2015	11,00	79.590	15,12	SEBA MPS-D3
02/12/2015	11,20	82.492	15,10	SEBA MPS-D3
02/12/2015	11,40	89.543	15,08	SEBA MPS-D3
02/12/2015	11,60	112.805	14,95	SEBA MPS-D3
02/12/2015	11,80	193.444	14,89	SEBA MPS-D3
02/12/2015	12,00	239.815	15,14	SEBA MPS-D3
02/12/2015	14,00	239.813	15,20	SEBA MPS-D3
02/12/2015	16,00	239.834	15,20	SEBA MPS-D3
02/12/2015	18,00	238.990	15,16	SEBA MPS-D3
02/12/2015	20,00	239.097	15,15	SEBA MPS-D3
02/12/2015	22,00	238.933	15,15	SEBA MPS-D3
02/12/2015	24,00	238.970	15,10	SEBA MPS-D3
02/12/2015	26,00	238.989	15,06	SEBA MPS-D3
02/12/2015	28,00	238.923	15,07	SEBA MPS-D3
02/12/2015	29,80	123.651	15,06	SEBA MPS-D3
21/01/2016	0,70	54.866	15,26	SEBA MPS-D3
21/01/2016	1,00	55.265	15,25	SEBA MPS-D3
21/01/2016	3,00	55.427	15,25	SEBA MPS-D3
21/01/2016	4,00	56.827	15,26	SEBA MPS-D3
21/01/2016	5,00	57.059	15,26	SEBA MPS-D3
21/01/2016	7,00	57.551	15,26	SEBA MPS-D3
21/01/2016	9,00	58.331	15,25	SEBA MPS-D3
21/01/2016	9,50	61.264	15,24	SEBA MPS-D3
21/01/2016	10,00	63.688	15,23	SEBA MPS-D3
21/01/2016	10,20	64.564	15,22	SEBA MPS-D3
21/01/2016	10,40	67.378	15,21	SEBA MPS-D3
21/01/2016	10,60	68.528	15,20	SEBA MPS-D3
21/01/2016	10,80	70.179	15,19	SEBA MPS-D3
21/01/2016	11,00	73.371	15,17	SEBA MPS-D3
21/01/2016	11,20	78.247	15,15	SEBA MPS-D3
21/01/2016	11,40	83.452	15,10	SEBA MPS-D3
21/01/2016	11,60	105.469	15,00	SEBA MPS-D3
21/01/2016	11,80	148.934	14,86	SEBA MPS-D3
21/01/2016	12,00	238.356	15,16	SEBA MPS-D3
21/01/2016	14,00	238.936	15,19	SEBA MPS-D3
21/01/2016	16,00	238.982	15,19	SEBA MPS-D3
21/01/2016	18,00	238.037	15,17	SEBA MPS-D3
21/01/2016	20,00	238.019	15,17	SEBA MPS-D3
21/01/2016	22,00	238.060	15,13	SEBA MPS-D3
21/01/2016	24,00	238.003	15,12	SEBA MPS-D3
21/01/2016	26,00	237.937	15,09	SEBA MPS-D3
21/01/2016	28,00	238.029	15,05	SEBA MPS-D3
21/01/2016	29,75	117.611	15,06	SEBA MPS-D3
09/02/2016	0,70	55.618	15,28	SEBA MPS-D3
09/02/2016	1,00	55.335	15,27	SEBA MPS-D3
09/02/2016	3,00	55.713	15,27	SEBA MPS-D3
09/02/2016	4,00	57.154	15,27	SEBA MPS-D3
09/02/2016	5,00	57.692	15,27	SEBA MPS-D3
09/02/2016	7,00	57.891	15,26	SEBA MPS-D3
09/02/2016	9,00	58.458	15,26	SEBA MPS-D3
09/02/2016	9,50	62.028	15,25	SEBA MPS-D3
09/02/2016	10,00	63.651	15,23	SEBA MPS-D3
09/02/2016	10,20	65.341	15,23	SEBA MPS-D3
09/02/2016	10,40	67.339	15,22	SEBA MPS-D3
09/02/2016	10,60	69.208	15,21	SEBA MPS-D3
09/02/2016	10,80	71.213	15,20	SEBA MPS-D3
09/02/2016	11,00	73.085	15,18	SEBA MPS-D3
09/02/2016	11,20	78.632	15,15	SEBA MPS-D3
09/02/2016	11,40	87.931	15,10	SEBA MPS-D3
09/02/2016	11,60	103.668	15,01	SEBA MPS-D3
09/02/2016	11,80	150.637	14,86	SEBA MPS-D3
09/02/2016	12,00	240.356	15,17	SEBA MPS-D3
09/02/2016	14,00	244.034	15,20	SEBA MPS-D3
09/02/2016	16,00	244.034	15,20	SEBA MPS-D3



Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/02/2016	18,00	243.049	15,18	SEBA MPS-D3
09/02/2016	20,00	243.025	15,18	SEBA MPS-D3
09/02/2016	22,00	243.117	15,14	SEBA MPS-D3
09/02/2016	24,00	243.055	15,12	SEBA MPS-D3
09/02/2016	26,00	243.075	15,08	SEBA MPS-D3
09/02/2016	28,00	243.111	15,06	SEBA MPS-D3
09/02/2016	29,75	153.147	15,07	SEBA MPS-D3
08/03/2016	0,70	53.710	15,29	SEBA MPS-D3
08/03/2016	1,00	53.910	15,28	SEBA MPS-D3
08/03/2016	3,00	53.890	15,28	SEBA MPS-D3
08/03/2016	4,00	55.120	15,28	SEBA MPS-D3
08/03/2016	5,00	55.280	15,28	SEBA MPS-D3
08/03/2016	7,00	55.760	15,27	SEBA MPS-D3
08/03/2016	9,00	56.170	15,27	SEBA MPS-D3
08/03/2016	9,50	58.140	15,27	SEBA MPS-D3
08/03/2016	10,00	58.430	15,26	SEBA MPS-D3
08/03/2016	10,20	60.200	15,26	SEBA MPS-D3
08/03/2016	10,40	61.990	15,25	SEBA MPS-D3
08/03/2016	10,60	62.590	15,25	SEBA MPS-D3
08/03/2016	10,80	64.360	15,23	SEBA MPS-D3
08/03/2016	11,00	66.590	15,22	SEBA MPS-D3
08/03/2016	11,20	71.670	15,20	SEBA MPS-D3
08/03/2016	11,40	76.300	15,13	SEBA MPS-D3
08/03/2016	11,60	98.710	15,03	SEBA MPS-D3
08/03/2016	11,80	150.300	14,86	SEBA MPS-D3
08/03/2016	12,00	241.300	15,16	SEBA MPS-D3
08/03/2016	14,00	241.600	15,20	SEBA MPS-D3
08/03/2016	16,00	241.600	15,21	SEBA MPS-D3
08/03/2016	18,00	240.600	15,18	SEBA MPS-D3
08/03/2016	20,00	240.800	15,17	SEBA MPS-D3
08/03/2016	22,00	240.600	15,15	SEBA MPS-D3
08/03/2016	24,00	240.700	15,12	SEBA MPS-D3
08/03/2016	26,00	240.800	15,08	SEBA MPS-D3
08/03/2016	28,00	240.900	15,05	SEBA MPS-D3
08/03/2016	29,75	157.300	15,05	SEBA MPS-D3
06/05/2016	0,70	57.110	15,23	SEBA KLL-Q
06/05/2016	1,00	56.830	15,24	SEBA KLL-Q
06/05/2016	2,00	56.900	15,24	SEBA KLL-Q
06/05/2016	3,00	57.290	15,23	SEBA KLL-Q
06/05/2016	4,00	58.670	15,22	SEBA KLL-Q
06/05/2016	5,00	58.580	15,22	SEBA KLL-Q
06/05/2016	6,00	58.810	15,22	SEBA KLL-Q
06/05/2016	7,00	58.970	15,22	SEBA KLL-Q
06/05/2016	8,00	59.470	15,21	SEBA KLL-Q
06/05/2016	9,00	59.570	15,21	SEBA KLL-Q
06/05/2016	10,00	61.380	15,21	SEBA KLL-Q
06/05/2016	11,00	66.980	15,19	SEBA KLL-Q
06/05/2016	11,50	72.710	15,14	SEBA KLL-Q
06/05/2016	12,00	82.610	15,06	SEBA KLL-Q
06/05/2016	12,25	237.200	15,19	SEBA KLL-Q
06/05/2016	12,50	237.300	15,20	SEBA KLL-Q
06/05/2016	12,75	237.400	15,19	SEBA KLL-Q
06/05/2016	13,00	237.500	15,15	SEBA KLL-Q
06/05/2016	14,00	237.500	15,19	SEBA KLL-Q
06/05/2016	16,00	237.500	15,18	SEBA KLL-Q
06/05/2016	18,00	236.700	15,16	SEBA KLL-Q
06/05/2016	20,00	236.800	15,15	SEBA KLL-Q
06/05/2016	22,00	236.700	15,12	SEBA KLL-Q
06/05/2016	24,00	236.600	15,09	SEBA KLL-Q
06/05/2016	29,00	236.600	15,04	SEBA KLL-Q
06/05/2016	29,75	163.900	15,04	SEBA KLL-Q
12/07/2016	0,70	54.900	15,24	SEBA KLL-Q
12/07/2016	1,00	54.600	15,25	SEBA KLL-Q
12/07/2016	1,50	54.990	15,24	SEBA KLL-Q
12/07/2016	2,00	54.820	15,24	SEBA KLL-Q
12/07/2016	3,00	54.850	15,24	SEBA KLL-Q
12/07/2016	4,00	56.550	15,22	SEBA KLL-Q
12/07/2016	4,50	56.460	15,22	SEBA KLL-Q
12/07/2016	5,00	56.660	15,22	SEBA KLL-Q
12/07/2016	6,00	56.480	15,22	SEBA KLL-Q
12/07/2016	7,00	56.730	15,21	SEBA KLL-Q
12/07/2016	8,00	57.340	15,21	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/07/2016	8,50	56.600	15,21	SEBA KLL-Q
12/07/2016	9,00	57.360	15,21	SEBA KLL-Q
12/07/2016	10,00	59.270	15,20	SEBA KLL-Q
12/07/2016	10,50	60.630	15,20	SEBA KLL-Q
12/07/2016	11,00	65.750	15,18	SEBA KLL-Q
12/07/2016	11,25	66.360	15,16	SEBA KLL-Q
12/07/2016	11,50	74.210	15,13	SEBA KLL-Q
12/07/2016	11,75	81.150	15,09	SEBA KLL-Q
12/07/2016	12,00	96.920	15,00	SEBA KLL-Q
12/07/2016	12,25	180.500	14,94	SEBA KLL-Q
12/07/2016	12,50	228.800	15,16	SEBA KLL-Q
12/07/2016	12,75	228.800	15,19	SEBA KLL-Q
12/07/2016	13,00	228.700	15,21	SEBA KLL-Q
12/07/2016	13,50	228.800	15,19	SEBA KLL-Q
12/07/2016	14,00	228.700	15,19	SEBA KLL-Q
12/07/2016	15,00	228.700	15,19	SEBA KLL-Q
12/07/2016	16,00	228.600	15,19	SEBA KLL-Q
12/07/2016	18,00	228.000	15,18	SEBA KLL-Q
12/07/2016	20,00	228.000	15,16	SEBA KLL-Q
12/07/2016	25,00	227.800	15,09	SEBA KLL-Q
12/07/2016	28,70	176.100	15,05	SEBA KLL-Q
10/10/2016	0,70	55.168	15,27	SEBA KLL-Q
10/10/2016	2,00	55.275	15,27	SEBA KLL-Q
10/10/2016	3,00	55.732	15,27	SEBA KLL-Q
10/10/2016	4,00	56.168	15,26	SEBA KLL-Q
10/10/2016	5,00	56.620	15,26	SEBA KLL-Q
10/10/2016	6,00	56.836	15,26	SEBA KLL-Q
10/10/2016	7,00	56.345	15,26	SEBA KLL-Q
10/10/2016	8,00	57.061	15,26	SEBA KLL-Q
10/10/2016	9,00	56.522	15,26	SEBA KLL-Q
10/10/2016	10,00	58.682	15,25	SEBA KLL-Q
10/10/2016	10,20	59.161	15,25	SEBA KLL-Q
10/10/2016	10,40	57.475	15,25	SEBA KLL-Q
10/10/2016	10,60	60.060	15,25	SEBA KLL-Q
10/10/2016	10,80	61.779	15,24	SEBA KLL-Q
10/10/2016	11,00	62.781	15,24	SEBA KLL-Q
10/10/2016	11,20	65.079	15,21	SEBA KLL-Q
10/10/2016	11,40	69.312	15,21	SEBA KLL-Q
10/10/2016	11,60	75.383	15,18	SEBA KLL-Q
10/10/2016	11,80	82.896	15,13	SEBA KLL-Q
10/10/2016	12,00	98.976	15,03	SEBA KLL-Q
10/10/2016	12,20	159.134	14,88	SEBA KLL-Q
10/10/2016	12,40	236.164	15,20	SEBA KLL-Q
10/10/2016	12,60	236.664	15,21	SEBA KLL-Q
10/10/2016	12,80	236.796	15,22	SEBA KLL-Q
10/10/2016	13,00	236.837	15,21	SEBA KLL-Q
10/10/2016	13,50	236.776	15,23	SEBA KLL-Q
10/10/2016	14,00	236.861	15,23	SEBA KLL-Q
10/10/2016	15,00	236.900	15,21	SEBA KLL-Q
10/10/2016	16,00	236.922	15,21	SEBA KLL-Q
10/10/2016	18,00	236.141	15,20	SEBA KLL-Q
10/10/2016	20,00	236.141	15,20	SEBA KLL-Q
10/10/2016	22,00	236.192	15,14	SEBA KLL-Q
10/10/2016	24,00	236.142	15,12	SEBA KLL-Q
10/10/2016	26,00	236.216	15,07	SEBA KLL-Q
10/10/2016	28,00	236.193	15,06	SEBA KLL-Q
10/10/2016	29,72	208.607	15,06	SEBA KLL-Q
18/11/2016	0,70	55.760	15,28	SEBA KLL-Q
18/11/2016	1,00	55.750	15,28	SEBA KLL-Q
18/11/2016	2,00	55.770	15,27	SEBA KLL-Q
18/11/2016	3,00	56.210	15,27	SEBA KLL-Q
18/11/2016	4,00	56.800	15,27	SEBA KLL-Q
18/11/2016	5,00	57.430	15,27	SEBA KLL-Q
18/11/2016	6,00	57.140	15,27	SEBA KLL-Q
18/11/2016	7,00	57.040	15,27	SEBA KLL-Q
18/11/2016	8,00	57.290	15,27	SEBA KLL-Q
18/11/2016	9,00	57.880	15,27	SEBA KLL-Q
18/11/2016	10,00	59.530	15,26	SEBA KLL-Q
18/11/2016	10,20	59.730	15,26	SEBA KLL-Q
18/11/2016	10,40	60.620	15,25	SEBA KLL-Q
18/11/2016	10,60	61.800	15,25	SEBA KLL-Q
18/11/2016	10,80	62.700	15,24	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/11/2016	11,00	64.410	15,24	SEBA KLL-Q
18/11/2016	11,20	64.470	15,23	SEBA KLL-Q
18/11/2016	11,40	67.930	15,21	SEBA KLL-Q
18/11/2016	11,60	74.440	15,18	SEBA KLL-Q
18/11/2016	11,80	78.230	15,15	SEBA KLL-Q
18/11/2016	12,00	102.700	15,04	SEBA KLL-Q
18/11/2016	12,20	143.200	14,94	SEBA KLL-Q
18/11/2016	12,40	235.600	15,13	SEBA KLL-Q
18/11/2016	12,60	235.400	15,21	SEBA KLL-Q
18/11/2016	12,80	235.600	15,21	SEBA KLL-Q
18/11/2016	13,00	235.400	15,21	SEBA KLL-Q
18/11/2016	13,50	235.700	15,21	SEBA KLL-Q
18/11/2016	14,00	235.400	15,21	SEBA KLL-Q
18/11/2016	16,00	235.300	15,21	SEBA KLL-Q
18/11/2016	18,00	234.700	15,19	SEBA KLL-Q
18/11/2016	20,00	234.500	15,19	SEBA KLL-Q
18/11/2016	22,00	234.500	15,15	SEBA KLL-Q
18/11/2016	24,00	234.500	15,11	SEBA KLL-Q
18/11/2016	26,00	234.600	15,07	SEBA KLL-Q
18/11/2016	28,00	234.600	15,05	SEBA KLL-Q
18/11/2016	29,70	212.200	15,06	SEBA KLL-Q
17/01/2017	0,70	59.790	15,30	SEBA KLL-Q
17/01/2017	1,00	59.710	15,30	SEBA KLL-Q
17/01/2017	2,00	59.690	15,29	SEBA KLL-Q
17/01/2017	4,00	60.690	15,30	SEBA KLL-Q
17/01/2017	6,00	61.180	15,30	SEBA KLL-Q
17/01/2017	8,00	61.190	15,30	SEBA KLL-Q
17/01/2017	10,00	63.640	15,29	SEBA KLL-Q
17/01/2017	11,00	68.160	15,26	SEBA KLL-Q
17/01/2017	11,50	75.850	15,23	SEBA KLL-Q
17/01/2017	12,00	107.400	15,05	SEBA KLL-Q
17/01/2017	12,20	178.500	14,90	SEBA KLL-Q
17/01/2017	12,40	259.100	15,21	SEBA KLL-Q
17/01/2017	12,60	259.100	15,23	SEBA KLL-Q
17/01/2017	12,80	259.100	15,23	SEBA KLL-Q
17/01/2017	13,00	259.100	15,23	SEBA KLL-Q
17/01/2017	13,50	259.100	15,22	SEBA KLL-Q
17/01/2017	14,00	259.100	15,23	SEBA KLL-Q
17/01/2017	16,00	259.100	15,22	SEBA KLL-Q
17/01/2017	18,00	258.100	15,20	SEBA KLL-Q
17/01/2017	20,00	258.200	15,19	SEBA KLL-Q
17/01/2017	22,00	258.100	15,16	SEBA KLL-Q
17/01/2017	24,00	258.100	15,12	SEBA KLL-Q
17/01/2017	26,00	258.100	15,08	SEBA KLL-Q
17/01/2017	28,00	258.100	15,07	SEBA KLL-Q
17/01/2017	29,50	257.500	15,07	SEBA KLL-Q
17/01/2017	29,72	212.100	15,07	SEBA KLL-Q
05/04/2017	0,60	56.700	15,80	TLC-107 SONDA 1
05/04/2017	1,00	63.400	15,70	TLC-107 SONDA 1
05/04/2017	1,50	65.900	15,70	TLC-107 SONDA 1
05/04/2017	2,00	69.100	15,70	TLC-107 SONDA 1
05/04/2017	2,50	74.400	15,60	TLC-107 SONDA 1
05/04/2017	3,00	76.800	15,60	TLC-107 SONDA 1
05/04/2017	3,50	79.700	15,60	TLC-107 SONDA 1
05/04/2017	4,00	81.100	15,60	TLC-107 SONDA 1
05/04/2017	4,50	81.400	15,60	TLC-107 SONDA 1
05/04/2017	5,00	81.700	15,60	TLC-107 SONDA 1
05/04/2017	5,50	82.300	15,60	TLC-107 SONDA 1
05/04/2017	6,00	82.100	15,60	TLC-107 SONDA 1
05/04/2017	6,50	82.500	15,60	TLC-107 SONDA 1
05/04/2017	7,00	82.400	15,60	TLC-107 SONDA 1
05/04/2017	7,50	82.900	15,60	TLC-107 SONDA 1
05/04/2017	8,00	83.100	15,60	TLC-107 SONDA 1
05/04/2017	9,00	84.000	15,60	TLC-107 SONDA 1
05/04/2017	10,00	83.400	15,60	TLC-107 SONDA 1
05/04/2017	11,00	92.300	15,50	TLC-107 SONDA 1
05/04/2017	11,50	85.200	15,50	TLC-107 SONDA 1
05/04/2017	12,00	93.600	15,60	TLC-107 SONDA 1
05/04/2017	12,20	83.100	15,60	TLC-107 SONDA 1
05/04/2017	12,40	122.900	15,50	TLC-107 SONDA 1
05/04/2017	12,60	285.600	15,50	TLC-107 SONDA 1
05/04/2017	12,80	285.600	15,50	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/04/2017	13,00	285.600	15,50	TLC-107 SONDA 1
05/04/2017	14,00	285.800	15,50	TLC-107 SONDA 1
05/04/2017	16,00	285.800	15,50	TLC-107 SONDA 1
05/04/2017	18,00	285.400	15,50	TLC-107 SONDA 1
05/04/2017	20,00	285.400	15,50	TLC-107 SONDA 1
05/04/2017	22,00	285.300	15,30	TLC-107 SONDA 1
05/04/2017	24,00	286.100	15,30	TLC-107 SONDA 1
05/04/2017	26,00	286.000	15,30	TLC-107 SONDA 1
05/04/2017	28,00	285.600	15,30	TLC-107 SONDA 1
17/07/2017	2,00	57.620	15,21	SEBA KLL-Q
17/07/2017	4,00	57.600	15,20	SEBA KLL-Q
17/07/2017	6,00	58.730	15,20	SEBA KLL-Q
17/07/2017	8,00	58.890	15,20	SEBA KLL-Q
17/07/2017	10,00	59.200	15,20	SEBA KLL-Q
17/07/2017	10,50	60.490	15,19	SEBA KLL-Q
17/07/2017	11,00	61.420	15,19	SEBA KLL-Q
17/07/2017	11,50	64.580	15,18	SEBA KLL-Q
17/07/2017	12,00	68.980	15,16	SEBA KLL-Q
17/07/2017	12,50	172.600	14,88	SEBA KLL-Q
17/07/2017	13,00	240.600	15,10	SEBA KLL-Q
17/07/2017	14,00	241.100	15,17	SEBA KLL-Q
17/07/2017	16,00	241.500	15,18	SEBA KLL-Q
17/07/2017	18,00	241.100	15,14	SEBA KLL-Q
17/07/2017	20,00	241.500	15,13	SEBA KLL-Q
17/07/2017	22,00	241.400	15,10	SEBA KLL-Q
17/07/2017	24,00	241.600	15,07	SEBA KLL-Q
17/07/2017	26,00	241.600	15,02	SEBA KLL-Q
17/07/2017	28,00	241.400	15,01	SEBA KLL-Q
17/07/2017	29,50	234.000	15,01	SEBA KLL-Q
07/10/2017	0,70	57.020	15,20	SEBA KLL-Q
07/10/2017	1,00	57.270	15,20	SEBA KLL-Q
07/10/2017	1,50	57.220	15,20	SEBA KLL-Q
07/10/2017	2,00	57.210	15,20	SEBA KLL-Q
07/10/2017	3,00	57.860	15,20	SEBA KLL-Q
07/10/2017	4,00	58.290	15,20	SEBA KLL-Q
07/10/2017	5,00	58.320	15,20	SEBA KLL-Q
07/10/2017	6,00	58.550	15,20	SEBA KLL-Q
07/10/2017	7,00	58.460	15,20	SEBA KLL-Q
07/10/2017	8,00	58.610	15,20	SEBA KLL-Q
07/10/2017	9,00	58.810	15,20	SEBA KLL-Q
07/10/2017	10,00	59.880	15,19	SEBA KLL-Q
07/10/2017	10,50	60.430	15,19	SEBA KLL-Q
07/10/2017	11,00	60.700	15,19	SEBA KLL-Q
07/10/2017	11,50	64.100	15,17	SEBA KLL-Q
07/10/2017	12,00	69.920	15,14	SEBA KLL-Q
07/10/2017	12,20	81.100	15,06	SEBA KLL-Q
07/10/2017	12,40	115.500	14,92	SEBA KLL-Q
07/10/2017	12,60	250.100	15,14	SEBA KLL-Q
07/10/2017	12,80	250.500	15,15	SEBA KLL-Q
07/10/2017	13,00	250.700	15,14	SEBA KLL-Q
07/10/2017	13,50	250.700	15,16	SEBA KLL-Q
07/10/2017	14,00	251.300	15,16	SEBA KLL-Q
07/10/2017	15,00	251.500	15,16	SEBA KLL-Q
07/10/2017	16,00	251.700	15,15	SEBA KLL-Q
07/10/2017	18,00	250.800	15,11	SEBA KLL-Q
07/10/2017	20,00	250.800	15,11	SEBA KLL-Q
07/10/2017	22,00	250.900	15,08	SEBA KLL-Q
07/10/2017	24,00	251.000	15,04	SEBA KLL-Q
07/10/2017	26,00	251.500	14,99	SEBA KLL-Q
07/10/2017	28,00	251.100	14,99	SEBA KLL-Q
07/10/2017	29,75	239.800	14,98	SEBA KLL-Q
26/01/2018	1,0	56.410	15,38	SEBA KLL-Q
26/01/2018	2,0	56.290	15,37	SEBA KLL-Q
26/01/2018	4,0	57.040	15,38	SEBA KLL-Q
26/01/2018	6,0	57.360	15,37	SEBA KLL-Q
26/01/2018	8,0	57.630	15,37	SEBA KLL-Q
26/01/2018	10,0	57.930	15,37	SEBA KLL-Q
26/01/2018	12,0	69.850	15,30	SEBA KLL-Q
26/01/2018	12,5	189.900	15,24	SEBA KLL-Q
26/01/2018	12,8	234.200	15,30	SEBA KLL-Q
26/01/2018	13,0	234.500	15,33	SEBA KLL-Q
26/01/2018	13,5	234.300	15,31	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/01/2018	14,0	234.300	15,32	SEBA KLL-Q
26/01/2018	16,0	233.500	15,31	SEBA KLL-Q
26/01/2018	18,0	232.300	15,29	SEBA KLL-Q
26/01/2018	20,0	232.200	15,30	SEBA KLL-Q
26/01/2018	22,0	231.600	15,24	SEBA KLL-Q
26/01/2018	24,0	231.500	15,20	SEBA KLL-Q
26/01/2018	26,0	231.600	15,16	SEBA KLL-Q
26/01/2018	28,0	231.500	15,15	SEBA KLL-Q
26/01/2018	30,0	218.500	15,15	SEBA KLL-Q
11/04/2018	0,8	50.530	15,33	SEBA KLL-Q
11/04/2018	1,0	50.620	15,32	SEBA KLL-Q
11/04/2018	1,2	50.510	15,32	SEBA KLL-Q
11/04/2018	1,4	50.600	15,32	SEBA KLL-Q
11/04/2018	1,6	50.380	15,32	SEBA KLL-Q
11/04/2018	1,8	50.680	15,32	SEBA KLL-Q
11/04/2018	2,0	50.540	15,32	SEBA KLL-Q
11/04/2018	2,5	50.570	15,32	SEBA KLL-Q
11/04/2018	3,0	50.950	15,31	SEBA KLL-Q
11/04/2018	4,0	51.290	15,31	SEBA KLL-Q
11/04/2018	6,0	51.120	15,31	SEBA KLL-Q
11/04/2018	8,0	51.810	15,31	SEBA KLL-Q
11/04/2018	10,0	52.110	15,31	SEBA KLL-Q
11/04/2018	11,0	52.310	15,31	SEBA KLL-Q
11/04/2018	11,5	53.880	15,31	SEBA KLL-Q
11/04/2018	12,0	55.820	15,28	SEBA KLL-Q
11/04/2018	12,2	61.880	15,24	SEBA KLL-Q
11/04/2018	12,4	88.070	15,13	SEBA KLL-Q
11/04/2018	12,6	213.800	15,25	SEBA KLL-Q
11/04/2018	12,8	213.800	15,26	SEBA KLL-Q
11/04/2018	13,0	213.800	15,26	SEBA KLL-Q
11/04/2018	13,5	213.800	15,26	SEBA KLL-Q
11/04/2018	14,0	213.800	15,26	SEBA KLL-Q
11/04/2018	15,0	213.800	15,25	SEBA KLL-Q
11/04/2018	16,0	213.700	15,25	SEBA KLL-Q
11/04/2018	18,0	213.100	15,22	SEBA KLL-Q
11/04/2018	20,0	213.200	15,22	SEBA KLL-Q
11/04/2018	22,0	213.100	15,16	SEBA KLL-Q
11/04/2018	24,0	213.100	15,11	SEBA KLL-Q
11/04/2018	26,0	213.100	15,08	SEBA KLL-Q
11/04/2018	28,0	213.100	15,07	SEBA KLL-Q
30/07/2018	1,0	68.630	15,36	SEBA KLL-Q
30/07/2018	1,2	68.590	15,33	SEBA KLL-Q
30/07/2018	1,4	68.800	15,32	SEBA KLL-Q
30/07/2018	1,6	68.940	15,31	SEBA KLL-Q
30/07/2018	1,8	69.300	15,31	SEBA KLL-Q
30/07/2018	2,0	68.950	15,30	SEBA KLL-Q
30/07/2018	2,5	68.940	15,32	SEBA KLL-Q
30/07/2018	3,0	69.530	15,31	SEBA KLL-Q
30/07/2018	4,0	69.750	15,30	SEBA KLL-Q
30/07/2018	6,0	69.600	15,31	SEBA KLL-Q
30/07/2018	8,0	70.260	15,31	SEBA KLL-Q
30/07/2018	10,0	70.060	15,30	SEBA KLL-Q
30/07/2018	10,5	70.250	15,30	SEBA KLL-Q
30/07/2018	11,0	71.050	15,23	SEBA KLL-Q
30/07/2018	11,5	71.400	15,29	SEBA KLL-Q
30/07/2018	12,0	73.060	15,28	SEBA KLL-Q
30/07/2018	12,5	90.190	15,28	SEBA KLL-Q
30/07/2018	13,0	287.800	15,27	SEBA KLL-Q
30/07/2018	13,2	287.500	15,27	SEBA KLL-Q
30/07/2018	13,4	287.200	15,27	SEBA KLL-Q
30/07/2018	13,6	286.900	15,28	SEBA KLL-Q
30/07/2018	13,8	286.300	15,27	SEBA KLL-Q
30/07/2018	14,0	287.500	15,28	SEBA KLL-Q
30/07/2018	15,0	284.900	15,26	SEBA KLL-Q
30/07/2018	16,0	283.700	15,25	SEBA KLL-Q
30/07/2018	18,0	281.800	15,22	SEBA KLL-Q
30/07/2018	20,0	280.700	15,22	SEBA KLL-Q
30/07/2018	22,0	280.100	15,18	SEBA KLL-Q
30/07/2018	24,0	279.200	15,15	SEBA KLL-Q
30/07/2018	26,0	277.700	15,10	SEBA KLL-Q
30/07/2018	28,0	276.600	15,08	SEBA KLL-Q
25/08/2018	1,0	60.720	15,29	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
25/08/2018	1,5	60.810	15,30	SEBA KLL-Q
25/08/2018	2,0	60.630	15,30	SEBA KLL-Q
25/08/2018	2,5	61.130	15,30	SEBA KLL-Q
25/08/2018	3,0	60.740	15,30	SEBA KLL-Q
25/08/2018	4,0	61.270	15,31	SEBA KLL-Q
25/08/2018	5,0	61.390	15,30	SEBA KLL-Q
25/08/2018	6,0	61.450	15,30	SEBA KLL-Q
25/08/2018	8,0	61.740	15,30	SEBA KLL-Q
25/08/2018	10,0	61.620	15,30	SEBA KLL-Q
25/08/2018	12,0	67.290	15,27	SEBA KLL-Q
25/08/2018	14,0	246.100	15,27	SEBA KLL-Q
25/08/2018	14,2	246.100	15,27	SEBA KLL-Q
25/08/2018	14,4	246.200	15,28	SEBA KLL-Q
25/08/2018	14,6	246.100	15,28	SEBA KLL-Q
25/08/2018	14,8	246.200	15,27	SEBA KLL-Q
25/08/2018	15,0	246.200	15,26	SEBA KLL-Q
25/08/2018	15,5	246.000	15,26	SEBA KLL-Q
25/08/2018	16,0	246.000	15,25	SEBA KLL-Q
25/08/2018	17,0	245.600	15,25	SEBA KLL-Q
25/08/2018	18,0	245.800	15,26	SEBA KLL-Q
25/08/2018	20,0	245.600	15,21	SEBA KLL-Q
25/08/2018	22,0	246.200	15,17	SEBA KLL-Q
25/08/2018	24,0	246.300	15,15	SEBA KLL-Q
25/08/2018	26,0	246.200	15,09	SEBA KLL-Q
25/08/2018	28,0	246.100	15,08	SEBA KLL-Q
25/08/2018	29,0	246.100	15,08	SEBA KLL-Q
25/08/2018	29,7	210.800	15,07	SEBA KLL-Q
04/09/2018	0,5	61.360	15,45	SEBA KLL-Q
04/09/2018	1,0	61.750	15,45	SEBA KLL-Q
04/09/2018	1,5	62.020	15,47	SEBA KLL-Q
04/09/2018	2,0	62.080	15,48	SEBA KLL-Q
04/09/2018	2,5	62.320	15,48	SEBA KLL-Q
04/09/2018	3,0	62.220	15,46	SEBA KLL-Q
04/09/2018	3,5	62.840	15,46	SEBA KLL-Q
04/09/2018	4,0	62.890	15,46	SEBA KLL-Q
04/09/2018	5,0	62.820	15,45	SEBA KLL-Q
04/09/2018	6,0	62.820	15,47	SEBA KLL-Q
04/09/2018	7,0	63.170	15,48	SEBA KLL-Q
04/09/2018	8,0	63.450	15,46	SEBA KLL-Q
04/09/2018	8,5	63.350	15,46	SEBA KLL-Q
04/09/2018	9,0	63.540	15,45	SEBA KLL-Q
04/09/2018	9,5	63.540	15,45	SEBA KLL-Q
04/09/2018	10,0	63.760	15,45	SEBA KLL-Q
04/09/2018	10,5	64.190	15,45	SEBA KLL-Q
04/09/2018	11,0	64.060	15,47	SEBA KLL-Q
04/09/2018	11,5	64.470	15,45	SEBA KLL-Q
04/09/2018	12,0	68.000	15,45	SEBA KLL-Q
04/09/2018	12,5	81.110	15,45	SEBA KLL-Q
04/09/2018	12,7	80.120	15,45	SEBA KLL-Q
04/09/2018	13,1	260.200	15,38	SEBA KLL-Q
04/09/2018	13,3	260.300	15,40	SEBA KLL-Q
04/09/2018	13,5	260.000	15,44	SEBA KLL-Q
04/09/2018	13,7	259.800	15,44	SEBA KLL-Q
04/09/2018	14,0	259.800	15,41	SEBA KLL-Q
04/09/2018	14,5	259.400	15,42	SEBA KLL-Q
04/09/2018	15,0	258.900	15,42	SEBA KLL-Q
04/09/2018	15,5	258.500	15,42	SEBA KLL-Q
04/09/2018	16,0	257.900	15,42	SEBA KLL-Q
04/09/2018	17,0	256.900	15,40	SEBA KLL-Q
04/09/2018	18,0	256.100	15,40	SEBA KLL-Q
04/09/2018	19,0	255.500	15,37	SEBA KLL-Q
04/09/2018	20,0	254.700	15,37	SEBA KLL-Q
04/09/2018	22,0	253.100	15,37	SEBA KLL-Q
04/09/2018	24,0	247.500	15,31	SEBA KLL-Q
04/09/2018	26,0	247.200	15,32	SEBA KLL-Q
04/09/2018	28,0	247.300	15,28	SEBA KLL-Q
04/09/2018	29,0	247.300	15,25	SEBA KLL-Q
04/09/2018	29,7	246.500	15,17	SEBA KLL-Q
14/11/2018	1,0	64.540	15,33	SEBA KLL-Q
14/11/2018	1,5	64.650	15,34	SEBA KLL-Q
14/11/2018	2,0	64.110	15,33	SEBA KLL-Q
14/11/2018	2,5	64.360	15,33	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/11/2018	3,0	64.400	15,34	SEBA KLL-Q
14/11/2018	4,0	65.010	15,33	SEBA KLL-Q
14/11/2018	5,0	64.860	15,33	SEBA KLL-Q
14/11/2018	6,0	64.910	15,32	SEBA KLL-Q
14/11/2018	8,0	65.330	15,33	SEBA KLL-Q
14/11/2018	10,0	65.490	15,33	SEBA KLL-Q
14/11/2018	12,0	71.450	15,30	SEBA KLL-Q
14/11/2018	12,2	74.220	15,28	SEBA KLL-Q
14/11/2018	12,4	86.770	15,27	SEBA KLL-Q
14/11/2018	12,6	91.960	15,08	SEBA KLL-Q
14/11/2018	12,8	96.450	15,11	SEBA KLL-Q
14/11/2018	13,0	248.100	15,13	SEBA KLL-Q
14/11/2018	13,2	247.800	15,30	SEBA KLL-Q
14/11/2018	13,4	245.900	15,38	SEBA KLL-Q
14/11/2018	13,6	245.700	15,30	SEBA KLL-Q
14/11/2018	13,8	246.800	15,31	SEBA KLL-Q
14/11/2018	14,0	247.500	15,32	SEBA KLL-Q
14/11/2018	14,5	245.800	15,30	SEBA KLL-Q
14/11/2018	15,0	245.800	15,30	SEBA KLL-Q
14/11/2018	16,0	245.600	15,29	SEBA KLL-Q
14/11/2018	18,0	245.100	15,28	SEBA KLL-Q
14/11/2018	20,0	244.900	15,29	SEBA KLL-Q
14/11/2018	22,0	244.900	15,26	SEBA KLL-Q
14/11/2018	24,0	244.900	15,27	SEBA KLL-Q
14/11/2018	26,0	244.900	15,23	SEBA KLL-Q
14/11/2018	28,0	245.000	15,22	SEBA KLL-Q
16/01/2019	0,8	62.030	15,36	SEBA KLL-Q
16/01/2019	1,0	62.100	15,36	SEBA KLL-Q
16/01/2019	1,2	62.150	15,36	SEBA KLL-Q
16/01/2019	1,4	62.170	15,36	SEBA KLL-Q
16/01/2019	2,0	62.430	15,36	SEBA KLL-Q
16/01/2019	2,5	62.340	15,36	SEBA KLL-Q
16/01/2019	3,0	62.360	15,36	SEBA KLL-Q
16/01/2019	4,0	62.570	15,35	SEBA KLL-Q
16/01/2019	5,0	62.670	15,36	SEBA KLL-Q
16/01/2019	6,0	62.750	15,45	SEBA KLL-Q
16/01/2019	8,0	62.920	15,35	SEBA KLL-Q
16/01/2019	10,0	63.750	15,35	SEBA KLL-Q
16/01/2019	12,0	64.090	15,35	SEBA KLL-Q
16/01/2019	12,5	178.100	15,12	SEBA KLL-Q
16/01/2019	12,7	224.900	15,26	SEBA KLL-Q
16/01/2019	12,9	225.000	15,23	SEBA KLL-Q
16/01/2019	13,1	225.000	15,23	SEBA KLL-Q
16/01/2019	13,3	225.100	15,28	SEBA KLL-Q
16/01/2019	14,0	225.000	15,29	SEBA KLL-Q
16/01/2019	16,0	225.000	15,28	SEBA KLL-Q
16/01/2019	18,0	224.300	15,25	SEBA KLL-Q
16/01/2019	20,0	224.400	15,25	SEBA KLL-Q
16/01/2019	22,0	224.300	15,27	SEBA KLL-Q
16/01/2019	24,0	224.400	15,19	SEBA KLL-Q
16/01/2019	26,0	224.200	15,19	SEBA KLL-Q
27/02/2019	0,8	67.290	15,34	SEBA KLL-Q
27/02/2019	1,0	67.520	15,30	SEBA KLL-Q
27/02/2019	1,2	67.550	15,30	SEBA KLL-Q
27/02/2019	1,4	67.290	15,30	SEBA KLL-Q
27/02/2019	2,0	67.290	15,30	SEBA KLL-Q
27/02/2019	2,5	67.270	15,30	SEBA KLL-Q
27/02/2019	3,0	67.340	15,30	SEBA KLL-Q
27/02/2019	4,0	68.180	15,30	SEBA KLL-Q
27/02/2019	6,0	68.490	15,30	SEBA KLL-Q
27/02/2019	8,0	68.980	15,30	SEBA KLL-Q
27/02/2019	10,0	69.710	15,30	SEBA KLL-Q
27/02/2019	12,0	89.730	15,10	SEBA KLL-Q
27/02/2019	12,2	210.500	15,10	SEBA KLL-Q
27/02/2019	12,5	238.100	15,50	SEBA KLL-Q
27/02/2019	12,7	238.200	15,33	SEBA KLL-Q
27/02/2019	12,9	238.200	15,33	SEBA KLL-Q
27/02/2019	13,0	238.400	15,30	SEBA KLL-Q
27/02/2019	14,0	238.400	15,30	SEBA KLL-Q
27/02/2019	16,0	238.100	15,29	SEBA KLL-Q
27/02/2019	18,0	238.000	15,29	SEBA KLL-Q
27/02/2019	20,0	238.100	15,24	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
27/02/2019	22,0	238.300	15,24	SEBA KLL-Q
27/02/2019	24,0	238.500	15,24	SEBA KLL-Q
27/02/2019	26,0	238.800	15,18	SEBA KLL-Q
19/03/2019	1,0	66.800	15,30	SEBA KLL-Q
19/03/2019	1,5	67.190	15,30	SEBA KLL-Q
19/03/2019	2,0	67.070	15,31	SEBA KLL-Q
19/03/2019	2,5	67.490	15,30	SEBA KLL-Q
19/03/2019	3,0	67.390	15,31	SEBA KLL-Q
19/03/2019	4,0	67.850	15,31	SEBA KLL-Q
19/03/2019	5,0	68.400	15,31	SEBA KLL-Q
19/03/2019	7,0	68.640	15,30	SEBA KLL-Q
19/03/2019	9,0	69.460	15,30	SEBA KLL-Q
19/03/2019	11,0	72.540	15,28	SEBA KLL-Q
19/03/2019	12,0	98.180	15,16	SEBA KLL-Q
19/03/2019	12,2	115.100	15,10	SEBA KLL-Q
19/03/2019	12,4	135.800	15,02	SEBA KLL-Q
19/03/2019	12,6	241.300	15,22	SEBA KLL-Q
19/03/2019	12,8	241.000	15,31	SEBA KLL-Q
19/03/2019	13,0	241.000	15,30	SEBA KLL-Q
19/03/2019	13,5	240.900	15,33	SEBA KLL-Q
19/03/2019	14,0	242.200	15,31	SEBA KLL-Q
19/03/2019	15,0	241.800	15,31	SEBA KLL-Q
19/03/2019	16,0	241.400	15,31	SEBA KLL-Q
19/03/2019	18,0	241.200	15,26	SEBA KLL-Q
19/03/2019	20,0	241.300	15,25	SEBA KLL-Q
19/03/2019	22,0	241.400	15,21	SEBA KLL-Q
19/03/2019	24,0	241.500	15,17	SEBA KLL-Q
19/03/2019	26,0	241.000	15,13	SEBA KLL-Q
19/03/2019	29,0	241.900	15,12	SEBA KLL-Q
17/04/2019	0,8	61.040	15,29	SEBA KLL-Q
17/04/2019	1,0	61.150	15,28	SEBA KLL-Q
17/04/2019	1,5	61.090	15,29	SEBA KLL-Q
17/04/2019	2,0	61.070	15,29	SEBA KLL-Q
17/04/2019	2,5	61.160	15,28	SEBA KLL-Q
17/04/2019	3,0	61.780	15,28	SEBA KLL-Q
17/04/2019	4,0	61.760	15,28	SEBA KLL-Q
17/04/2019	5,0	61.810	15,28	SEBA KLL-Q
17/04/2019	7,0	62.160	15,28	SEBA KLL-Q
17/04/2019	9,0	62.340	15,28	SEBA KLL-Q
17/04/2019	11,0	65.850	15,27	SEBA KLL-Q
17/04/2019	11,5	69.060	15,24	SEBA KLL-Q
17/04/2019	11,7	73.570	15,21	SEBA KLL-Q
17/04/2019	11,9	78.720	15,16	SEBA KLL-Q
17/04/2019	12,1	94.280	15,09	SEBA KLL-Q
17/04/2019	12,3	111.400	15,05	SEBA KLL-Q
17/04/2019	12,5	224.200	15,26	SEBA KLL-Q
17/04/2019	12,7	229.300	15,27	SEBA KLL-Q
17/04/2019	12,9	229.400	15,28	SEBA KLL-Q
17/04/2019	13,1	229.400	15,27	SEBA KLL-Q
17/04/2019	13,5	229.400	15,28	SEBA KLL-Q
17/04/2019	14,0	229.500	15,27	SEBA KLL-Q
17/04/2019	15,0	229.500	15,27	SEBA KLL-Q
17/04/2019	17,0	229.300	15,26	SEBA KLL-Q
17/04/2019	19,0	229.000	15,26	SEBA KLL-Q
17/04/2019	21,0	229.100	15,23	SEBA KLL-Q
17/04/2019	23,0	229.200	15,23	SEBA KLL-Q
17/04/2019	25,0	229.100	15,20	SEBA KLL-Q
17/04/2019	27,0	229.100	15,15	SEBA KLL-Q
17/04/2019	29,0	229.000	15,13	SEBA KLL-Q
06/06/2019	0,8	62.130	15,31	SEBA KLL-Q
06/06/2019	1,0	62.180	15,30	SEBA KLL-Q
06/06/2019	1,5	61.970	15,30	SEBA KLL-Q
06/06/2019	2,0	62.530	15,30	SEBA KLL-Q
06/06/2019	2,5	62.870	15,30	SEBA KLL-Q
06/06/2019	3,0	62.610	15,30	SEBA KLL-Q
06/06/2019	4,0	62.680	15,30	SEBA KLL-Q
06/06/2019	5,0	62.660	15,30	SEBA KLL-Q
06/06/2019	7,0	62.820	15,30	SEBA KLL-Q
06/06/2019	9,0	63.100	15,30	SEBA KLL-Q
06/06/2019	11,0	63.630	15,29	SEBA KLL-Q
06/06/2019	11,3	64.220	15,29	SEBA KLL-Q
06/06/2019	11,5	64.910	15,29	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/06/2019	11,7	64.130	15,29	SEBA KLL-Q
06/06/2019	11,9	65.640	15,29	SEBA KLL-Q
06/06/2019	12,1	65.960	15,29	SEBA KLL-Q
06/06/2019	12,3	66.370	15,29	SEBA KLL-Q
06/06/2019	12,5	67.250	15,27	SEBA KLL-Q
06/06/2019	12,7	70.430	15,27	SEBA KLL-Q
06/06/2019	12,9	73.250	15,25	SEBA KLL-Q
06/06/2019	13,1	74.490	15,23	SEBA KLL-Q
06/06/2019	13,3	82.310	15,20	SEBA KLL-Q
06/06/2019	13,5	90.510	15,14	SEBA KLL-Q
06/06/2019	13,7	91.500	15,13	SEBA KLL-Q
06/06/2019	13,9	139.900	14,94	SEBA KLL-Q
06/06/2019	14,1	238.900	15,29	SEBA KLL-Q
06/06/2019	14,3	238.800	15,30	SEBA KLL-Q
06/06/2019	14,5	238.900	15,30	SEBA KLL-Q
06/06/2019	14,7	238.800	15,30	SEBA KLL-Q
06/06/2019	14,9	238.600	15,30	SEBA KLL-Q
06/06/2019	15,1	238.800	15,30	SEBA KLL-Q
06/06/2019	15,5	238.700	15,30	SEBA KLL-Q
06/06/2019	16,0	238.700	15,29	SEBA KLL-Q
06/06/2019	16,5	238.500	15,27	SEBA KLL-Q
06/06/2019	17,0	238.300	15,27	SEBA KLL-Q
06/06/2019	18,0	238.200	15,26	SEBA KLL-Q
06/06/2019	20,0	238.400	15,24	SEBA KLL-Q
06/06/2019	22,0	238.900	15,20	SEBA KLL-Q
06/06/2019	24,0	239.300	15,18	SEBA KLL-Q
06/06/2019	26,0	238.900	15,12	SEBA KLL-Q
06/06/2019	28,0	238.700	15,10	SEBA KLL-Q
06/06/2019	29,0	238.700	15,10	SEBA KLL-Q
10/09/2019	1,0	62.640	15,32	SEBA KLL-Q
10/09/2019	1,5	62.780	15,32	SEBA KLL-Q
10/09/2019	2,0	62.620	15,32	SEBA KLL-Q
10/09/2019	2,5	62.760	15,32	SEBA KLL-Q
10/09/2019	3,0	63.020	15,32	SEBA KLL-Q
10/09/2019	4,0	63.210	15,32	SEBA KLL-Q
10/09/2019	5,0	63.130	15,32	SEBA KLL-Q
10/09/2019	6,0	63.020	15,32	SEBA KLL-Q
10/09/2019	7,0	63.250	15,32	SEBA KLL-Q
10/09/2019	8,0	63.420	15,32	SEBA KLL-Q
10/09/2019	9,0	63.810	15,32	SEBA KLL-Q
10/09/2019	10,0	63.660	15,32	SEBA KLL-Q
10/09/2019	11,0	64.200	15,32	SEBA KLL-Q
10/09/2019	12,0	68.340	15,30	SEBA KLL-Q
10/09/2019	12,2	70.890	15,27	SEBA KLL-Q
10/09/2019	12,4	75.180	15,25	SEBA KLL-Q
10/09/2019	12,6	77.190	15,24	SEBA KLL-Q
10/09/2019	12,8	76.800	15,31	SEBA KLL-Q
10/09/2019	13,0	125.800	15,03	SEBA KLL-Q
10/09/2019	13,2	241.800	15,28	SEBA KLL-Q
10/09/2019	13,4	241.200	15,32	SEBA KLL-Q
10/09/2019	13,6	241.200	15,31	SEBA KLL-Q
10/09/2019	13,8	241.300	15,50	SEBA KLL-Q
10/09/2019	14,0	241.100	15,32	SEBA KLL-Q
10/09/2019	14,5	241.200	15,32	SEBA KLL-Q
10/09/2019	15,0	241.000	15,30	SEBA KLL-Q
10/09/2019	16,0	240.700	15,28	SEBA KLL-Q
10/09/2019	18,0	241.800	15,27	SEBA KLL-Q
10/09/2019	20,0	240.900	15,26	SEBA KLL-Q
10/09/2019	22,0	241.500	15,21	SEBA KLL-Q
10/09/2019	24,0	241.800	15,18	SEBA KLL-Q
10/09/2019	26,0	241.500	15,14	SEBA KLL-Q
10/09/2019	28,0	241.400	15,12	SEBA KLL-Q
10/09/2019	29,0	241.400	15,12	SEBA KLL-Q
09/11/2019	0,9	65.940	15,33	SEBA KLL-Q
09/11/2019	1,0	65.970	15,32	SEBA KLL-Q
09/11/2019	1,5	65.920	15,32	SEBA KLL-Q
09/11/2019	2,0	65.900	15,32	SEBA KLL-Q
09/11/2019	2,5	65.970	15,32	SEBA KLL-Q
09/11/2019	4,0	66.060	15,32	SEBA KLL-Q
09/11/2019	5,0	66.470	15,33	SEBA KLL-Q
09/11/2019	6,0	67.260	15,32	SEBA KLL-Q
09/11/2019	7,0	67.170	15,32	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-01C				
Fecha	Prof. [m]	C.E. [ $\mu\text{S}/\text{cm}$ ]	TEMP [°C]	Equipo
09/11/2019	8,0	67.560	15,32	SEBA KLL-Q
09/11/2019	9,0	67.800	15,32	SEBA KLL-Q
09/11/2019	10,0	68.630	15,32	SEBA KLL-Q
09/11/2019	11,0	70.290	15,30	SEBA KLL-Q
09/11/2019	12,0	92.030	15,24	SEBA KLL-Q
09/11/2019	12,2	107.800	15,10	SEBA KLL-Q
09/11/2019	12,4	123.500	15,04	SEBA KLL-Q
09/11/2019	12,6	239.500	15,28	SEBA KLL-Q
09/11/2019	12,8	239.500	15,31	SEBA KLL-Q
09/11/2019	13,0	239.600	15,33	SEBA KLL-Q
09/11/2019	13,2	239.600	15,32	SEBA KLL-Q
09/11/2019	13,4	239.700	15,31	SEBA KLL-Q
09/11/2019	13,6	239.700	15,32	SEBA KLL-Q
09/11/2019	13,8	239.700	15,32	SEBA KLL-Q
09/11/2019	14,0	239.700	15,32	SEBA KLL-Q
09/11/2019	15,0	239.500	15,31	SEBA KLL-Q
09/11/2019	16,0	239.600	15,31	SEBA KLL-Q
09/11/2019	18,0	239.100	15,28	SEBA KLL-Q
09/11/2019	20,0	239.000	15,27	SEBA KLL-Q
09/11/2019	22,0	238.800	15,22	SEBA KLL-Q
09/11/2019	24,0	238.900	15,17	SEBA KLL-Q
09/11/2019	26,0	238.900	15,10	SEBA KLL-Q
09/11/2019	28,0	238.900	15,12	SEBA KLL-Q
09/11/2019	29,0	239.100	15,11	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2013	0,7	9.258	14,70	TLC-107 SONDA 1
22/10/2013	0,9	9.373	14,40	TLC-107 SONDA 1
22/10/2013	1,1	9.380	14,20	TLC-107 SONDA 1
22/10/2013	1,3	9.541	14,10	TLC-107 SONDA 1
22/10/2013	1,5	9.554	14,10	TLC-107 SONDA 1
22/10/2013	1,7	9.635	14,10	TLC-107 SONDA 1
22/10/2013	1,9	9.675	14,10	TLC-107 SONDA 1
22/10/2013	2,1	9.690	14,10	TLC-107 SONDA 1
22/10/2013	2,3	9.682	14,10	TLC-107 SONDA 1
22/10/2013	2,5	9.716	14,10	TLC-107 SONDA 1
22/10/2013	2,7	9.782	14,10	TLC-107 SONDA 1
22/10/2013	2,9	9.782	14,10	TLC-107 SONDA 1
22/10/2013	3,1	9.744	14,10	TLC-107 SONDA 1
22/10/2013	3,3	9.788	14,10	TLC-107 SONDA 1
22/10/2013	3,5	9.788	14,10	TLC-107 SONDA 1
22/10/2013	4,0	9.796	14,00	TLC-107 SONDA 1
22/10/2013	4,5	9.764	14,00	TLC-107 SONDA 1
22/10/2013	5,0	9.763	14,00	TLC-107 SONDA 1
22/10/2013	5,5	9.747	14,00	TLC-107 SONDA 1
22/10/2013	6,0	9.738	14,00	TLC-107 SONDA 1
22/10/2013	6,5	9.724	14,10	TLC-107 SONDA 1
22/10/2013	7,0	9.724	14,10	TLC-107 SONDA 1
22/10/2013	8,0	9.718	14,10	TLC-107 SONDA 1
22/10/2013	9,0	9.779	14,10	TLC-107 SONDA 1
22/10/2013	10,0	9.762	14,30	TLC-107 SONDA 1
22/10/2013	11,0	9.769	14,60	TLC-107 SONDA 1
22/10/2013	12,0	9.780	14,60	TLC-107 SONDA 1
22/10/2013	13,0	9.787	14,60	TLC-107 SONDA 1
22/10/2013	14,0	9.822	14,70	TLC-107 SONDA 1
22/10/2013	15,0	9.831	14,80	TLC-107 SONDA 1
22/10/2013	16,0	9.846	14,90	TLC-107 SONDA 1
22/10/2013	17,0	10.500	14,90	TLC-107 SONDA 1
22/10/2013	18,0	58.200	15,10	TLC-107 SONDA 1
22/10/2013	19,0	230.200	15,20	TLC-107 SONDA 1
22/10/2013	20,0	230.500	15,20	TLC-107 SONDA 1
22/10/2013	20,5	233.300	15,20	TLC-107 SONDA 1
22/10/2013	21,0	266.200	15,20	TLC-107 SONDA 1
22/10/2013	21,5	270.600	15,20	TLC-107 SONDA 1
22/10/2013	22,0	267.200	15,20	TLC-107 SONDA 1
22/10/2013	22,5	267.700	15,20	TLC-107 SONDA 1
22/10/2013	23,0	267.100	15,20	TLC-107 SONDA 1
22/10/2013	23,2	266.000	15,10	TLC-107 SONDA 1
22/10/2013	23,4	266.000	15,10	TLC-107 SONDA 1
22/10/2013	23,6	266.200	15,10	TLC-107 SONDA 1
22/10/2013	23,8	266.200	15,10	TLC-107 SONDA 1
22/10/2013	24,0	266.000	15,10	TLC-107 SONDA 1
22/10/2013	24,5	265.400	15,10	TLC-107 SONDA 1
22/10/2013	25,0	265.600	15,10	TLC-107 SONDA 1
22/10/2013	25,5	264.600	15,10	TLC-107 SONDA 1
22/10/2013	26,0	265.000	15,10	TLC-107 SONDA 1
22/10/2013	27,0	264.800	15,10	TLC-107 SONDA 1
22/10/2013	28,0	261.100	15,10	TLC-107 SONDA 1
22/10/2013	28,9	242.100	15,10	TLC-107 SONDA 1
22/11/2013	0,6	6.880	15,80	TLC-107 SONDA 1
22/11/2013	0,8	7.370	14,30	TLC-107 SONDA 1
22/11/2013	1,0	7.790	14,20	TLC-107 SONDA 1
22/11/2013	1,2	8.200	14,10	TLC-107 SONDA 1
22/11/2013	1,4	8.210	14,10	TLC-107 SONDA 1
22/11/2013	1,6	8.860	14,10	TLC-107 SONDA 1
22/11/2013	1,8	8.970	14,10	TLC-107 SONDA 1
22/11/2013	2,0	8.970	14,00	TLC-107 SONDA 1
22/11/2013	2,2	9.040	14,00	TLC-107 SONDA 1
22/11/2013	2,4	9.080	14,00	TLC-107 SONDA 1
22/11/2013	2,6	9.140	14,00	TLC-107 SONDA 1
22/11/2013	2,8	9.170	14,00	TLC-107 SONDA 1
22/11/2013	3,0	9.190	14,00	TLC-107 SONDA 1
22/11/2013	3,5	9.210	14,00	TLC-107 SONDA 1
22/11/2013	4,0	9.220	14,00	TLC-107 SONDA 1
22/11/2013	4,5	9.290	14,00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/11/2013	5,0	9.290	14,00	TLC-107 SONDA 1
22/11/2013	5,5	9.300	14,00	TLC-107 SONDA 1
22/11/2013	6,0	9.320	14,00	TLC-107 SONDA 1
22/11/2013	7,0	9.320	14,00	TLC-107 SONDA 1
22/11/2013	8,0	9.440	14,00	TLC-107 SONDA 1
22/11/2013	9,0	9.390	14,00	TLC-107 SONDA 1
22/11/2013	10,0	9.440	14,10	TLC-107 SONDA 1
22/11/2013	15,0	9.440	14,30	TLC-107 SONDA 1
22/11/2013	16,0	9.440	14,60	TLC-107 SONDA 1
22/11/2013	17,0	9.460	14,60	TLC-107 SONDA 1
22/11/2013	17,5	12.300	14,70	TLC-107 SONDA 1
22/11/2013	18,0	47.600	15,00	TLC-107 SONDA 1
22/11/2013	18,2	57.400	15,10	TLC-107 SONDA 1
22/11/2013	18,4	68.100	15,10	TLC-107 SONDA 1
22/11/2013	18,6	156.900	15,10	TLC-107 SONDA 1
22/11/2013	18,8	174.100	15,10	TLC-107 SONDA 1
22/11/2013	19,0	197.700	15,10	TLC-107 SONDA 1
22/11/2013	19,2	199.100	15,10	TLC-107 SONDA 1
22/11/2013	19,4	199.500	15,10	TLC-107 SONDA 1
22/11/2013	19,6	200.600	15,10	TLC-107 SONDA 1
22/11/2013	19,8	200.800	15,20	TLC-107 SONDA 1
22/11/2013	20,0	201.500	15,10	TLC-107 SONDA 1
22/11/2013	20,5	203.800	15,20	TLC-107 SONDA 1
22/11/2013	21,0	205.400	15,10	TLC-107 SONDA 1
22/11/2013	22,0	210.300	15,10	TLC-107 SONDA 1
22/11/2013	23,0	209.400	15,10	TLC-107 SONDA 1
22/11/2013	24,0	153.500	15,10	TLC-107 SONDA 1
22/11/2013	25,0	142.600	15,10	TLC-107 SONDA 1
22/11/2013	26,0	129.000	15,10	TLC-107 SONDA 1
22/11/2013	27,0	117.300	15,10	TLC-107 SONDA 1
22/11/2013	28,0	105.700	15,10	TLC-107 SONDA 1
22/11/2013	28,9	91.600	15,10	TLC-107 SONDA 1
16/01/2014	0,8	7.881	14,70	ALT FTC
16/01/2014	1,0	8.023	14,30	ALT FTC
16/01/2014	1,5	8.023	14,10	ALT FTC
16/01/2014	2,0	8.023	14,10	ALT FTC
16/01/2014	2,5	8.022	14,10	ALT FTC
16/01/2014	3,0	8.022	14,10	ALT FTC
16/01/2014	4,0	8.024	14,10	ALT FTC
16/01/2014	5,0	8.026	14,10	ALT FTC
16/01/2014	6,0	8.026	14,10	ALT FTC
16/01/2014	7,0	8.034	14,10	ALT FTC
16/01/2014	8,0	8.042	14,10	ALT FTC
16/01/2014	9,0	8.053	14,10	ALT FTC
16/01/2014	10,0	8.053	14,10	ALT FTC
16/01/2014	11,0	8.059	14,10	ALT FTC
16/01/2014	12,0	8.063	14,20	ALT FTC
16/01/2014	13,0	8.041	14,20	ALT FTC
16/01/2014	14,0	8.064	14,20	ALT FTC
16/01/2014	15,0	8.068	14,30	ALT FTC
16/01/2014	16,0	8.095	14,40	ALT FTC
16/01/2014	17,0	8.090	14,60	ALT FTC
16/01/2014	18,0	8.084	14,70	ALT FTC
16/01/2014	18,2	23.400	15,00	ALT FTC
16/01/2014	18,4	52.900	15,10	ALT FTC
16/01/2014	18,6	86.600	15,20	ALT FTC
16/01/2014	18,8	109.400	15,20	ALT FTC
16/01/2014	19,0	125.900	15,20	ALT FTC
16/01/2014	19,2	128.500	15,20	ALT FTC
16/01/2014	19,4	130.100	15,20	ALT FTC
16/01/2014	19,6	129.100	15,20	ALT FTC
16/01/2014	20,0	129.900	15,20	ALT FTC
16/01/2014	20,5	129.700	15,20	ALT FTC
16/01/2014	20,7	162.600	15,20	ALT FTC
16/01/2014	20,9	172.300	15,20	ALT FTC
16/01/2014	21,0	190.100	15,20	ALT FTC
16/01/2014	21,2	217.600	15,20	ALT FTC
16/01/2014	21,4	227.800	15,20	ALT FTC
16/01/2014	21,6	233.900	15,20	ALT FTC

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/01/2014	21,8	238.200	15,20	ALT FTC
16/01/2014	22,0	240.500	15,20	ALT FTC
16/01/2014	22,5	250.100	15,20	ALT FTC
16/01/2014	23,0	250.100	15,20	ALT FTC
16/01/2014	23,5	250.100	15,20	ALT FTC
16/01/2014	24,0	250.100	15,20	ALT FTC
16/01/2014	25,0	250.100	15,20	ALT FTC
16/01/2014	26,0	250.100	15,20	ALT FTC
16/01/2014	27,0	253.300	15,20	ALT FTC
16/01/2014	28,0	254.100	15,20	ALT FTC
16/01/2014	28,3	146.100	15,20	ALT FTC
19/03/2014	0,8	6.384	14,40	TLC-107 SONDA 1
19/03/2014	1,0	6.387	14,30	TLC-107 SONDA 1
19/03/2014	1,5	6.399	14,20	TLC-107 SONDA 1
19/03/2014	2,0	6.415	14,10	TLC-107 SONDA 1
19/03/2014	2,5	6.421	14,10	TLC-107 SONDA 1
19/03/2014	3,0	6.408	14,10	TLC-107 SONDA 1
19/03/2014	3,5	6.416	14,10	TLC-107 SONDA 1
19/03/2014	4,0	6.417	14,10	TLC-107 SONDA 1
19/03/2014	4,5	6.412	14,10	TLC-107 SONDA 1
19/03/2014	5,0	6.417	14,10	TLC-107 SONDA 1
19/03/2014	6,0	6.446	14,10	TLC-107 SONDA 1
19/03/2014	7,0	6.434	14,10	TLC-107 SONDA 1
19/03/2014	8,0	6.545	14,10	TLC-107 SONDA 1
19/03/2014	9,0	6.482	14,10	TLC-107 SONDA 1
19/03/2014	10,0	6.535	14,10	TLC-107 SONDA 1
19/03/2014	11,0	6.585	14,10	TLC-107 SONDA 1
19/03/2014	12,0	6.586	14,10	TLC-107 SONDA 1
19/03/2014	13,0	6.623	14,20	TLC-107 SONDA 1
19/03/2014	14,0	6.744	14,20	TLC-107 SONDA 1
19/03/2014	15,0	6.882	14,30	TLC-107 SONDA 1
19/03/2014	16,0	6.897	14,30	TLC-107 SONDA 1
19/03/2014	17,0	6.914	14,60	TLC-107 SONDA 1
19/03/2014	18,0	6.925	14,60	TLC-107 SONDA 1
19/03/2014	18,5	57.400	15,00	TLC-107 SONDA 1
19/03/2014	19,0	98.100	15,20	TLC-107 SONDA 1
19/03/2014	19,5	99.000	15,20	TLC-107 SONDA 1
19/03/2014	20,0	99.300	15,20	TLC-107 SONDA 1
19/03/2014	20,5	101.300	15,20	TLC-107 SONDA 1
19/03/2014	21,0	125.700	15,20	TLC-107 SONDA 1
19/03/2014	21,5	149.900	15,20	TLC-107 SONDA 1
19/03/2014	22,0	151.000	15,20	TLC-107 SONDA 1
19/03/2014	22,5	149.900	15,20	TLC-107 SONDA 1
19/03/2014	23,0	147.300	15,20	TLC-107 SONDA 1
19/03/2014	23,5	146.500	15,20	TLC-107 SONDA 1
19/03/2014	24,0	144.500	15,20	TLC-107 SONDA 1
19/03/2014	24,5	142.800	15,20	TLC-107 SONDA 1
19/03/2014	25,0	140.600	15,20	TLC-107 SONDA 1
19/03/2014	25,5	139.000	15,20	TLC-107 SONDA 1
19/03/2014	26,0	138.100	15,20	TLC-107 SONDA 1
19/03/2014	26,5	137.600	15,20	TLC-107 SONDA 1
19/03/2014	27,0	136.100	15,20	TLC-107 SONDA 1
19/03/2014	27,5	137.400	15,20	TLC-107 SONDA 1
19/03/2014	28,0	137.600	15,20	TLC-107 SONDA 1
19/03/2014	28,5	94.200	15,20	TLC-107 SONDA 1
17/04/2014	0,8	10.800	14,40	TLC-107 SONDA 1
17/04/2014	1,0	10.700	14,20	TLC-107 SONDA 1
17/04/2014	1,2	10.600	14,20	TLC-107 SONDA 1
17/04/2014	1,4	10.500	14,20	TLC-107 SONDA 1
17/04/2014	1,6	10.500	14,20	TLC-107 SONDA 1
17/04/2014	1,8	10.500	14,20	TLC-107 SONDA 1
17/04/2014	2,0	10.400	14,10	TLC-107 SONDA 1
17/04/2014	2,5	10.400	14,20	TLC-107 SONDA 1
17/04/2014	3,0	10.400	14,20	TLC-107 SONDA 1
17/04/2014	4,0	10.300	14,20	TLC-107 SONDA 1
17/04/2014	5,0	10.300	14,20	TLC-107 SONDA 1
17/04/2014	6,0	10.300	14,20	TLC-107 SONDA 1
17/04/2014	7,0	10.200	14,20	TLC-107 SONDA 1
17/04/2014	8,0	10.200	14,20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/04/2014	9,0	10.300	14,20	TLC-107 SONDA 1
17/04/2014	10,0	10.200	14,20	TLC-107 SONDA 1
17/04/2014	11,0	10.200	14,20	TLC-107 SONDA 1
17/04/2014	12,0	10.200	14,20	TLC-107 SONDA 1
17/04/2014	13,0	10.100	14,20	TLC-107 SONDA 1
17/04/2014	14,0	10.100	14,20	TLC-107 SONDA 1
17/04/2014	15,0	10.100	14,20	TLC-107 SONDA 1
17/04/2014	16,0	10.100	14,20	TLC-107 SONDA 1
17/04/2014	17,0	10.100	14,20	TLC-107 SONDA 1
17/04/2014	18,0	10.000	14,20	TLC-107 SONDA 1
17/04/2014	18,2	57.700	15,00	TLC-107 SONDA 1
17/04/2014	18,4	99.900	15,00	TLC-107 SONDA 1
17/04/2014	18,6	195.400	15,10	TLC-107 SONDA 1
17/04/2014	18,8	266.000	15,10	TLC-107 SONDA 1
17/04/2014	19,0	288.700	15,20	TLC-107 SONDA 1
17/04/2014	19,2	299.000	15,20	TLC-107 SONDA 1
17/04/2014	19,4	301.700	15,20	TLC-107 SONDA 1
17/04/2014	19,6	307.600	15,20	TLC-107 SONDA 1
17/04/2014	19,8	313.800	15,20	TLC-107 SONDA 1
17/04/2014	20,0	321.200	15,20	TLC-107 SONDA 1
17/04/2014	20,5	335.600	15,20	TLC-107 SONDA 1
17/04/2014	21,0	400.000	15,20	TLC-107 SONDA 1
17/04/2014	21,5	400.000	15,20	TLC-107 SONDA 1
17/04/2014	22,0	400.000	15,20	TLC-107 SONDA 1
17/04/2014	23,0	400.000	15,20	TLC-107 SONDA 1
17/04/2014	24,0	400.000	15,20	TLC-107 SONDA 1
17/04/2014	25,0	400.000	15,20	TLC-107 SONDA 1
17/04/2014	26,0	400.000	15,20	TLC-107 SONDA 1
17/04/2014	27,0	400.000	15,20	TLC-107 SONDA 1
17/04/2014	28,0	400.000	15,20	TLC-107 SONDA 1
17/04/2014	28,1	400.000	15,20	TLC-107 SONDA 1
18/05/2014	0,7	9.468	9,80	TLC-107 SONDA 1
18/05/2014	1,0	9.397	14,00	TLC-107 SONDA 1
18/05/2014	1,2	9.350	14,10	TLC-107 SONDA 1
18/05/2014	1,4	9.312	14,20	TLC-107 SONDA 1
18/05/2014	1,6	9.306	14,20	TLC-107 SONDA 1
18/05/2014	1,8	9.299	14,20	TLC-107 SONDA 1
18/05/2014	2,0	9.290	14,20	TLC-107 SONDA 1
18/05/2014	2,5	9.282	14,20	TLC-107 SONDA 1
18/05/2014	3,0	9.278	14,20	TLC-107 SONDA 1
18/05/2014	3,5	9.277	14,20	TLC-107 SONDA 1
18/05/2014	4,0	9.278	14,20	TLC-107 SONDA 1
18/05/2014	4,5	9.271	14,20	TLC-107 SONDA 1
18/05/2014	5,0	9.271	14,20	TLC-107 SONDA 1
18/05/2014	5,5	9.264	14,20	TLC-107 SONDA 1
18/05/2014	6,0	9.271	14,20	TLC-107 SONDA 1
18/05/2014	7,0	9.251	14,20	TLC-107 SONDA 1
18/05/2014	7,5	9.375	14,20	TLC-107 SONDA 1
18/05/2014	8,0	9.242	14,20	TLC-107 SONDA 1
18/05/2014	8,5	9.249	14,20	TLC-107 SONDA 1
18/05/2014	9,0	9.230	14,20	TLC-107 SONDA 1
18/05/2014	9,5	9.211	14,20	TLC-107 SONDA 1
18/05/2014	10,0	9.284	14,20	TLC-107 SONDA 1
18/05/2014	10,5	9.224	14,20	TLC-107 SONDA 1
18/05/2014	11,0	9.234	14,20	TLC-107 SONDA 1
18/05/2014	11,5	9.245	14,30	TLC-107 SONDA 1
18/05/2014	12,0	9.258	14,20	TLC-107 SONDA 1
18/05/2014	12,5	9.247	14,20	TLC-107 SONDA 1
18/05/2014	13,0	9.242	14,30	TLC-107 SONDA 1
18/05/2014	13,5	9.260	14,20	TLC-107 SONDA 1
18/05/2014	14,0	9.193	14,20	TLC-107 SONDA 1
18/05/2014	14,5	9.247	14,20	TLC-107 SONDA 1
18/05/2014	15,0	9.232	14,20	TLC-107 SONDA 1
18/05/2014	15,5	9.236	14,20	TLC-107 SONDA 1
18/05/2014	16,0	9.329	14,20	TLC-107 SONDA 1
18/05/2014	16,5	9.288	14,30	TLC-107 SONDA 1
18/05/2014	17,0	9.234	14,30	TLC-107 SONDA 1
18/05/2014	17,5	9.230	14,30	TLC-107 SONDA 1
18/05/2014	18,0	9.235	14,30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/05/2014	18,2	9.740	14,30	TLC-107 SONDA 1
18/05/2014	18,4	41.500	14,80	TLC-107 SONDA 1
18/05/2014	18,6	144.200	15,00	TLC-107 SONDA 1
18/05/2014	18,8	187.300	15,10	TLC-107 SONDA 1
18/05/2014	19,0	196.500	15,10	TLC-107 SONDA 1
18/05/2014	19,2	198.200	15,20	TLC-107 SONDA 1
18/05/2014	19,4	200.300	15,20	TLC-107 SONDA 1
18/05/2014	19,6	201.900	15,20	TLC-107 SONDA 1
18/05/2014	19,8	201.500	15,20	TLC-107 SONDA 1
18/05/2014	20,0	201.900	15,20	TLC-107 SONDA 1
18/05/2014	20,5	204.100	15,20	TLC-107 SONDA 1
18/05/2014	21,0	239.200	15,20	TLC-107 SONDA 1
18/05/2014	21,5	277.000	15,20	TLC-107 SONDA 1
18/05/2014	22,0	271.600	15,20	TLC-107 SONDA 1
18/05/2014	22,5	271.900	15,20	TLC-107 SONDA 1
18/05/2014	23,0	270.200	15,20	TLC-107 SONDA 1
18/05/2014	23,5	270.000	15,20	TLC-107 SONDA 1
18/05/2014	24,0	271.400	15,20	TLC-107 SONDA 1
18/05/2014	24,5	275.000	15,20	TLC-107 SONDA 1
18/05/2014	25,0	280.000	15,20	TLC-107 SONDA 1
18/05/2014	25,5	275.000	15,20	TLC-107 SONDA 1
18/05/2014	26,0	272.200	15,20	TLC-107 SONDA 1
18/05/2014	26,5	272.800	15,20	TLC-107 SONDA 1
18/05/2014	27,0	282.700	15,20	TLC-107 SONDA 1
18/05/2014	27,5	279.400	15,20	TLC-107 SONDA 1
18/05/2014	28,0	280.300	15,20	TLC-107 SONDA 1
18/05/2014	28,5	211.700	15,20	TLC-107 SONDA 1
12/06/2014	0,6	6.874	14,40	TLC-107 SONDA 1
12/06/2014	0,8	6.908	14,30	TLC-107 SONDA 1
12/06/2014	1,0	6.959	14,30	TLC-107 SONDA 1
12/06/2014	1,2	6.993	14,30	TLC-107 SONDA 1
12/06/2014	1,4	7.063	14,30	TLC-107 SONDA 1
12/06/2014	1,6	7.082	14,30	TLC-107 SONDA 1
12/06/2014	1,8	7.111	14,30	TLC-107 SONDA 1
12/06/2014	2,0	7.129	14,30	TLC-107 SONDA 1
12/06/2014	2,5	7.189	14,30	TLC-107 SONDA 1
12/06/2014	3,0	7.253	14,30	TLC-107 SONDA 1
12/06/2014	3,5	7.291	14,30	TLC-107 SONDA 1
12/06/2014	4,0	7.309	14,30	TLC-107 SONDA 1
12/06/2014	5,0	7.383	14,30	TLC-107 SONDA 1
12/06/2014	6,0	7.406	14,30	TLC-107 SONDA 1
12/06/2014	7,0	7.431	14,30	TLC-107 SONDA 1
12/06/2014	8,0	7.461	14,30	TLC-107 SONDA 1
12/06/2014	9,0	7.468	14,30	TLC-107 SONDA 1
12/06/2014	10,0	7.475	14,30	TLC-107 SONDA 1
12/06/2014	12,0	7.485	14,30	TLC-107 SONDA 1
12/06/2014	14,0	7.499	14,30	TLC-107 SONDA 1
12/06/2014	16,0	7.513	14,30	TLC-107 SONDA 1
12/06/2014	18,0	7.587	14,40	TLC-107 SONDA 1
12/06/2014	18,2	8.027	14,40	TLC-107 SONDA 1
12/06/2014	18,4	16.800	14,70	TLC-107 SONDA 1
12/06/2014	18,6	109.100	15,00	TLC-107 SONDA 1
12/06/2014	18,8	147.200	15,10	TLC-107 SONDA 1
12/06/2014	19,0	156.200	15,10	TLC-107 SONDA 1
12/06/2014	19,2	161.000	15,10	TLC-107 SONDA 1
12/06/2014	19,4	163.900	15,20	TLC-107 SONDA 1
12/06/2014	19,6	167.600	15,20	TLC-107 SONDA 1
12/06/2014	19,8	169.800	15,20	TLC-107 SONDA 1
12/06/2014	20,0	172.300	15,20	TLC-107 SONDA 1
12/06/2014	20,5	181.700	15,20	TLC-107 SONDA 1
12/06/2014	21,0	227.800	15,20	TLC-107 SONDA 1
12/06/2014	21,5	260.300	15,20	TLC-107 SONDA 1
12/06/2014	22,0	267.700	15,20	TLC-107 SONDA 1
12/06/2014	22,5	274.200	15,20	TLC-107 SONDA 1
12/06/2014	23,0	276.900	15,20	TLC-107 SONDA 1
12/06/2014	23,5	282.700	15,20	TLC-107 SONDA 1
12/06/2014	24,0	288.000	15,20	TLC-107 SONDA 1
12/06/2014	25,0	291.800	15,20	TLC-107 SONDA 1
12/06/2014	26,0	296.800	15,20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/06/2014	27,0	301.400	15,20	TLC-107 SONDA 1
12/06/2014	28,0	308.400	15,20	TLC-107 SONDA 1
12/06/2014	28,7	24.900	15,20	TLC-107 SONDA 1
17/07/2014	0,7	6.487	15,30	TLC-107 SONDA 1
17/07/2014	1,0	6.510	14,90	TLC-107 SONDA 1
17/07/2014	2,0	6.607	14,60	TLC-107 SONDA 1
17/07/2014	4,0	6.662	14,40	TLC-107 SONDA 1
17/07/2014	6,0	6.691	14,40	TLC-107 SONDA 1
17/07/2014	8,0	6.740	14,40	TLC-107 SONDA 1
17/07/2014	10,0	6.836	14,40	TLC-107 SONDA 1
17/07/2014	12,0	6.893	14,40	TLC-107 SONDA 1
17/07/2014	14,0	6.928	14,40	TLC-107 SONDA 1
17/07/2014	16,0	6.957	14,40	TLC-107 SONDA 1
17/07/2014	18,0	6.967	14,60	TLC-107 SONDA 1
17/07/2014	18,2	7.667	14,60	TLC-107 SONDA 1
17/07/2014	18,4	21.300	14,80	TLC-107 SONDA 1
17/07/2014	18,6	74.200	15,10	TLC-107 SONDA 1
17/07/2014	18,8	95.900	15,10	TLC-107 SONDA 1
17/07/2014	19,0	98.300	15,10	TLC-107 SONDA 1
17/07/2014	19,2	100.300	15,20	TLC-107 SONDA 1
17/07/2014	19,4	101.700	15,20	TLC-107 SONDA 1
17/07/2014	19,6	102.600	15,20	TLC-107 SONDA 1
17/07/2014	19,8	103.300	15,20	TLC-107 SONDA 1
17/07/2014	20,0	104.100	15,20	TLC-107 SONDA 1
17/07/2014	20,2	105.100	15,20	TLC-107 SONDA 1
17/07/2014	20,4	106.000	15,20	TLC-107 SONDA 1
17/07/2014	20,6	110.100	15,20	TLC-107 SONDA 1
17/07/2014	20,8	117.300	15,20	TLC-107 SONDA 1
17/07/2014	21,0	129.600	15,20	TLC-107 SONDA 1
17/07/2014	21,2	139.200	15,20	TLC-107 SONDA 1
17/07/2014	21,4	145.700	15,20	TLC-107 SONDA 1
17/07/2014	21,6	146.900	15,20	TLC-107 SONDA 1
17/07/2014	21,8	147.700	15,20	TLC-107 SONDA 1
17/07/2014	22,0	148.500	15,20	TLC-107 SONDA 1
17/07/2014	22,5	149.500	15,20	TLC-107 SONDA 1
17/07/2014	23,0	150.000	15,20	TLC-107 SONDA 1
17/07/2014	23,5	150.000	15,20	TLC-107 SONDA 1
17/07/2014	24,0	150.700	15,20	TLC-107 SONDA 1
17/07/2014	24,5	150.700	15,20	TLC-107 SONDA 1
17/07/2014	25,0	151.000	15,20	TLC-107 SONDA 1
17/07/2014	26,0	153.100	15,20	TLC-107 SONDA 1
17/07/2014	27,0	153.700	15,20	TLC-107 SONDA 1
17/07/2014	28,0	154.000	15,20	TLC-107 SONDA 1
17/07/2014	28,9	114.200	15,20	TLC-107 SONDA 1
12/08/2014	0,6	6.807	14,70	TLC-107 SONDA 1
12/08/2014	1,0	6.805	14,40	TLC-107 SONDA 1
12/08/2014	3,0	6.800	14,40	TLC-107 SONDA 1
12/08/2014	5,0	6.816	14,40	TLC-107 SONDA 1
12/08/2014	7,0	6.820	14,40	TLC-107 SONDA 1
12/08/2014	9,0	6.865	14,40	TLC-107 SONDA 1
12/08/2014	11,0	6.884	14,40	TLC-107 SONDA 1
12/08/2014	13,0	6.894	14,40	TLC-107 SONDA 1
12/08/2014	15,0	6.928	14,40	TLC-107 SONDA 1
12/08/2014	16,0	6.948	14,40	TLC-107 SONDA 1
12/08/2014	17,0	6.932	14,60	TLC-107 SONDA 1
12/08/2014	18,0	6.949	14,60	TLC-107 SONDA 1
12/08/2014	18,5	69.600	15,10	TLC-107 SONDA 1
12/08/2014	19,0	114.700	15,20	TLC-107 SONDA 1
12/08/2014	19,2	118.200	15,20	TLC-107 SONDA 1
12/08/2014	19,4	120.000	15,20	TLC-107 SONDA 1
12/08/2014	19,6	122.500	15,20	TLC-107 SONDA 1
12/08/2014	19,8	123.700	15,20	TLC-107 SONDA 1
12/08/2014	20,0	126.100	15,20	TLC-107 SONDA 1
12/08/2014	20,2	128.300	15,20	TLC-107 SONDA 1
12/08/2014	20,4	132.900	15,20	TLC-107 SONDA 1
12/08/2014	20,6	137.100	15,20	TLC-107 SONDA 1
12/08/2014	20,8	144.100	15,20	TLC-107 SONDA 1
12/08/2014	21,0	160.700	15,20	TLC-107 SONDA 1
12/08/2014	21,2	171.000	15,20	TLC-107 SONDA 1



Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/08/2014	21,4	182.300	15,20	TLC-107 SONDA 1
12/08/2014	21,6	192.300	15,20	TLC-107 SONDA 1
12/08/2014	21,8	198.500	15,20	TLC-107 SONDA 1
12/08/2014	22,0	202.800	15,20	TLC-107 SONDA 1
12/08/2014	24,0	217.900	15,20	TLC-107 SONDA 1
12/08/2014	26,0	238.000	15,20	TLC-107 SONDA 1
12/08/2014	28,0	239.100	15,20	TLC-107 SONDA 1
12/08/2014	28,4	335.000	15,20	TLC-107 SONDA 1
06/09/2014	0,7	7.676	15,10	TLC-107 SONDA 1
06/09/2014	1,0	7.651	14,40	TLC-107 SONDA 1
06/09/2014	3,0	7.652	14,40	TLC-107 SONDA 1
06/09/2014	5,0	7.643	14,40	TLC-107 SONDA 1
06/09/2014	7,0	7.627	14,40	TLC-107 SONDA 1
06/09/2014	9,0	7.630	14,40	TLC-107 SONDA 1
06/09/2014	11,0	7.627	14,40	TLC-107 SONDA 1
06/09/2014	13,0	7.620	14,40	TLC-107 SONDA 1
06/09/2014	15,0	7.608	14,60	TLC-107 SONDA 1
06/09/2014	17,0	7.601	14,70	TLC-107 SONDA 1
06/09/2014	17,5	31.600	15,10	TLC-107 SONDA 1
06/09/2014	17,7	33.700	15,20	TLC-107 SONDA 1
06/09/2014	17,9	33.800	15,20	TLC-107 SONDA 1
06/09/2014	18,1	34.100	15,20	TLC-107 SONDA 1
06/09/2014	18,3	38.400	15,20	TLC-107 SONDA 1
06/09/2014	18,5	59.900	15,20	TLC-107 SONDA 1
06/09/2014	18,7	95.600	15,20	TLC-107 SONDA 1
06/09/2014	18,9	104.500	15,20	TLC-107 SONDA 1
06/09/2014	19,1	106.900	15,20	TLC-107 SONDA 1
06/09/2014	19,3	108.500	15,20	TLC-107 SONDA 1
06/09/2014	19,5	109.700	15,20	TLC-107 SONDA 1
06/09/2014	19,7	112.900	15,20	TLC-107 SONDA 1
06/09/2014	19,9	116.100	15,20	TLC-107 SONDA 1
06/09/2014	20,1	120.000	15,20	TLC-107 SONDA 1
06/09/2014	20,3	123.900	15,20	TLC-107 SONDA 1
06/09/2014	20,5	127.500	15,20	TLC-107 SONDA 1
06/09/2014	21,0	160.300	15,20	TLC-107 SONDA 1
06/09/2014	21,5	193.500	15,20	TLC-107 SONDA 1
06/09/2014	22,0	207.300	15,20	TLC-107 SONDA 1
06/09/2014	22,5	219.300	15,20	TLC-107 SONDA 1
06/09/2014	23,5	228.400	15,20	TLC-107 SONDA 1
06/09/2014	24,5	237.900	15,20	TLC-107 SONDA 1
06/09/2014	25,5	250.600	15,20	TLC-107 SONDA 1
06/09/2014	26,5	258.900	15,20	TLC-107 SONDA 1
06/09/2014	27,5	271.900	15,20	TLC-107 SONDA 1
06/09/2014	28,5	169.800	15,20	TLC-107 SONDA 1
07/10/2014	0,7	8.627	15,00	TLC-107 SONDA 1
07/10/2014	1,0	8.667	14,70	TLC-107 SONDA 1
07/10/2014	1,5	8.668	14,40	TLC-107 SONDA 1
07/10/2014	2,0	8.780	14,40	TLC-107 SONDA 1
07/10/2014	3,0	8.715	14,40	TLC-107 SONDA 1
07/10/2014	4,0	8.748	14,40	TLC-107 SONDA 1
07/10/2014	5,0	8.751	14,30	TLC-107 SONDA 1
07/10/2014	6,0	8.765	14,30	TLC-107 SONDA 1
07/10/2014	7,0	8.774	14,30	TLC-107 SONDA 1
07/10/2014	8,0	8.782	14,30	TLC-107 SONDA 1
07/10/2014	9,0	8.798	14,30	TLC-107 SONDA 1
07/10/2014	10,0	8.785	14,40	TLC-107 SONDA 1
07/10/2014	11,0	8.794	14,40	TLC-107 SONDA 1
07/10/2014	12,0	8.817	14,40	TLC-107 SONDA 1
07/10/2014	13,0	8.823	14,40	TLC-107 SONDA 1
07/10/2014	14,0	8.850	14,40	TLC-107 SONDA 1
07/10/2014	15,0	8.897	14,40	TLC-107 SONDA 1
07/10/2014	16,0	8.884	14,70	TLC-107 SONDA 1
07/10/2014	17,0	8.914	14,70	TLC-107 SONDA 1
07/10/2014	17,2	9.006	14,70	TLC-107 SONDA 1
07/10/2014	17,4	42.900	15,00	TLC-107 SONDA 1
07/10/2014	17,6	49.200	15,10	TLC-107 SONDA 1
07/10/2014	17,8	50.200	15,20	TLC-107 SONDA 1
07/10/2014	18,0	50.900	15,20	TLC-107 SONDA 1
07/10/2014	18,2	53.200	15,20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/10/2014	18,4	67.100	15,20	TLC-107 SONDA 1
07/10/2014	18,6	146.500	15,20	TLC-107 SONDA 1
07/10/2014	18,8	168.600	15,20	TLC-107 SONDA 1
07/10/2014	19,0	176.300	15,20	TLC-107 SONDA 1
07/10/2014	19,2	180.100	15,20	TLC-107 SONDA 1
07/10/2014	19,4	184.500	15,20	TLC-107 SONDA 1
07/10/2014	19,6	188.200	15,20	TLC-107 SONDA 1
07/10/2014	19,8	192.300	15,20	TLC-107 SONDA 1
07/10/2014	20,0	197.800	15,20	TLC-107 SONDA 1
07/10/2014	20,5	207.200	15,20	TLC-107 SONDA 1
07/10/2014	21,0	278.100	15,20	TLC-107 SONDA 1
07/10/2014	22,0	353.200	15,20	TLC-107 SONDA 1
07/10/2014	24,0	370.500	15,20	TLC-107 SONDA 1
07/10/2014	26,0	382.000	15,20	TLC-107 SONDA 1
07/10/2014	28,0	393.200	15,20	TLC-107 SONDA 1
07/10/2014	28,3	221.900	15,20	TLC-107 SONDA 1
04/11/2014	0,7	8.889	14,90	TLC-107 SONDA 1
04/11/2014	1,0	8.743	14,70	TLC-107 SONDA 1
04/11/2014	2,0	8.800	14,30	TLC-107 SONDA 1
04/11/2014	3,0	8.729	14,30	TLC-107 SONDA 1
04/11/2014	4,0	8.727	14,30	TLC-107 SONDA 1
04/11/2014	5,0	8.728	14,30	TLC-107 SONDA 1
04/11/2014	6,0	8.731	14,30	TLC-107 SONDA 1
04/11/2014	7,0	8.735	14,30	TLC-107 SONDA 1
04/11/2014	8,0	8.737	14,30	TLC-107 SONDA 1
04/11/2014	9,0	8.748	14,30	TLC-107 SONDA 1
04/11/2014	10,0	8.777	14,30	TLC-107 SONDA 1
04/11/2014	11,0	8.805	14,30	TLC-107 SONDA 1
04/11/2014	12,0	8.797	14,30	TLC-107 SONDA 1
04/11/2014	13,0	8.808	14,30	TLC-107 SONDA 1
04/11/2014	14,0	8.842	14,30	TLC-107 SONDA 1
04/11/2014	15,0	8.846	14,30	TLC-107 SONDA 1
04/11/2014	16,0	8.875	14,40	TLC-107 SONDA 1
04/11/2014	17,0	8.903	14,60	TLC-107 SONDA 1
04/11/2014	17,5	9.062	14,60	TLC-107 SONDA 1
04/11/2014	17,7	9.035	14,60	TLC-107 SONDA 1
04/11/2014	17,9	37.300	15,00	TLC-107 SONDA 1
04/11/2014	18,1	41.200	15,10	TLC-107 SONDA 1
04/11/2014	18,3	47.200	15,20	TLC-107 SONDA 1
04/11/2014	18,5	82.800	15,20	TLC-107 SONDA 1
04/11/2014	18,7	124.100	15,20	TLC-107 SONDA 1
04/11/2014	18,9	147.900	15,20	TLC-107 SONDA 1
04/11/2014	19,1	151.700	15,20	TLC-107 SONDA 1
04/11/2014	19,3	157.000	15,20	TLC-107 SONDA 1
04/11/2014	19,5	158.700	15,20	TLC-107 SONDA 1
04/11/2014	19,7	161.000	15,20	TLC-107 SONDA 1
04/11/2014	19,9	163.900	15,30	TLC-107 SONDA 1
04/11/2014	20,1	165.900	15,30	TLC-107 SONDA 1
04/11/2014	20,5	174.400	15,20	TLC-107 SONDA 1
04/11/2014	21,0	252.200	15,20	TLC-107 SONDA 1
04/11/2014	22,0	331.900	15,20	TLC-107 SONDA 1
04/11/2014	24,0	357.900	15,20	TLC-107 SONDA 1
04/11/2014	26,0	381.900	15,20	TLC-107 SONDA 1
04/11/2014	28,0	400.000	15,20	TLC-107 SONDA 1
04/11/2014	28,6	239.400	15,20	TLC-107 SONDA 1
02/12/2014	0,7	8.771	14,30	TLC-107 SONDA 1
02/12/2014	1,0	8.789	14,20	TLC-107 SONDA 1
02/12/2014	1,5	8.808	14,20	TLC-107 SONDA 1
02/12/2014	2,0	8.818	14,20	TLC-107 SONDA 1
02/12/2014	2,5	8.859	14,20	TLC-107 SONDA 1
02/12/2014	3,0	8.875	14,20	TLC-107 SONDA 1
02/12/2014	4,0	8.850	14,20	TLC-107 SONDA 1
02/12/2014	5,0	8.877	14,20	TLC-107 SONDA 1
02/12/2014	6,0	8.898	14,20	TLC-107 SONDA 1
02/12/2014	7,0	8.899	14,20	TLC-107 SONDA 1
02/12/2014	8,0	8.890	14,20	TLC-107 SONDA 1
02/12/2014	9,0	8.889	14,20	TLC-107 SONDA 1
02/12/2014	10,0	8.833	14,20	TLC-107 SONDA 1
02/12/2014	11,0	8.748	14,30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/12/2014	12,0	8.643	14,30	TLC-107 SONDA 1
02/12/2014	13,0	8.634	14,30	TLC-107 SONDA 1
02/12/2014	14,0	8.636	14,30	TLC-107 SONDA 1
02/12/2014	15,0	8.711	14,30	TLC-107 SONDA 1
02/12/2014	16,0	8.738	14,30	TLC-107 SONDA 1
02/12/2014	17,0	8.749	14,40	TLC-107 SONDA 1
02/12/2014	17,2	8.745	14,50	TLC-107 SONDA 1
02/12/2014	17,4	8.751	14,50	TLC-107 SONDA 1
02/12/2014	17,6	8.790	14,50	TLC-107 SONDA 1
02/12/2014	17,8	9.530	14,50	TLC-107 SONDA 1
02/12/2014	18,0	29.500	14,80	TLC-107 SONDA 1
02/12/2014	18,2	37.900	15,00	TLC-107 SONDA 1
02/12/2014	18,4	45.900	15,00	TLC-107 SONDA 1
02/12/2014	18,6	80.500	15,10	TLC-107 SONDA 1
02/12/2014	18,8	112.200	15,10	TLC-107 SONDA 1
02/12/2014	19,0	127.300	15,10	TLC-107 SONDA 1
02/12/2014	19,5	129.200	15,10	TLC-107 SONDA 1
02/12/2014	20,0	130.100	15,10	TLC-107 SONDA 1
02/12/2014	20,5	131.700	15,10	TLC-107 SONDA 1
02/12/2014	21,0	151.700	15,10	TLC-107 SONDA 1
02/12/2014	21,5	204.100	15,10	TLC-107 SONDA 1
02/12/2014	22,0	205.300	15,10	TLC-107 SONDA 1
02/12/2014	23,0	206.900	15,10	TLC-107 SONDA 1
02/12/2014	24,0	206.500	15,10	TLC-107 SONDA 1
02/12/2014	26,0	208.200	15,10	TLC-107 SONDA 1
02/12/2014	28,0	206.100	15,10	TLC-107 SONDA 1
02/12/2014	28,3	131.100	15,10	TLC-107 SONDA 1
09/01/2015	0,7	6.439	14,80	TLC-107 SONDA 1
09/01/2015	1,0	7.262	14,40	TLC-107 SONDA 1
09/01/2015	1,5	7.245	14,20	TLC-107 SONDA 1
09/01/2015	2,0	7.230	14,20	TLC-107 SONDA 1
09/01/2015	3,0	7.232	14,20	TLC-107 SONDA 1
09/01/2015	4,0	7.215	14,20	TLC-107 SONDA 1
09/01/2015	5,0	7.224	14,20	TLC-107 SONDA 1
09/01/2015	6,0	7.224	14,20	TLC-107 SONDA 1
09/01/2015	8,0	7.224	14,20	TLC-107 SONDA 1
09/01/2015	10,0	7.237	14,20	TLC-107 SONDA 1
09/01/2015	12,0	7.222	14,30	TLC-107 SONDA 1
09/01/2015	14,0	7.251	14,30	TLC-107 SONDA 1
09/01/2015	16,0	7.237	14,30	TLC-107 SONDA 1
09/01/2015	17,0	7.318	14,40	TLC-107 SONDA 1
09/01/2015	17,2	7.370	14,40	TLC-107 SONDA 1
09/01/2015	17,4	7.493	14,40	TLC-107 SONDA 1
09/01/2015	17,6	7.578	14,40	TLC-107 SONDA 1
09/01/2015	17,8	7.526	14,40	TLC-107 SONDA 1
09/01/2015	18,0	31.500	14,90	TLC-107 SONDA 1
09/01/2015	18,2	38.000	15,10	TLC-107 SONDA 1
09/01/2015	18,4	49.900	15,20	TLC-107 SONDA 1
09/01/2015	18,6	95.900	15,20	TLC-107 SONDA 1
09/01/2015	18,8	109.900	15,20	TLC-107 SONDA 1
09/01/2015	19,0	117.800	15,20	TLC-107 SONDA 1
09/01/2015	19,2	122.900	15,20	TLC-107 SONDA 1
09/01/2015	19,4	126.700	15,20	TLC-107 SONDA 1
09/01/2015	19,6	130.100	15,20	TLC-107 SONDA 1
09/01/2015	19,8	133.600	15,20	TLC-107 SONDA 1
09/01/2015	20,0	135.700	15,30	TLC-107 SONDA 1
09/01/2015	20,2	136.500	15,30	TLC-107 SONDA 1
09/01/2015	20,4	137.400	15,20	TLC-107 SONDA 1
09/01/2015	20,6	145.400	15,20	TLC-107 SONDA 1
09/01/2015	20,8	161.600	15,20	TLC-107 SONDA 1
09/01/2015	21,0	175.900	15,20	TLC-107 SONDA 1
09/01/2015	21,2	192.800	15,20	TLC-107 SONDA 1
09/01/2015	21,4	205.100	15,20	TLC-107 SONDA 1
09/01/2015	21,6	211.900	15,20	TLC-107 SONDA 1
09/01/2015	21,8	214.600	15,20	TLC-107 SONDA 1
09/01/2015	22,0	217.700	15,20	TLC-107 SONDA 1
09/01/2015	24,0	227.600	15,20	TLC-107 SONDA 1
09/01/2015	26,0	228.700	15,20	TLC-107 SONDA 1
09/01/2015	28,0	233.900	15,20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/01/2015	28,3	156.600	15,20	TLC-107 SONDA 1
11/02/2015	0,7	7.801	15,20	TLC-107 SONDA 1
11/02/2015	1,0	7.951	14,60	TLC-107 SONDA 1
11/02/2015	1,5	8.036	14,40	TLC-107 SONDA 1
11/02/2015	2,0	8.088	14,20	TLC-107 SONDA 1
11/02/2015	3,0	8.093	14,20	TLC-107 SONDA 1
11/02/2015	4,0	8.126	14,20	TLC-107 SONDA 1
11/02/2015	6,0	8.191	14,20	TLC-107 SONDA 1
11/02/2015	8,0	8.239	14,20	TLC-107 SONDA 1
11/02/2015	10,0	8.284	14,20	TLC-107 SONDA 1
11/02/2015	12,0	8.344	14,20	TLC-107 SONDA 1
11/02/2015	14,0	8.381	14,20	TLC-107 SONDA 1
11/02/2015	16,0	8.440	14,20	TLC-107 SONDA 1
11/02/2015	17,0	8.450	14,40	TLC-107 SONDA 1
11/02/2015	17,2	8.483	14,40	TLC-107 SONDA 1
11/02/2015	17,4	8.500	14,40	TLC-107 SONDA 1
11/02/2015	17,6	8.520	14,40	TLC-107 SONDA 1
11/02/2015	17,8	8.541	14,40	TLC-107 SONDA 1
11/02/2015	18,0	24.000	14,80	TLC-107 SONDA 1
11/02/2015	18,2	46.000	15,10	TLC-107 SONDA 1
11/02/2015	18,4	63.300	15,10	TLC-107 SONDA 1
11/02/2015	18,6	122.800	15,20	TLC-107 SONDA 1
11/02/2015	18,8	150.600	15,20	TLC-107 SONDA 1
11/02/2015	19,0	173.500	15,20	TLC-107 SONDA 1
11/02/2015	19,2	235.900	15,20	TLC-107 SONDA 1
11/02/2015	19,4	261.300	15,20	TLC-107 SONDA 1
11/02/2015	19,6	337.900	15,20	TLC-107 SONDA 1
11/02/2015	19,8	366.300	15,20	TLC-107 SONDA 1
11/02/2015	20,0	393.100	15,20	TLC-107 SONDA 1
11/02/2015	22,0	400.000	15,20	TLC-107 SONDA 1
11/02/2015	24,0	400.000	15,20	TLC-107 SONDA 1
11/02/2015	26,0	400.000	15,20	TLC-107 SONDA 1
11/02/2015	28,0	400.000	15,20	TLC-107 SONDA 1
11/02/2015	28,5	400.000	15,20	TLC-107 SONDA 1
04/03/2015	26,0	242.000	15,20	TLC-107 SONDA 1
04/03/2015	28,0	251.000	15,20	TLC-107 SONDA 1
04/03/2015	28,5	161.500	15,20	TLC-107 SONDA 1
04/03/2015	0,7	23.400	15,00	TLC-107 SONDA 1
04/03/2015	1,0	23.300	14,20	TLC-107 SONDA 1
04/03/2015	2,0	23.200	14,20	TLC-107 SONDA 1
04/03/2015	3,0	23.200	14,20	TLC-107 SONDA 1
04/03/2015	4,0	23.200	14,20	TLC-107 SONDA 1
04/03/2015	6,0	23.300	14,20	TLC-107 SONDA 1
04/03/2015	8,0	23.300	14,20	TLC-107 SONDA 1
04/03/2015	10,0	23.300	14,20	TLC-107 SONDA 1
04/03/2015	11,0	23.300	14,20	TLC-107 SONDA 1
04/03/2015	12,0	23.300	14,20	TLC-107 SONDA 1
04/03/2015	13,0	23.300	14,20	TLC-107 SONDA 1
04/03/2015	14,0	23.300	14,20	TLC-107 SONDA 1
04/03/2015	15,0	23.400	14,20	TLC-107 SONDA 1
04/03/2015	15,5	23.300	14,20	TLC-107 SONDA 1
04/03/2015	16,0	23.400	14,30	TLC-107 SONDA 1
04/03/2015	16,5	23.400	14,30	TLC-107 SONDA 1
04/03/2015	17,0	23.500	14,30	TLC-107 SONDA 1
04/03/2015	17,5	23.500	14,40	TLC-107 SONDA 1
04/03/2015	17,7	23.700	14,40	TLC-107 SONDA 1
04/03/2015	17,9	23.700	14,40	TLC-107 SONDA 1
04/03/2015	18,0	47.600	14,90	TLC-107 SONDA 1
04/03/2015	18,2	55.400	15,10	TLC-107 SONDA 1
04/03/2015	18,4	66.400	15,20	TLC-107 SONDA 1
04/03/2015	18,6	110.100	15,20	TLC-107 SONDA 1
04/03/2015	18,8	134.000	15,20	TLC-107 SONDA 1
04/03/2015	19,0	147.200	15,20	TLC-107 SONDA 1
04/03/2015	19,2	147.000	15,20	TLC-107 SONDA 1
04/03/2015	19,4	147.600	15,20	TLC-107 SONDA 1
04/03/2015	19,6	149.400	15,20	TLC-107 SONDA 1
04/03/2015	19,8	152.400	15,20	TLC-107 SONDA 1
04/03/2015	20,0	151.000	15,20	TLC-107 SONDA 1
04/03/2015	20,2	153.000	15,20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/03/2015	20,4	152.000	15,20	TLC-107 SONDA 1
04/03/2015	20,6	157.100	15,20	TLC-107 SONDA 1
04/03/2015	20,8	165.700	15,20	TLC-107 SONDA 1
04/03/2015	21,0	186.300	15,20	TLC-107 SONDA 1
04/03/2015	21,5	229.600	15,20	TLC-107 SONDA 1
04/03/2015	22,0	234.000	15,20	TLC-107 SONDA 1
04/03/2015	24,0	240.200	15,20	TLC-107 SONDA 1
05/05/2015	0,7	7.996	14,70	TLC-107 SONDA 2
05/05/2015	1,0	8.742	14,60	TLC-107 SONDA 2
05/05/2015	1,5	8.897	14,50	TLC-107 SONDA 2
05/05/2015	2,0	8.943	14,40	TLC-107 SONDA 2
05/05/2015	3,0	8.985	14,40	TLC-107 SONDA 2
05/05/2015	4,0	9.005	14,40	TLC-107 SONDA 2
05/05/2015	5,0	9.026	14,40	TLC-107 SONDA 2
05/05/2015	7,0	9.099	14,40	TLC-107 SONDA 2
05/05/2015	9,0	9.148	14,40	TLC-107 SONDA 2
05/05/2015	11,0	9.202	14,40	TLC-107 SONDA 2
05/05/2015	13,0	9.252	14,40	TLC-107 SONDA 2
05/05/2015	15,0	9.258	14,50	TLC-107 SONDA 2
05/05/2015	17,0	9.283	14,60	TLC-107 SONDA 2
05/05/2015	17,2	9.432	14,70	TLC-107 SONDA 2
05/05/2015	17,4	10.600	14,70	TLC-107 SONDA 2
05/05/2015	17,6	62.600	15,10	TLC-107 SONDA 2
05/05/2015	17,8	66.200	15,20	TLC-107 SONDA 2
05/05/2015	18,0	68.600	15,20	TLC-107 SONDA 2
05/05/2015	18,2	71.500	15,30	TLC-107 SONDA 2
05/05/2015	18,4	119.700	15,30	TLC-107 SONDA 2
05/05/2015	18,6	311.200	15,30	TLC-107 SONDA 2
05/05/2015	18,8	348.200	15,30	TLC-107 SONDA 2
05/05/2015	19,0	365.000	15,30	TLC-107 SONDA 2
05/05/2015	21,0	400.000	15,30	TLC-107 SONDA 2
05/05/2015	23,0	400.000	15,30	TLC-107 SONDA 2
05/05/2015	25,0	400.000	15,30	TLC-107 SONDA 2
05/05/2015	27,0	400.000	15,20	TLC-107 SONDA 2
05/05/2015	28,4	377.600	15,20	TLC-107 SONDA 2
03/06/2015	0,6	7.654	13,40	TLC-107 SONDA 2
03/06/2015	1,0	7.784	14,00	TLC-107 SONDA 2
03/06/2015	1,5	8.037	14,20	TLC-107 SONDA 2
03/06/2015	2,0	8.101	14,40	TLC-107 SONDA 2
03/06/2015	3,0	8.196	14,40	TLC-107 SONDA 2
03/06/2015	4,0	8.222	14,40	TLC-107 SONDA 2
03/06/2015	6,0	8.222	14,40	TLC-107 SONDA 2
03/06/2015	8,0	8.202	14,40	TLC-107 SONDA 2
03/06/2015	10,0	8.198	14,50	TLC-107 SONDA 2
03/06/2015	11,0	8.232	14,50	TLC-107 SONDA 2
03/06/2015	12,0	8.262	14,50	TLC-107 SONDA 2
03/06/2015	12,5	8.272	14,50	TLC-107 SONDA 2
03/06/2015	13,0	8.309	14,50	TLC-107 SONDA 2
03/06/2015	15,0	8.261	14,60	TLC-107 SONDA 2
03/06/2015	16,0	8.292	14,60	TLC-107 SONDA 2
03/06/2015	17,0	8.309	14,70	TLC-107 SONDA 2
03/06/2015	17,5	9.663	14,70	TLC-107 SONDA 2
03/06/2015	17,7	38.000	15,00	TLC-107 SONDA 2
03/06/2015	17,9	39.800	15,20	TLC-107 SONDA 2
03/06/2015	18,0	40.600	15,20	TLC-107 SONDA 2
03/06/2015	18,2	43.600	15,20	TLC-107 SONDA 2
03/06/2015	18,4	59.600	15,30	TLC-107 SONDA 2
03/06/2015	18,6	162.000	15,30	TLC-107 SONDA 2
03/06/2015	18,8	187.600	15,30	TLC-107 SONDA 2
03/06/2015	19,0	196.600	15,30	TLC-107 SONDA 2
03/06/2015	19,5	202.500	15,30	TLC-107 SONDA 2
03/06/2015	20,0	210.200	15,30	TLC-107 SONDA 2
03/06/2015	21,0	247.500	15,30	TLC-107 SONDA 2
03/06/2015	23,0	259.900	15,30	TLC-107 SONDA 2
03/06/2015	25,0	259.800	15,30	TLC-107 SONDA 2
03/06/2015	27,0	259.700	15,30	TLC-107 SONDA 2
03/06/2015	28,0	260.300	15,30	TLC-107 SONDA 2
03/06/2015	28,8	214.400	15,30	TLC-107 SONDA 2
07/07/2015	0,6	8.809	14,20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/07/2015	1,0	8.815	14,40	TLC-107 SONDA 1
07/07/2015	1,5	8.806	14,50	TLC-107 SONDA 1
07/07/2015	2,0	8.805	14,50	TLC-107 SONDA 1
07/07/2015	3,0	8.802	14,50	TLC-107 SONDA 1
07/07/2015	4,0	8.810	14,30	TLC-107 SONDA 1
07/07/2015	5,0	8.810	14,50	TLC-107 SONDA 1
07/07/2015	6,0	8.809	14,50	TLC-107 SONDA 1
07/07/2015	7,0	8.810	14,50	TLC-107 SONDA 1
07/07/2015	9,0	8.815	14,50	TLC-107 SONDA 1
07/07/2015	11,0	8.801	14,60	TLC-107 SONDA 1
07/07/2015	13,0	8.792	14,60	TLC-107 SONDA 1
07/07/2015	15,0	8.805	14,60	TLC-107 SONDA 1
07/07/2015	17,0	8.808	14,70	TLC-107 SONDA 1
07/07/2015	17,2	9.894	14,80	TLC-107 SONDA 1
07/07/2015	17,4	30.000	15,00	TLC-107 SONDA 1
07/07/2015	17,6	44.500	15,20	TLC-107 SONDA 1
07/07/2015	17,8	46.100	15,20	TLC-107 SONDA 1
07/07/2015	18,0	46.800	15,20	TLC-107 SONDA 1
07/07/2015	18,2	50.600	15,30	TLC-107 SONDA 1
07/07/2015	18,4	76.800	15,40	TLC-107 SONDA 1
07/07/2015	18,6	199.100	15,30	TLC-107 SONDA 1
07/07/2015	18,8	223.000	15,30	TLC-107 SONDA 1
07/07/2015	19,0	225.900	15,30	TLC-107 SONDA 1
07/07/2015	20,0	231.100	15,30	TLC-107 SONDA 1
07/07/2015	21,0	267.200	15,30	TLC-107 SONDA 1
07/07/2015	23,0	280.500	15,30	TLC-107 SONDA 1
07/07/2015	25,0	281.100	15,30	TLC-107 SONDA 1
07/07/2015	27,0	282.200	15,30	TLC-107 SONDA 1
07/07/2015	28,8	237.800	15,20	TLC-107 SONDA 1
05/08/2015	0,8	7.896	13,82	SEBA MPS-D3
05/08/2015	1,0	7.849	13,95	SEBA MPS-D3
05/08/2015	2,0	7.831	14,24	SEBA MPS-D3
05/08/2015	3,0	7.829	14,26	SEBA MPS-D3
05/08/2015	4,0	7.829	14,25	SEBA MPS-D3
05/08/2015	6,0	7.830	14,26	SEBA MPS-D3
05/08/2015	8,0	7.836	14,27	SEBA MPS-D3
05/08/2015	10,0	7.827	14,32	SEBA MPS-D3
05/08/2015	12,0	7.826	14,33	SEBA MPS-D3
05/08/2015	14,0	7.828	14,35	SEBA MPS-D3
05/08/2015	16,0	7.827	14,49	SEBA MPS-D3
05/08/2015	17,0	7.825	14,56	SEBA MPS-D3
05/08/2015	17,5	34.287	14,97	SEBA MPS-D3
05/08/2015	17,7	34.389	15,04	SEBA MPS-D3
05/08/2015	17,9	34.595	15,07	SEBA MPS-D3
05/08/2015	18,1	35.816	15,09	SEBA MPS-D3
05/08/2015	18,3	43.299	15,09	SEBA MPS-D3
05/08/2015	18,5	81.279	15,09	SEBA MPS-D3
05/08/2015	18,7	133.239	15,10	SEBA MPS-D3
05/08/2015	18,9	138.874	15,09	SEBA MPS-D3
05/08/2015	19,1	139.036	15,10	SEBA MPS-D3
05/08/2015	19,3	139.130	15,09	SEBA MPS-D3
05/08/2015	19,5	139.059	15,10	SEBA MPS-D3
05/08/2015	19,7	139.176	15,10	SEBA MPS-D3
05/08/2015	19,9	139.281	15,09	SEBA MPS-D3
05/08/2015	20,1	139.247	15,09	SEBA MPS-D3
05/08/2015	20,3	139.258	15,09	SEBA MPS-D3
05/08/2015	20,5	141.563	15,09	SEBA MPS-D3
05/08/2015	20,7	152.253	15,09	SEBA MPS-D3
05/08/2015	20,9	172.647	15,08	SEBA MPS-D3
05/08/2015	21,1	197.688	15,08	SEBA MPS-D3
05/08/2015	21,3	215.119	15,07	SEBA MPS-D3
05/08/2015	21,5	220.487	15,07	SEBA MPS-D3
05/08/2015	22,0	225.933	15,07	SEBA MPS-D3
05/08/2015	24,0	234.683	15,05	SEBA MPS-D3
05/08/2015	26,0	234.719	15,04	SEBA MPS-D3
05/08/2015	28,0	237.046	15,03	SEBA MPS-D3
05/08/2015	28,3	155.010	15,03	SEBA MPS-D3
01/09/2015	0,8	8.098	14,27	SEBA MPS-D3
01/09/2015	1,0	8.070	14,24	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
01/09/2015	3,0	8.039	14,27	SEBA MPS-D3
01/09/2015	5,0	8.037	14,28	SEBA MPS-D3
01/09/2015	7,0	8.044	14,28	SEBA MPS-D3
01/09/2015	9,0	8.040	14,32	SEBA MPS-D3
01/09/2015	11,0	8.040	14,34	SEBA MPS-D3
01/09/2015	13,0	8.040	14,35	SEBA MPS-D3
01/09/2015	15,0	8.040	14,40	SEBA MPS-D3
01/09/2015	16,0	8.040	14,47	SEBA MPS-D3
01/09/2015	17,0	8.040	14,53	SEBA MPS-D3
01/09/2015	17,2	8.038	14,55	SEBA MPS-D3
01/09/2015	17,4	35.140	14,95	SEBA MPS-D3
01/09/2015	17,6	35.230	15,02	SEBA MPS-D3
01/09/2015	17,8	35.390	15,05	SEBA MPS-D3
01/09/2015	18,0	35.890	15,08	SEBA MPS-D3
01/09/2015	18,2	38.860	15,09	SEBA MPS-D3
01/09/2015	18,4	55.550	15,10	SEBA MPS-D3
01/09/2015	18,6	125.200	15,09	SEBA MPS-D3
01/09/2015	18,8	139.600	15,10	SEBA MPS-D3
01/09/2015	19,0	142.300	15,10	SEBA MPS-D3
01/09/2015	19,5	142.500	15,10	SEBA MPS-D3
01/09/2015	20,0	142.600	15,10	SEBA MPS-D3
01/09/2015	20,5	144.700	15,09	SEBA MPS-D3
01/09/2015	21,0	189.300	15,08	SEBA MPS-D3
01/09/2015	21,5	226.100	15,08	SEBA MPS-D3
01/09/2015	22,0	232.900	15,08	SEBA MPS-D3
01/09/2015	24,0	240.400	15,05	SEBA MPS-D3
01/09/2015	26,0	240.500	15,04	SEBA MPS-D3
01/09/2015	28,0	242.800	15,03	SEBA MPS-D3
01/09/2015	28,3	151.000	15,03	SEBA MPS-D3
07/10/2015	0,7	7.979	14,40	SEBA MPS-D3
07/10/2015	1,0	7.962	14,35	SEBA MPS-D3
07/10/2015	3,0	7.962	14,26	SEBA MPS-D3
07/10/2015	5,0	7.961	14,26	SEBA MPS-D3
07/10/2015	7,0	7.958	14,26	SEBA MPS-D3
07/10/2015	9,0	7.967	14,28	SEBA MPS-D3
07/10/2015	11,0	7.961	14,30	SEBA MPS-D3
07/10/2015	13,0	7.962	14,30	SEBA MPS-D3
07/10/2015	15,0	7.961	14,34	SEBA MPS-D3
07/10/2015	17,0	7.962	14,44	SEBA MPS-D3
07/10/2015	17,2	7.962	14,44	SEBA MPS-D3
07/10/2015	17,4	34.669	14,97	SEBA MPS-D3
07/10/2015	17,6	34.712	15,00	SEBA MPS-D3
07/10/2015	17,8	34.705	15,01	SEBA MPS-D3
07/10/2015	18,0	34.833	15,02	SEBA MPS-D3
07/10/2015	18,2	40.300	15,09	SEBA MPS-D3
07/10/2015	18,4	51.843	15,09	SEBA MPS-D3
07/10/2015	18,6	117.554	15,10	SEBA MPS-D3
07/10/2015	18,8	136.567	15,11	SEBA MPS-D3
07/10/2015	19,0	140.356	15,09	SEBA MPS-D3
07/10/2015	19,5	140.577	15,10	SEBA MPS-D3
07/10/2015	20,0	140.576	15,10	SEBA MPS-D3
07/10/2015	20,5	142.316	15,09	SEBA MPS-D3
07/10/2015	21,0	187.547	15,07	SEBA MPS-D3
07/10/2015	21,5	223.587	15,08	SEBA MPS-D3
07/10/2015	22,0	230.572	15,06	SEBA MPS-D3
07/10/2015	24,0	237.581	15,08	SEBA MPS-D3
07/10/2015	26,0	237.720	15,04	SEBA MPS-D3
07/10/2015	28,0	239.992	15,02	SEBA MPS-D3
07/10/2015	28,3	144.394	15,03	SEBA MPS-D3
04/11/2015	0,7	7.883	14,29	SEBA MPS-D3
04/11/2015	1,0	7.856	14,25	SEBA MPS-D3
04/11/2015	3,0	7.850	14,22	SEBA MPS-D3
04/11/2015	5,0	7.846	14,22	SEBA MPS-D3
04/11/2015	7,0	7.848	14,22	SEBA MPS-D3
04/11/2015	9,0	7.852	14,25	SEBA MPS-D3
04/11/2015	11,0	7.852	14,26	SEBA MPS-D3
04/11/2015	13,0	7.851	14,28	SEBA MPS-D3
04/11/2015	15,0	7.852	14,30	SEBA MPS-D3
04/11/2015	17,0	7.852	14,39	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/11/2015	17,2	7.851	14,40	SEBA MPS-D3
04/11/2015	17,4	33.965	14,89	SEBA MPS-D3
04/11/2015	17,6	34.126	14,97	SEBA MPS-D3
04/11/2015	17,8	34.222	15,02	SEBA MPS-D3
04/11/2015	18,0	34.267	15,05	SEBA MPS-D3
04/11/2015	18,2	36.989	15,08	SEBA MPS-D3
04/11/2015	18,4	55.831	15,09	SEBA MPS-D3
04/11/2015	18,6	102.167	15,09	SEBA MPS-D3
04/11/2015	18,8	132.862	15,09	SEBA MPS-D3
04/11/2015	19,0	138.430	15,11	SEBA MPS-D3
04/11/2015	20,0	138.697	15,09	SEBA MPS-D3
04/11/2015	20,5	141.620	15,09	SEBA MPS-D3
04/11/2015	21,0	180.194	15,10	SEBA MPS-D3
04/11/2015	21,5	219.538	15,07	SEBA MPS-D3
04/11/2015	22,0	226.317	15,08	SEBA MPS-D3
04/11/2015	24,0	234.420	15,05	SEBA MPS-D3
04/11/2015	26,0	234.221	15,06	SEBA MPS-D3
04/11/2015	28,0	236.657	15,03	SEBA MPS-D3
04/11/2015	28,3	137.504	15,03	SEBA MPS-D3
02/12/2015	1,0	8.102	14,25	SEBA MPS-D3
02/12/2015	3,0	8.082	14,18	SEBA MPS-D3
02/12/2015	5,0	8.076	14,18	SEBA MPS-D3
02/12/2015	7,0	8.079	14,18	SEBA MPS-D3
02/12/2015	9,0	8.088	14,21	SEBA MPS-D3
02/12/2015	11,0	8.079	14,24	SEBA MPS-D3
02/12/2015	13,0	8.081	14,26	SEBA MPS-D3
02/12/2015	15,0	8.081	14,28	SEBA MPS-D3
02/12/2015	17,0	8.082	14,39	SEBA MPS-D3
02/12/2015	17,2	8.090	14,40	SEBA MPS-D3
02/12/2015	17,4	34.733	14,93	SEBA MPS-D3
02/12/2015	17,6	34.926	14,98	SEBA MPS-D3
02/12/2015	17,8	35.074	15,03	SEBA MPS-D3
02/12/2015	18,0	35.322	15,07	SEBA MPS-D3
02/12/2015	18,2	39.066	15,09	SEBA MPS-D3
02/12/2015	18,4	53.891	15,09	SEBA MPS-D3
02/12/2015	18,6	112.536	15,09	SEBA MPS-D3
02/12/2015	18,8	136.251	15,10	SEBA MPS-D3
02/12/2015	19,0	142.233	15,11	SEBA MPS-D3
02/12/2015	20,0	142.517	15,10	SEBA MPS-D3
02/12/2015	20,5	143.447	15,10	SEBA MPS-D3
02/12/2015	21,0	190.497	15,10	SEBA MPS-D3
02/12/2015	21,5	226.978	15,06	SEBA MPS-D3
02/12/2015	22,0	231.836	15,10	SEBA MPS-D3
02/12/2015	24,0	241.286	15,05	SEBA MPS-D3
02/12/2015	26,0	241.235	15,04	SEBA MPS-D3
02/12/2015	28,0	243.558	15,03	SEBA MPS-D3
02/12/2015	28,3	145.417	15,03	SEBA MPS-D3
12/01/2016	0,8	8.118	14,30	SEBA MPS-D3
12/01/2016	1,0	8.092	14,19	SEBA MPS-D3
12/01/2016	3,0	8.067	14,16	SEBA MPS-D3
12/01/2016	5,0	8.061	14,14	SEBA MPS-D3
12/01/2016	7,0	8.062	14,15	SEBA MPS-D3
12/01/2016	9,0	8.067	14,18	SEBA MPS-D3
12/01/2016	11,0	8.063	14,22	SEBA MPS-D3
12/01/2016	13,0	8.062	14,22	SEBA MPS-D3
12/01/2016	15,0	8.062	14,27	SEBA MPS-D3
12/01/2016	17,0	8.062	14,38	SEBA MPS-D3
12/01/2016	17,2	10.306	14,55	SEBA MPS-D3
12/01/2016	17,4	34.821	14,92	SEBA MPS-D3
12/01/2016	17,6	35.074	15,00	SEBA MPS-D3
12/01/2016	17,8	35.177	15,05	SEBA MPS-D3
12/01/2016	18,0	35.545	15,08	SEBA MPS-D3
12/01/2016	18,2	38.652	15,09	SEBA MPS-D3
12/01/2016	18,4	51.031	15,10	SEBA MPS-D3
12/01/2016	18,6	108.657	15,10	SEBA MPS-D3
12/01/2016	18,8	135.316	15,10	SEBA MPS-D3
12/01/2016	19,0	141.512	15,10	SEBA MPS-D3
12/01/2016	20,0	141.745	15,10	SEBA MPS-D3
12/01/2016	20,5	142.481	15,09	SEBA MPS-D3



Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/01/2016	21,0	187.938	15,09	SEBA MPS-D3
12/01/2016	21,5	226.238	15,09	SEBA MPS-D3
12/01/2016	22,0	230.771	15,08	SEBA MPS-D3
12/01/2016	24,0	240.134	15,06	SEBA MPS-D3
12/01/2016	26,0	240.260	15,04	SEBA MPS-D3
12/01/2016	28,0	242.544	15,03	SEBA MPS-D3
12/01/2016	28,3	145.479	15,04	SEBA MPS-D3
09/02/2016	1,0	8.339	14,45	SEBA MPS-D3
09/02/2016	3,0	8.239	14,17	SEBA MPS-D3
09/02/2016	5,0	8.238	14,15	SEBA MPS-D3
09/02/2016	7,0	8.238	14,16	SEBA MPS-D3
09/02/2016	9,0	8.236	14,20	SEBA MPS-D3
09/02/2016	11,0	8.232	14,23	SEBA MPS-D3
09/02/2016	13,0	8.232	14,26	SEBA MPS-D3
09/02/2016	15,0	8.233	14,35	SEBA MPS-D3
09/02/2016	17,0	30.974	14,89	SEBA MPS-D3
09/02/2016	17,2	35.878	15,02	SEBA MPS-D3
09/02/2016	17,4	36.043	15,05	SEBA MPS-D3
09/02/2016	17,6	36.078	15,07	SEBA MPS-D3
09/02/2016	17,8	36.140	15,08	SEBA MPS-D3
09/02/2016	18,0	36.805	15,10	SEBA MPS-D3
09/02/2016	18,2	40.377	15,11	SEBA MPS-D3
09/02/2016	18,4	55.283	15,11	SEBA MPS-D3
09/02/2016	18,6	115.847	15,11	SEBA MPS-D3
09/02/2016	18,8	138.478	15,11	SEBA MPS-D3
09/02/2016	19,0	144.503	15,11	SEBA MPS-D3
09/02/2016	19,5	144.683	15,10	SEBA MPS-D3
09/02/2016	20,0	144.767	15,10	SEBA MPS-D3
09/02/2016	20,5	146.191	15,10	SEBA MPS-D3
09/02/2016	21,0	193.041	15,09	SEBA MPS-D3
09/02/2016	21,5	230.419	15,09	SEBA MPS-D3
09/02/2016	22,0	236.449	15,08	SEBA MPS-D3
09/02/2016	24,0	244.765	15,05	SEBA MPS-D3
09/02/2016	26,0	245.267	15,05	SEBA MPS-D3
09/02/2016	28,0	247.681	15,04	SEBA MPS-D3
09/02/2016	28,3	140.765	15,04	SEBA MPS-D3
08/03/2016	1,0	8.198	14,25	SEBA MPS-D3
08/03/2016	3,0	8.161	14,17	SEBA MPS-D3
08/03/2016	5,0	8.161	14,16	SEBA MPS-D3
08/03/2016	7,0	8.164	14,19	SEBA MPS-D3
08/03/2016	9,0	8.161	14,21	SEBA MPS-D3
08/03/2016	11,0	8.153	14,25	SEBA MPS-D3
08/03/2016	13,0	8.154	14,26	SEBA MPS-D3
08/03/2016	15,0	8.155	14,31	SEBA MPS-D3
08/03/2016	17,0	13.560	14,53	SEBA MPS-D3
08/03/2016	17,2	35.480	14,92	SEBA MPS-D3
08/03/2016	17,4	35.790	15,02	SEBA MPS-D3
08/03/2016	17,6	35.810	15,06	SEBA MPS-D3
08/03/2016	17,8	35.910	15,08	SEBA MPS-D3
08/03/2016	18,0	36.290	15,10	SEBA MPS-D3
08/03/2016	18,2	41.010	15,11	SEBA MPS-D3
08/03/2016	18,4	52.210	15,11	SEBA MPS-D3
08/03/2016	18,6	110.100	15,11	SEBA MPS-D3
08/03/2016	18,8	135.200	15,11	SEBA MPS-D3
08/03/2016	19,0	143.000	15,10	SEBA MPS-D3
08/03/2016	19,2	143.100	15,12	SEBA MPS-D3
08/03/2016	19,4	143.200	15,11	SEBA MPS-D3
08/03/2016	19,6	143.200	15,11	SEBA MPS-D3
08/03/2016	19,8	143.200	15,10	SEBA MPS-D3
08/03/2016	20,0	143.300	15,10	SEBA MPS-D3
08/03/2016	20,2	143.300	15,01	SEBA MPS-D3
08/03/2016	20,4	143.300	15,10	SEBA MPS-D3
08/03/2016	20,6	150.500	15,10	SEBA MPS-D3
08/03/2016	20,8	169.500	15,09	SEBA MPS-D3
08/03/2016	21,0	190.600	15,09	SEBA MPS-D3
08/03/2016	21,2	213.400	15,09	SEBA MPS-D3
08/03/2016	21,4	225.700	15,08	SEBA MPS-D3
08/03/2016	22,0	232.700	15,08	SEBA MPS-D3
08/03/2016	24,0	242.700	15,06	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/03/2016	26,0	242.900	15,04	SEBA MPS-D3
06/05/2016	0,7	8.032	14,53	SEBA KLL-Q
06/05/2016	1,0	8.014	14,27	SEBA KLL-Q
06/05/2016	2,0	8.013	14,23	SEBA KLL-Q
06/05/2016	3,0	8.007	14,24	SEBA KLL-Q
06/05/2016	4,0	8.003	14,22	SEBA KLL-Q
06/05/2016	5,0	8.003	14,22	SEBA KLL-Q
06/05/2016	6,0	8.003	14,22	SEBA KLL-Q
06/05/2016	8,0	8.006	14,22	SEBA KLL-Q
06/05/2016	10,0	8.004	14,26	SEBA KLL-Q
06/05/2016	12,0	8.003	14,27	SEBA KLL-Q
06/05/2016	14,0	8.004	14,27	SEBA KLL-Q
06/05/2016	16,0	8.002	14,38	SEBA KLL-Q
06/05/2016	17,0	8.003	14,38	SEBA KLL-Q
06/05/2016	18,0	35.580	14,98	SEBA KLL-Q
06/05/2016	18,5	88.930	15,06	SEBA KLL-Q
06/05/2016	18,8	144.800	15,07	SEBA KLL-Q
06/05/2016	19,0	140.200	15,09	SEBA KLL-Q
06/05/2016	19,3	140.400	15,08	SEBA KLL-Q
06/05/2016	19,5	140.400	15,08	SEBA KLL-Q
06/05/2016	20,0	140.400	15,09	SEBA KLL-Q
06/05/2016	20,5	143.700	15,08	SEBA KLL-Q
06/05/2016	21,0	188.300	15,07	SEBA KLL-Q
06/05/2016	21,3	215.040	15,07	SEBA KLL-Q
06/05/2016	21,5	225.800	15,06	SEBA KLL-Q
06/05/2016	21,8	226.300	15,06	SEBA KLL-Q
06/05/2016	22,0	228.100	15,06	SEBA KLL-Q
06/05/2016	22,5	233.900	15,06	SEBA KLL-Q
06/05/2016	23,0	235.300	15,05	SEBA KLL-Q
06/05/2016	23,5	239.900	15,04	SEBA KLL-Q
06/05/2016	24,0	236.300	15,04	SEBA KLL-Q
06/05/2016	25,0	237.300	15,04	SEBA KLL-Q
06/05/2016	26,0	238.100	15,02	SEBA KLL-Q
06/05/2016	27,0	238.700	15,01	SEBA KLL-Q
06/05/2016	28,0	240.500	15,01	SEBA KLL-Q
06/05/2016	28,3	141.100	15,01	SEBA KLL-Q
12/07/2016	0,7	7.733	14,61	SEBA KLL-Q
12/07/2016	1,0	7.712	14,48	SEBA KLL-Q
12/07/2016	2,0	7.710	14,38	SEBA KLL-Q
12/07/2016	3,0	7.700	14,38	SEBA KLL-Q
12/07/2016	4,0	7.707	14,38	SEBA KLL-Q
12/07/2016	5,0	7.707	14,38	SEBA KLL-Q
12/07/2016	6,0	7.707	14,38	SEBA KLL-Q
12/07/2016	7,0	7.711	14,38	SEBA KLL-Q
12/07/2016	8,0	7.709	14,38	SEBA KLL-Q
12/07/2016	9,0	7.706	14,41	SEBA KLL-Q
12/07/2016	10,0	7.705	14,42	SEBA KLL-Q
12/07/2016	11,0	7.706	14,42	SEBA KLL-Q
12/07/2016	12,0	7.708	14,42	SEBA KLL-Q
12/07/2016	12,0	7.705	14,42	SEBA KLL-Q
12/07/2016	13,0	7.705	14,43	SEBA KLL-Q
12/07/2016	14,0	7.704	14,45	SEBA KLL-Q
12/07/2016	15,0	7.704	14,52	SEBA KLL-Q
12/07/2016	16,0	7.705	14,54	SEBA KLL-Q
12/07/2016	18,0	34.380	15,04	SEBA KLL-Q
12/07/2016	18,3	39.640	15,07	SEBA KLL-Q
12/07/2016	18,5	86.400	15,09	SEBA KLL-Q
12/07/2016	18,8	133.600	15,09	SEBA KLL-Q
12/07/2016	19,0	135.400	15,09	SEBA KLL-Q
12/07/2016	19,3	135.500	15,09	SEBA KLL-Q
12/07/2016	19,5	135.400	15,09	SEBA KLL-Q
12/07/2016	19,8	135.500	15,08	SEBA KLL-Q
12/07/2016	20,0	135.500	15,09	SEBA KLL-Q
12/07/2016	20,5	138.400	15,08	SEBA KLL-Q
12/07/2016	21,0	180.200	15,08	SEBA KLL-Q
12/07/2016	21,3	207.100	15,07	SEBA KLL-Q
12/07/2016	21,5	215.900	15,06	SEBA KLL-Q
12/07/2016	22,0	221.000	15,06	SEBA KLL-Q
12/07/2016	23,0	226.900	15,05	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/07/2016	24,0	227.300	15,06	SEBA KLL-Q
12/07/2016	26,0	229.700	15,02	SEBA KLL-Q
12/07/2016	28,0	232.200	15,00	SEBA KLL-Q
12/07/2016	28,3	130.400	15,02	SEBA KLL-Q
10/10/2016	0,7	7.891	14,36	SEBA KLL-Q
10/10/2016	1,0	7.881	14,34	SEBA KLL-Q
10/10/2016	2,0	7.824	14,42	SEBA KLL-Q
10/10/2016	3,0	7.808	14,43	SEBA KLL-Q
10/10/2016	4,0	7.805	14,42	SEBA KLL-Q
10/10/2016	5,0	7.803	14,42	SEBA KLL-Q
10/10/2016	6,0	7.804	14,43	SEBA KLL-Q
10/10/2016	7,0	7.802	14,43	SEBA KLL-Q
10/10/2016	8,0	7.797	14,43	SEBA KLL-Q
10/10/2016	9,0	7.798	14,46	SEBA KLL-Q
10/10/2016	10,0	7.797	14,47	SEBA KLL-Q
10/10/2016	11,0	7.798	14,48	SEBA KLL-Q
10/10/2016	12,0	7.797	14,49	SEBA KLL-Q
10/10/2016	13,0	7.796	14,50	SEBA KLL-Q
10/10/2016	14,0	7.796	14,50	SEBA KLL-Q
10/10/2016	15,0	7.797	14,53	SEBA KLL-Q
10/10/2016	16,0	7.798	14,57	SEBA KLL-Q
10/10/2016	16,2	7.796	14,58	SEBA KLL-Q
10/10/2016	16,4	7.796	14,60	SEBA KLL-Q
10/10/2016	16,6	7.796	14,61	SEBA KLL-Q
10/10/2016	16,8	7.796	14,62	SEBA KLL-Q
10/10/2016	17,0	7.795	14,63	SEBA KLL-Q
10/10/2016	17,2	34.226	14,95	SEBA KLL-Q
10/10/2016	17,4	34.247	15,03	SEBA KLL-Q
10/10/2016	17,6	34.325	15,07	SEBA KLL-Q
10/10/2016	17,8	34.436	15,09	SEBA KLL-Q
10/10/2016	18,0	34.986	15,10	SEBA KLL-Q
10/10/2016	18,2	37.573	15,11	SEBA KLL-Q
10/10/2016	18,4	56.499	15,12	SEBA KLL-Q
10/10/2016	18,6	126.344	15,11	SEBA KLL-Q
10/10/2016	18,8	136.509	15,12	SEBA KLL-Q
10/10/2016	19,0	138.610	15,11	SEBA KLL-Q
10/10/2016	19,2	138.706	15,11	SEBA KLL-Q
10/10/2016	19,4	138.805	15,11	SEBA KLL-Q
10/10/2016	19,6	139.095	15,11	SEBA KLL-Q
10/10/2016	19,8	139.173	15,11	SEBA KLL-Q
10/10/2016	20,0	139.228	15,11	SEBA KLL-Q
10/10/2016	20,2	139.284	15,10	SEBA KLL-Q
10/10/2016	20,4	139.348	15,10	SEBA KLL-Q
10/10/2016	20,6	145.770	15,09	SEBA KLL-Q
10/10/2016	20,8	164.437	15,10	SEBA KLL-Q
10/10/2016	21,0	186.413	15,09	SEBA KLL-Q
10/10/2016	21,2	209.110	15,09	SEBA KLL-Q
10/10/2016	21,4	220.996	15,09	SEBA KLL-Q
10/10/2016	21,6	225.563	15,08	SEBA KLL-Q
10/10/2016	21,8	227.126	15,09	SEBA KLL-Q
10/10/2016	22,0	228.919	15,08	SEBA KLL-Q
10/10/2016	22,2	232.535	15,08	SEBA KLL-Q
10/10/2016	22,4	235.047	15,07	SEBA KLL-Q
10/10/2016	22,6	236.044	15,08	SEBA KLL-Q
10/10/2016	22,8	236.627	15,07	SEBA KLL-Q
10/10/2016	23,0	236.651	15,08	SEBA KLL-Q
10/10/2016	23,2	236.908	15,06	SEBA KLL-Q
10/10/2016	23,4	237.233	15,06	SEBA KLL-Q
10/10/2016	23,6	237.666	15,06	SEBA KLL-Q
10/10/2016	23,8	238.013	15,06	SEBA KLL-Q
10/10/2016	24,0	238.188	15,07	SEBA KLL-Q
10/10/2016	24,2	238.468	15,06	SEBA KLL-Q
10/10/2016	24,4	238.662	15,06	SEBA KLL-Q
10/10/2016	24,6	238.833	15,05	SEBA KLL-Q
10/10/2016	24,8	238.985	15,05	SEBA KLL-Q
10/10/2016	25,0	238.986	15,05	SEBA KLL-Q
10/10/2016	26,0	239.331	15,04	SEBA KLL-Q
10/10/2016	27,0	239.785	15,03	SEBA KLL-Q
10/10/2016	28,0	241.540	15,03	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
10/10/2016	28,3	130.132	15,03	SEBA KLL-Q
08/11/2016	1,0	7.996	14,33	SEBA KLL-Q
08/11/2016	2,0	7.811	14,36	SEBA KLL-Q
08/11/2016	3,0	7.796	14,37	SEBA KLL-Q
08/11/2016	4,0	7.793	14,37	SEBA KLL-Q
08/11/2016	5,0	7.797	14,37	SEBA KLL-Q
08/11/2016	6,0	7.796	14,38	SEBA KLL-Q
08/11/2016	7,0	7.794	14,37	SEBA KLL-Q
08/11/2016	8,0	7.791	14,38	SEBA KLL-Q
08/11/2016	9,0	7.790	14,41	SEBA KLL-Q
08/11/2016	10,0	7.789	14,44	SEBA KLL-Q
08/11/2016	11,0	7.786	14,45	SEBA KLL-Q
08/11/2016	12,0	7.788	14,45	SEBA KLL-Q
08/11/2016	13,0	7.788	14,44	SEBA KLL-Q
08/11/2016	14,0	7.787	14,46	SEBA KLL-Q
08/11/2016	15,0	7.788	14,47	SEBA KLL-Q
08/11/2016	16,0	7.784	14,50	SEBA KLL-Q
08/11/2016	16,2	7.786	14,52	SEBA KLL-Q
08/11/2016	16,4	7.785	14,53	SEBA KLL-Q
08/11/2016	16,6	7.786	14,55	SEBA KLL-Q
08/11/2016	16,8	7.785	14,56	SEBA KLL-Q
08/11/2016	17,0	7.796	14,56	SEBA KLL-Q
08/11/2016	17,2	7.785	14,57	SEBA KLL-Q
08/11/2016	17,4	33.960	14,87	SEBA KLL-Q
08/11/2016	17,6	34.260	15,00	SEBA KLL-Q
08/11/2016	17,8	34.370	15,05	SEBA KLL-Q
08/11/2016	18,0	34.670	15,08	SEBA KLL-Q
08/11/2016	18,2	40.230	15,09	SEBA KLL-Q
08/11/2016	18,4	53.290	15,10	SEBA KLL-Q
08/11/2016	18,6	122.400	15,11	SEBA KLL-Q
08/11/2016	18,8	135.500	15,10	SEBA KLL-Q
08/11/2016	19,0	138.800	15,10	SEBA KLL-Q
08/11/2016	19,2	138.900	15,10	SEBA KLL-Q
08/11/2016	19,4	139.000	15,11	SEBA KLL-Q
08/11/2016	19,6	139.100	15,10	SEBA KLL-Q
08/11/2016	19,8	139.100	15,10	SEBA KLL-Q
08/11/2016	20,0	139.100	15,10	SEBA KLL-Q
08/11/2016	20,2	139.200	15,09	SEBA KLL-Q
08/11/2016	20,4	139.200	15,09	SEBA KLL-Q
08/11/2016	20,6	144.900	15,08	SEBA KLL-Q
08/11/2016	20,8	163.500	15,08	SEBA KLL-Q
08/11/2016	21,0	184.800	15,09	SEBA KLL-Q
08/11/2016	21,2	208.300	15,08	SEBA KLL-Q
08/11/2016	21,4	220.900	15,08	SEBA KLL-Q
08/11/2016	21,6	225.700	15,08	SEBA KLL-Q
08/11/2016	21,8	227.300	15,07	SEBA KLL-Q
08/11/2016	22,0	229.600	15,07	SEBA KLL-Q
08/11/2016	22,2	232.800	15,07	SEBA KLL-Q
08/11/2016	22,4	234.900	15,06	SEBA KLL-Q
08/11/2016	22,6	235.800	15,07	SEBA KLL-Q
08/11/2016	22,8	236.800	15,05	SEBA KLL-Q
08/11/2016	23,0	237.000	15,06	SEBA KLL-Q
08/11/2016	24,0	238.400	15,05	SEBA KLL-Q
08/11/2016	25,0	239.200	15,04	SEBA KLL-Q
08/11/2016	26,0	239.500	15,03	SEBA KLL-Q
08/11/2016	27,0	239.900	15,02	SEBA KLL-Q
08/11/2016	28,0	241.900	15,02	SEBA KLL-Q
08/11/2016	28,4	139.000	15,02	SEBA KLL-Q
17/01/2017	0,7	8.780	14,35	SEBA KLL-Q
17/01/2017	1,0	8.771	14,39	SEBA KLL-Q
17/01/2017	2,0	8.770	14,33	SEBA KLL-Q
17/01/2017	4,0	8.769	14,30	SEBA KLL-Q
17/01/2017	6,0	8.771	14,30	SEBA KLL-Q
17/01/2017	8,0	8.768	14,30	SEBA KLL-Q
17/01/2017	10,0	8.765	14,38	SEBA KLL-Q
17/01/2017	11,0	8.765	14,37	SEBA KLL-Q
17/01/2017	12,0	8.766	14,38	SEBA KLL-Q
17/01/2017	13,0	8.767	14,38	SEBA KLL-Q
17/01/2017	14,0	8.767	14,38	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/01/2017	15,0	8.765	14,41	SEBA KLL-Q
17/01/2017	16,0	8.765	14,44	SEBA KLL-Q
17/01/2017	17,0	8.767	14,50	SEBA KLL-Q
17/01/2017	18,0	38.330	15,07	SEBA KLL-Q
17/01/2017	18,2	43.330	15,10	SEBA KLL-Q
17/01/2017	18,4	68.800	15,11	SEBA KLL-Q
17/01/2017	18,6	132.700	15,11	SEBA KLL-Q
17/01/2017	18,8	148.100	15,12	SEBA KLL-Q
17/01/2017	19,0	152.000	15,12	SEBA KLL-Q
17/01/2017	19,2	152.000	15,11	SEBA KLL-Q
17/01/2017	19,4	152.300	15,12	SEBA KLL-Q
17/01/2017	19,6	152.500	15,11	SEBA KLL-Q
17/01/2017	19,8	152.500	15,11	SEBA KLL-Q
17/01/2017	20,0	152.600	15,11	SEBA KLL-Q
17/01/2017	20,2	152.600	15,10	SEBA KLL-Q
17/01/2017	20,4	152.600	15,11	SEBA KLL-Q
17/01/2017	20,6	160.600	15,10	SEBA KLL-Q
17/01/2017	20,8	183.000	15,10	SEBA KLL-Q
17/01/2017	21,0	208.400	15,09	SEBA KLL-Q
17/01/2017	21,2	232.600	15,09	SEBA KLL-Q
17/01/2017	21,4	243.100	15,09	SEBA KLL-Q
17/01/2017	21,6	247.300	15,09	SEBA KLL-Q
17/01/2017	21,8	248.900	15,09	SEBA KLL-Q
17/01/2017	22,0	250.800	15,09	SEBA KLL-Q
17/01/2017	23,0	258.300	15,08	SEBA KLL-Q
17/01/2017	24,0	259.900	15,06	SEBA KLL-Q
17/01/2017	25,0	260.800	15,06	SEBA KLL-Q
17/01/2017	26,0	261.400	15,05	SEBA KLL-Q
17/01/2017	28,0	262.000	15,04	SEBA KLL-Q
05/04/2017	1,0	7.337	16,10	TLC-107 SONDA 1
05/04/2017	2,0	7.827	15,00	TLC-107 SONDA 1
05/04/2017	4,0	7.960	14,80	TLC-107 SONDA 1
05/04/2017	6,0	8.022	14,70	TLC-107 SONDA 1
05/04/2017	8,0	8.032	14,70	TLC-107 SONDA 1
05/04/2017	10,0	8.083	14,70	TLC-107 SONDA 1
05/04/2017	12,0	8.129	14,70	TLC-107 SONDA 1
05/04/2017	14,0	8.146	14,70	TLC-107 SONDA 1
05/04/2017	16,0	8.175	14,80	TLC-107 SONDA 1
05/04/2017	18,0	36.200	15,30	TLC-107 SONDA 1
05/04/2017	18,5	129.000	15,30	TLC-107 SONDA 1
05/04/2017	18,7	191.800	15,30	TLC-107 SONDA 1
05/04/2017	18,9	204.000	15,30	TLC-107 SONDA 1
05/04/2017	19,1	210.500	15,30	TLC-107 SONDA 1
05/04/2017	19,3	212.800	15,30	TLC-107 SONDA 1
05/04/2017	19,5	214.600	15,30	TLC-107 SONDA 1
05/04/2017	19,7	215.400	15,30	TLC-107 SONDA 1
05/04/2017	19,9	220.200	15,30	TLC-107 SONDA 1
05/04/2017	20,1	221.400	15,30	TLC-107 SONDA 1
05/04/2017	20,3	222.000	15,30	TLC-107 SONDA 1
05/04/2017	20,5	222.600	15,30	TLC-107 SONDA 1
05/04/2017	21,0	269.600	15,30	TLC-107 SONDA 1
05/04/2017	21,5	284.100	15,30	TLC-107 SONDA 1
05/04/2017	22,0	285.700	15,30	TLC-107 SONDA 1
05/04/2017	24,0	286.900	15,30	TLC-107 SONDA 1
05/04/2017	26,0	286.900	15,30	TLC-107 SONDA 1
05/04/2017	28,0	286.900	15,30	TLC-107 SONDA 1
17/07/2017	2,0	7.668	14,47	SEBA KLL-Q
17/07/2017	4,0	7.627	14,46	SEBA KLL-Q
17/07/2017	6,0	7.624	14,46	SEBA KLL-Q
17/07/2017	8,0	7.623	14,46	SEBA KLL-Q
17/07/2017	10,0	7.618	14,49	SEBA KLL-Q
17/07/2017	12,0	7.611	14,51	SEBA KLL-Q
17/07/2017	14,0	7.617	14,53	SEBA KLL-Q
17/07/2017	16,0	7.612	14,64	SEBA KLL-Q
17/07/2017	17,0	29.020	14,90	SEBA KLL-Q
17/07/2017	17,5	33.540	15,02	SEBA KLL-Q
17/07/2017	18,0	34.700	15,06	SEBA KLL-Q
17/07/2017	18,2	39.250	15,07	SEBA KLL-Q
17/07/2017	18,4	67.170	15,06	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/07/2017	18,6	133.700	15,07	SEBA KLL-Q
17/07/2017	18,8	138.000	15,08	SEBA KLL-Q
17/07/2017	19,0	139.400	15,07	SEBA KLL-Q
17/07/2017	19,5	139.700	15,07	SEBA KLL-Q
17/07/2017	20,0	139.900	15,07	SEBA KLL-Q
17/07/2017	20,5	143.000	15,06	SEBA KLL-Q
17/07/2017	21,0	191.600	15,05	SEBA KLL-Q
17/07/2017	21,5	229.200	15,06	SEBA KLL-Q
17/07/2017	22,0	236.600	15,04	SEBA KLL-Q
17/07/2017	22,5	242.800	15,05	SEBA KLL-Q
17/07/2017	23,0	243.500	15,01	SEBA KLL-Q
17/07/2017	24,0	245.000	15,02	SEBA KLL-Q
17/07/2017	26,0	245.200	14,99	SEBA KLL-Q
17/07/2017	28,0	247.600	14,96	SEBA KLL-Q
08/10/2017	0,8	7.873	14,26	SEBA KLL-Q
08/10/2017	1,0	7.859	14,29	SEBA KLL-Q
08/10/2017	2,0	7.847	14,38	SEBA KLL-Q
08/10/2017	4,0	7.844	14,41	SEBA KLL-Q
08/10/2017	6,0	7.845	14,41	SEBA KLL-Q
08/10/2017	8,0	7.846	14,41	SEBA KLL-Q
08/10/2017	10,0	7.841	14,46	SEBA KLL-Q
08/10/2017	12,0	7.840	14,48	SEBA KLL-Q
08/10/2017	14,0	7.840	14,48	SEBA KLL-Q
08/10/2017	16,0	7.841	14,51	SEBA KLL-Q
08/10/2017	16,5	7.841	14,54	SEBA KLL-Q
08/10/2017	17,0	7.841	14,57	SEBA KLL-Q
08/10/2017	17,2	7.843	14,57	SEBA KLL-Q
08/10/2017	17,4	33.860	14,89	SEBA KLL-Q
08/10/2017	17,6	34.420	14,96	SEBA KLL-Q
08/10/2017	17,8	34.630	15,01	SEBA KLL-Q
08/10/2017	18,0	34.780	15,03	SEBA KLL-Q
08/10/2017	18,2	39.830	15,05	SEBA KLL-Q
08/10/2017	18,4	66.890	15,05	SEBA KLL-Q
08/10/2017	18,6	136.200	15,05	SEBA KLL-Q
08/10/2017	18,8	144.100	15,05	SEBA KLL-Q
08/10/2017	19,0	145.100	15,06	SEBA KLL-Q
08/10/2017	19,2	145.100	15,05	SEBA KLL-Q
08/10/2017	19,4	145.000	15,05	SEBA KLL-Q
08/10/2017	19,6	145.000	15,05	SEBA KLL-Q
08/10/2017	19,8	145.100	15,05	SEBA KLL-Q
08/10/2017	20,0	145.300	15,04	SEBA KLL-Q
08/10/2017	20,2	145.400	15,04	SEBA KLL-Q
08/10/2017	20,4	145.500	15,04	SEBA KLL-Q
08/10/2017	20,6	153.300	15,03	SEBA KLL-Q
08/10/2017	20,8	175.000	15,03	SEBA KLL-Q
08/10/2017	21,0	200.500	15,03	SEBA KLL-Q
08/10/2017	21,2	226.700	15,03	SEBA KLL-Q
08/10/2017	21,4	237.600	15,02	SEBA KLL-Q
08/10/2017	21,6	242.800	15,02	SEBA KLL-Q
08/10/2017	22,0	247.100	15,01	SEBA KLL-Q
08/10/2017	22,5	253.800	15,00	SEBA KLL-Q
08/10/2017	23,0	255.900	15,00	SEBA KLL-Q
08/10/2017	24,0	257.100	14,99	SEBA KLL-Q
08/10/2017	25,0	257.100	14,99	SEBA KLL-Q
08/10/2017	27,0	257.500	14,97	SEBA KLL-Q
08/10/2017	28,0	259.600	14,96	SEBA KLL-Q
14/01/2018	0,8	7.484	14,51	SEBA KLL-Q
14/01/2018	1,0	7.463	14,46	SEBA KLL-Q
14/01/2018	2,0	7.481	14,34	SEBA KLL-Q
14/01/2018	4,0	7.471	14,34	SEBA KLL-Q
14/01/2018	6,0	7.435	14,38	SEBA KLL-Q
14/01/2018	8,0	7.469	14,35	SEBA KLL-Q
14/01/2018	10,0	7.463	14,39	SEBA KLL-Q
14/01/2018	12,0	7.466	14,40	SEBA KLL-Q
14/01/2018	14,0	7.469	14,39	SEBA KLL-Q
14/01/2018	16,0	7.468	14,43	SEBA KLL-Q
14/01/2018	17,0	7.466	14,51	SEBA KLL-Q
14/01/2018	17,2	7.469	14,52	SEBA KLL-Q
14/01/2018	17,4	7.467	14,52	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/01/2018	17,6	31.420	14,52	SEBA KLL-Q
14/01/2018	17,8	32.430	15,00	SEBA KLL-Q
14/01/2018	18,0	32.640	15,08	SEBA KLL-Q
14/01/2018	18,2	36.100	15,11	SEBA KLL-Q
14/01/2018	18,4	59.020	15,14	SEBA KLL-Q
14/01/2018	18,6	120.800	15,15	SEBA KLL-Q
14/01/2018	18,8	129.600	15,15	SEBA KLL-Q
14/01/2018	19,0	132.200	15,15	SEBA KLL-Q
14/01/2018	19,2	134.800	15,15	SEBA KLL-Q
14/01/2018	19,4	134.800	15,15	SEBA KLL-Q
14/01/2018	19,6	134.800	15,16	SEBA KLL-Q
14/01/2018	19,8	134.800	15,15	SEBA KLL-Q
14/01/2018	20,0	134.800	15,16	SEBA KLL-Q
14/01/2018	20,2	134.600	15,16	SEBA KLL-Q
14/01/2018	20,4	137.800	15,16	SEBA KLL-Q
14/01/2018	20,6	140.500	15,14	SEBA KLL-Q
14/01/2018	20,8	160.200	15,15	SEBA KLL-Q
14/01/2018	21,0	182.500	15,13	SEBA KLL-Q
14/01/2018	21,2	208.100	15,13	SEBA KLL-Q
14/01/2018	21,4	217.100	15,14	SEBA KLL-Q
14/01/2018	21,6	223.300	15,14	SEBA KLL-Q
14/01/2018	21,8	224.900	15,13	SEBA KLL-Q
14/01/2018	22,0	226.300	15,12	SEBA KLL-Q
14/01/2018	23,0	234.200	15,13	SEBA KLL-Q
14/01/2018	24,0	235.800	15,09	SEBA KLL-Q
14/01/2018	25,0	236.800	15,08	SEBA KLL-Q
14/01/2018	26,0	237.800	15,07	SEBA KLL-Q
14/01/2018	28,0	239.300	15,06	SEBA KLL-Q
11/04/2018	0,7	7.403	14,25	SEBA KLL-Q
11/04/2018	0,9	7.408	14,27	SEBA KLL-Q
11/04/2018	1,0	7.407	14,26	SEBA KLL-Q
11/04/2018	1,2	7.404	14,26	SEBA KLL-Q
11/04/2018	1,4	7.404	14,28	SEBA KLL-Q
11/04/2018	1,6	7.403	14,29	SEBA KLL-Q
11/04/2018	1,8	7.403	14,31	SEBA KLL-Q
11/04/2018	2,0	7.402	14,31	SEBA KLL-Q
11/04/2018	2,5	7.403	14,32	SEBA KLL-Q
11/04/2018	3,0	7.402	14,32	SEBA KLL-Q
11/04/2018	4,0	7.403	14,32	SEBA KLL-Q
11/04/2018	6,0	7.403	14,32	SEBA KLL-Q
11/04/2018	8,0	7.396	14,32	SEBA KLL-Q
11/04/2018	10,0	7.397	14,35	SEBA KLL-Q
11/04/2018	12,0	7.397	14,36	SEBA KLL-Q
11/04/2018	14,0	7.397	14,35	SEBA KLL-Q
11/04/2018	16,0	7.397	14,38	SEBA KLL-Q
11/04/2018	17,0	7.397	14,44	SEBA KLL-Q
11/04/2018	17,5	7.397	14,47	SEBA KLL-Q
11/04/2018	18,0	32.080	14,99	SEBA KLL-Q
11/04/2018	18,2	36.700	15,07	SEBA KLL-Q
11/04/2018	18,4	62.210	15,10	SEBA KLL-Q
11/04/2018	18,6	113.700	15,11	SEBA KLL-Q
11/04/2018	18,8	121.400	15,12	SEBA KLL-Q
11/04/2018	19,0	123.100	15,12	SEBA KLL-Q
11/04/2018	19,2	122.700	15,13	SEBA KLL-Q
11/04/2018	19,4	122.200	15,13	SEBA KLL-Q
11/04/2018	19,6	122.000	15,12	SEBA KLL-Q
11/04/2018	19,8	121.900	15,12	SEBA KLL-Q
11/04/2018	20,0	121.900	15,12	SEBA KLL-Q
11/04/2018	20,2	121.900	15,13	SEBA KLL-Q
11/04/2018	20,4	121.800	15,13	SEBA KLL-Q
11/04/2018	20,6	129.300	15,12	SEBA KLL-Q
11/04/2018	20,8	147.400	15,11	SEBA KLL-Q
11/04/2018	21,0	168.800	15,11	SEBA KLL-Q
11/04/2018	21,2	187.400	15,12	SEBA KLL-Q
11/04/2018	21,4	196.400	15,11	SEBA KLL-Q
11/04/2018	21,6	200.000	15,11	SEBA KLL-Q
11/04/2018	21,8	201.600	15,10	SEBA KLL-Q
11/04/2018	22,0	202.600	15,11	SEBA KLL-Q
11/04/2018	22,5	207.500	15,09	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/04/2018	23,0	208.700	15,09	SEBA KLL-Q
11/04/2018	24,0	209.700	15,07	SEBA KLL-Q
11/04/2018	26,0	211.800	15,06	SEBA KLL-Q
11/04/2018	28,0	213.900	15,04	SEBA KLL-Q
30/07/2018	1,0	9.329	14,97	SEBA KLL-Q
30/07/2018	1,2	9.275	14,59	SEBA KLL-Q
30/07/2018	1,4	9.266	14,54	SEBA KLL-Q
30/07/2018	1,6	9.227	14,52	SEBA KLL-Q
30/07/2018	1,8	9.239	14,51	SEBA KLL-Q
30/07/2018	2,0	9.232	14,50	SEBA KLL-Q
30/07/2018	2,5	9.214	14,50	SEBA KLL-Q
30/07/2018	3,0	9.228	14,51	SEBA KLL-Q
30/07/2018	4,0	9.218	14,51	SEBA KLL-Q
30/07/2018	6,0	9.214	14,50	SEBA KLL-Q
30/07/2018	8,0	9.209	14,50	SEBA KLL-Q
30/07/2018	10,0	9.211	14,52	SEBA KLL-Q
30/07/2018	12,0	9.207	14,54	SEBA KLL-Q
30/07/2018	14,0	9.206	14,58	SEBA KLL-Q
30/07/2018	16,0	9.205	14,67	SEBA KLL-Q
30/07/2018	17,0	9.199	14,71	SEBA KLL-Q
30/07/2018	17,5	39.910	15,02	SEBA KLL-Q
30/07/2018	18,0	40.120	15,12	SEBA KLL-Q
30/07/2018	18,2	45.330	15,14	SEBA KLL-Q
30/07/2018	18,4	81.940	15,14	SEBA KLL-Q
30/07/2018	18,6	162.400	15,15	SEBA KLL-Q
30/07/2018	18,8	162.800	15,15	SEBA KLL-Q
30/07/2018	19,0	163.200	15,15	SEBA KLL-Q
30/07/2018	19,5	163.200	15,15	SEBA KLL-Q
30/07/2018	20,0	163.100	15,14	SEBA KLL-Q
30/07/2018	20,5	166.300	15,13	SEBA KLL-Q
30/07/2018	21,0	166.000	15,13	SEBA KLL-Q
30/07/2018	21,2	247.800	15,11	SEBA KLL-Q
30/07/2018	21,4	263.800	15,12	SEBA KLL-Q
30/07/2018	21,6	270.200	15,11	SEBA KLL-Q
30/07/2018	21,8	271.700	15,11	SEBA KLL-Q
30/07/2018	22,0	274.300	15,12	SEBA KLL-Q
30/07/2018	23,0	282.100	15,10	SEBA KLL-Q
30/07/2018	24,0	283.000	15,11	SEBA KLL-Q
30/07/2018	25,0	283.300	15,07	SEBA KLL-Q
30/07/2018	27,0	285.700	15,06	SEBA KLL-Q
25/08/2018	1,0	8.489	14,52	SEBA KLL-Q
25/08/2018	1,5	8.485	14,50	SEBA KLL-Q
25/08/2018	2,0	8.485	14,50	SEBA KLL-Q
25/08/2018	2,5	8.484	14,49	SEBA KLL-Q
25/08/2018	3,0	8.482	14,49	SEBA KLL-Q
25/08/2018	4,0	8.483	14,49	SEBA KLL-Q
25/08/2018	6,0	8.483	14,50	SEBA KLL-Q
25/08/2018	8,0	8.471	14,50	SEBA KLL-Q
25/08/2018	10,0	8.465	14,53	SEBA KLL-Q
25/08/2018	12,0	8.466	14,58	SEBA KLL-Q
25/08/2018	14,0	8.465	14,64	SEBA KLL-Q
25/08/2018	15,0	8.464	14,64	SEBA KLL-Q
25/08/2018	16,0	8.463	14,80	SEBA KLL-Q
25/08/2018	16,5	11.290	15,00	SEBA KLL-Q
25/08/2018	17,0	30.100	15,13	SEBA KLL-Q
25/08/2018	17,2	35.090	15,15	SEBA KLL-Q
25/08/2018	17,4	35.610	15,16	SEBA KLL-Q
25/08/2018	17,6	35.890	15,16	SEBA KLL-Q
25/08/2018	17,8	36.030	15,16	SEBA KLL-Q
25/08/2018	18,0	36.130	15,16	SEBA KLL-Q
25/08/2018	18,2	43.520	15,16	SEBA KLL-Q
25/08/2018	18,4	63.430	15,16	SEBA KLL-Q
25/08/2018	18,6	141.400	15,16	SEBA KLL-Q
25/08/2018	18,8	141.800	15,17	SEBA KLL-Q
25/08/2018	19,0	142.100	15,15	SEBA KLL-Q
25/08/2018	19,2	142.100	15,15	SEBA KLL-Q
25/08/2018	19,4	142.100	15,15	SEBA KLL-Q
25/08/2018	19,6	142.300	15,14	SEBA KLL-Q
25/08/2018	19,8	142.200	15,15	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
25/08/2018	20,0	142.300	15,14	SEBA KLL-Q
25/08/2018	20,5	145.900	15,13	SEBA KLL-Q
25/08/2018	21,0	194.400	15,12	SEBA KLL-Q
25/08/2018	21,2	218.000	15,11	SEBA KLL-Q
25/08/2018	21,4	228.900	15,11	SEBA KLL-Q
25/08/2018	21,6	233.000	15,11	SEBA KLL-Q
25/08/2018	21,8	235.400	15,12	SEBA KLL-Q
25/08/2018	22,0	237.800	15,11	SEBA KLL-Q
25/08/2018	22,5	243.100	15,10	SEBA KLL-Q
25/08/2018	23,0	244.100	15,09	SEBA KLL-Q
25/08/2018	23,5	244.500	15,10	SEBA KLL-Q
25/08/2018	24,0	245.400	15,10	SEBA KLL-Q
25/08/2018	25,0	246.500	15,07	SEBA KLL-Q
25/08/2018	26,0	247.300	15,06	SEBA KLL-Q
25/08/2018	27,0	247.700	15,05	SEBA KLL-Q
25/08/2018	28,0	249.700	15,05	SEBA KLL-Q
25/08/2018	28,2	142.900	15,05	SEBA KLL-Q
04/09/2018	0,571	8.501	16,41	SEBA KLL-Q
04/09/2018	1,0	8.439	14,82	SEBA KLL-Q
04/09/2018	1,5	8.409	14,70	SEBA KLL-Q
04/09/2018	2,0	8.400	14,68	SEBA KLL-Q
04/09/2018	3,0	8.400	14,66	SEBA KLL-Q
04/09/2018	4,0	8.392	14,66	SEBA KLL-Q
04/09/2018	6,0	8.393	14,67	SEBA KLL-Q
04/09/2018	8,0	8.385	14,65	SEBA KLL-Q
04/09/2018	10,0	8.379	14,65	SEBA KLL-Q
04/09/2018	12,0	8.377	14,72	SEBA KLL-Q
04/09/2018	14,0	8.376	14,74	SEBA KLL-Q
04/09/2018	15,0	8.379	14,80	SEBA KLL-Q
04/09/2018	16,0	8.378	14,89	SEBA KLL-Q
04/09/2018	17,0	29.100	15,02	SEBA KLL-Q
04/09/2018	17,5	35.970	15,31	SEBA KLL-Q
04/09/2018	18,0	36.550	15,31	SEBA KLL-Q
04/09/2018	18,5	120.400	15,29	SEBA KLL-Q
04/09/2018	18,7	148.000	15,32	SEBA KLL-Q
04/09/2018	18,9	148.800	15,32	SEBA KLL-Q
04/09/2018	19,2	149.200	15,32	SEBA KLL-Q
04/09/2018	19,4	149.100	15,32	SEBA KLL-Q
04/09/2018	20,0	149.200	15,29	SEBA KLL-Q
04/09/2018	20,5	149.900	15,27	SEBA KLL-Q
04/09/2018	21,0	197.700	15,27	SEBA KLL-Q
04/09/2018	21,2	225.100	15,26	SEBA KLL-Q
04/09/2018	21,4	240.600	15,27	SEBA KLL-Q
04/09/2018	21,6	246.100	15,27	SEBA KLL-Q
04/09/2018	22,0	250.000	15,27	SEBA KLL-Q
04/09/2018	23,0	257.000	15,20	SEBA KLL-Q
04/09/2018	24,0	257.900	15,24	SEBA KLL-Q
04/09/2018	26,0	258.500	15,24	SEBA KLL-Q
04/09/2018	28,0	260.600	15,22	SEBA KLL-Q
14/11/2018	1,0	8.798	14,47	SEBA KLL-Q
14/11/2018	1,5	8.791	14,42	SEBA KLL-Q
14/11/2018	2,0	8.789	14,41	SEBA KLL-Q
14/11/2018	2,5	8.798	14,43	SEBA KLL-Q
14/11/2018	3,0	8.788	14,42	SEBA KLL-Q
14/11/2018	5,0	8.787	14,42	SEBA KLL-Q
14/11/2018	7,0	8.789	14,42	SEBA KLL-Q
14/11/2018	9,0	8.782	14,43	SEBA KLL-Q
14/11/2018	11,0	8.782	14,42	SEBA KLL-Q
14/11/2018	13,0	8.781	14,43	SEBA KLL-Q
14/11/2018	15,0	8.779	14,45	SEBA KLL-Q
14/11/2018	17,0	8.782	14,46	SEBA KLL-Q
14/11/2018	17,5	36.550	15,01	SEBA KLL-Q
14/11/2018	18,0	36.830	15,21	SEBA KLL-Q
14/11/2018	18,2	47.550	15,20	SEBA KLL-Q
14/11/2018	18,4	84.740	15,21	SEBA KLL-Q
14/11/2018	18,6	141.900	15,17	SEBA KLL-Q
14/11/2018	18,8	142.800	15,18	SEBA KLL-Q
14/11/2018	19,0	143.800	15,19	SEBA KLL-Q
14/11/2018	19,2	144.000	15,21	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/11/2018	19,4	144.100	15,21	SEBA KLL-Q
14/11/2018	19,6	144.000	15,18	SEBA KLL-Q
14/11/2018	19,8	144.000	15,17	SEBA KLL-Q
14/11/2018	20,0	144.100	15,17	SEBA KLL-Q
14/11/2018	20,2	144.100	15,17	SEBA KLL-Q
14/11/2018	20,4	144.300	15,20	SEBA KLL-Q
14/11/2018	20,6	152.300	15,21	SEBA KLL-Q
14/11/2018	20,8	174.200	15,16	SEBA KLL-Q
14/11/2018	21,0	199.100	15,17	SEBA KLL-Q
14/11/2018	21,2	224.400	15,18	SEBA KLL-Q
14/11/2018	21,4	233.800	15,18	SEBA KLL-Q
14/11/2018	21,6	230.300	15,14	SEBA KLL-Q
14/11/2018	21,8	239.900	15,14	SEBA KLL-Q
14/11/2018	22,0	242.100	15,13	SEBA KLL-Q
14/11/2018	22,5	248.000	15,13	SEBA KLL-Q
14/11/2018	23,0	249.400	15,14	SEBA KLL-Q
14/11/2018	23,5	250.000	15,15	SEBA KLL-Q
14/11/2018	24,0	250.700	15,16	SEBA KLL-Q
14/11/2018	25,0	251.100	15,10	SEBA KLL-Q
14/11/2018	27,0	252.200	15,09	SEBA KLL-Q
14/11/2018	28,0	254.300	15,00	SEBA KLL-Q
16/01/2019	0,8	7.734	14,51	SEBA KLL-Q
16/01/2019	1,0	7.726	14,37	SEBA KLL-Q
16/01/2019	1,2	7.728	14,34	SEBA KLL-Q
16/01/2019	1,4	7.734	14,36	SEBA KLL-Q
16/01/2019	1,6	7.733	14,35	SEBA KLL-Q
16/01/2019	1,8	7.732	14,35	SEBA KLL-Q
16/01/2019	2,0	7.730	14,33	SEBA KLL-Q
16/01/2019	2,5	7.730	14,32	SEBA KLL-Q
16/01/2019	3,0	7.732	14,32	SEBA KLL-Q
16/01/2019	4,0	7.732	14,31	SEBA KLL-Q
16/01/2019	6,0	7.739	14,32	SEBA KLL-Q
16/01/2019	8,0	7.894	14,37	SEBA KLL-Q
16/01/2019	10,0	8.461	14,49	SEBA KLL-Q
16/01/2019	12,0	9.002	14,57	SEBA KLL-Q
16/01/2019	14,0	10.400	14,79	SEBA KLL-Q
16/01/2019	16,0	13.510	15,04	SEBA KLL-Q
16/01/2019	18,0	33.390	15,14	SEBA KLL-Q
16/01/2019	20,0	131.500	15,14	SEBA KLL-Q
16/01/2019	20,5	132.200	15,14	SEBA KLL-Q
16/01/2019	20,7	143.300	15,14	SEBA KLL-Q
16/01/2019	20,9	170.000	15,14	SEBA KLL-Q
16/01/2019	21,1	189.700	15,13	SEBA KLL-Q
16/01/2019	21,3	205.600	15,13	SEBA KLL-Q
16/01/2019	21,5	212.500	15,12	SEBA KLL-Q
16/01/2019	22,0	217.000	15,12	SEBA KLL-Q
16/01/2019	23,0	223.400	15,10	SEBA KLL-Q
16/01/2019	24,0	224.500	15,09	SEBA KLL-Q
16/01/2019	26,0	226.500	15,06	SEBA KLL-Q
16/01/2019	27,0	227.700	15,05	SEBA KLL-Q
27/02/2019	0,7	7.918	14,60	SEBA KLL-Q
27/02/2019	0,9	7.882	14,60	SEBA KLL-Q
27/02/2019	1,0	7.896	14,37	SEBA KLL-Q
27/02/2019	1,2	7.898	14,37	SEBA KLL-Q
27/02/2019	1,4	7.900	14,37	SEBA KLL-Q
27/02/2019	2,0	7.859	14,37	SEBA KLL-Q
27/02/2019	3,0	7.906	14,37	SEBA KLL-Q
27/02/2019	4,0	7.899	14,37	SEBA KLL-Q
27/02/2019	6,0	7.926	14,38	SEBA KLL-Q
27/02/2019	8,0	7.992	14,38	SEBA KLL-Q
27/02/2019	10,0	7.817	14,37	SEBA KLL-Q
27/02/2019	12,0	10.110	14,37	SEBA KLL-Q
27/02/2019	14,0	11.010	15,11	SEBA KLL-Q
27/02/2019	16,0	13.540	15,11	SEBA KLL-Q
27/02/2019	18,0	34.660	15,20	SEBA KLL-Q
27/02/2019	20,0	137.100	15,20	SEBA KLL-Q
27/02/2019	20,5	137.400	15,17	SEBA KLL-Q
27/02/2019	21,0	187.500	15,17	SEBA KLL-Q
27/02/2019	21,2	213.200	15,16	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
27/02/2019	21,4	229.500	15,16	SEBA KLL-Q
27/02/2019	21,6	238.200	15,14	SEBA KLL-Q
27/02/2019	21,8	238.400	15,14	SEBA KLL-Q
27/02/2019	22,0	238.400	15,17	SEBA KLL-Q
27/02/2019	23,0	238.400	15,12	SEBA KLL-Q
27/02/2019	24,0	238.400	15,10	SEBA KLL-Q
27/02/2019	26,0	238.400	15,10	SEBA KLL-Q
19/03/2019	1,0	7.953	14,44	SEBA KLL-Q
19/03/2019	1,5	7.941	14,40	SEBA KLL-Q
19/03/2019	2,0	7.936	14,40	SEBA KLL-Q
19/03/2019	3,0	7.937	14,41	SEBA KLL-Q
19/03/2019	4,0	7.926	14,41	SEBA KLL-Q
19/03/2019	6,0	8.000	14,43	SEBA KLL-Q
19/03/2019	8,0	8.109	14,47	SEBA KLL-Q
19/03/2019	10,0	10.320	14,94	SEBA KLL-Q
19/03/2019	12,0	10.510	15,07	SEBA KLL-Q
19/03/2019	14,0	11.080	15,12	SEBA KLL-Q
19/03/2019	16,0	14.990	15,18	SEBA KLL-Q
19/03/2019	17,0	34.380	15,20	SEBA KLL-Q
19/03/2019	17,5	34.760	15,20	SEBA KLL-Q
19/03/2019	18,0	35.380	15,20	SEBA KLL-Q
19/03/2019	18,5	113.800	15,21	SEBA KLL-Q
19/03/2019	19,0	137.600	15,19	SEBA KLL-Q
19/03/2019	19,2	137.700	15,10	SEBA KLL-Q
19/03/2019	19,4	137.800	15,19	SEBA KLL-Q
19/03/2019	19,6	138.000	15,19	SEBA KLL-Q
19/03/2019	19,8	138.300	15,18	SEBA KLL-Q
19/03/2019	20,0	138.400	15,18	SEBA KLL-Q
19/03/2019	20,2	138.500	15,17	SEBA KLL-Q
19/03/2019	20,4	138.600	15,17	SEBA KLL-Q
19/03/2019	20,6	144.100	15,18	SEBA KLL-Q
19/03/2019	20,8	166.800	15,16	SEBA KLL-Q
19/03/2019	21,0	189.400	15,15	SEBA KLL-Q
19/03/2019	21,2	215.700	15,15	SEBA KLL-Q
19/03/2019	21,4	224.700	15,15	SEBA KLL-Q
19/03/2019	21,6	242.000	15,14	SEBA KLL-Q
19/03/2019	21,8	242.100	15,13	SEBA KLL-Q
19/03/2019	22,0	242.000	15,13	SEBA KLL-Q
19/03/2019	22,5	241.800	15,13	SEBA KLL-Q
19/03/2019	23,0	241.700	15,13	SEBA KLL-Q
19/03/2019	24,0	241.900	15,11	SEBA KLL-Q
19/03/2019	26,0	241.900	15,09	SEBA KLL-Q
19/03/2019	28,0	243.700	15,07	SEBA KLL-Q
17/04/2019	0,8	8.036	14,53	SEBA KLL-Q
17/04/2019	1,0	8.022	14,44	SEBA KLL-Q
17/04/2019	1,5	8.021	14,42	SEBA KLL-Q
17/04/2019	2,0	8.018	14,39	SEBA KLL-Q
17/04/2019	3,0	8.017	14,39	SEBA KLL-Q
17/04/2019	4,0	8.021	14,39	SEBA KLL-Q
17/04/2019	6,0	8.048	14,40	SEBA KLL-Q
17/04/2019	8,0	8.111	14,42	SEBA KLL-Q
17/04/2019	10,0	9.966	14,89	SEBA KLL-Q
17/04/2019	12,0	10.160	15,01	SEBA KLL-Q
17/04/2019	14,0	10.820	15,09	SEBA KLL-Q
17/04/2019	16,0	13.470	15,15	SEBA KLL-Q
17/04/2019	16,5	21.860	15,16	SEBA KLL-Q
17/04/2019	16,7	29.850	15,16	SEBA KLL-Q
17/04/2019	16,9	32.100	15,17	SEBA KLL-Q
17/04/2019	17,1	33.670	15,17	SEBA KLL-Q
17/04/2019	17,3	33.750	15,17	SEBA KLL-Q
17/04/2019	17,5	33.760	15,17	SEBA KLL-Q
17/04/2019	17,7	33.810	15,17	SEBA KLL-Q
17/04/2019	18,0	33.920	15,17	SEBA KLL-Q
17/04/2019	18,2	42.210	15,17	SEBA KLL-Q
17/04/2019	18,4	71.120	15,17	SEBA KLL-Q
17/04/2019	18,6	124.700	15,17	SEBA KLL-Q
17/04/2019	18,8	130.400	15,16	SEBA KLL-Q
17/04/2019	19,0	131.400	15,16	SEBA KLL-Q
17/04/2019	19,5	131.500	15,15	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/04/2019	20,0	131.700	15,15	SEBA KLL-Q
17/04/2019	20,5	134.600	15,14	SEBA KLL-Q
17/04/2019	20,7	149.200	15,14	SEBA KLL-Q
17/04/2019	20,9	167.700	15,13	SEBA KLL-Q
17/04/2019	21,1	195.700	15,13	SEBA KLL-Q
17/04/2019	21,3	212.100	15,12	SEBA KLL-Q
17/04/2019	21,5	219.300	15,12	SEBA KLL-Q
17/04/2019	21,7	223.300	15,12	SEBA KLL-Q
17/04/2019	21,9	230.100	15,12	SEBA KLL-Q
17/04/2019	22,5	231.300	15,11	SEBA KLL-Q
17/04/2019	23,0	231.400	15,09	SEBA KLL-Q
17/04/2019	25,0	231.200	15,07	SEBA KLL-Q
17/04/2019	27,0	231.500	15,05	SEBA KLL-Q
17/04/2019	28,0	233.000	15,05	SEBA KLL-Q
06/06/2019	0,8	8.474	14,72	SEBA KLL-Q
06/06/2019	1,0	8.481	14,55	SEBA KLL-Q
06/06/2019	1,5	8.468	14,48	SEBA KLL-Q
06/06/2019	2,0	8.465	14,47	SEBA KLL-Q
06/06/2019	3,0	8.467	14,47	SEBA KLL-Q
06/06/2019	4,0	8.472	14,46	SEBA KLL-Q
06/06/2019	6,0	8.469	14,46	SEBA KLL-Q
06/06/2019	8,0	8.469	14,47	SEBA KLL-Q
06/06/2019	10,0	8.465	14,50	SEBA KLL-Q
06/06/2019	12,0	8.465	14,59	SEBA KLL-Q
06/06/2019	14,0	8.465	14,75	SEBA KLL-Q
06/06/2019	16,0	8.465	14,92	SEBA KLL-Q
06/06/2019	16,5	8.463	14,94	SEBA KLL-Q
06/06/2019	17,0	30.160	15,16	SEBA KLL-Q
06/06/2019	17,2	34.910	15,19	SEBA KLL-Q
06/06/2019	17,4	35.350	15,20	SEBA KLL-Q
06/06/2019	17,6	35.350	15,20	SEBA KLL-Q
06/06/2019	17,8	35.490	15,20	SEBA KLL-Q
06/06/2019	18,0	35.510	15,20	SEBA KLL-Q
06/06/2019	18,2	41.150	15,20	SEBA KLL-Q
06/06/2019	18,4	69.520	15,20	SEBA KLL-Q
06/06/2019	18,6	134.800	15,19	SEBA KLL-Q
06/06/2019	18,8	136.200	15,19	SEBA KLL-Q
06/06/2019	19,0	137.000	15,19	SEBA KLL-Q
06/06/2019	19,5	137.000	15,18	SEBA KLL-Q
06/06/2019	20,0	137.100	15,18	SEBA KLL-Q
06/06/2019	20,5	142.800	15,16	SEBA KLL-Q
06/06/2019	20,7	152.600	15,16	SEBA KLL-Q
06/06/2019	20,9	170.800	15,17	SEBA KLL-Q
06/06/2019	21,1	197.900	15,16	SEBA KLL-Q
06/06/2019	21,3	218.000	15,15	SEBA KLL-Q
06/06/2019	21,5	225.500	15,15	SEBA KLL-Q
06/06/2019	21,7	228.700	15,16	SEBA KLL-Q
06/06/2019	21,9	233.400	15,14	SEBA KLL-Q
06/06/2019	22,1	235.600	15,13	SEBA KLL-Q
06/06/2019	22,3	237.400	15,15	SEBA KLL-Q
06/06/2019	22,5	238.600	15,13	SEBA KLL-Q
06/06/2019	23,0	239.400	15,14	SEBA KLL-Q
06/06/2019	24,0	239.600	15,13	SEBA KLL-Q
06/06/2019	26,0	239.900	15,09	SEBA KLL-Q
06/06/2019	27,0	240.100	15,08	SEBA KLL-Q
18/09/2019	0,80	7.906	14,8	SEBA KLL-Q
18/09/2019	1,00	7.886	14,8	SEBA KLL-Q
18/09/2019	1,20	7.874	14,7	SEBA KLL-Q
18/09/2019	1,40	7.881	14,6	SEBA KLL-Q
18/09/2019	1,60	7.887	14,6	SEBA KLL-Q
18/09/2019	1,80	7.888	14,6	SEBA KLL-Q
18/09/2019	2,00	7.887	14,6	SEBA KLL-Q
18/09/2019	2,50	7.890	14,6	SEBA KLL-Q
18/09/2019	3,00	7.890	14,6	SEBA KLL-Q
18/09/2019	4,00	7.886	14,6	SEBA KLL-Q
18/09/2019	6,00	7.889	14,6	SEBA KLL-Q
18/09/2019	8,00	7.891	14,6	SEBA KLL-Q
18/09/2019	10,00	7.891	14,6	SEBA KLL-Q
18/09/2019	12,00	7.896	14,8	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-03C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/09/2019	14,00	7.892	14,9	SEBA KLL-Q
18/09/2019	16,00	10.750	15,2	SEBA KLL-Q
18/09/2019	18,00	34.140	15,2	SEBA KLL-Q
18/09/2019	20,00	136.500	15,2	SEBA KLL-Q
18/09/2019	20,50	142.500	15,2	SEBA KLL-Q
18/09/2019	20,70	154.300	15,2	SEBA KLL-Q
18/09/2019	20,90	174.100	15,2	SEBA KLL-Q
18/09/2019	21,10	202.700	15,2	SEBA KLL-Q
18/09/2019	21,30	221.600	15,2	SEBA KLL-Q
18/09/2019	21,50	227.700	15,2	SEBA KLL-Q
18/09/2019	22,00	238.300	15,2	SEBA KLL-Q
18/09/2019	23,00	241.400	15,1	SEBA KLL-Q
18/09/2019	24,00	242.200	15,1	SEBA KLL-Q
18/09/2019	26,00	242.300	15,1	SEBA KLL-Q
18/09/2019	27,00	242.500	15,1	SEBA KLL-Q
09/11/2019	0,80	8.520	14,8	SEBA KLL-Q
09/11/2019	1,00	8.497	14,7	SEBA KLL-Q
09/11/2019	1,50	8.501	14,6	SEBA KLL-Q
09/11/2019	2,00	8.492	14,6	SEBA KLL-Q
09/11/2019	3,00	8.491	14,6	SEBA KLL-Q
09/11/2019	4,00	8.493	14,5	SEBA KLL-Q
09/11/2019	6,00	8.498	14,5	SEBA KLL-Q
09/11/2019	8,00	8.514	14,5	SEBA KLL-Q
09/11/2019	10,00	9.242	14,7	SEBA KLL-Q
09/11/2019	12,00	9.373	15,0	SEBA KLL-Q
09/11/2019	14,00	10.070	15,0	SEBA KLL-Q
09/11/2019	16,00	11.920	15,2	SEBA KLL-Q
09/11/2019	16,50	14.030	15,2	SEBA KLL-Q
09/11/2019	17,00	27.710	15,2	SEBA KLL-Q
09/11/2019	17,20	32.550	15,2	SEBA KLL-Q
09/11/2019	17,40	35.250	15,2	SEBA KLL-Q
09/11/2019	17,60	35.300	15,2	SEBA KLL-Q
09/11/2019	17,80	35.440	15,2	SEBA KLL-Q
09/11/2019	18,00	35.480	15,2	SEBA KLL-Q
09/11/2019	18,20	39.190	15,2	SEBA KLL-Q
09/11/2019	18,40	61.910	15,2	SEBA KLL-Q
09/11/2019	18,60	132.300	15,2	SEBA KLL-Q
09/11/2019	18,80	136.100	15,2	SEBA KLL-Q
09/11/2019	19,00	136.800	15,2	SEBA KLL-Q
09/11/2019	19,50	136.900	15,2	SEBA KLL-Q
09/11/2019	20	136.900	15,18	SEBA KLL-Q
09/11/2019	20,5	137.300	15,18	SEBA KLL-Q
09/11/2019	20,70	151.500	15,2	SEBA KLL-Q
09/11/2019	20,90	170.300	15,2	SEBA KLL-Q
09/11/2019	21,10	197.200	15,2	SEBA KLL-Q
09/11/2019	21,30	218.200	15,2	SEBA KLL-Q
09/11/2019	21,50	225.000	15,2	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2013	1,20	4.591	25,60	TLC-107 SONDA 1
22/10/2013	1,40	4.629	25,60	TLC-107 SONDA 1
22/10/2013	1,60	4.685	25,60	TLC-107 SONDA 1
22/10/2013	1,80	4.699	25,60	TLC-107 SONDA 1
22/10/2013	2,00	4.725	25,60	TLC-107 SONDA 1
22/10/2013	2,20	4.730	25,60	TLC-107 SONDA 1
22/10/2013	2,40	4.742	25,60	TLC-107 SONDA 1
22/10/2013	2,60	4.746	25,60	TLC-107 SONDA 1
22/10/2013	2,80	4.748	25,60	TLC-107 SONDA 1
22/10/2013	3,00	4.758	25,60	TLC-107 SONDA 1
22/10/2013	3,20	4.783	25,60	TLC-107 SONDA 1
22/10/2013	3,40	4.790	25,60	TLC-107 SONDA 1
22/10/2013	3,60	4.795	25,60	TLC-107 SONDA 1
22/10/2013	3,80	4.820	25,60	TLC-107 SONDA 1
22/10/2013	4,00	4.856	25,60	TLC-107 SONDA 1
22/10/2013	4,50	4.814	25,60	TLC-107 SONDA 1
22/10/2013	5,00	4.774	25,60	TLC-107 SONDA 1
22/10/2013	5,50	4.774	25,60	TLC-107 SONDA 1
22/10/2013	6,00	4.769	25,60	TLC-107 SONDA 1
22/10/2013	6,50	4.764	25,60	TLC-107 SONDA 1
22/10/2013	7,00	4.781	25,60	TLC-107 SONDA 1
22/10/2013	7,50	4.799	25,60	TLC-107 SONDA 1
22/10/2013	8,00	4.804	25,60	TLC-107 SONDA 1
22/10/2013	9,00	4.808	25,60	TLC-107 SONDA 1
22/10/2013	10,00	4.796	25,60	TLC-107 SONDA 1
22/10/2013	11,00	4.786	25,60	TLC-107 SONDA 1
22/10/2013	12,00	4.751	25,60	TLC-107 SONDA 1
22/10/2013	13,00	4.751	25,60	TLC-107 SONDA 1
22/10/2013	14,00	4.791	25,40	TLC-107 SONDA 1
22/10/2013	15,00	4.855	25,40	TLC-107 SONDA 1
22/10/2013	20,00	8.537	25,50	TLC-107 SONDA 1
22/10/2013	25,00	10.100	25,50	TLC-107 SONDA 1
22/10/2013	30,00	10.800	25,50	TLC-107 SONDA 1
22/10/2013	35,00	11.700	25,60	TLC-107 SONDA 1
22/10/2013	40,00	13.500	25,60	TLC-107 SONDA 1
22/10/2013	45,00	20.700	25,60	TLC-107 SONDA 1
22/10/2013	46,00	26.600	25,60	TLC-107 SONDA 1
22/10/2013	47,00	28.800	25,60	TLC-107 SONDA 1
22/10/2013	48,00	47.200	25,60	TLC-107 SONDA 1
22/10/2013	49,00	84.700	25,60	TLC-107 SONDA 1
22/10/2013	50,00	118.500	25,50	TLC-107 SONDA 1
22/10/2013	55,00	213.000	25,50	TLC-107 SONDA 1
22/10/2013	56,00	209.300	25,60	TLC-107 SONDA 1
22/10/2013	57,00	208.100	25,80	TLC-107 SONDA 1
22/10/2013	58,00	206.300	25,90	TLC-107 SONDA 1
22/10/2013	59,00	205.000	25,90	TLC-107 SONDA 1
22/10/2013	60,00	204.700	26,00	TLC-107 SONDA 1
22/10/2013	60,50	200.500	26,10	TLC-107 SONDA 1
22/10/2013	61,00	199.900	26,10	TLC-107 SONDA 1
22/10/2013	61,50	200.200	26,10	TLC-107 SONDA 1
22/10/2013	62,00	200.200	26,10	TLC-107 SONDA 1
22/10/2013	62,50	200.100	26,20	TLC-107 SONDA 1
22/10/2013	63,00	200.100	26,20	TLC-107 SONDA 1
22/10/2013	63,20	199.800	26,20	TLC-107 SONDA 1
22/10/2013	63,40	199.500	26,20	TLC-107 SONDA 1
22/10/2013	63,60	199.500	26,20	TLC-107 SONDA 1
22/10/2013	63,80	199.800	26,20	TLC-107 SONDA 1
22/10/2013	64,00	199.500	26,20	TLC-107 SONDA 1
22/10/2013	64,20	198.900	26,20	TLC-107 SONDA 1
22/10/2013	64,40	198.900	26,20	TLC-107 SONDA 1
22/10/2013	64,60	198.900	26,20	TLC-107 SONDA 1
22/10/2013	64,80	199.200	26,20	TLC-107 SONDA 1
22/10/2013	65,00	199.200	26,20	TLC-107 SONDA 1
22/10/2013	65,50	198.900	26,20	TLC-107 SONDA 1
22/10/2013	66,00	198.500	26,20	TLC-107 SONDA 1
22/10/2013	66,50	197.900	26,20	TLC-107 SONDA 1
22/10/2013	67,00	197.900	26,20	TLC-107 SONDA 1
22/10/2013	67,50	194.400	26,20	TLC-107 SONDA 1
22/10/2013	68,00	191.100	26,20	TLC-107 SONDA 1
22/10/2013	69,00	190.400	26,30	TLC-107 SONDA 1
22/10/2013	70,00	188.600	26,30	TLC-107 SONDA 1
22/10/2013	71,00	188.200	26,30	TLC-107 SONDA 1
22/10/2013	72,00	188.200	26,30	TLC-107 SONDA 1
22/10/2013	73,00	187.200	26,30	TLC-107 SONDA 1
22/10/2013	74,00	186.800	26,30	TLC-107 SONDA 1
22/10/2013	75,00	186.700	26,50	TLC-107 SONDA 1
22/10/2013	80,00	182.400	26,60	TLC-107 SONDA 1
22/10/2013	85,00	181.000	26,60	TLC-107 SONDA 1
22/10/2013	90,00	179.900	26,70	TLC-107 SONDA 1
22/10/2013	95,00	178.400	26,80	TLC-107 SONDA 1
22/10/2013	100,00	170.900	26,90	TLC-107 SONDA 1
22/10/2013	105,00	163.800	27,00	TLC-107 SONDA 1
22/10/2013	110,00	160.500	27,20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2013	115,00	159.800	27,20	TLC-107 SONDA 1
22/10/2013	120,00	193.300	27,20	TLC-107 SONDA 1
22/10/2013	121,93	193.100	27,20	TLC-107 SONDA 1
20/11/2013	1,10	3.710	24,80	TLC-107 SONDA 1
20/11/2013	1,20	4.150	25,00	TLC-107 SONDA 1
20/11/2013	1,40	4.180	25,40	TLC-107 SONDA 1
20/11/2013	1,60	4.120	25,50	TLC-107 SONDA 1
20/11/2013	1,80	4.060	25,60	TLC-107 SONDA 1
20/11/2013	2,00	4.020	25,60	TLC-107 SONDA 1
20/11/2013	2,50	3.980	25,60	TLC-107 SONDA 1
20/11/2013	3,00	3.870	25,60	TLC-107 SONDA 1
20/11/2013	3,50	3.740	25,60	TLC-107 SONDA 1
20/11/2013	4,00	3.600	25,60	TLC-107 SONDA 1
20/11/2013	5,00	3.500	25,60	TLC-107 SONDA 1
20/11/2013	6,00	3.440	25,60	TLC-107 SONDA 1
20/11/2013	7,00	3.370	25,60	TLC-107 SONDA 1
20/11/2013	8,00	3.300	25,60	TLC-107 SONDA 1
20/11/2013	9,00	3.270	25,60	TLC-107 SONDA 1
20/11/2013	10,00	3.257	25,60	TLC-107 SONDA 1
20/11/2013	15,00	3.360	25,40	TLC-107 SONDA 1
20/11/2013	20,00	4.640	25,50	TLC-107 SONDA 1
20/11/2013	25,00	5.460	25,50	TLC-107 SONDA 1
20/11/2013	30,00	5.760	25,60	TLC-107 SONDA 1
20/11/2013	35,00	6.230	25,60	TLC-107 SONDA 1
20/11/2013	40,00	7.290	25,80	TLC-107 SONDA 1
20/11/2013	45,00	11.100	25,60	TLC-107 SONDA 1
20/11/2013	50,00	35.500	25,60	TLC-107 SONDA 1
20/11/2013	51,00	73.500	25,60	TLC-107 SONDA 1
20/11/2013	52,00	98.500	25,60	TLC-107 SONDA 1
20/11/2013	53,00	11.100	25,60	TLC-107 SONDA 1
20/11/2013	54,00	117.700	25,60	TLC-107 SONDA 1
20/11/2013	55,00	123.300	25,60	TLC-107 SONDA 1
20/11/2013	56,00	126.100	25,70	TLC-107 SONDA 1
20/11/2013	57,00	130.400	25,90	TLC-107 SONDA 1
20/11/2013	58,00	128.400	25,90	TLC-107 SONDA 1
20/11/2013	59,00	130.200	26,00	TLC-107 SONDA 1
20/11/2013	60,00	129.600	26,10	TLC-107 SONDA 1
20/11/2013	61,00	128.500	26,10	TLC-107 SONDA 1
20/11/2013	62,00	125.500	26,10	TLC-107 SONDA 1
20/11/2013	63,00	123.700	26,20	TLC-107 SONDA 1
20/11/2013	64,00	125.300	26,20	TLC-107 SONDA 1
20/11/2013	65,00	126.100	26,20	TLC-107 SONDA 1
20/11/2013	70,00	125.700	26,20	TLC-107 SONDA 1
20/11/2013	75,00	141.200	26,30	TLC-107 SONDA 1
20/11/2013	80,00	146.100	26,50	TLC-107 SONDA 1
20/11/2013	85,00	133.400	26,60	TLC-107 SONDA 1
20/11/2013	86,00	131.800	26,60	TLC-107 SONDA 1
20/11/2013	87,00	130.700	26,00	TLC-107 SONDA 1
20/11/2013	88,00	126.700	26,60	TLC-107 SONDA 1
20/11/2013	89,00	119.800	26,70	TLC-107 SONDA 1
20/11/2013	90,00	110.300	26,80	TLC-107 SONDA 1
20/11/2013	95,00	105.600	26,80	TLC-107 SONDA 1
20/11/2013	100,00	102.800	26,90	TLC-107 SONDA 1
20/11/2013	105,00	100.900	27,00	TLC-107 SONDA 1
20/11/2013	110,00	101.600	27,20	TLC-107 SONDA 1
20/11/2013	115,00	98.800	27,20	TLC-107 SONDA 1
20/11/2013	116,00	106.200	27,20	TLC-107 SONDA 1
20/11/2013	117,00	103.000	27,20	TLC-107 SONDA 1
20/11/2013	118,00	98.800	27,20	TLC-107 SONDA 1
20/11/2013	119,00	160.200	27,20	TLC-107 SONDA 1
20/11/2013	120,00	160.400	27,20	TLC-107 SONDA 1
20/11/2013	121,00	160.500	27,20	TLC-107 SONDA 1
17/12/2013	1,30	4.941	25,60	TLC-107 SONDA 1
17/12/2013	1,50	4.764	25,60	TLC-107 SONDA 1
17/12/2013	1,70	4.689	25,80	TLC-107 SONDA 1
17/12/2013	1,90	4.699	25,80	TLC-107 SONDA 1
17/12/2013	2,10	4.688	25,80	TLC-107 SONDA 1
17/12/2013	2,30	4.672	25,80	TLC-107 SONDA 1
17/12/2013	2,50	4.638	25,80	TLC-107 SONDA 1
17/12/2013	2,70	4.651	25,80	TLC-107 SONDA 1
17/12/2013	2,90	4.658	25,80	TLC-107 SONDA 1
17/12/2013	3,10	4.534	25,80	TLC-107 SONDA 1
17/12/2013	3,30	4.579	25,80	TLC-107 SONDA 1
17/12/2013	3,50	4.770	25,80	TLC-107 SONDA 1
17/12/2013	4,00	4.604	25,80	TLC-107 SONDA 1
17/12/2013	4,50	4.583	25,80	TLC-107 SONDA 1
17/12/2013	5,00	4.577	25,80	TLC-107 SONDA 1
17/12/2013	5,50	4.575	25,80	TLC-107 SONDA 1
17/12/2013	6,00	4.577	25,80	TLC-107 SONDA 1
17/12/2013	7,00	4.560	25,80	TLC-107 SONDA 1
17/12/2013	8,00	4.565	25,80	TLC-107 SONDA 1
17/12/2013	9,00	4.522	25,80	TLC-107 SONDA 1
17/12/2013	10,00	4.545	25,80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/12/2013	15,00	4.826	25,60	TLC-107 SONDA 1
17/12/2013	20,00	6.091	25,60	TLC-107 SONDA 1
17/12/2013	25,00	7.246	25,60	TLC-107 SONDA 1
17/12/2013	30,00	7.637	25,80	TLC-107 SONDA 1
17/12/2013	35,00	8.369	25,80	TLC-107 SONDA 1
17/12/2013	40,00	9.945	25,90	TLC-107 SONDA 1
17/12/2013	45,00	14.900	25,90	TLC-107 SONDA 1
17/12/2013	50,00	77.800	25,90	TLC-107 SONDA 1
17/12/2013	51,00	132.100	25,80	TLC-107 SONDA 1
17/12/2013	52,00	201.500	25,80	TLC-107 SONDA 1
17/12/2013	53,00	242.300	25,80	TLC-107 SONDA 1
17/12/2013	54,00	250.400	25,90	TLC-107 SONDA 1
17/12/2013	55,00	273.700	25,90	TLC-107 SONDA 1
17/12/2013	56,00	279.100	26,00	TLC-107 SONDA 1
17/12/2013	57,00	285.400	26,00	TLC-107 SONDA 1
17/12/2013	58,00	290.000	26,10	TLC-107 SONDA 1
17/12/2013	59,00	291.300	26,10	TLC-107 SONDA 1
17/12/2013	60,00	292.900	26,20	TLC-107 SONDA 1
17/12/2013	65,00	299.000	26,30	TLC-107 SONDA 1
17/12/2013	70,00	298.800	26,80	TLC-107 SONDA 1
17/12/2013	75,00	296.500	26,60	TLC-107 SONDA 1
17/12/2013	80,00	295.300	26,60	TLC-107 SONDA 1
17/12/2013	85,00	298.100	26,70	TLC-107 SONDA 1
17/12/2013	90,00	297.400	26,80	TLC-107 SONDA 1
17/12/2013	95,00	298.500	26,80	TLC-107 SONDA 1
17/12/2013	100,00	285.600	26,90	TLC-107 SONDA 1
17/12/2013	105,00	287.200	27,00	TLC-107 SONDA 1
17/12/2013	110,00	288.500	27,20	TLC-107 SONDA 1
17/12/2013	115,00	287.000	27,30	TLC-107 SONDA 1
17/12/2013	116,00	287.000	27,30	TLC-107 SONDA 1
17/12/2013	117,00	289.200	27,30	TLC-107 SONDA 1
17/12/2013	118,00	258.300	27,30	TLC-107 SONDA 1
17/12/2013	119,00	162.000	27,30	TLC-107 SONDA 1
17/01/2014	1,20	4.688	26,20	ALT FTC
17/01/2014	1,40	4.499	25,90	ALT FTC
17/01/2014	1,60	4.515	25,90	ALT FTC
17/01/2014	1,80	4.498	25,90	ALT FTC
17/01/2014	2,00	4.492	25,90	ALT FTC
17/01/2014	2,50	4.487	25,80	ALT FTC
17/01/2014	3,00	4.480	25,90	ALT FTC
17/01/2014	4,00	4.487	25,80	ALT FTC
17/01/2014	5,00	4.483	25,80	ALT FTC
17/01/2014	6,00	4.486	25,80	ALT FTC
17/01/2014	8,00	4.495	25,80	ALT FTC
17/01/2014	10,00	4.588	25,80	ALT FTC
17/01/2014	15,00	5.328	25,60	ALT FTC
17/01/2014	20,00	6.658	25,60	ALT FTC
17/01/2014	25,00	7.258	25,80	ALT FTC
17/01/2014	30,00	8.199	25,80	ALT FTC
17/01/2014	35,00	9.655	25,80	ALT FTC
17/01/2014	40,00	12.200	25,90	ALT FTC
17/01/2014	42,00	14.000	25,90	ALT FTC
17/01/2014	44,00	15.800	25,90	ALT FTC
17/01/2014	46,00	18.100	25,90	ALT FTC
17/01/2014	48,00	28.800	25,90	ALT FTC
17/01/2014	49,00	43.300	25,90	ALT FTC
17/01/2014	50,00	70.400	25,90	ALT FTC
17/01/2014	50,50	100.500	25,90	ALT FTC
17/01/2014	51,00	129.200	25,90	ALT FTC
17/01/2014	51,50	151.800	25,90	ALT FTC
17/01/2014	52,00	192.800	25,90	ALT FTC
17/01/2014	52,20	216.400	25,90	ALT FTC
17/01/2014	52,40	218.700	25,90	ALT FTC
17/01/2014	52,60	222.400	25,90	ALT FTC
17/01/2014	52,80	226.800	25,90	ALT FTC
17/01/2014	53,00	237.800	25,90	ALT FTC
17/01/2014	53,20	240.300	25,90	ALT FTC
17/01/2014	53,40	241.900	25,90	ALT FTC
17/01/2014	53,60	247.700	25,90	ALT FTC
17/01/2014	53,80	252.300	25,90	ALT FTC
17/01/2014	54,00	255.900	25,90	ALT FTC
17/01/2014	54,20	260.500	25,90	ALT FTC
17/01/2014	54,40	261.500	25,90	ALT FTC
17/01/2014	54,60	264.300	25,90	ALT FTC
17/01/2014	54,80	270.100	25,90	ALT FTC
17/01/2014	55,00	272.100	26,00	ALT FTC
17/01/2014	55,20	273.100	26,00	ALT FTC
17/01/2014	55,40	275.500	26,00	ALT FTC
17/01/2014	55,60	278.600	26,00	ALT FTC
17/01/2014	55,80	281.700	26,00	ALT FTC
17/01/2014	56,00	281.700	26,00	ALT FTC
17/01/2014	56,20	282.800	26,00	ALT FTC
17/01/2014	56,40	281.900	26,00	ALT FTC



Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/01/2014	56,60	287.000	26,00	ALT FTC
17/01/2014	56,80	286.400	26,00	ALT FTC
17/01/2014	57,00	287.500	26,10	ALT FTC
17/01/2014	57,20	286.400	26,10	ALT FTC
17/01/2014	57,40	289.600	26,10	ALT FTC
17/01/2014	57,60	289.600	26,10	ALT FTC
17/01/2014	57,80	291.900	26,10	ALT FTC
17/01/2014	58,00	295.700	26,10	ALT FTC
17/01/2014	58,20	296.100	26,10	ALT FTC
17/01/2014	58,40	293.100	26,10	ALT FTC
17/01/2014	58,60	293.000	26,10	ALT FTC
17/01/2014	58,80	297.500	26,10	ALT FTC
17/01/2014	59,00	295.700	26,10	ALT FTC
17/01/2014	59,50	296.800	26,10	ALT FTC
17/01/2014	60,00	296.800	26,20	ALT FTC
17/01/2014	61,00	302.600	26,20	ALT FTC
17/01/2014	62,00	300.200	26,20	ALT FTC
17/01/2014	63,00	304.200	26,30	ALT FTC
17/01/2014	64,00	303.100	26,30	ALT FTC
17/01/2014	66,00	307.800	26,30	ALT FTC
17/01/2014	68,00	306.600	26,60	ALT FTC
17/01/2014	70,00	304.700	26,60	ALT FTC
17/01/2014	75,00	304.400	26,60	ALT FTC
17/01/2014	80,00	310.000	26,60	ALT FTC
17/01/2014	85,00	308.100	26,70	ALT FTC
17/01/2014	90,00	305.000	26,80	ALT FTC
17/01/2014	95,00	301.500	26,80	ALT FTC
17/01/2014	100,00	290.500	26,90	ALT FTC
17/01/2014	105,00	296.700	27,00	ALT FTC
17/01/2014	110,00	303.000	27,20	ALT FTC
17/01/2014	115,00	300.000	27,30	ALT FTC
17/01/2014	118,00	302.300	27,30	ALT FTC
17/01/2014	118,20	156.000	27,30	ALT FTC
18/03/2014	1,20	3.009	25,60	TLC-107 SONDA 1
18/03/2014	1,40	3.155	25,80	TLC-107 SONDA 1
18/03/2014	1,60	3.177	25,80	TLC-107 SONDA 1
18/03/2014	1,80	3.197	25,80	TLC-107 SONDA 1
18/03/2014	2,00	3.230	25,80	TLC-107 SONDA 1
18/03/2014	2,50	3.236	25,90	TLC-107 SONDA 1
18/03/2014	3,00	3.236	25,90	TLC-107 SONDA 1
18/03/2014	4,00	3.242	25,90	TLC-107 SONDA 1
18/03/2014	5,00	3.248	25,90	TLC-107 SONDA 1
18/03/2014	6,00	3.253	25,90	TLC-107 SONDA 1
18/03/2014	7,00	3.256	25,90	TLC-107 SONDA 1
18/03/2014	8,00	3.258	25,90	TLC-107 SONDA 1
18/03/2014	10,00	3.271	25,90	TLC-107 SONDA 1
18/03/2014	12,00	3.323	25,80	TLC-107 SONDA 1
18/03/2014	14,00	3.486	25,80	TLC-107 SONDA 1
18/03/2014	16,00	3.563	25,80	TLC-107 SONDA 1
18/03/2014	18,00	3.568	25,80	TLC-107 SONDA 1
18/03/2014	20,00	4.246	25,80	TLC-107 SONDA 1
18/03/2014	25,00	4.591	25,80	TLC-107 SONDA 1
18/03/2014	30,00	5.301	25,80	TLC-107 SONDA 1
18/03/2014	35,00	5.817	25,80	TLC-107 SONDA 1
18/03/2014	40,00	7.172	25,90	TLC-107 SONDA 1
18/03/2014	42,00	9.417	25,90	TLC-107 SONDA 1
18/03/2014	44,00	10.900	25,90	TLC-107 SONDA 1
18/03/2014	46,00	12.000	25,90	TLC-107 SONDA 1
18/03/2014	47,00	13.000	25,90	TLC-107 SONDA 1
18/03/2014	48,00	30.600	25,90	TLC-107 SONDA 1
18/03/2014	49,00	40.100	25,90	TLC-107 SONDA 1
18/03/2014	49,50	57.700	25,90	TLC-107 SONDA 1
18/03/2014	50,00	91.800	25,90	TLC-107 SONDA 1
18/03/2014	50,50	125.400	25,90	TLC-107 SONDA 1
18/03/2014	51,00	156.400	25,90	TLC-107 SONDA 1
18/03/2014	51,50	194.200	25,90	TLC-107 SONDA 1
18/03/2014	52,00	223.200	25,90	TLC-107 SONDA 1
18/03/2014	52,50	256.900	25,90	TLC-107 SONDA 1
18/03/2014	53,00	274.100	25,90	TLC-107 SONDA 1
18/03/2014	53,50	284.300	26,00	TLC-107 SONDA 1
18/03/2014	54,00	295.400	26,00	TLC-107 SONDA 1
18/03/2014	54,50	300.500	26,00	TLC-107 SONDA 1
18/03/2014	55,00	306.900	26,00	TLC-107 SONDA 1
18/03/2014	56,00	309.000	26,00	TLC-107 SONDA 1
18/03/2014	57,00	313.800	26,10	TLC-107 SONDA 1
18/03/2014	58,00	318.300	26,10	TLC-107 SONDA 1
18/03/2014	59,00	320.600	26,10	TLC-107 SONDA 1
18/03/2014	60,00	323.300	26,20	TLC-107 SONDA 1
18/03/2014	62,00	328.000	26,20	TLC-107 SONDA 1
18/03/2014	64,00	328.400	26,30	TLC-107 SONDA 1
18/03/2014	66,00	334.500	26,30	TLC-107 SONDA 1
18/03/2014	68,00	335.700	26,30	TLC-107 SONDA 1
18/03/2014	70,00	355.700	26,50	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/03/2014	72,00	386.200	26,50	TLC-107 SONDA 1
18/03/2014	74,00	400.000	26,50	TLC-107 SONDA 1
18/03/2014	76,00	400.000	26,50	TLC-107 SONDA 1
18/03/2014	78,00	400.000	27,70	TLC-107 SONDA 1
16/04/2014	1,20	3.180	25,40	TLC-107 SONDA 1
16/04/2014	1,40	3.567	25,60	TLC-107 SONDA 1
16/04/2014	1,60	3.570	25,60	TLC-107 SONDA 1
16/04/2014	1,80	3.632	25,80	TLC-107 SONDA 1
16/04/2014	2,00	3.642	25,80	TLC-107 SONDA 1
16/04/2014	2,50	3.646	25,80	TLC-107 SONDA 1
16/04/2014	3,00	3.642	25,80	TLC-107 SONDA 1
16/04/2014	3,50	3.646	25,90	TLC-107 SONDA 1
16/04/2014	4,00	3.662	25,90	TLC-107 SONDA 1
16/04/2014	5,00	3.659	25,90	TLC-107 SONDA 1
16/04/2014	6,00	3.667	25,90	TLC-107 SONDA 1
16/04/2014	7,00	3.671	25,90	TLC-107 SONDA 1
16/04/2014	8,00	3.687	25,90	TLC-107 SONDA 1
16/04/2014	9,00	3.726	25,80	TLC-107 SONDA 1
16/04/2014	10,00	3.769	25,80	TLC-107 SONDA 1
16/04/2014	11,00	3.804	25,80	TLC-107 SONDA 1
16/04/2014	12,00	3.849	25,80	TLC-107 SONDA 1
16/04/2014	13,00	3.856	25,80	TLC-107 SONDA 1
16/04/2014	14,00	3.953	25,80	TLC-107 SONDA 1
16/04/2014	15,00	4.056	25,80	TLC-107 SONDA 1
16/04/2014	16,00	4.149	25,80	TLC-107 SONDA 1
16/04/2014	18,00	4.249	25,80	TLC-107 SONDA 1
16/04/2014	20,00	4.793	25,80	TLC-107 SONDA 1
16/04/2014	22,00	5.540	25,80	TLC-107 SONDA 1
16/04/2014	24,00	5.552	25,80	TLC-107 SONDA 1
16/04/2014	26,00	5.557	25,80	TLC-107 SONDA 1
16/04/2014	28,00	6.440	25,80	TLC-107 SONDA 1
16/04/2014	30,00	7.491	25,80	TLC-107 SONDA 1
16/04/2014	32,00	7.420	25,80	TLC-107 SONDA 1
16/04/2014	34,00	7.501	25,90	TLC-107 SONDA 1
16/04/2014	36,00	8.558	25,90	TLC-107 SONDA 1
16/04/2014	38,00	8.966	25,90	TLC-107 SONDA 1
16/04/2014	40,00	10.300	25,90	TLC-107 SONDA 1
16/04/2014	42,00	13.100	25,90	TLC-107 SONDA 1
16/04/2014	44,00	16.900	25,90	TLC-107 SONDA 1
16/04/2014	46,00	20.900	25,90	TLC-107 SONDA 1
16/04/2014	48,00	40.300	25,90	TLC-107 SONDA 1
16/04/2014	48,50	48.900	25,90	TLC-107 SONDA 1
16/04/2014	49,00	64.800	25,90	TLC-107 SONDA 1
16/04/2014	49,20	77.400	25,90	TLC-107 SONDA 1
16/04/2014	49,40	97.300	25,90	TLC-107 SONDA 1
16/04/2014	49,60	115.700	25,90	TLC-107 SONDA 1
16/04/2014	49,80	125.700	25,90	TLC-107 SONDA 1
16/04/2014	50,00	138.400	25,90	TLC-107 SONDA 1
16/04/2014	50,20	150.600	25,90	TLC-107 SONDA 1
16/04/2014	50,40	166.400	25,90	TLC-107 SONDA 1
16/04/2014	50,60	181.800	25,90	TLC-107 SONDA 1
16/04/2014	50,80	195.200	25,90	TLC-107 SONDA 1
16/04/2014	51,00	201.500	25,90	TLC-107 SONDA 1
16/04/2014	51,20	212.500	25,90	TLC-107 SONDA 1
16/04/2014	51,40	218.700	25,90	TLC-107 SONDA 1
16/04/2014	51,60	238.400	25,90	TLC-107 SONDA 1
16/04/2014	51,80	249.000	25,90	TLC-107 SONDA 1
16/04/2014	52,00	270.000	25,90	TLC-107 SONDA 1
16/04/2014	52,20	290.300	25,90	TLC-107 SONDA 1
16/04/2014	52,40	293.600	25,90	TLC-107 SONDA 1
16/04/2014	52,60	294.600	25,90	TLC-107 SONDA 1
16/04/2014	52,80	298.400	25,90	TLC-107 SONDA 1
16/04/2014	53,00	301.700	26,00	TLC-107 SONDA 1
16/04/2014	53,50	305.700	26,00	TLC-107 SONDA 1
16/04/2014	54,00	311.900	26,00	TLC-107 SONDA 1
16/04/2014	54,50	316.600	26,00	TLC-107 SONDA 1
16/04/2014	55,00	318.500	26,00	TLC-107 SONDA 1
16/04/2014	56,00	321.000	26,00	TLC-107 SONDA 1
16/04/2014	57,00	320.600	26,10	TLC-107 SONDA 1
16/04/2014	58,00	319.600	26,10	TLC-107 SONDA 1
16/04/2014	59,00	319.600	26,10	TLC-107 SONDA 1
16/04/2014	60,00	318.200	26,20	TLC-107 SONDA 1
16/04/2014	62,00	318.300	26,20	TLC-107 SONDA 1
16/04/2014	64,00	314.400	26,30	TLC-107 SONDA 1
16/04/2014	66,00	313.800	26,30	TLC-107 SONDA 1
16/04/2014	68,00	316.300	26,50	TLC-107 SONDA 1
16/04/2014	70,00	314.900	26,50	TLC-107 SONDA 1
16/04/2014	72,00	315.100	26,50	TLC-107 SONDA 1
16/04/2014	74,00	314.300	26,50	TLC-107 SONDA 1
16/04/2014	76,00	321.100	26,60	TLC-107 SONDA 1
16/04/2014	78,00	332.100	26,60	TLC-107 SONDA 1
16/04/2014	80,00	336.700	26,60	TLC-107 SONDA 1
16/04/2014	85,00	358.300	26,70	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/04/2014	90,00	400.000	26,80	TLC-107 SONDA 1
16/04/2014	95,00	400.000	26,80	TLC-107 SONDA 1
16/04/2014	100,00	400.000	26,90	TLC-107 SONDA 1
16/04/2014	105,00	400.000	27,00	TLC-107 SONDA 1
16/04/2014	110,00	400.000	27,20	TLC-107 SONDA 1
16/04/2014	115,00	400.000	27,30	TLC-107 SONDA 1
16/04/2014	120,00	400.000	27,30	TLC-107 SONDA 1
14/05/2014	1,20	3.148	25,30	TLC-107 SONDA 1
14/05/2014	1,40	3.291	25,60	TLC-107 SONDA 1
14/05/2014	1,60	3.444	25,80	TLC-107 SONDA 1
14/05/2014	1,80	3.463	25,80	TLC-107 SONDA 1
14/05/2014	2,00	3.492	25,80	TLC-107 SONDA 1
14/05/2014	2,50	3.501	25,80	TLC-107 SONDA 1
14/05/2014	3,00	3.505	25,80	TLC-107 SONDA 1
14/05/2014	4,00	3.512	25,80	TLC-107 SONDA 1
14/05/2014	5,00	3.512	25,80	TLC-107 SONDA 1
14/05/2014	6,00	3.517	25,80	TLC-107 SONDA 1
14/05/2014	8,00	3.549	25,80	TLC-107 SONDA 1
14/05/2014	10,00	3.619	25,80	TLC-107 SONDA 1
14/05/2014	12,00	3.680	25,80	TLC-107 SONDA 1
14/05/2014	14,00	3.744	25,80	TLC-107 SONDA 1
14/05/2014	16,00	3.893	25,80	TLC-107 SONDA 1
14/05/2014	18,00	3.994	25,80	TLC-107 SONDA 1
14/05/2014	20,00	4.615	25,80	TLC-107 SONDA 1
14/05/2014	22,00	4.888	25,80	TLC-107 SONDA 1
14/05/2014	24,00	4.994	25,80	TLC-107 SONDA 1
14/05/2014	26,00	5.102	25,80	TLC-107 SONDA 1
14/05/2014	28,00	6.068	25,80	TLC-107 SONDA 1
14/05/2014	30,00	7.385	25,80	TLC-107 SONDA 1
14/05/2014	32,00	7.649	25,90	TLC-107 SONDA 1
14/05/2014	34,00	7.841	25,90	TLC-107 SONDA 1
14/05/2014	36,00	9.141	25,90	TLC-107 SONDA 1
14/05/2014	38,00	9.681	25,90	TLC-107 SONDA 1
14/05/2014	40,00	10.800	25,90	TLC-107 SONDA 1
14/05/2014	41,00	14.400	25,90	TLC-107 SONDA 1
14/05/2014	42,00	16.100	25,90	TLC-107 SONDA 1
14/05/2014	43,00	17.000	25,90	TLC-107 SONDA 1
14/05/2014	44,00	18.600	25,90	TLC-107 SONDA 1
14/05/2014	45,00	19.800	25,90	TLC-107 SONDA 1
14/05/2014	46,00	21.400	25,90	TLC-107 SONDA 1
14/05/2014	47,00	22.700	25,90	TLC-107 SONDA 1
14/05/2014	48,00	44.300	25,90	TLC-107 SONDA 1
14/05/2014	49,00	64.200	25,90	TLC-107 SONDA 1
14/05/2014	49,20	77.300	25,90	TLC-107 SONDA 1
14/05/2014	49,40	87.300	25,90	TLC-107 SONDA 1
14/05/2014	49,60	102.100	25,90	TLC-107 SONDA 1
14/05/2014	49,80	111.700	25,90	TLC-107 SONDA 1
14/05/2014	50,00	119.700	25,90	TLC-107 SONDA 1
14/05/2014	50,20	127.900	25,90	TLC-107 SONDA 1
14/05/2014	50,40	140.600	25,90	TLC-107 SONDA 1
14/05/2014	50,60	149.500	25,90	TLC-107 SONDA 1
14/05/2014	50,80	159.500	25,90	TLC-107 SONDA 1
14/05/2014	51,00	167.400	25,90	TLC-107 SONDA 1
14/05/2014	51,20	176.200	25,90	TLC-107 SONDA 1
14/05/2014	51,40	180.900	25,90	TLC-107 SONDA 1
14/05/2014	51,60	193.800	26,00	TLC-107 SONDA 1
14/05/2014	51,80	205.600	26,00	TLC-107 SONDA 1
14/05/2014	52,00	209.700	26,00	TLC-107 SONDA 1
14/05/2014	52,20	225.800	26,00	TLC-107 SONDA 1
14/05/2014	52,40	232.200	26,00	TLC-107 SONDA 1
14/05/2014	52,60	235.700	26,00	TLC-107 SONDA 1
14/05/2014	52,80	240.500	26,00	TLC-107 SONDA 1
14/05/2014	53,00	244.800	26,00	TLC-107 SONDA 1
14/05/2014	53,50	251.200	26,00	TLC-107 SONDA 1
14/05/2014	54,00	256.300	26,00	TLC-107 SONDA 1
14/05/2014	54,50	270.600	26,00	TLC-107 SONDA 1
14/05/2014	55,00	273.900	26,00	TLC-107 SONDA 1
14/05/2014	56,00	274.000	26,10	TLC-107 SONDA 1
14/05/2014	57,00	274.000	26,10	TLC-107 SONDA 1
14/05/2014	58,00	275.500	26,10	TLC-107 SONDA 1
14/05/2014	60,00	275.900	26,10	TLC-107 SONDA 1
14/05/2014	62,00	279.800	26,10	TLC-107 SONDA 1
14/05/2014	64,00	279.100	26,30	TLC-107 SONDA 1
14/05/2014	66,00	281.400	26,30	TLC-107 SONDA 1
14/05/2014	68,00	282.300	26,30	TLC-107 SONDA 1
14/05/2014	70,00	285.100	26,50	TLC-107 SONDA 1
14/05/2014	72,00	288.400	26,50	TLC-107 SONDA 1
14/05/2014	74,00	300.400	26,50	TLC-107 SONDA 1
14/05/2014	76,00	371.900	26,60	TLC-107 SONDA 1
14/05/2014	78,00	400.000	26,60	TLC-107 SONDA 1
14/05/2014	80,00	400.000	26,60	TLC-107 SONDA 1
14/05/2014	82,00	400.000	26,60	TLC-107 SONDA 1
14/05/2014	84,00	400.000	26,70	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/05/2014	86,00	400.000	26,70	TLC-107 SONDA 1
11/06/2014	1,20	2.461	25,60	TLC-107 SONDA 1
11/06/2014	1,40	2.461	25,60	TLC-107 SONDA 1
11/06/2014	1,60	2.473	25,80	TLC-107 SONDA 1
11/06/2014	1,80	2.500	25,80	TLC-107 SONDA 1
11/06/2014	2,00	2.501	25,80	TLC-107 SONDA 1
11/06/2014	2,50	2.514	25,80	TLC-107 SONDA 1
11/06/2014	3,00	2.517	25,80	TLC-107 SONDA 1
11/06/2014	3,50	2.549	25,80	TLC-107 SONDA 1
11/06/2014	4,00	2.547	25,80	TLC-107 SONDA 1
11/06/2014	5,00	2.638	25,90	TLC-107 SONDA 1
11/06/2014	6,00	2.644	25,90	TLC-107 SONDA 1
11/06/2014	8,00	2.680	25,90	TLC-107 SONDA 1
11/06/2014	10,00	2.751	25,90	TLC-107 SONDA 1
11/06/2014	12,00	2.884	25,80	TLC-107 SONDA 1
11/06/2014	14,00	2.929	25,80	TLC-107 SONDA 1
11/06/2014	16,00	3.125	25,80	TLC-107 SONDA 1
11/06/2014	18,00	3.325	25,80	TLC-107 SONDA 1
11/06/2014	20,00	3.956	25,80	TLC-107 SONDA 1
11/06/2014	22,00	4.469	25,80	TLC-107 SONDA 1
11/06/2014	24,00	4.552	25,80	TLC-107 SONDA 1
11/06/2014	26,00	4.567	25,80	TLC-107 SONDA 1
11/06/2014	28,00	4.930	25,80	TLC-107 SONDA 1
11/06/2014	30,00	5.677	25,90	TLC-107 SONDA 1
11/06/2014	32,00	5.769	25,90	TLC-107 SONDA 1
11/06/2014	36,00	6.547	25,90	TLC-107 SONDA 1
11/06/2014	40,00	7.830	25,90	TLC-107 SONDA 1
11/06/2014	42,00	10.200	25,90	TLC-107 SONDA 1
11/06/2014	44,00	11.200	25,90	TLC-107 SONDA 1
11/06/2014	46,00	12.200	25,90	TLC-107 SONDA 1
11/06/2014	47,00	13.000	25,90	TLC-107 SONDA 1
11/06/2014	47,50	14.300	25,90	TLC-107 SONDA 1
11/06/2014	48,00	26.900	25,90	TLC-107 SONDA 1
11/06/2014	48,20	30.500	25,90	TLC-107 SONDA 1
11/06/2014	48,40	31.100	25,90	TLC-107 SONDA 1
11/06/2014	48,60	32.200	25,90	TLC-107 SONDA 1
11/06/2014	48,80	34.800	25,90	TLC-107 SONDA 1
11/06/2014	49,00	40.100	25,90	TLC-107 SONDA 1
11/06/2014	49,20	44.600	25,90	TLC-107 SONDA 1
11/06/2014	49,40	53.500	25,90	TLC-107 SONDA 1
11/06/2014	49,60	60.600	26,00	TLC-107 SONDA 1
11/06/2014	49,80	66.600	26,00	TLC-107 SONDA 1
11/06/2014	50,00	72.600	26,00	TLC-107 SONDA 1
11/06/2014	50,20	78.400	26,00	TLC-107 SONDA 1
11/06/2014	50,40	85.400	26,00	TLC-107 SONDA 1
11/06/2014	50,60	92.100	26,00	TLC-107 SONDA 1
11/06/2014	50,79	98.000	26,00	TLC-107 SONDA 1
11/06/2014	50,99	101.700	26,00	TLC-107 SONDA 1
11/06/2014	51,19	107.200	26,00	TLC-107 SONDA 1
11/06/2014	51,39	113.600	26,00	TLC-107 SONDA 1
11/06/2014	51,59	117.900	26,00	TLC-107 SONDA 1
11/06/2014	51,79	119.400	26,00	TLC-107 SONDA 1
11/06/2014	51,99	121.700	26,00	TLC-107 SONDA 1
11/06/2014	52,50	136.100	26,00	TLC-107 SONDA 1
11/06/2014	53,00	139.500	26,00	TLC-107 SONDA 1
11/06/2014	53,50	141.700	26,00	TLC-107 SONDA 1
11/06/2014	54,00	145.800	26,00	TLC-107 SONDA 1
11/06/2014	54,50	147.900	26,00	TLC-107 SONDA 1
11/06/2014	55,00	149.400	26,00	TLC-107 SONDA 1
11/06/2014	56,00	149.900	26,10	TLC-107 SONDA 1
11/06/2014	56,99	149.900	26,10	TLC-107 SONDA 1
11/06/2014	57,99	149.900	26,10	TLC-107 SONDA 1
11/06/2014	58,99	149.900	26,10	TLC-107 SONDA 1
11/06/2014	59,99	149.700	26,20	TLC-107 SONDA 1
11/06/2014	60,99	150.200	26,20	TLC-107 SONDA 1
11/06/2014	61,99	151.500	26,20	TLC-107 SONDA 1
11/06/2014	62,99	152.000	26,30	TLC-107 SONDA 1
11/06/2014	63,99	152.600	26,30	TLC-107 SONDA 1
11/06/2014	64,99	152.400	26,30	TLC-107 SONDA 1
11/06/2014	67,00	153.100	26,30	TLC-107 SONDA 1
11/06/2014	69,00	154.000	26,30	TLC-107 SONDA 1
11/06/2014	71,00	154.500	26,50	TLC-107 SONDA 1
11/06/2014	73,00	155.400	26,50	TLC-107 SONDA 1
11/06/2014	75,00	157.400	26,60	TLC-107 SONDA 1
11/06/2014	77,00	165.200	26,60	TLC-107 SONDA 1
11/06/2014	79,00	167.300	26,60	TLC-107 SONDA 1
11/06/2014	81,00	168.400	26,60	TLC-107 SONDA 1
11/06/2014	83,00	169.900	26,60	TLC-107 SONDA 1
11/06/2014	85,00	171.000	26,70	TLC-107 SONDA 1
11/06/2014	87,00	170.800	26,70	TLC-107 SONDA 1
11/06/2014	87,20	219.600	26,70	TLC-107 SONDA 1
11/06/2014	87,40	217.100	26,70	TLC-107 SONDA 1
11/06/2014	87,60	217.100	26,70	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/06/2014	87,80	216.600	26,70	TLC-107 SONDA 1
11/06/2014	88,00	220.500	26,80	TLC-107 SONDA 1
11/06/2014	88,20	246.900	26,80	TLC-107 SONDA 1
11/06/2014	88,40	271.100	26,80	TLC-107 SONDA 1
11/06/2014	88,60	271.600	26,80	TLC-107 SONDA 1
11/06/2014	88,80	270.500	26,80	TLC-107 SONDA 1
11/06/2014	89,00	271.600	26,80	TLC-107 SONDA 1
11/06/2014	86,50	270.000	26,80	TLC-107 SONDA 1
11/06/2014	90,00	267.400	26,80	TLC-107 SONDA 1
11/06/2014	91,00	269.500	26,80	TLC-107 SONDA 1
11/06/2014	92,00	268.400	26,80	TLC-107 SONDA 1
11/06/2014	93,00	267.400	26,80	TLC-107 SONDA 1
11/06/2014	94,00	264.200	26,80	TLC-107 SONDA 1
11/06/2014	96,00	257.100	26,90	TLC-107 SONDA 1
11/06/2014	98,00	252.800	26,90	TLC-107 SONDA 1
11/06/2014	100,00	254.700	26,90	TLC-107 SONDA 1
11/06/2014	102,00	256.000	27,00	TLC-107 SONDA 1
11/06/2014	106,00	257.000	27,00	TLC-107 SONDA 1
11/06/2014	110,00	257.400	27,20	TLC-107 SONDA 1
11/06/2014	114,00	258.900	27,20	TLC-107 SONDA 1
11/06/2014	118,00	231.400	27,30	TLC-107 SONDA 1
11/06/2014	119,00	229.400	27,30	TLC-107 SONDA 1
11/06/2014	120,00	230.600	27,30	TLC-107 SONDA 1
11/06/2014	120,70	234.300	27,30	TLC-107 SONDA 1
21/07/2014	1,30	3.320	25,30	TLC-107 SONDA 1
21/07/2014	2,00	3.309	25,60	TLC-107 SONDA 1
21/07/2014	3,00	3.306	25,60	TLC-107 SONDA 1
21/07/2014	5,00	3.317	25,80	TLC-107 SONDA 1
21/07/2014	7,00	3.318	25,80	TLC-107 SONDA 1
21/07/2014	9,00	3.356	25,80	TLC-107 SONDA 1
21/07/2014	11,00	3.463	25,80	TLC-107 SONDA 1
21/07/2014	13,00	3.518	25,80	TLC-107 SONDA 1
21/07/2014	15,00	3.570	25,80	TLC-107 SONDA 1
21/07/2014	17,00	3.711	25,80	TLC-107 SONDA 1
21/07/2014	19,00	3.996	25,80	TLC-107 SONDA 1
21/07/2014	21,00	4.394	25,80	TLC-107 SONDA 1
21/07/2014	23,00	4.626	25,80	TLC-107 SONDA 1
21/07/2014	25,00	4.633	25,80	TLC-107 SONDA 1
21/07/2014	27,00	4.703	25,80	TLC-107 SONDA 1
21/07/2014	29,00	5.271	25,90	TLC-107 SONDA 1
21/07/2014	31,00	5.309	25,90	TLC-107 SONDA 1
21/07/2014	33,00	5.238	25,90	TLC-107 SONDA 1
21/07/2014	35,00	5.383	25,90	TLC-107 SONDA 1
21/07/2014	37,00	5.639	25,90	TLC-107 SONDA 1
21/07/2014	39,00	5.853	25,90	TLC-107 SONDA 1
21/07/2014	41,00	7.665	25,90	TLC-107 SONDA 1
21/07/2014	43,00	7.975	25,90	TLC-107 SONDA 1
21/07/2014	45,00	8.666	25,90	TLC-107 SONDA 1
21/07/2014	46,00	9.037	25,90	TLC-107 SONDA 1
21/07/2014	47,00	9.296	25,90	TLC-107 SONDA 1
21/07/2014	47,50	10.900	25,90	TLC-107 SONDA 1
21/07/2014	48,00	15.200	26,00	TLC-107 SONDA 1
21/07/2014	48,50	16.700	26,00	TLC-107 SONDA 1
21/07/2014	49,00	19.400	26,00	TLC-107 SONDA 1
21/07/2014	49,50	25.200	26,00	TLC-107 SONDA 1
21/07/2014	50,00	30.600	26,00	TLC-107 SONDA 1
21/07/2014	50,50	35.100	26,00	TLC-107 SONDA 1
21/07/2014	51,00	40.400	26,00	TLC-107 SONDA 1
21/07/2014	51,50	44.600	26,00	TLC-107 SONDA 1
21/07/2014	52,00	47.700	26,00	TLC-107 SONDA 1
21/07/2014	52,50	51.400	26,00	TLC-107 SONDA 1
21/07/2014	53,00	53.400	26,00	TLC-107 SONDA 1
21/07/2014	53,50	54.600	26,00	TLC-107 SONDA 1
21/07/2014	54,00	55.500	26,00	TLC-107 SONDA 1
21/07/2014	54,50	56.100	26,00	TLC-107 SONDA 1
21/07/2014	55,00	56.300	26,10	TLC-107 SONDA 1
21/07/2014	55,50	56.600	26,10	TLC-107 SONDA 1
21/07/2014	56,00	56.700	26,10	TLC-107 SONDA 1
21/07/2014	56,50	56.600	26,10	TLC-107 SONDA 1
21/07/2014	57,00	56.700	26,10	TLC-107 SONDA 1
21/07/2014	57,50	56.800	26,10	TLC-107 SONDA 1
21/07/2014	58,00	56.900	26,10	TLC-107 SONDA 1
21/07/2014	58,50	57.000	26,10	TLC-107 SONDA 1
21/07/2014	59,00	57.100	26,20	TLC-107 SONDA 1
21/07/2014	59,50	57.300	26,20	TLC-107 SONDA 1
21/07/2014	60,00	57.500	26,20	TLC-107 SONDA 1
21/07/2014	61,00	57.800	26,20	TLC-107 SONDA 1
21/07/2014	62,00	58.100	26,20	TLC-107 SONDA 1
21/07/2014	63,00	58.200	26,30	TLC-107 SONDA 1
21/07/2014	64,00	58.600	26,30	TLC-107 SONDA 1
21/07/2014	66,00	59.000	26,30	TLC-107 SONDA 1
21/07/2014	68,00	59.400	26,30	TLC-107 SONDA 1
21/07/2014	70,00	59.700	26,50	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/07/2014	72,00	60.800	26,50	TLC-107 SONDA 1
21/07/2014	74,00	62.800	26,50	TLC-107 SONDA 1
21/07/2014	75,00	81.700	26,60	TLC-107 SONDA 1
21/07/2014	76,00	90.500	26,60	TLC-107 SONDA 1
21/07/2014	76,50	93.800	26,60	TLC-107 SONDA 1
21/07/2014	77,00	99.600	26,60	TLC-107 SONDA 1
21/07/2014	77,50	103.800	26,60	TLC-107 SONDA 1
21/07/2014	78,00	108.400	26,60	TLC-107 SONDA 1
21/07/2014	78,50	108.200	26,60	TLC-107 SONDA 1
21/07/2014	79,00	111.300	26,60	TLC-107 SONDA 1
21/07/2014	79,50	114.800	26,60	TLC-107 SONDA 1
21/07/2014	80,00	116.000	26,60	TLC-107 SONDA 1
21/07/2014	80,50	118.100	26,60	TLC-107 SONDA 1
21/07/2014	81,00	118.000	26,60	TLC-107 SONDA 1
21/07/2014	81,50	118.800	26,60	TLC-107 SONDA 1
21/07/2014	82,00	119.500	26,60	TLC-107 SONDA 1
21/07/2014	83,00	122.300	26,60	TLC-107 SONDA 1
21/07/2014	84,00	121.500	26,60	TLC-107 SONDA 1
21/07/2014	85,00	121.400	26,60	TLC-107 SONDA 1
21/07/2014	86,00	122.700	26,70	TLC-107 SONDA 1
21/07/2014	87,00	123.600	26,70	TLC-107 SONDA 1
21/07/2014	88,00	121.600	26,70	TLC-107 SONDA 1
21/07/2014	89,00	230.100	26,80	TLC-107 SONDA 1
21/07/2014	90,00	239.500	26,80	TLC-107 SONDA 1
21/07/2014	91,00	252.000	26,80	TLC-107 SONDA 1
21/07/2014	92,00	250.900	26,80	TLC-107 SONDA 1
21/07/2014	94,00	253.200	26,80	TLC-107 SONDA 1
21/07/2014	96,00	255.700	26,90	TLC-107 SONDA 1
21/07/2014	98,00	261.900	26,90	TLC-107 SONDA 1
21/07/2014	100,00	257.500	27,00	TLC-107 SONDA 1
21/07/2014	102,00	257.500	27,00	TLC-107 SONDA 1
21/07/2014	104,00	255.700	27,00	TLC-107 SONDA 1
21/07/2014	106,00	258.800	27,00	TLC-107 SONDA 1
21/07/2014	108,00	257.600	27,20	TLC-107 SONDA 1
21/07/2014	110,00	258.800	27,20	TLC-107 SONDA 1
21/07/2014	112,00	260.700	27,20	TLC-107 SONDA 1
21/07/2014	114,00	259.700	27,30	TLC-107 SONDA 1
21/07/2014	116,00	258.700	27,30	TLC-107 SONDA 1
21/07/2014	118,00	224.100	27,30	TLC-107 SONDA 1
21/07/2014	119,00	219.300	27,30	TLC-107 SONDA 1
21/07/2014	119,90	221.700	27,30	TLC-107 SONDA 1
12/08/2014	1,20	4.125	25,30	TLC-107 SONDA 1
12/08/2014	3,00	4.082	25,80	TLC-107 SONDA 1
12/08/2014	5,00	4.081	25,80	TLC-107 SONDA 1
12/08/2014	7,00	4.079	25,80	TLC-107 SONDA 1
12/08/2014	9,00	4.101	25,80	TLC-107 SONDA 1
12/08/2014	11,00	4.192	25,80	TLC-107 SONDA 1
12/08/2014	13,00	4.267	25,80	TLC-107 SONDA 1
12/08/2014	15,00	4.294	25,80	TLC-107 SONDA 1
12/08/2014	17,00	4.545	25,80	TLC-107 SONDA 1
12/08/2014	19,00	4.832	25,80	TLC-107 SONDA 1
12/08/2014	21,00	6.120	25,80	TLC-107 SONDA 1
12/08/2014	23,00	7.058	25,80	TLC-107 SONDA 1
12/08/2014	25,00	7.291	25,80	TLC-107 SONDA 1
12/08/2014	27,00	7.322	25,80	TLC-107 SONDA 1
12/08/2014	29,00	9.315	25,80	TLC-107 SONDA 1
12/08/2014	31,00	9.898	25,90	TLC-107 SONDA 1
12/08/2014	33,00	9.925	25,90	TLC-107 SONDA 1
12/08/2014	34,00	10.000	25,90	TLC-107 SONDA 1
12/08/2014	35,00	10.300	25,90	TLC-107 SONDA 1
12/08/2014	36,00	10.600	25,90	TLC-107 SONDA 1
12/08/2014	38,00	11.300	25,90	TLC-107 SONDA 1
12/08/2014	40,00	14.100	25,90	TLC-107 SONDA 1
12/08/2014	41,00	18.100	25,90	TLC-107 SONDA 1
12/08/2014	42,00	18.800	25,90	TLC-107 SONDA 1
12/08/2014	43,00	19.700	25,90	TLC-107 SONDA 1
12/08/2014	44,00	21.200	25,90	TLC-107 SONDA 1
12/08/2014	45,00	22.200	25,90	TLC-107 SONDA 1
12/08/2014	46,00	24.200	25,90	TLC-107 SONDA 1
12/08/2014	47,00	25.900	26,00	TLC-107 SONDA 1
12/08/2014	48,00	50.900	26,00	TLC-107 SONDA 1
12/08/2014	49,00	68.800	26,00	TLC-107 SONDA 1
12/08/2014	49,20	74.600	26,00	TLC-107 SONDA 1
12/08/2014	49,40	87.200	26,00	TLC-107 SONDA 1
12/08/2014	49,60	102.500	26,00	TLC-107 SONDA 1
12/08/2014	49,80	110.900	26,00	TLC-107 SONDA 1
12/08/2014	50,00	121.400	26,00	TLC-107 SONDA 1
12/08/2014	50,20	127.200	26,00	TLC-107 SONDA 1
12/08/2014	50,40	138.500	26,00	TLC-107 SONDA 1
12/08/2014	50,60	150.200	26,00	TLC-107 SONDA 1
12/08/2014	50,80	159.800	26,00	TLC-107 SONDA 1
12/08/2014	51,00	167.000	26,00	TLC-107 SONDA 1
12/08/2014	51,20	176.100	26,00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/08/2014	51,40	182.400	26,00	TLC-107 SONDA 1
12/08/2014	51,60	189.500	26,00	TLC-107 SONDA 1
12/08/2014	51,80	197.900	26,00	TLC-107 SONDA 1
12/08/2014	52,00	207.100	26,00	TLC-107 SONDA 1
12/08/2014	53,00	250.700	26,00	TLC-107 SONDA 1
12/08/2014	54,00	264.000	26,00	TLC-107 SONDA 1
12/08/2014	55,00	269.300	26,10	TLC-107 SONDA 1
12/08/2014	57,00	269.300	26,10	TLC-107 SONDA 1
12/08/2014	59,00	268.300	26,20	TLC-107 SONDA 1
12/08/2014	61,00	266.700	26,20	TLC-107 SONDA 1
12/08/2014	63,00	268.700	26,30	TLC-107 SONDA 1
12/08/2014	65,00	269.100	26,30	TLC-107 SONDA 1
12/08/2014	68,00	271.100	26,30	TLC-107 SONDA 1
12/08/2014	71,00	275.700	26,50	TLC-107 SONDA 1
12/08/2014	74,00	281.600	26,50	TLC-107 SONDA 1
12/08/2014	77,00	292.300	26,60	TLC-107 SONDA 1
12/08/2014	80,00	295.900	26,60	TLC-107 SONDA 1
12/08/2014	83,00	303.300	26,60	TLC-107 SONDA 1
12/08/2014	86,00	307.700	26,70	TLC-107 SONDA 1
12/08/2014	89,00	314.900	26,80	TLC-107 SONDA 1
12/08/2014	92,00	319.000	26,80	TLC-107 SONDA 1
12/08/2014	95,00	315.900	26,60	TLC-107 SONDA 1
12/08/2014	98,00	308.500	26,90	TLC-107 SONDA 1
12/08/2014	101,00	309.400	27,00	TLC-107 SONDA 1
12/08/2014	104,00	311.400	27,00	TLC-107 SONDA 1
12/08/2014	107,00	309.400	27,20	TLC-107 SONDA 1
12/08/2014	110,00	310.700	27,20	TLC-107 SONDA 1
12/08/2014	113,00	310.000	27,20	TLC-107 SONDA 1
12/08/2014	116,00	312.000	27,30	TLC-107 SONDA 1
12/08/2014	119,00	231.000	27,30	TLC-107 SONDA 1
02/09/2014	1,10	3.826	25,50	TLC-107 SONDA 1
02/09/2014	2,00	3.919	25,60	TLC-107 SONDA 1
02/09/2014	4,00	3.914	25,80	TLC-107 SONDA 1
02/09/2014	6,00	3.921	25,80	TLC-107 SONDA 1
02/09/2014	8,00	3.925	25,80	TLC-107 SONDA 1
02/09/2014	10,00	3.943	25,80	TLC-107 SONDA 1
02/09/2014	12,00	3.961	25,80	TLC-107 SONDA 1
02/09/2014	14,00	3.969	25,80	TLC-107 SONDA 1
02/09/2014	16,00	4.466	25,80	TLC-107 SONDA 1
02/09/2014	18,00	4.676	25,80	TLC-107 SONDA 1
02/09/2014	20,00	5.594	25,80	TLC-107 SONDA 1
02/09/2014	22,00	6.005	25,80	TLC-107 SONDA 1
02/09/2014	24,00	6.165	25,80	TLC-107 SONDA 1
02/09/2014	26,00	6.152	25,80	TLC-107 SONDA 1
02/09/2014	28,00	6.752	25,90	TLC-107 SONDA 1
02/09/2014	30,00	7.301	25,90	TLC-107 SONDA 1
02/09/2014	32,00	7.346	25,90	TLC-107 SONDA 1
02/09/2014	34,00	7.312	25,90	TLC-107 SONDA 1
02/09/2014	36,00	7.701	25,90	TLC-107 SONDA 1
02/09/2014	38,00	7.895	25,90	TLC-107 SONDA 1
02/09/2014	40,00	9.120	25,90	TLC-107 SONDA 1
02/09/2014	42,00	10.900	25,90	TLC-107 SONDA 1
02/09/2014	44,00	11.800	25,90	TLC-107 SONDA 1
02/09/2014	46,00	12.800	25,90	TLC-107 SONDA 1
02/09/2014	48,00	22.200	26,00	TLC-107 SONDA 1
02/09/2014	49,00	31.500	26,00	TLC-107 SONDA 1
02/09/2014	49,50	42.500	26,00	TLC-107 SONDA 1
02/09/2014	50,00	53.300	26,00	TLC-107 SONDA 1
02/09/2014	50,20	59.600	26,00	TLC-107 SONDA 1
02/09/2014	50,40	62.100	26,00	TLC-107 SONDA 1
02/09/2014	50,60	65.200	26,00	TLC-107 SONDA 1
02/09/2014	50,80	67.300	26,00	TLC-107 SONDA 1
02/09/2014	51,00	70.600	26,00	TLC-107 SONDA 1
02/09/2014	51,20	72.700	26,00	TLC-107 SONDA 1
02/09/2014	51,40	75.500	26,00	TLC-107 SONDA 1
02/09/2014	51,60	77.300	26,00	TLC-107 SONDA 1
02/09/2014	51,80	81.400	26,00	TLC-107 SONDA 1
02/09/2014	52,00	83.400	26,00	TLC-107 SONDA 1
02/09/2014	52,20	84.800	26,00	TLC-107 SONDA 1
02/09/2014	52,40	86.500	26,00	TLC-107 SONDA 1
02/09/2014	52,60	87.400	26,00	TLC-107 SONDA 1
02/09/2014	52,80	89.100	26,00	TLC-107 SONDA 1
02/09/2014	53,00	96.100	26,00	TLC-107 SONDA 1
02/09/2014	53,20	94.400	26,00	TLC-107 SONDA 1
02/09/2014	53,40	92.200	26,00	TLC-107 SONDA 1
02/09/2014	53,60	92.000	26,00	TLC-107 SONDA 1
02/09/2014	53,80	92.700	26,00	TLC-107 SONDA 1
02/09/2014	54,00	91.500	26,10	TLC-107 SONDA 1
02/09/2014	54,20	91.400	26,00	TLC-107 SONDA 1
02/09/2014	54,40	90.700	26,10	TLC-107 SONDA 1
02/09/2014	54,60	90.400	26,10	TLC-107 SONDA 1
02/09/2014	54,80	91.100	26,10	TLC-107 SONDA 1
02/09/2014	55,00	92.000	26,10	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/09/2014	55.20	92.100	26,10	TLC-107 SONDA 1
02/09/2014	55.40	92.100	26,10	TLC-107 SONDA 1
02/09/2014	55.60	88.400	26,10	TLC-107 SONDA 1
02/09/2014	55.80	86.200	26,10	TLC-107 SONDA 1
02/09/2014	56.00	86.000	26,10	TLC-107 SONDA 1
02/09/2014	56.20	87.200	26,10	TLC-107 SONDA 1
02/09/2014	56.40	87.000	26,10	TLC-107 SONDA 1
02/09/2014	56.60	87.400	26,10	TLC-107 SONDA 1
02/09/2014	56.80	87.600	26,10	TLC-107 SONDA 1
02/09/2014	57.00	86.900	26,10	TLC-107 SONDA 1
02/09/2014	57.20	86.400	26,10	TLC-107 SONDA 1
02/09/2014	57.40	86.500	26,10	TLC-107 SONDA 1
02/09/2014	57.60	86.200	26,10	TLC-107 SONDA 1
02/09/2014	57.80	86.300	26,10	TLC-107 SONDA 1
02/09/2014	58.00	86.200	26,10	TLC-107 SONDA 1
02/09/2014	58.20	86.900	26,10	TLC-107 SONDA 1
02/09/2014	58.40	88.400	26,10	TLC-107 SONDA 1
02/09/2014	58.60	87.700	26,10	TLC-107 SONDA 1
02/09/2014	58.80	89.400	26,20	TLC-107 SONDA 1
02/09/2014	59.00	90.200	26,20	TLC-107 SONDA 1
02/09/2014	59.20	91.300	26,20	TLC-107 SONDA 1
02/09/2014	59.40	89.600	26,20	TLC-107 SONDA 1
02/09/2014	59.60	88.500	26,20	TLC-107 SONDA 1
02/09/2014	59.80	88.100	26,20	TLC-107 SONDA 1
02/09/2014	60.00	88.100	26,20	TLC-107 SONDA 1
02/09/2014	60.20	87.800	26,20	TLC-107 SONDA 1
02/09/2014	60.40	88.700	26,20	TLC-107 SONDA 1
02/09/2014	60.60	90.400	26,20	TLC-107 SONDA 1
02/09/2014	60.80	91.600	26,20	TLC-107 SONDA 1
02/09/2014	61.00	94.000	26,20	TLC-107 SONDA 1
02/09/2014	61.20	96.100	26,20	TLC-107 SONDA 1
02/09/2014	61.40	96.800	26,20	TLC-107 SONDA 1
02/09/2014	61.60	92.800	26,20	TLC-107 SONDA 1
02/09/2014	61.80	91.900	26,20	TLC-107 SONDA 1
02/09/2014	62.00	91.300	26,20	TLC-107 SONDA 1
02/09/2014	62.20	90.300	26,20	TLC-107 SONDA 1
02/09/2014	62.40	94.500	26,20	TLC-107 SONDA 1
02/09/2014	62.60	96.400	26,20	TLC-107 SONDA 1
02/09/2014	62.80	93.900	26,30	TLC-107 SONDA 1
02/09/2014	63.00	91.000	26,30	TLC-107 SONDA 1
02/09/2014	63.20	91.400	26,30	TLC-107 SONDA 1
02/09/2014	63.40	92.700	26,30	TLC-107 SONDA 1
02/09/2014	63.60	95.900	26,30	TLC-107 SONDA 1
02/09/2014	63.80	96.000	26,30	TLC-107 SONDA 1
02/09/2014	64.00	97.700	26,30	TLC-107 SONDA 1
02/09/2014	64.20	98.400	26,30	TLC-107 SONDA 1
02/09/2014	64.40	98.800	26,30	TLC-107 SONDA 1
02/09/2014	64.60	99.300	26,30	TLC-107 SONDA 1
02/09/2014	64.80	99.400	26,30	TLC-107 SONDA 1
02/09/2014	65.00	99.600	26,30	TLC-107 SONDA 1
02/09/2014	65.20	99.700	26,30	TLC-107 SONDA 1
02/09/2014	65.40	99.500	26,30	TLC-107 SONDA 1
02/09/2014	65.60	99.700	26,30	TLC-107 SONDA 1
02/09/2014	65.80	99.400	26,30	TLC-107 SONDA 1
02/09/2014	66.00	99.200	26,30	TLC-107 SONDA 1
02/09/2014	66.20	99.300	26,30	TLC-107 SONDA 1
02/09/2014	66.40	99.300	26,30	TLC-107 SONDA 1
02/09/2014	66.60	99.300	26,30	TLC-107 SONDA 1
02/09/2014	66.80	99.700	26,30	TLC-107 SONDA 1
02/09/2014	67.00	99.900	26,30	TLC-107 SONDA 1
02/09/2014	67.50	100.100	26,30	TLC-107 SONDA 1
02/09/2014	67.99	99.800	26,30	TLC-107 SONDA 1
02/09/2014	68.49	100.100	26,30	TLC-107 SONDA 1
02/09/2014	68.99	100.200	26,30	TLC-107 SONDA 1
02/09/2014	69.49	101.500	26,50	TLC-107 SONDA 1
02/09/2014	69.99	104.200	26,50	TLC-107 SONDA 1
02/09/2014	70.49	106.200	26,50	TLC-107 SONDA 1
02/09/2014	70.99	108.100	26,50	TLC-107 SONDA 1
02/09/2014	71.49	109.500	26,50	TLC-107 SONDA 1
02/09/2014	71.99	111.200	26,50	TLC-107 SONDA 1
02/09/2014	72.49	113.100	26,50	TLC-107 SONDA 1
02/09/2014	72.99	116.700	26,50	TLC-107 SONDA 1
02/09/2014	73.49	121.000	26,50	TLC-107 SONDA 1
02/09/2014	73.99	124.800	26,50	TLC-107 SONDA 1
02/09/2014	74.49	128.400	26,60	TLC-107 SONDA 1
02/09/2014	74.99	136.900	26,60	TLC-107 SONDA 1
02/09/2014	75.49	146.800	26,60	TLC-107 SONDA 1
02/09/2014	75.99	188.500	26,60	TLC-107 SONDA 1
02/09/2014	76.49	220.400	26,60	TLC-107 SONDA 1
02/09/2014	76.99	238.600	26,60	TLC-107 SONDA 1
02/09/2014	77.49	259.200	26,60	TLC-107 SONDA 1
02/09/2014	77.99	269.300	26,60	TLC-107 SONDA 1
02/09/2014	79.00	290.100	26,60	TLC-107 SONDA 1



Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/09/2014	80,00	302.200	26,60	TLC-107 SONDA 1
02/09/2014	82,00	324.200	26,60	TLC-107 SONDA 1
02/09/2014	84,00	355.700	26,70	TLC-107 SONDA 1
02/09/2014	86,00	381.100	26,70	TLC-107 SONDA 1
02/09/2014	88,00	400.000	26,70	TLC-107 SONDA 1
02/09/2014	90,00	392.500	26,80	TLC-107 SONDA 1
02/09/2014	92,00	391.200	26,80	TLC-107 SONDA 1
02/09/2014	94,00	386.200	26,80	TLC-107 SONDA 1
02/09/2014	96,00	384.100	26,90	TLC-107 SONDA 1
02/09/2014	98,00	376.900	26,90	TLC-107 SONDA 1
02/09/2014	100,00	376.800	26,90	TLC-107 SONDA 1
02/09/2014	102,00	380.800	27,00	TLC-107 SONDA 1
02/09/2014	104,00	380.800	27,00	TLC-107 SONDA 1
02/09/2014	106,00	385.700	27,00	TLC-107 SONDA 1
02/09/2014	108,00	387.300	27,20	TLC-107 SONDA 1
02/09/2014	110,00	388.500	27,20	TLC-107 SONDA 1
02/09/2014	112,00	391.000	27,20	TLC-107 SONDA 1
02/09/2014	114,00	391.000	27,20	TLC-107 SONDA 1
02/09/2014	116,00	396.600	27,30	TLC-107 SONDA 1
02/09/2014	118,00	330.200	27,30	TLC-107 SONDA 1
07/10/2014	1,10	4.256	25,10	TLC-107 SONDA 1
07/10/2014	2,00	4.195	25,50	TLC-107 SONDA 1
07/10/2014	3,00	4.196	25,80	TLC-107 SONDA 1
07/10/2014	4,00	4.195	25,80	TLC-107 SONDA 1
07/10/2014	5,00	4.185	25,80	TLC-107 SONDA 1
07/10/2014	6,00	4.184	25,80	TLC-107 SONDA 1
07/10/2014	7,00	4.183	25,80	TLC-107 SONDA 1
07/10/2014	9,00	4.199	25,80	TLC-107 SONDA 1
07/10/2014	11,00	4.243	25,80	TLC-107 SONDA 1
07/10/2014	13,00	4.306	25,80	TLC-107 SONDA 1
07/10/2014	15,00	4.462	25,80	TLC-107 SONDA 1
07/10/2014	17,00	4.849	25,80	TLC-107 SONDA 1
07/10/2014	19,00	5.522	25,80	TLC-107 SONDA 1
07/10/2014	21,00	6.493	25,80	TLC-107 SONDA 1
07/10/2014	23,00	7.152	25,80	TLC-107 SONDA 1
07/10/2014	24,00	7.311	25,80	TLC-107 SONDA 1
07/10/2014	25,00	7.307	25,80	TLC-107 SONDA 1
07/10/2014	27,00	7.652	25,80	TLC-107 SONDA 1
07/10/2014	29,00	9.018	25,90	TLC-107 SONDA 1
07/10/2014	30,00	9.365	25,90	TLC-107 SONDA 1
07/10/2014	31,00	9.412	25,90	TLC-107 SONDA 1
07/10/2014	32,00	9.592	25,90	TLC-107 SONDA 1
07/10/2014	33,00	9.664	25,90	TLC-107 SONDA 1
07/10/2014	35,00	10.100	25,90	TLC-107 SONDA 1
07/10/2014	36,00	10.800	25,90	TLC-107 SONDA 1
07/10/2014	37,00	11.000	25,90	TLC-107 SONDA 1
07/10/2014	39,00	11.500	25,90	TLC-107 SONDA 1
07/10/2014	40,00	12.300	25,90	TLC-107 SONDA 1
07/10/2014	41,00	17.400	25,90	TLC-107 SONDA 1
07/10/2014	41,50	17.900	25,90	TLC-107 SONDA 1
07/10/2014	42,00	18.200	25,90	TLC-107 SONDA 1
07/10/2014	42,50	18.300	25,90	TLC-107 SONDA 1
07/10/2014	43,00	18.800	25,90	TLC-107 SONDA 1
07/10/2014	43,50	19.200	25,90	TLC-107 SONDA 1
07/10/2014	44,00	20.500	25,90	TLC-107 SONDA 1
07/10/2014	44,50	21.300	25,90	TLC-107 SONDA 1
07/10/2014	45,00	21.300	25,90	TLC-107 SONDA 1
07/10/2014	46,00	23.700	26,00	TLC-107 SONDA 1
07/10/2014	47,00	25.900	26,00	TLC-107 SONDA 1
07/10/2014	47,50	34.500	26,00	TLC-107 SONDA 1
07/10/2014	47,70	37.000	26,00	TLC-107 SONDA 1
07/10/2014	47,90	43.500	26,00	TLC-107 SONDA 1
07/10/2014	48,00	48.900	26,00	TLC-107 SONDA 1
07/10/2014	48,20	51.500	26,00	TLC-107 SONDA 1
07/10/2014	48,40	52.900	26,00	TLC-107 SONDA 1
07/10/2014	48,60	53.900	26,00	TLC-107 SONDA 1
07/10/2014	48,80	57.500	26,00	TLC-107 SONDA 1
07/10/2014	49,00	65.200	26,00	TLC-107 SONDA 1
07/10/2014	49,20	70.500	26,00	TLC-107 SONDA 1
07/10/2014	49,40	82.300	26,00	TLC-107 SONDA 1
07/10/2014	49,60	93.900	26,00	TLC-107 SONDA 1
07/10/2014	49,80	105.500	26,00	TLC-107 SONDA 1
07/10/2014	50,00	112.400	26,00	TLC-107 SONDA 1
07/10/2014	50,20	124.700	26,00	TLC-107 SONDA 1
07/10/2014	50,40	132.400	26,00	TLC-107 SONDA 1
07/10/2014	50,60	144.800	26,00	TLC-107 SONDA 1
07/10/2014	50,80	156.200	26,00	TLC-107 SONDA 1
07/10/2014	51,00	165.900	26,00	TLC-107 SONDA 1
07/10/2014	51,20	170.800	26,00	TLC-107 SONDA 1
07/10/2014	51,40	181.100	26,00	TLC-107 SONDA 1
07/10/2014	51,60	196.100	26,00	TLC-107 SONDA 1
07/10/2014	51,80	212.900	26,00	TLC-107 SONDA 1
07/10/2014	52,00	225.200	26,00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/10/2014	53,00	264.500	26,10	TLC-107 SONDA 1
07/10/2014	54,00	276.600	26,10	TLC-107 SONDA 1
07/10/2014	56,00	284.900	26,10	TLC-107 SONDA 1
07/10/2014	58,00	286.100	26,10	TLC-107 SONDA 1
07/10/2014	60,00	284.800	26,20	TLC-107 SONDA 1
07/10/2014	62,00	285.500	26,20	TLC-107 SONDA 1
07/10/2014	64,00	285.400	26,30	TLC-107 SONDA 1
07/10/2014	66,00	287.200	26,30	TLC-107 SONDA 1
07/10/2014	68,00	289.900	26,30	TLC-107 SONDA 1
07/10/2014	70,00	289.100	26,50	TLC-107 SONDA 1
07/10/2014	72,00	291.000	26,50	TLC-107 SONDA 1
07/10/2014	74,00	292.200	26,50	TLC-107 SONDA 1
07/10/2014	76,00	400.000	26,60	TLC-107 SONDA 1
07/10/2014	78,00	400.000	26,60	TLC-107 SONDA 1
07/10/2014	80,00	400.000	26,60	TLC-107 SONDA 1
07/10/2014	82,00	400.000	26,70	TLC-107 SONDA 1
07/10/2014	84,00	400.000	26,70	TLC-107 SONDA 1
07/10/2014	86,00	400.000	26,70	TLC-107 SONDA 1
07/10/2014	88,00	400.000	26,70	TLC-107 SONDA 1
07/10/2014	90,00	400.000	26,80	TLC-107 SONDA 1
07/10/2014	92,00	400.000	26,80	TLC-107 SONDA 1
07/10/2014	94,00	400.000	26,80	TLC-107 SONDA 1
07/10/2014	96,00	400.000	26,90	TLC-107 SONDA 1
07/10/2014	98,00	400.000	26,90	TLC-107 SONDA 1
07/10/2014	100,00	400.000	26,90	TLC-107 SONDA 1
07/10/2014	102,00	400.000	27,00	TLC-107 SONDA 1
07/10/2014	104,00	400.000	27,00	TLC-107 SONDA 1
07/10/2014	106,00	400.000	27,00	TLC-107 SONDA 1
07/10/2014	108,00	400.000	27,20	TLC-107 SONDA 1
07/10/2014	110,00	400.000	27,20	TLC-107 SONDA 1
07/10/2014	112,00	400.000	27,20	TLC-107 SONDA 1
07/10/2014	114,00	400.000	27,20	TLC-107 SONDA 1
07/10/2014	116,00	400.000	27,20	TLC-107 SONDA 1
07/10/2014	118,00	400.000	27,20	TLC-107 SONDA 1
07/10/2014	119,60	400.000	27,20	TLC-107 SONDA 1
04/11/2014	1,20	4.371	25,90	TLC-107 SONDA 1
04/11/2014	2,00	4.252	25,90	TLC-107 SONDA 1
04/11/2014	3,00	4.244	25,80	TLC-107 SONDA 1
04/11/2014	4,00	4.244	25,80	TLC-107 SONDA 1
04/11/2014	5,00	4.242	25,80	TLC-107 SONDA 1
04/11/2014	6,00	4.255	25,80	TLC-107 SONDA 1
04/11/2014	7,00	4.258	25,80	TLC-107 SONDA 1
04/11/2014	8,00	4.259	25,90	TLC-107 SONDA 1
04/11/2014	9,00	4.303	25,90	TLC-107 SONDA 1
04/11/2014	10,00	4.378	25,90	TLC-107 SONDA 1
04/11/2014	12,00	4.425	25,80	TLC-107 SONDA 1
04/11/2014	14,00	4.440	25,80	TLC-107 SONDA 1
04/11/2014	16,00	4.713	25,80	TLC-107 SONDA 1
04/11/2014	18,00	5.191	25,80	TLC-107 SONDA 1
04/11/2014	20,00	6.767	25,80	TLC-107 SONDA 1
04/11/2014	22,00	7.657	25,80	TLC-107 SONDA 1
04/11/2014	24,00	8.059	25,80	TLC-107 SONDA 1
04/11/2014	26,00	8.067	25,90	TLC-107 SONDA 1
04/11/2014	28,00	9.393	25,90	TLC-107 SONDA 1
04/11/2014	30,00	10.600	25,90	TLC-107 SONDA 1
04/11/2014	31,00	10.700	25,90	TLC-107 SONDA 1
04/11/2014	32,00	10.800	25,90	TLC-107 SONDA 1
04/11/2014	33,00	10.800	25,90	TLC-107 SONDA 1
04/11/2014	34,00	11.100	25,90	TLC-107 SONDA 1
04/11/2014	35,00	12.100	25,90	TLC-107 SONDA 1
04/11/2014	36,00	12.500	25,90	TLC-107 SONDA 1
04/11/2014	37,00	12.900	25,90	TLC-107 SONDA 1
04/11/2014	39,00	13.300	25,90	TLC-107 SONDA 1
04/11/2014	41,00	18.300	25,90	TLC-107 SONDA 1
04/11/2014	42,00	18.800	25,90	TLC-107 SONDA 1
04/11/2014	43,00	19.400	25,90	TLC-107 SONDA 1
04/11/2014	44,00	20.900	25,90	TLC-107 SONDA 1
04/11/2014	45,00	21.200	25,90	TLC-107 SONDA 1
04/11/2014	46,00	23.500	26,00	TLC-107 SONDA 1
04/11/2014	47,00	27.000	26,00	TLC-107 SONDA 1
04/11/2014	47,50	32.600	26,00	TLC-107 SONDA 1
04/11/2014	47,70	39.200	26,00	TLC-107 SONDA 1
04/11/2014	47,90	42.500	26,00	TLC-107 SONDA 1
04/11/2014	48,10	47.400	26,00	TLC-107 SONDA 1
04/11/2014	48,30	48.300	26,00	TLC-107 SONDA 1
04/11/2014	48,50	49.700	26,00	TLC-107 SONDA 1
04/11/2014	48,70	51.500	26,00	TLC-107 SONDA 1
04/11/2014	48,90	58.500	26,00	TLC-107 SONDA 1
04/11/2014	49,10	64.500	26,00	TLC-107 SONDA 1
04/11/2014	49,30	70.300	26,00	TLC-107 SONDA 1
04/11/2014	49,50	84.600	26,00	TLC-107 SONDA 1
04/11/2014	49,70	94.000	26,00	TLC-107 SONDA 1
04/11/2014	49,90	105.200	26,00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/11/2014	50,10	113.500	26,00	TLC-107 SONDA 1
04/11/2014	50,30	120.800	26,00	TLC-107 SONDA 1
04/11/2014	50,50	131.100	26,00	TLC-107 SONDA 1
04/11/2014	50,70	146.800	26,00	TLC-107 SONDA 1
04/11/2014	50,90	166.700	26,00	TLC-107 SONDA 1
04/11/2014	51,10	179.900	26,00	TLC-107 SONDA 1
04/11/2014	51,30	191.800	26,00	TLC-107 SONDA 1
04/11/2014	51,50	202.300	26,00	TLC-107 SONDA 1
04/11/2014	52,00	239.100	26,00	TLC-107 SONDA 1
04/11/2014	54,00	305.600	26,10	TLC-107 SONDA 1
04/11/2014	56,00	322.800	26,10	TLC-107 SONDA 1
04/11/2014	58,00	322.800	26,10	TLC-107 SONDA 1
04/11/2014	60,00	320.200	26,20	TLC-107 SONDA 1
04/11/2014	63,00	321.200	26,20	TLC-107 SONDA 1
04/11/2014	66,00	325.100	26,30	TLC-107 SONDA 1
04/11/2014	69,00	324.400	26,30	TLC-107 SONDA 1
04/11/2014	72,00	326.300	26,50	TLC-107 SONDA 1
04/11/2014	75,00	331.200	26,50	TLC-107 SONDA 1
04/11/2014	78,00	359.000	26,60	TLC-107 SONDA 1
04/11/2014	81,00	368.500	26,60	TLC-107 SONDA 1
04/11/2014	84,00	373.300	26,60	TLC-107 SONDA 1
04/11/2014	87,00	378.100	26,70	TLC-107 SONDA 1
04/11/2014	90,00	386.000	26,80	TLC-107 SONDA 1
04/11/2014	93,00	400.000	26,80	TLC-107 SONDA 1
04/11/2014	96,00	378.900	26,90	TLC-107 SONDA 1
04/11/2014	99,00	400.000	26,90	TLC-107 SONDA 1
04/11/2014	102,00	350.800	27,00	TLC-107 SONDA 1
04/11/2014	105,00	355.100	27,00	TLC-107 SONDA 1
04/11/2014	108,00	357.200	27,20	TLC-107 SONDA 1
04/11/2014	111,00	369.900	27,20	TLC-107 SONDA 1
04/11/2014	114,00	360.600	27,20	TLC-107 SONDA 1
04/11/2014	117,00	400.000	27,20	TLC-107 SONDA 1
04/11/2014	118,60	272.700	27,30	TLC-107 SONDA 1
11/01/2015	1,20	4.692	25,50	TLC-107 SONDA 1
11/01/2015	2,00	4.279	25,60	TLC-107 SONDA 1
11/01/2015	2,50	4.266	25,80	TLC-107 SONDA 1
11/01/2015	3,00	4.288	25,80	TLC-107 SONDA 1
11/01/2015	4,00	4.246	25,80	TLC-107 SONDA 1
11/01/2015	5,00	4.238	25,80	TLC-107 SONDA 1
11/01/2015	6,00	4.230	25,80	TLC-107 SONDA 1
11/01/2015	8,00	4.238	25,80	TLC-107 SONDA 1
11/01/2015	10,00	4.312	25,80	TLC-107 SONDA 1
11/01/2015	12,00	4.397	25,80	TLC-107 SONDA 1
11/01/2015	14,00	4.480	25,80	TLC-107 SONDA 1
11/01/2015	16,00	4.650	25,80	TLC-107 SONDA 1
11/01/2015	18,00	4.856	25,80	TLC-107 SONDA 1
11/01/2015	20,00	6.451	25,80	TLC-107 SONDA 1
11/01/2015	21,00	7.463	25,80	TLC-107 SONDA 1
11/01/2015	22,00	7.844	25,80	TLC-107 SONDA 1
11/01/2015	23,00	7.940	25,80	TLC-107 SONDA 1
11/01/2015	24,00	8.000	25,80	TLC-107 SONDA 1
11/01/2015	25,00	8.028	25,80	TLC-107 SONDA 1
11/01/2015	26,00	8.026	25,80	TLC-107 SONDA 1
11/01/2015	27,00	8.139	25,90	TLC-107 SONDA 1
11/01/2015	28,00	8.755	25,90	TLC-107 SONDA 1
11/01/2015	29,00	9.244	25,90	TLC-107 SONDA 1
11/01/2015	30,00	9.335	25,90	TLC-107 SONDA 1
11/01/2015	31,00	9.358	25,90	TLC-107 SONDA 1
11/01/2015	32,00	9.374	25,90	TLC-107 SONDA 1
11/01/2015	33,00	9.399	25,90	TLC-107 SONDA 1
11/01/2015	34,00	9.622	25,90	TLC-107 SONDA 1
11/01/2015	35,00	10.100	25,90	TLC-107 SONDA 1
11/01/2015	36,00	11.700	25,90	TLC-107 SONDA 1
11/01/2015	38,00	12.100	25,90	TLC-107 SONDA 1
11/01/2015	39,00	12.400	25,90	TLC-107 SONDA 1
11/01/2015	40,00	12.900	25,90	TLC-107 SONDA 1
11/01/2015	41,00	16.100	25,90	TLC-107 SONDA 1
11/01/2015	42,00	17.100	25,90	TLC-107 SONDA 1
11/01/2015	43,00	19.500	25,90	TLC-107 SONDA 1
11/01/2015	44,00	20.500	25,90	TLC-107 SONDA 1
11/01/2015	44,50	20.900	25,90	TLC-107 SONDA 1
11/01/2015	45,00	21.400	26,00	TLC-107 SONDA 1
11/01/2015	45,50	22.600	26,00	TLC-107 SONDA 1
11/01/2015	46,00	23.100	26,00	TLC-107 SONDA 1
11/01/2015	46,50	23.400	26,00	TLC-107 SONDA 1
11/01/2015	47,00	25.100	26,00	TLC-107 SONDA 1
11/01/2015	47,50	30.100	26,00	TLC-107 SONDA 1
11/01/2015	48,00	44.200	26,00	TLC-107 SONDA 1
11/01/2015	48,20	47.700	26,00	TLC-107 SONDA 1
11/01/2015	48,40	48.100	26,00	TLC-107 SONDA 1
11/01/2015	48,60	50.000	26,00	TLC-107 SONDA 1
11/01/2015	48,80	54.800	26,00	TLC-107 SONDA 1
11/01/2015	49,00	60.600	26,00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/01/2015	49,20	66.000	26,00	TLC-107 SONDA 1
11/01/2015	49,40	77.800	26,00	TLC-107 SONDA 1
11/01/2015	49,60	90.000	26,00	TLC-107 SONDA 1
11/01/2015	49,80	96.900	26,00	TLC-107 SONDA 1
11/01/2015	50,00	106.200	26,00	TLC-107 SONDA 1
11/01/2015	50,20	120.800	26,00	TLC-107 SONDA 1
11/01/2015	50,40	133.100	26,00	TLC-107 SONDA 1
11/01/2015	50,60	137.300	26,00	TLC-107 SONDA 1
11/01/2015	50,80	140.300	26,00	TLC-107 SONDA 1
11/01/2015	51,00	143.900	26,00	TLC-107 SONDA 1
11/01/2015	51,20	159.700	26,00	TLC-107 SONDA 1
11/01/2015	51,40	175.200	26,00	TLC-107 SONDA 1
11/01/2015	51,60	195.600	26,00	TLC-107 SONDA 1
11/01/2015	51,80	205.000	26,00	TLC-107 SONDA 1
11/01/2015	52,00	206.200	26,00	TLC-107 SONDA 1
11/01/2015	52,50	228.600	26,00	TLC-107 SONDA 1
11/01/2015	53,00	238.600	26,10	TLC-107 SONDA 1
11/01/2015	54,00	262.600	26,10	TLC-107 SONDA 1
11/01/2015	55,00	271.400	26,10	TLC-107 SONDA 1
11/01/2015	56,00	274.700	26,10	TLC-107 SONDA 1
11/01/2015	57,00	275.000	26,10	TLC-107 SONDA 1
11/01/2015	58,00	275.700	26,10	TLC-107 SONDA 1
11/01/2015	59,00	276.900	26,20	TLC-107 SONDA 1
11/01/2015	60,00	273.400	26,20	TLC-107 SONDA 1
11/01/2015	62,00	274.000	26,20	TLC-107 SONDA 1
11/01/2015	64,00	276.800	26,30	TLC-107 SONDA 1
11/01/2015	66,00	277.500	26,30	TLC-107 SONDA 1
11/01/2015	68,00	278.800	26,30	TLC-107 SONDA 1
11/01/2015	70,00	279.600	26,50	TLC-107 SONDA 1
11/01/2015	72,00	280.300	26,50	TLC-107 SONDA 1
11/01/2015	74,00	280.300	26,50	TLC-107 SONDA 1
11/01/2015	76,00	281.400	26,60	TLC-107 SONDA 1
11/01/2015	78,00	280.300	26,60	TLC-107 SONDA 1
11/01/2015	80,00	281.700	26,60	TLC-107 SONDA 1
11/01/2015	82,00	281.000	26,60	TLC-107 SONDA 1
11/01/2015	84,00	281.700	26,60	TLC-107 SONDA 1
11/01/2015	86,00	281.100	26,60	TLC-107 SONDA 1
11/01/2015	88,00	280.400	26,70	TLC-107 SONDA 1
11/01/2015	90,00	277.000	26,80	TLC-107 SONDA 1
11/01/2015	92,00	279.000	26,80	TLC-107 SONDA 1
11/01/2015	94,00	279.700	26,80	TLC-107 SONDA 1
11/01/2015	96,00	277.600	26,90	TLC-107 SONDA 1
11/01/2015	98,00	274.700	26,90	TLC-107 SONDA 1
11/01/2015	100,00	278.400	26,90	TLC-107 SONDA 1
11/01/2015	103,00	280.500	27,00	TLC-107 SONDA 1
11/01/2015	106,00	283.400	27,00	TLC-107 SONDA 1
11/01/2015	109,00	284.900	27,20	TLC-107 SONDA 1
11/01/2015	111,00	286.300	27,20	TLC-107 SONDA 1
11/01/2015	113,00	288.500	27,20	TLC-107 SONDA 1
11/01/2015	115,00	289.300	27,30	TLC-107 SONDA 1
11/01/2015	118,00	280.900	27,30	TLC-107 SONDA 1
11/01/2015	121,00	240.500	27,30	TLC-107 SONDA 1
20/02/2015	1,20	4.213	25,80	TLC-107 SONDA 1
20/02/2015	2,00	4.186	25,80	TLC-107 SONDA 1
20/02/2015	3,00	4.184	25,80	TLC-107 SONDA 1
20/02/2015	4,00	4.183	25,80	TLC-107 SONDA 1
20/02/2015	6,00	4.184	25,80	TLC-107 SONDA 1
20/02/2015	8,00	4.197	25,90	TLC-107 SONDA 1
20/02/2015	10,00	4.303	25,90	TLC-107 SONDA 1
20/02/2015	12,00	4.318	25,90	TLC-107 SONDA 1
20/02/2015	14,00	4.399	25,80	TLC-107 SONDA 1
20/02/2015	16,00	4.532	25,80	TLC-107 SONDA 1
20/02/2015	18,00	4.676	25,80	TLC-107 SONDA 1
20/02/2015	20,00	6.138	25,80	TLC-107 SONDA 1
20/02/2015	21,00	7.039	25,80	TLC-107 SONDA 1
20/02/2015	22,00	7.325	25,80	TLC-107 SONDA 1
20/02/2015	24,00	7.627	25,80	TLC-107 SONDA 1
20/02/2015	26,00	7.680	25,80	TLC-107 SONDA 1
20/02/2015	28,00	8.611	25,90	TLC-107 SONDA 1
20/02/2015	30,00	9.614	25,90	TLC-107 SONDA 1
20/02/2015	32,00	9.747	25,90	TLC-107 SONDA 1
20/02/2015	34,00	9.981	25,90	TLC-107 SONDA 1
20/02/2015	36,00	11.500	25,90	TLC-107 SONDA 1
20/02/2015	37,00	12.000	25,90	TLC-107 SONDA 1
20/02/2015	38,00	12.400	25,90	TLC-107 SONDA 1
20/02/2015	40,00	13.400	25,90	TLC-107 SONDA 1
20/02/2015	42,00	17.300	25,90	TLC-107 SONDA 1
20/02/2015	43,00	18.800	25,90	TLC-107 SONDA 1
20/02/2015	44,00	20.300	25,90	TLC-107 SONDA 1
20/02/2015	45,00	21.100	26,00	TLC-107 SONDA 1
20/02/2015	46,00	22.400	26,00	TLC-107 SONDA 1
20/02/2015	47,00	23.500	26,00	TLC-107 SONDA 1
20/02/2015	47,20	25.600	26,00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/02/2015	47,40	26.200	26,00	TLC-107 SONDA 1
20/02/2015	47,60	32.000	26,00	TLC-107 SONDA 1
20/02/2015	47,80	40.300	26,00	TLC-107 SONDA 1
20/02/2015	48,00	42.400	26,00	TLC-107 SONDA 1
20/02/2015	48,20	43.200	26,00	TLC-107 SONDA 1
20/02/2015	48,40	45.000	26,00	TLC-107 SONDA 1
20/02/2015	48,60	47.300	26,00	TLC-107 SONDA 1
20/02/2015	48,80	51.600	26,00	TLC-107 SONDA 1
20/02/2015	49,00	58.700	26,00	TLC-107 SONDA 1
20/02/2015	49,20	60.500	26,00	TLC-107 SONDA 1
20/02/2015	49,40	76.400	26,00	TLC-107 SONDA 1
20/02/2015	49,60	89.200	26,00	TLC-107 SONDA 1
20/02/2015	49,80	99.900	26,00	TLC-107 SONDA 1
20/02/2015	50,00	108.000	26,00	TLC-107 SONDA 1
20/02/2015	50,20	121.200	26,00	TLC-107 SONDA 1
20/02/2015	50,40	148.300	26,00	TLC-107 SONDA 1
20/02/2015	50,60	161.400	26,00	TLC-107 SONDA 1
20/02/2015	50,80	169.800	26,00	TLC-107 SONDA 1
20/02/2015	51,00	174.600	26,00	TLC-107 SONDA 1
20/02/2015	51,20	196.500	26,00	TLC-107 SONDA 1
20/02/2015	51,40	209.400	26,00	TLC-107 SONDA 1
20/02/2015	51,60	237.200	26,00	TLC-107 SONDA 1
20/02/2015	51,80	244.900	26,00	TLC-107 SONDA 1
20/02/2015	52,00	253.600	26,00	TLC-107 SONDA 1
20/02/2015	54,00	330.300	26,10	TLC-107 SONDA 1
20/02/2015	55,99	351.100	26,00	TLC-107 SONDA 1
20/02/2015	57,99	351.900	26,10	TLC-107 SONDA 1
20/02/2015	59,99	348.300	26,20	TLC-107 SONDA 1
20/02/2015	61,99	351.600	26,20	TLC-107 SONDA 1
20/02/2015	63,99	353.000	26,30	TLC-107 SONDA 1
20/02/2015	65,99	355.200	26,30	TLC-107 SONDA 1
20/02/2015	67,99	358.600	26,30	TLC-107 SONDA 1
20/02/2015	69,99	360.100	26,50	TLC-107 SONDA 1
20/02/2015	73,00	364.700	26,50	TLC-107 SONDA 1
20/02/2015	76,00	370.000	26,50	TLC-107 SONDA 1
20/02/2015	79,00	375.800	26,60	TLC-107 SONDA 1
20/02/2015	81,00	391.000	26,60	TLC-107 SONDA 1
20/02/2015	83,00	400.000	26,60	TLC-107 SONDA 1
20/02/2015	85,00	400.000	26,60	TLC-107 SONDA 1
20/02/2015	88,00	400.000	26,70	TLC-107 SONDA 1
20/02/2015	90,00	400.000	26,80	TLC-107 SONDA 1
20/02/2015	92,00	400.000	26,80	TLC-107 SONDA 1
20/02/2015	95,00	400.000	26,80	TLC-107 SONDA 1
20/02/2015	97,00	400.000	26,90	TLC-107 SONDA 1
20/02/2015	100,00	400.000	26,90	TLC-107 SONDA 1
20/02/2015	102,00	400.000	27,00	TLC-107 SONDA 1
20/02/2015	104,00	400.000	27,00	TLC-107 SONDA 1
20/02/2015	107,00	400.000	27,20	TLC-107 SONDA 1
20/02/2015	110,00	400.000	27,20	TLC-107 SONDA 1
20/02/2015	112,00	400.000	27,20	TLC-107 SONDA 1
20/02/2015	115,00	400.000	27,30	TLC-107 SONDA 1
20/02/2015	117,00	400.000	27,30	TLC-107 SONDA 1
20/02/2015	119,00	318.000	27,30	TLC-107 SONDA 1
07/03/2015	1,50	4.207	25,80	TLC-107 SONDA 1
07/03/2015	2,00	4.209	25,80	TLC-107 SONDA 1
07/03/2015	3,00	4.198	25,90	TLC-107 SONDA 1
07/03/2015	4,00	4.201	25,90	TLC-107 SONDA 1
07/03/2015	5,00	4.202	25,90	TLC-107 SONDA 1
07/03/2015	6,00	4.209	25,90	TLC-107 SONDA 1
07/03/2015	7,00	4.204	25,90	TLC-107 SONDA 1
07/03/2015	8,00	4.235	25,90	TLC-107 SONDA 1
07/03/2015	9,00	4.319	25,90	TLC-107 SONDA 1
07/03/2015	10,00	4.391	25,90	TLC-107 SONDA 1
07/03/2015	11,00	4.452	25,90	TLC-107 SONDA 1
07/03/2015	12,00	4.425	25,90	TLC-107 SONDA 1
07/03/2015	13,00	4.477	25,90	TLC-107 SONDA 1
07/03/2015	14,00	4.516	25,80	TLC-107 SONDA 1
07/03/2015	16,00	4.660	25,80	TLC-107 SONDA 1
07/03/2015	18,00	4.785	25,80	TLC-107 SONDA 1
07/03/2015	20,00	6.271	25,80	TLC-107 SONDA 1
07/03/2015	21,00	7.687	25,80	TLC-107 SONDA 1
07/03/2015	22,00	7.921	25,80	TLC-107 SONDA 1
07/03/2015	23,00	7.980	25,90	TLC-107 SONDA 1
07/03/2015	24,00	8.083	25,90	TLC-107 SONDA 1
07/03/2015	25,00	8.118	25,90	TLC-107 SONDA 1
07/03/2015	27,00	8.324	25,90	TLC-107 SONDA 1
07/03/2015	29,00	9.304	25,90	TLC-107 SONDA 1
07/03/2015	30,00	9.363	25,90	TLC-107 SONDA 1
07/03/2015	32,00	9.393	25,90	TLC-107 SONDA 1
07/03/2015	34,00	9.645	25,90	TLC-107 SONDA 1
07/03/2015	36,00	11.300	25,90	TLC-107 SONDA 1
07/03/2015	36,50	11.800	25,90	TLC-107 SONDA 1
07/03/2015	37,00	12.400	25,90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/03/2015	37,50	12.500	25,90	TLC-107 SONDA 1
07/03/2015	38,00	12.700	25,90	TLC-107 SONDA 1
07/03/2015	39,00	13.000	25,90	TLC-107 SONDA 1
07/03/2015	40,00	14.500	25,90	TLC-107 SONDA 1
07/03/2015	40,20	16.100	25,90	TLC-107 SONDA 1
07/03/2015	40,40	17.100	25,90	TLC-107 SONDA 1
07/03/2015	40,60	17.800	25,90	TLC-107 SONDA 1
07/03/2015	40,80	18.400	25,90	TLC-107 SONDA 1
07/03/2015	41,00	19.100	25,90	TLC-107 SONDA 1
07/03/2015	41,50	19.400	25,90	TLC-107 SONDA 1
07/03/2015	42,00	19.800	25,90	TLC-107 SONDA 1
07/03/2015	42,50	20.800	25,90	TLC-107 SONDA 1
07/03/2015	43,00	22.700	25,90	TLC-107 SONDA 1
07/03/2015	43,50	23.800	25,90	TLC-107 SONDA 1
07/03/2015	44,00	24.500	26,00	TLC-107 SONDA 1
07/03/2015	45,00	26.000	26,00	TLC-107 SONDA 1
07/03/2015	46,00	28.100	26,00	TLC-107 SONDA 1
07/03/2015	47,00	29.800	26,00	TLC-107 SONDA 1
07/03/2015	47,20	31.500	26,00	TLC-107 SONDA 1
07/03/2015	47,40	32.400	26,00	TLC-107 SONDA 1
07/03/2015	47,60	35.400	26,00	TLC-107 SONDA 1
07/03/2015	47,80	40.000	26,00	TLC-107 SONDA 1
07/03/2015	48,00	49.900	26,00	TLC-107 SONDA 1
07/03/2015	48,20	59.300	26,00	TLC-107 SONDA 1
07/03/2015	48,40	64.800	26,00	TLC-107 SONDA 1
07/03/2015	48,60	71.500	26,00	TLC-107 SONDA 1
07/03/2015	48,80	79.900	26,00	TLC-107 SONDA 1
07/03/2015	49,00	90.100	26,00	TLC-107 SONDA 1
07/03/2015	49,20	99.900	26,00	TLC-107 SONDA 1
07/03/2015	49,40	122.000	26,00	TLC-107 SONDA 1
07/03/2015	49,60	135.500	26,00	TLC-107 SONDA 1
07/03/2015	49,80	149.400	26,00	TLC-107 SONDA 1
07/03/2015	50,00	163.900	26,00	TLC-107 SONDA 1
07/03/2015	50,20	212.900	26,00	TLC-107 SONDA 1
07/03/2015	50,40	250.900	26,00	TLC-107 SONDA 1
07/03/2015	50,60	268.800	26,00	TLC-107 SONDA 1
07/03/2015	50,80	272.800	26,00	TLC-107 SONDA 1
07/03/2015	51,00	280.400	26,00	TLC-107 SONDA 1
07/03/2015	52,00	400.000	26,00	TLC-107 SONDA 1
07/03/2015	54,00	400.000	26,10	TLC-107 SONDA 1
07/03/2015	56,00	400.000	26,10	TLC-107 SONDA 1
07/03/2015	58,00	400.000	26,10	TLC-107 SONDA 1
07/03/2015	60,00	400.000	26,20	TLC-107 SONDA 1
07/03/2015	62,00	400.000	26,20	TLC-107 SONDA 1
07/03/2015	65,00	400.000	26,30	TLC-107 SONDA 1
07/03/2015	67,00	400.000	26,30	TLC-107 SONDA 1
07/03/2015	70,00	400.000	26,30	TLC-107 SONDA 1
07/03/2015	72,00	400.000	26,50	TLC-107 SONDA 1
07/03/2015	75,00	400.000	26,60	TLC-107 SONDA 1
07/03/2015	77,00	400.000	26,60	TLC-107 SONDA 1
07/03/2015	80,00	400.000	26,60	TLC-107 SONDA 1
07/03/2015	82,00	400.000	26,70	TLC-107 SONDA 1
07/03/2015	85,00	400.000	26,70	TLC-107 SONDA 1
07/03/2015	87,00	400.000	26,70	TLC-107 SONDA 1
07/03/2015	90,00	400.000	26,80	TLC-107 SONDA 1
07/03/2015	92,00	400.000	26,80	TLC-107 SONDA 1
07/03/2015	95,00	400.000	26,80	TLC-107 SONDA 1
07/03/2015	97,00	400.000	26,90	TLC-107 SONDA 1
07/03/2015	100,00	400.000	26,90	TLC-107 SONDA 1
07/03/2015	102,00	400.000	27,00	TLC-107 SONDA 1
07/03/2015	105,00	400.000	27,00	TLC-107 SONDA 1
07/03/2015	107,00	400.000	27,20	TLC-107 SONDA 1
07/03/2015	110,00	400.000	27,20	TLC-107 SONDA 1
07/03/2015	112,00	400.000	27,20	TLC-107 SONDA 1
07/03/2015	115,00	400.000	27,30	TLC-107 SONDA 1
07/03/2015	117,00	400.000	27,30	TLC-107 SONDA 1
07/03/2015	118,00	400.000	27,30	TLC-107 SONDA 1
07/04/2015	1,20	3.754	25,50	TLC-107 SONDA 1
07/04/2015	1,50	3.890	25,80	TLC-107 SONDA 1
07/04/2015	2,00	3.946	25,80	TLC-107 SONDA 1
07/04/2015	3,00	3.964	25,80	TLC-107 SONDA 1
07/04/2015	4,00	3.980	25,80	TLC-107 SONDA 1
07/04/2015	6,00	3.996	25,90	TLC-107 SONDA 1
07/04/2015	8,00	4.026	25,90	TLC-107 SONDA 1
07/04/2015	10,00	4.138	25,90	TLC-107 SONDA 1
07/04/2015	12,00	4.172	25,90	TLC-107 SONDA 1
07/04/2015	14,00	4.215	25,90	TLC-107 SONDA 1
07/04/2015	16,00	4.478	25,80	TLC-107 SONDA 1
07/04/2015	18,00	4.783	25,80	TLC-107 SONDA 1
07/04/2015	20,00	6.183	25,80	TLC-107 SONDA 1
07/04/2015	21,00	7.081	25,80	TLC-107 SONDA 1
07/04/2015	22,00	7.318	25,80	TLC-107 SONDA 1
07/04/2015	23,00	7.338	25,80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/04/2015	25,00	7.363	25,80	TLC-107 SONDA 1
07/04/2015	27,00	7.397	25,90	TLC-107 SONDA 1
07/04/2015	28,00	7.736	25,90	TLC-107 SONDA 1
07/04/2015	30,00	7.916	25,90	TLC-107 SONDA 1
07/04/2015	32,00	8.114	25,90	TLC-107 SONDA 1
07/04/2015	34,00	8.773	25,90	TLC-107 SONDA 1
07/04/2015	36,00	10.300	25,90	TLC-107 SONDA 1
07/04/2015	37,00	11.600	25,90	TLC-107 SONDA 1
07/04/2015	38,00	11.900	25,90	TLC-107 SONDA 1
07/04/2015	39,00	12.100	25,90	TLC-107 SONDA 1
07/04/2015	40,00	15.600	25,90	TLC-107 SONDA 1
07/04/2015	40,50	17.400	25,90	TLC-107 SONDA 1
07/04/2015	41,00	18.100	25,90	TLC-107 SONDA 1
07/04/2015	41,20	18.100	25,90	TLC-107 SONDA 1
07/04/2015	41,40	18.200	25,90	TLC-107 SONDA 1
07/04/2015	41,60	18.300	25,90	TLC-107 SONDA 1
07/04/2015	41,80	18.300	25,90	TLC-107 SONDA 1
07/04/2015	42,00	18.400	25,90	TLC-107 SONDA 1
07/04/2015	42,50	19.000	25,90	TLC-107 SONDA 1
07/04/2015	43,00	20.900	25,90	TLC-107 SONDA 1
07/04/2015	43,50	21.700	25,90	TLC-107 SONDA 1
07/04/2015	44,00	22.800	25,90	TLC-107 SONDA 1
07/04/2015	44,50	24.100	26,00	TLC-107 SONDA 1
07/04/2015	45,00	25.100	26,00	TLC-107 SONDA 1
07/04/2015	45,50	25.900	26,00	TLC-107 SONDA 1
07/04/2015	46,00	26.000	26,00	TLC-107 SONDA 1
07/04/2015	46,50	26.000	26,00	TLC-107 SONDA 1
07/04/2015	47,00	26.200	26,00	TLC-107 SONDA 1
07/04/2015	47,50	27.400	26,00	TLC-107 SONDA 1
07/04/2015	48,00	33.900	26,00	TLC-107 SONDA 1
07/04/2015	48,20	38.900	26,00	TLC-107 SONDA 1
07/04/2015	48,40	47.400	26,00	TLC-107 SONDA 1
07/04/2015	48,60	54.900	26,00	TLC-107 SONDA 1
07/04/2015	48,80	68.800	26,00	TLC-107 SONDA 1
07/04/2015	49,00	81.600	26,00	TLC-107 SONDA 1
07/04/2015	49,20	97.500	26,00	TLC-107 SONDA 1
07/04/2015	49,40	100.300	26,00	TLC-107 SONDA 1
07/04/2015	49,60	109.100	26,00	TLC-107 SONDA 1
07/04/2015	49,80	125.900	26,00	TLC-107 SONDA 1
07/04/2015	50,00	143.500	26,00	TLC-107 SONDA 1
07/04/2015	50,20	167.600	26,00	TLC-107 SONDA 1
07/04/2015	50,40	194.400	26,00	TLC-107 SONDA 1
07/04/2015	50,60	200.700	26,00	TLC-107 SONDA 1
07/04/2015	50,80	204.900	26,00	TLC-107 SONDA 1
07/04/2015	51,00	217.000	26,00	TLC-107 SONDA 1
07/04/2015	52,00	331.800	26,00	TLC-107 SONDA 1
07/04/2015	54,00	400.000	26,10	TLC-107 SONDA 1
07/04/2015	56,00	400.000	26,10	TLC-107 SONDA 1
07/04/2015	58,00	400.000	26,10	TLC-107 SONDA 1
07/04/2015	60,00	400.000	26,20	TLC-107 SONDA 1
07/04/2015	63,00	400.000	26,20	TLC-107 SONDA 1
07/04/2015	65,00	400.000	26,30	TLC-107 SONDA 1
07/04/2015	67,00	400.000	26,30	TLC-107 SONDA 1
07/04/2015	70,00	400.000	26,30	TLC-107 SONDA 1
07/04/2015	72,00	400.000	26,50	TLC-107 SONDA 1
07/04/2015	75,00	400.000	26,50	TLC-107 SONDA 1
07/04/2015	78,00	400.000	26,60	TLC-107 SONDA 1
07/04/2015	80,00	400.000	26,60	TLC-107 SONDA 1
07/04/2015	83,00	400.000	26,60	TLC-107 SONDA 1
07/04/2015	85,00	400.000	26,60	TLC-107 SONDA 1
07/04/2015	87,00	400.000	26,60	TLC-107 SONDA 1
07/04/2015	90,00	400.000	26,80	TLC-107 SONDA 1
07/04/2015	92,00	400.000	26,80	TLC-107 SONDA 1
07/04/2015	95,00	400.000	26,80	TLC-107 SONDA 1
07/04/2015	98,00	400.000	26,90	TLC-107 SONDA 1
07/04/2015	100,00	400.000	26,90	TLC-107 SONDA 1
07/04/2015	103,00	400.000	27,00	TLC-107 SONDA 1
07/04/2015	105,00	400.000	27,00	TLC-107 SONDA 1
07/04/2015	107,00	400.000	27,20	TLC-107 SONDA 1
07/04/2015	110,00	400.000	27,20	TLC-107 SONDA 1
07/04/2015	112,00	400.000	27,20	TLC-107 SONDA 1
07/04/2015	115,00	400.000	27,30	TLC-107 SONDA 1
07/04/2015	118,20	400.000	27,30	TLC-107 SONDA 1
05/05/2015	1,20	4.119	24,50	TLC-107 SONDA 2
05/05/2015	1,50	4.105	25,20	TLC-107 SONDA 2
05/05/2015	2,00	4.136	25,70	TLC-107 SONDA 2
05/05/2015	3,00	4.150	25,80	TLC-107 SONDA 2
05/05/2015	5,00	4.183	25,80	TLC-107 SONDA 2
05/05/2015	7,00	4.193	25,80	TLC-107 SONDA 2
05/05/2015	9,00	4.316	25,90	TLC-107 SONDA 2
05/05/2015	11,00	4.372	25,90	TLC-107 SONDA 2
05/05/2015	13,00	4.385	25,90	TLC-107 SONDA 2
05/05/2015	15,00	4.428	25,90	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/05/2015	17,00	4.687	25,90	TLC-107 SONDA 2
05/05/2015	19,00	5.287	25,90	TLC-107 SONDA 2
05/05/2015	20,00	6.650	25,90	TLC-107 SONDA 2
05/05/2015	21,00	8.072	25,90	TLC-107 SONDA 2
05/05/2015	22,00	8.427	25,90	TLC-107 SONDA 2
05/05/2015	23,00	8.486	25,90	TLC-107 SONDA 2
05/05/2015	24,00	8.673	25,90	TLC-107 SONDA 2
05/05/2015	25,00	8.695	25,90	TLC-107 SONDA 2
05/05/2015	27,00	8.774	25,90	TLC-107 SONDA 2
05/05/2015	29,00	10.000	25,90	TLC-107 SONDA 2
05/05/2015	31,00	10.000	25,90	TLC-107 SONDA 2
05/05/2015	33,00	10.100	25,90	TLC-107 SONDA 2
05/05/2015	35,00	11.000	25,90	TLC-107 SONDA 2
05/05/2015	37,00	13.700	25,90	TLC-107 SONDA 2
05/05/2015	38,00	13.800	26,00	TLC-107 SONDA 2
05/05/2015	39,00	14.400	26,00	TLC-107 SONDA 2
05/05/2015	40,00	15.900	26,00	TLC-107 SONDA 2
05/05/2015	41,00	20.600	26,00	TLC-107 SONDA 2
05/05/2015	42,00	21.500	26,00	TLC-107 SONDA 2
05/05/2015	43,00	23.600	26,00	TLC-107 SONDA 2
05/05/2015	44,00	25.700	26,00	TLC-107 SONDA 2
05/05/2015	45,00	26.400	26,00	TLC-107 SONDA 2
05/05/2015	46,00	28.100	26,00	TLC-107 SONDA 2
05/05/2015	47,00	29.000	26,00	TLC-107 SONDA 2
05/05/2015	47,20	31.100	26,00	TLC-107 SONDA 2
05/05/2015	47,40	38.800	26,00	TLC-107 SONDA 2
05/05/2015	47,60	46.600	26,00	TLC-107 SONDA 2
05/05/2015	47,80	48.900	26,00	TLC-107 SONDA 2
05/05/2015	48,00	51.900	26,00	TLC-107 SONDA 2
05/05/2015	48,20	54.600	26,00	TLC-107 SONDA 2
05/05/2015	48,40	58.200	26,00	TLC-107 SONDA 2
05/05/2015	48,60	69.700	26,00	TLC-107 SONDA 2
05/05/2015	48,80	80.800	26,00	TLC-107 SONDA 2
05/05/2015	49,00	89.900	26,10	TLC-107 SONDA 2
05/05/2015	49,20	99.300	26,10	TLC-107 SONDA 2
05/05/2015	49,40	113.900	26,10	TLC-107 SONDA 2
05/05/2015	49,60	136.200	26,10	TLC-107 SONDA 2
05/05/2015	49,80	154.900	26,10	TLC-107 SONDA 2
05/05/2015	50,00	177.900	26,10	TLC-107 SONDA 2
05/05/2015	50,20	203.900	26,10	TLC-107 SONDA 2
05/05/2015	50,40	241.900	26,10	TLC-107 SONDA 2
05/05/2015	50,60	259.900	26,10	TLC-107 SONDA 2
05/05/2015	50,80	263.800	26,10	TLC-107 SONDA 2
05/05/2015	51,00	267.500	26,10	TLC-107 SONDA 2
05/05/2015	52,00	328.800	26,10	TLC-107 SONDA 2
05/05/2015	54,00	353.600	26,10	TLC-107 SONDA 2
05/05/2015	56,00	356.000	26,10	TLC-107 SONDA 2
05/05/2015	58,00	354.600	26,30	TLC-107 SONDA 2
05/05/2015	60,00	353.400	26,30	TLC-107 SONDA 2
05/05/2015	62,00	352.900	26,40	TLC-107 SONDA 2
05/05/2015	64,00	352.900	26,40	TLC-107 SONDA 2
05/05/2015	66,00	354.300	26,40	TLC-107 SONDA 2
05/05/2015	68,00	354.100	26,50	TLC-107 SONDA 2
05/05/2015	70,00	353.900	26,50	TLC-107 SONDA 2
05/05/2015	72,00	352.900	26,50	TLC-107 SONDA 2
05/05/2015	74,00	352.100	26,60	TLC-107 SONDA 2
05/05/2015	76,00	351.100	26,60	TLC-107 SONDA 2
05/05/2015	78,00	351.200	26,60	TLC-107 SONDA 2
05/05/2015	80,00	350.700	26,70	TLC-107 SONDA 2
05/05/2015	82,00	350.400	26,70	TLC-107 SONDA 2
05/05/2015	84,00	350.700	26,70	TLC-107 SONDA 2
05/05/2015	86,00	350.400	26,70	TLC-107 SONDA 2
05/05/2015	88,00	349.600	26,80	TLC-107 SONDA 2
05/05/2015	90,00	352.500	26,80	TLC-107 SONDA 2
05/05/2015	92,00	353.300	26,80	TLC-107 SONDA 2
05/05/2015	94,00	353.800	27,00	TLC-107 SONDA 2
05/05/2015	96,00	355.800	27,00	TLC-107 SONDA 2
05/05/2015	98,00	357.300	27,00	TLC-107 SONDA 2
05/05/2015	100,00	357.400	27,10	TLC-107 SONDA 2
05/05/2015	102,00	358.000	27,10	TLC-107 SONDA 2
05/05/2015	104,00	359.500	27,10	TLC-107 SONDA 2
05/05/2015	106,00	360.800	27,20	TLC-107 SONDA 2
05/05/2015	108,00	360.700	27,20	TLC-107 SONDA 2
05/05/2015	110,00	360.700	27,20	TLC-107 SONDA 2
05/05/2015	112,00	360.000	27,30	TLC-107 SONDA 2
05/05/2015	114,00	360.400	27,30	TLC-107 SONDA 2
05/05/2015	116,00	360.600	27,30	TLC-107 SONDA 2
05/05/2015	118,00	359.000	27,30	TLC-107 SONDA 2
05/05/2015	119,30	344.900	27,30	TLC-107 SONDA 2
02/06/2015	1,10	4.455	25,30	TLC-107 SONDA 2
02/06/2015	1,50	4.469	25,70	TLC-107 SONDA 2
02/06/2015	2,00	4.409	25,90	TLC-107 SONDA 2
02/06/2015	3,00	4.413	25,90	TLC-107 SONDA 2



Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/06/2015	5,00	4.393	25,90	TLC-107 SONDA 2
02/06/2015	7,00	4.393	25,90	TLC-107 SONDA 2
02/06/2015	9,00	4.508	25,90	TLC-107 SONDA 2
02/06/2015	11,00	4.506	25,90	TLC-107 SONDA 2
02/06/2015	13,00	4.514	25,90	TLC-107 SONDA 2
02/06/2015	15,00	4.545	25,90	TLC-107 SONDA 2
02/06/2015	17,00	4.777	25,90	TLC-107 SONDA 2
02/06/2015	19,00	5.392	25,90	TLC-107 SONDA 2
02/06/2015	20,00	5.405	25,90	TLC-107 SONDA 2
02/06/2015	21,00	7.276	25,90	TLC-107 SONDA 2
02/06/2015	21,50	7.355	25,90	TLC-107 SONDA 2
02/06/2015	22,00	7.582	25,90	TLC-107 SONDA 2
02/06/2015	23,00	7.618	25,90	TLC-107 SONDA 2
02/06/2015	24,00	7.777	25,90	TLC-107 SONDA 2
02/06/2015	26,00	7.803	25,90	TLC-107 SONDA 2
02/06/2015	28,00	8.228	25,90	TLC-107 SONDA 2
02/06/2015	30,00	9.137	25,90	TLC-107 SONDA 2
02/06/2015	32,00	9.182	25,90	TLC-107 SONDA 2
02/06/2015	34,00	9.557	25,90	TLC-107 SONDA 2
02/06/2015	36,00	10.700	25,90	TLC-107 SONDA 2
02/06/2015	38,00	11.700	26,00	TLC-107 SONDA 2
02/06/2015	40,00	12.800	26,00	TLC-107 SONDA 2
02/06/2015	41,00	15.100	26,00	TLC-107 SONDA 2
02/06/2015	42,00	16.000	26,00	TLC-107 SONDA 2
02/06/2015	43,00	16.200	26,00	TLC-107 SONDA 2
02/06/2015	44,00	18.300	26,00	TLC-107 SONDA 2
02/06/2015	45,00	18.600	26,00	TLC-107 SONDA 2
02/06/2015	46,00	19.300	26,00	TLC-107 SONDA 2
02/06/2015	47,00	19.900	26,00	TLC-107 SONDA 2
02/06/2015	47,50	23.000	26,00	TLC-107 SONDA 2
02/06/2015	48,00	29.000	26,00	TLC-107 SONDA 2
02/06/2015	48,20	33.400	26,10	TLC-107 SONDA 2
02/06/2015	48,40	35.100	26,10	TLC-107 SONDA 2
02/06/2015	48,60	40.200	26,10	TLC-107 SONDA 2
02/06/2015	48,80	46.700	26,10	TLC-107 SONDA 2
02/06/2015	50,00	52.800	26,10	TLC-107 SONDA 2
02/06/2015	50,20	56.900	26,10	TLC-107 SONDA 2
02/06/2015	50,40	62.600	26,10	TLC-107 SONDA 2
02/06/2015	50,60	81.800	26,10	TLC-107 SONDA 2
02/06/2015	50,80	90.900	26,10	TLC-107 SONDA 2
02/06/2015	51,00	101.500	26,10	TLC-107 SONDA 2
02/06/2015	51,20	116.600	26,10	TLC-107 SONDA 2
02/06/2015	51,40	133.600	26,10	TLC-107 SONDA 2
02/06/2015	51,60	145.400	26,10	TLC-107 SONDA 2
02/06/2015	51,80	152.800	26,10	TLC-107 SONDA 2
02/06/2015	52,00	154.900	26,10	TLC-107 SONDA 2
02/06/2015	52,50	195.100	26,10	TLC-107 SONDA 2
02/06/2015	53,00	196.700	26,10	TLC-107 SONDA 2
02/06/2015	54,00	198.800	26,10	TLC-107 SONDA 2
02/06/2015	55,00	201.500	26,10	TLC-107 SONDA 2
02/06/2015	56,00	202.200	26,10	TLC-107 SONDA 2
02/06/2015	58,00	203.900	26,30	TLC-107 SONDA 2
02/06/2015	60,00	203.500	26,30	TLC-107 SONDA 2
02/06/2015	62,00	204.400	26,40	TLC-107 SONDA 2
02/06/2015	64,00	204.300	26,40	TLC-107 SONDA 2
02/06/2015	66,00	204.200	26,40	TLC-107 SONDA 2
02/06/2015	68,00	204.000	26,50	TLC-107 SONDA 2
02/06/2015	70,00	202.900	26,50	TLC-107 SONDA 2
02/06/2015	72,00	202.500	26,50	TLC-107 SONDA 2
02/06/2015	74,00	201.500	26,60	TLC-107 SONDA 2
02/06/2015	76,00	201.300	26,60	TLC-107 SONDA 2
02/06/2015	78,00	208.800	26,60	TLC-107 SONDA 2
02/06/2015	80,00	200.700	26,70	TLC-107 SONDA 2
02/06/2015	82,00	199.400	26,70	TLC-107 SONDA 2
02/06/2015	84,00	199.200	26,70	TLC-107 SONDA 2
02/06/2015	86,00	199.100	26,70	TLC-107 SONDA 2
02/06/2015	88,00	198.900	26,80	TLC-107 SONDA 2
02/06/2015	90,00	200.100	26,80	TLC-107 SONDA 2
02/06/2015	92,00	200.700	26,80	TLC-107 SONDA 2
02/06/2015	94,00	201.000	27,00	TLC-107 SONDA 2
02/06/2015	96,00	201.500	27,00	TLC-107 SONDA 2
02/06/2015	98,00	201.800	27,00	TLC-107 SONDA 2
02/06/2015	100,00	201.300	27,10	TLC-107 SONDA 2
02/06/2015	102,00	201.700	27,10	TLC-107 SONDA 2
02/06/2015	104,00	201.700	27,10	TLC-107 SONDA 2
02/06/2015	106,00	201.700	27,20	TLC-107 SONDA 2
02/06/2015	108,00	201.300	27,20	TLC-107 SONDA 2
02/06/2015	110,00	201.300	27,20	TLC-107 SONDA 2
02/06/2015	112,00	201.300	27,30	TLC-107 SONDA 2
02/06/2015	114,00	200.800	27,30	TLC-107 SONDA 2
02/06/2015	116,00	200.600	27,30	TLC-107 SONDA 2
02/06/2015	118,60	187.700	27,30	TLC-107 SONDA 2
07/07/2015	1,10	4.539	25,70	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/07/2015	2,00	4.224	25,90	TLC-107 SONDA 1
07/07/2015	3,00	4.498	25,90	TLC-107 SONDA 1
07/07/2015	4,00	4.504	25,90	TLC-107 SONDA 1
07/07/2015	6,00	4.467	25,90	TLC-107 SONDA 1
07/07/2015	8,00	4.516	25,90	TLC-107 SONDA 1
07/07/2015	10,00	4.565	25,90	TLC-107 SONDA 1
07/07/2015	12,00	4.546	25,90	TLC-107 SONDA 1
07/07/2015	14,00	4.593	25,90	TLC-107 SONDA 1
07/07/2015	16,00	4.811	25,90	TLC-107 SONDA 1
07/07/2015	18,00	5.127	25,90	TLC-107 SONDA 1
07/07/2015	20,00	6.501	25,90	TLC-107 SONDA 1
07/07/2015	21,00	7.386	25,90	TLC-107 SONDA 1
07/07/2015	22,00	7.858	25,90	TLC-107 SONDA 1
07/07/2015	23,00	7.420	25,90	TLC-107 SONDA 1
07/07/2015	24,00	8.043	25,90	TLC-107 SONDA 1
07/07/2015	25,00	8.063	25,90	TLC-107 SONDA 1
07/07/2015	27,00	8.085	25,90	TLC-107 SONDA 1
07/07/2015	29,00	9.216	25,90	TLC-107 SONDA 1
07/07/2015	30,00	9.549	25,90	TLC-107 SONDA 1
07/07/2015	32,00	9.930	25,90	TLC-107 SONDA 1
07/07/2015	34,00	10.100	25,90	TLC-107 SONDA 1
07/07/2015	36,00	11.200	25,90	TLC-107 SONDA 1
07/07/2015	38,00	12.200	26,00	TLC-107 SONDA 1
07/07/2015	39,00	12.600	26,00	TLC-107 SONDA 1
07/07/2015	40,00	13.500	26,00	TLC-107 SONDA 1
07/07/2015	41,00	16.900	26,00	TLC-107 SONDA 1
07/07/2015	41,50	17.300	26,00	TLC-107 SONDA 1
07/07/2015	42,00	17.600	26,00	TLC-107 SONDA 1
07/07/2015	42,50	17.800	26,00	TLC-107 SONDA 1
07/07/2015	43,00	18.800	26,00	TLC-107 SONDA 1
07/07/2015	43,50	19.200	26,00	TLC-107 SONDA 1
07/07/2015	44,00	20.200	26,00	TLC-107 SONDA 1
07/07/2015	44,50	20.400	26,00	TLC-107 SONDA 1
07/07/2015	45,00	20.500	26,00	TLC-107 SONDA 1
07/07/2015	46,00	20.900	26,00	TLC-107 SONDA 1
07/07/2015	47,00	21.200	26,00	TLC-107 SONDA 1
07/07/2015	48,00	35.100	26,00	TLC-107 SONDA 1
07/07/2015	48,50	44.900	26,10	TLC-107 SONDA 1
07/07/2015	48,70	51.700	26,10	TLC-107 SONDA 1
07/07/2015	48,90	58.900	26,10	TLC-107 SONDA 1
07/07/2015	49,10	63.400	26,10	TLC-107 SONDA 1
07/07/2015	49,30	73.100	26,10	TLC-107 SONDA 1
07/07/2015	49,50	84.500	26,10	TLC-107 SONDA 1
07/07/2015	49,70	106.000	26,10	TLC-107 SONDA 1
07/07/2015	49,90	118.400	26,10	TLC-107 SONDA 1
07/07/2015	50,10	139.900	26,10	TLC-107 SONDA 1
07/07/2015	50,30	150.200	26,10	TLC-107 SONDA 1
07/07/2015	50,50	163.700	26,10	TLC-107 SONDA 1
07/07/2015	50,70	172.600	26,10	TLC-107 SONDA 1
07/07/2015	50,90	181.800	26,10	TLC-107 SONDA 1
07/07/2015	51,10	191.300	26,10	TLC-107 SONDA 1
07/07/2015	51,30	200.100	26,10	TLC-107 SONDA 1
07/07/2015	51,50	206.900	26,10	TLC-107 SONDA 1
07/07/2015	52,00	212.800	26,10	TLC-107 SONDA 1
07/07/2015	53,00	220.700	26,10	TLC-107 SONDA 1
07/07/2015	54,00	221.700	26,10	TLC-107 SONDA 1
07/07/2015	56,00	217.500	26,10	TLC-107 SONDA 1
07/07/2015	58,00	216.000	26,30	TLC-107 SONDA 1
07/07/2015	60,00	212.300	26,30	TLC-107 SONDA 1
07/07/2015	62,00	208.600	26,40	TLC-107 SONDA 1
07/07/2015	64,00	208.800	26,40	TLC-107 SONDA 1
07/07/2015	66,00	209.000	26,40	TLC-107 SONDA 1
07/07/2015	68,00	207.800	26,50	TLC-107 SONDA 1
07/07/2015	70,00	209.300	26,50	TLC-107 SONDA 1
07/07/2015	72,00	211.000	26,50	TLC-107 SONDA 1
07/07/2015	74,00	210.900	26,60	TLC-107 SONDA 1
07/07/2015	76,00	211.800	26,60	TLC-107 SONDA 1
07/07/2015	78,00	212.700	26,60	TLC-107 SONDA 1
07/07/2015	80,00	214.900	26,60	TLC-107 SONDA 1
07/07/2015	82,00	215.400	26,70	TLC-107 SONDA 1
07/07/2015	84,00	215.600	26,70	TLC-107 SONDA 1
07/07/2015	86,00	215.900	26,70	TLC-107 SONDA 1
07/07/2015	88,00	214.600	26,80	TLC-107 SONDA 1
07/07/2015	90,00	212.500	26,80	TLC-107 SONDA 1
07/07/2015	92,00	212.000	26,80	TLC-107 SONDA 1
07/07/2015	94,00	210.100	27,00	TLC-107 SONDA 1
07/07/2015	96,00	208.100	27,00	TLC-107 SONDA 1
07/07/2015	98,00	208.400	27,00	TLC-107 SONDA 1
07/07/2015	100,00	208.300	27,00	TLC-107 SONDA 1
07/07/2015	102,00	208.000	27,10	TLC-107 SONDA 1
07/07/2015	104,00	208.000	27,10	TLC-107 SONDA 1
07/07/2015	106,00	207.500	27,20	TLC-107 SONDA 1
07/07/2015	108,00	206.900	27,20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/07/2015	110,00	206.500	27,20	TLC-107 SONDA 1
07/07/2015	112,00	205.600	27,30	TLC-107 SONDA 1
07/07/2015	114,00	206.000	27,30	TLC-107 SONDA 1
07/07/2015	116,00	204.500	27,30	TLC-107 SONDA 1
07/07/2015	118,00	208.000	27,30	TLC-107 SONDA 1
04/08/2015	52,60	191.834	25,99	SEBA MPS-D3
04/08/2015	52,80	193.211	26,00	SEBA MPS-D3
04/08/2015	53,00	194.909	26,00	SEBA MPS-D3
04/08/2015	53,50	204.815	26,01	SEBA MPS-D3
04/08/2015	54,00	212.005	26,01	SEBA MPS-D3
04/08/2015	56,00	226.235	26,04	SEBA MPS-D3
04/08/2015	58,00	231.216	26,09	SEBA MPS-D3
04/08/2015	60,00	232.135	26,14	SEBA MPS-D3
04/08/2015	62,00	232.486	26,18	SEBA MPS-D3
04/08/2015	64,00	232.915	26,21	SEBA MPS-D3
04/08/2015	66,00	232.915	26,25	SEBA MPS-D3
04/08/2015	68,00	232.997	26,30	SEBA MPS-D3
04/08/2015	70,00	233.177	26,33	SEBA MPS-D3
04/08/2015	72,00	233.228	26,37	SEBA MPS-D3
04/08/2015	74,00	232.617	26,45	SEBA MPS-D3
04/08/2015	76,00	232.008	26,49	SEBA MPS-D3
04/08/2015	78,00	231.939	26,53	SEBA MPS-D3
04/08/2015	80,00	231.778	26,55	SEBA MPS-D3
04/08/2015	82,00	231.883	26,56	SEBA MPS-D3
04/08/2015	84,00	232.402	26,56	SEBA MPS-D3
04/08/2015	86,00	232.483	26,57	SEBA MPS-D3
04/08/2015	88,00	232.304	26,64	SEBA MPS-D3
04/08/2015	90,00	231.775	26,69	SEBA MPS-D3
04/08/2015	92,00	231.588	26,74	SEBA MPS-D3
04/08/2015	94,00	231.230	26,77	SEBA MPS-D3
04/08/2015	96,00	230.190	26,81	SEBA MPS-D3
04/08/2015	98,00	228.528	26,85	SEBA MPS-D3
04/08/2015	101,00	228.143	26,91	SEBA MPS-D3
04/08/2015	1,60	3.991	25,28	SEBA MPS-D3
04/08/2015	2,00	3.993	25,66	SEBA MPS-D3
04/08/2015	3,00	3.993	25,73	SEBA MPS-D3
04/08/2015	4,00	3.992	25,74	SEBA MPS-D3
04/08/2015	6,00	3.993	25,74	SEBA MPS-D3
04/08/2015	8,00	4.001	25,74	SEBA MPS-D3
04/08/2015	10,00	4.128	25,74	SEBA MPS-D3
04/08/2015	12,00	4.133	25,74	SEBA MPS-D3
04/08/2015	14,00	4.178	25,74	SEBA MPS-D3
04/08/2015	16,00	4.323	25,74	SEBA MPS-D3
04/08/2015	18,00	4.552	25,73	SEBA MPS-D3
04/08/2015	20,00	5.790	25,73	SEBA MPS-D3
04/08/2015	20,50	6.418	25,73	SEBA MPS-D3
04/08/2015	21,00	6.764	25,73	SEBA MPS-D3
04/08/2015	21,50	6.813	25,73	SEBA MPS-D3
04/08/2015	22,00	7.027	25,73	SEBA MPS-D3
04/08/2015	23,00	7.099	25,74	SEBA MPS-D3
04/08/2015	25,00	7.264	25,74	SEBA MPS-D3
04/08/2015	27,00	7.428	25,75	SEBA MPS-D3
04/08/2015	28,00	7.860	25,76	SEBA MPS-D3
04/08/2015	29,00	8.315	25,77	SEBA MPS-D3
04/08/2015	30,00	8.491	25,77	SEBA MPS-D3
04/08/2015	31,00	8.500	25,77	SEBA MPS-D3
04/08/2015	33,00	8.524	25,78	SEBA MPS-D3
04/08/2015	35,00	8.963	25,79	SEBA MPS-D3
04/08/2015	37,00	10.605	25,81	SEBA MPS-D3
04/08/2015	38,00	11.091	25,81	SEBA MPS-D3
04/08/2015	39,00	11.344	25,82	SEBA MPS-D3
04/08/2015	40,00	11.990	25,83	SEBA MPS-D3
04/08/2015	40,50	13.216	25,84	SEBA MPS-D3
04/08/2015	41,00	13.948	25,85	SEBA MPS-D3
04/08/2015	41,50	14.349	25,85	SEBA MPS-D3
04/08/2015	42,00	14.723	25,86	SEBA MPS-D3
04/08/2015	42,50	15.186	25,86	SEBA MPS-D3
04/08/2015	43,00	15.972	25,87	SEBA MPS-D3
04/08/2015	43,50	16.429	25,87	SEBA MPS-D3
04/08/2015	43,70	16.587	25,88	SEBA MPS-D3
04/08/2015	43,90	16.706	25,88	SEBA MPS-D3
04/08/2015	44,10	16.777	25,88	SEBA MPS-D3
04/08/2015	44,50	16.934	25,88	SEBA MPS-D3
04/08/2015	45,00	17.138	25,89	SEBA MPS-D3
04/08/2015	45,50	17.456	25,90	SEBA MPS-D3
04/08/2015	46,00	17.877	25,90	SEBA MPS-D3
04/08/2015	46,50	18.235	25,91	SEBA MPS-D3
04/08/2015	47,00	18.691	25,91	SEBA MPS-D3
04/08/2015	47,20	19.015	25,92	SEBA MPS-D3
04/08/2015	47,40	19.933	25,92	SEBA MPS-D3
04/08/2015	47,60	23.865	25,92	SEBA MPS-D3
04/08/2015	47,80	27.778	25,92	SEBA MPS-D3
04/08/2015	48,00	29.741	25,93	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/08/2015	48,20	30.489	25,93	SEBA MPS-D3
04/08/2015	48,40	31.470	25,93	SEBA MPS-D3
04/08/2015	48,60	33.835	25,93	SEBA MPS-D3
04/08/2015	48,80	38.366	25,94	SEBA MPS-D3
04/08/2015	49,00	43.807	25,94	SEBA MPS-D3
04/08/2015	49,20	48.687	25,94	SEBA MPS-D3
04/08/2015	49,40	54.966	25,94	SEBA MPS-D3
04/08/2015	49,60	65.160	25,95	SEBA MPS-D3
04/08/2015	49,80	74.170	25,95	SEBA MPS-D3
04/08/2015	50,00	82.961	25,95	SEBA MPS-D3
04/08/2015	50,20	91.151	25,96	SEBA MPS-D3
04/08/2015	50,40	106.815	25,96	SEBA MPS-D3
04/08/2015	50,60	117.052	25,96	SEBA MPS-D3
04/08/2015	50,80	121.137	25,97	SEBA MPS-D3
04/08/2015	51,00	122.911	25,97	SEBA MPS-D3
04/08/2015	51,20	132.256	25,97	SEBA MPS-D3
04/08/2015	51,40	141.936	25,98	SEBA MPS-D3
04/08/2015	51,60	151.916	25,98	SEBA MPS-D3
04/08/2015	51,80	158.806	25,98	SEBA MPS-D3
04/08/2015	52,00	164.316	25,98	SEBA MPS-D3
04/08/2015	52,20	174.867	25,98	SEBA MPS-D3
04/08/2015	52,40	186.535	25,99	SEBA MPS-D3
06/09/2015	1,40	4.239	25,19	SEBA MPS-D3
06/09/2015	2,00	4.153	25,72	SEBA MPS-D3
06/09/2015	4,00	4.151	25,74	SEBA MPS-D3
06/09/2015	6,00	4.151	25,74	SEBA MPS-D3
06/09/2015	8,00	4.159	25,74	SEBA MPS-D3
06/09/2015	10,00	4.259	25,74	SEBA MPS-D3
06/09/2015	12,00	4.264	25,75	SEBA MPS-D3
06/09/2015	14,00	4.303	25,75	SEBA MPS-D3
06/09/2015	16,00	4.586	25,74	SEBA MPS-D3
06/09/2015	18,00	4.799	25,74	SEBA MPS-D3
06/09/2015	20,00	6.191	25,74	SEBA MPS-D3
06/09/2015	22,00	7.418	25,74	SEBA MPS-D3
06/09/2015	24,00	7.687	25,75	SEBA MPS-D3
06/09/2015	26,00	7.720	25,75	SEBA MPS-D3
06/09/2015	28,00	8.349	25,77	SEBA MPS-D3
06/09/2015	30,00	9.178	25,78	SEBA MPS-D3
06/09/2015	32,00	9.188	25,78	SEBA MPS-D3
06/09/2015	34,00	9.470	25,79	SEBA MPS-D3
06/09/2015	36,00	10.670	25,80	SEBA MPS-D3
06/09/2015	38,00	11.580	25,82	SEBA MPS-D3
06/09/2015	40,00	13.060	25,84	SEBA MPS-D3
06/09/2015	41,00	15.110	25,85	SEBA MPS-D3
06/09/2015	42,00	15.430	25,86	SEBA MPS-D3
06/09/2015	43,00	16.750	25,88	SEBA MPS-D3
06/09/2015	44,00	17.750	25,89	SEBA MPS-D3
06/09/2015	45,00	18.400	25,89	SEBA MPS-D3
06/09/2015	46,00	19.270	25,91	SEBA MPS-D3
06/09/2015	47,00	20.680	25,92	SEBA MPS-D3
06/09/2015	47,20	23.520	25,93	SEBA MPS-D3
06/09/2015	47,40	26.720	25,93	SEBA MPS-D3
06/09/2015	47,60	27.660	25,93	SEBA MPS-D3
06/09/2015	47,80	28.680	25,93	SEBA MPS-D3
06/09/2015	48,00	31.480	25,94	SEBA MPS-D3
06/09/2015	48,20	33.990	25,94	SEBA MPS-D3
06/09/2015	48,40	37.830	25,94	SEBA MPS-D3
06/09/2015	48,60	42.530	25,95	SEBA MPS-D3
06/09/2015	48,80	45.730	25,95	SEBA MPS-D3
06/09/2015	49,00	48.990	25,95	SEBA MPS-D3
06/09/2015	49,20	52.500	25,95	SEBA MPS-D3
06/09/2015	49,40	59.480	25,95	SEBA MPS-D3
06/09/2015	49,60	72.150	25,96	SEBA MPS-D3
06/09/2015	49,80	80.510	25,96	SEBA MPS-D3
06/09/2015	50,00	88.400	25,96	SEBA MPS-D3
06/09/2015	50,20	97.740	25,96	SEBA MPS-D3
06/09/2015	50,40	110.700	25,97	SEBA MPS-D3
06/09/2015	50,60	123.000	25,97	SEBA MPS-D3
06/09/2015	50,80	130.000	25,98	SEBA MPS-D3
06/09/2015	51,00	132.500	25,98	SEBA MPS-D3
06/09/2015	51,20	141.100	25,98	SEBA MPS-D3
06/09/2015	51,40	150.000	25,98	SEBA MPS-D3
06/09/2015	51,60	160.100	25,99	SEBA MPS-D3
06/09/2015	51,80	166.200	25,99	SEBA MPS-D3
06/09/2015	52,00	173.600	25,99	SEBA MPS-D3
06/09/2015	52,20	185.700	26,00	SEBA MPS-D3
06/09/2015	52,40	195.600	26,00	SEBA MPS-D3
06/09/2015	52,60	198.600	26,00	SEBA MPS-D3
06/09/2015	52,80	201.500	26,00	SEBA MPS-D3
06/09/2015	53,00	205.300	26,00	SEBA MPS-D3
06/09/2015	55,00	230.300	26,04	SEBA MPS-D3
06/09/2015	56,99	238.200	26,08	SEBA MPS-D3
06/09/2015	58,99	240.000	26,12	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/09/2015	60,99	240.500	26,15	SEBA MPS-D3
06/09/2015	62,99	240.700	26,20	SEBA MPS-D3
06/09/2015	64,99	241.000	26,24	SEBA MPS-D3
06/09/2015	66,99	240.900	26,28	SEBA MPS-D3
06/09/2015	68,99	241.200	26,29	SEBA MPS-D3
06/09/2015	70,99	241.000	26,36	SEBA MPS-D3
06/09/2015	72,99	240.300	26,40	SEBA MPS-D3
06/09/2015	74,99	240.100	26,48	SEBA MPS-D3
06/09/2015	76,99	240.200	26,51	SEBA MPS-D3
06/09/2015	78,99	240.100	26,52	SEBA MPS-D3
06/09/2015	80,99	240.200	26,53	SEBA MPS-D3
06/09/2015	82,99	240.200	26,55	SEBA MPS-D3
06/09/2015	84,99	240.100	26,56	SEBA MPS-D3
06/09/2015	86,99	240.100	26,56	SEBA MPS-D3
06/09/2015	88,99	239.500	26,67	SEBA MPS-D3
06/09/2015	90,99	239.200	26,72	SEBA MPS-D3
06/09/2015	92,99	239.000	26,76	SEBA MPS-D3
06/09/2015	94,99	238.400	26,80	SEBA MPS-D3
06/09/2015	96,99	236.300	26,84	SEBA MPS-D3
06/09/2015	98,99	235.800	26,88	SEBA MPS-D3
06/09/2015	100,00	235.500	26,89	SEBA MPS-D3
12/10/2015	4,00	4.068	25,73	SEBA MPS-D3
12/10/2015	6,00	4.070	25,74	SEBA MPS-D3
12/10/2015	8,00	4.074	25,73	SEBA MPS-D3
12/10/2015	10,00	4.160	25,74	SEBA MPS-D3
12/10/2015	12,00	4.167	25,74	SEBA MPS-D3
12/10/2015	14,00	4.200	25,74	SEBA MPS-D3
12/10/2015	16,00	4.480	25,74	SEBA MPS-D3
12/10/2015	18,00	4.829	25,73	SEBA MPS-D3
12/10/2015	20,00	6.141	25,73	SEBA MPS-D3
12/10/2015	21,00	6.927	25,74	SEBA MPS-D3
12/10/2015	22,00	7.173	25,74	SEBA MPS-D3
12/10/2015	23,00	7.296	25,74	SEBA MPS-D3
12/10/2015	24,00	7.434	25,74	SEBA MPS-D3
12/10/2015	25,00	7.476	25,75	SEBA MPS-D3
12/10/2015	27,00	7.619	25,76	SEBA MPS-D3
12/10/2015	29,00	8.596	25,77	SEBA MPS-D3
12/10/2015	31,00	8.665	25,77	SEBA MPS-D3
12/10/2015	33,00	8.741	25,78	SEBA MPS-D3
12/10/2015	35,00	9.218	25,79	SEBA MPS-D3
12/10/2015	37,00	10.909	25,81	SEBA MPS-D3
12/10/2015	38,00	11.267	25,82	SEBA MPS-D3
12/10/2015	39,00	11.479	25,83	SEBA MPS-D3
12/10/2015	40,00	12.166	25,83	SEBA MPS-D3
12/10/2015	41,00	14.265	25,85	SEBA MPS-D3
12/10/2015	41,50	14.808	25,85	SEBA MPS-D3
12/10/2015	42,00	15.122	25,86	SEBA MPS-D3
12/10/2015	42,50	15.342	25,86	SEBA MPS-D3
12/10/2015	43,00	16.427	25,87	SEBA MPS-D3
12/10/2015	43,50	16.847	25,87	SEBA MPS-D3
12/10/2015	44,00	17.100	25,88	SEBA MPS-D3
12/10/2015	45,00	17.327	25,89	SEBA MPS-D3
12/10/2015	46,00	18.162	25,90	SEBA MPS-D3
12/10/2015	47,00	18.399	25,92	SEBA MPS-D3
12/10/2015	48,00	33.179	25,93	SEBA MPS-D3
12/10/2015	48,20	34.216	25,93	SEBA MPS-D3
12/10/2015	48,40	35.125	25,94	SEBA MPS-D3
12/10/2015	48,60	39.988	25,94	SEBA MPS-D3
12/10/2015	48,80	44.508	25,94	SEBA MPS-D3
12/10/2015	49,00	47.640	25,94	SEBA MPS-D3
12/10/2015	49,50	49.803	25,95	SEBA MPS-D3
12/10/2015	50,00	87.981	25,96	SEBA MPS-D3
12/10/2015	50,20	95.097	25,96	SEBA MPS-D3
12/10/2015	50,40	105.215	25,96	SEBA MPS-D3
12/10/2015	50,60	116.248	25,97	SEBA MPS-D3
12/10/2015	50,80	127.132	25,97	SEBA MPS-D3
12/10/2015	51,00	131.389	25,97	SEBA MPS-D3
12/10/2015	51,20	139.265	25,97	SEBA MPS-D3
12/10/2015	51,40	148.179	25,98	SEBA MPS-D3
12/10/2015	51,60	156.135	25,98	SEBA MPS-D3
12/10/2015	51,80	163.034	25,98	SEBA MPS-D3
12/10/2015	52,00	170.613	25,99	SEBA MPS-D3
12/10/2015	52,20	181.944	25,99	SEBA MPS-D3
12/10/2015	52,40	190.159	25,99	SEBA MPS-D3
12/10/2015	52,60	193.865	26,00	SEBA MPS-D3
12/10/2015	52,80	197.000	26,00	SEBA MPS-D3
12/10/2015	53,00	200.674	26,00	SEBA MPS-D3
12/10/2015	55,00	225.659	26,03	SEBA MPS-D3
12/10/2015	57,00	233.464	26,08	SEBA MPS-D3
12/10/2015	59,00	235.188	26,12	SEBA MPS-D3
12/10/2015	61,00	235.662	26,16	SEBA MPS-D3
12/10/2015	63,00	235.917	26,20	SEBA MPS-D3
12/10/2015	65,00	236.099	26,24	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/10/2015	67,00	236.182	26,27	SEBA MPS-D3
12/10/2015	69,00	236.216	26,31	SEBA MPS-D3
12/10/2015	71,00	235.987	26,35	SEBA MPS-D3
12/10/2015	73,00	235.333	26,39	SEBA MPS-D3
12/10/2015	75,00	235.330	26,47	SEBA MPS-D3
12/10/2015	77,00	235.187	26,51	SEBA MPS-D3
12/10/2015	79,00	235.219	26,52	SEBA MPS-D3
12/10/2015	81,00	235.234	26,54	SEBA MPS-D3
12/10/2015	83,00	235.254	26,54	SEBA MPS-D3
12/10/2015	85,00	235.221	26,54	SEBA MPS-D3
12/10/2015	87,00	235.260	26,55	SEBA MPS-D3
12/10/2015	89,00	234.993	26,61	SEBA MPS-D3
12/10/2015	91,00	234.304	26,70	SEBA MPS-D3
12/10/2015	93,00	234.109	26,74	SEBA MPS-D3
12/10/2015	95,00	233.462	26,80	SEBA MPS-D3
12/10/2015	97,00	231.634	26,83	SEBA MPS-D3
12/10/2015	99,00	231.492	26,87	SEBA MPS-D3
12/10/2015	101,40	230.912	26,92	SEBA MPS-D3
12/10/2015	1,20	4.075	25,29	SEBA MPS-D3
12/10/2015	2,00	4.078	25,63	SEBA MPS-D3
03/11/2015	1,20	4.055	25,28	SEBA MPS-D3
03/11/2015	2,00	4.000	25,63	SEBA MPS-D3
03/11/2015	4,00	4.005	25,72	SEBA MPS-D3
03/11/2015	6,00	4.005	25,73	SEBA MPS-D3
03/11/2015	8,00	4.029	25,73	SEBA MPS-D3
03/11/2015	10,00	4.084	25,74	SEBA MPS-D3
03/11/2015	12,00	4.088	25,74	SEBA MPS-D3
03/11/2015	14,00	4.121	25,74	SEBA MPS-D3
03/11/2015	16,00	4.543	25,74	SEBA MPS-D3
03/11/2015	18,00	4.881	25,73	SEBA MPS-D3
03/11/2015	19,00	5.371	25,73	SEBA MPS-D3
03/11/2015	20,00	6.313	25,74	SEBA MPS-D3
03/11/2015	21,00	6.850	25,74	SEBA MPS-D3
03/11/2015	22,00	7.112	25,74	SEBA MPS-D3
03/11/2015	23,00	7.216	25,74	SEBA MPS-D3
03/11/2015	25,00	7.280	25,75	SEBA MPS-D3
03/11/2015	27,00	7.875	25,76	SEBA MPS-D3
03/11/2015	29,00	8.755	25,77	SEBA MPS-D3
03/11/2015	31,00	8.787	25,77	SEBA MPS-D3
03/11/2015	33,00	8.826	25,78	SEBA MPS-D3
03/11/2015	35,00	10.006	25,79	SEBA MPS-D3
03/11/2015	36,00	10.641	25,80	SEBA MPS-D3
03/11/2015	37,00	10.746	25,81	SEBA MPS-D3
03/11/2015	38,00	10.833	25,82	SEBA MPS-D3
03/11/2015	40,00	11.129	25,83	SEBA MPS-D3
03/11/2015	40,50	11.829	25,83	SEBA MPS-D3
03/11/2015	41,00	14.440	25,85	SEBA MPS-D3
03/11/2015	41,50	14.603	25,85	SEBA MPS-D3
03/11/2015	42,00	14.887	25,86	SEBA MPS-D3
03/11/2015	42,50	15.155	25,86	SEBA MPS-D3
03/11/2015	43,00	16.696	25,87	SEBA MPS-D3
03/11/2015	43,50	16.859	25,87	SEBA MPS-D3
03/11/2015	44,00	17.016	25,88	SEBA MPS-D3
03/11/2015	45,00	17.577	25,89	SEBA MPS-D3
03/11/2015	46,00	17.850	25,90	SEBA MPS-D3
03/11/2015	47,00	21.028	25,92	SEBA MPS-D3
03/11/2015	47,20	24.574	25,92	SEBA MPS-D3
03/11/2015	47,40	26.654	25,92	SEBA MPS-D3
03/11/2015	47,60	31.064	25,92	SEBA MPS-D3
03/11/2015	47,80	33.501	25,93	SEBA MPS-D3
03/11/2015	48,00	33.696	25,93	SEBA MPS-D3
03/11/2015	48,20	36.058	25,94	SEBA MPS-D3
03/11/2015	48,40	36.165	25,94	SEBA MPS-D3
03/11/2015	48,60	41.147	25,94	SEBA MPS-D3
03/11/2015	48,80	44.356	25,94	SEBA MPS-D3
03/11/2015	49,00	48.764	25,94	SEBA MPS-D3
03/11/2015	49,20	51.697	25,95	SEBA MPS-D3
03/11/2015	49,40	58.134	25,95	SEBA MPS-D3
03/11/2015	49,60	70.699	25,95	SEBA MPS-D3
03/11/2015	49,80	80.203	25,95	SEBA MPS-D3
03/11/2015	50,00	88.859	25,96	SEBA MPS-D3
03/11/2015	50,20	97.096	25,96	SEBA MPS-D3
03/11/2015	50,40	105.471	25,96	SEBA MPS-D3
03/11/2015	50,60	115.033	25,97	SEBA MPS-D3
03/11/2015	50,80	123.786	25,98	SEBA MPS-D3
03/11/2015	51,00	129.881	25,97	SEBA MPS-D3
03/11/2015	51,20	139.136	25,98	SEBA MPS-D3
03/11/2015	51,40	145.070	25,98	SEBA MPS-D3
03/11/2015	51,60	152.681	25,98	SEBA MPS-D3
03/11/2015	51,80	162.159	25,98	SEBA MPS-D3
03/11/2015	52,00	170.272	25,98	SEBA MPS-D3
03/11/2015	52,20	180.207	25,99	SEBA MPS-D3
03/11/2015	52,40	186.214	25,99	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
03/11/2015	52,60	191.257	26,00	SEBA MPS-D3
03/11/2015	52,80	194.836	26,00	SEBA MPS-D3
03/11/2015	53,00	199.371	26,00	SEBA MPS-D3
03/11/2015	54,00	212.784	26,02	SEBA MPS-D3
03/11/2015	56,00	227.019	26,06	SEBA MPS-D3
03/11/2015	58,00	230.925	26,10	SEBA MPS-D3
03/11/2015	60,00	231.833	26,13	SEBA MPS-D3
03/11/2015	62,00	232.122	26,18	SEBA MPS-D3
03/11/2015	64,00	232.281	26,22	SEBA MPS-D3
03/11/2015	66,00	232.395	26,24	SEBA MPS-D3
03/11/2015	68,00	232.467	26,28	SEBA MPS-D3
03/11/2015	70,00	232.381	26,33	SEBA MPS-D3
03/11/2015	72,00	232.180	26,36	SEBA MPS-D3
03/11/2015	74,00	231.644	26,40	SEBA MPS-D3
03/11/2015	76,00	231.565	26,45	SEBA MPS-D3
03/11/2015	78,00	231.598	26,51	SEBA MPS-D3
03/11/2015	80,00	231.531	26,53	SEBA MPS-D3
03/11/2015	82,00	231.537	26,54	SEBA MPS-D3
03/11/2015	84,00	231.560	26,54	SEBA MPS-D3
03/11/2015	86,00	231.415	26,62	SEBA MPS-D3
03/11/2015	88,00	231.160	26,65	SEBA MPS-D3
03/11/2015	90,00	230.634	26,69	SEBA MPS-D3
03/11/2015	92,00	230.471	26,73	SEBA MPS-D3
03/11/2015	94,00	230.100	26,77	SEBA MPS-D3
03/11/2015	96,00	229.226	26,81	SEBA MPS-D3
03/11/2015	98,00	227.961	26,85	SEBA MPS-D3
03/11/2015	100,00	227.519	26,89	SEBA MPS-D3
05/12/2015	1,50	4.165	25,25	SEBA MPS-D3
05/12/2015	2,00	4.147	25,66	SEBA MPS-D3
05/12/2015	4,00	4.142	25,73	SEBA MPS-D3
05/12/2015	6,00	4.143	25,74	SEBA MPS-D3
05/12/2015	8,00	4.156	25,74	SEBA MPS-D3
05/12/2015	10,00	4.214	25,74	SEBA MPS-D3
05/12/2015	12,00	4.215	25,75	SEBA MPS-D3
05/12/2015	14,00	4.241	25,74	SEBA MPS-D3
05/12/2015	16,00	4.749	25,74	SEBA MPS-D3
05/12/2015	18,00	5.193	25,74	SEBA MPS-D3
05/12/2015	20,00	6.392	25,74	SEBA MPS-D3
05/12/2015	22,00	7.138	25,75	SEBA MPS-D3
05/12/2015	24,00	7.373	25,75	SEBA MPS-D3
05/12/2015	26,00	7.396	25,76	SEBA MPS-D3
05/12/2015	28,00	8.572	25,77	SEBA MPS-D3
05/12/2015	30,00	9.212	25,78	SEBA MPS-D3
05/12/2015	32,00	9.217	25,79	SEBA MPS-D3
05/12/2015	34,00	9.403	25,80	SEBA MPS-D3
05/12/2015	36,00	10.878	25,81	SEBA MPS-D3
05/12/2015	38,00	11.201	25,82	SEBA MPS-D3
05/12/2015	40,00	12.864	25,84	SEBA MPS-D3
05/12/2015	41,00	15.153	25,85	SEBA MPS-D3
05/12/2015	42,00	15.540	25,87	SEBA MPS-D3
05/12/2015	43,00	16.508	25,87	SEBA MPS-D3
05/12/2015	44,00	17.410	25,89	SEBA MPS-D3
05/12/2015	45,00	17.698	25,90	SEBA MPS-D3
05/12/2015	46,00	18.593	25,91	SEBA MPS-D3
05/12/2015	47,00	20.425	25,93	SEBA MPS-D3
05/12/2015	47,20	22.336	25,93	SEBA MPS-D3
05/12/2015	47,40	26.453	25,93	SEBA MPS-D3
05/12/2015	47,60	31.526	25,94	SEBA MPS-D3
05/12/2015	47,80	33.714	25,94	SEBA MPS-D3
05/12/2015	48,00	36.010	25,94	SEBA MPS-D3
05/12/2015	48,20	36.614	25,94	SEBA MPS-D3
05/12/2015	48,40	37.035	25,95	SEBA MPS-D3
05/12/2015	48,60	39.827	25,95	SEBA MPS-D3
05/12/2015	48,80	44.093	25,95	SEBA MPS-D3
05/12/2015	49,00	50.047	25,95	SEBA MPS-D3
05/12/2015	49,20	53.225	25,96	SEBA MPS-D3
05/12/2015	49,40	59.257	25,96	SEBA MPS-D3
05/12/2015	49,60	74.149	25,96	SEBA MPS-D3
05/12/2015	49,80	83.021	25,97	SEBA MPS-D3
05/12/2015	50,00	92.217	25,97	SEBA MPS-D3
05/12/2015	50,20	100.248	25,97	SEBA MPS-D3
05/12/2015	50,40	110.901	25,98	SEBA MPS-D3
05/12/2015	50,60	117.136	25,98	SEBA MPS-D3
05/12/2015	50,80	128.404	25,98	SEBA MPS-D3
05/12/2015	51,00	133.920	25,98	SEBA MPS-D3
05/12/2015	51,20	142.997	25,99	SEBA MPS-D3
05/12/2015	51,40	149.599	25,99	SEBA MPS-D3
05/12/2015	51,60	158.564	25,99	SEBA MPS-D3
05/12/2015	51,80	169.985	25,99	SEBA MPS-D3
05/12/2015	52,00	175.240	26,00	SEBA MPS-D3
05/12/2015	52,50	196.737	26,01	SEBA MPS-D3
05/12/2015	53,00	205.384	26,01	SEBA MPS-D3
05/12/2015	54,00	220.435	26,03	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/12/2015	55,00	229.815	26,05	SEBA MPS-D3
05/12/2015	57,00	235.194	26,07	SEBA MPS-D3
05/12/2015	59,00	239.540	26,12	SEBA MPS-D3
05/12/2015	61,00	239.945	26,17	SEBA MPS-D3
05/12/2015	63,00	240.211	26,20	SEBA MPS-D3
05/12/2015	65,00	240.395	26,24	SEBA MPS-D3
05/12/2015	67,00	240.373	26,28	SEBA MPS-D3
05/12/2015	69,00	240.494	26,31	SEBA MPS-D3
05/12/2015	71,00	240.258	26,36	SEBA MPS-D3
05/12/2015	73,00	239.588	26,40	SEBA MPS-D3
05/12/2015	75,00	239.539	26,47	SEBA MPS-D3
05/12/2015	77,00	239.530	26,50	SEBA MPS-D3
05/12/2015	79,00	239.546	26,52	SEBA MPS-D3
05/12/2015	81,00	239.496	26,55	SEBA MPS-D3
05/12/2015	83,00	239.594	26,53	SEBA MPS-D3
05/12/2015	85,00	239.532	26,55	SEBA MPS-D3
05/12/2015	87,00	239.504	26,56	SEBA MPS-D3
05/12/2015	89,00	238.647	26,68	SEBA MPS-D3
05/12/2015	91,00	238.490	26,72	SEBA MPS-D3
05/12/2015	93,00	238.334	26,75	SEBA MPS-D3
05/12/2015	95,00	237.616	26,80	SEBA MPS-D3
05/12/2015	97,00	236.096	26,83	SEBA MPS-D3
05/12/2015	99,00	235.393	26,87	SEBA MPS-D3
05/12/2015	100,00	235.071	26,90	SEBA MPS-D3
14/01/2016	1,50	4.166	25,79	SEBA MPS-D3
14/01/2016	2,00	4.117	25,76	SEBA MPS-D3
14/01/2016	4,00	4.114	25,75	SEBA MPS-D3
14/01/2016	6,00	4.115	25,76	SEBA MPS-D3
14/01/2016	8,00	4.139	25,75	SEBA MPS-D3
14/01/2016	10,00	4.167	25,75	SEBA MPS-D3
14/01/2016	12,00	4.170	25,75	SEBA MPS-D3
14/01/2016	14,00	4.211	25,75	SEBA MPS-D3
14/01/2016	16,00	4.635	25,75	SEBA MPS-D3
14/01/2016	18,00	5.072	25,75	SEBA MPS-D3
14/01/2016	20,00	6.380	25,75	SEBA MPS-D3
14/01/2016	22,00	7.147	25,75	SEBA MPS-D3
14/01/2016	24,00	7.339	25,76	SEBA MPS-D3
14/01/2016	26,00	7.362	25,77	SEBA MPS-D3
14/01/2016	28,00	8.115	25,78	SEBA MPS-D3
14/01/2016	30,00	8.979	25,79	SEBA MPS-D3
14/01/2016	32,00	9.088	25,79	SEBA MPS-D3
14/01/2016	34,00	9.260	25,81	SEBA MPS-D3
14/01/2016	36,00	10.606	25,82	SEBA MPS-D3
14/01/2016	38,00	10.932	25,83	SEBA MPS-D3
14/01/2016	40,00	12.380	25,85	SEBA MPS-D3
14/01/2016	41,00	14.953	25,86	SEBA MPS-D3
14/01/2016	42,00	15.426	25,87	SEBA MPS-D3
14/01/2016	43,00	16.188	25,88	SEBA MPS-D3
14/01/2016	44,00	17.011	25,89	SEBA MPS-D3
14/01/2016	45,00	17.258	25,91	SEBA MPS-D3
14/01/2016	46,00	18.051	25,92	SEBA MPS-D3
14/01/2016	47,00	19.513	25,93	SEBA MPS-D3
14/01/2016	47,20	20.905	25,94	SEBA MPS-D3
14/01/2016	47,40	23.708	25,94	SEBA MPS-D3
14/01/2016	47,60	27.676	25,95	SEBA MPS-D3
14/01/2016	47,80	30.845	25,95	SEBA MPS-D3
14/01/2016	48,00	34.759	25,95	SEBA MPS-D3
14/01/2016	48,20	36.287	25,95	SEBA MPS-D3
14/01/2016	48,40	37.083	25,96	SEBA MPS-D3
14/01/2016	48,60	39.888	25,96	SEBA MPS-D3
14/01/2016	48,80	45.859	25,96	SEBA MPS-D3
14/01/2016	49,00	49.153	25,97	SEBA MPS-D3
14/01/2016	49,20	52.886	25,97	SEBA MPS-D3
14/01/2016	49,40	61.535	25,97	SEBA MPS-D3
14/01/2016	49,60	72.829	25,97	SEBA MPS-D3
14/01/2016	49,80	81.823	25,97	SEBA MPS-D3
14/01/2016	50,00	90.854	25,98	SEBA MPS-D3
14/01/2016	50,20	99.094	25,98	SEBA MPS-D3
14/01/2016	50,40	108.057	25,98	SEBA MPS-D3
14/01/2016	50,60	116.740	25,98	SEBA MPS-D3
14/01/2016	50,80	126.953	25,99	SEBA MPS-D3
14/01/2016	51,00	132.746	25,99	SEBA MPS-D3
14/01/2016	51,20	141.009	25,99	SEBA MPS-D3
14/01/2016	51,40	148.997	25,99	SEBA MPS-D3
14/01/2016	51,60	156.728	26,00	SEBA MPS-D3
14/01/2016	51,80	167.694	26,00	SEBA MPS-D3
14/01/2016	52,00	174.033	26,00	SEBA MPS-D3
14/01/2016	52,50	194.540	26,01	SEBA MPS-D3
14/01/2016	53,00	202.765	26,02	SEBA MPS-D3
14/01/2016	54,00	218.450	26,03	SEBA MPS-D3
14/01/2016	55,00	233.355	26,08	SEBA MPS-D3
14/01/2016	57,00	236.990	26,12	SEBA MPS-D3
14/01/2016	59,00	237.911	26,15	SEBA MPS-D3



Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/01/2016	61,00	238.210	26,18	SEBA MPS-D3
14/01/2016	63,00	238.479	26,22	SEBA MPS-D3
14/01/2016	65,00	238.529	26,26	SEBA MPS-D3
14/01/2016	67,00	238.690	26,30	SEBA MPS-D3
14/01/2016	69,00	238.562	26,34	SEBA MPS-D3
14/01/2016	71,00	238.359	26,38	SEBA MPS-D3
14/01/2016	73,00	237.667	26,45	SEBA MPS-D3
14/01/2016	75,00	237.654	26,52	SEBA MPS-D3
14/01/2016	77,00	237.678	26,53	SEBA MPS-D3
14/01/2016	79,00	237.617	26,54	SEBA MPS-D3
14/01/2016	81,00	237.627	26,55	SEBA MPS-D3
14/01/2016	83,00	237.645	26,55	SEBA MPS-D3
14/01/2016	85,00	237.597	26,56	SEBA MPS-D3
14/01/2016	87,00	237.133	26,65	SEBA MPS-D3
14/01/2016	89,00	236.610	26,71	SEBA MPS-D3
14/01/2016	91,00	236.581	26,73	SEBA MPS-D3
14/01/2016	93,00	236.274	26,77	SEBA MPS-D3
14/01/2016	95,00	235.452	26,82	SEBA MPS-D3
14/01/2016	97,00	233.967	26,86	SEBA MPS-D3
14/01/2016	99,00	233.132	26,90	SEBA MPS-D3
14/01/2016	100,00	233.087	26,93	SEBA MPS-D3
16/02/2016	1,20	4.246	25,02	SEBA MPS-D3
16/02/2016	2,00	4.201	25,68	SEBA MPS-D3
16/02/2016	4,00	4.202	25,74	SEBA MPS-D3
16/02/2016	6,00	4.202	25,74	SEBA MPS-D3
16/02/2016	8,00	4.213	25,75	SEBA MPS-D3
16/02/2016	10,00	4.261	25,74	SEBA MPS-D3
16/02/2016	12,00	4.263	25,74	SEBA MPS-D3
16/02/2016	14,00	4.286	25,75	SEBA MPS-D3
16/02/2016	16,00	4.844	25,74	SEBA MPS-D3
16/02/2016	18,00	5.244	25,75	SEBA MPS-D3
16/02/2016	20,00	6.496	25,75	SEBA MPS-D3
16/02/2016	22,00	7.309	25,75	SEBA MPS-D3
16/02/2016	24,00	7.591	25,75	SEBA MPS-D3
16/02/2016	26,00	7.622	25,76	SEBA MPS-D3
16/02/2016	28,00	8.465	25,77	SEBA MPS-D3
16/02/2016	30,00	9.286	25,78	SEBA MPS-D3
16/02/2016	32,00	9.401	25,79	SEBA MPS-D3
16/02/2016	34,00	9.642	25,80	SEBA MPS-D3
16/02/2016	36,00	10.900	25,81	SEBA MPS-D3
16/02/2016	38,00	11.204	25,83	SEBA MPS-D3
16/02/2016	40,00	12.943	25,85	SEBA MPS-D3
16/02/2016	41,00	15.470	25,86	SEBA MPS-D3
16/02/2016	42,00	15.799	25,87	SEBA MPS-D3
16/02/2016	43,00	16.540	25,88	SEBA MPS-D3
16/02/2016	44,00	17.470	25,89	SEBA MPS-D3
16/02/2016	45,00	17.858	25,90	SEBA MPS-D3
16/02/2016	46,00	18.826	25,91	SEBA MPS-D3
16/02/2016	47,00	21.263	25,93	SEBA MPS-D3
16/02/2016	47,20	22.225	25,94	SEBA MPS-D3
16/02/2016	47,40	25.547	25,94	SEBA MPS-D3
16/02/2016	47,60	31.165	25,94	SEBA MPS-D3
16/02/2016	47,80	34.171	25,94	SEBA MPS-D3
16/02/2016	48,00	37.212	25,95	SEBA MPS-D3
16/02/2016	48,20	37.472	25,95	SEBA MPS-D3
16/02/2016	48,40	38.042	25,95	SEBA MPS-D3
16/02/2016	48,60	40.990	25,96	SEBA MPS-D3
16/02/2016	48,80	45.350	25,96	SEBA MPS-D3
16/02/2016	49,00	49.723	25,96	SEBA MPS-D3
16/02/2016	49,20	53.951	25,97	SEBA MPS-D3
16/02/2016	49,40	61.614	25,97	SEBA MPS-D3
16/02/2016	49,60	75.181	25,97	SEBA MPS-D3
16/02/2016	49,80	84.116	25,97	SEBA MPS-D3
16/02/2016	50,00	93.749	25,97	SEBA MPS-D3
16/02/2016	50,20	101.674	25,97	SEBA MPS-D3
16/02/2016	50,40	111.201	25,98	SEBA MPS-D3
16/02/2016	50,60	120.660	25,98	SEBA MPS-D3
16/02/2016	50,80	130.220	25,99	SEBA MPS-D3
16/02/2016	51,00	137.765	25,99	SEBA MPS-D3
16/02/2016	51,20	146.897	25,99	SEBA MPS-D3
16/02/2016	51,40	153.903	25,99	SEBA MPS-D3
16/02/2016	51,60	162.819	26,00	SEBA MPS-D3
16/02/2016	51,80	173.361	26,00	SEBA MPS-D3
16/02/2016	52,00	179.778	26,00	SEBA MPS-D3
16/02/2016	52,20	187.387	26,00	SEBA MPS-D3
16/02/2016	52,40	196.765	26,01	SEBA MPS-D3
16/02/2016	52,60	200.978	26,01	SEBA MPS-D3
16/02/2016	52,80	200.915	26,01	SEBA MPS-D3
16/02/2016	53,00	203.773	26,01	SEBA MPS-D3
16/02/2016	53,40	211.854	26,02	SEBA MPS-D3
16/02/2016	53,60	214.201	26,03	SEBA MPS-D3
16/02/2016	53,80	217.364	26,03	SEBA MPS-D3
16/02/2016	54,00	220.522	26,03	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/02/2016	55,00	223.345	26,04	SEBA MPS-D3
16/02/2016	56,00	229.218	26,05	SEBA MPS-D3
16/02/2016	58,00	233.153	26,05	SEBA MPS-D3
16/02/2016	60,00	238.422	26,07	SEBA MPS-D3
16/02/2016	62,00	241.959	26,11	SEBA MPS-D3
16/02/2016	64,00	242.915	26,14	SEBA MPS-D3
16/02/2016	66,00	243.082	26,19	SEBA MPS-D3
16/02/2016	68,00	243.558	26,20	SEBA MPS-D3
16/02/2016	70,00	243.480	26,26	SEBA MPS-D3
16/02/2016	72,00	243.300	26,38	SEBA MPS-D3
16/02/2016	74,00	242.618	26,44	SEBA MPS-D3
16/02/2016	76,00	242.548	26,48	SEBA MPS-D3
16/02/2016	78,00	242.549	26,51	SEBA MPS-D3
16/02/2016	80,00	242.576	26,52	SEBA MPS-D3
16/02/2016	82,00	242.500	26,53	SEBA MPS-D3
16/02/2016	84,00	242.521	26,54	SEBA MPS-D3
16/02/2016	86,00	242.473	26,59	SEBA MPS-D3
16/02/2016	88,00	241.984	26,66	SEBA MPS-D3
16/02/2016	90,00	241.492	26,70	SEBA MPS-D3
16/02/2016	92,00	241.358	26,73	SEBA MPS-D3
16/02/2016	94,00	241.117	26,77	SEBA MPS-D3
16/02/2016	96,00	240.322	26,82	SEBA MPS-D3
16/02/2016	98,00	238.642	26,86	SEBA MPS-D3
16/02/2016	100,00	238.016	26,89	SEBA MPS-D3
16/02/2016	101,50	237.930	26,91	SEBA MPS-D3
09/03/2016	1,20	4.198	24,71	SEBA MPS-D3
09/03/2016	2,00	4.155	25,39	SEBA MPS-D3
09/03/2016	4,00	4.153	25,44	SEBA MPS-D3
09/03/2016	6,00	4.151	25,57	SEBA MPS-D3
09/03/2016	8,00	4.154	25,73	SEBA MPS-D3
09/03/2016	10,00	4.156	25,74	SEBA MPS-D3
09/03/2016	12,00	4.171	25,75	SEBA MPS-D3
09/03/2016	14,00	4.208	25,74	SEBA MPS-D3
09/03/2016	16,00	4.210	25,74	SEBA MPS-D3
09/03/2016	18,00	4.243	25,75	SEBA MPS-D3
09/03/2016	20,00	4.713	25,75	SEBA MPS-D3
09/03/2016	22,00	5.144	25,75	SEBA MPS-D3
09/03/2016	24,00	6.497	25,75	SEBA MPS-D3
09/03/2016	26,00	7.214	25,75	SEBA MPS-D3
09/03/2016	28,00	7.475	25,76	SEBA MPS-D3
09/03/2016	30,00	7.515	25,76	SEBA MPS-D3
09/03/2016	32,00	8.326	25,77	SEBA MPS-D3
09/03/2016	34,00	9.101	25,78	SEBA MPS-D3
09/03/2016	36,00	9.175	25,79	SEBA MPS-D3
09/03/2016	38,00	9.520	25,80	SEBA MPS-D3
09/03/2016	40,00	10.663	25,82	SEBA MPS-D3
09/03/2016	41,00	10.981	25,83	SEBA MPS-D3
09/03/2016	42,00	12.928	25,85	SEBA MPS-D3
09/03/2016	43,00	15.554	25,87	SEBA MPS-D3
09/03/2016	44,00	17.135	25,89	SEBA MPS-D3
09/03/2016	45,00	18.450	25,91	SEBA MPS-D3
09/03/2016	46,00	20.620	25,93	SEBA MPS-D3
09/03/2016	47,00	22.413	25,94	SEBA MPS-D3
09/03/2016	47,20	24.719	25,94	SEBA MPS-D3
09/03/2016	47,40	32.096	25,95	SEBA MPS-D3
09/03/2016	47,60	35.466	25,95	SEBA MPS-D3
09/03/2016	47,80	37.293	25,95	SEBA MPS-D3
09/03/2016	48,00	37.989	25,95	SEBA MPS-D3
09/03/2016	48,20	40.568	25,96	SEBA MPS-D3
09/03/2016	48,40	44.723	25,96	SEBA MPS-D3
09/03/2016	48,60	48.969	25,96	SEBA MPS-D3
09/03/2016	48,80	53.453	25,97	SEBA MPS-D3
09/03/2016	49,00	53.419	25,96	SEBA MPS-D3
09/03/2016	49,20	62.134	25,97	SEBA MPS-D3
09/03/2016	49,40	73.487	25,97	SEBA MPS-D3
09/03/2016	49,60	82.824	25,97	SEBA MPS-D3
09/03/2016	49,80	92.167	25,97	SEBA MPS-D3
09/03/2016	50,00	100.600	25,98	SEBA MPS-D3
09/03/2016	50,20	108.843	25,98	SEBA MPS-D3
09/03/2016	50,40	117.384	25,98	SEBA MPS-D3
09/03/2016	50,60	126.022	25,99	SEBA MPS-D3
09/03/2016	50,80	135.485	25,99	SEBA MPS-D3
09/03/2016	51,00	143.407	25,99	SEBA MPS-D3
09/03/2016	51,20	151.211	25,99	SEBA MPS-D3
09/03/2016	51,40	158.563	26,00	SEBA MPS-D3
09/03/2016	51,60	168.080	26,00	SEBA MPS-D3
09/03/2016	51,80	176.593	26,01	SEBA MPS-D3
09/03/2016	52,00	185.275	26,01	SEBA MPS-D3
09/03/2016	52,20	192.980	26,01	SEBA MPS-D3
09/03/2016	52,40	198.548	26,01	SEBA MPS-D3
09/03/2016	52,60	201.617	26,02	SEBA MPS-D3
09/03/2016	52,80	205.601	26,03	SEBA MPS-D3
09/03/2016	53,00	209.909	26,03	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/03/2016	53,40	211.630	26,03	SEBA MPS-D3
09/03/2016	53,60	215.210	26,03	SEBA MPS-D3
09/03/2016	54,00	220.523	26,04	SEBA MPS-D3
09/03/2016	55,00	235.572	26,06	SEBA MPS-D3
09/03/2016	56,00	239.291	26,10	SEBA MPS-D3
09/03/2016	58,00	240.225	26,15	SEBA MPS-D3
09/03/2016	60,00	240.447	26,19	SEBA MPS-D3
09/03/2016	62,00	240.744	26,22	SEBA MPS-D3
09/03/2016	64,00	240.755	26,26	SEBA MPS-D3
09/03/2016	66,00	240.883	26,30	SEBA MPS-D3
09/03/2016	68,00	240.839	26,33	SEBA MPS-D3
09/03/2016	70,00	240.688	26,37	SEBA MPS-D3
09/03/2016	72,00	240.019	26,42	SEBA MPS-D3
09/03/2016	74,00	239.907	26,50	SEBA MPS-D3
09/03/2016	76,00	239.801	26,53	SEBA MPS-D3
09/03/2016	78,00	239.817	26,54	SEBA MPS-D3
09/03/2016	80,00	239.786	26,55	SEBA MPS-D3
09/03/2016	82,00	239.758	26,56	SEBA MPS-D3
09/03/2016	84,00	239.843	26,55	SEBA MPS-D3
09/03/2016	86,00	239.194	26,64	SEBA MPS-D3
09/03/2016	88,00	238.858	26,69	SEBA MPS-D3
09/03/2016	90,00	238.762	26,72	SEBA MPS-D3
09/03/2016	92,00	238.432	26,78	SEBA MPS-D3
09/03/2016	94,00	237.705	26,82	SEBA MPS-D3
09/03/2016	96,00	236.046	26,85	SEBA MPS-D3
09/03/2016	98,00	235.349	26,90	SEBA MPS-D3
09/03/2016	100,00	235.268	26,92	SEBA MPS-D3
05/05/2016	1,15	4.067	25,31	SEBA KLL-Q
05/05/2016	2,00	4.063	25,68	SEBA KLL-Q
05/05/2016	3,00	4.060	25,72	SEBA KLL-Q
05/05/2016	4,00	4.063	25,74	SEBA KLL-Q
05/05/2016	5,00	4.064	25,74	SEBA KLL-Q
05/05/2016	6,00	4.064	25,74	SEBA KLL-Q
05/05/2016	7,00	4.064	25,74	SEBA KLL-Q
05/05/2016	8,00	4.088	25,74	SEBA KLL-Q
05/05/2016	9,00	4.102	25,74	SEBA KLL-Q
05/05/2016	10,00	4.102	25,74	SEBA KLL-Q
05/05/2016	11,00	4.104	25,74	SEBA KLL-Q
05/05/2016	12,00	4.103	25,74	SEBA KLL-Q
05/05/2016	13,00	4.104	25,74	SEBA KLL-Q
05/05/2016	14,00	4.164	25,74	SEBA KLL-Q
05/05/2016	15,00	4.261	25,74	SEBA KLL-Q
05/05/2016	16,00	4.473	25,74	SEBA KLL-Q
05/05/2016	17,00	4.569	25,74	SEBA KLL-Q
05/05/2016	18,00	4.583	25,74	SEBA KLL-Q
05/05/2016	19,00	5.250	25,74	SEBA KLL-Q
05/05/2016	20,00	6.142	25,74	SEBA KLL-Q
05/05/2016	20,50	6.648	25,74	SEBA KLL-Q
05/05/2016	21,00	6.758	25,74	SEBA KLL-Q
05/05/2016	21,50	6.793	25,74	SEBA KLL-Q
05/05/2016	22,00	6.881	25,74	SEBA KLL-Q
05/05/2016	22,50	6.930	25,74	SEBA KLL-Q
05/05/2016	23,00	7.011	25,74	SEBA KLL-Q
05/05/2016	24,00	7.097	25,74	SEBA KLL-Q
05/05/2016	25,00	7.121	25,75	SEBA KLL-Q
05/05/2016	26,00	7.162	25,75	SEBA KLL-Q
05/05/2016	27,00	7.306	25,76	SEBA KLL-Q
05/05/2016	28,00	7.667	25,77	SEBA KLL-Q
05/05/2016	29,00	8.094	25,78	SEBA KLL-Q
05/05/2016	30,00	8.425	25,78	SEBA KLL-Q
05/05/2016	31,00	8.514	25,79	SEBA KLL-Q
05/05/2016	32,00	8.659	25,79	SEBA KLL-Q
05/05/2016	33,00	8.741	25,79	SEBA KLL-Q
05/05/2016	34,00	9.059	25,80	SEBA KLL-Q
05/05/2016	35,00	9.388	25,81	SEBA KLL-Q
05/05/2016	36,00	10.040	25,81	SEBA KLL-Q
05/05/2016	36,50	10.160	25,82	SEBA KLL-Q
05/05/2016	37,00	10.240	25,82	SEBA KLL-Q
05/05/2016	37,50	10.330	25,83	SEBA KLL-Q
05/05/2016	38,00	10.400	25,83	SEBA KLL-Q
05/05/2016	39,00	10.650	25,84	SEBA KLL-Q
05/05/2016	40,00	11.530	25,84	SEBA KLL-Q
05/05/2016	40,50	13.460	25,85	SEBA KLL-Q
05/05/2016	40,70	13.820	25,85	SEBA KLL-Q
05/05/2016	40,90	13.930	25,86	SEBA KLL-Q
05/05/2016	41,10	14.150	25,86	SEBA KLL-Q
05/05/2016	41,30	14.340	25,86	SEBA KLL-Q
05/05/2016	41,50	14.430	25,86	SEBA KLL-Q
05/05/2016	41,70	14.680	25,86	SEBA KLL-Q
05/05/2016	41,90	14.840	25,87	SEBA KLL-Q
05/05/2016	42,10	14.890	25,87	SEBA KLL-Q
05/05/2016	42,30	14.900	25,87	SEBA KLL-Q
05/05/2016	42,50	15.020	25,87	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/05/2016	42,70	15.140	25,87	SEBA KLL-Q
05/05/2016	42,90	15.540	25,88	SEBA KLL-Q
05/05/2016	43,10	15.740	25,88	SEBA KLL-Q
05/05/2016	43,30	15.860	25,88	SEBA KLL-Q
05/05/2016	43,50	15.970	25,88	SEBA KLL-Q
05/05/2016	43,70	16.110	25,89	SEBA KLL-Q
05/05/2016	43,90	16.220	25,89	SEBA KLL-Q
05/05/2016	44,10	16.310	25,89	SEBA KLL-Q
05/05/2016	44,30	16.360	25,89	SEBA KLL-Q
05/05/2016	45,50	16.400	25,89	SEBA KLL-Q
05/05/2016	45,70	16.420	25,89	SEBA KLL-Q
05/05/2016	45,90	16.470	25,90	SEBA KLL-Q
05/05/2016	46,10	16.560	25,90	SEBA KLL-Q
05/05/2016	46,30	16.670	25,90	SEBA KLL-Q
05/05/2016	46,50	16.760	25,91	SEBA KLL-Q
05/05/2016	46,70	16.930	25,91	SEBA KLL-Q
05/05/2016	46,90	17.000	25,91	SEBA KLL-Q
05/05/2016	47,10	17.060	25,91	SEBA KLL-Q
05/05/2016	47,30	17.050	25,91	SEBA KLL-Q
05/05/2016	47,50	17.110	25,92	SEBA KLL-Q
05/05/2016	48,00	17.460	25,93	SEBA KLL-Q
05/05/2016	48,50	21.900	25,94	SEBA KLL-Q
05/05/2016	48,75	28.100	25,90	SEBA KLL-Q
05/05/2016	49,00	33.040	25,95	SEBA KLL-Q
05/05/2016	49,25	49.190	25,96	SEBA KLL-Q
05/05/2016	49,50	63.430	25,96	SEBA KLL-Q
05/05/2016	49,75	76.460	25,97	SEBA KLL-Q
05/05/2016	50,00	87.850	25,97	SEBA KLL-Q
05/05/2016	50,25	99.260	25,98	SEBA KLL-Q
05/05/2016	50,50	109.300	25,98	SEBA KLL-Q
05/05/2016	50,75	119.800	25,98	SEBA KLL-Q
05/05/2016	51,00	130.200	25,99	SEBA KLL-Q
05/05/2016	51,25	141.000	25,99	SEBA KLL-Q
05/05/2016	51,50	150.000	26,00	SEBA KLL-Q
05/05/2016	51,75	160.700	26,00	SEBA KLL-Q
05/05/2016	52,00	171.200	26,00	SEBA KLL-Q
05/05/2016	52,25	181.400	26,01	SEBA KLL-Q
05/05/2016	52,50	189.400	26,01	SEBA KLL-Q
05/05/2016	52,75	195.100	26,01	SEBA KLL-Q
05/05/2016	53,00	199.000	26,02	SEBA KLL-Q
05/05/2016	53,25	204.700	26,02	SEBA KLL-Q
05/05/2016	53,50	208.700	26,03	SEBA KLL-Q
05/05/2016	54,00	216.000	26,04	SEBA KLL-Q
05/05/2016	54,50	221.400	26,05	SEBA KLL-Q
05/05/2016	55,00	225.600	26,05	SEBA KLL-Q
05/05/2016	56,00	230.800	26,08	SEBA KLL-Q
05/05/2016	57,00	233.400	26,09	SEBA KLL-Q
05/05/2016	58,00	234.500	26,10	SEBA KLL-Q
05/05/2016	60,00	235.400	26,15	SEBA KLL-Q
05/05/2016	62,00	235.600	26,19	SEBA KLL-Q
05/05/2016	65,00	236.000	26,23	SEBA KLL-Q
05/05/2016	70,00	236.100	26,32	SEBA KLL-Q
05/05/2016	75,00	235.200	26,46	SEBA KLL-Q
05/05/2016	80,00	235.200	26,52	SEBA KLL-Q
05/05/2016	85,00	235.100	26,54	SEBA KLL-Q
05/05/2016	90,00	234.200	26,69	SEBA KLL-Q
05/05/2016	95,00	233.700	26,79	SEBA KLL-Q
05/05/2016	100,00	230.900	26,87	SEBA KLL-Q
11/07/2016	1,20	3.916	25,57	SEBA KLL-Q
11/07/2016	2,00	3.900	25,73	SEBA KLL-Q
11/07/2016	3,00	3.900	25,75	SEBA KLL-Q
11/07/2016	4,00	3.900	25,76	SEBA KLL-Q
11/07/2016	5,00	3.900	25,76	SEBA KLL-Q
11/07/2016	6,00	3.901	25,76	SEBA KLL-Q
11/07/2016	7,00	3.900	25,75	SEBA KLL-Q
11/07/2016	8,00	3.915	25,76	SEBA KLL-Q
11/07/2016	9,00	3.935	25,76	SEBA KLL-Q
11/07/2016	10,00	3.936	25,76	SEBA KLL-Q
11/07/2016	11,00	3.937	25,76	SEBA KLL-Q
11/07/2016	12,00	3.939	25,76	SEBA KLL-Q
11/07/2016	13,00	3.949	25,75	SEBA KLL-Q
11/07/2016	14,00	3.994	25,76	SEBA KLL-Q
11/07/2016	15,00	4.180	25,75	SEBA KLL-Q
11/07/2016	16,00	4.469	25,75	SEBA KLL-Q
11/07/2016	17,00	4.651	25,75	SEBA KLL-Q
11/07/2016	18,00	4.810	25,75	SEBA KLL-Q
11/07/2016	19,00	5.837	25,75	SEBA KLL-Q
11/07/2016	20,00	6.201	25,76	SEBA KLL-Q
11/07/2016	21,00	6.559	25,76	SEBA KLL-Q
11/07/2016	22,00	6.699	25,76	SEBA KLL-Q
11/07/2016	23,00	6.828	25,77	SEBA KLL-Q
11/07/2016	24,00	6.856	25,77	SEBA KLL-Q
11/07/2016	25,00	6.893	25,77	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/07/2016	26,00	7.029	25,78	SEBA KLL-Q
11/07/2016	27,00	7.394	25,79	SEBA KLL-Q
11/07/2016	28,00	7.596	25,79	SEBA KLL-Q
11/07/2016	29,00	7.975	25,79	SEBA KLL-Q
11/07/2016	30,00	8.160	25,80	SEBA KLL-Q
11/07/2016	31,00	8.232	25,80	SEBA KLL-Q
11/07/2016	32,00	8.287	25,81	SEBA KLL-Q
11/07/2016	33,00	8.455	25,81	SEBA KLL-Q
11/07/2016	34,00	8.853	25,82	SEBA KLL-Q
11/07/2016	35,00	9.311	25,82	SEBA KLL-Q
11/07/2016	36,00	9.748	25,83	SEBA KLL-Q
11/07/2016	37,00	9.873	25,83	SEBA KLL-Q
11/07/2016	38,00	9.957	25,85	SEBA KLL-Q
11/07/2016	39,00	10.140	25,86	SEBA KLL-Q
11/07/2016	40,00	11.770	25,87	SEBA KLL-Q
11/07/2016	41,00	13.980	25,87	SEBA KLL-Q
11/07/2016	41,50	14.080	25,89	SEBA KLL-Q
11/07/2016	42,00	14.330	25,89	SEBA KLL-Q
11/07/2016	42,50	14.520	25,89	SEBA KLL-Q
11/07/2016	43,00	14.980	25,90	SEBA KLL-Q
11/07/2016	43,50	15.320	25,90	SEBA KLL-Q
11/07/2016	44,00	15.750	25,90	SEBA KLL-Q
11/07/2016	44,50	15.800	25,91	SEBA KLL-Q
11/07/2016	45,00	15.960	25,91	SEBA KLL-Q
11/07/2016	45,50	16.340	25,92	SEBA KLL-Q
11/07/2016	46,00	16.500	25,93	SEBA KLL-Q
11/07/2016	46,50	16.610	25,94	SEBA KLL-Q
11/07/2016	47,00	17.970	25,95	SEBA KLL-Q
11/07/2016	47,50	23.820	25,95	SEBA KLL-Q
11/07/2016	47,75	29.000	25,96	SEBA KLL-Q
11/07/2016	48,00	31.220	25,96	SEBA KLL-Q
11/07/2016	48,25	32.850	25,97	SEBA KLL-Q
11/07/2016	48,50	35.400	25,97	SEBA KLL-Q
11/07/2016	48,75	41.080	25,97	SEBA KLL-Q
11/07/2016	49,00	46.260	25,98	SEBA KLL-Q
11/07/2016	49,25	52.650	25,98	SEBA KLL-Q
11/07/2016	49,50	60.680	25,98	SEBA KLL-Q
11/07/2016	49,75	72.750	25,99	SEBA KLL-Q
11/07/2016	50,00	84.050	25,99	SEBA KLL-Q
11/07/2016	50,25	95.140	26,00	SEBA KLL-Q
11/07/2016	50,50	104.500	26,00	SEBA KLL-Q
11/07/2016	50,75	115.000	26,00	SEBA KLL-Q
11/07/2016	51,00	124.300	26,00	SEBA KLL-Q
11/07/2016	51,25	135.000	26,01	SEBA KLL-Q
11/07/2016	51,50	143.500	26,02	SEBA KLL-Q
11/07/2016	51,75	154.700	26,02	SEBA KLL-Q
11/07/2016	52,00	164.300	26,02	SEBA KLL-Q
11/07/2016	52,25	174.300	26,02	SEBA KLL-Q
11/07/2016	52,50	182.400	26,03	SEBA KLL-Q
11/07/2016	52,75	187.500	26,03	SEBA KLL-Q
11/07/2016	53,00	191.500	26,04	SEBA KLL-Q
11/07/2016	53,25	197.400	26,04	SEBA KLL-Q
11/07/2016	53,50	200.700	26,05	SEBA KLL-Q
11/07/2016	53,75	204.300	26,05	SEBA KLL-Q
11/07/2016	54,00	208.000	26,05	SEBA KLL-Q
11/07/2016	54,50	213.200	26,06	SEBA KLL-Q
11/07/2016	55,00	217.300	26,07	SEBA KLL-Q
11/07/2016	55,50	220.400	26,08	SEBA KLL-Q
11/07/2016	56,00	222.500	26,09	SEBA KLL-Q
11/07/2016	56,50	223.900	26,11	SEBA KLL-Q
11/07/2016	57,00	225.000	26,11	SEBA KLL-Q
11/07/2016	58,00	226.100	26,13	SEBA KLL-Q
11/07/2016	59,00	226.800	26,14	SEBA KLL-Q
11/07/2016	60,00	227.100	26,17	SEBA KLL-Q
11/07/2016	61,00	227.300	26,18	SEBA KLL-Q
11/07/2016	65,00	227.900	26,26	SEBA KLL-Q
11/07/2016	70,00	228.000	26,32	SEBA KLL-Q
11/07/2016	75,00	227.000	26,48	SEBA KLL-Q
11/07/2016	80,00	227.000	26,54	SEBA KLL-Q
11/07/2016	85,00	226.900	26,55	SEBA KLL-Q
11/07/2016	90,00	226.100	26,70	SEBA KLL-Q
11/07/2016	95,00	225.600	26,73	SEBA KLL-Q
11/07/2016	100,00	222.900	26,89	SEBA KLL-Q
23/10/2016	1,20	3.966	25,60	SEBA KLL-Q
23/10/2016	2,00	3.966	25,72	SEBA KLL-Q
23/10/2016	3,00	3.965	25,77	SEBA KLL-Q
23/10/2016	4,00	3.949	25,78	SEBA KLL-Q
23/10/2016	5,00	3.942	25,78	SEBA KLL-Q
23/10/2016	6,00	3.951	25,78	SEBA KLL-Q
23/10/2016	7,00	3.946	25,78	SEBA KLL-Q
23/10/2016	8,00	3.967	25,78	SEBA KLL-Q
23/10/2016	9,00	3.978	25,78	SEBA KLL-Q
23/10/2016	10,00	3.977	25,78	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/10/2016	11,00	3.977	25,78	SEBA KLL-Q
23/10/2016	12,00	3.977	25,78	SEBA KLL-Q
23/10/2016	13,00	3.983	25,78	SEBA KLL-Q
23/10/2016	14,00	3.985	25,78	SEBA KLL-Q
23/10/2016	15,00	4.353	25,78	SEBA KLL-Q
23/10/2016	16,00	4.771	25,78	SEBA KLL-Q
23/10/2016	17,00	4.870	25,78	SEBA KLL-Q
23/10/2016	18,00	4.898	25,78	SEBA KLL-Q
23/10/2016	19,00	5.894	25,78	SEBA KLL-Q
23/10/2016	20,00	6.258	25,78	SEBA KLL-Q
23/10/2016	21,00	6.799	25,79	SEBA KLL-Q
23/10/2016	22,00	6.856	25,78	SEBA KLL-Q
23/10/2016	23,00	7.099	25,79	SEBA KLL-Q
23/10/2016	24,00	7.106	25,79	SEBA KLL-Q
23/10/2016	25,00	7.444	25,79	SEBA KLL-Q
23/10/2016	26,00	7.520	25,81	SEBA KLL-Q
23/10/2016	27,00	7.532	25,80	SEBA KLL-Q
23/10/2016	28,00	7.552	25,81	SEBA KLL-Q
23/10/2016	29,00	8.291	25,81	SEBA KLL-Q
23/10/2016	30,00	8.550	25,82	SEBA KLL-Q
23/10/2016	31,00	8.599	25,82	SEBA KLL-Q
23/10/2016	32,00	8.663	25,82	SEBA KLL-Q
23/10/2016	33,00	8.697	25,83	SEBA KLL-Q
23/10/2016	34,00	9.372	25,84	SEBA KLL-Q
23/10/2016	35,00	9.840	25,84	SEBA KLL-Q
23/10/2016	36,00	10.045	25,85	SEBA KLL-Q
23/10/2016	37,00	10.169	25,87	SEBA KLL-Q
23/10/2016	38,00	10.266	25,88	SEBA KLL-Q
23/10/2016	39,00	10.500	25,88	SEBA KLL-Q
23/10/2016	40,00	12.052	25,98	SEBA KLL-Q
23/10/2016	40,50	14.276	25,89	SEBA KLL-Q
23/10/2016	41,00	14.476	25,89	SEBA KLL-Q
23/10/2016	41,50	14.518	25,90	SEBA KLL-Q
23/10/2016	42,00	14.623	25,90	SEBA KLL-Q
23/10/2016	42,50	14.682	25,91	SEBA KLL-Q
23/10/2016	43,00	15.454	25,92	SEBA KLL-Q
23/10/2016	43,50	16.037	25,92	SEBA KLL-Q
23/10/2016	44,00	16.491	25,93	SEBA KLL-Q
23/10/2016	44,50	16.640	25,93	SEBA KLL-Q
23/10/2016	45,00	16.738	25,94	SEBA KLL-Q
23/10/2016	45,50	17.454	25,95	SEBA KLL-Q
23/10/2016	46,00	17.570	25,96	SEBA KLL-Q
23/10/2016	46,50	17.759	25,96	SEBA KLL-Q
23/10/2016	47,00	19.501	25,98	SEBA KLL-Q
23/10/2016	47,20	22.142	25,98	SEBA KLL-Q
23/10/2016	47,40	26.268	25,98	SEBA KLL-Q
23/10/2016	47,60	29.728	25,98	SEBA KLL-Q
23/10/2016	47,80	31.740	25,98	SEBA KLL-Q
23/10/2016	48,00	33.869	25,98	SEBA KLL-Q
23/10/2016	48,20	34.819	25,99	SEBA KLL-Q
23/10/2016	48,40	35.358	26,00	SEBA KLL-Q
23/10/2016	48,60	38.699	26,00	SEBA KLL-Q
23/10/2016	48,80	43.473	26,00	SEBA KLL-Q
23/10/2016	49,00	47.964	26,01	SEBA KLL-Q
23/10/2016	49,20	51.159	26,00	SEBA KLL-Q
23/10/2016	49,40	58.862	26,00	SEBA KLL-Q
23/10/2016	49,60	68.108	26,01	SEBA KLL-Q
23/10/2016	49,80	79.351	26,02	SEBA KLL-Q
23/10/2016	50,00	88.456	26,01	SEBA KLL-Q
23/10/2016	50,20	97.489	26,01	SEBA KLL-Q
23/10/2016	50,40	104.645	26,02	SEBA KLL-Q
23/10/2016	50,60	112.780	26,02	SEBA KLL-Q
23/10/2016	50,80	121.701	26,02	SEBA KLL-Q
23/10/2016	51,00	130.766	26,02	SEBA KLL-Q
23/10/2016	51,20	139.000	26,03	SEBA KLL-Q
23/10/2016	51,40	146.600	26,03	SEBA KLL-Q
23/10/2016	51,60	153.777	26,04	SEBA KLL-Q
23/10/2016	51,80	163.930	26,04	SEBA KLL-Q
23/10/2016	52,00	172.803	26,03	SEBA KLL-Q
23/10/2016	52,20	181.051	26,04	SEBA KLL-Q
23/10/2016	52,40	189.154	26,05	SEBA KLL-Q
23/10/2016	52,60	194.132	26,05	SEBA KLL-Q
23/10/2016	52,80	196.992	26,05	SEBA KLL-Q
23/10/2016	53,00	201.055	26,05	SEBA KLL-Q
23/10/2016	53,20	205.970	26,07	SEBA KLL-Q
23/10/2016	53,40	208.329	26,06	SEBA KLL-Q
23/10/2016	53,60	211.415	26,06	SEBA KLL-Q
23/10/2016	53,80	214.730	26,09	SEBA KLL-Q
23/10/2016	54,00	217.512	26,07	SEBA KLL-Q
23/10/2016	54,20	220.413	26,08	SEBA KLL-Q
23/10/2016	54,40	222.114	26,07	SEBA KLL-Q
23/10/2016	54,60	224.165	26,08	SEBA KLL-Q
23/10/2016	54,80	225.881	26,10	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/10/2016	55,00	227.324	26,09	SEBA KLL-Q
23/10/2016	55,50	230.736	26,10	SEBA KLL-Q
23/10/2016	56,00	234.100	26,11	SEBA KLL-Q
23/10/2016	57,00	235.469	26,12	SEBA KLL-Q
23/10/2016	58,00	236.700	26,12	SEBA KLL-Q
23/10/2016	60,00	237.682	26,19	SEBA KLL-Q
23/10/2016	65,00	238.663	26,28	SEBA KLL-Q
23/10/2016	70,00	238.808	26,37	SEBA KLL-Q
23/10/2016	75,00	238.229	26,50	SEBA KLL-Q
23/10/2016	80,00	238.387	26,50	SEBA KLL-Q
23/10/2016	85,00	238.535	26,58	SEBA KLL-Q
23/10/2016	90,00	237.958	26,70	SEBA KLL-Q
23/10/2016	95,00	237.100	26,82	SEBA KLL-Q
23/10/2016	100,00	234.596	26,92	SEBA KLL-Q
16/01/2017	1,30	4.390	25,71	SEBA KLL-Q
16/01/2017	1,50	4.397	25,80	SEBA KLL-Q
16/01/2017	2,00	4.388	25,74	SEBA KLL-Q
16/01/2017	4,00	4.388	25,72	SEBA KLL-Q
16/01/2017	6,00	4.387	25,72	SEBA KLL-Q
16/01/2017	8,00	4.405	25,72	SEBA KLL-Q
16/01/2017	10,00	4.419	25,72	SEBA KLL-Q
16/01/2017	12,00	4.421	25,73	SEBA KLL-Q
16/01/2017	14,00	4.516	25,73	SEBA KLL-Q
16/01/2017	16,00	4.995	25,73	SEBA KLL-Q
16/01/2017	18,00	5.514	25,73	SEBA KLL-Q
16/01/2017	20,00	6.875	25,73	SEBA KLL-Q
16/01/2017	22,00	7.636	25,73	SEBA KLL-Q
16/01/2017	24,00	7.987	25,74	SEBA KLL-Q
16/01/2017	26,00	8.263	25,75	SEBA KLL-Q
16/01/2017	28,00	8.272	25,75	SEBA KLL-Q
16/01/2017	30,00	9.332	25,77	SEBA KLL-Q
16/01/2017	32,00	9.801	25,77	SEBA KLL-Q
16/01/2017	34,00	10.690	25,78	SEBA KLL-Q
16/01/2017	36,00	11.180	25,80	SEBA KLL-Q
16/01/2017	38,00	11.550	25,82	SEBA KLL-Q
16/01/2017	40,00	13.690	25,84	SEBA KLL-Q
16/01/2017	41,00	15.730	25,85	SEBA KLL-Q
16/01/2017	42,00	16.050	25,85	SEBA KLL-Q
16/01/2017	42,50	16.150	25,86	SEBA KLL-Q
16/01/2017	43,00	16.890	25,87	SEBA KLL-Q
16/01/2017	43,50	17.570	25,87	SEBA KLL-Q
16/01/2017	44,00	18.200	25,88	SEBA KLL-Q
16/01/2017	44,50	18.510	25,88	SEBA KLL-Q
16/01/2017	45,00	18.720	25,89	SEBA KLL-Q
16/01/2017	45,50	19.430	25,90	SEBA KLL-Q
16/01/2017	46,00	19.940	25,90	SEBA KLL-Q
16/01/2017	46,50	20.390	25,91	SEBA KLL-Q
16/01/2017	47,00	21.680	25,92	SEBA KLL-Q
16/01/2017	47,50	29.090	25,93	SEBA KLL-Q
16/01/2017	48,00	37.740	25,94	SEBA KLL-Q
16/01/2017	48,20	38.550	25,94	SEBA KLL-Q
16/01/2017	48,40	39.620	25,94	SEBA KLL-Q
16/01/2017	48,60	43.180	25,95	SEBA KLL-Q
16/01/2017	48,80	47.860	25,95	SEBA KLL-Q
16/01/2017	49,00	52.450	25,95	SEBA KLL-Q
16/01/2017	49,20	56.480	25,96	SEBA KLL-Q
16/01/2017	49,40	64.740	25,96	SEBA KLL-Q
16/01/2017	49,60	76.490	25,96	SEBA KLL-Q
16/01/2017	49,80	87.900	25,96	SEBA KLL-Q
16/01/2017	50,00	97.850	25,96	SEBA KLL-Q
16/01/2017	50,20	106.500	25,96	SEBA KLL-Q
16/01/2017	50,40	115.600	25,97	SEBA KLL-Q
16/01/2017	50,60	124.500	25,97	SEBA KLL-Q
16/01/2017	50,80	133.300	25,97	SEBA KLL-Q
16/01/2017	51,00	143.400	25,98	SEBA KLL-Q
16/01/2017	51,20	152.700	25,98	SEBA KLL-Q
16/01/2017	51,40	160.300	25,98	SEBA KLL-Q
16/01/2017	51,60	169.300	25,99	SEBA KLL-Q
16/01/2017	51,80	179.000	25,99	SEBA KLL-Q
16/01/2017	52,00	188.000	25,99	SEBA KLL-Q
16/01/2017	52,20	196.900	25,99	SEBA KLL-Q
16/01/2017	52,40	206.200	26,00	SEBA KLL-Q
16/01/2017	52,60	212.100	26,00	SEBA KLL-Q
16/01/2017	52,80	215.100	26,01	SEBA KLL-Q
16/01/2017	53,00	219.100	26,01	SEBA KLL-Q
16/01/2017	53,20	224.100	26,01	SEBA KLL-Q
16/01/2017	53,40	226.400	26,02	SEBA KLL-Q
16/01/2017	53,60	229.500	26,02	SEBA KLL-Q
16/01/2017	53,80	233.300	26,02	SEBA KLL-Q
16/01/2017	54,00	236.600	26,02	SEBA KLL-Q
16/01/2017	54,50	242.500	26,04	SEBA KLL-Q
16/01/2017	55,00	246.700	26,05	SEBA KLL-Q
16/01/2017	56,00	252.700	26,06	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/01/2017	57,00	255.300	26,08	SEBA KLL-Q
16/01/2017	58,00	256.600	26,10	SEBA KLL-Q
16/01/2017	60,00	257.700	26,13	SEBA KLL-Q
16/01/2017	62,00	257.900	26,16	SEBA KLL-Q
16/01/2017	66,00	258.500	26,21	SEBA KLL-Q
16/01/2017	70,00	258.300	26,30	SEBA KLL-Q
16/01/2017	74,00	257.200	26,42	SEBA KLL-Q
16/01/2017	78,00	257.300	26,47	SEBA KLL-Q
16/01/2017	82,00	257.200	26,51	SEBA KLL-Q
16/01/2017	86,00	257.000	26,52	SEBA KLL-Q
16/01/2017	90,00	256.200	26,65	SEBA KLL-Q
16/01/2017	94,00	255.800	26,73	SEBA KLL-Q
16/01/2017	98,00	252.500	26,83	SEBA KLL-Q
16/01/2017	102,00	252.000	26,89	SEBA KLL-Q
16/01/2017	106,00	251.400	26,97	SEBA KLL-Q
16/01/2017	110,00	250.700	27,07	SEBA KLL-Q
16/01/2017	114,00	250.700	27,12	SEBA KLL-Q
23/04/2017	1,50	4.334	25,50	SEBA KLL-Q
23/04/2017	2,00	4.364	25,60	SEBA KLL-Q
23/04/2017	4,00	4.350	25,60	SEBA KLL-Q
23/04/2017	6,00	4.349	25,60	SEBA KLL-Q
23/04/2017	8,00	4.365	25,60	SEBA KLL-Q
23/04/2017	10,00	4.374	25,60	SEBA KLL-Q
23/04/2017	12,00	4.373	25,60	SEBA KLL-Q
23/04/2017	14,00	4.450	25,60	SEBA KLL-Q
23/04/2017	16,00	4.881	25,60	SEBA KLL-Q
23/04/2017	18,00	5.516	25,60	SEBA KLL-Q
23/04/2017	20,00	6.541	25,60	SEBA KLL-Q
23/04/2017	22,00	7.392	25,60	SEBA KLL-Q
23/04/2017	24,00	7.715	25,70	SEBA KLL-Q
23/04/2017	26,00	8.060	25,70	SEBA KLL-Q
23/04/2017	28,00	8.064	25,70	SEBA KLL-Q
23/04/2017	30,00	9.275	25,70	SEBA KLL-Q
23/04/2017	32,00	9.519	25,70	SEBA KLL-Q
23/04/2017	34,00	10.160	25,70	SEBA KLL-Q
23/04/2017	36,00	10.920	25,70	SEBA KLL-Q
23/04/2017	38,00	11.160	25,70	SEBA KLL-Q
23/04/2017	40,00	12.990	25,70	SEBA KLL-Q
23/04/2017	42,00	15.880	25,70	SEBA KLL-Q
23/04/2017	44,00	17.750	25,80	SEBA KLL-Q
23/04/2017	46,00	19.150	25,80	SEBA KLL-Q
23/04/2017	48,00	34.760	25,80	SEBA KLL-Q
23/04/2017	49,00	50.950	25,90	SEBA KLL-Q
23/04/2017	50,00	99.430	25,90	SEBA KLL-Q
23/04/2017	50,50	122.300	25,90	SEBA KLL-Q
23/04/2017	51,00	149.000	25,90	SEBA KLL-Q
23/04/2017	51,40	163.400	25,90	SEBA KLL-Q
23/04/2017	51,60	172.600	25,90	SEBA KLL-Q
23/04/2017	51,80	183.200	25,90	SEBA KLL-Q
23/04/2017	52,00	193.000	25,90	SEBA KLL-Q
23/04/2017	52,20	203.600	25,90	SEBA KLL-Q
23/04/2017	52,50	214.600	25,90	SEBA KLL-Q
23/04/2017	53,00	225.400	25,90	SEBA KLL-Q
23/04/2017	53,50	235.700	25,90	SEBA KLL-Q
23/04/2017	54,00	244.800	25,90	SEBA KLL-Q
23/04/2017	56,00	262.400	25,90	SEBA KLL-Q
23/04/2017	58,00	267.000	26,00	SEBA KLL-Q
23/04/2017	60,00	268.200	26,00	SEBA KLL-Q
23/04/2017	62,00	268.500	26,00	SEBA KLL-Q
23/04/2017	64,00	268.700	26,10	SEBA KLL-Q
23/04/2017	66,00	268.100	26,10	SEBA KLL-Q
23/04/2017	68,00	267.500	26,20	SEBA KLL-Q
23/04/2017	70,00	266.900	26,20	SEBA KLL-Q
23/04/2017	72,00	266.300	26,30	SEBA KLL-Q
23/04/2017	74,00	265.200	26,30	SEBA KLL-Q
23/04/2017	76,00	265.000	26,30	SEBA KLL-Q
23/04/2017	78,00	264.800	26,40	SEBA KLL-Q
23/04/2017	80,00	264.600	26,40	SEBA KLL-Q
23/04/2017	82,00	264.500	26,40	SEBA KLL-Q
23/04/2017	84,00	264.400	26,40	SEBA KLL-Q
23/04/2017	86,00	264.200	26,50	SEBA KLL-Q
23/04/2017	88,00	265.600	26,50	SEBA KLL-Q
23/04/2017	90,00	263.500	26,60	SEBA KLL-Q
23/04/2017	92,00	263.500	26,60	SEBA KLL-Q
23/04/2017	94,00	263.400	26,60	SEBA KLL-Q
23/04/2017	96,00	263.000	26,70	SEBA KLL-Q
23/04/2017	98,00	260.900	26,70	SEBA KLL-Q
23/04/2017	100,00	260.700	26,80	SEBA KLL-Q
23/04/2017	102,00	260.200	26,80	SEBA KLL-Q
23/04/2017	104,00	259.800	26,80	SEBA KLL-Q
23/04/2017	106,00	259.300	26,90	SEBA KLL-Q
23/04/2017	108,00	258.700	26,90	SEBA KLL-Q
23/04/2017	110,00	258.600	26,90	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/04/2017	112,00	258.600	27,00	SEBA KLL-Q
23/04/2017	114,00	258.600	27,00	SEBA KLL-Q
23/04/2017	116,00	258.500	27,00	SEBA KLL-Q
23/04/2017	117,00	258.500	27,00	SEBA KLL-Q
05/07/2017	1,50	3.319	25,56	SEBA KLL-Q
05/07/2017	2,00	3.309	25,67	SEBA KLL-Q
05/07/2017	4,00	3.279	25,68	SEBA KLL-Q
05/07/2017	6,00	3.268	25,69	SEBA KLL-Q
05/07/2017	8,00	3.285	25,69	SEBA KLL-Q
05/07/2017	10,00	3.284	25,69	SEBA KLL-Q
05/07/2017	12,00	3.285	25,69	SEBA KLL-Q
05/07/2017	14,00	3.287	25,69	SEBA KLL-Q
05/07/2017	16,00	3.828	25,69	SEBA KLL-Q
05/07/2017	18,00	4.113	25,69	SEBA KLL-Q
05/07/2017	20,00	5.320	25,69	SEBA KLL-Q
05/07/2017	22,00	5.554	25,70	SEBA KLL-Q
05/07/2017	24,00	5.818	25,70	SEBA KLL-Q
05/07/2017	26,00	6.051	25,71	SEBA KLL-Q
05/07/2017	28,00	6.125	25,72	SEBA KLL-Q
05/07/2017	30,00	6.815	25,73	SEBA KLL-Q
05/07/2017	32,00	7.108	25,74	SEBA KLL-Q
05/07/2017	34,00	7.562	25,75	SEBA KLL-Q
05/07/2017	36,00	8.108	25,76	SEBA KLL-Q
05/07/2017	38,00	8.397	25,78	SEBA KLL-Q
05/07/2017	40,00	10.610	25,80	SEBA KLL-Q
05/07/2017	42,00	11.960	25,82	SEBA KLL-Q
05/07/2017	44,00	13.310	25,84	SEBA KLL-Q
05/07/2017	46,00	14.050	25,87	SEBA KLL-Q
05/07/2017	48,00	26.540	25,90	SEBA KLL-Q
05/07/2017	48,50	30.360	25,90	SEBA KLL-Q
05/07/2017	49,00	40.800	25,91	SEBA KLL-Q
05/07/2017	49,20	45.620	25,91	SEBA KLL-Q
05/07/2017	49,40	50.960	25,91	SEBA KLL-Q
05/07/2017	49,60	57.390	25,92	SEBA KLL-Q
05/07/2017	49,80	67.850	25,92	SEBA KLL-Q
05/07/2017	50,00	75.760	25,92	SEBA KLL-Q
05/07/2017	50,20	84.890	25,93	SEBA KLL-Q
05/07/2017	50,40	92.510	25,93	SEBA KLL-Q
05/07/2017	50,60	98.940	25,93	SEBA KLL-Q
05/07/2017	50,80	106.400	25,93	SEBA KLL-Q
05/07/2017	51,00	115.400	25,94	SEBA KLL-Q
05/07/2017	51,20	123.800	25,94	SEBA KLL-Q
05/07/2017	51,40	130.200	25,95	SEBA KLL-Q
05/07/2017	51,60	137.400	25,95	SEBA KLL-Q
05/07/2017	51,80	145.600	25,95	SEBA KLL-Q
05/07/2017	52,00	155.000	25,95	SEBA KLL-Q
05/07/2017	52,20	163.500	25,95	SEBA KLL-Q
05/07/2017	52,40	168.700	25,96	SEBA KLL-Q
05/07/2017	52,60	174.900	25,96	SEBA KLL-Q
05/07/2017	52,80	179.100	25,96	SEBA KLL-Q
05/07/2017	53,00	182.000	25,97	SEBA KLL-Q
05/07/2017	53,20	186.700	25,97	SEBA KLL-Q
05/07/2017	53,40	189.700	25,97	SEBA KLL-Q
05/07/2017	53,60	193.000	25,97	SEBA KLL-Q
05/07/2017	53,80	196.000	25,98	SEBA KLL-Q
05/07/2017	54,00	198.500	25,99	SEBA KLL-Q
05/07/2017	54,20	201.400	25,98	SEBA KLL-Q
05/07/2017	54,40	203.000	25,99	SEBA KLL-Q
05/07/2017	54,60	205.000	26,00	SEBA KLL-Q
05/07/2017	54,80	206.700	26,00	SEBA KLL-Q
05/07/2017	55,00	208.000	26,00	SEBA KLL-Q
05/07/2017	55,50	211.100	26,00	SEBA KLL-Q
05/07/2017	56,00	213.100	26,02	SEBA KLL-Q
05/07/2017	57,00	215.300	26,03	SEBA KLL-Q
05/07/2017	58,00	216.300	26,03	SEBA KLL-Q
05/07/2017	60,00	217.200	26,09	SEBA KLL-Q
05/07/2017	62,00	217.700	26,12	SEBA KLL-Q
05/07/2017	64,00	218.500	26,15	SEBA KLL-Q
05/07/2017	66,00	219.300	26,19	SEBA KLL-Q
05/07/2017	68,00	220.100	26,23	SEBA KLL-Q
05/07/2017	70,00	220.400	26,26	SEBA KLL-Q
05/07/2017	74,00	219.400	26,35	SEBA KLL-Q
05/07/2017	78,00	219.100	26,43	SEBA KLL-Q
05/07/2017	82,00	218.900	26,45	SEBA KLL-Q
05/07/2017	86,00	218.500	26,53	SEBA KLL-Q
05/07/2017	90,00	218.400	26,54	SEBA KLL-Q
05/07/2017	94,00	218.700	26,67	SEBA KLL-Q
05/07/2017	98,00	218.700	26,79	SEBA KLL-Q
05/07/2017	102,00	215.200	26,86	SEBA KLL-Q
05/07/2017	106,00	215.000	26,93	SEBA KLL-Q
05/07/2017	110,00	214.700	27,01	SEBA KLL-Q
05/07/2017	114,00	214.400	27,08	SEBA KLL-Q
16/10/2017	1,50	4.284	25,66	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/10/2017	2,00	4.250	25,65	SEBA KLL-Q
16/10/2017	2,50	4.245	25,65	SEBA KLL-Q
16/10/2017	3,00	4.247	25,65	SEBA KLL-Q
16/10/2017	3,50	4.245	25,65	SEBA KLL-Q
16/10/2017	4,00	4.244	25,65	SEBA KLL-Q
16/10/2017	4,50	4.241	25,65	SEBA KLL-Q
16/10/2017	5,00	4.242	25,65	SEBA KLL-Q
16/10/2017	5,50	4.242	25,65	SEBA KLL-Q
16/10/2017	6,00	4.242	25,65	SEBA KLL-Q
16/10/2017	6,50	4.241	25,65	SEBA KLL-Q
16/10/2017	7,00	4.243	25,65	SEBA KLL-Q
16/10/2017	7,50	4.246	25,65	SEBA KLL-Q
16/10/2017	8,00	4.252	25,65	SEBA KLL-Q
16/10/2017	8,50	4.256	25,65	SEBA KLL-Q
16/10/2017	9,00	4.259	25,65	SEBA KLL-Q
16/10/2017	9,50	4.258	25,65	SEBA KLL-Q
16/10/2017	10,00	4.258	25,65	SEBA KLL-Q
16/10/2017	10,50	4.257	25,65	SEBA KLL-Q
16/10/2017	11,00	4.261	25,65	SEBA KLL-Q
16/10/2017	11,50	4.263	25,65	SEBA KLL-Q
16/10/2017	12,00	4.261	25,65	SEBA KLL-Q
16/10/2017	12,50	4.262	25,66	SEBA KLL-Q
16/10/2017	13,00	4.261	25,65	SEBA KLL-Q
16/10/2017	13,50	4.263	25,65	SEBA KLL-Q
16/10/2017	14,00	4.263	25,65	SEBA KLL-Q
16/10/2017	14,50	4.295	25,65	SEBA KLL-Q
16/10/2017	15,00	4.488	25,66	SEBA KLL-Q
16/10/2017	15,50	4.768	25,65	SEBA KLL-Q
16/10/2017	16,00	5.082	25,65	SEBA KLL-Q
16/10/2017	16,50	5.229	25,66	SEBA KLL-Q
16/10/2017	17,00	5.270	25,66	SEBA KLL-Q
16/10/2017	17,20	5.273	25,65	SEBA KLL-Q
16/10/2017	17,40	5.275	25,66	SEBA KLL-Q
16/10/2017	17,60	5.280	25,66	SEBA KLL-Q
16/10/2017	17,80	5.282	25,66	SEBA KLL-Q
16/10/2017	18,00	5.315	25,66	SEBA KLL-Q
16/10/2017	18,20	5.408	25,66	SEBA KLL-Q
16/10/2017	18,40	5.447	25,66	SEBA KLL-Q
16/10/2017	18,60	5.607	25,65	SEBA KLL-Q
16/10/2017	18,80	5.928	25,65	SEBA KLL-Q
16/10/2017	19,00	6.271	25,66	SEBA KLL-Q
16/10/2017	19,20	6.391	25,66	SEBA KLL-Q
16/10/2017	19,40	6.400	25,66	SEBA KLL-Q
16/10/2017	19,60	6.412	25,66	SEBA KLL-Q
16/10/2017	19,80	6.435	25,66	SEBA KLL-Q
16/10/2017	20,00	7.026	25,66	SEBA KLL-Q
16/10/2017	20,20	7.140	25,66	SEBA KLL-Q
16/10/2017	20,40	7.161	25,66	SEBA KLL-Q
16/10/2017	20,60	7.158	25,66	SEBA KLL-Q
16/10/2017	20,80	7.169	25,66	SEBA KLL-Q
16/10/2017	21,00	7.172	25,66	SEBA KLL-Q
16/10/2017	21,20	7.176	25,66	SEBA KLL-Q
16/10/2017	21,40	7.181	25,66	SEBA KLL-Q
16/10/2017	21,60	7.207	25,66	SEBA KLL-Q
16/10/2017	21,80	7.213	25,66	SEBA KLL-Q
16/10/2017	22,00	7.267	25,66	SEBA KLL-Q
16/10/2017	22,20	7.371	25,66	SEBA KLL-Q
16/10/2017	22,40	7.457	25,67	SEBA KLL-Q
16/10/2017	22,60	7.585	25,66	SEBA KLL-Q
16/10/2017	22,80	7.613	25,67	SEBA KLL-Q
16/10/2017	23,00	7.754	25,67	SEBA KLL-Q
16/10/2017	23,20	7.775	25,67	SEBA KLL-Q
16/10/2017	23,40	7.831	25,67	SEBA KLL-Q
16/10/2017	23,60	7.836	25,67	SEBA KLL-Q
16/10/2017	23,80	7.835	25,67	SEBA KLL-Q
16/10/2017	24,00	7.856	25,67	SEBA KLL-Q
16/10/2017	24,20	7.847	25,67	SEBA KLL-Q
16/10/2017	24,40	7.848	25,67	SEBA KLL-Q
16/10/2017	24,60	7.849	25,67	SEBA KLL-Q
16/10/2017	24,80	7.850	25,67	SEBA KLL-Q
16/10/2017	25,00	7.842	25,67	SEBA KLL-Q
16/10/2017	25,50	7.850	25,68	SEBA KLL-Q
16/10/2017	26,00	7.851	25,67	SEBA KLL-Q
16/10/2017	26,50	7.851	25,68	SEBA KLL-Q
16/10/2017	27,00	7.850	25,68	SEBA KLL-Q
16/10/2017	28,00	7.859	25,68	SEBA KLL-Q
16/10/2017	30,00	9.206	25,69	SEBA KLL-Q
16/10/2017	31,00	9.222	25,70	SEBA KLL-Q
16/10/2017	32,00	9.384	25,70	SEBA KLL-Q
16/10/2017	33,00	9.449	25,71	SEBA KLL-Q
16/10/2017	34,00	10.390	25,71	SEBA KLL-Q
16/10/2017	35,00	10.530	25,72	SEBA KLL-Q
16/10/2017	36,00	10.590	25,73	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/10/2017	37,00	10.700	25,73	SEBA KLL-Q
16/10/2017	38,00	10.990	25,75	SEBA KLL-Q
16/10/2017	39,00	11.690	25,75	SEBA KLL-Q
16/10/2017	40,00	13.060	25,76	SEBA KLL-Q
16/10/2017	41,00	14.720	25,78	SEBA KLL-Q
16/10/2017	42,00	15.750	25,79	SEBA KLL-Q
16/10/2017	43,00	16.480	25,80	SEBA KLL-Q
16/10/2017	44,00	17.590	25,81	SEBA KLL-Q
16/10/2017	45,00	17.950	25,81	SEBA KLL-Q
16/10/2017	46,00	19.130	25,83	SEBA KLL-Q
16/10/2017	47,00	21.510	25,85	SEBA KLL-Q
16/10/2017	48,00	35.680	25,86	SEBA KLL-Q
16/10/2017	48,20	38.140	25,87	SEBA KLL-Q
16/10/2017	48,40	38.670	25,87	SEBA KLL-Q
16/10/2017	48,60	40.210	25,87	SEBA KLL-Q
16/10/2017	48,80	45.550	25,88	SEBA KLL-Q
16/10/2017	49,00	51.300	25,88	SEBA KLL-Q
16/10/2017	49,20	57.080	25,89	SEBA KLL-Q
16/10/2017	49,40	65.030	25,89	SEBA KLL-Q
16/10/2017	49,60	74.770	25,89	SEBA KLL-Q
16/10/2017	49,80	87.850	25,89	SEBA KLL-Q
16/10/2017	50,00	99.260	25,89	SEBA KLL-Q
16/10/2017	50,20	109.200	25,90	SEBA KLL-Q
16/10/2017	50,40	119.000	25,90	SEBA KLL-Q
16/10/2017	50,60	128.000	25,91	SEBA KLL-Q
16/10/2017	50,80	136.800	25,90	SEBA KLL-Q
16/10/2017	51,00	149.300	25,91	SEBA KLL-Q
16/10/2017	51,20	160.400	25,91	SEBA KLL-Q
16/10/2017	51,40	168.300	25,91	SEBA KLL-Q
16/10/2017	51,60	176.900	25,91	SEBA KLL-Q
16/10/2017	51,80	187.600	25,92	SEBA KLL-Q
16/10/2017	52,00	199.200	25,92	SEBA KLL-Q
16/10/2017	52,20	208.700	25,93	SEBA KLL-Q
16/10/2017	52,40	217.100	25,93	SEBA KLL-Q
16/10/2017	52,60	225.100	25,93	SEBA KLL-Q
16/10/2017	52,80	228.900	25,94	SEBA KLL-Q
16/10/2017	53,00	233.300	25,94	SEBA KLL-Q
16/10/2017	53,20	238.100	25,93	SEBA KLL-Q
16/10/2017	53,40	242.200	25,94	SEBA KLL-Q
16/10/2017	53,60	246.100	25,95	SEBA KLL-Q
16/10/2017	53,80	250.300	25,95	SEBA KLL-Q
16/10/2017	54,00	253.400	25,95	SEBA KLL-Q
16/10/2017	54,20	257.800	25,96	SEBA KLL-Q
16/10/2017	54,40	259.800	25,95	SEBA KLL-Q
16/10/2017	54,60	261.700	25,96	SEBA KLL-Q
16/10/2017	54,80	264.100	25,97	SEBA KLL-Q
16/10/2017	55,00	265.900	25,97	SEBA KLL-Q
16/10/2017	55,20	267.300	25,97	SEBA KLL-Q
16/10/2017	55,40	269.000	25,97	SEBA KLL-Q
16/10/2017	55,60	270.500	25,98	SEBA KLL-Q
16/10/2017	55,80	271.600	25,97	SEBA KLL-Q
16/10/2017	56,00	272.400	25,98	SEBA KLL-Q
16/10/2017	56,20	273.300	25,99	SEBA KLL-Q
16/10/2017	56,40	273.900	26,00	SEBA KLL-Q
16/10/2017	57,00	275.200	26,00	SEBA KLL-Q
16/10/2017	58,00	276.800	26,01	SEBA KLL-Q
16/10/2017	59,00	277.400	26,04	SEBA KLL-Q
16/10/2017	60,00	278.100	26,03	SEBA KLL-Q
16/10/2017	62,00	278.600	26,09	SEBA KLL-Q
16/10/2017	64,00	279.500	26,12	SEBA KLL-Q
16/10/2017	66,00	280.200	26,13	SEBA KLL-Q
16/10/2017	68,00	280.400	26,16	SEBA KLL-Q
16/10/2017	70,00	280.800	26,22	SEBA KLL-Q
16/10/2017	72,00	281.100	26,24	SEBA KLL-Q
16/10/2017	74,00	280.300	26,27	SEBA KLL-Q
16/10/2017	76,00	279.800	26,40	SEBA KLL-Q
16/10/2017	78,00	280.200	26,42	SEBA KLL-Q
16/10/2017	80,00	280.200	26,43	SEBA KLL-Q
16/10/2017	82,00	280.900	26,46	SEBA KLL-Q
16/10/2017	84,00	280.500	26,46	SEBA KLL-Q
16/10/2017	86,00	281.100	26,46	SEBA KLL-Q
16/10/2017	88,00	280.700	26,54	SEBA KLL-Q
16/10/2017	90,00	281.300	26,60	SEBA KLL-Q
16/10/2017	92,00	281.800	26,62	SEBA KLL-Q
16/10/2017	94,00	282.200	26,65	SEBA KLL-Q
16/10/2017	96,00	282.500	26,67	SEBA KLL-Q
16/10/2017	98,00	277.800	26,71	SEBA KLL-Q
16/10/2017	100,00	277.000	26,77	SEBA KLL-Q
16/10/2017	102,00	277.800	26,81	SEBA KLL-Q
16/10/2017	104,00	277.800	26,84	SEBA KLL-Q
16/10/2017	106,00	277.800	26,89	SEBA KLL-Q
16/10/2017	108,00	277.300	26,90	SEBA KLL-Q
16/10/2017	110,00	277.300	27,00	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/10/2017	112,00	277.500	27,01	SEBA KLL-Q
16/10/2017	114,00	277.600	27,03	SEBA KLL-Q
16/10/2017	116,00	277.600	27,04	SEBA KLL-Q
02/01/2018	1,5	3.631	25,80	SEBA KLL-Q
02/01/2018	2,0	3.624	25,80	SEBA KLL-Q
02/01/2018	4,0	3.585	25,80	SEBA KLL-Q
02/01/2018	6,0	3.579	25,80	SEBA KLL-Q
02/01/2018	8,0	3.580	25,80	SEBA KLL-Q
02/01/2018	10,0	3.591	25,80	SEBA KLL-Q
02/01/2018	12,0	3.605	25,80	SEBA KLL-Q
02/01/2018	14,0	3.593	25,80	SEBA KLL-Q
02/01/2018	16,0	4.087	25,80	SEBA KLL-Q
02/01/2018	18,0	4.625	25,80	SEBA KLL-Q
02/01/2018	20,0	5.847	25,80	SEBA KLL-Q
02/01/2018	22,0	6.173	25,80	SEBA KLL-Q
02/01/2018	24,0	6.568	25,80	SEBA KLL-Q
02/01/2018	26,0	6.567	25,90	SEBA KLL-Q
02/01/2018	28,0	6.632	25,90	SEBA KLL-Q
02/01/2018	30,0	7.720	25,90	SEBA KLL-Q
02/01/2018	32,0	8.102	25,90	SEBA KLL-Q
02/01/2018	34,0	8.804	25,90	SEBA KLL-Q
02/01/2018	36,0	8.903	25,90	SEBA KLL-Q
02/01/2018	38,0	9.086	25,90	SEBA KLL-Q
02/01/2018	40,0	9.657	25,90	SEBA KLL-Q
02/01/2018	41,0	12.920	25,90	SEBA KLL-Q
02/01/2018	42,0	13.280	26,00	SEBA KLL-Q
02/01/2018	43,0	13.630	26,00	SEBA KLL-Q
02/01/2018	44,0	14.640	26,00	SEBA KLL-Q
02/01/2018	45,0	14.950	26,00	SEBA KLL-Q
02/01/2018	46,0	16.330	26,00	SEBA KLL-Q
02/01/2018	46,5	16.640	26,00	SEBA KLL-Q
02/01/2018	47,0	18.390	26,00	SEBA KLL-Q
02/01/2018	47,5	22.900	26,00	SEBA KLL-Q
02/01/2018	48,0	21.270	26,00	SEBA KLL-Q
02/01/2018	48,5	32.870	26,10	SEBA KLL-Q
02/01/2018	49,0	43.560	26,10	SEBA KLL-Q
02/01/2018	49,2	49.210	26,10	SEBA KLL-Q
02/01/2018	49,4	55.280	26,10	SEBA KLL-Q
02/01/2018	49,6	62.010	26,10	SEBA KLL-Q
02/01/2018	49,8	75.260	26,10	SEBA KLL-Q
02/01/2018	50,0	86.230	26,10	SEBA KLL-Q
02/01/2018	50,2	91.110	26,10	SEBA KLL-Q
02/01/2018	50,4	98.050	26,10	SEBA KLL-Q
02/01/2018	50,6	106.900	26,10	SEBA KLL-Q
02/01/2018	50,8	115.700	26,10	SEBA KLL-Q
02/01/2018	51,0	125.700	26,10	SEBA KLL-Q
02/01/2018	51,2	132.000	26,10	SEBA KLL-Q
02/01/2018	51,4	140.100	26,10	SEBA KLL-Q
02/01/2018	51,6	146.600	26,10	SEBA KLL-Q
02/01/2018	51,8	156.900	26,10	SEBA KLL-Q
02/01/2018	52,0	166.400	26,10	SEBA KLL-Q
02/01/2018	52,2	174.000	26,10	SEBA KLL-Q
02/01/2018	52,4	175.300	26,10	SEBA KLL-Q
02/01/2018	52,6	187.400	26,10	SEBA KLL-Q
02/01/2018	52,8	190.600	26,10	SEBA KLL-Q
02/01/2018	53,0	193.000	26,10	SEBA KLL-Q
02/01/2018	53,2	198.400	26,10	SEBA KLL-Q
02/01/2018	53,4	201.400	26,10	SEBA KLL-Q
02/01/2018	53,6	204.600	26,10	SEBA KLL-Q
02/01/2018	53,8	208.000	26,10	SEBA KLL-Q
02/01/2018	54,0	211.100	26,10	SEBA KLL-Q
02/01/2018	54,5	212.000	26,10	SEBA KLL-Q
02/01/2018	55,0	220.600	26,10	SEBA KLL-Q
02/01/2018	55,5	224.400	26,10	SEBA KLL-Q
02/01/2018	56,0	226.900	26,10	SEBA KLL-Q
02/01/2018	56,5	228.200	26,10	SEBA KLL-Q
02/01/2018	57,0	229.200	26,20	SEBA KLL-Q
02/01/2018	58,0	230.600	26,20	SEBA KLL-Q
02/01/2018	59,0	231.100	26,20	SEBA KLL-Q
02/01/2018	60,0	231.800	26,20	SEBA KLL-Q
02/01/2018	61,0	232.300	26,20	SEBA KLL-Q
02/01/2018	62,0	232.200	26,30	SEBA KLL-Q
02/01/2018	63,0	232.200	26,30	SEBA KLL-Q
02/01/2018	64,0	232.700	26,30	SEBA KLL-Q
02/01/2018	66,0	233.700	26,30	SEBA KLL-Q
02/01/2018	68,0	234.400	26,30	SEBA KLL-Q
02/01/2018	70,0	235.800	26,30	SEBA KLL-Q
02/01/2018	72,0	236.600	26,40	SEBA KLL-Q
02/01/2018	74,0	236.500	26,40	SEBA KLL-Q
02/01/2018	76,0	236.800	26,50	SEBA KLL-Q
02/01/2018	78,0	236.900	26,50	SEBA KLL-Q
02/01/2018	80,0	237.100	26,60	SEBA KLL-Q
02/01/2018	82,0	237.400	26,60	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/01/2018	84,0	236.900	26,60	SEBA KLL-Q
02/01/2018	86,0	237.200	26,60	SEBA KLL-Q
02/01/2018	88,0	237.300	26,70	SEBA KLL-Q
02/01/2018	90,0	237.900	26,80	SEBA KLL-Q
02/01/2018	92,0	238.200	26,80	SEBA KLL-Q
02/01/2018	94,0	238.200	26,80	SEBA KLL-Q
02/01/2018	96,0	238.200	26,80	SEBA KLL-Q
02/01/2018	98,0	235.900	26,80	SEBA KLL-Q
02/01/2018	100,0	233.700	26,90	SEBA KLL-Q
02/01/2018	102,0	234.200	27,00	SEBA KLL-Q
02/01/2018	104,0	234.100	27,00	SEBA KLL-Q
02/01/2018	106,0	233.800	27,00	SEBA KLL-Q
02/01/2018	108,0	233.100	27,00	SEBA KLL-Q
02/01/2018	110,0	233.200	27,10	SEBA KLL-Q
02/01/2018	112,0	233.000	27,20	SEBA KLL-Q
02/01/2018	114,0	233.200	27,20	SEBA KLL-Q
02/01/2018	116,0	233.200	27,20	SEBA KLL-Q
22/04/2018	1,2	3.796	25,59	SEBA KLL-Q
22/04/2018	1,4	3.799	25,68	SEBA KLL-Q
22/04/2018	1,6	3.803	25,61	SEBA KLL-Q
22/04/2018	1,8	3.802	25,66	SEBA KLL-Q
22/04/2018	2,0	3.802	25,70	SEBA KLL-Q
22/04/2018	2,2	3.802	25,70	SEBA KLL-Q
22/04/2018	2,4	3.801	25,70	SEBA KLL-Q
22/04/2018	2,6	3.802	25,70	SEBA KLL-Q
22/04/2018	2,8	3.802	25,70	SEBA KLL-Q
22/04/2018	3,0	3.802	25,70	SEBA KLL-Q
22/04/2018	3,5	3.802	25,70	SEBA KLL-Q
22/04/2018	4,0	3.802	25,70	SEBA KLL-Q
22/04/2018	4,5	3.802	25,70	SEBA KLL-Q
22/04/2018	5,0	3.803	25,70	SEBA KLL-Q
22/04/2018	6,0	3.803	25,70	SEBA KLL-Q
22/04/2018	7,0	3.802	25,70	SEBA KLL-Q
22/04/2018	8,0	3.813	25,70	SEBA KLL-Q
22/04/2018	9,0	3.816	25,70	SEBA KLL-Q
22/04/2018	10,0	3.816	25,70	SEBA KLL-Q
22/04/2018	12,0	3.817	25,70	SEBA KLL-Q
22/04/2018	14,0	3.824	25,70	SEBA KLL-Q
22/04/2018	16,0	4.198	25,70	SEBA KLL-Q
22/04/2018	18,0	4.615	25,70	SEBA KLL-Q
22/04/2018	20,0	5.602	25,70	SEBA KLL-Q
22/04/2018	22,0	6.331	25,70	SEBA KLL-Q
22/04/2018	24,0	6.756	25,70	SEBA KLL-Q
22/04/2018	26,0	6.810	25,70	SEBA KLL-Q
22/04/2018	28,0	6.812	25,70	SEBA KLL-Q
22/04/2018	30,0	7.785	25,80	SEBA KLL-Q
22/04/2018	32,0	8.428	25,80	SEBA KLL-Q
22/04/2018	34,0	8.710	25,80	SEBA KLL-Q
22/04/2018	36,0	9.361	25,80	SEBA KLL-Q
22/04/2018	38,0	9.457	25,80	SEBA KLL-Q
22/04/2018	40,0	10.750	25,80	SEBA KLL-Q
22/04/2018	42,0	13.900	25,90	SEBA KLL-Q
22/04/2018	43,0	14.090	25,90	SEBA KLL-Q
22/04/2018	44,0	14.840	25,90	SEBA KLL-Q
22/04/2018	45,0	15.280	25,90	SEBA KLL-Q
22/04/2018	45,5	15.680	25,90	SEBA KLL-Q
22/04/2018	46,0	16.180	25,90	SEBA KLL-Q
22/04/2018	46,2	16.290	25,90	SEBA KLL-Q
22/04/2018	46,4	16.340	25,90	SEBA KLL-Q
22/04/2018	46,6	16.410	25,90	SEBA KLL-Q
22/04/2018	46,8	16.640	25,90	SEBA KLL-Q
22/04/2018	47,0	17.310	25,90	SEBA KLL-Q
22/04/2018	47,5	20.330	25,90	SEBA KLL-Q
22/04/2018	47,7	21.880	25,90	SEBA KLL-Q
22/04/2018	47,9	26.440	25,90	SEBA KLL-Q
22/04/2018	48,0	28.730	25,90	SEBA KLL-Q
22/04/2018	48,5	33.470	25,90	SEBA KLL-Q
22/04/2018	49,0	43.480	25,90	SEBA KLL-Q
22/04/2018	49,2	48.200	25,90	SEBA KLL-Q
22/04/2018	49,4	56.240	25,90	SEBA KLL-Q
22/04/2018	49,6	64.820	25,90	SEBA KLL-Q
22/04/2018	49,8	74.750	25,90	SEBA KLL-Q
22/04/2018	50,0	83.970	25,90	SEBA KLL-Q
22/04/2018	50,2	92.630	25,90	SEBA KLL-Q
22/04/2018	50,4	99.430	25,90	SEBA KLL-Q
22/04/2018	50,6	106.000	25,90	SEBA KLL-Q
22/04/2018	50,8	117.000	25,90	SEBA KLL-Q
22/04/2018	51,0	124.500	25,90	SEBA KLL-Q
22/04/2018	51,2	132.900	25,90	SEBA KLL-Q
22/04/2018	51,4	139.700	26,00	SEBA KLL-Q
22/04/2018	51,6	147.000	26,00	SEBA KLL-Q
22/04/2018	51,8	155.700	26,00	SEBA KLL-Q
22/04/2018	52,0	164.200	26,00	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/04/2018	52,2	171.500	26,00	SEBA KLL-Q
22/04/2018	52,4	177.400	26,00	SEBA KLL-Q
22/04/2018	52,6	183.900	26,00	SEBA KLL-Q
22/04/2018	52,8	187.400	26,00	SEBA KLL-Q
22/04/2018	53,0	190.400	26,00	SEBA KLL-Q
22/04/2018	53,2	194.400	26,00	SEBA KLL-Q
22/04/2018	53,4	197.800	26,00	SEBA KLL-Q
22/04/2018	53,6	201.000	26,00	SEBA KLL-Q
22/04/2018	53,8	204.300	26,00	SEBA KLL-Q
22/04/2018	54,0	207.000	26,00	SEBA KLL-Q
22/04/2018	54,5	213.600	26,00	SEBA KLL-Q
22/04/2018	55,0	216.400	26,00	SEBA KLL-Q
22/04/2018	56,0	221.600	26,00	SEBA KLL-Q
22/04/2018	57,0	224.000	26,00	SEBA KLL-Q
22/04/2018	58,0	225.200	26,10	SEBA KLL-Q
22/04/2018	60,0	226.200	26,10	SEBA KLL-Q
22/04/2018	62,0	226.500	26,20	SEBA KLL-Q
22/04/2018	64,0	227.000	26,20	SEBA KLL-Q
22/04/2018	66,0	227.000	26,20	SEBA KLL-Q
22/04/2018	68,0	226.800	26,20	SEBA KLL-Q
22/04/2018	70,0	226.600	26,30	SEBA KLL-Q
22/04/2018	72,0	226.600	26,30	SEBA KLL-Q
22/04/2018	74,0	224.800	26,40	SEBA KLL-Q
22/04/2018	76,0	224.700	26,50	SEBA KLL-Q
22/04/2018	78,0	224.600	26,50	SEBA KLL-Q
22/04/2018	80,0	224.600	26,50	SEBA KLL-Q
22/04/2018	82,0	224.500	26,50	SEBA KLL-Q
22/04/2018	84,0	224.000	26,50	SEBA KLL-Q
22/04/2018	86,0	223.700	26,50	SEBA KLL-Q
22/04/2018	88,0	222.900	26,60	SEBA KLL-Q
22/04/2018	90,0	222.800	26,70	SEBA KLL-Q
22/04/2018	92,0	222.700	26,70	SEBA KLL-Q
22/04/2018	94,0	222.700	26,70	SEBA KLL-Q
22/04/2018	96,0	222.700	26,70	SEBA KLL-Q
22/04/2018	98,0	229.000	26,80	SEBA KLL-Q
22/04/2018	100,0	229.700	26,90	SEBA KLL-Q
26/07/2018	1,1	4.415	23,93	SEBA KLL-Q
26/07/2018	1,3	4.323	25,63	SEBA KLL-Q
26/07/2018	1,5	4.299	25,92	SEBA KLL-Q
26/07/2018	1,7	4.303	25,92	SEBA KLL-Q
26/07/2018	1,9	4.298	25,97	SEBA KLL-Q
26/07/2018	2,1	4.298	26,00	SEBA KLL-Q
26/07/2018	2,5	4.298	25,98	SEBA KLL-Q
26/07/2018	3,0	4.295	26,00	SEBA KLL-Q
26/07/2018	4,0	4.295	25,99	SEBA KLL-Q
26/07/2018	6,0	4.296	25,97	SEBA KLL-Q
26/07/2018	8,0	4.304	25,97	SEBA KLL-Q
26/07/2018	10,0	4.308	26,00	SEBA KLL-Q
26/07/2018	12,0	4.312	26,01	SEBA KLL-Q
26/07/2018	14,0	4.312	26,01	SEBA KLL-Q
26/07/2018	16,0	5.099	25,99	SEBA KLL-Q
26/07/2018	18,0	5.551	25,98	SEBA KLL-Q
26/07/2018	20,0	6.822	26,00	SEBA KLL-Q
26/07/2018	22,0	7.288	26,02	SEBA KLL-Q
26/07/2018	24,0	7.658	26,02	SEBA KLL-Q
26/07/2018	26,0	7.806	26,01	SEBA KLL-Q
26/07/2018	28,0	7.818	26,03	SEBA KLL-Q
26/07/2018	30,0	8.476	26,04	SEBA KLL-Q
26/07/2018	32,0	9.400	26,04	SEBA KLL-Q
26/07/2018	34,0	9.898	26,04	SEBA KLL-Q
26/07/2018	36,0	10.053	26,08	SEBA KLL-Q
26/07/2018	38,0	10.070	26,08	SEBA KLL-Q
26/07/2018	40,0	12.097	26,13	SEBA KLL-Q
26/07/2018	42,0	15.039	26,04	SEBA KLL-Q
26/07/2018	44,0	17.024	26,20	SEBA KLL-Q
26/07/2018	46,0	18.061	26,13	SEBA KLL-Q
26/07/2018	48,0	32.091	26,19	SEBA KLL-Q
26/07/2018	48,2	34.200	26,15	SEBA KLL-Q
26/07/2018	48,4	35.050	26,22	SEBA KLL-Q
26/07/2018	48,6	39.670	26,20	SEBA KLL-Q
26/07/2018	48,8	44.880	26,17	SEBA KLL-Q
26/07/2018	49,0	51.560	26,16	SEBA KLL-Q
26/07/2018	49,2	57.620	26,17	SEBA KLL-Q
26/07/2018	49,4	66.510	26,20	SEBA KLL-Q
26/07/2018	49,6	72.220	26,22	SEBA KLL-Q
26/07/2018	49,8	85.910	26,18	SEBA KLL-Q
26/07/2018	50,2	97.260	26,24	SEBA KLL-Q
26/07/2018	50,4	109.400	26,23	SEBA KLL-Q
26/07/2018	50,6	118.500	26,18	SEBA KLL-Q
26/07/2018	50,8	127.000	26,22	SEBA KLL-Q
26/07/2018	51,0	135.900	26,20	SEBA KLL-Q
26/07/2018	51,2	148.400	26,23	SEBA KLL-Q
26/07/2018	51,4	160.600	26,29	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/07/2018	51,6	169.600	26,22	SEBA KLL-Q
26/07/2018	51,8	175.700	26,23	SEBA KLL-Q
26/07/2018	52,0	186.700	26,21	SEBA KLL-Q
26/07/2018	52,2	200.400	26,18	SEBA KLL-Q
26/07/2018	52,4	212.300	26,17	SEBA KLL-Q
26/07/2018	52,6	217.500	26,26	SEBA KLL-Q
26/07/2018	52,8	225.500	26,18	SEBA KLL-Q
26/07/2018	53,0	231.600	26,31	SEBA KLL-Q
26/07/2018	53,2	235.700	26,20	SEBA KLL-Q
26/07/2018	53,4	245.600	26,32	SEBA KLL-Q
26/07/2018	53,6	250.300	26,34	SEBA KLL-Q
26/07/2018	53,8	254.800	26,19	SEBA KLL-Q
26/07/2018	54,0	258.400	26,19	SEBA KLL-Q
26/07/2018	54,5	265.400	26,18	SEBA KLL-Q
26/07/2018	55,0	270.400	26,32	SEBA KLL-Q
26/07/2018	56,0	278.200	26,22	SEBA KLL-Q
26/07/2018	57,0	280.800	26,33	SEBA KLL-Q
26/07/2018	59,0	283.500	26,28	SEBA KLL-Q
26/07/2018	61,0	284.300	26,40	SEBA KLL-Q
26/07/2018	63,0	284.400	26,41	SEBA KLL-Q
26/07/2018	65,0	285.900	26,35	SEBA KLL-Q
26/07/2018	67,0	286.000	26,37	SEBA KLL-Q
26/07/2018	69,0	286.000	26,44	SEBA KLL-Q
26/07/2018	71,0	285.500	26,45	SEBA KLL-Q
24/08/2018	1,5	3.975	24,32	SEBA KLL-Q
24/08/2018	2,0	3.991	24,33	SEBA KLL-Q
24/08/2018	2,5	3.986	25,97	SEBA KLL-Q
24/08/2018	3,0	3.981	25,97	SEBA KLL-Q
24/08/2018	3,5	3.979	26,01	SEBA KLL-Q
24/08/2018	4,0	3.972	26,00	SEBA KLL-Q
24/08/2018	5,0	3.971	25,98	SEBA KLL-Q
24/08/2018	6,0	3.971	26,01	SEBA KLL-Q
24/08/2018	8,0	3.981	26,02	SEBA KLL-Q
24/08/2018	10,0	3.983	26,04	SEBA KLL-Q
24/08/2018	12,0	3.983	26,05	SEBA KLL-Q
24/08/2018	14,0	3.987	26,01	SEBA KLL-Q
24/08/2018	16,0	4.727	26,01	SEBA KLL-Q
24/08/2018	16,5	4.857	26,00	SEBA KLL-Q
24/08/2018	17,0	4.890	26,03	SEBA KLL-Q
24/08/2018	18,0	5.140	26,02	SEBA KLL-Q
24/08/2018	20,0	6.420	26,01	SEBA KLL-Q
24/08/2018	22,0	6.770	26,04	SEBA KLL-Q
24/08/2018	24,0	7.159	26,06	SEBA KLL-Q
24/08/2018	26,0	7.156	26,05	SEBA KLL-Q
24/08/2018	28,0	7.274	26,03	SEBA KLL-Q
24/08/2018	30,0	8.158	26,06	SEBA KLL-Q
24/08/2018	32,0	8.728	26,06	SEBA KLL-Q
24/08/2018	34,0	9.231	26,07	SEBA KLL-Q
24/08/2018	36,0	9.719	26,10	SEBA KLL-Q
24/08/2018	38,0	9.931	26,08	SEBA KLL-Q
24/08/2018	40,0	12.600	26,12	SEBA KLL-Q
24/08/2018	41,0	13.690	26,13	SEBA KLL-Q
24/08/2018	42,0	14.310	26,17	SEBA KLL-Q
24/08/2018	44,0	16.010	26,20	SEBA KLL-Q
24/08/2018	45,0	16.670	26,21	SEBA KLL-Q
24/08/2018	46,0	17.090	26,19	SEBA KLL-Q
24/08/2018	48,0	31.310	26,18	SEBA KLL-Q
24/08/2018	48,2	32.850	26,26	SEBA KLL-Q
24/08/2018	48,4	34.660	26,24	SEBA KLL-Q
24/08/2018	48,6	37.120	26,26	SEBA KLL-Q
24/08/2018	48,8	41.400	26,21	SEBA KLL-Q
24/08/2018	49,0	46.750	26,23	SEBA KLL-Q
24/08/2018	49,5	62.080	26,27	SEBA KLL-Q
24/08/2018	50,0	88.060	26,23	SEBA KLL-Q
24/08/2018	50,2	99.290	26,22	SEBA KLL-Q
24/08/2018	50,4	99.170	26,26	SEBA KLL-Q
24/08/2018	50,6	115.200	26,24	SEBA KLL-Q
24/08/2018	50,8	123.800	26,26	SEBA KLL-Q
24/08/2018	51,0	134.500	26,26	SEBA KLL-Q
24/08/2018	51,2	146.200	26,24	SEBA KLL-Q
24/08/2018	51,4	153.100	26,24	SEBA KLL-Q
24/08/2018	51,6	160.600	26,24	SEBA KLL-Q
24/08/2018	51,8	170.300	26,25	SEBA KLL-Q
24/08/2018	52,0	181.400	26,27	SEBA KLL-Q
24/08/2018	52,2	192.900	26,24	SEBA KLL-Q
24/08/2018	52,4	198.300	26,29	SEBA KLL-Q
24/08/2018	52,6	198.800	26,23	SEBA KLL-Q
24/08/2018	52,8	211.300	26,24	SEBA KLL-Q
24/08/2018	53,0	214.400	26,23	SEBA KLL-Q
24/08/2018	53,2	219.800	26,24	SEBA KLL-Q
24/08/2018	53,4	224.100	26,23	SEBA KLL-Q
24/08/2018	53,6	226.400	26,23	SEBA KLL-Q
24/08/2018	53,8	231.500	26,28	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/08/2018	54,0	235.100	26,22	SEBA KLL-Q
24/08/2018	54,5	241.500	26,27	SEBA KLL-Q
24/08/2018	55,0	246.900	26,23	SEBA KLL-Q
24/08/2018	55,5	253.300	26,24	SEBA KLL-Q
24/08/2018	56,0	255.000	26,24	SEBA KLL-Q
24/08/2018	56,5	255.800	26,24	SEBA KLL-Q
24/08/2018	57,0	256.300	26,24	SEBA KLL-Q
24/08/2018	58,0	257.400	26,25	SEBA KLL-Q
24/08/2018	59,0	258.200	26,35	SEBA KLL-Q
24/08/2018	60,0	258.800	26,28	SEBA KLL-Q
24/08/2018	62,0	259.500	26,32	SEBA KLL-Q
24/08/2018	64,0	259.900	26,37	SEBA KLL-Q
24/08/2018	66,0	260.000	26,36	SEBA KLL-Q
24/08/2018	68,0	260.800	26,48	SEBA KLL-Q
24/08/2018	70,0	260.600	26,43	SEBA KLL-Q
24/08/2018	72,0	260.700	26,47	SEBA KLL-Q
24/08/2018	74,0	259.000	26,47	SEBA KLL-Q
24/08/2018	76,0	259.500	26,61	SEBA KLL-Q
24/08/2018	78,0	259.300	26,60	SEBA KLL-Q
24/08/2018	80,0	259.100	26,72	SEBA KLL-Q
24/08/2018	82,0	259.400	26,65	SEBA KLL-Q
24/08/2018	84,0	258.900	26,71	SEBA KLL-Q
24/08/2018	86,0	259.100	26,72	SEBA KLL-Q
24/08/2018	88,0	258.600	26,84	SEBA KLL-Q
24/08/2018	90,0	259.200	26,87	SEBA KLL-Q
24/08/2018	92,0	259.700	26,86	SEBA KLL-Q
24/08/2018	94,0	259.500	26,94	SEBA KLL-Q
24/08/2018	96,0	259.900	26,98	SEBA KLL-Q
24/08/2018	98,0	255.500	27,00	SEBA KLL-Q
24/08/2018	100,0	254.400	26,98	SEBA KLL-Q
24/08/2018	102,0	255.600	27,07	SEBA KLL-Q
24/08/2018	104,0	255.100	27,14	SEBA KLL-Q
24/08/2018	106,0	255.300	27,10	SEBA KLL-Q
24/08/2018	108,0	254.400	27,13	SEBA KLL-Q
24/08/2018	110,0	254.700	27,25	SEBA KLL-Q
24/08/2018	112,0	255.000	27,24	SEBA KLL-Q
24/08/2018	114,0	254.900	27,20	SEBA KLL-Q
24/08/2018	116,0	255.200	27,23	SEBA KLL-Q
24/08/2018	118,0	174.400	27,31	SEBA KLL-Q
06/09/2018	1,092	4.090	25,30	SEBA KLL-Q
06/09/2018	1,2	4.102	25,10	SEBA KLL-Q
06/09/2018	1,4	4.095	25,20	SEBA KLL-Q
06/09/2018	1,6	4.071	25,50	SEBA KLL-Q
06/09/2018	1,8	4.062	25,70	SEBA KLL-Q
06/09/2018	2,0	4.050	25,90	SEBA KLL-Q
06/09/2018	2,5	4.037	25,90	SEBA KLL-Q
06/09/2018	3,0	4.043	25,90	SEBA KLL-Q
06/09/2018	4,0	4.042	25,90	SEBA KLL-Q
06/09/2018	6,0	4.040	25,90	SEBA KLL-Q
06/09/2018	8,0	4.047	25,90	SEBA KLL-Q
06/09/2018	10,0	4.051	25,90	SEBA KLL-Q
06/09/2018	12,0	4.053	25,90	SEBA KLL-Q
06/09/2018	14,0	4.059	25,90	SEBA KLL-Q
06/09/2018	16,0	4.761	25,90	SEBA KLL-Q
06/09/2018	18,0	5.110	25,90	SEBA KLL-Q
06/09/2018	20,0	6.452	25,90	SEBA KLL-Q
06/09/2018	22,0	6.784	25,90	SEBA KLL-Q
06/09/2018	24,0	7.215	25,90	SEBA KLL-Q
06/09/2018	26,0	7.307	26,00	SEBA KLL-Q
06/09/2018	28,0	7.308	26,00	SEBA KLL-Q
06/09/2018	30,0	8.069	25,90	SEBA KLL-Q
06/09/2018	32,0	8.834	26,00	SEBA KLL-Q
06/09/2018	34,0	9.314	26,00	SEBA KLL-Q
06/09/2018	36,0	9.855	26,00	SEBA KLL-Q
06/09/2018	38,0	10.070	26,00	SEBA KLL-Q
06/09/2018	40,0	12.310	26,00	SEBA KLL-Q
06/09/2018	42,0	14.450	26,00	SEBA KLL-Q
06/09/2018	43,0	15.140	26,00	SEBA KLL-Q
06/09/2018	44,0	16.200	26,10	SEBA KLL-Q
06/09/2018	45,0	16.730	26,10	SEBA KLL-Q
06/09/2018	46,0	17.500	26,10	SEBA KLL-Q
06/09/2018	47,0	19.860	26,10	SEBA KLL-Q
06/09/2018	48,0	29.990	26,10	SEBA KLL-Q
06/09/2018	49,0	47.630	26,20	SEBA KLL-Q
06/09/2018	49,5	62.900	26,20	SEBA KLL-Q
06/09/2018	50,0	88.460	26,20	SEBA KLL-Q
06/09/2018	50,2	99.250	26,20	SEBA KLL-Q
06/09/2018	50,4	108.700	26,20	SEBA KLL-Q
06/09/2018	50,6	116.900	26,20	SEBA KLL-Q
06/09/2018	51,0	134.800	26,20	SEBA KLL-Q
06/09/2018	51,5	157.500	26,20	SEBA KLL-Q
06/09/2018	51,7	166.700	26,20	SEBA KLL-Q
06/09/2018	51,9	177.100	26,20	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/09/2018	52,1	188.300	26,20	SEBA KLL-Q
06/09/2018	52,3	197.400	26,20	SEBA KLL-Q
06/09/2018	52,5	204.400	26,20	SEBA KLL-Q
06/09/2018	52,7	210.700	26,20	SEBA KLL-Q
06/09/2018	52,9	215.600	26,20	SEBA KLL-Q
06/09/2018	53,2	222.100	26,20	SEBA KLL-Q
06/09/2018	53,5	226.300	26,20	SEBA KLL-Q
06/09/2018	53,6	230.400	26,20	SEBA KLL-Q
06/09/2018	53,8	233.900	26,30	SEBA KLL-Q
06/09/2018	54,0	237.400	26,40	SEBA KLL-Q
06/09/2018	54,5	244.300	26,30	SEBA KLL-Q
06/09/2018	55,0	249.700	26,30	SEBA KLL-Q
06/09/2018	56,0	256.100	26,30	SEBA KLL-Q
06/09/2018	58,0	260.300	26,30	SEBA KLL-Q
06/09/2018	60,0	261.800	26,30	SEBA KLL-Q
06/09/2018	62,0	262.200	26,30	SEBA KLL-Q
06/09/2018	64,0	263.100	26,40	SEBA KLL-Q
06/09/2018	66,0	263.300	26,40	SEBA KLL-Q
06/09/2018	68,0	264.100	26,40	SEBA KLL-Q
06/09/2018	70,0	264.000	26,50	SEBA KLL-Q
06/09/2018	72,0	264.100	26,50	SEBA KLL-Q
06/09/2018	74,0	263.100	26,60	SEBA KLL-Q
06/09/2018	76,0	263.400	26,60	SEBA KLL-Q
06/09/2018	78,0	263.500	26,70	SEBA KLL-Q
06/09/2018	80,0	263.500	26,70	SEBA KLL-Q
06/09/2018	82,0	263.500	26,80	SEBA KLL-Q
06/09/2018	84,0	263.000	26,80	SEBA KLL-Q
06/09/2018	86,0	263.400	26,70	SEBA KLL-Q
06/09/2018	88,0	263.300	26,80	SEBA KLL-Q
06/09/2018	90,0	263.300	26,80	SEBA KLL-Q
06/09/2018	92,0	263.500	26,90	SEBA KLL-Q
06/09/2018	94,0	263.600	26,90	SEBA KLL-Q
06/09/2018	96,0	263.300	27,00	SEBA KLL-Q
06/09/2018	98,0	259.300	27,00	SEBA KLL-Q
06/09/2018	100,0	258.000	27,00	SEBA KLL-Q
06/09/2018	102,0	258.300	27,10	SEBA KLL-Q
06/09/2018	104,0	258.700	27,10	SEBA KLL-Q
06/09/2018	106,0	258.700	27,10	SEBA KLL-Q
06/09/2018	108,0	258.000	27,20	SEBA KLL-Q
06/09/2018	110,0	258.100	27,20	SEBA KLL-Q
06/09/2018	112,0	258.000	27,30	SEBA KLL-Q
06/09/2018	114,0	258.100	27,30	SEBA KLL-Q
15/11/2018	1,5	4.261	25,60	SEBA KLL-Q
15/11/2018	2,0	4.253	25,73	SEBA KLL-Q
15/11/2018	2,5	4.253	25,74	SEBA KLL-Q
15/11/2018	3,0	4.254	25,73	SEBA KLL-Q
15/11/2018	4,0	4.255	25,74	SEBA KLL-Q
15/11/2018	5,0	4.253	25,74	SEBA KLL-Q
15/11/2018	6,0	4.253	25,74	SEBA KLL-Q
15/11/2018	8,0	4.261	25,75	SEBA KLL-Q
15/11/2018	10,0	4.267	25,75	SEBA KLL-Q
15/11/2018	12,0	4.269	25,75	SEBA KLL-Q
15/11/2018	14,0	4.271	25,73	SEBA KLL-Q
15/11/2018	16,0	5.098	25,73	SEBA KLL-Q
15/11/2018	18,0	5.557	25,75	SEBA KLL-Q
15/11/2018	20,0	6.829	25,75	SEBA KLL-Q
15/11/2018	22,0	7.073	25,76	SEBA KLL-Q
15/11/2018	24,0	7.668	25,77	SEBA KLL-Q
15/11/2018	26,0	7.688	25,77	SEBA KLL-Q
15/11/2018	28,0	7.688	25,78	SEBA KLL-Q
15/11/2018	30,0	8.796	25,79	SEBA KLL-Q
15/11/2018	32,0	9.140	25,80	SEBA KLL-Q
15/11/2018	34,0	9.868	25,81	SEBA KLL-Q
15/11/2018	36,0	10.260	25,83	SEBA KLL-Q
15/11/2018	38,0	10.920	25,85	SEBA KLL-Q
15/11/2018	40,0	12.810	25,87	SEBA KLL-Q
15/11/2018	42,0	15.020	25,88	SEBA KLL-Q
15/11/2018	44,0	16.970	25,91	SEBA KLL-Q
15/11/2018	45,0	17.670	25,93	SEBA KLL-Q
15/11/2018	46,0	18.320	25,93	SEBA KLL-Q
15/11/2018	46,5	19.330	25,94	SEBA KLL-Q
15/11/2018	47,0	21.460	25,93	SEBA KLL-Q
15/11/2018	47,5	26.860	25,94	SEBA KLL-Q
15/11/2018	48,0	33.750	25,96	SEBA KLL-Q
15/11/2018	48,2	35.030	25,97	SEBA KLL-Q
15/11/2018	48,4	36.270	25,98	SEBA KLL-Q
15/11/2018	48,6	38.970	25,97	SEBA KLL-Q
15/11/2018	48,8	43.050	25,97	SEBA KLL-Q
15/11/2018	49,0	47.880	25,89	SEBA KLL-Q
15/11/2018	49,2	53.270	25,98	SEBA KLL-Q
15/11/2018	49,4	60.870	25,98	SEBA KLL-Q
15/11/2018	49,6	69.430	25,99	SEBA KLL-Q
15/11/2018	49,8	80.590	25,99	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
15/11/2018	50,0	90.540	25,99	SEBA KLL-Q
15/11/2018	50,2	100.100	26,00	SEBA KLL-Q
15/11/2018	50,4	108.200	26,00	SEBA KLL-Q
15/11/2018	50,6	115.600	26,00	SEBA KLL-Q
15/11/2018	50,8	124.300	26,00	SEBA KLL-Q
15/11/2018	51,0	134.900	26,01	SEBA KLL-Q
15/11/2018	51,2	144.400	26,01	SEBA KLL-Q
15/11/2018	51,4	151.300	26,01	SEBA KLL-Q
15/11/2018	51,6	158.600	26,02	SEBA KLL-Q
15/11/2018	51,8	167.500	26,02	SEBA KLL-Q
15/11/2018	52,0	178.300	26,02	SEBA KLL-Q
15/11/2018	52,2	187.400	26,02	SEBA KLL-Q
15/11/2018	52,4	193.700	26,02	SEBA KLL-Q
15/11/2018	52,6	200.200	26,03	SEBA KLL-Q
15/11/2018	52,8	203.200	26,02	SEBA KLL-Q
15/11/2018	53,0	207.600	26,03	SEBA KLL-Q
15/11/2018	53,2	212.500	26,04	SEBA KLL-Q
15/11/2018	53,4	215.100	26,04	SEBA KLL-Q
15/11/2018	53,6	218.700	26,05	SEBA KLL-Q
15/11/2018	53,8	222.200	26,05	SEBA KLL-Q
15/11/2018	54,0	225.400	26,04	SEBA KLL-Q
15/11/2018	54,5	231.300	26,07	SEBA KLL-Q
15/11/2018	55,0	235.800	26,07	SEBA KLL-Q
15/11/2018	55,5	236.100	26,08	SEBA KLL-Q
15/11/2018	56,0	241.600	26,08	SEBA KLL-Q
15/11/2018	56,5	243.100	26,10	SEBA KLL-Q
15/11/2018	57,0	244.400	26,11	SEBA KLL-Q
15/11/2018	58,0	245.600	26,11	SEBA KLL-Q
15/11/2018	59,0	246.400	26,14	SEBA KLL-Q
15/11/2018	60,0	246.500	26,13	SEBA KLL-Q
15/11/2018	62,0	247.200	26,19	SEBA KLL-Q
15/11/2018	64,0	247.600	26,21	SEBA KLL-Q
15/11/2018	66,0	247.800	26,24	SEBA KLL-Q
15/11/2018	68,0	247.900	26,25	SEBA KLL-Q
15/11/2018	70,0	247.700	26,32	SEBA KLL-Q
15/11/2018	72,0	247.100	26,36	SEBA KLL-Q
15/11/2018	74,0	245.900	26,43	SEBA KLL-Q
15/11/2018	76,0	245.900	26,48	SEBA KLL-Q
15/11/2018	78,0	245.500	26,50	SEBA KLL-Q
15/11/2018	81,0	245.800	26,50	SEBA KLL-Q
15/11/2018	84,0	246.100	26,52	SEBA KLL-Q
15/11/2018	87,0	246.000	26,53	SEBA KLL-Q
15/11/2018	90,0	245.300	26,53	SEBA KLL-Q
15/11/2018	93,0	245.400	26,52	SEBA KLL-Q
15/11/2018	96,0	245.200	26,79	SEBA KLL-Q
15/11/2018	99,0	242.900	26,85	SEBA KLL-Q
15/11/2018	102,0	242.000	26,91	SEBA KLL-Q
15/11/2018	105,0	241.700	26,97	SEBA KLL-Q
15/11/2018	108,0	240.900	27,04	SEBA KLL-Q
15/11/2018	111,0	240.800	27,03	SEBA KLL-Q
15/11/2018	114,0	240.800	27,14	SEBA KLL-Q
15/11/2018	116,0	240.600	27,16	SEBA KLL-Q
27/01/2019	1,2	4.324	25,84	SEBA KLL-Q
27/01/2019	1,4	4.322	25,79	SEBA KLL-Q
27/01/2019	1,6	4.324	25,78	SEBA KLL-Q
27/01/2019	1,8	4.322	25,76	SEBA KLL-Q
27/01/2019	2,0	4.322	25,75	SEBA KLL-Q
27/01/2019	2,5	4.322	25,75	SEBA KLL-Q
27/01/2019	3,0	4.322	25,75	SEBA KLL-Q
27/01/2019	4,0	4.322	25,74	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
27/01/2019	6,0	4.322	25,75	SEBA KLL-Q
27/01/2019	8,0	4.331	25,75	SEBA KLL-Q
27/01/2019	10,0	4.336	25,75	SEBA KLL-Q
27/01/2019	12,0	4.337	25,75	SEBA KLL-Q
27/01/2019	14,0	4.341	25,75	SEBA KLL-Q
27/01/2019	16,0	4.826	25,75	SEBA KLL-Q
27/01/2019	18,0	5.371	25,75	SEBA KLL-Q
27/01/2019	20,0	7.089	25,76	SEBA KLL-Q
27/01/2019	20,5	7.146	25,76	SEBA KLL-Q
27/01/2019	21,0	7.163	25,76	SEBA KLL-Q
27/01/2019	22,0	7.622	25,76	SEBA KLL-Q
27/01/2019	23,0	7.662	25,76	SEBA KLL-Q
27/01/2019	25,0	7.681	25,77	SEBA KLL-Q
27/01/2019	27,0	7.682	25,77	SEBA KLL-Q
27/01/2019	29,0	8.950	25,79	SEBA KLL-Q
27/01/2019	29,5	9.258	25,79	SEBA KLL-Q
27/01/2019	30,0	9.285	25,79	SEBA KLL-Q
27/01/2019	30,5	9.291	25,79	SEBA KLL-Q
27/01/2019	31,0	9.315	25,80	SEBA KLL-Q
27/01/2019	32,0	9.562	25,80	SEBA KLL-Q
27/01/2019	34,0	10.210	25,81	SEBA KLL-Q
27/01/2019	36,0	10.530	25,83	SEBA KLL-Q
27/01/2019	38,0	10.760	25,85	SEBA KLL-Q
27/01/2019	40,0	13.480	25,87	SEBA KLL-Q
27/01/2019	42,0	15.590	25,88	SEBA KLL-Q
27/01/2019	44,0	17.470	25,91	SEBA KLL-Q
27/01/2019	46,0	18.980	25,93	SEBA KLL-Q
27/01/2019	47,0	21.940	25,95	SEBA KLL-Q
27/01/2019	47,2	23.200	25,96	SEBA KLL-Q
27/01/2019	47,4	25.680	25,96	SEBA KLL-Q
27/01/2019	47,6	28.610	25,96	SEBA KLL-Q
27/01/2019	47,8	32.890	25,96	SEBA KLL-Q
27/01/2019	48,0	35.680	25,97	SEBA KLL-Q
27/01/2019	48,5	39.020	25,97	SEBA KLL-Q
27/01/2019	49,0	49.990	25,98	SEBA KLL-Q
27/01/2019	49,5	66.400	25,98	SEBA KLL-Q
27/01/2019	49,7	78.800	25,99	SEBA KLL-Q
27/01/2019	49,9	89.470	25,99	SEBA KLL-Q
27/01/2019	50,1	101.100	25,99	SEBA KLL-Q
27/01/2019	50,3	107.800	26,00	SEBA KLL-Q
27/01/2019	50,5	116.300	26,00	SEBA KLL-Q
27/01/2019	51,0	141.300	26,01	SEBA KLL-Q
27/01/2019	51,2	151.000	26,01	SEBA KLL-Q
27/01/2019	51,4	158.400	26,01	SEBA KLL-Q
27/01/2019	51,6	166.400	26,02	SEBA KLL-Q
27/01/2019	51,8	176.300	26,02	SEBA KLL-Q
27/01/2019	52,0	187.100	26,02	SEBA KLL-Q
27/01/2019	52,2	196.500	26,02	SEBA KLL-Q
27/01/2019	52,4	203.500	26,02	SEBA KLL-Q
27/01/2019	52,6	210.800	26,03	SEBA KLL-Q
27/01/2019	52,8	214.500	26,03	SEBA KLL-Q
27/01/2019	53,0	217.900	26,08	SEBA KLL-Q
27/01/2019	53,5	228.100	26,05	SEBA KLL-Q
27/01/2019	54,0	237.100	26,06	SEBA KLL-Q
27/01/2019	55,0	248.000	26,06	SEBA KLL-Q
27/01/2019	57,0	257.200	26,09	SEBA KLL-Q
27/01/2019	59,0	259.400	26,14	SEBA KLL-Q
27/01/2019	61,0	260.400	26,16	SEBA KLL-Q
27/01/2019	63,0	260.100	26,19	SEBA KLL-Q
27/01/2019	65,0	261.000	26,24	SEBA KLL-Q
27/01/2019	67,0	261.100	26,23	SEBA KLL-Q
27/01/2019	69,0	261.200	26,30	SEBA KLL-Q
27/01/2019	71,0	261.000	26,33	SEBA KLL-Q
27/01/2019	73,0	260.000	26,38	SEBA KLL-Q
27/01/2019	75,0	259.900	26,43	SEBA KLL-Q
27/01/2019	77,0	260.000	26,45	SEBA KLL-Q
27/01/2019	79,0	260.000	26,47	SEBA KLL-Q
27/01/2019	81,0	260.300	26,47	SEBA KLL-Q
27/01/2019	83,0	259.900	26,56	SEBA KLL-Q
27/01/2019	85,0	259.900	26,56	SEBA KLL-Q
27/01/2019	87,0	259.700	26,61	SEBA KLL-Q
27/01/2019	89,0	259.400	26,68	SEBA KLL-Q
27/01/2019	91,0	259.300	26,72	SEBA KLL-Q
27/01/2019	93,0	259.200	26,75	SEBA KLL-Q
27/01/2019	95,0	259.300	26,75	SEBA KLL-Q
27/01/2019	97,0	258.800	26,79	SEBA KLL-Q
27/01/2019	99,0	257.400	26,85	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
27/01/2019	101,0	256.400	26,89	SEBA KLL-Q
27/01/2019	103,0	255.800	26,94	SEBA KLL-Q
27/01/2019	105,0	255.600	26,97	SEBA KLL-Q
27/01/2019	107,0	255.100	27,01	SEBA KLL-Q
27/01/2019	109,0	254.400	27,08	SEBA KLL-Q
27/01/2019	111,0	254.400	27,09	SEBA KLL-Q
27/01/2019	113,0	254.400	27,12	SEBA KLL-Q
27/01/2019	115,0	254.300	27,14	SEBA KLL-Q
20/03/2019	1,5	3.661	25,56	SEBA KLL-Q
20/03/2019	2,0	3.691	25,73	SEBA KLL-Q
20/03/2019	2,5	3.692	25,75	SEBA KLL-Q
20/03/2019	3,0	3.693	25,75	SEBA KLL-Q
20/03/2019	4,0	3.693	25,75	SEBA KLL-Q
20/03/2019	5,0	3.692	25,75	SEBA KLL-Q
20/03/2019	6,0	3.693	25,75	SEBA KLL-Q
20/03/2019	8,0	3.704	25,75	SEBA KLL-Q
20/03/2019	10,0	3.704	25,75	SEBA KLL-Q
20/03/2019	12,0	3.704	25,75	SEBA KLL-Q
20/03/2019	14,0	3.708	25,75	SEBA KLL-Q
20/03/2019	16,0	4.519	25,75	SEBA KLL-Q
20/03/2019	18,0	4.842	25,75	SEBA KLL-Q
20/03/2019	20,0	6.017	25,75	SEBA KLL-Q
20/03/2019	22,0	6.717	25,76	SEBA KLL-Q
20/03/2019	24,0	6.921	25,77	SEBA KLL-Q
20/03/2019	26,0	6.919	25,77	SEBA KLL-Q
20/03/2019	28,0	6.974	25,78	SEBA KLL-Q
20/03/2019	30,0	8.177	25,79	SEBA KLL-Q
20/03/2019	32,0	8.466	25,80	SEBA KLL-Q
20/03/2019	34,0	8.956	25,81	SEBA KLL-Q
20/03/2019	36,0	9.115	25,83	SEBA KLL-Q
20/03/2019	38,0	9.941	25,85	SEBA KLL-Q
20/03/2019	40,0	12.650	25,87	SEBA KLL-Q
20/03/2019	42,0	14.100	25,89	SEBA KLL-Q
20/03/2019	44,0	15.650	25,91	SEBA KLL-Q
20/03/2019	45,0	16.570	25,92	SEBA KLL-Q
20/03/2019	46,0	18.560	25,94	SEBA KLL-Q
20/03/2019	46,5	19.630	25,94	SEBA KLL-Q
20/03/2019	47,0	21.680	25,95	SEBA KLL-Q
20/03/2019	47,5	30.010	25,96	SEBA KLL-Q
20/03/2019	48,0	32.350	25,97	SEBA KLL-Q
20/03/2019	48,2	32.770	25,97	SEBA KLL-Q
20/03/2019	48,4	33.580	25,97	SEBA KLL-Q
20/03/2019	48,6	38.570	25,97	SEBA KLL-Q
20/03/2019	48,8	42.200	25,97	SEBA KLL-Q
20/03/2019	49,0	47.070	25,98	SEBA KLL-Q
20/03/2019	49,2	51.000	25,98	SEBA KLL-Q
20/03/2019	49,4	57.320	25,98	SEBA KLL-Q
20/03/2019	49,6	68.940	25,99	SEBA KLL-Q
20/03/2019	49,8	78.860	25,99	SEBA KLL-Q
20/03/2019	50,0	89.670	25,99	SEBA KLL-Q
20/03/2019	50,2	97.390	26,00	SEBA KLL-Q
20/03/2019	50,4	105.700	26,00	SEBA KLL-Q
20/03/2019	50,6	112.900	26,00	SEBA KLL-Q
20/03/2019	50,8	121.900	26,01	SEBA KLL-Q
20/03/2019	51,0	132.800	26,01	SEBA KLL-Q
20/03/2019	51,2	141.300	26,01	SEBA KLL-Q
20/03/2019	51,4	147.600	26,01	SEBA KLL-Q
20/03/2019	51,6	155.000	26,02	SEBA KLL-Q
20/03/2019	51,8	164.800	26,02	SEBA KLL-Q
20/03/2019	52,0	174.700	26,02	SEBA KLL-Q
20/03/2019	52,2	184.000	26,03	SEBA KLL-Q
20/03/2019	52,4	192.400	26,02	SEBA KLL-Q
20/03/2019	52,6	197.000	26,03	SEBA KLL-Q
20/03/2019	52,8	200.300	26,03	SEBA KLL-Q
20/03/2019	53,0	203.700	26,03	SEBA KLL-Q
20/03/2019	53,2	208.500	26,04	SEBA KLL-Q
20/03/2019	53,4	209.700	26,04	SEBA KLL-Q
20/03/2019	53,6	210.800	26,04	SEBA KLL-Q
20/03/2019	53,8	214.200	26,04	SEBA KLL-Q
20/03/2019	54,0	221.200	26,05	SEBA KLL-Q
20/03/2019	54,5	226.400	26,05	SEBA KLL-Q
20/03/2019	55,0	231.200	26,06	SEBA KLL-Q
20/03/2019	55,5	234.500	26,07	SEBA KLL-Q
20/03/2019	56,0	237.100	26,08	SEBA KLL-Q
20/03/2019	56,5	238.600	26,09	SEBA KLL-Q
20/03/2019	57,0	239.700	26,10	SEBA KLL-Q
20/03/2019	58,0	240.800	26,12	SEBA KLL-Q
20/03/2019	59,0	241.500	26,13	SEBA KLL-Q
20/03/2019	60,0	241.900	26,14	SEBA KLL-Q
20/03/2019	62,0	242.200	26,17	SEBA KLL-Q
20/03/2019	64,0	242.400	26,18	SEBA KLL-Q
20/03/2019	66,0	242.800	26,24	SEBA KLL-Q
20/03/2019	68,0	243.500	26,26	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/03/2019	70,0	243.700	26,27	SEBA KLL-Q
20/03/2019	72,0	243.700	26,35	SEBA KLL-Q
20/03/2019	74,0	243.000	26,44	SEBA KLL-Q
20/03/2019	76,0	243.100	26,48	SEBA KLL-Q
20/03/2019	78,0	243.200	26,51	SEBA KLL-Q
20/03/2019	81,0	243.100	26,53	SEBA KLL-Q
20/03/2019	84,0	243.200	26,54	SEBA KLL-Q
20/03/2019	87,0	243.100	26,55	SEBA KLL-Q
20/03/2019	90,0	242.600	26,67	SEBA KLL-Q
20/03/2019	93,0	242.600	26,69	SEBA KLL-Q
20/03/2019	96,0	242.100	26,77	SEBA KLL-Q
20/03/2019	99,0	241.200	26,85	SEBA KLL-Q
20/03/2019	102,0	238.100	26,91	SEBA KLL-Q
20/03/2019	105,0	237.200	26,94	SEBA KLL-Q
20/03/2019	108,0	236.700	26,99	SEBA KLL-Q
20/03/2019	111,0	236.100	27,03	SEBA KLL-Q
20/03/2019	114,0	236.000	27,13	SEBA KLL-Q
20/03/2019	116,0	235.500	27,15	SEBA KLL-Q
21/04/2019	1,5	3.830	25,70	SEBA KLL-Q
21/04/2019	2,0	3.840	25,74	SEBA KLL-Q
21/04/2019	2,5	3.840	25,74	SEBA KLL-Q
21/04/2019	3,0	3.840	25,74	SEBA KLL-Q
21/04/2019	4,0	3.840	25,75	SEBA KLL-Q
21/04/2019	5,0	3.840	25,75	SEBA KLL-Q
21/04/2019	6,0	3.840	25,75	SEBA KLL-Q
21/04/2019	7,0	3.840	25,75	SEBA KLL-Q
21/04/2019	8,0	3.851	25,75	SEBA KLL-Q
21/04/2019	10,0	3.853	25,75	SEBA KLL-Q
21/04/2019	12,0	3.854	25,75	SEBA KLL-Q
21/04/2019	14,0	3.857	25,75	SEBA KLL-Q
21/04/2019	16,0	4.617	25,75	SEBA KLL-Q
21/04/2019	18,0	4.927	25,75	SEBA KLL-Q
21/04/2019	20,0	6.004	25,75	SEBA KLL-Q
21/04/2019	22,0	6.977	25,76	SEBA KLL-Q
21/04/2019	24,0	7.110	25,76	SEBA KLL-Q
21/04/2019	26,0	7.106	25,76	SEBA KLL-Q
21/04/2019	28,0	7.143	25,78	SEBA KLL-Q
21/04/2019	29,0	8.427	25,78	SEBA KLL-Q
21/04/2019	30,0	8.627	25,79	SEBA KLL-Q
21/04/2019	31,0	8.728	25,79	SEBA KLL-Q
21/04/2019	32,0	8.825	25,79	SEBA KLL-Q
21/04/2019	34,0	9.389	25,80	SEBA KLL-Q
21/04/2019	35,0	9.427	25,81	SEBA KLL-Q
21/04/2019	36,0	9.526	25,82	SEBA KLL-Q
21/04/2019	37,0	9.697	25,84	SEBA KLL-Q
21/04/2019	38,0	10.310	25,84	SEBA KLL-Q
21/04/2019	39,0	11.140	25,86	SEBA KLL-Q
21/04/2019	40,0	13.050	25,87	SEBA KLL-Q
21/04/2019	42,0	13.050	25,87	SEBA KLL-Q
21/04/2019	44,0	14.600	25,89	SEBA KLL-Q
21/04/2019	46,0	18.690	25,94	SEBA KLL-Q
21/04/2019	46,5	19.740	25,94	SEBA KLL-Q
21/04/2019	47,0	21.550	25,95	SEBA KLL-Q
21/04/2019	47,5	27.780	25,95	SEBA KLL-Q
21/04/2019	48,0	34.610	25,97	SEBA KLL-Q
21/04/2019	48,2	34.770	25,97	SEBA KLL-Q
21/04/2019	48,4	35.200	25,97	SEBA KLL-Q
21/04/2019	48,6	38.380	25,97	SEBA KLL-Q
21/04/2019	48,8	42.410	25,97	SEBA KLL-Q
21/04/2019	49,0	47.210	25,97	SEBA KLL-Q
21/04/2019	49,2	51.470	25,98	SEBA KLL-Q
21/04/2019	49,4	58.060	25,98	SEBA KLL-Q
21/04/2019	49,6	70.490	25,98	SEBA KLL-Q
21/04/2019	49,8	81.350	25,98	SEBA KLL-Q
21/04/2019	50,0	91.580	25,98	SEBA KLL-Q
21/04/2019	50,2	100.900	25,99	SEBA KLL-Q
21/04/2019	50,4	108.800	25,99	SEBA KLL-Q
21/04/2019	50,6	116.300	26,00	SEBA KLL-Q
21/04/2019	50,8	125.500	26,00	SEBA KLL-Q
21/04/2019	51,0	136.100	26,01	SEBA KLL-Q
21/04/2019	51,2	145.200	26,01	SEBA KLL-Q
21/04/2019	51,4	152.100	26,01	SEBA KLL-Q
21/04/2019	51,6	159.700	26,01	SEBA KLL-Q
21/04/2019	51,8	170.400	26,01	SEBA KLL-Q
21/04/2019	52,0	180.100	26,01	SEBA KLL-Q
21/04/2019	52,2	190.100	26,02	SEBA KLL-Q
21/04/2019	52,4	198.000	26,02	SEBA KLL-Q
21/04/2019	52,6	203.400	26,03	SEBA KLL-Q
21/04/2019	52,8	206.600	26,03	SEBA KLL-Q
21/04/2019	53,0	209.900	26,03	SEBA KLL-Q
21/04/2019	53,2	214.400	26,04	SEBA KLL-Q
21/04/2019	53,4	217.000	26,04	SEBA KLL-Q
21/04/2019	53,6	220.100	26,04	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/04/2019	53,8	223.900	26,04	SEBA KLL-Q
21/04/2019	54,0	227.100	26,04	SEBA KLL-Q
21/04/2019	54,2	229.700	26,05	SEBA KLL-Q
21/04/2019	54,5	232.300	26,06	SEBA KLL-Q
21/04/2019	55,0	235.900	26,06	SEBA KLL-Q
21/04/2019	56,0	240.700	26,08	SEBA KLL-Q
21/04/2019	57,0	242.800	26,08	SEBA KLL-Q
21/04/2019	58,0	243.800	26,12	SEBA KLL-Q
21/04/2019	59,0	244.300	26,12	SEBA KLL-Q
21/04/2019	60,0	244.800	26,14	SEBA KLL-Q
21/04/2019	62,0	245.200	26,14	SEBA KLL-Q
21/04/2019	64,0	247.400	26,21	SEBA KLL-Q
21/04/2019	66,0	248.900	26,21	SEBA KLL-Q
21/04/2019	68,0	249.900	26,28	SEBA KLL-Q
21/04/2019	70,0	250.500	26,28	SEBA KLL-Q
21/04/2019	72,0	250.800	26,35	SEBA KLL-Q
21/04/2019	74,0	250.300	26,41	SEBA KLL-Q
21/04/2019	76,0	250.800	26,41	SEBA KLL-Q
21/04/2019	78,0	251.000	26,49	SEBA KLL-Q
21/04/2019	80,0	251.200	26,50	SEBA KLL-Q
21/04/2019	84,0	251.300	26,53	SEBA KLL-Q
21/04/2019	87,0	251.500	26,53	SEBA KLL-Q
21/04/2019	90,0	250.600	26,67	SEBA KLL-Q
21/04/2019	93,0	250.400	26,67	SEBA KLL-Q
21/04/2019	96,0	249.300	26,70	SEBA KLL-Q
21/04/2019	99,0	245.000	26,86	SEBA KLL-Q
21/04/2019	102,0	242.800	26,86	SEBA KLL-Q
21/04/2019	105,0	242.000	26,97	SEBA KLL-Q
21/04/2019	108,0	241.300	26,97	SEBA KLL-Q
21/04/2019	111,0	240.800	27,10	SEBA KLL-Q
21/04/2019	113,0	240.700	27,10	SEBA KLL-Q
28/06/2019	1,1	4.123	25,24	SEBA KLL-Q
28/06/2019	1,2	4.103	25,24	SEBA KLL-Q
28/06/2019	1,4	4.117	25,24	SEBA KLL-Q
28/06/2019	1,6	4.119	25,61	SEBA KLL-Q
28/06/2019	1,8	4.119	25,61	SEBA KLL-Q
28/06/2019	2,0	4.115	25,75	SEBA KLL-Q
28/06/2019	2,5	4.113	25,75	SEBA KLL-Q
28/06/2019	3,0	4.114	25,75	SEBA KLL-Q
28/06/2019	4,0	4.113	25,75	SEBA KLL-Q
28/06/2019	5,0	4.114	25,76	SEBA KLL-Q
28/06/2019	6,0	4.114	25,75	SEBA KLL-Q
28/06/2019	8,0	4.124	25,75	SEBA KLL-Q
28/06/2019	10,0	4.127	25,75	SEBA KLL-Q
28/06/2019	12,0	4.128	25,76	SEBA KLL-Q
28/06/2019	14,0	4.129	25,76	SEBA KLL-Q
28/06/2019	16,0	4.972	25,76	SEBA KLL-Q
28/06/2019	18,0	5.286	25,76	SEBA KLL-Q
28/06/2019	20,0	6.547	25,76	SEBA KLL-Q
28/06/2019	22,0	7.164	25,76	SEBA KLL-Q
28/06/2019	24,0	7.293	25,77	SEBA KLL-Q
28/06/2019	26,0	7.293	25,77	SEBA KLL-Q
28/06/2019	28,0	7.305	25,78	SEBA KLL-Q
28/06/2019	30,0	9.019	25,78	SEBA KLL-Q
28/06/2019	32,0	9.162	25,78	SEBA KLL-Q
28/06/2019	34,0	9.616	25,81	SEBA KLL-Q
28/06/2019	36,0	9.834	25,81	SEBA KLL-Q
28/06/2019	38,0	10.150	25,85	SEBA KLL-Q
28/06/2019	40,0	14.260	25,85	SEBA KLL-Q
28/06/2019	42,0	14.780	25,85	SEBA KLL-Q
28/06/2019	44,0	16.250	25,91	SEBA KLL-Q
28/06/2019	46,0	17.750	25,91	SEBA KLL-Q
28/06/2019	48,0	30.600	25,91	SEBA KLL-Q
28/06/2019	50,0	86.870	25,97	SEBA KLL-Q
28/06/2019	50,5	106.200	25,97	SEBA KLL-Q
28/06/2019	51,0	129.700	26,01	SEBA KLL-Q
28/06/2019	51,2	138.010	26,01	SEBA KLL-Q
28/06/2019	51,4	146.300	26,01	SEBA KLL-Q
28/06/2019	51,6	153.200	26,01	SEBA KLL-Q
28/06/2019	51,8	161.800	26,03	SEBA KLL-Q
28/06/2019	52,0	185.300	26,03	SEBA KLL-Q
28/06/2019	52,2	197.400	26,03	SEBA KLL-Q
28/06/2019	52,4	201.800	26,04	SEBA KLL-Q
28/06/2019	52,6	201.800	26,04	SEBA KLL-Q
28/06/2019	52,8	201.800	26,04	SEBA KLL-Q
28/06/2019	53,0	202.010	26,04	SEBA KLL-Q
28/06/2019	53,5	211.000	26,04	SEBA KLL-Q
28/06/2019	54,0	219.500	26,04	SEBA KLL-Q
28/06/2019	55,0	223.600	26,04	SEBA KLL-Q
28/06/2019	56,0	235.000	26,04	SEBA KLL-Q
28/06/2019	58,0	238.300	26,04	SEBA KLL-Q
28/06/2019	60,0	241.100	26,08	SEBA KLL-Q
28/06/2019	62,0	241.500	26,12	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
28/06/2019	64,0	241.900	26,12	SEBA KLL-Q
28/06/2019	66,0	242.000	26,24	SEBA KLL-Q
28/06/2019	68,0	242.000	26,24	SEBA KLL-Q
28/06/2019	70,0	242.000	26,24	SEBA KLL-Q
28/06/2019	72,0	242.000	26,35	SEBA KLL-Q
28/06/2019	74,0	240.800	26,35	SEBA KLL-Q
28/06/2019	76,0	240.800	26,35	SEBA KLL-Q
28/06/2019	78,0	240.500	26,53	SEBA KLL-Q
28/06/2019	80,0	240.200	26,53	SEBA KLL-Q
28/06/2019	82,0	240.100	26,53	SEBA KLL-Q
28/06/2019	84,0	240.000	26,55	SEBA KLL-Q
28/06/2019	86,0	240.000	26,55	SEBA KLL-Q
28/06/2019	88,0	239.900	26,55	SEBA KLL-Q
28/06/2019	90,0	239.900	26,69	SEBA KLL-Q
28/06/2019	92,0	239.700	26,69	SEBA KLL-Q
28/06/2019	94,0	239.600	26,69	SEBA KLL-Q
28/06/2019	96,0	239.600	26,69	SEBA KLL-Q
28/06/2019	98,0	239.600	26,70	SEBA KLL-Q
28/06/2019	100,0	239.600	26,70	SEBA KLL-Q
28/06/2019	102,0	239.600	26,70	SEBA KLL-Q
28/06/2019	104,0	239.600	26,72	SEBA KLL-Q
28/06/2019	106,0	239.600	26,72	SEBA KLL-Q
28/06/2019	108,0	239.600	26,74	SEBA KLL-Q
17/09/2019	1,1	3.856	25,31	SEBA KLL-Q
17/09/2019	1,2	3.845	25,66	SEBA KLL-Q
17/09/2019	1,4	3.844	25,43	SEBA KLL-Q
17/09/2019	1,8	3.828	25,71	SEBA KLL-Q
17/09/2019	2,0	3.838	25,73	SEBA KLL-Q
17/09/2019	2,5	3.837	25,74	SEBA KLL-Q
17/09/2019	3,0	3.838	25,74	SEBA KLL-Q
17/09/2019	4,0	3.838	25,74	SEBA KLL-Q
17/09/2019	5,0	3.838	25,74	SEBA KLL-Q
17/09/2019	6,0	3.839	25,74	SEBA KLL-Q
17/09/2019	8,0	3.848	25,75	SEBA KLL-Q
17/09/2019	10,0	3.850	25,75	SEBA KLL-Q
17/09/2019	12,0	3.850	25,75	SEBA KLL-Q
17/09/2019	14,0	3.853	25,75	SEBA KLL-Q
17/09/2019	16,0	4.775	25,75	SEBA KLL-Q
17/09/2019	18,0	5.217	25,75	SEBA KLL-Q
17/09/2019	20,0	6.519	25,76	SEBA KLL-Q
17/09/2019	22,0	6.862	25,76	SEBA KLL-Q
17/09/2019	24,0	6.987	25,76	SEBA KLL-Q
17/09/2019	26,0	7.044	25,77	SEBA KLL-Q
17/09/2019	28,0	7.149	25,78	SEBA KLL-Q
17/09/2019	30,0	8.674	25,79	SEBA KLL-Q
17/09/2019	32,0	8.755	25,80	SEBA KLL-Q
17/09/2019	34,0	9.359	25,81	SEBA KLL-Q
17/09/2019	36,0	9.387	25,83	SEBA KLL-Q
17/09/2019	38,0	10.210	25,85	SEBA KLL-Q
17/09/2019	40,0	13.100	25,87	SEBA KLL-Q
17/09/2019	42,0	14.350	25,89	SEBA KLL-Q
17/09/2019	44,0	16.070	25,91	SEBA KLL-Q
17/09/2019	46,0	17.690	25,93	SEBA KLL-Q
17/09/2019	48,0	34.010	25,97	SEBA KLL-Q
17/09/2019	50,0	91.460	25,99	SEBA KLL-Q
17/09/2019	51,0	136.800	26,01	SEBA KLL-Q
17/09/2019	51,2	146.400	26,01	SEBA KLL-Q
17/09/2019	51,4	153.700	26,02	SEBA KLL-Q
17/09/2019	51,6	161.300	26,02	SEBA KLL-Q
17/09/2019	51,8	171.100	26,02	SEBA KLL-Q
17/09/2019	52,0	181.000	26,02	SEBA KLL-Q
17/09/2019	52,2	191.300	26,02	SEBA KLL-Q
17/09/2019	52,4	201.500	26,02	SEBA KLL-Q
17/09/2019	52,6	206.100	26,03	SEBA KLL-Q
17/09/2019	52,8	209.200	26,03	SEBA KLL-Q
17/09/2019	53,0	212.500	26,04	SEBA KLL-Q
17/09/2019	53,5	222.300	26,04	SEBA KLL-Q
17/09/2019	54,0	231.000	26,06	SEBA KLL-Q
17/09/2019	55,0	241.000	26,08	SEBA KLL-Q
17/09/2019	56,0	247.100	26,08	SEBA KLL-Q
17/09/2019	58,0	251.200	26,12	SEBA KLL-Q
17/09/2019	60,0	252.000	26,15	SEBA KLL-Q
17/09/2019	62,0	252.000	26,18	SEBA KLL-Q
17/09/2019	64,0	251.600	26,22	SEBA KLL-Q
17/09/2019	66,0	253.600	26,23	SEBA KLL-Q
17/09/2019	68,0	251.500	26,27	SEBA KLL-Q
17/09/2019	70,0	251.100	26,31	SEBA KLL-Q
17/09/2019	72,0	250.700	26,35	SEBA KLL-Q
17/09/2019	74,0	249.300	26,41	SEBA KLL-Q
17/09/2019	76,0	249.100	26,47	SEBA KLL-Q
17/09/2019	78,0	249.000	26,49	SEBA KLL-Q
17/09/2019	80,0	248.800	26,51	SEBA KLL-Q
17/09/2019	82,0	248.800	26,51	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/09/2019	84,0	248.700	26,52	SEBA KLL-Q
17/09/2019	86,0	248.600	26,53	SEBA KLL-Q
17/09/2019	88,0	248.200	26,63	SEBA KLL-Q
17/09/2019	90,0	248.100	26,66	SEBA KLL-Q
17/09/2019	92,0	248.000	26,72	SEBA KLL-Q
17/09/2019	94,0	247.800	26,73	SEBA KLL-Q
17/09/2019	96,0	247.600	26,75	SEBA KLL-Q
17/09/2019	98,0	245.100	26,77	SEBA KLL-Q
17/09/2019	100,0	244.600	26,86	SEBA KLL-Q
17/09/2019	102,0	243.400	26,90	SEBA KLL-Q
17/09/2019	104,0	242.800	26,93	SEBA KLL-Q
17/09/2019	106,0	242.200	26,96	SEBA KLL-Q
17/09/2019	108,0	241.400	27,02	SEBA KLL-Q
21/11/2019	1,5	4.117	25,72	SEBA KLL-Q (249)
21/11/2019	2,0	4.125	25,72	SEBA KLL-Q (249)
21/11/2019	2,5	4.126	25,73	SEBA KLL-Q (249)
21/11/2019	3,0	4.127	25,73	SEBA KLL-Q (249)
21/11/2019	4,0	4.128	25,73	SEBA KLL-Q (249)
21/11/2019	5,0	4.129	25,74	SEBA KLL-Q (249)
21/11/2019	6,0	4.125	25,74	SEBA KLL-Q (249)
21/11/2019	8,0	4.133	25,74	SEBA KLL-Q (249)
21/11/2019	10,0	4.134	25,74	SEBA KLL-Q (249)
21/11/2019	12,0	4.137	25,74	SEBA KLL-Q (249)
21/11/2019	14,0	4.139	25,74	SEBA KLL-Q (249)
21/11/2019	16,0	4.969	25,74	SEBA KLL-Q (249)
21/11/2019	18,0	5.325	25,74	SEBA KLL-Q (249)
21/11/2019	20,0	6.898	25,75	SEBA KLL-Q (249)
21/11/2019	22,0	7.278	25,75	SEBA KLL-Q (249)
21/11/2019	24,0	7.279	25,76	SEBA KLL-Q (249)
21/11/2019	26,0	7.280	25,76	SEBA KLL-Q (249)
21/11/2019	28,0	7.281	25,77	SEBA KLL-Q (249)
21/11/2019	30,0	9.171	25,78	SEBA KLL-Q (249)
21/11/2019	32,0	9.231	25,79	SEBA KLL-Q (249)
21/11/2019	34,0	9.665	25,81	SEBA KLL-Q (249)
21/11/2019	36,0	9.810	25,82	SEBA KLL-Q (249)
21/11/2019	38,0	10.470	25,84	SEBA KLL-Q (249)
21/11/2019	39,0	11.290	25,85	SEBA KLL-Q (249)
21/11/2019	40,0	12.290	25,86	SEBA KLL-Q (249)
21/11/2019	41,0	14.380	25,86	SEBA KLL-Q (249)
21/11/2019	42,0	14.850	25,88	SEBA KLL-Q (249)
21/11/2019	43,0	15.450	25,89	SEBA KLL-Q (249)
21/11/2019	44,0	16.360	25,90	SEBA KLL-Q (249)
21/11/2019	45,0	16.800	25,91	SEBA KLL-Q (249)
21/11/2019	46,0	18.020	25,92	SEBA KLL-Q (249)
21/11/2019	46,5	18.750	25,93	SEBA KLL-Q (249)
21/11/2019	47,0	20.440	25,93	SEBA KLL-Q (249)
21/11/2019	47,5	25.400	25,94	SEBA KLL-Q (249)
21/11/2019	48,0	34.060	25,95	SEBA KLL-Q (249)
21/11/2019	48,2	34.840	25,96	SEBA KLL-Q (249)
21/11/2019	48,4	35.280	25,96	SEBA KLL-Q (249)
21/11/2019	48,6	37.140	25,97	SEBA KLL-Q (249)
21/11/2019	48,8	40.890	25,97	SEBA KLL-Q (249)
21/11/2019	49,0	45.770	25,97	SEBA KLL-Q (249)
21/11/2019	49,2	50.040	25,97	SEBA KLL-Q (249)
21/11/2019	49,4	56.700	25,98	SEBA KLL-Q (249)
21/11/2019	49,6	65.550	25,98	SEBA KLL-Q (249)
21/11/2019	49,8	77.530	25,98	SEBA KLL-Q (249)
21/11/2019	50,0	86.820	25,99	SEBA KLL-Q (249)
21/11/2019	50,2	96.210	25,99	SEBA KLL-Q (249)
21/11/2019	50,4	103.500	25,99	SEBA KLL-Q (249)
21/11/2019	50,6	110.500	26,00	SEBA KLL-Q (249)
21/11/2019	50,8	119.400	26,00	SEBA KLL-Q (249)
21/11/2019	51,0	129.600	26,00	SEBA KLL-Q (249)
21/11/2019	51,2	139.000	26,00	SEBA KLL-Q (249)
21/11/2019	51,4	146.000	26,01	SEBA KLL-Q (249)
21/11/2019	51,6	152.900	26,01	SEBA KLL-Q (249)
21/11/2019	51,8	161.800	26,02	SEBA KLL-Q (249)
21/11/2019	52,0	172.100	26,01	SEBA KLL-Q (249)
21/11/2019	52,2	181.000	26,02	SEBA KLL-Q (249)
21/11/2019	52,4	187.900	26,02	SEBA KLL-Q (249)
21/11/2019	52,6	195.500	26,02	SEBA KLL-Q (249)
21/11/2019	52,8	199.000	26,02	SEBA KLL-Q (249)
21/11/2019	53,0	201.800	26,03	SEBA KLL-Q (249)
21/11/2019	53,2	206.700	26,03	SEBA KLL-Q (249)
21/11/2019	53,4	209.300	26,03	SEBA KLL-Q (249)
21/11/2019	53,6	213.100	26,04	SEBA KLL-Q (249)
21/11/2019	53,8	216.600	26,04	SEBA KLL-Q (249)
21/11/2019	54,0	219.900	26,05	SEBA KLL-Q (249)
21/11/2019	54,5	226.000	26,05	SEBA KLL-Q (249)
21/11/2019	55,0	230.200	26,06	SEBA KLL-Q (249)
21/11/2019	55,5	233.700	26,07	SEBA KLL-Q (249)
21/11/2019	56,0	236.000	26,08	SEBA KLL-Q (249)
21/11/2019	56,5	237.400	26,08	SEBA KLL-Q (249)



Anexo G: Posición de la Interfase Salina

MP-04C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/11/2019	57,0	238.800	26,08	SEBA KLL-Q (249)
21/11/2019	58,0	239.900	26,10	SEBA KLL-Q (249)
21/11/2019	59,0	240.600	26,13	SEBA KLL-Q (249)
21/11/2019	60,0	241.000	26,13	SEBA KLL-Q (249)
21/11/2019	62,0	241.800	26,17	SEBA KLL-Q (249)
21/11/2019	64,0	242.200	26,20	SEBA KLL-Q (249)
21/11/2019	66,0	242.200	26,22	SEBA KLL-Q (249)
21/11/2019	68,0	242.200	26,27	SEBA KLL-Q (249)
21/11/2019	70,0	242.200	26,32	SEBA KLL-Q (249)
21/11/2019	72,0	241.600	26,34	SEBA KLL-Q (249)
21/11/2019	74,0	240.400	26,46	SEBA KLL-Q (249)
21/11/2019	76,0	240.400	26,47	SEBA KLL-Q (249)
21/11/2019	78,0	240.400	26,50	SEBA KLL-Q (249)
21/11/2019	81,0	240.300	26,51	SEBA KLL-Q (249)
21/11/2019	84,0	240.400	26,53	SEBA KLL-Q (249)
21/11/2019	87,0	240.300	26,52	SEBA KLL-Q (249)
21/11/2019	90,0	240.200	26,66	SEBA KLL-Q (249)
21/11/2019	93,0	240.100	26,71	SEBA KLL-Q (249)
21/11/2019	96,0	240.000	26,75	SEBA KLL-Q (249)
21/11/2019	99,0	237.100	26,85	SEBA KLL-Q (249)
21/11/2019	102,0	236.700	26,85	SEBA KLL-Q (249)
21/11/2019	105,0	236.400	26,92	SEBA KLL-Q (249)
21/11/2019	108,0	235.800	27,00	SEBA KLL-Q (249)
21/11/2019	111,0	235.300	27,10	SEBA KLL-Q (249)
21/11/2019	114,0	235.200	27,12	SEBA KLL-Q (249)
21/11/2019	116,0	235.400	27,14	SEBA KLL-Q (249)

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2013	1,50	24.800	20,30	TLC-107 SONDA 1
22/10/2013	1,70	25.400	20,20	TLC-107 SONDA 1
22/10/2013	1,90	26.400	20,00	TLC-107 SONDA 1
22/10/2013	2,10	28.300	19,80	TLC-107 SONDA 1
22/10/2013	2,30	30.000	19,50	TLC-107 SONDA 1
22/10/2013	2,50	32.100	19,50	TLC-107 SONDA 1
22/10/2013	2,70	32.800	19,40	TLC-107 SONDA 1
22/10/2013	2,90	32.900	19,30	TLC-107 SONDA 1
22/10/2013	3,10	32.800	19,30	TLC-107 SONDA 1
22/10/2013	3,30	32.900	19,30	TLC-107 SONDA 1
22/10/2013	3,50	32.900	19,30	TLC-107 SONDA 1
22/10/2013	4,00	33.100	19,20	TLC-107 SONDA 1
22/10/2013	4,50	33.300	19,20	TLC-107 SONDA 1
22/10/2013	5,00	33.500	19,20	TLC-107 SONDA 1
22/10/2013	5,50	34.100	19,20	TLC-107 SONDA 1
22/10/2013	6,00	34.500	19,20	TLC-107 SONDA 1
22/10/2013	6,50	34.800	19,30	TLC-107 SONDA 1
22/10/2013	7,00	152.800	18,90	TLC-107 SONDA 1
22/10/2013	7,50	162.300	18,80	TLC-107 SONDA 1
22/10/2013	8,00	162.800	18,80	TLC-107 SONDA 1
22/10/2013	9,00	163.200	18,80	TLC-107 SONDA 1
22/10/2013	10,00	163.700	18,80	TLC-107 SONDA 1
22/10/2013	11,00	163.500	18,80	TLC-107 SONDA 1
22/10/2013	16,00	164.400	18,80	TLC-107 SONDA 1
22/10/2013	21,00	177.600	18,80	TLC-107 SONDA 1
22/10/2013	26,00	214.600	18,90	TLC-107 SONDA 1
22/10/2013	27,00	239.900	19,30	TLC-107 SONDA 1
22/10/2013	27,50	240.000	19,40	TLC-107 SONDA 1
22/10/2013	28,00	240.700	19,40	TLC-107 SONDA 1
22/10/2013	28,50	240.100	19,40	TLC-107 SONDA 1
22/10/2013	29,00	240.400	19,40	TLC-107 SONDA 1
22/10/2013	30,00	240.800	19,50	TLC-107 SONDA 1
22/10/2013	31,00	241.000	19,50	TLC-107 SONDA 1
22/10/2013	32,00	241.400	19,50	TLC-107 SONDA 1
22/10/2013	33,00	241.500	19,50	TLC-107 SONDA 1
22/10/2013	38,00	240.800	19,80	TLC-107 SONDA 1
22/10/2013	43,00	241.200	19,80	TLC-107 SONDA 1
22/10/2013	48,00	241.000	19,90	TLC-107 SONDA 1
22/10/2013	53,00	241.300	19,90	TLC-107 SONDA 1
22/10/2013	58,00	240.900	20,00	TLC-107 SONDA 1
22/10/2013	63,00	239.700	20,30	TLC-107 SONDA 1
22/10/2013	68,00	239.300	20,40	TLC-107 SONDA 1
22/10/2013	73,00	239.200	20,40	TLC-107 SONDA 1
22/10/2013	78,00	199.700	20,60	TLC-107 SONDA 1
22/10/2013	79,91	198.700	20,60	TLC-107 SONDA 1
19/11/2013	1,70	17.200	21,80	TLC-107 SONDA 1
19/11/2013	1,90	18.200	21,60	TLC-107 SONDA 1
19/11/2013	2,00	18.400	21,50	TLC-107 SONDA 1
19/11/2013	2,20	18.400	21,40	TLC-107 SONDA 1
19/11/2013	2,40	18.500	21,20	TLC-107 SONDA 1
19/11/2013	2,60	18.400	21,00	TLC-107 SONDA 1
19/11/2013	2,80	18.500	20,80	TLC-107 SONDA 1
19/11/2013	3,00	18.500	20,60	TLC-107 SONDA 1
19/11/2013	3,20	18.400	20,50	TLC-107 SONDA 1
19/11/2013	3,40	18.400	20,30	TLC-107 SONDA 1
19/11/2013	3,60	18.300	20,20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/11/2013	3,80	18.200	20,00	TLC-107 SONDA 1
19/11/2013	4,00	18.100	19,90	TLC-107 SONDA 1
19/11/2013	4,50	18.800	19,70	TLC-107 SONDA 1
19/11/2013	5,00	20.000	19,50	TLC-107 SONDA 1
19/11/2013	5,50	20.200	19,50	TLC-107 SONDA 1
19/11/2013	6,00	20.300	19,40	TLC-107 SONDA 1
19/11/2013	6,20	107.500	19,10	TLC-107 SONDA 1
19/11/2013	6,40	116.300	19,00	TLC-107 SONDA 1
19/11/2013	6,60	116.200	18,90	TLC-107 SONDA 1
19/11/2013	6,80	120.400	18,80	TLC-107 SONDA 1
19/11/2013	7,00	116.600	18,80	TLC-107 SONDA 1
19/11/2013	7,50	114.100	18,80	TLC-107 SONDA 1
19/11/2013	8,00	114.300	18,80	TLC-107 SONDA 1
19/11/2013	8,50	114.400	18,80	TLC-107 SONDA 1
19/11/2013	9,00	114.500	18,80	TLC-107 SONDA 1
19/11/2013	9,50	113.400	18,80	TLC-107 SONDA 1
19/11/2013	10,00	113.500	18,80	TLC-107 SONDA 1
19/11/2013	11,00	113.000	18,80	TLC-107 SONDA 1
19/11/2013	12,00	124.300	18,80	TLC-107 SONDA 1
19/11/2013	13,00	118.000	18,80	TLC-107 SONDA 1
19/11/2013	14,00	117.300	18,80	TLC-107 SONDA 1
19/11/2013	15,00	114.800	18,80	TLC-107 SONDA 1
19/11/2013	20,00	117.300	18,80	TLC-107 SONDA 1
19/11/2013	15,00	126.400	18,80	TLC-107 SONDA 1
19/11/2013	30,00	164.600	18,80	TLC-107 SONDA 1
19/11/2013	35,00	165.800	19,50	TLC-107 SONDA 1
19/11/2013	40,00	170.600	19,80	TLC-107 SONDA 1
19/11/2013	45,00	168.300	19,80	TLC-107 SONDA 1
19/11/2013	50,00	169.100	19,90	TLC-107 SONDA 1
19/11/2013	55,00	169.500	20,00	TLC-107 SONDA 1
19/11/2013	60,00	169.500	20,00	TLC-107 SONDA 1
19/11/2013	65,00	171.900	20,00	TLC-107 SONDA 1
19/11/2013	70,00	173.900	20,40	TLC-107 SONDA 1
19/11/2013	75,00	172.700	20,50	TLC-107 SONDA 1
19/11/2013	78,14	136.100	20,60	TLC-107 SONDA 1
17/12/2013	2,00	14.500	22,30	TLC-107 SONDA 1
17/12/2013	2,20	14.700	21,90	TLC-107 SONDA 1
17/12/2013	2,40	15.500	21,10	TLC-107 SONDA 1
17/12/2013	2,60	27.400	20,30	TLC-107 SONDA 1
17/12/2013	2,80	28.800	20,00	TLC-107 SONDA 1
17/12/2013	3,00	29.300	19,90	TLC-107 SONDA 1
17/12/2013	3,50	30.000	19,70	TLC-107 SONDA 1
17/12/2013	4,00	30.600	19,70	TLC-107 SONDA 1
17/12/2013	4,50	46.800	19,70	TLC-107 SONDA 1
17/12/2013	5,00	72.200	19,70	TLC-107 SONDA 1
17/12/2013	5,50	79.100	19,40	TLC-107 SONDA 1
17/12/2013	6,00	85.500	19,40	TLC-107 SONDA 1
17/12/2013	7,00	86.100	19,30	TLC-107 SONDA 1
17/12/2013	8,00	86.300	19,00	TLC-107 SONDA 1
17/12/2013	9,00	86.100	18,90	TLC-107 SONDA 1
17/12/2013	10,00	86.400	18,90	TLC-107 SONDA 1
17/12/2013	15,00	88.100	18,90	TLC-107 SONDA 1
17/12/2013	20,00	92.900	18,90	TLC-107 SONDA 1
17/12/2013	25,00	104.700	18,90	TLC-107 SONDA 1
17/12/2013	26,00	180.800	19,10	TLC-107 SONDA 1
17/12/2013	27,00	218.600	19,50	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/12/2013	28,00	222.100	19,70	TLC-107 SONDA 1
17/12/2013	29,00	221.400	19,70	TLC-107 SONDA 1
17/12/2013	30,00	221.600	19,80	TLC-107 SONDA 1
17/12/2013	35,00	222.400	19,90	TLC-107 SONDA 1
17/12/2013	40,00	223.200	20,00	TLC-107 SONDA 1
17/12/2013	45,00	223.600	20,20	TLC-107 SONDA 1
17/12/2013	50,00	222.200	20,20	TLC-107 SONDA 1
17/12/2013	55,00	225.000	20,20	TLC-107 SONDA 1
17/12/2013	56,00	224.300	20,20	TLC-107 SONDA 1
17/12/2013	57,00	225.700	20,30	TLC-107 SONDA 1
17/12/2013	58,00	225.800	20,30	TLC-107 SONDA 1
17/12/2013	59,00	225.100	20,30	TLC-107 SONDA 1
17/12/2013	60,00	224.400	20,30	TLC-107 SONDA 1
17/12/2013	61,00	226.600	20,30	TLC-107 SONDA 1
17/12/2013	62,00	225.800	20,30	TLC-107 SONDA 1
17/12/2013	63,00	225.300	20,40	TLC-107 SONDA 1
17/12/2013	64,00	228.100	20,40	TLC-107 SONDA 1
17/12/2013	65,00	229.000	20,50	TLC-107 SONDA 1
17/12/2013	66,00	230.000	20,50	TLC-107 SONDA 1
17/12/2013	67,00	232.000	20,50	TLC-107 SONDA 1
17/12/2013	68,00	232.300	20,60	TLC-107 SONDA 1
17/12/2013	69,00	233.600	20,60	TLC-107 SONDA 1
17/12/2013	70,00	235.100	20,60	TLC-107 SONDA 1
17/12/2013	75,00	235.300	20,70	TLC-107 SONDA 1
17/12/2013	76,00	234.600	20,70	TLC-107 SONDA 1
17/12/2013	77,00	236.300	20,80	TLC-107 SONDA 1
17/12/2013	78,00	117.500	20,80	TLC-107 SONDA 1
25/03/2014	1,80	54.900	18,80	TLC-107 SONDA 1
25/03/2014	2,00	60.200	18,80	TLC-107 SONDA 1
25/03/2014	2,50	64.500	18,90	TLC-107 SONDA 1
25/03/2014	3,00	64.800	18,90	TLC-107 SONDA 1
25/03/2014	4,00	65.600	18,90	TLC-107 SONDA 1
25/03/2014	5,00	66.100	18,90	TLC-107 SONDA 1
25/03/2014	6,00	67.100	18,90	TLC-107 SONDA 1
25/03/2014	8,00	67.900	18,90	TLC-107 SONDA 1
25/03/2014	10,00	68.700	18,90	TLC-107 SONDA 1
25/03/2014	12,00	69.300	18,90	TLC-107 SONDA 1
25/03/2014	14,00	73.500	18,90	TLC-107 SONDA 1
25/03/2014	15,00	71.800	18,90	TLC-107 SONDA 1
25/03/2014	16,00	71.900	18,90	TLC-107 SONDA 1
25/03/2014	18,00	75.900	18,90	TLC-107 SONDA 1
25/03/2014	20,00	75.900	18,90	TLC-107 SONDA 1
25/03/2014	22,00	75.300	18,90	TLC-107 SONDA 1
25/03/2014	24,00	78.200	18,90	TLC-107 SONDA 1
25/03/2014	25,00	80.500	18,90	TLC-107 SONDA 1
25/03/2014	25,20	82.100	18,90	TLC-107 SONDA 1
25/03/2014	25,40	83.200	18,90	TLC-107 SONDA 1
25/03/2014	25,60	89.000	18,90	TLC-107 SONDA 1
25/03/2014	25,80	115.700	18,90	TLC-107 SONDA 1
25/03/2014	26,00	119.400	19,00	TLC-107 SONDA 1
25/03/2014	26,20	126.200	19,00	TLC-107 SONDA 1
25/03/2014	26,40	125.800	19,10	TLC-107 SONDA 1
25/03/2014	26,60	136.400	19,30	TLC-107 SONDA 1
25/03/2014	26,80	139.700	19,40	TLC-107 SONDA 1
25/03/2014	27,00	139.100	19,40	TLC-107 SONDA 1
25/03/2014	27,20	135.500	19,50	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
25/03/2014	27,40	137.100	19,50	TLC-107 SONDA 1
25/03/2014	27,60	139.700	19,50	TLC-107 SONDA 1
25/03/2014	27,00	139.200	19,50	TLC-107 SONDA 1
25/03/2014	28,00	136.400	19,50	TLC-107 SONDA 1
25/03/2014	28,50	138.200	19,50	TLC-107 SONDA 1
25/03/2014	29,00	139.300	19,50	TLC-107 SONDA 1
25/03/2014	30,00	136.100	19,70	TLC-107 SONDA 1
25/03/2014	32,00	138.300	19,70	TLC-107 SONDA 1
25/03/2014	34,00	140.900	19,80	TLC-107 SONDA 1
25/03/2014	36,00	141.900	19,80	TLC-107 SONDA 1
25/03/2014	38,00	142.200	19,90	TLC-107 SONDA 1
25/03/2014	40,00	144.300	19,90	TLC-107 SONDA 1
25/03/2014	42,00	142.500	19,90	TLC-107 SONDA 1
25/03/2014	44,00	141.000	20,00	TLC-107 SONDA 1
25/03/2014	46,00	141.700	20,00	TLC-107 SONDA 1
25/03/2014	48,00	143.300	20,00	TLC-107 SONDA 1
25/03/2014	50,00	142.500	20,00	TLC-107 SONDA 1
25/03/2014	55,00	146.800	20,00	TLC-107 SONDA 1
25/03/2014	60,00	149.900	20,20	TLC-107 SONDA 1
25/03/2014	65,00	148.900	20,30	TLC-107 SONDA 1
25/03/2014	70,00	149.100	20,40	TLC-107 SONDA 1
25/03/2014	75,00	148.500	20,60	TLC-107 SONDA 1
25/03/2014	75,80	201.600	20,60	TLC-107 SONDA 1
19/04/2014	1,60	135.100	18,60	TLC-107 SONDA 1
19/04/2014	1,80	134.700	18,90	TLC-107 SONDA 1
19/04/2014	2,00	134.200	18,90	TLC-107 SONDA 1
19/04/2014	2,20	134.000	18,90	TLC-107 SONDA 1
19/04/2014	2,40	132.000	18,90	TLC-107 SONDA 1
19/04/2014	2,60	133.400	18,90	TLC-107 SONDA 1
19/04/2014	2,80	133.300	18,90	TLC-107 SONDA 1
19/04/2014	3,00	132.900	18,90	TLC-107 SONDA 1
19/04/2014	3,50	132.400	18,90	TLC-107 SONDA 1
19/04/2014	4,00	132.200	18,90	TLC-107 SONDA 1
19/04/2014	5,00	131.800	18,90	TLC-107 SONDA 1
19/04/2014	6,00	131.400	18,90	TLC-107 SONDA 1
19/04/2014	7,00	131.400	18,90	TLC-107 SONDA 1
19/04/2014	8,00	130.900	18,90	TLC-107 SONDA 1
19/04/2014	10,00	130.700	18,90	TLC-107 SONDA 1
19/04/2014	12,00	130.500	18,90	TLC-107 SONDA 1
19/04/2014	14,00	129.900	18,90	TLC-107 SONDA 1
19/04/2014	16,00	129.400	18,90	TLC-107 SONDA 1
19/04/2014	18,00	129.100	18,90	TLC-107 SONDA 1
19/04/2014	20,00	129.500	18,90	TLC-107 SONDA 1
19/04/2014	22,00	130.000	18,90	TLC-107 SONDA 1
19/04/2014	24,00	135.100	18,90	TLC-107 SONDA 1
19/04/2014	25,00	139.300	18,90	TLC-107 SONDA 1
19/04/2014	25,50	143.900	18,90	TLC-107 SONDA 1
19/04/2014	25,60	157.800	18,90	TLC-107 SONDA 1
19/04/2014	25,80	190.900	18,90	TLC-107 SONDA 1
19/04/2014	26,00	200.600	18,90	TLC-107 SONDA 1
19/04/2014	26,20	213.500	19,00	TLC-107 SONDA 1
19/04/2014	26,40	215.500	19,00	TLC-107 SONDA 1
19/04/2014	26,60	233.900	19,20	TLC-107 SONDA 1
19/04/2014	26,80	239.200	19,40	TLC-107 SONDA 1
19/04/2014	27,00	243.000	19,40	TLC-107 SONDA 1
19/04/2014	27,20	239.500	19,40	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/04/2014	27,40	242.400	19,50	TLC-107 SONDA 1
19/04/2014	27,60	245.900	19,50	TLC-107 SONDA 1
19/04/2014	27,80	249.600	19,50	TLC-107 SONDA 1
19/04/2014	28,00	243.100	19,50	TLC-107 SONDA 1
19/04/2014	28,50	241.100	19,50	TLC-107 SONDA 1
19/04/2014	29,00	247.000	19,50	TLC-107 SONDA 1
19/04/2014	29,50	248.100	19,50	TLC-107 SONDA 1
19/04/2014	30,00	249.500	19,70	TLC-107 SONDA 1
19/04/2014	31,00	244.100	19,70	TLC-107 SONDA 1
19/04/2014	32,00	246.100	19,80	TLC-107 SONDA 1
19/04/2014	33,00	250.600	19,80	TLC-107 SONDA 1
19/04/2014	34,00	241.300	19,80	TLC-107 SONDA 1
19/04/2014	36,00	253.100	19,80	TLC-107 SONDA 1
19/04/2014	38,00	252.400	19,80	TLC-107 SONDA 1
19/04/2014	40,00	256.300	19,80	TLC-107 SONDA 1
19/04/2014	42,00	257.100	19,90	TLC-107 SONDA 1
19/04/2014	44,00	258.700	19,90	TLC-107 SONDA 1
19/04/2014	46,00	260.600	20,00	TLC-107 SONDA 1
19/04/2014	48,00	263.300	20,00	TLC-107 SONDA 1
19/04/2014	50,00	269.200	20,00	TLC-107 SONDA 1
19/04/2014	52,00	270.900	20,00	TLC-107 SONDA 1
19/04/2014	54,00	271.700	20,00	TLC-107 SONDA 1
19/04/2014	56,00	274.100	20,00	TLC-107 SONDA 1
19/04/2014	58,00	273.300	20,20	TLC-107 SONDA 1
19/04/2014	60,00	275.000	20,20	TLC-107 SONDA 1
19/04/2014	62,00	277.100	20,20	TLC-107 SONDA 1
19/04/2014	64,00	279.900	20,30	TLC-107 SONDA 1
19/04/2014	66,00	283.900	20,30	TLC-107 SONDA 1
19/04/2014	68,00	284.100	20,40	TLC-107 SONDA 1
19/04/2014	70,00	284.100	20,40	TLC-107 SONDA 1
19/04/2014	72,00	287.100	20,50	TLC-107 SONDA 1
19/04/2014	74,00	287.100	20,50	TLC-107 SONDA 1
19/04/2014	76,00	292.500	20,60	TLC-107 SONDA 1
19/04/2014	77,60	203.200	20,60	TLC-107 SONDA 1
14/05/2014	1,50	129.600	19,40	TLC-107 SONDA 1
14/05/2014	1,70	133.600	18,90	TLC-107 SONDA 1
14/05/2014	2,00	134.000	18,90	TLC-107 SONDA 1
14/05/2014	2,50	134.500	18,90	TLC-107 SONDA 1
14/05/2014	3,00	134.500	18,90	TLC-107 SONDA 1
14/05/2014	4,00	137.200	18,90	TLC-107 SONDA 1
14/05/2014	5,00	144.500	18,90	TLC-107 SONDA 1
14/05/2014	7,00	146.500	18,90	TLC-107 SONDA 1
14/05/2014	9,00	146.800	18,90	TLC-107 SONDA 1
14/05/2014	11,00	148.100	18,90	TLC-107 SONDA 1
14/05/2014	13,00	150.100	18,90	TLC-107 SONDA 1
14/05/2014	15,00	150.900	18,90	TLC-107 SONDA 1
14/05/2014	17,00	152.300	18,90	TLC-107 SONDA 1
14/05/2014	19,00	153.500	18,90	TLC-107 SONDA 1
14/05/2014	21,00	158.300	18,90	TLC-107 SONDA 1
14/05/2014	23,00	164.900	18,90	TLC-107 SONDA 1
14/05/2014	25,00	174.200	18,90	TLC-107 SONDA 1
14/05/2014	25,20	176.000	18,90	TLC-107 SONDA 1
14/05/2014	25,40	178.300	18,90	TLC-107 SONDA 1
14/05/2014	25,60	189.700	18,90	TLC-107 SONDA 1
14/05/2014	25,80	231.100	18,90	TLC-107 SONDA 1
14/05/2014	26,00	238.700	19,00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/05/2014	26,20	244.700	19,00	TLC-107 SONDA 1
14/05/2014	26,40	247.900	19,00	TLC-107 SONDA 1
14/05/2014	26,60	270.700	19,30	TLC-107 SONDA 1
14/05/2014	26,80	270.300	19,40	TLC-107 SONDA 1
14/05/2014	27,00	269.700	19,40	TLC-107 SONDA 1
14/05/2014	27,50	263.900	19,50	TLC-107 SONDA 1
14/05/2014	28,00	251.200	19,50	TLC-107 SONDA 1
14/05/2014	29,00	248.300	19,50	TLC-107 SONDA 1
14/05/2014	30,00	243.800	19,70	TLC-107 SONDA 1
14/05/2014	31,00	243.300	19,70	TLC-107 SONDA 1
14/05/2014	32,00	241.200	19,70	TLC-107 SONDA 1
14/05/2014	34,00	241.000	19,80	TLC-107 SONDA 1
14/05/2014	36,00	238.800	19,80	TLC-107 SONDA 1
14/05/2014	38,00	236.800	19,80	TLC-107 SONDA 1
14/05/2014	40,00	236.400	19,90	TLC-107 SONDA 1
14/05/2014	42,00	236.500	19,90	TLC-107 SONDA 1
14/05/2014	44,00	236.400	20,00	TLC-107 SONDA 1
14/05/2014	46,00	234.900	20,00	TLC-107 SONDA 1
14/05/2014	48,00	232.100	20,00	TLC-107 SONDA 1
14/05/2014	50,00	230.500	20,00	TLC-107 SONDA 1
14/05/2014	52,00	229.600	20,00	TLC-107 SONDA 1
14/05/2014	54,00	229.600	20,00	TLC-107 SONDA 1
14/05/2014	56,00	230.300	20,00	TLC-107 SONDA 1
14/05/2014	58,00	232.100	20,20	TLC-107 SONDA 1
14/05/2014	60,00	232.400	20,20	TLC-107 SONDA 1
14/05/2014	62,00	232.800	20,20	TLC-107 SONDA 1
14/05/2014	64,00	232.500	20,30	TLC-107 SONDA 1
14/05/2014	66,00	232.500	20,30	TLC-107 SONDA 1
14/05/2014	68,00	232.100	20,50	TLC-107 SONDA 1
14/05/2014	70,00	231.500	20,50	TLC-107 SONDA 1
14/05/2014	72,00	232.500	20,50	TLC-107 SONDA 1
14/05/2014	74,00	232.200	20,50	TLC-107 SONDA 1
14/05/2014	76,00	240.100	20,60	TLC-107 SONDA 1
14/05/2014	77,90	202.300	20,60	TLC-107 SONDA 1
15/06/2014	1,50	89.300	18,80	TLC-107 SONDA 1
15/06/2014	1,70	89.600	18,90	TLC-107 SONDA 1
15/06/2014	1,90	90.100	18,90	TLC-107 SONDA 1
15/06/2014	2,10	89.900	18,90	TLC-107 SONDA 1
15/06/2014	2,30	90.000	18,90	TLC-107 SONDA 1
15/06/2014	2,50	90.100	18,90	TLC-107 SONDA 1
15/06/2014	3,00	90.300	18,90	TLC-107 SONDA 1
15/06/2014	4,00	90.500	18,90	TLC-107 SONDA 1
15/06/2014	5,00	90.900	18,90	TLC-107 SONDA 1
15/06/2014	7,00	91.000	18,90	TLC-107 SONDA 1
15/06/2014	9,00	91.100	18,90	TLC-107 SONDA 1
15/06/2014	11,00	91.200	18,90	TLC-107 SONDA 1
15/06/2014	13,00	91.600	18,90	TLC-107 SONDA 1
15/06/2014	15,00	92.800	18,90	TLC-107 SONDA 1
15/06/2014	17,00	94.500	18,90	TLC-107 SONDA 1
15/06/2014	19,00	96.300	18,90	TLC-107 SONDA 1
15/06/2014	21,00	98.100	18,90	TLC-107 SONDA 1
15/06/2014	23,00	102.300	18,90	TLC-107 SONDA 1
15/06/2014	24,00	109.800	18,90	TLC-107 SONDA 1
15/06/2014	24,50	111.200	18,90	TLC-107 SONDA 1
15/06/2014	25,00	112.900	18,90	TLC-107 SONDA 1
15/06/2014	25,20	117.600	18,90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
15/06/2014	25,40	121.400	18,90	TLC-107 SONDA 1
15/06/2014	25,60	129.100	18,90	TLC-107 SONDA 1
15/06/2014	25,80	153.400	18,90	TLC-107 SONDA 1
15/06/2014	26,00	160.100	19,00	TLC-107 SONDA 1
15/06/2014	26,20	164.400	19,00	TLC-107 SONDA 1
15/06/2014	26,40	169.200	19,00	TLC-107 SONDA 1
15/06/2014	26,60	183.000	19,30	TLC-107 SONDA 1
15/06/2014	26,80	183.300	19,40	TLC-107 SONDA 1
15/06/2014	27,00	183.600	19,40	TLC-107 SONDA 1
15/06/2014	27,50	184.100	19,50	TLC-107 SONDA 1
15/06/2014	28,00	184.000	19,50	TLC-107 SONDA 1
15/06/2014	29,00	182.800	19,50	TLC-107 SONDA 1
15/06/2014	30,00	182.000	19,70	TLC-107 SONDA 1
15/06/2014	31,00	181.800	19,70	TLC-107 SONDA 1
15/06/2014	32,00	182.300	19,70	TLC-107 SONDA 1
15/06/2014	33,00	182.000	19,70	TLC-107 SONDA 1
15/06/2014	34,00	182.700	19,80	TLC-107 SONDA 1
15/06/2014	35,00	183.600	19,80	TLC-107 SONDA 1
15/06/2014	37,00	184.200	19,80	TLC-107 SONDA 1
15/06/2014	39,00	184.800	19,80	TLC-107 SONDA 1
15/06/2014	41,00	185.500	19,80	TLC-107 SONDA 1
15/06/2014	43,00	186.200	19,90	TLC-107 SONDA 1
15/06/2014	45,00	185.900	19,90	TLC-107 SONDA 1
15/06/2014	47,00	186.600	20,00	TLC-107 SONDA 1
15/06/2014	49,00	187.300	20,10	TLC-107 SONDA 1
15/06/2014	51,00	188.200	20,00	TLC-107 SONDA 1
15/06/2014	53,00	189.200	20,00	TLC-107 SONDA 1
15/06/2014	55,00	189.900	20,00	TLC-107 SONDA 1
15/06/2014	58,00	190.400	20,20	TLC-107 SONDA 1
15/06/2014	61,00	191.800	20,20	TLC-107 SONDA 1
15/06/2014	64,00	192.600	20,30	TLC-107 SONDA 1
15/06/2014	67,00	194.500	20,40	TLC-107 SONDA 1
15/06/2014	70,00	195.200	20,40	TLC-107 SONDA 1
15/06/2014	73,00	195.900	20,50	TLC-107 SONDA 1
15/06/2014	74,00	218.500	20,50	TLC-107 SONDA 1
15/06/2014	75,00	219.300	20,50	TLC-107 SONDA 1
15/06/2014	76,00	221.300	20,50	TLC-107 SONDA 1
15/06/2014	78,00	167.800	20,50	TLC-107 SONDA 1
16/07/2014	1,30	58.700	19,20	TLC-107 SONDA 1
16/07/2014	2,00	59.500	19,00	TLC-107 SONDA 1
16/07/2014	3,00	59.800	18,90	TLC-107 SONDA 1
16/07/2014	5,00	60.600	18,90	TLC-107 SONDA 1
16/07/2014	7,00	61.400	18,90	TLC-107 SONDA 1
16/07/2014	9,00	61.700	18,90	TLC-107 SONDA 1
16/07/2014	11,00	61.900	18,90	TLC-107 SONDA 1
16/07/2014	13,00	62.200	18,90	TLC-107 SONDA 1
16/07/2014	15,00	62.600	18,90	TLC-107 SONDA 1
16/07/2014	17,00	62.800	18,90	TLC-107 SONDA 1
16/07/2014	19,00	62.900	18,90	TLC-107 SONDA 1
16/07/2014	21,00	63.300	18,90	TLC-107 SONDA 1
16/07/2014	23,00	65.500	18,90	TLC-107 SONDA 1
16/07/2014	25,00	71.500	18,90	TLC-107 SONDA 1
16/07/2014	26,00	100.700	18,90	TLC-107 SONDA 1
16/07/2014	26,50	105.300	19,00	TLC-107 SONDA 1
16/07/2014	27,00	119.800	19,30	TLC-107 SONDA 1
16/07/2014	27,50	119.400	19,40	TLC-107 SONDA 1



Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/07/2014	28,00	119.300	19,40	TLC-107 SONDA 1
16/07/2014	29,00	118.000	19,50	TLC-107 SONDA 1
16/07/2014	29,50	117.800	19,50	TLC-107 SONDA 1
16/07/2014	30,00	117.200	19,70	TLC-107 SONDA 1
16/07/2014	31,00	117.800	19,70	TLC-107 SONDA 1
16/07/2014	32,00	117.600	19,70	TLC-107 SONDA 1
16/07/2014	34,00	118.000	19,70	TLC-107 SONDA 1
16/07/2014	35,00	118.100	19,70	TLC-107 SONDA 1
16/07/2014	37,00	118.100	19,80	TLC-107 SONDA 1
16/07/2014	39,00	118.500	19,80	TLC-107 SONDA 1
16/07/2014	41,00	118.700	19,80	TLC-107 SONDA 1
16/07/2014	43,00	119.300	19,90	TLC-107 SONDA 1
16/07/2014	45,00	119.600	19,90	TLC-107 SONDA 1
16/07/2014	48,00	120.100	19,90	TLC-107 SONDA 1
16/07/2014	50,00	120.500	19,90	TLC-107 SONDA 1
16/07/2014	52,00	120.800	20,00	TLC-107 SONDA 1
16/07/2014	55,00	121.900	20,00	TLC-107 SONDA 1
16/07/2014	57,00	122.500	20,00	TLC-107 SONDA 1
16/07/2014	59,00	123.400	20,00	TLC-107 SONDA 1
16/07/2014	61,00	124.300	20,20	TLC-107 SONDA 1
16/07/2014	63,00	124.700	20,00	TLC-107 SONDA 1
16/07/2014	65,00	125.600	20,20	TLC-107 SONDA 1
16/07/2014	67,00	126.200	20,30	TLC-107 SONDA 1
16/07/2014	69,00	126.800	20,30	TLC-107 SONDA 1
16/07/2014	71,00	127.600	20,30	TLC-107 SONDA 1
16/07/2014	72,00	128.100	20,40	TLC-107 SONDA 1
16/07/2014	74,00	128.400	20,50	TLC-107 SONDA 1
16/07/2014	75,00	129.000	20,50	TLC-107 SONDA 1
16/07/2014	76,00	133.300	20,50	TLC-107 SONDA 1
16/07/2014	77,00	131.400	20,50	TLC-107 SONDA 1
16/07/2014	77,63	116.000	20,50	TLC-107 SONDA 1
19/08/2014	1,20	88.100	19,00	TLC-107 SONDA 1
19/08/2014	2,00	88.400	19,00	TLC-107 SONDA 1
19/08/2014	3,00	88.700	18,90	TLC-107 SONDA 1
19/08/2014	4,00	88.700	18,90	TLC-107 SONDA 1
19/08/2014	5,00	88.800	18,80	TLC-107 SONDA 1
19/08/2014	6,00	88.900	18,90	TLC-107 SONDA 1
19/08/2014	7,00	88.800	18,90	TLC-107 SONDA 1
19/08/2014	8,00	88.900	18,90	TLC-107 SONDA 1
19/08/2014	9,00	89.000	18,90	TLC-107 SONDA 1
19/08/2014	10,00	89.000	18,90	TLC-107 SONDA 1
19/08/2014	11,00	89.500	18,90	TLC-107 SONDA 1
19/08/2014	12,00	89.800	18,90	TLC-107 SONDA 1
19/08/2014	13,00	89.900	18,90	TLC-107 SONDA 1
19/08/2014	14,00	90.200	18,90	TLC-107 SONDA 1
19/08/2014	15,00	90.200	18,90	TLC-107 SONDA 1
19/08/2014	16,00	90.200	18,90	TLC-107 SONDA 1
19/08/2014	17,00	90.400	18,90	TLC-107 SONDA 1
19/08/2014	18,00	90.700	18,90	TLC-107 SONDA 1
19/08/2014	19,00	90.900	18,90	TLC-107 SONDA 1
19/08/2014	20,00	90.700	18,90	TLC-107 SONDA 1
19/08/2014	21,00	91.200	18,90	TLC-107 SONDA 1
19/08/2014	22,00	91.700	18,90	TLC-107 SONDA 1
19/08/2014	23,00	95.100	18,90	TLC-107 SONDA 1
19/08/2014	24,00	100.600	18,90	TLC-107 SONDA 1
19/08/2014	24,50	102.500	18,90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/08/2014	25,00	106.100	18,90	TLC-107 SONDA 1
19/08/2014	25,50	114.700	18,90	TLC-107 SONDA 1
19/08/2014	26,00	146.800	18,90	TLC-107 SONDA 1
19/08/2014	26,50	161.500	19,00	TLC-107 SONDA 1
19/08/2014	27,00	185.700	19,30	TLC-107 SONDA 1
19/08/2014	27,50	186.800	19,30	TLC-107 SONDA 1
19/08/2014	28,00	188.400	19,40	TLC-107 SONDA 1
19/08/2014	28,50	188.000	19,40	TLC-107 SONDA 1
19/08/2014	29,00	186.900	19,50	TLC-107 SONDA 1
19/08/2014	29,50	187.300	19,50	TLC-107 SONDA 1
19/08/2014	30,00	187.800	19,70	TLC-107 SONDA 1
19/08/2014	31,00	186.900	19,70	TLC-107 SONDA 1
19/08/2014	32,00	186.400	19,70	TLC-107 SONDA 1
19/08/2014	33,00	186.400	19,70	TLC-107 SONDA 1
19/08/2014	34,00	186.800	19,70	TLC-107 SONDA 1
19/08/2014	35,00	187.900	19,70	TLC-107 SONDA 1
19/08/2014	36,00	187.300	19,70	TLC-107 SONDA 1
19/08/2014	37,00	187.300	19,70	TLC-107 SONDA 1
19/08/2014	38,00	187.300	19,70	TLC-107 SONDA 1
19/08/2014	39,00	186.800	19,70	TLC-107 SONDA 1
19/08/2014	40,00	187.500	19,70	TLC-107 SONDA 1
19/08/2014	42,00	187.000	19,80	TLC-107 SONDA 1
19/08/2014	44,00	186.700	19,90	TLC-107 SONDA 1
19/08/2014	46,00	186.900	19,90	TLC-107 SONDA 1
19/08/2014	48,00	187.200	19,90	TLC-107 SONDA 1
19/08/2014	50,00	187.400	19,90	TLC-107 SONDA 1
19/08/2014	52,00	187.100	20,00	TLC-107 SONDA 1
19/08/2014	54,00	187.800	20,00	TLC-107 SONDA 1
19/08/2014	56,00	187.100	20,00	TLC-107 SONDA 1
19/08/2014	58,00	187.800	20,00	TLC-107 SONDA 1
19/08/2014	60,00	187.600	20,00	TLC-107 SONDA 1
19/08/2014	62,00	187.800	20,00	TLC-107 SONDA 1
19/08/2014	64,00	188.000	20,00	TLC-107 SONDA 1
19/08/2014	66,00	187.300	20,20	TLC-107 SONDA 1
19/08/2014	68,00	187.200	20,30	TLC-107 SONDA 1
19/08/2014	70,00	188.300	20,30	TLC-107 SONDA 1
19/08/2014	72,00	188.600	20,40	TLC-107 SONDA 1
19/08/2014	74,00	188.100	20,40	TLC-107 SONDA 1
19/08/2014	76,80	122.200	20,50	TLC-107 SONDA 1
02/09/2014	1,10	53.200	19,50	TLC-107 SONDA 1
02/09/2014	2,00	53.300	19,00	TLC-107 SONDA 1
02/09/2014	4,00	53.800	19,00	TLC-107 SONDA 1
02/09/2014	6,00	53.900	19,00	TLC-107 SONDA 1
02/09/2014	8,00	54.200	18,90	TLC-107 SONDA 1
02/09/2014	10,00	54.200	18,90	TLC-107 SONDA 1
02/09/2014	12,00	54.300	18,90	TLC-107 SONDA 1
02/09/2014	14,00	54.400	18,90	TLC-107 SONDA 1
02/09/2014	16,00	54.400	18,90	TLC-107 SONDA 1
02/09/2014	18,00	54.400	18,90	TLC-107 SONDA 1
02/09/2014	20,00	54.700	18,90	TLC-107 SONDA 1
02/09/2014	22,00	55.400	18,90	TLC-107 SONDA 1
02/09/2014	23,00	57.000	18,90	TLC-107 SONDA 1
02/09/2014	24,00	60.200	18,90	TLC-107 SONDA 1
02/09/2014	25,00	63.300	18,90	TLC-107 SONDA 1
02/09/2014	25,50	74.600	18,90	TLC-107 SONDA 1
02/09/2014	25,70	84.500	18,90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/09/2014	25,90	86.000	18,90	TLC-107 SONDA 1
02/09/2014	26,10	87.800	18,90	TLC-107 SONDA 1
02/09/2014	26,30	91.500	18,90	TLC-107 SONDA 1
02/09/2014	26,50	94.600	19,00	TLC-107 SONDA 1
02/09/2014	26,70	105.200	19,30	TLC-107 SONDA 1
02/09/2014	26,90	105.900	19,30	TLC-107 SONDA 1
02/09/2014	27,10	107.600	19,30	TLC-107 SONDA 1
02/09/2014	27,30	110.400	19,40	TLC-107 SONDA 1
02/09/2014	27,50	113.100	19,40	TLC-107 SONDA 1
02/09/2014	27,70	113.900	19,40	TLC-107 SONDA 1
02/09/2014	27,90	113.700	19,40	TLC-107 SONDA 1
02/09/2014	28,10	114.300	19,40	TLC-107 SONDA 1
02/09/2014	28,30	115.600	19,40	TLC-107 SONDA 1
02/09/2014	28,50	116.100	19,50	TLC-107 SONDA 1
02/09/2014	28,70	116.100	19,50	TLC-107 SONDA 1
02/09/2014	28,90	116.400	19,50	TLC-107 SONDA 1
02/09/2014	29,10	117.000	19,50	TLC-107 SONDA 1
02/09/2014	29,30	117.100	19,50	TLC-107 SONDA 1
02/09/2014	29,50	118.700	19,50	TLC-107 SONDA 1
02/09/2014	29,70	119.200	19,50	TLC-107 SONDA 1
02/09/2014	29,90	119.700	19,50	TLC-107 SONDA 1
02/09/2014	30,10	119.100	19,70	TLC-107 SONDA 1
02/09/2014	30,30	119.100	19,70	TLC-107 SONDA 1
02/09/2014	30,50	119.800	19,70	TLC-107 SONDA 1
02/09/2014	30,70	120.500	19,70	TLC-107 SONDA 1
02/09/2014	30,90	121.400	19,70	TLC-107 SONDA 1
02/09/2014	31,10	121.700	19,70	TLC-107 SONDA 1
02/09/2014	31,30	118.400	19,70	TLC-107 SONDA 1
02/09/2014	31,50	118.400	19,70	TLC-107 SONDA 1
02/09/2014	32,00	119.400	19,70	TLC-107 SONDA 1
02/09/2014	33,00	119.100	19,70	TLC-107 SONDA 1
02/09/2014	34,00	119.000	19,70	TLC-107 SONDA 1
02/09/2014	35,00	123.700	19,70	TLC-107 SONDA 1
02/09/2014	37,00	120.000	19,70	TLC-107 SONDA 1
02/09/2014	39,00	128.500	19,70	TLC-107 SONDA 1
02/09/2014	40,00	123.000	19,70	TLC-107 SONDA 1
02/09/2014	42,00	128.400	19,80	TLC-107 SONDA 1
02/09/2014	43,00	126.000	19,80	TLC-107 SONDA 1
02/09/2014	45,00	131.000	19,90	TLC-107 SONDA 1
02/09/2014	47,00	131.900	19,90	TLC-107 SONDA 1
02/09/2014	49,00	132.400	19,90	TLC-107 SONDA 1
02/09/2014	51,00	131.600	20,00	TLC-107 SONDA 1
02/09/2014	53,00	131.600	20,00	TLC-107 SONDA 1
02/09/2014	55,00	131.300	20,00	TLC-107 SONDA 1
02/09/2014	57,00	128.000	20,00	TLC-107 SONDA 1
02/09/2014	59,00	127.800	20,00	TLC-107 SONDA 1
02/09/2014	61,00	129.700	20,00	TLC-107 SONDA 1
02/09/2014	63,00	131.300	20,00	TLC-107 SONDA 1
02/09/2014	65,00	131.200	20,20	TLC-107 SONDA 1
02/09/2014	67,00	131.200	20,20	TLC-107 SONDA 1
02/09/2014	69,00	131.200	20,30	TLC-107 SONDA 1
02/09/2014	71,00	132.200	20,30	TLC-107 SONDA 1
02/09/2014	73,00	132.300	20,40	TLC-107 SONDA 1
02/09/2014	75,00	133.900	20,40	TLC-107 SONDA 1
02/09/2014	77,00	162.100	20,40	TLC-107 SONDA 1
07/10/2014	1,10	63.000	17,90	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/10/2014	1,50	66.600	18,80	TLC-107 SONDA 1
07/10/2014	2,00	67.100	18,80	TLC-107 SONDA 1
07/10/2014	3,00	67.200	18,90	TLC-107 SONDA 1
07/10/2014	4,00	67.400	18,90	TLC-107 SONDA 1
07/10/2014	5,00	67.500	18,90	TLC-107 SONDA 1
07/10/2014	6,00	67.600	18,90	TLC-107 SONDA 1
07/10/2014	8,00	67.800	18,90	TLC-107 SONDA 1
07/10/2014	10,00	67.900	18,90	TLC-107 SONDA 1
07/10/2014	12,00	68.100	18,90	TLC-107 SONDA 1
07/10/2014	14,00	68.300	18,90	TLC-107 SONDA 1
07/10/2014	16,00	68.500	18,90	TLC-107 SONDA 1
07/10/2014	18,00	68.800	18,90	TLC-107 SONDA 1
07/10/2014	20,00	68.900	18,90	TLC-107 SONDA 1
07/10/2014	21,00	71.700	18,90	TLC-107 SONDA 1
07/10/2014	22,00	72.400	18,90	TLC-107 SONDA 1
07/10/2014	23,00	75.500	18,90	TLC-107 SONDA 1
07/10/2014	24,00	80.100	18,90	TLC-107 SONDA 1
07/10/2014	25,00	85.600	18,90	TLC-107 SONDA 1
07/10/2014	25,50	99.900	18,90	TLC-107 SONDA 1
07/10/2014	25,70	110.800	18,90	TLC-107 SONDA 1
07/10/2014	25,90	117.900	18,80	TLC-107 SONDA 1
07/10/2014	26,00	119.800	18,90	TLC-107 SONDA 1
07/10/2014	26,20	125.800	18,90	TLC-107 SONDA 1
07/10/2014	26,40	127.600	18,90	TLC-107 SONDA 1
07/10/2014	26,60	135.700	19,10	TLC-107 SONDA 1
07/10/2014	26,80	148.500	19,30	TLC-107 SONDA 1
07/10/2014	27,00	149.200	19,30	TLC-107 SONDA 1
07/10/2014	27,20	149.200	19,30	TLC-107 SONDA 1
07/10/2014	27,40	149.900	19,30	TLC-107 SONDA 1
07/10/2014	27,60	149.600	19,40	TLC-107 SONDA 1
07/10/2014	27,80	150.900	19,40	TLC-107 SONDA 1
07/10/2014	28,00	151.200	19,40	TLC-107 SONDA 1
07/10/2014	28,20	150.900	19,40	TLC-107 SONDA 1
07/10/2014	28,40	151.200	19,40	TLC-107 SONDA 1
07/10/2014	28,60	151.100	19,40	TLC-107 SONDA 1
07/10/2014	28,80	151.000	19,40	TLC-107 SONDA 1
07/10/2014	29,00	151.500	19,40	TLC-107 SONDA 1
07/10/2014	29,20	151.400	19,40	TLC-107 SONDA 1
07/10/2014	29,40	152.100	19,40	TLC-107 SONDA 1
07/10/2014	29,60	151.400	19,50	TLC-107 SONDA 1
07/10/2014	29,80	151.800	19,50	TLC-107 SONDA 1
07/10/2014	30,00	151.600	19,50	TLC-107 SONDA 1
07/10/2014	30,50	151.800	19,50	TLC-107 SONDA 1
07/10/2014	31,00	151.800	19,70	TLC-107 SONDA 1
07/10/2014	31,50	152.300	19,70	TLC-107 SONDA 1
07/10/2014	32,00	152.900	19,70	TLC-107 SONDA 1
07/10/2014	32,50	153.100	19,70	TLC-107 SONDA 1
07/10/2014	33,00	152.900	19,70	TLC-107 SONDA 1
07/10/2014	34,00	153.200	19,70	TLC-107 SONDA 1
07/10/2014	35,00	154.300	19,70	TLC-107 SONDA 1
07/10/2014	36,00	155.300	19,70	TLC-107 SONDA 1
07/10/2014	37,00	155.200	19,70	TLC-107 SONDA 1
07/10/2014	38,00	155.300	19,70	TLC-107 SONDA 1
07/10/2014	39,00	156.300	19,70	TLC-107 SONDA 1
07/10/2014	40,00	157.000	19,70	TLC-107 SONDA 1
07/10/2014	41,00	157.900	19,70	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/10/2014	42,00	159.000	19,80	TLC-107 SONDA 1
07/10/2014	43,00	159.600	19,80	TLC-107 SONDA 1
07/10/2014	44,00	159.400	19,80	TLC-107 SONDA 1
07/10/2014	45,00	160.200	19,90	TLC-107 SONDA 1
07/10/2014	46,00	160.600	19,90	TLC-107 SONDA 1
07/10/2014	47,00	161.800	19,90	TLC-107 SONDA 1
07/10/2014	48,00	162.500	19,90	TLC-107 SONDA 1
07/10/2014	49,00	162.700	19,90	TLC-107 SONDA 1
07/10/2014	50,00	163.400	19,90	TLC-107 SONDA 1
07/10/2014	51,00	163.600	19,90	TLC-107 SONDA 1
07/10/2014	52,00	163.600	19,90	TLC-107 SONDA 1
07/10/2014	53,00	164.500	19,90	TLC-107 SONDA 1
07/10/2014	54,00	164.400	20,00	TLC-107 SONDA 1
07/10/2014	55,00	164.800	20,00	TLC-107 SONDA 1
07/10/2014	56,00	165.700	20,00	TLC-107 SONDA 1
07/10/2014	57,00	165.900	20,00	TLC-107 SONDA 1
07/10/2014	58,00	166.100	20,00	TLC-107 SONDA 1
07/10/2014	59,00	166.300	20,00	TLC-107 SONDA 1
07/10/2014	60,00	167.100	20,00	TLC-107 SONDA 1
07/10/2014	61,00	167.100	20,00	TLC-107 SONDA 1
07/10/2014	62,00	167.800	20,00	TLC-107 SONDA 1
07/10/2014	64,00	168.600	20,00	TLC-107 SONDA 1
07/10/2014	66,00	168.100	20,20	TLC-107 SONDA 1
07/10/2014	68,00	169.300	20,20	TLC-107 SONDA 1
07/10/2014	70,00	169.500	20,30	TLC-107 SONDA 1
07/10/2014	72,00	170.900	20,30	TLC-107 SONDA 1
07/10/2014	74,00	171.600	20,40	TLC-107 SONDA 1
07/10/2014	75,00	172.900	20,40	TLC-107 SONDA 1
07/10/2014	76,00	174.900	20,40	TLC-107 SONDA 1
07/10/2014	76,80	215.300	20,40	TLC-107 SONDA 1
04/11/2014	1,00	72.400	19,80	TLC-107 SONDA 1
04/11/2014	2,00	72.400	19,10	TLC-107 SONDA 1
04/11/2014	4,00	73.300	19,00	TLC-107 SONDA 1
04/11/2014	6,00	73.300	19,00	TLC-107 SONDA 1
04/11/2014	8,00	73.700	19,00	TLC-107 SONDA 1
04/11/2014	10,00	73.700	19,00	TLC-107 SONDA 1
04/11/2014	12,00	73.700	18,90	TLC-107 SONDA 1
04/11/2014	14,00	74.100	18,90	TLC-107 SONDA 1
04/11/2014	16,00	74.200	18,90	TLC-107 SONDA 1
04/11/2014	18,00	75.400	18,90	TLC-107 SONDA 1
04/11/2014	20,00	75.400	18,90	TLC-107 SONDA 1
04/11/2014	22,00	78.300	19,00	TLC-107 SONDA 1
04/11/2014	24,00	89.200	18,90	TLC-107 SONDA 1
04/11/2014	24,50	93.600	18,90	TLC-107 SONDA 1
04/11/2014	25,00	95.900	18,90	TLC-107 SONDA 1
04/11/2014	25,50	113.600	18,90	TLC-107 SONDA 1
04/11/2014	26,00	139.900	18,90	TLC-107 SONDA 1
04/11/2014	26,50	158.300	19,00	TLC-107 SONDA 1
04/11/2014	27,00	202.500	19,30	TLC-107 SONDA 1
04/11/2014	28,00	214.400	19,40	TLC-107 SONDA 1
04/11/2014	29,00	215.200	19,40	TLC-107 SONDA 1
04/11/2014	30,00	216.300	19,50	TLC-107 SONDA 1
04/11/2014	32,00	220.200	19,50	TLC-107 SONDA 1
04/11/2014	34,00	220.600	19,70	TLC-107 SONDA 1
04/11/2014	36,00	221.500	19,70	TLC-107 SONDA 1
04/11/2014	38,00	223.300	19,70	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/11/2014	40,00	225.500	19,70	TLC-107 SONDA 1
04/11/2014	42,00	227.900	19,70	TLC-107 SONDA 1
04/11/2014	44,00	230.600	19,80	TLC-107 SONDA 1
04/11/2014	46,00	231.000	19,90	TLC-107 SONDA 1
04/11/2014	48,00	231.500	19,90	TLC-107 SONDA 1
04/11/2014	50,00	233.500	19,90	TLC-107 SONDA 1
04/11/2014	52,00	234.500	19,90	TLC-107 SONDA 1
04/11/2014	54,00	234.500	19,90	TLC-107 SONDA 1
04/11/2014	56,00	234.900	20,00	TLC-107 SONDA 1
04/11/2014	58,00	234.900	20,00	TLC-107 SONDA 1
04/11/2014	60,00	235.900	20,00	TLC-107 SONDA 1
04/11/2014	62,00	236.400	20,00	TLC-107 SONDA 1
04/11/2014	64,00	233.800	20,00	TLC-107 SONDA 1
04/11/2014	66,00	235.300	20,20	TLC-107 SONDA 1
04/11/2014	68,00	235.300	20,20	TLC-107 SONDA 1
04/11/2014	70,00	236.900	20,30	TLC-107 SONDA 1
04/11/2014	72,00	237.300	20,30	TLC-107 SONDA 1
04/11/2014	74,00	236.700	20,40	TLC-107 SONDA 1
04/11/2014	76,00	238.700	20,40	TLC-107 SONDA 1
04/11/2014	76,70	170.100	20,40	TLC-107 SONDA 1
02/12/2014	1,00	63.500	18,90	TLC-107 SONDA 1
02/12/2014	1,50	71.100	18,90	TLC-107 SONDA 1
02/12/2014	2,00	71.300	18,80	TLC-107 SONDA 1
02/12/2014	3,00	71.500	18,90	TLC-107 SONDA 1
02/12/2014	4,00	71.100	18,90	TLC-107 SONDA 1
02/12/2014	5,00	71.600	18,80	TLC-107 SONDA 1
02/12/2014	7,00	72.100	18,80	TLC-107 SONDA 1
02/12/2014	9,00	72.500	18,80	TLC-107 SONDA 1
02/12/2014	11,00	73.300	18,80	TLC-107 SONDA 1
02/12/2014	13,00	75.100	18,80	TLC-107 SONDA 1
02/12/2014	15,00	76.500	18,80	TLC-107 SONDA 1
02/12/2014	17,00	77.500	18,80	TLC-107 SONDA 1
02/12/2014	19,00	79.300	18,80	TLC-107 SONDA 1
02/12/2014	21,00	80.800	18,80	TLC-107 SONDA 1
02/12/2014	23,00	85.600	18,80	TLC-107 SONDA 1
02/12/2014	23,50	93.600	18,80	TLC-107 SONDA 1
02/12/2014	24,00	95.300	18,80	TLC-107 SONDA 1
02/12/2014	24,50	101.200	18,80	TLC-107 SONDA 1
02/12/2014	25,00	113.100	18,80	TLC-107 SONDA 1
02/12/2014	25,20	120.400	18,80	TLC-107 SONDA 1
02/12/2014	25,40	124.000	18,80	TLC-107 SONDA 1
02/12/2014	25,60	147.900	18,80	TLC-107 SONDA 1
02/12/2014	25,80	156.000	18,80	TLC-107 SONDA 1
02/12/2014	26,00	180.600	18,80	TLC-107 SONDA 1
02/12/2014	26,50	193.100	18,80	TLC-107 SONDA 1
02/12/2014	27,00	243.900	19,10	TLC-107 SONDA 1
02/12/2014	29,00	246.400	19,40	TLC-107 SONDA 1
02/12/2014	31,00	234.000	19,50	TLC-107 SONDA 1
02/12/2014	33,00	239.800	19,50	TLC-107 SONDA 1
02/12/2014	35,00	242.200	19,60	TLC-107 SONDA 1
02/12/2014	37,00	240.400	19,60	TLC-107 SONDA 1
02/12/2014	40,00	240.400	19,60	TLC-107 SONDA 1
02/12/2014	42,00	241.600	19,60	TLC-107 SONDA 1
02/12/2014	44,00	244.600	19,60	TLC-107 SONDA 1
02/12/2014	46,00	249.100	19,80	TLC-107 SONDA 1
02/12/2014	48,00	253.600	19,80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/12/2014	50,00	257.500	19,90	TLC-107 SONDA 1
02/12/2014	52,00	258.300	19,90	TLC-107 SONDA 1
02/12/2014	54,00	263.100	19,90	TLC-107 SONDA 1
02/12/2014	56,00	268.000	20,00	TLC-107 SONDA 1
02/12/2014	58,00	266.300	20,00	TLC-107 SONDA 1
02/12/2014	60,00	273.100	20,00	TLC-107 SONDA 1
02/12/2014	63,00	280.400	20,00	TLC-107 SONDA 1
02/12/2014	66,00	246.100	20,10	TLC-107 SONDA 1
02/12/2014	69,00	288.800	20,20	TLC-107 SONDA 1
02/12/2014	72,00	292.100	20,30	TLC-107 SONDA 1
02/12/2014	75,00	285.100	20,30	TLC-107 SONDA 1
02/12/2014	76,80	192.100	20,30	TLC-107 SONDA 1
09/01/2015	58,00	199.200	20,00	TLC-107 SONDA 1
09/01/2015	60,00	200.900	20,00	TLC-107 SONDA 1
09/01/2015	62,00	201.300	20,00	TLC-107 SONDA 1
09/01/2015	64,00	200.300	20,20	TLC-107 SONDA 1
09/01/2015	66,00	201.600	20,20	TLC-107 SONDA 1
09/01/2015	68,00	201.200	20,30	TLC-107 SONDA 1
09/01/2015	70,00	200.800	20,30	TLC-107 SONDA 1
09/01/2015	72,00	201.800	20,30	TLC-107 SONDA 1
09/01/2015	74,00	202.400	20,40	TLC-107 SONDA 1
09/01/2015	76,00	202.700	20,40	TLC-107 SONDA 1
09/01/2015	77,80	143.500	20,40	TLC-107 SONDA 1
09/01/2015	1,20	64.300	19,80	TLC-107 SONDA 1
09/01/2015	2,00	64.400	19,10	TLC-107 SONDA 1
09/01/2015	4,00	64.600	19,10	TLC-107 SONDA 1
09/01/2015	6,00	64.600	19,00	TLC-107 SONDA 1
09/01/2015	8,00	64.900	19,00	TLC-107 SONDA 1
09/01/2015	10,00	65.400	18,90	TLC-107 SONDA 1
09/01/2015	12,00	65.900	18,90	TLC-107 SONDA 1
09/01/2015	14,00	66.800	18,90	TLC-107 SONDA 1
09/01/2015	16,00	68.100	18,90	TLC-107 SONDA 1
09/01/2015	17,00	68.500	18,90	TLC-107 SONDA 1
09/01/2015	18,00	68.800	18,90	TLC-107 SONDA 1
09/01/2015	19,00	69.700	18,90	TLC-107 SONDA 1
09/01/2015	21,00	71.900	18,90	TLC-107 SONDA 1
09/01/2015	22,00	73.000	18,90	TLC-107 SONDA 1
09/01/2015	23,00	80.100	18,90	TLC-107 SONDA 1
09/01/2015	23,50	85.100	18,90	TLC-107 SONDA 1
09/01/2015	24,00	88.800	18,90	TLC-107 SONDA 1
09/01/2015	24,50	91.900	18,90	TLC-107 SONDA 1
09/01/2015	25,00	97.500	18,90	TLC-107 SONDA 1
09/01/2015	26,00	123.300	18,90	TLC-107 SONDA 1
09/01/2015	27,00	156.400	19,30	TLC-107 SONDA 1
09/01/2015	28,00	158.700	19,40	TLC-107 SONDA 1
09/01/2015	29,00	158.900	19,40	TLC-107 SONDA 1
09/01/2015	30,00	160.400	19,50	TLC-107 SONDA 1
09/01/2015	31,00	162.100	19,50	TLC-107 SONDA 1
09/01/2015	32,00	163.400	19,50	TLC-107 SONDA 1
09/01/2015	33,00	164.200	19,50	TLC-107 SONDA 1
09/01/2015	34,00	165.500	19,50	TLC-107 SONDA 1
09/01/2015	35,00	167.300	19,70	TLC-107 SONDA 1
09/01/2015	36,00	168.700	19,70	TLC-107 SONDA 1
09/01/2015	37,00	171.400	19,70	TLC-107 SONDA 1
09/01/2015	38,00	171.600	19,70	TLC-107 SONDA 1
09/01/2015	39,00	172.800	19,70	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [ $\mu\text{S}/\text{cm}$ ]	TEMP [°C]	Equipo
09/01/2015	40,00	175.100	19,70	TLC-107 SONDA 1
09/01/2015	42,00	177.200	19,70	TLC-107 SONDA 1
09/01/2015	44,00	180.100	19,80	TLC-107 SONDA 1
09/01/2015	46,00	187.500	19,80	TLC-107 SONDA 1
09/01/2015	48,00	191.500	19,80	TLC-107 SONDA 1
09/01/2015	50,00	194.900	19,90	TLC-107 SONDA 1
09/01/2015	52,00	194.900	19,90	TLC-107 SONDA 1
09/01/2015	54,00	197.400	19,90	TLC-107 SONDA 1
09/01/2015	56,00	199.700	19,90	TLC-107 SONDA 1
13/02/2015	1,20	54.100	21,20	TLC-107 SONDA 1
13/02/2015	2,00	60.000	19,30	TLC-107 SONDA 1
13/02/2015	3,00	64.100	19,10	TLC-107 SONDA 1
13/02/2015	4,00	65.200	19,00	TLC-107 SONDA 1
13/02/2015	5,00	65.600	19,00	TLC-107 SONDA 1
13/02/2015	7,00	65.800	19,00	TLC-107 SONDA 1
13/02/2015	9,00	67.100	19,00	TLC-107 SONDA 1
13/02/2015	10,00	67.400	18,90	TLC-107 SONDA 1
13/02/2015	12,00	68.700	18,90	TLC-107 SONDA 1
13/02/2015	14,00	69.800	18,90	TLC-107 SONDA 1
13/02/2015	15,00	70.300	18,90	TLC-107 SONDA 1
13/02/2015	16,00	72.200	18,90	TLC-107 SONDA 1
13/02/2015	17,00	73.300	18,90	TLC-107 SONDA 1
13/02/2015	18,00	73.900	18,90	TLC-107 SONDA 1
13/02/2015	19,00	75.400	18,90	TLC-107 SONDA 1
13/02/2015	20,00	78.300	18,90	TLC-107 SONDA 1
13/02/2015	20,50	78.800	18,90	TLC-107 SONDA 1
13/02/2015	21,00	79.300	18,90	TLC-107 SONDA 1
13/02/2015	21,50	80.600	18,90	TLC-107 SONDA 1
13/02/2015	22,00	83.100	18,90	TLC-107 SONDA 1
13/02/2015	22,50	85.600	18,90	TLC-107 SONDA 1
13/02/2015	23,00	91.600	18,90	TLC-107 SONDA 1
13/02/2015	23,50	94.200	18,90	TLC-107 SONDA 1
13/02/2015	24,00	98.900	18,90	TLC-107 SONDA 1
13/02/2015	24,50	103.500	18,90	TLC-107 SONDA 1
13/02/2015	25,00	108.500	18,90	TLC-107 SONDA 1
13/02/2015	25,50	116.400	18,90	TLC-107 SONDA 1
13/02/2015	26,00	141.500	18,90	TLC-107 SONDA 1
13/02/2015	26,50	172.700	19,00	TLC-107 SONDA 1
13/02/2015	27,00	205.300	19,20	TLC-107 SONDA 1
13/02/2015	27,50	208.000	19,30	TLC-107 SONDA 1
13/02/2015	28,00	214.100	19,40	TLC-107 SONDA 1
13/02/2015	30,00	217.900	19,50	TLC-107 SONDA 1
13/02/2015	32,00	220.200	19,50	TLC-107 SONDA 1
13/02/2015	35,00	221.400	19,50	TLC-107 SONDA 1
13/02/2015	37,00	223.300	19,70	TLC-107 SONDA 1
13/02/2015	40,00	225.100	19,70	TLC-107 SONDA 1
13/02/2015	42,00	225.600	19,70	TLC-107 SONDA 1
13/02/2015	45,00	228.900	19,80	TLC-107 SONDA 1
13/02/2015	47,00	230.800	19,90	TLC-107 SONDA 1
13/02/2015	50,00	233.800	19,90	TLC-107 SONDA 1
13/02/2015	52,00	235.800	19,90	TLC-107 SONDA 1
13/02/2015	55,00	241.100	19,90	TLC-107 SONDA 1
13/02/2015	57,00	241.600	20,00	TLC-107 SONDA 1
13/02/2015	60,00	244.800	20,00	TLC-107 SONDA 1
13/02/2015	62,00	245.400	20,00	TLC-107 SONDA 1
13/02/2015	65,00	245.900	20,20	TLC-107 SONDA 1



Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/02/2015	67,00	247.600	20,20	TLC-107 SONDA 1
13/02/2015	70,00	248.100	20,30	TLC-107 SONDA 1
13/02/2015	72,00	249.400	20,30	TLC-107 SONDA 1
13/02/2015	75,00	250.100	20,40	TLC-107 SONDA 1
13/02/2015	77,00	255.000	20,40	TLC-107 SONDA 1
13/02/2015	77,70	146.600	20,40	TLC-107 SONDA 1
05/03/2015	1,20	89.200	19,70	TLC-107 SONDA 1
05/03/2015	2,00	94.700	19,10	TLC-107 SONDA 1
05/03/2015	2,20	96.100	19,00	TLC-107 SONDA 1
05/03/2015	2,40	98.300	19,00	TLC-107 SONDA 1
05/03/2015	2,60	98.600	19,00	TLC-107 SONDA 1
05/03/2015	2,80	98.900	19,00	TLC-107 SONDA 1
05/03/2015	3,00	99.100	19,00	TLC-107 SONDA 1
05/03/2015	3,20	99.600	18,90	TLC-107 SONDA 1
05/03/2015	3,40	99.800	18,90	TLC-107 SONDA 1
05/03/2015	3,60	100.000	18,90	TLC-107 SONDA 1
05/03/2015	3,80	99.800	18,90	TLC-107 SONDA 1
05/03/2015	4,00	99.800	18,90	TLC-107 SONDA 1
05/03/2015	4,50	99.800	18,90	TLC-107 SONDA 1
05/03/2015	5,00	100.000	18,90	TLC-107 SONDA 1
05/03/2015	5,50	99.900	18,90	TLC-107 SONDA 1
05/03/2015	6,00	100.200	18,90	TLC-107 SONDA 1
05/03/2015	7,00	100.600	18,90	TLC-107 SONDA 1
05/03/2015	8,00	101.000	18,90	TLC-107 SONDA 1
05/03/2015	10,00	102.100	18,90	TLC-107 SONDA 1
05/03/2015	12,00	103.200	18,90	TLC-107 SONDA 1
05/03/2015	14,00	105.000	18,90	TLC-107 SONDA 1
05/03/2015	16,00	107.000	18,90	TLC-107 SONDA 1
05/03/2015	18,00	108.800	18,90	TLC-107 SONDA 1
05/03/2015	20,00	113.400	18,90	TLC-107 SONDA 1
05/03/2015	20,50	114.700	18,90	TLC-107 SONDA 1
05/03/2015	21,00	115.100	18,90	TLC-107 SONDA 1
05/03/2015	21,50	116.900	18,90	TLC-107 SONDA 1
05/03/2015	22,00	119.800	18,90	TLC-107 SONDA 1
05/03/2015	22,50	123.100	18,90	TLC-107 SONDA 1
05/03/2015	23,00	136.000	18,90	TLC-107 SONDA 1
05/03/2015	23,20	134.800	18,90	TLC-107 SONDA 1
05/03/2015	23,40	135.800	18,90	TLC-107 SONDA 1
05/03/2015	23,60	136.700	18,90	TLC-107 SONDA 1
05/03/2015	23,80	137.800	18,90	TLC-107 SONDA 1
05/03/2015	24,00	140.300	18,90	TLC-107 SONDA 1
05/03/2015	24,50	143.800	18,90	TLC-107 SONDA 1
05/03/2015	25,00	147.900	18,90	TLC-107 SONDA 1
05/03/2015	25,50	154.100	18,90	TLC-107 SONDA 1
05/03/2015	25,70	168.200	18,90	TLC-107 SONDA 1
05/03/2015	25,90	204.100	18,90	TLC-107 SONDA 1
05/03/2015	26,50	268.900	19,10	TLC-107 SONDA 1
05/03/2015	28,00	299.000	19,30	TLC-107 SONDA 1
05/03/2015	30,00	299.600	19,50	TLC-107 SONDA 1
05/03/2015	32,00	297.500	19,50	TLC-107 SONDA 1
05/03/2015	35,00	294.700	19,70	TLC-107 SONDA 1
05/03/2015	37,00	292.600	19,70	TLC-107 SONDA 1
05/03/2015	40,00	291.300	19,70	TLC-107 SONDA 1
05/03/2015	42,00	293.300	19,70	TLC-107 SONDA 1
05/03/2015	45,00	292.600	19,80	TLC-107 SONDA 1
05/03/2015	47,00	291.900	19,80	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/03/2015	50,00	291.600	19,90	TLC-107 SONDA 1
05/03/2015	52,00	291.300	19,90	TLC-107 SONDA 1
05/03/2015	55,00	289.300	20,00	TLC-107 SONDA 1
05/03/2015	57,00	287.600	20,00	TLC-107 SONDA 1
05/03/2015	60,00	288.600	20,00	TLC-107 SONDA 1
05/03/2015	62,00	288.600	20,00	TLC-107 SONDA 1
05/03/2015	65,00	286.700	20,20	TLC-107 SONDA 1
05/03/2015	67,00	286.600	20,30	TLC-107 SONDA 1
05/03/2015	70,00	285.300	20,30	TLC-107 SONDA 1
05/03/2015	72,00	286.700	20,40	TLC-107 SONDA 1
05/03/2015	75,00	286.000	20,40	TLC-107 SONDA 1
05/03/2015	77,00	284.700	20,40	TLC-107 SONDA 1
05/03/2015	77,90	181.900	20,40	TLC-107 SONDA 1
07/04/2015	1,00	91.200	19,30	TLC-107 SONDA 1
07/04/2015	1,50	97.800	19,10	TLC-107 SONDA 1
07/04/2015	1,70	99.700	19,00	TLC-107 SONDA 1
07/04/2015	1,90	104.500	19,00	TLC-107 SONDA 1
07/04/2015	2,10	104.600	19,00	TLC-107 SONDA 1
07/04/2015	2,30	105.000	19,00	TLC-107 SONDA 1
07/04/2015	2,50	105.100	19,00	TLC-107 SONDA 1
07/04/2015	3,00	105.200	19,00	TLC-107 SONDA 1
07/04/2015	3,50	105.400	19,00	TLC-107 SONDA 1
07/04/2015	4,00	105.400	19,00	TLC-107 SONDA 1
07/04/2015	5,00	105.400	19,00	TLC-107 SONDA 1
07/04/2015	6,00	105.600	19,00	TLC-107 SONDA 1
07/04/2015	7,00	106.700	19,00	TLC-107 SONDA 1
07/04/2015	8,00	108.000	19,00	TLC-107 SONDA 1
07/04/2015	10,00	109.800	19,00	TLC-107 SONDA 1
07/04/2015	12,00	112.700	19,00	TLC-107 SONDA 1
07/04/2015	14,00	116.200	18,90	TLC-107 SONDA 1
07/04/2015	16,00	120.500	18,90	TLC-107 SONDA 1
07/04/2015	18,00	125.500	18,90	TLC-107 SONDA 1
07/04/2015	20,00	133.500	18,90	TLC-107 SONDA 1
07/04/2015	21,00	136.600	18,90	TLC-107 SONDA 1
07/04/2015	22,00	144.800	18,90	TLC-107 SONDA 1
07/04/2015	23,00	161.900	18,90	TLC-107 SONDA 1
07/04/2015	24,00	176.200	18,90	TLC-107 SONDA 1
07/04/2015	25,00	189.300	18,90	TLC-107 SONDA 1
07/04/2015	26,00	314.500	18,90	TLC-107 SONDA 1
07/04/2015	28,00	400.000	19,20	TLC-107 SONDA 1
07/04/2015	30,00	400.000	19,40	TLC-107 SONDA 1
07/04/2015	32,00	400.000	19,50	TLC-107 SONDA 1
07/04/2015	34,00	400.000	19,50	TLC-107 SONDA 1
07/04/2015	36,00	400.000	19,50	TLC-107 SONDA 1
07/04/2015	38,00	400.000	19,50	TLC-107 SONDA 1
07/04/2015	40,00	400.000	19,70	TLC-107 SONDA 1
07/04/2015	43,00	400.000	19,70	TLC-107 SONDA 1
07/04/2015	45,00	400.000	19,70	TLC-107 SONDA 1
07/04/2015	47,00	400.000	19,80	TLC-107 SONDA 1
07/04/2015	50,00	400.000	19,90	TLC-107 SONDA 1
07/04/2015	52,00	400.000	19,90	TLC-107 SONDA 1
07/04/2015	55,00	400.000	19,90	TLC-107 SONDA 1
07/04/2015	58,00	400.000	20,00	TLC-107 SONDA 1
07/04/2015	60,00	400.000	20,00	TLC-107 SONDA 1
07/04/2015	63,00	400.000	20,20	TLC-107 SONDA 1
07/04/2015	65,00	400.000	20,20	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [ $\mu\text{S}/\text{cm}$ ]	TEMP [°C]	Equipo
07/04/2015	67,00	400.000	20,30	TLC-107 SONDA 1
07/04/2015	70,00	400.000	20,40	TLC-107 SONDA 1
07/04/2015	72,00	400.000	20,50	TLC-107 SONDA 1
07/04/2015	75,00	400.000	20,50	TLC-107 SONDA 1
07/04/2015	77,70	245.200	20,50	TLC-107 SONDA 1
09/05/2015	1,00	109.200	18,90	TLC-107 SONDA 2
09/05/2015	1,20	117.100	18,90	TLC-107 SONDA 2
09/05/2015	1,40	118.300	19,00	TLC-107 SONDA 2
09/05/2015	1,60	118.400	19,00	TLC-107 SONDA 2
09/05/2015	1,80	118.700	19,00	TLC-107 SONDA 2
09/05/2015	2,00	118.300	19,00	TLC-107 SONDA 2
09/05/2015	2,20	118.400	19,00	TLC-107 SONDA 2
09/05/2015	2,40	118.500	19,00	TLC-107 SONDA 2
09/05/2015	2,60	118.400	19,00	TLC-107 SONDA 2
09/05/2015	2,80	118.200	19,00	TLC-107 SONDA 2
09/05/2015	3,00	118.100	19,00	TLC-107 SONDA 2
09/05/2015	3,20	118.300	19,00	TLC-107 SONDA 2
09/05/2015	3,40	118.500	19,00	TLC-107 SONDA 2
09/05/2015	3,60	118.300	19,00	TLC-107 SONDA 2
09/05/2015	3,80	118.700	19,00	TLC-107 SONDA 2
09/05/2015	4,00	118.800	19,00	TLC-107 SONDA 2
09/05/2015	4,50	118.400	19,00	TLC-107 SONDA 2
09/05/2015	5,00	118.100	19,00	TLC-107 SONDA 2
09/05/2015	6,00	118.200	19,00	TLC-107 SONDA 2
09/05/2015	7,00	119.400	19,00	TLC-107 SONDA 2
09/05/2015	8,00	120.100	19,00	TLC-107 SONDA 2
09/05/2015	8,50	120.500	19,00	TLC-107 SONDA 2
09/05/2015	9,00	121.200	19,00	TLC-107 SONDA 2
09/05/2015	10,00	122.900	19,00	TLC-107 SONDA 2
09/05/2015	11,00	124.300	19,00	TLC-107 SONDA 2
09/05/2015	11,50	128.100	19,00	TLC-107 SONDA 2
09/05/2015	12,00	129.200	19,00	TLC-107 SONDA 2
09/05/2015	12,50	134.100	19,00	TLC-107 SONDA 2
09/05/2015	13,00	134.600	19,00	TLC-107 SONDA 2
09/05/2015	13,50	136.200	19,00	TLC-107 SONDA 2
09/05/2015	14,00	137.700	19,00	TLC-107 SONDA 2
09/05/2015	14,50	138.700	19,00	TLC-107 SONDA 2
09/05/2015	15,00	141.700	19,00	TLC-107 SONDA 2
09/05/2015	15,20	141.300	19,00	TLC-107 SONDA 2
09/05/2015	15,40	143.400	19,00	TLC-107 SONDA 2
09/05/2015	15,60	143.300	19,00	TLC-107 SONDA 2
09/05/2015	15,80	144.200	19,00	TLC-107 SONDA 2
09/05/2015	16,00	144.700	19,00	TLC-107 SONDA 2
09/05/2015	16,50	147.700	19,00	TLC-107 SONDA 2
09/05/2015	17,00	149.200	19,00	TLC-107 SONDA 2
09/05/2015	17,50	152.300	19,00	TLC-107 SONDA 2
09/05/2015	18,00	154.400	19,00	TLC-107 SONDA 2
09/05/2015	18,50	157.200	19,00	TLC-107 SONDA 2
09/05/2015	19,00	158.500	19,00	TLC-107 SONDA 2
09/05/2015	19,50	160.200	19,00	TLC-107 SONDA 2
09/05/2015	20,00	162.400	19,00	TLC-107 SONDA 2
09/05/2015	20,50	167.100	19,00	TLC-107 SONDA 2
09/05/2015	21,00	168.900	18,90	TLC-107 SONDA 2
09/05/2015	21,50	174.000	18,90	TLC-107 SONDA 2
09/05/2015	22,00	179.500	18,90	TLC-107 SONDA 2
09/05/2015	22,50	187.500	18,90	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/05/2015	23,00	207.200	18,90	TLC-107 SONDA 2
09/05/2015	24,00	233.900	18,90	TLC-107 SONDA 2
09/05/2015	26,00	348.200	18,90	TLC-107 SONDA 2
09/05/2015	28,00	389.900	19,30	TLC-107 SONDA 2
09/05/2015	30,00	400.000	19,50	TLC-107 SONDA 2
09/05/2015	32,00	399.100	19,50	TLC-107 SONDA 2
09/05/2015	34,00	397.400	19,60	TLC-107 SONDA 2
09/05/2015	36,00	396.400	19,70	TLC-107 SONDA 2
09/05/2015	38,00	395.600	19,70	TLC-107 SONDA 2
09/05/2015	40,00	395.600	19,70	TLC-107 SONDA 2
09/05/2015	42,00	395.200	19,70	TLC-107 SONDA 2
09/05/2015	44,00	394.800	19,70	TLC-107 SONDA 2
09/05/2015	46,00	394.200	19,60	TLC-107 SONDA 2
09/05/2015	48,00	394.600	19,80	TLC-107 SONDA 2
09/05/2015	50,00	392.400	20,00	TLC-107 SONDA 2
09/05/2015	52,00	392.900	20,00	TLC-107 SONDA 2
09/05/2015	54,00	392.800	20,00	TLC-107 SONDA 2
09/05/2015	56,00	392.200	20,10	TLC-107 SONDA 2
09/05/2015	58,00	393.000	20,10	TLC-107 SONDA 2
09/05/2015	60,00	392.000	20,10	TLC-107 SONDA 2
09/05/2015	62,00	392.400	20,20	TLC-107 SONDA 2
09/05/2015	64,00	392.000	20,20	TLC-107 SONDA 2
09/05/2015	66,00	391.900	20,30	TLC-107 SONDA 2
09/05/2015	68,00	391.500	20,30	TLC-107 SONDA 2
09/05/2015	70,00	391.300	20,40	TLC-107 SONDA 2
09/05/2015	72,00	391.100	20,50	TLC-107 SONDA 2
09/05/2015	74,00	390.700	20,50	TLC-107 SONDA 2
09/05/2015	76,00	390.200	20,60	TLC-107 SONDA 2
09/05/2015	77,80	305.200	20,60	TLC-107 SONDA 2
02/06/2015	1,00	54.600	19,00	TLC-107 SONDA 2
02/06/2015	1,50	64.700	19,00	TLC-107 SONDA 2
02/06/2015	2,00	68.300	19,00	TLC-107 SONDA 2
02/06/2015	2,50	68.500	19,00	TLC-107 SONDA 2
02/06/2015	3,00	68.700	19,00	TLC-107 SONDA 2
02/06/2015	3,50	68.900	19,00	TLC-107 SONDA 2
02/06/2015	4,00	69.100	19,00	TLC-107 SONDA 2
02/06/2015	5,00	69.100	19,00	TLC-107 SONDA 2
02/06/2015	6,00	68.900	19,00	TLC-107 SONDA 2
02/06/2015	7,00	69.600	19,00	TLC-107 SONDA 2
02/06/2015	9,00	73.000	19,00	TLC-107 SONDA 2
02/06/2015	10,00	74.600	19,00	TLC-107 SONDA 2
02/06/2015	11,00	76.000	19,00	TLC-107 SONDA 2
02/06/2015	12,00	78.100	19,00	TLC-107 SONDA 2
02/06/2015	13,00	80.400	19,00	TLC-107 SONDA 2
02/06/2015	14,00	81.900	19,00	TLC-107 SONDA 2
02/06/2015	15,00	83.200	19,00	TLC-107 SONDA 2
02/06/2015	16,00	85.900	19,00	TLC-107 SONDA 2
02/06/2015	17,00	87.900	19,00	TLC-107 SONDA 2
02/06/2015	18,00	90.900	19,00	TLC-107 SONDA 2
02/06/2015	19,00	93.500	19,00	TLC-107 SONDA 2
02/06/2015	20,00	96.600	19,00	TLC-107 SONDA 2
02/06/2015	21,00	101.000	18,90	TLC-107 SONDA 2
02/06/2015	22,00	106.800	18,90	TLC-107 SONDA 2
02/06/2015	22,50	117.200	18,90	TLC-107 SONDA 2
02/06/2015	23,00	123.900	18,90	TLC-107 SONDA 2
02/06/2015	23,50	134.000	18,90	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/06/2015	24,00	141.300	18,90	TLC-107 SONDA 2
02/06/2015	24,50	146.000	18,90	TLC-107 SONDA 2
02/06/2015	25,00	151.600	18,90	TLC-107 SONDA 2
02/06/2015	25,50	159.900	18,90	TLC-107 SONDA 2
02/06/2015	26,00	196.700	18,90	TLC-107 SONDA 2
02/06/2015	26,50	214.300	19,10	TLC-107 SONDA 2
02/06/2015	27,00	220.900	19,10	TLC-107 SONDA 2
02/06/2015	28,00	222.200	19,20	TLC-107 SONDA 2
02/06/2015	30,00	223.900	19,30	TLC-107 SONDA 2
02/06/2015	32,00	223.200	19,50	TLC-107 SONDA 2
02/06/2015	34,00	223.300	19,60	TLC-107 SONDA 2
02/06/2015	36,00	222.100	19,60	TLC-107 SONDA 2
02/06/2015	38,00	222.100	19,70	TLC-107 SONDA 2
02/06/2015	40,00	221.900	19,70	TLC-107 SONDA 2
02/06/2015	42,00	221.500	19,70	TLC-107 SONDA 2
02/06/2015	44,00	221.500	19,70	TLC-107 SONDA 2
02/06/2015	46,00	221.200	19,80	TLC-107 SONDA 2
02/06/2015	48,00	221.200	19,80	TLC-107 SONDA 2
02/06/2015	50,00	222.000	20,00	TLC-107 SONDA 2
02/06/2015	52,00	220.400	20,00	TLC-107 SONDA 2
02/06/2015	54,00	220.400	20,00	TLC-107 SONDA 2
02/06/2015	56,00	220.000	20,10	TLC-107 SONDA 2
02/06/2015	58,00	220.000	20,10	TLC-107 SONDA 2
02/06/2015	60,00	219.800	20,10	TLC-107 SONDA 2
02/06/2015	62,00	219.500	20,20	TLC-107 SONDA 2
02/06/2015	64,00	219.500	20,20	TLC-107 SONDA 2
02/06/2015	66,00	220.400	20,30	TLC-107 SONDA 2
02/06/2015	68,00	219.200	20,30	TLC-107 SONDA 2
02/06/2015	70,00	219.100	20,40	TLC-107 SONDA 2
02/06/2015	72,00	218.600	20,50	TLC-107 SONDA 2
02/06/2015	74,00	218.600	20,50	TLC-107 SONDA 2
02/06/2015	76,00	218.000	20,60	TLC-107 SONDA 2
02/06/2015	77,80	198.600	20,60	TLC-107 SONDA 2
07/07/2015	0,90	67.200	18,50	TLC-107 SONDA 1
07/07/2015	1,50	74.200	18,90	TLC-107 SONDA 1
07/07/2015	2,00	75.800	18,90	TLC-107 SONDA 1
07/07/2015	2,50	77.100	18,90	TLC-107 SONDA 1
07/07/2015	3,00	77.500	19,00	TLC-107 SONDA 1
07/07/2015	4,00	78.400	19,00	TLC-107 SONDA 1
07/07/2015	5,00	79.300	19,00	TLC-107 SONDA 1
07/07/2015	6,00	79.000	19,00	TLC-107 SONDA 1
07/07/2015	7,00	81.100	19,00	TLC-107 SONDA 1
07/07/2015	8,00	81.000	19,00	TLC-107 SONDA 1
07/07/2015	9,00	84.900	19,00	TLC-107 SONDA 1
07/07/2015	10,00	86.600	19,00	TLC-107 SONDA 1
07/07/2015	11,00	88.500	19,00	TLC-107 SONDA 1
07/07/2015	12,00	90.400	19,00	TLC-107 SONDA 1
07/07/2015	13,00	91.800	19,00	TLC-107 SONDA 1
07/07/2015	14,00	94.100	19,00	TLC-107 SONDA 1
07/07/2015	15,00	96.300	19,00	TLC-107 SONDA 1
07/07/2015	16,00	98.700	19,00	TLC-107 SONDA 1
07/07/2015	17,00	102.400	19,00	TLC-107 SONDA 1
07/07/2015	18,00	106.600	19,00	TLC-107 SONDA 1
07/07/2015	19,00	110.500	19,00	TLC-107 SONDA 1
07/07/2015	20,00	117.800	19,00	TLC-107 SONDA 1
07/07/2015	21,00	122.500	19,00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/07/2015	22,00	131.000	18,90	TLC-107 SONDA 1
07/07/2015	23,00	135.300	18,90	TLC-107 SONDA 1
07/07/2015	23,50	160.900	18,90	TLC-107 SONDA 1
07/07/2015	24,00	165.300	18,90	TLC-107 SONDA 1
07/07/2015	25,00	178.600	18,90	TLC-107 SONDA 1
07/07/2015	26,00	230.300	18,90	TLC-107 SONDA 1
07/07/2015	27,00	244.700	19,20	TLC-107 SONDA 1
07/07/2015	28,00	244.700	19,20	TLC-107 SONDA 1
07/07/2015	30,00	248.800	19,30	TLC-107 SONDA 1
07/07/2015	32,00	248.900	19,50	TLC-107 SONDA 1
07/07/2015	34,00	249.300	19,50	TLC-107 SONDA 1
07/07/2015	36,00	248.300	19,70	TLC-107 SONDA 1
07/07/2015	38,00	248.100	19,70	TLC-107 SONDA 1
07/07/2015	40,00	248.000	19,70	TLC-107 SONDA 1
07/07/2015	42,00	248.100	19,70	TLC-107 SONDA 1
07/07/2015	44,00	248.100	19,70	TLC-107 SONDA 1
07/07/2015	46,00	248.000	19,80	TLC-107 SONDA 1
07/07/2015	48,00	247.700	19,80	TLC-107 SONDA 1
07/07/2015	50,00	246.800	20,00	TLC-107 SONDA 1
07/07/2015	52,00	246.800	20,00	TLC-107 SONDA 1
07/07/2015	54,00	246.800	20,00	TLC-107 SONDA 1
07/07/2015	56,00	246.600	20,10	TLC-107 SONDA 1
07/07/2015	58,00	246.400	20,10	TLC-107 SONDA 1
07/07/2015	60,00	246.900	20,10	TLC-107 SONDA 1
07/07/2015	62,00	245.800	20,20	TLC-107 SONDA 1
07/07/2015	64,00	246.200	20,20	TLC-107 SONDA 1
07/07/2015	66,00	245.900	20,30	TLC-107 SONDA 1
07/07/2015	68,00	245.500	20,30	TLC-107 SONDA 1
07/07/2015	70,00	245.800	20,40	TLC-107 SONDA 1
07/07/2015	72,00	245.300	20,50	TLC-107 SONDA 1
07/07/2015	74,00	244.700	20,50	TLC-107 SONDA 1
07/07/2015	76,00	244.800	20,60	TLC-107 SONDA 1
07/07/2015	78,00	217.100	20,60	TLC-107 SONDA 1
06/08/2015	1,00	60.671	18,57	SEBA MPS-D3
06/08/2015	1,20	60.638	18,66	SEBA MPS-D3
06/08/2015	2,00	60.674	18,77	SEBA MPS-D3
06/08/2015	4,00	60.589	18,86	SEBA MPS-D3
06/08/2015	6,00	60.606	18,86	SEBA MPS-D3
06/08/2015	7,00	61.733	18,86	SEBA MPS-D3
06/08/2015	9,00	63.593	18,86	SEBA MPS-D3
06/08/2015	10,00	64.380	18,86	SEBA MPS-D3
06/08/2015	11,00	65.555	18,85	SEBA MPS-D3
06/08/2015	12,00	66.896	18,85	SEBA MPS-D3
06/08/2015	12,50	67.821	18,85	SEBA MPS-D3
06/08/2015	13,00	68.672	18,85	SEBA MPS-D3
06/08/2015	13,50	69.316	18,84	SEBA MPS-D3
06/08/2015	14,00	70.039	18,84	SEBA MPS-D3
06/08/2015	14,50	70.790	18,84	SEBA MPS-D3
06/08/2015	15,00	71.683	18,84	SEBA MPS-D3
06/08/2015	15,50	72.535	18,84	SEBA MPS-D3
06/08/2015	16,00	73.595	18,83	SEBA MPS-D3
06/08/2015	16,50	74.564	18,82	SEBA MPS-D3
06/08/2015	17,00	75.671	18,82	SEBA MPS-D3
06/08/2015	17,50	76.651	18,82	SEBA MPS-D3
06/08/2015	18,00	77.731	18,83	SEBA MPS-D3
06/08/2015	18,50	78.744	18,82	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/08/2015	19,00	79.778	18,81	SEBA MPS-D3
06/08/2015	20,00	83.071	18,81	SEBA MPS-D3
06/08/2015	20,50	84.320	18,80	SEBA MPS-D3
06/08/2015	21,00	85.434	18,80	SEBA MPS-D3
06/08/2015	21,50	88.082	18,78	SEBA MPS-D3
06/08/2015	22,00	92.274	18,78	SEBA MPS-D3
06/08/2015	22,50	96.425	18,77	SEBA MPS-D3
06/08/2015	23,00	104.608	18,76	SEBA MPS-D3
06/08/2015	23,50	109.816	18,75	SEBA MPS-D3
06/08/2015	24,00	114.408	18,74	SEBA MPS-D3
06/08/2015	24,50	118.386	18,74	SEBA MPS-D3
06/08/2015	25,00	125.235	18,73	SEBA MPS-D3
06/08/2015	25,50	135.033	18,73	SEBA MPS-D3
06/08/2015	26,00	174.433	18,84	SEBA MPS-D3
06/08/2015	26,50	194.682	18,99	SEBA MPS-D3
06/08/2015	27,00	199.189	19,06	SEBA MPS-D3
06/08/2015	28,00	213.181	19,14	SEBA MPS-D3
06/08/2015	30,00	224.173	19,21	SEBA MPS-D3
06/08/2015	32,00	225.149	19,31	SEBA MPS-D3
06/08/2015	34,00	226.247	19,44	SEBA MPS-D3
06/08/2015	36,00	226.322	19,47	SEBA MPS-D3
06/08/2015	38,00	226.278	19,49	SEBA MPS-D3
06/08/2015	40,00	226.397	19,50	SEBA MPS-D3
06/08/2015	42,00	226.209	19,50	SEBA MPS-D3
06/08/2015	44,00	226.354	19,54	SEBA MPS-D3
06/08/2015	46,00	226.465	19,58	SEBA MPS-D3
06/08/2015	48,00	226.657	19,64	SEBA MPS-D3
06/08/2015	50,00	226.581	19,70	SEBA MPS-D3
06/08/2015	52,00	226.459	19,74	SEBA MPS-D3
06/08/2015	54,00	226.496	19,78	SEBA MPS-D3
06/08/2015	56,00	226.554	19,81	SEBA MPS-D3
06/08/2015	58,00	226.504	19,84	SEBA MPS-D3
06/08/2015	60,00	226.507	19,88	SEBA MPS-D3
06/08/2015	62,00	226.538	19,93	SEBA MPS-D3
06/08/2015	64,00	226.529	19,99	SEBA MPS-D3
06/08/2015	66,00	226.783	20,07	SEBA MPS-D3
06/08/2015	68,00	226.687	20,14	SEBA MPS-D3
06/08/2015	70,00	226.607	20,21	SEBA MPS-D3
06/08/2015	72,00	226.495	20,28	SEBA MPS-D3
06/08/2015	74,00	226.470	20,35	SEBA MPS-D3
06/08/2015	76,00	226.657	20,40	SEBA MPS-D3
06/08/2015	76,50	226.449	20,42	SEBA MPS-D3
06/09/2015	1,00	62.720	18,90	SEBA MPS-D3
06/09/2015	3,00	62.570	18,88	SEBA MPS-D3
06/09/2015	5,00	62.490	18,88	SEBA MPS-D3
06/09/2015	7,00	63.690	18,88	SEBA MPS-D3
06/09/2015	9,00	65.480	18,87	SEBA MPS-D3
06/09/2015	11,00	67.770	18,87	SEBA MPS-D3
06/09/2015	12,00	69.230	18,87	SEBA MPS-D3
06/09/2015	13,00	71.300	18,86	SEBA MPS-D3
06/09/2015	14,00	72.790	18,85	SEBA MPS-D3
06/09/2015	15,00	74.470	18,85	SEBA MPS-D3
06/09/2015	16,00	76.620	18,84	SEBA MPS-D3
06/09/2015	17,00	78.860	18,83	SEBA MPS-D3
06/09/2015	18,00	81.080	18,83	SEBA MPS-D3
06/09/2015	19,00	82.900	18,82	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/09/2015	20,00	87.150	18,81	SEBA MPS-D3
06/09/2015	21,00	89.820	18,80	SEBA MPS-D3
06/09/2015	21,50	92.860	18,79	SEBA MPS-D3
06/09/2015	22,00	96.980	18,78	SEBA MPS-D3
06/09/2015	22,50	100.800	18,77	SEBA MPS-D3
06/09/2015	23,00	110.300	18,77	SEBA MPS-D3
06/09/2015	23,50	117.100	18,76	SEBA MPS-D3
06/09/2015	24,00	124.400	18,75	SEBA MPS-D3
06/09/2015	24,50	128.300	18,74	SEBA MPS-D3
06/09/2015	25,00	135.000	18,73	SEBA MPS-D3
06/09/2015	25,50	145.600	18,74	SEBA MPS-D3
06/09/2015	26,00	183.600	18,86	SEBA MPS-D3
06/09/2015	26,50	200.100	18,98	SEBA MPS-D3
06/09/2015	27,00	206.900	19,08	SEBA MPS-D3
06/09/2015	28,00	217.600	19,15	SEBA MPS-D3
06/09/2015	30,00	231.500	19,24	SEBA MPS-D3
06/09/2015	32,00	232.700	19,32	SEBA MPS-D3
06/09/2015	34,00	233.800	19,37	SEBA MPS-D3
06/09/2015	36,00	234.200	19,48	SEBA MPS-D3
06/09/2015	38,00	234.200	19,49	SEBA MPS-D3
06/09/2015	40,00	234.200	19,50	SEBA MPS-D3
06/09/2015	42,00	234.200	19,52	SEBA MPS-D3
06/09/2015	44,00	234.300	19,55	SEBA MPS-D3
06/09/2015	46,00	234.400	19,58	SEBA MPS-D3
06/09/2015	48,00	234.600	19,68	SEBA MPS-D3
06/09/2015	50,00	234.600	19,70	SEBA MPS-D3
06/09/2015	52,00	234.400	19,75	SEBA MPS-D3
06/09/2015	54,00	234.500	19,78	SEBA MPS-D3
06/09/2015	56,00	234.600	19,80	SEBA MPS-D3
06/09/2015	58,00	234.600	19,81	SEBA MPS-D3
06/09/2015	60,00	234.400	19,82	SEBA MPS-D3
06/09/2015	62,00	234.400	19,85	SEBA MPS-D3
06/09/2015	64,00	234.400	19,93	SEBA MPS-D3
06/09/2015	66,00	234.400	20,01	SEBA MPS-D3
06/09/2015	68,00	234.500	20,12	SEBA MPS-D3
06/09/2015	70,00	234.400	20,20	SEBA MPS-D3
06/09/2015	72,00	234.400	20,26	SEBA MPS-D3
06/09/2015	74,00	234.400	20,34	SEBA MPS-D3
06/09/2015	76,00	234.300	20,40	SEBA MPS-D3
06/09/2015	76,60	234.100	20,42	SEBA MPS-D3
12/10/2015	1,20	67.631	18,90	SEBA MPS-D3
12/10/2015	2,00	67.631	18,90	SEBA MPS-D3
12/10/2015	4,00	67.587	18,86	SEBA MPS-D3
12/10/2015	6,00	67.497	18,85	SEBA MPS-D3
12/10/2015	8,00	67.459	18,85	SEBA MPS-D3
12/10/2015	10,00	69.403	18,85	SEBA MPS-D3
12/10/2015	12,00	71.262	18,84	SEBA MPS-D3
12/10/2015	13,00	73.947	18,83	SEBA MPS-D3
12/10/2015	14,00	75.939	18,84	SEBA MPS-D3
12/10/2015	15,00	77.314	18,83	SEBA MPS-D3
12/10/2015	16,00	79.096	18,82	SEBA MPS-D3
12/10/2015	17,00	81.319	18,82	SEBA MPS-D3
12/10/2015	18,00	83.442	18,81	SEBA MPS-D3
12/10/2015	18,20	85.417	18,81	SEBA MPS-D3
12/10/2015	18,40	86.191	18,80	SEBA MPS-D3
12/10/2015	18,60	86.426	18,80	SEBA MPS-D3



Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/10/2015	18,80	86.681	18,80	SEBA MPS-D3
12/10/2015	19,00	87.036	18,80	SEBA MPS-D3
12/10/2015	19,50	87.356	18,80	SEBA MPS-D3
12/10/2015	20,00	88.487	18,80	SEBA MPS-D3
12/10/2015	20,50	90.563	18,79	SEBA MPS-D3
12/10/2015	21,00	91.992	18,78	SEBA MPS-D3
12/10/2015	21,50	93.009	18,78	SEBA MPS-D3
12/10/2015	22,00	100.155	18,76	SEBA MPS-D3
12/10/2015	22,50	104.398	18,75	SEBA MPS-D3
12/10/2015	23,00	113.436	18,74	SEBA MPS-D3
12/10/2015	23,50	118.282	18,73	SEBA MPS-D3
12/10/2015	24,00	121.506	18,73	SEBA MPS-D3
12/10/2015	24,50	125.424	18,72	SEBA MPS-D3
12/10/2015	25,00	132.969	18,72	SEBA MPS-D3
12/10/2015	25,50	143.550	18,72	SEBA MPS-D3
12/10/2015	26,00	186.626	18,88	SEBA MPS-D3
12/10/2015	26,50	201.445	19,01	SEBA MPS-D3
12/10/2015	27,00	206.700	19,10	SEBA MPS-D3
12/10/2015	29,00	222.493	19,20	SEBA MPS-D3
12/10/2015	31,00	228.988	19,33	SEBA MPS-D3
12/10/2015	33,00	229.553	19,44	SEBA MPS-D3
12/10/2015	35,00	229.507	19,48	SEBA MPS-D3
12/10/2015	37,00	229.511	19,48	SEBA MPS-D3
12/10/2015	39,00	229.497	19,49	SEBA MPS-D3
12/10/2015	41,00	229.504	19,50	SEBA MPS-D3
12/10/2015	43,00	229.570	19,52	SEBA MPS-D3
12/10/2015	45,00	229.860	19,56	SEBA MPS-D3
12/10/2015	47,00	229.940	19,61	SEBA MPS-D3
12/10/2015	49,00	229.999	19,71	SEBA MPS-D3
12/10/2015	51,00	229.995	19,75	SEBA MPS-D3
12/10/2015	53,00	230.064	19,79	SEBA MPS-D3
12/10/2015	55,00	230.071	19,80	SEBA MPS-D3
12/10/2015	57,00	229.974	19,81	SEBA MPS-D3
12/10/2015	59,00	229.974	19,83	SEBA MPS-D3
12/10/2015	61,00	229.974	19,85	SEBA MPS-D3
12/10/2015	63,00	230.022	19,87	SEBA MPS-D3
12/10/2015	65,00	230.018	19,95	SEBA MPS-D3
12/10/2015	67,00	229.935	20,07	SEBA MPS-D3
12/10/2015	69,00	229.984	20,16	SEBA MPS-D3
12/10/2015	71,00	229.899	20,23	SEBA MPS-D3
12/10/2015	73,00	229.927	20,30	SEBA MPS-D3
12/10/2015	75,00	229.904	20,37	SEBA MPS-D3
12/10/2015	77,00	229.938	20,41	SEBA MPS-D3
12/10/2015	77,60	197.339	20,42	SEBA MPS-D3
03/11/2015	1,20	68.697	19,12	SEBA MPS-D3
03/11/2015	2,00	68.568	18,88	SEBA MPS-D3
03/11/2015	4,00	68.532	18,85	SEBA MPS-D3
03/11/2015	6,00	68.480	18,85	SEBA MPS-D3
03/11/2015	8,00	70.482	18,84	SEBA MPS-D3
03/11/2015	10,00	72.190	18,83	SEBA MPS-D3
03/11/2015	12,00	75.068	18,83	SEBA MPS-D3
03/11/2015	13,00	76.772	18,83	SEBA MPS-D3
03/11/2015	14,00	78.245	18,82	SEBA MPS-D3
03/11/2015	15,00	80.019	18,82	SEBA MPS-D3
03/11/2015	16,00	82.017	18,81	SEBA MPS-D3
03/11/2015	17,00	84.226	18,81	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
03/11/2015	18,00	86.176	18,80	SEBA MPS-D3
03/11/2015	18,50	87.204	18,80	SEBA MPS-D3
03/11/2015	19,00	88.218	18,80	SEBA MPS-D3
03/11/2015	19,50	89.288	18,79	SEBA MPS-D3
03/11/2015	20,00	91.176	18,79	SEBA MPS-D3
03/11/2015	20,50	93.059	18,78	SEBA MPS-D3
03/11/2015	21,00	93.815	18,77	SEBA MPS-D3
03/11/2015	21,50	96.924	18,76	SEBA MPS-D3
03/11/2015	22,00	101.834	18,75	SEBA MPS-D3
03/11/2015	22,50	106.450	18,74	SEBA MPS-D3
03/11/2015	23,00	116.607	18,74	SEBA MPS-D3
03/11/2015	23,50	122.458	18,74	SEBA MPS-D3
03/11/2015	24,00	126.051	18,73	SEBA MPS-D3
03/11/2015	24,50	129.298	18,73	SEBA MPS-D3
03/11/2015	25,00	137.654	18,72	SEBA MPS-D3
03/11/2015	25,50	147.239	18,73	SEBA MPS-D3
03/11/2015	26,00	185.264	18,88	SEBA MPS-D3
03/11/2015	26,50	198.200	19,01	SEBA MPS-D3
03/11/2015	27,00	205.775	19,13	SEBA MPS-D3
03/11/2015	29,00	219.676	19,22	SEBA MPS-D3
03/11/2015	31,00	225.604	19,35	SEBA MPS-D3
03/11/2015	33,00	225.859	19,45	SEBA MPS-D3
03/11/2015	35,00	225.866	19,48	SEBA MPS-D3
03/11/2015	37,00	225.893	19,49	SEBA MPS-D3
03/11/2015	39,00	225.793	19,49	SEBA MPS-D3
03/11/2015	41,00	225.845	19,50	SEBA MPS-D3
03/11/2015	43,00	225.869	19,52	SEBA MPS-D3
03/11/2015	45,00	226.209	19,57	SEBA MPS-D3
03/11/2015	47,00	226.408	19,61	SEBA MPS-D3
03/11/2015	49,00	226.445	19,68	SEBA MPS-D3
03/11/2015	51,00	226.389	19,73	SEBA MPS-D3
03/11/2015	53,00	226.358	19,76	SEBA MPS-D3
03/11/2015	55,00	226.437	19,78	SEBA MPS-D3
03/11/2015	57,00	226.437	19,82	SEBA MPS-D3
03/11/2015	59,00	226.491	19,85	SEBA MPS-D3
03/11/2015	61,00	226.484	19,90	SEBA MPS-D3
03/11/2015	63,00	226.446	19,95	SEBA MPS-D3
03/11/2015	65,00	226.473	20,03	SEBA MPS-D3
03/11/2015	67,00	226.442	20,08	SEBA MPS-D3
03/11/2015	69,00	226.489	20,17	SEBA MPS-D3
03/11/2015	71,00	226.439	20,24	SEBA MPS-D3
03/11/2015	73,00	226.429	20,31	SEBA MPS-D3
03/11/2015	75,00	226.426	20,36	SEBA MPS-D3
03/11/2015	77,00	226.389	20,41	SEBA MPS-D3
03/11/2015	77,60	208.882	20,42	SEBA MPS-D3
05/12/2015	1,10	68.999	20,50	SEBA MPS-D3
05/12/2015	2,00	68.779	19,00	SEBA MPS-D3
05/12/2015	4,00	68.762	18,89	SEBA MPS-D3
05/12/2015	6,00	68.741	18,87	SEBA MPS-D3
05/12/2015	8,00	71.013	18,86	SEBA MPS-D3
05/12/2015	10,00	72.608	18,86	SEBA MPS-D3
05/12/2015	12,00	75.585	18,85	SEBA MPS-D3
05/12/2015	14,00	79.058	18,85	SEBA MPS-D3
05/12/2015	16,00	83.054	18,84	SEBA MPS-D3
05/12/2015	18,00	87.424	18,82	SEBA MPS-D3
05/12/2015	20,00	92.909	18,80	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/12/2015	21,00	95.249	18,79	SEBA MPS-D3
05/12/2015	21,50	98.343	18,78	SEBA MPS-D3
05/12/2015	22,00	102.520	18,78	SEBA MPS-D3
05/12/2015	22,50	107.256	18,76	SEBA MPS-D3
05/12/2015	23,00	117.184	18,75	SEBA MPS-D3
05/12/2015	23,50	122.743	18,75	SEBA MPS-D3
05/12/2015	24,00	126.436	18,74	SEBA MPS-D3
05/12/2015	24,50	128.880	18,73	SEBA MPS-D3
05/12/2015	25,00	135.476	18,73	SEBA MPS-D3
05/12/2015	25,50	148.250	18,74	SEBA MPS-D3
05/12/2015	26,00	186.522	18,87	SEBA MPS-D3
05/12/2015	26,50	202.719	19,00	SEBA MPS-D3
05/12/2015	27,00	210.124	19,09	SEBA MPS-D3
05/12/2015	29,00	225.772	19,19	SEBA MPS-D3
05/12/2015	31,00	233.182	19,32	SEBA MPS-D3
05/12/2015	33,00	233.799	19,45	SEBA MPS-D3
05/12/2015	36,00	233.754	19,49	SEBA MPS-D3
05/12/2015	38,00	233.796	19,49	SEBA MPS-D3
05/12/2015	40,00	233.739	19,50	SEBA MPS-D3
05/12/2015	43,00	233.727	19,53	SEBA MPS-D3
05/12/2015	45,00	234.008	19,55	SEBA MPS-D3
05/12/2015	47,00	234.143	19,60	SEBA MPS-D3
05/12/2015	50,00	234.143	19,73	SEBA MPS-D3
05/12/2015	52,00	234.109	19,78	SEBA MPS-D3
05/12/2015	54,00	234.146	19,80	SEBA MPS-D3
05/12/2015	56,00	234.124	19,82	SEBA MPS-D3
05/12/2015	58,00	234.139	19,81	SEBA MPS-D3
05/12/2015	60,00	234.141	19,83	SEBA MPS-D3
05/12/2015	63,00	234.118	19,87	SEBA MPS-D3
05/12/2015	65,00	234.148	19,97	SEBA MPS-D3
05/12/2015	67,00	234.043	20,07	SEBA MPS-D3
05/12/2015	70,00	234.072	20,20	SEBA MPS-D3
05/12/2015	72,00	234.080	20,27	SEBA MPS-D3
05/12/2015	74,00	234.011	20,35	SEBA MPS-D3
05/12/2015	76,00	234.075	20,41	SEBA MPS-D3
05/12/2015	77,50	228.610	20,42	SEBA MPS-D3
16/01/2016	1,30	79.372	20,74	SEBA MPS-D3
16/01/2016	2,00	79.208	18,98	SEBA MPS-D3
16/01/2016	4,00	79.257	18,85	SEBA MPS-D3
16/01/2016	6,00	79.126	18,84	SEBA MPS-D3
16/01/2016	8,00	81.403	18,83	SEBA MPS-D3
16/01/2016	10,00	83.250	18,83	SEBA MPS-D3
16/01/2016	12,00	86.004	18,82	SEBA MPS-D3
16/01/2016	14,00	89.257	18,81	SEBA MPS-D3
16/01/2016	16,00	93.300	18,81	SEBA MPS-D3
16/01/2016	18,00	97.573	18,79	SEBA MPS-D3
16/01/2016	20,00	102.923	18,78	SEBA MPS-D3
16/01/2016	21,00	105.149	18,75	SEBA MPS-D3
16/01/2016	21,50	108.274	18,75	SEBA MPS-D3
16/01/2016	22,00	112.036	18,74	SEBA MPS-D3
16/01/2016	22,50	116.700	18,74	SEBA MPS-D3
16/01/2016	23,00	125.157	18,74	SEBA MPS-D3
16/01/2016	23,50	133.070	18,74	SEBA MPS-D3
16/01/2016	24,00	136.979	18,73	SEBA MPS-D3
16/01/2016	24,50	140.023	18,73	SEBA MPS-D3
16/01/2016	25,00	147.222	18,73	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/01/2016	25,50	161.328	18,76	SEBA MPS-D3
16/01/2016	26,00	198.577	18,95	SEBA MPS-D3
16/01/2016	26,50	211.142	19,09	SEBA MPS-D3
16/01/2016	27,00	216.527	19,19	SEBA MPS-D3
16/01/2016	29,00	227.956	19,29	SEBA MPS-D3
16/01/2016	31,00	231.854	19,42	SEBA MPS-D3
16/01/2016	33,00	232.022	19,48	SEBA MPS-D3
16/01/2016	35,00	231.987	19,49	SEBA MPS-D3
16/01/2016	37,00	231.972	19,49	SEBA MPS-D3
16/01/2016	39,00	231.969	19,49	SEBA MPS-D3
16/01/2016	41,00	231.982	19,50	SEBA MPS-D3
16/01/2016	43,00	231.991	19,53	SEBA MPS-D3
16/01/2016	45,00	232.740	19,61	SEBA MPS-D3
16/01/2016	47,00	233.051	19,70	SEBA MPS-D3
16/01/2016	49,00	232.984	19,76	SEBA MPS-D3
16/01/2016	51,00	233.090	19,78	SEBA MPS-D3
16/01/2016	53,00	233.058	19,83	SEBA MPS-D3
16/01/2016	55,00	233.093	19,83	SEBA MPS-D3
16/01/2016	57,00	233.082	19,84	SEBA MPS-D3
16/01/2016	59,00	233.050	19,85	SEBA MPS-D3
16/01/2016	61,00	233.077	19,85	SEBA MPS-D3
16/01/2016	63,00	233.074	19,89	SEBA MPS-D3
16/01/2016	65,00	233.035	19,96	SEBA MPS-D3
16/01/2016	67,00	233.082	20,03	SEBA MPS-D3
16/01/2016	69,00	232.990	20,11	SEBA MPS-D3
16/01/2016	71,00	233.020	20,18	SEBA MPS-D3
16/01/2016	73,00	232.989	20,23	SEBA MPS-D3
16/01/2016	75,00	233.025	20,31	SEBA MPS-D3
16/01/2016	77,00	233.013	20,34	SEBA MPS-D3
16/01/2016	77,55	211.471	20,36	SEBA MPS-D3
09/02/2016	1,15	73.791	20,24	SEBA MPS-D3
09/02/2016	2,00	73.608	19,05	SEBA MPS-D3
09/02/2016	4,00	73.492	18,89	SEBA MPS-D3
09/02/2016	6,00	73.445	18,87	SEBA MPS-D3
09/02/2016	8,00	75.371	18,86	SEBA MPS-D3
09/02/2016	10,00	77.118	18,85	SEBA MPS-D3
09/02/2016	12,00	79.625	18,84	SEBA MPS-D3
09/02/2016	14,00	82.712	18,84	SEBA MPS-D3
09/02/2016	16,00	86.580	18,83	SEBA MPS-D3
09/02/2016	18,00	90.682	18,82	SEBA MPS-D3
09/02/2016	20,00	95.518	18,80	SEBA MPS-D3
09/02/2016	21,00	97.553	18,79	SEBA MPS-D3
09/02/2016	21,50	100.829	18,78	SEBA MPS-D3
09/02/2016	22,00	104.418	18,77	SEBA MPS-D3
09/02/2016	22,50	108.718	18,76	SEBA MPS-D3
09/02/2016	23,00	119.283	18,75	SEBA MPS-D3
09/02/2016	23,50	125.457	18,74	SEBA MPS-D3
09/02/2016	24,00	129.524	18,74	SEBA MPS-D3
09/02/2016	24,50	132.612	18,73	SEBA MPS-D3
09/02/2016	25,00	140.174	18,73	SEBA MPS-D3
09/02/2016	25,50	155.958	18,74	SEBA MPS-D3
09/02/2016	26,00	194.357	18,89	SEBA MPS-D3
09/02/2016	26,50	209.973	19,05	SEBA MPS-D3
09/02/2016	27,00	214.492	19,12	SEBA MPS-D3
09/02/2016	29,00	230.616	19,24	SEBA MPS-D3
09/02/2016	31,00	236.116	19,36	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/02/2016	33,00	236.392	19,46	SEBA MPS-D3
09/02/2016	35,00	236.389	19,46	SEBA MPS-D3
09/02/2016	37,00	236.376	19,49	SEBA MPS-D3
09/02/2016	39,00	236.415	19,49	SEBA MPS-D3
09/02/2016	41,00	236.383	19,50	SEBA MPS-D3
09/02/2016	43,00	236.447	19,50	SEBA MPS-D3
09/02/2016	45,00	236.467	19,52	SEBA MPS-D3
09/02/2016	47,00	236.701	19,58	SEBA MPS-D3
09/02/2016	49,00	237.027	19,65	SEBA MPS-D3
09/02/2016	51,00	237.051	19,72	SEBA MPS-D3
09/02/2016	53,00	237.046	19,78	SEBA MPS-D3
09/02/2016	55,00	237.086	19,82	SEBA MPS-D3
09/02/2016	57,00	237.104	19,81	SEBA MPS-D3
09/02/2016	59,00	237.085	19,84	SEBA MPS-D3
09/02/2016	61,00	237.091	19,84	SEBA MPS-D3
09/02/2016	63,00	237.077	19,89	SEBA MPS-D3
09/02/2016	65,00	237.021	20,01	SEBA MPS-D3
09/02/2016	67,00	237.108	20,07	SEBA MPS-D3
09/02/2016	69,00	237.022	20,16	SEBA MPS-D3
09/02/2016	71,00	237.018	20,23	SEBA MPS-D3
09/02/2016	73,00	236.940	20,30	SEBA MPS-D3
09/02/2016	75,00	236.976	20,36	SEBA MPS-D3
09/02/2016	77,00	236.988	20,39	SEBA MPS-D3
09/02/2016	77,55	235.147	20,42	SEBA MPS-D3
09/03/2016	1,20	73.961	21,10	SEBA MPS-D3
09/03/2016	2,00	74.043	18,97	SEBA MPS-D3
09/03/2016	4,00	74.003	18,86	SEBA MPS-D3
09/03/2016	6,00	73.966	18,86	SEBA MPS-D3
09/03/2016	8,00	75.647	18,85	SEBA MPS-D3
09/03/2016	10,00	77.216	18,85	SEBA MPS-D3
09/03/2016	12,00	79.449	18,84	SEBA MPS-D3
09/03/2016	14,00	82.268	18,84	SEBA MPS-D3
09/03/2016	16,00	85.650	18,83	SEBA MPS-D3
09/03/2016	18,00	89.135	18,82	SEBA MPS-D3
09/03/2016	20,00	93.479	18,80	SEBA MPS-D3
09/03/2016	21,00	95.209	18,79	SEBA MPS-D3
09/03/2016	21,50	97.913	18,78	SEBA MPS-D3
09/03/2016	22,00	101.268	18,77	SEBA MPS-D3
09/03/2016	22,50	105.227	18,76	SEBA MPS-D3
09/03/2016	23,00	114.826	18,75	SEBA MPS-D3
09/03/2016	23,50	120.567	18,74	SEBA MPS-D3
09/03/2016	24,00	124.440	18,73	SEBA MPS-D3
09/03/2016	24,50	128.058	18,73	SEBA MPS-D3
09/03/2016	25,00	136.810	18,73	SEBA MPS-D3
09/03/2016	25,50	154.024	18,74	SEBA MPS-D3
09/03/2016	26,00	193.785	18,89	SEBA MPS-D3
09/03/2016	26,50	208.914	19,05	SEBA MPS-D3
09/03/2016	27,00	213.117	19,12	SEBA MPS-D3
09/03/2016	29,00	228.571	19,25	SEBA MPS-D3
09/03/2016	31,00	233.897	19,38	SEBA MPS-D3
09/03/2016	33,00	234.190	19,46	SEBA MPS-D3
09/03/2016	35,00	234.146	19,48	SEBA MPS-D3
09/03/2016	37,00	234.171	19,48	SEBA MPS-D3
09/03/2016	39,00	234.174	19,49	SEBA MPS-D3
09/03/2016	41,00	234.109	19,51	SEBA MPS-D3
09/03/2016	43,00	234.164	19,52	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [ $\mu\text{S}/\text{cm}$ ]	TEMP [ $^{\circ}\text{C}$ ]	Equipo
09/03/2016	45,00	234.620	19,58	SEBA MPS-D3
09/03/2016	47,00	234.843	19,63	SEBA MPS-D3
09/03/2016	49,00	234.813	19,73	SEBA MPS-D3
09/03/2016	51,00	234.773	19,78	SEBA MPS-D3
09/03/2016	53,00	234.844	19,81	SEBA MPS-D3
09/03/2016	55,00	234.822	19,83	SEBA MPS-D3
09/03/2016	57,00	234.772	19,84	SEBA MPS-D3
09/03/2016	59,00	234.793	19,84	SEBA MPS-D3
09/03/2016	61,00	234.820	19,85	SEBA MPS-D3
09/03/2016	63,00	234.800	19,87	SEBA MPS-D3
09/03/2016	65,00	234.712	19,98	SEBA MPS-D3
09/03/2016	67,00	234.765	20,05	SEBA MPS-D3
09/03/2016	69,00	234.762	20,14	SEBA MPS-D3
09/03/2016	71,00	234.711	20,21	SEBA MPS-D3
09/03/2016	73,00	234.734	20,28	SEBA MPS-D3
09/03/2016	75,00	234.704	20,35	SEBA MPS-D3
09/03/2016	77,00	234.733	20,38	SEBA MPS-D3
09/03/2016	77,55	223.758	20,41	SEBA MPS-D3
04/05/2016	1,30	78.810	19,13	SEBA KLL-Q
04/05/2016	2,00	78.630	18,88	SEBA KLL-Q
04/05/2016	3,00	79.020	18,84	SEBA KLL-Q
04/05/2016	4,00	79.070	18,83	SEBA KLL-Q
04/05/2016	5,00	79.070	18,82	SEBA KLL-Q
04/05/2016	6,00	79.090	18,82	SEBA KLL-Q
04/05/2016	7,00	79.330	18,81	SEBA KLL-Q
04/05/2016	8,00	80.170	18,81	SEBA KLL-Q
04/05/2016	9,00	80.900	18,80	SEBA KLL-Q
04/05/2016	10,00	81.310	18,81	SEBA KLL-Q
04/05/2016	10,50	81.720	18,81	SEBA KLL-Q
04/05/2016	11,00	82.010	18,81	SEBA KLL-Q
04/05/2016	11,50	82.550	18,81	SEBA KLL-Q
04/05/2016	12,00	82.940	18,80	SEBA KLL-Q
04/05/2016	12,50	83.620	18,80	SEBA KLL-Q
04/05/2016	13,00	84.420	18,80	SEBA KLL-Q
04/05/2016	13,50	84.820	18,80	SEBA KLL-Q
04/05/2016	14,00	85.280	18,80	SEBA KLL-Q
04/05/2016	15,00	86.540	18,80	SEBA KLL-Q
04/05/2016	16,00	87.950	18,79	SEBA KLL-Q
04/05/2016	16,50	88.620	18,79	SEBA KLL-Q
04/05/2016	17,00	89.390	18,79	SEBA KLL-Q
04/05/2016	17,50	89.970	18,78	SEBA KLL-Q
04/05/2016	18,00	90.670	18,79	SEBA KLL-Q
04/05/2016	18,50	91.330	18,78	SEBA KLL-Q
04/05/2016	19,00	91.930	18,78	SEBA KLL-Q
04/05/2016	19,50	92.570	18,78	SEBA KLL-Q
04/05/2016	20,00	94.100	18,77	SEBA KLL-Q
04/05/2016	20,50	95.140	18,77	SEBA KLL-Q
04/05/2016	21,00	96.280	18,76	SEBA KLL-Q
04/05/2016	22,00	101.950	18,74	SEBA KLL-Q
04/05/2016	22,50	105.030	18,74	SEBA KLL-Q
04/05/2016	23,00	115.100	18,72	SEBA KLL-Q
04/05/2016	23,50	120.640	18,72	SEBA KLL-Q
04/05/2016	24,00	123.970	18,71	SEBA KLL-Q
04/05/2016	24,50	128.730	18,69	SEBA KLL-Q
04/05/2016	25,00	138.260	18,69	SEBA KLL-Q
04/05/2016	25,50	153.900	18,71	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/05/2016	26,00	196.280	18,90	SEBA KLL-Q
04/05/2016	26,20	203.300	18,99	SEBA KLL-Q
04/05/2016	26,50	210.600	19,09	SEBA KLL-Q
04/05/2016	27,00	213.500	19,17	SEBA KLL-Q
04/05/2016	27,50	218.700	19,22	SEBA KLL-Q
04/05/2016	28,00	221.000	19,25	SEBA KLL-Q
04/05/2016	29,00	225.900	19,30	SEBA KLL-Q
04/05/2016	30,00	229.100	19,39	SEBA KLL-Q
04/05/2016	32,00	229.400	19,46	SEBA KLL-Q
04/05/2016	34,00	229.300	19,46	SEBA KLL-Q
04/05/2016	36,00	229.300	19,48	SEBA KLL-Q
04/05/2016	38,00	229.300	19,48	SEBA KLL-Q
04/05/2016	40,00	229.300	19,48	SEBA KLL-Q
04/05/2016	42,00	229.300	19,50	SEBA KLL-Q
04/05/2016	44,00	229.700	19,56	SEBA KLL-Q
04/05/2016	46,00	230.500	19,80	SEBA KLL-Q
04/05/2016	48,00	230.500	19,82	SEBA KLL-Q
04/05/2016	50,00	230.500	19,84	SEBA KLL-Q
04/05/2016	52,00	230.600	19,85	SEBA KLL-Q
04/05/2016	54,00	230.500	19,85	SEBA KLL-Q
04/05/2016	56,00	230.500	19,86	SEBA KLL-Q
04/05/2016	58,00	230.500	19,88	SEBA KLL-Q
04/05/2016	60,00	230.500	19,89	SEBA KLL-Q
04/05/2016	62,00	230.600	19,90	SEBA KLL-Q
04/05/2016	64,00	230.500	19,95	SEBA KLL-Q
04/05/2016	66,00	230.500	20,00	SEBA KLL-Q
04/05/2016	68,00	230.400	20,06	SEBA KLL-Q
04/05/2016	70,00	230.500	20,12	SEBA KLL-Q
04/05/2016	72,00	230.500	20,17	SEBA KLL-Q
04/05/2016	74,00	230.400	20,24	SEBA KLL-Q
04/05/2016	76,00	230.400	20,29	SEBA KLL-Q
04/05/2016	77,50	229.000	20,30	SEBA KLL-Q
11/07/2016	1,20	71.840	18,33	SEBA KLL-Q
11/07/2016	2,00	71.760	18,53	SEBA KLL-Q
11/07/2016	3,00	71.680	18,79	SEBA KLL-Q
11/07/2016	4,00	71.670	18,82	SEBA KLL-Q
11/07/2016	5,00	71.680	18,82	SEBA KLL-Q
11/07/2016	6,00	71.700	18,83	SEBA KLL-Q
11/07/2016	7,00	72.080	18,83	SEBA KLL-Q
11/07/2016	8,00	72.670	18,83	SEBA KLL-Q
11/07/2016	9,00	73.220	18,83	SEBA KLL-Q
11/07/2016	10,00	73.680	18,83	SEBA KLL-Q
11/07/2016	11,00	74.260	18,83	SEBA KLL-Q
11/07/2016	12,00	75.130	18,82	SEBA KLL-Q
11/07/2016	13,00	76.260	18,82	SEBA KLL-Q
11/07/2016	14,00	77.230	18,82	SEBA KLL-Q
11/07/2016	15,00	78.390	18,82	SEBA KLL-Q
11/07/2016	16,00	79.740	18,82	SEBA KLL-Q
11/07/2016	17,00	81.020	18,81	SEBA KLL-Q
11/07/2016	18,00	82.400	18,81	SEBA KLL-Q
11/07/2016	19,00	83.510	18,80	SEBA KLL-Q
11/07/2016	20,00	85.570	18,79	SEBA KLL-Q
11/07/2016	20,50	86.530	18,79	SEBA KLL-Q
11/07/2016	21,00	87.160	18,79	SEBA KLL-Q
11/07/2016	21,50	89.480	18,77	SEBA KLL-Q
11/07/2016	22,00	92.480	18,76	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [ $\mu\text{S}/\text{cm}$ ]	TEMP [ $^{\circ}\text{C}$ ]	Equipo
11/07/2016	22,50	95.910	18,75	SEBA KLL-Q
11/07/2016	23,00	105.600	18,74	SEBA KLL-Q
11/07/2016	23,50	110.900	18,74	SEBA KLL-Q
11/07/2016	24,00	113.500	18,73	SEBA KLL-Q
11/07/2016	24,50	116.400	18,72	SEBA KLL-Q
11/07/2016	25,00	125.300	18,70	SEBA KLL-Q
11/07/2016	25,25	129.600	18,70	SEBA KLL-Q
11/07/2016	25,50	139.800	18,71	SEBA KLL-Q
11/07/2016	25,75	169.100	18,79	SEBA KLL-Q
11/07/2016	26,00	178.500	18,85	SEBA KLL-Q
11/07/2016	26,25	187.900	18,94	SEBA KLL-Q
11/07/2016	26,50	199.000	19,04	SEBA KLL-Q
11/07/2016	26,75	202.200	19,13	SEBA KLL-Q
11/07/2016	27,00	203.200	19,14	SEBA KLL-Q
11/07/2016	27,25	205.900	19,16	SEBA KLL-Q
11/07/2016	27,50	208.300	19,20	SEBA KLL-Q
11/07/2016	27,75	210.000	19,20	SEBA KLL-Q
11/07/2016	28,00	211.000	19,23	SEBA KLL-Q
11/07/2016	28,25	215.900	19,24	SEBA KLL-Q
11/07/2016	28,50	216.800	19,27	SEBA KLL-Q
11/07/2016	28,75	216.900	19,28	SEBA KLL-Q
11/07/2016	29,00	216.800	19,28	SEBA KLL-Q
11/07/2016	29,50	218.900	19,29	SEBA KLL-Q
11/07/2016	30,00	220.900	19,37	SEBA KLL-Q
11/07/2016	30,50	221.000	19,39	SEBA KLL-Q
11/07/2016	31,00	221.000	19,40	SEBA KLL-Q
11/07/2016	32,00	221.200	19,46	SEBA KLL-Q
11/07/2016	33,00	221.200	19,48	SEBA KLL-Q
11/07/2016	34,00	221.200	19,48	SEBA KLL-Q
11/07/2016	35,00	221.200	19,48	SEBA KLL-Q
11/07/2016	40,00	221.200	19,49	SEBA KLL-Q
11/07/2016	45,00	221.800	19,50	SEBA KLL-Q
11/07/2016	50,00	222.100	19,69	SEBA KLL-Q
11/07/2016	55,00	222.000	19,81	SEBA KLL-Q
11/07/2016	60,00	222.100	19,89	SEBA KLL-Q
11/07/2016	65,00	222.100	20,02	SEBA KLL-Q
11/07/2016	70,00	222.000	20,10	SEBA KLL-Q
11/07/2016	75,00	222.100	20,30	SEBA KLL-Q
11/07/2016	77,55	216.100	20,35	SEBA KLL-Q
22/10/2016	1,20	75.092	19,57	SEBA KLL-Q
22/10/2016	2,00	75.162	18,96	SEBA KLL-Q
22/10/2016	3,00	75.229	18,86	SEBA KLL-Q
22/10/2016	4,00	75.221	18,85	SEBA KLL-Q
22/10/2016	6,00	75.227	18,85	SEBA KLL-Q
22/10/2016	8,00	75.885	18,85	SEBA KLL-Q
22/10/2016	10,00	76.909	18,84	SEBA KLL-Q
22/10/2016	11,00	77.394	18,84	SEBA KLL-Q
22/10/2016	12,00	78.052	18,84	SEBA KLL-Q
22/10/2016	13,00	79.036	18,84	SEBA KLL-Q
22/10/2016	14,00	79.708	18,84	SEBA KLL-Q
22/10/2016	15,00	80.738	18,83	SEBA KLL-Q
22/10/2016	16,00	81.802	18,83	SEBA KLL-Q
22/10/2016	17,00	82.986	18,83	SEBA KLL-Q
22/10/2016	17,50	83.485	18,83	SEBA KLL-Q
22/10/2016	18,00	84.131	18,82	SEBA KLL-Q
22/10/2016	18,50	84.497	18,82	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2016	19,00	84.876	18,82	SEBA KLL-Q
22/10/2016	19,50	85.541	18,82	SEBA KLL-Q
22/10/2016	20,00	86.719	18,82	SEBA KLL-Q
22/10/2016	20,50	87.425	18,81	SEBA KLL-Q
22/10/2016	20,70	87.472	18,81	SEBA KLL-Q
22/10/2016	21,00	87.705	18,80	SEBA KLL-Q
22/10/2016	21,20	88.071	18,80	SEBA KLL-Q
22/10/2016	21,40	89.224	18,79	SEBA KLL-Q
22/10/2016	21,60	90.256	18,80	SEBA KLL-Q
22/10/2016	21,80	91.169	18,79	SEBA KLL-Q
22/10/2016	22,00	92.135	18,79	SEBA KLL-Q
22/10/2016	22,20	93.314	18,79	SEBA KLL-Q
22/10/2016	22,40	94.787	18,78	SEBA KLL-Q
22/10/2016	22,60	97.125	18,78	SEBA KLL-Q
22/10/2016	22,80	99.419	18,77	SEBA KLL-Q
22/10/2016	23,00	103.593	18,77	SEBA KLL-Q
22/10/2016	23,20	106.860	18,76	SEBA KLL-Q
22/10/2016	23,40	107.608	18,76	SEBA KLL-Q
22/10/2016	23,60	108.299	18,76	SEBA KLL-Q
22/10/2016	23,80	108.813	18,75	SEBA KLL-Q
22/10/2016	24,00	109.670	18,74	SEBA KLL-Q
22/10/2016	24,20	110.688	18,74	SEBA KLL-Q
22/10/2016	24,40	111.648	18,76	SEBA KLL-Q
22/10/2016	24,60	113.700	18,76	SEBA KLL-Q
22/10/2016	24,80	117.468	18,73	SEBA KLL-Q
22/10/2016	25,00	120.770	18,73	SEBA KLL-Q
22/10/2016	25,20	126.403	18,72	SEBA KLL-Q
22/10/2016	25,40	132.338	18,72	SEBA KLL-Q
22/10/2016	25,60	148.613	18,74	SEBA KLL-Q
22/10/2016	25,80	170.732	18,78	SEBA KLL-Q
22/10/2016	26,00	175.302	18,80	SEBA KLL-Q
22/10/2016	26,20	187.744	18,86	SEBA KLL-Q
22/10/2016	26,40	202.668	18,95	SEBA KLL-Q
22/10/2016	26,60	211.449	19,06	SEBA KLL-Q
22/10/2016	26,80	212.380	19,13	SEBA KLL-Q
22/10/2016	27,00	213.389	19,15	SEBA KLL-Q
22/10/2016	27,20	215.123	19,16	SEBA KLL-Q
22/10/2016	27,40	216.100	19,19	SEBA KLL-Q
22/10/2016	27,60	218.029	19,22	SEBA KLL-Q
22/10/2016	27,80	220.631	19,23	SEBA KLL-Q
22/10/2016	28,00	221.259	19,24	SEBA KLL-Q
22/10/2016	28,50	227.316	19,28	SEBA KLL-Q
22/10/2016	29,00	227.380	19,28	SEBA KLL-Q
22/10/2016	30,00	231.512	19,38	SEBA KLL-Q
22/10/2016	31,00	231.666	19,41	SEBA KLL-Q
22/10/2016	32,00	231.700	19,46	SEBA KLL-Q
22/10/2016	34,00	231.842	19,47	SEBA KLL-Q
22/10/2016	36,00	231.824	19,48	SEBA KLL-Q
22/10/2016	38,00	231.769	19,48	SEBA KLL-Q
22/10/2016	40,00	231.775	19,49	SEBA KLL-Q
22/10/2016	45,00	232.465	19,60	SEBA KLL-Q
22/10/2016	50,00	232.933	19,73	SEBA KLL-Q
22/10/2016	55,00	232.922	19,81	SEBA KLL-Q
22/10/2016	60,00	232.813	19,86	SEBA KLL-Q
22/10/2016	65,00	232.911	19,96	SEBA KLL-Q
22/10/2016	70,00	232.751	20,15	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2016	75,00	232.715	20,32	SEBA KLL-Q
22/10/2016	77,50	231.570	20,37	SEBA KLL-Q
07/11/2016	1,20	74.140	20,56	SEBA KLL-Q
07/11/2016	2,00	74.180	19,30	SEBA KLL-Q
07/11/2016	3,00	74.150	18,86	SEBA KLL-Q
07/11/2016	4,00	74.130	18,84	SEBA KLL-Q
07/11/2016	5,00	74.130	18,85	SEBA KLL-Q
07/11/2016	6,00	74.110	18,84	SEBA KLL-Q
07/11/2016	7,00	74.260	18,84	SEBA KLL-Q
07/11/2016	8,00	74.810	18,84	SEBA KLL-Q
07/11/2016	9,00	75.150	18,85	SEBA KLL-Q
07/11/2016	10,00	75.570	18,84	SEBA KLL-Q
07/11/2016	11,00	76.020	18,84	SEBA KLL-Q
07/11/2016	12,00	76.590	18,86	SEBA KLL-Q
07/11/2016	13,00	77.330	18,83	SEBA KLL-Q
07/11/2016	13,50	77.920	18,83	SEBA KLL-Q
07/11/2016	14,00	78.270	18,83	SEBA KLL-Q
07/11/2016	14,50	78.690	18,83	SEBA KLL-Q
07/11/2016	15,00	79.360	18,83	SEBA KLL-Q
07/11/2016	15,50	79.900	18,83	SEBA KLL-Q
07/11/2016	16,00	80.370	18,83	SEBA KLL-Q
07/11/2016	16,50	80.820	18,83	SEBA KLL-Q
07/11/2016	17,00	81.300	18,82	SEBA KLL-Q
07/11/2016	17,50	81.780	18,83	SEBA KLL-Q
07/11/2016	18,00	82.170	18,83	SEBA KLL-Q
07/11/2016	18,20	82.440	18,82	SEBA KLL-Q
07/11/2016	18,40	82.470	18,83	SEBA KLL-Q
07/11/2016	18,60	82.610	18,82	SEBA KLL-Q
07/11/2016	18,80	82.910	18,81	SEBA KLL-Q
07/11/2016	19,00	82.860	18,82	SEBA KLL-Q
07/11/2016	19,50	83.410	18,82	SEBA KLL-Q
07/11/2016	20,00	84.640	18,81	SEBA KLL-Q
07/11/2016	20,20	84.810	18,81	SEBA KLL-Q
07/11/2016	20,40	85.040	18,81	SEBA KLL-Q
07/11/2016	20,60	85.280	18,81	SEBA KLL-Q
07/11/2016	20,85	85.390	18,81	SEBA KLL-Q
07/11/2016	21,00	85.800	18,80	SEBA KLL-Q
07/11/2016	21,20	86.360	18,80	SEBA KLL-Q
07/11/2016	21,40	87.300	18,81	SEBA KLL-Q
07/11/2016	21,60	88.300	18,79	SEBA KLL-Q
07/11/2016	21,80	88.840	18,79	SEBA KLL-Q
07/11/2016	22,00	89.470	18,78	SEBA KLL-Q
07/11/2016	22,20	90.020	18,79	SEBA KLL-Q
07/11/2016	22,40	91.830	18,78	SEBA KLL-Q
07/11/2016	22,60	93.960	18,77	SEBA KLL-Q
07/11/2016	22,80	96.190	18,77	SEBA KLL-Q
07/11/2016	23,00	100.400	18,76	SEBA KLL-Q
07/11/2016	23,20	103.800	18,75	SEBA KLL-Q
07/11/2016	23,40	104.400	18,75	SEBA KLL-Q
07/11/2016	23,60	105.400	18,75	SEBA KLL-Q
07/11/2016	23,80	106.000	18,75	SEBA KLL-Q
07/11/2016	24,00	107.300	18,74	SEBA KLL-Q
07/11/2016	24,20	108.400	18,73	SEBA KLL-Q
07/11/2016	24,40	108.400	18,72	SEBA KLL-Q
07/11/2016	24,60	109.000	18,73	SEBA KLL-Q
07/11/2016	24,80	113.300	18,73	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/11/2016	25,00	116.900	18,72	SEBA KLL-Q
07/11/2016	25,20	122.600	18,72	SEBA KLL-Q
07/11/2016	25,40	129.900	18,72	SEBA KLL-Q
07/11/2016	25,60	147.800	18,74	SEBA KLL-Q
07/11/2016	25,80	167.200	18,77	SEBA KLL-Q
07/11/2016	26,00	171.000	18,79	SEBA KLL-Q
07/11/2016	26,20	184.900	18,84	SEBA KLL-Q
07/11/2016	26,40	205.200	18,99	SEBA KLL-Q
07/11/2016	26,60	210.500	19,06	SEBA KLL-Q
07/11/2016	26,80	210.700	19,13	SEBA KLL-Q
07/11/2016	27,00	211.700	19,16	SEBA KLL-Q
07/11/2016	27,20	213.800	19,16	SEBA KLL-Q
07/11/2016	27,40	214.500	19,18	SEBA KLL-Q
07/11/2016	27,60	218.800	19,20	SEBA KLL-Q
07/11/2016	27,80	219.100	19,22	SEBA KLL-Q
07/11/2016	28,00	219.700	19,23	SEBA KLL-Q
07/11/2016	28,20	224.800	19,24	SEBA KLL-Q
07/11/2016	28,40	225.800	19,27	SEBA KLL-Q
07/11/2016	28,60	226.000	19,27	SEBA KLL-Q
07/11/2016	28,80	225.900	19,28	SEBA KLL-Q
07/11/2016	29,00	225.900	19,29	SEBA KLL-Q
07/11/2016	29,50	228.000	19,30	SEBA KLL-Q
07/11/2016	30,00	230.200	19,38	SEBA KLL-Q
07/11/2016	30,50	230.300	19,41	SEBA KLL-Q
07/11/2016	31,00	230.400	19,40	SEBA KLL-Q
07/11/2016	32,00	230.600	19,44	SEBA KLL-Q
07/11/2016	33,00	230.600	19,47	SEBA KLL-Q
07/11/2016	35,00	230.600	19,48	SEBA KLL-Q
07/11/2016	40,00	230.600	19,48	SEBA KLL-Q
07/11/2016	45,00	231.200	19,58	SEBA KLL-Q
07/11/2016	50,00	231.600	19,69	SEBA KLL-Q
07/11/2016	55,00	231.600	19,83	SEBA KLL-Q
07/11/2016	60,00	231.600	19,88	SEBA KLL-Q
07/11/2016	65,00	231.600	19,97	SEBA KLL-Q
07/11/2016	70,00	231.500	20,14	SEBA KLL-Q
07/11/2016	75,00	231.600	20,34	SEBA KLL-Q
07/11/2016	77,53	226.500	20,36	SEBA KLL-Q
16/01/2017	1,40	84.380	20,74	SEBA KLL-Q
16/01/2017	2,00	84.220	19,15	SEBA KLL-Q
16/01/2017	3,00	84.240	18,88	SEBA KLL-Q
16/01/2017	4,00	84.190	18,85	SEBA KLL-Q
16/01/2017	6,00	84.150	18,84	SEBA KLL-Q
16/01/2017	8,00	84.870	18,84	SEBA KLL-Q
16/01/2017	10,00	85.400	18,83	SEBA KLL-Q
16/01/2017	12,00	86.210	18,83	SEBA KLL-Q
16/01/2017	14,00	87.750	18,83	SEBA KLL-Q
16/01/2017	15,00	88.670	18,82	SEBA KLL-Q
16/01/2017	16,00	89.490	18,82	SEBA KLL-Q
16/01/2017	17,00	90.350	18,82	SEBA KLL-Q
16/01/2017	18,00	91.030	18,82	SEBA KLL-Q
16/01/2017	18,50	91.320	18,81	SEBA KLL-Q
16/01/2017	19,00	91.510	18,81	SEBA KLL-Q
16/01/2017	19,50	92.010	18,81	SEBA KLL-Q
16/01/2017	20,00	93.010	18,81	SEBA KLL-Q
16/01/2017	20,50	93.540	18,81	SEBA KLL-Q
16/01/2017	21,00	93.970	18,80	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/01/2017	21,50	95.500	18,79	SEBA KLL-Q
16/01/2017	22,00	97.450	18,79	SEBA KLL-Q
16/01/2017	22,50	100.300	18,78	SEBA KLL-Q
16/01/2017	23,00	108.700	18,76	SEBA KLL-Q
16/01/2017	23,20	111.400	18,75	SEBA KLL-Q
16/01/2017	23,40	112.000	18,75	SEBA KLL-Q
16/01/2017	23,60	112.700	18,75	SEBA KLL-Q
16/01/2017	23,80	113.200	18,74	SEBA KLL-Q
16/01/2017	24,00	114.200	18,74	SEBA KLL-Q
16/01/2017	24,20	115.300	18,73	SEBA KLL-Q
16/01/2017	24,40	115.800	18,73	SEBA KLL-Q
16/01/2017	24,60	116.800	18,73	SEBA KLL-Q
16/01/2017	24,80	122.400	18,73	SEBA KLL-Q
16/01/2017	25,00	126.900	18,72	SEBA KLL-Q
16/01/2017	25,20	133.400	18,71	SEBA KLL-Q
16/01/2017	25,40	143.100	18,71	SEBA KLL-Q
16/01/2017	25,60	161.200	18,73	SEBA KLL-Q
16/01/2017	25,80	180.500	18,77	SEBA KLL-Q
16/01/2017	26,00	184.500	18,78	SEBA KLL-Q
16/01/2017	26,20	202.800	18,85	SEBA KLL-Q
16/01/2017	26,40	221.400	18,98	SEBA KLL-Q
16/01/2017	26,60	229.900	19,09	SEBA KLL-Q
16/01/2017	26,80	230.100	19,14	SEBA KLL-Q
16/01/2017	27,00	231.100	19,15	SEBA KLL-Q
16/01/2017	27,50	237.300	19,20	SEBA KLL-Q
16/01/2017	28,00	239.700	19,24	SEBA KLL-Q
16/01/2017	29,00	246.300	19,28	SEBA KLL-Q
16/01/2017	30,00	250.400	19,38	SEBA KLL-Q
16/01/2017	32,00	250.700	19,45	SEBA KLL-Q
16/01/2017	34,00	250.700	19,47	SEBA KLL-Q
16/01/2017	38,00	250.600	19,48	SEBA KLL-Q
16/01/2017	42,00	250.700	19,50	SEBA KLL-Q
16/01/2017	46,00	251.800	19,62	SEBA KLL-Q
16/01/2017	50,00	251.900	19,70	SEBA KLL-Q
16/01/2017	54,00	251.900	19,81	SEBA KLL-Q
16/01/2017	58,00	251.900	19,85	SEBA KLL-Q
16/01/2017	62,00	252.000	19,87	SEBA KLL-Q
16/01/2017	66,00	251.900	19,98	SEBA KLL-Q
16/01/2017	70,00	251.900	20,12	SEBA KLL-Q
16/01/2017	74,00	251.900	20,25	SEBA KLL-Q
23/04/2017	1,00	82.670	20,30	SEBA KLL-Q
23/04/2017	1,50	82.610	19,60	SEBA KLL-Q
23/04/2017	2,00	82.630	19,30	SEBA KLL-Q
23/04/2017	3,00	82.680	19,20	SEBA KLL-Q
23/04/2017	4,00	82.720	19,00	SEBA KLL-Q
23/04/2017	6,00	82.690	18,80	SEBA KLL-Q
23/04/2017	8,00	82.770	18,80	SEBA KLL-Q
23/04/2017	10,00	82.870	18,80	SEBA KLL-Q
23/04/2017	12,00	82.990	18,80	SEBA KLL-Q
23/04/2017	14,00	83.590	18,80	SEBA KLL-Q
23/04/2017	16,00	83.960	18,80	SEBA KLL-Q
23/04/2017	18,00	84.040	18,80	SEBA KLL-Q
23/04/2017	20,00	84.180	18,80	SEBA KLL-Q
23/04/2017	22,00	86.710	18,80	SEBA KLL-Q
23/04/2017	23,00	93.470	18,70	SEBA KLL-Q
23/04/2017	24,00	98.370	18,70	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [ $\mu\text{S}/\text{cm}$ ]	TEMP [°C]	Equipo
23/04/2017	24,50	101.100	18,70	SEBA KLL-Q
23/04/2017	25,00	111.600	18,70	SEBA KLL-Q
23/04/2017	26,00	167.500	18,70	SEBA KLL-Q
23/04/2017	26,20	208.400	18,70	SEBA KLL-Q
23/04/2017	26,50	218.500	18,80	SEBA KLL-Q
23/04/2017	27,00	228.600	19,00	SEBA KLL-Q
23/04/2017	27,50	233.700	19,00	SEBA KLL-Q
23/04/2017	28,00	233.700	19,00	SEBA KLL-Q
23/04/2017	29,00	248.600	19,10	SEBA KLL-Q
23/04/2017	30,00	257.000	19,20	SEBA KLL-Q
23/04/2017	32,00	258.000	19,20	SEBA KLL-Q
23/04/2017	34,00	258.900	19,40	SEBA KLL-Q
23/04/2017	36,00	258.900	19,40	SEBA KLL-Q
23/04/2017	38,00	258.700	19,40	SEBA KLL-Q
23/04/2017	40,00	258.700	19,40	SEBA KLL-Q
23/04/2017	42,00	258.300	19,40	SEBA KLL-Q
23/04/2017	44,00	258.300	19,40	SEBA KLL-Q
23/04/2017	46,00	258.400	19,50	SEBA KLL-Q
23/04/2017	48,00	258.300	19,60	SEBA KLL-Q
23/04/2017	50,00	258.200	19,60	SEBA KLL-Q
23/04/2017	52,00	258.200	19,70	SEBA KLL-Q
23/04/2017	54,00	258.100	19,70	SEBA KLL-Q
23/04/2017	56,00	258.000	19,70	SEBA KLL-Q
23/04/2017	58,00	257.900	19,70	SEBA KLL-Q
23/04/2017	60,00	257.800	19,70	SEBA KLL-Q
23/04/2017	62,00	257.800	19,80	SEBA KLL-Q
23/04/2017	64,00	257.700	19,90	SEBA KLL-Q
23/04/2017	66,00	257.700	19,90	SEBA KLL-Q
23/04/2017	68,00	257.900	19,90	SEBA KLL-Q
23/04/2017	70,00	257.600	20,10	SEBA KLL-Q
23/04/2017	72,00	257.400	20,10	SEBA KLL-Q
23/04/2017	74,00	257.400	20,20	SEBA KLL-Q
23/04/2017	76,00	257.400	20,30	SEBA KLL-Q
03/07/2017	1,00	66.310	18,13	SEBA KLL-Q
03/07/2017	2,00	66.270	18,23	SEBA KLL-Q
03/07/2017	4,00	66.200	18,76	SEBA KLL-Q
03/07/2017	6,00	66.260	18,94	SEBA KLL-Q
03/07/2017	8,00	66.280	18,92	SEBA KLL-Q
03/07/2017	10,00	66.320	18,91	SEBA KLL-Q
03/07/2017	12,00	66.390	18,91	SEBA KLL-Q
03/07/2017	14,00	66.570	18,90	SEBA KLL-Q
03/07/2017	16,00	66.620	18,90	SEBA KLL-Q
03/07/2017	18,00	66.670	18,89	SEBA KLL-Q
03/07/2017	20,00	66.690	18,88	SEBA KLL-Q
03/07/2017	22,00	66.800	18,85	SEBA KLL-Q
03/07/2017	24,00	72.460	18,81	SEBA KLL-Q
03/07/2017	25,00	81.560	18,79	SEBA KLL-Q
03/07/2017	25,50	99.820	18,78	SEBA KLL-Q
03/07/2017	26,00	125.400	18,77	SEBA KLL-Q
03/07/2017	26,20	146.300	18,81	SEBA KLL-Q
03/07/2017	26,40	160.300	18,88	SEBA KLL-Q
03/07/2017	26,60	178.600	19,01	SEBA KLL-Q
03/07/2017	26,80	180.000	19,07	SEBA KLL-Q
03/07/2017	27,00	182.900	19,08	SEBA KLL-Q
03/07/2017	27,20	183.700	19,12	SEBA KLL-Q
03/07/2017	27,40	184.100	19,13	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
03/07/2017	27,60	186.700	19,14	SEBA KLL-Q
03/07/2017	27,80	190.700	19,15	SEBA KLL-Q
03/07/2017	28,00	192.500	19,17	SEBA KLL-Q
03/07/2017	28,20	198.500	19,18	SEBA KLL-Q
03/07/2017	28,40	199.000	19,18	SEBA KLL-Q
03/07/2017	28,60	199.000	19,19	SEBA KLL-Q
03/07/2017	28,80	199.000	19,20	SEBA KLL-Q
03/07/2017	29,00	199.100	19,18	SEBA KLL-Q
03/07/2017	29,50	200.500	19,18	SEBA KLL-Q
03/07/2017	30,00	205.600	19,21	SEBA KLL-Q
03/07/2017	30,50	206.700	19,26	SEBA KLL-Q
03/07/2017	31,00	207.100	19,24	SEBA KLL-Q
03/07/2017	32,00	207.300	19,29	SEBA KLL-Q
03/07/2017	33,00	208.900	19,32	SEBA KLL-Q
03/07/2017	34,00	209.200	19,33	SEBA KLL-Q
03/07/2017	36,00	209.500	19,44	SEBA KLL-Q
03/07/2017	38,00	209.500	19,47	SEBA KLL-Q
03/07/2017	40,00	209.600	19,46	SEBA KLL-Q
03/07/2017	42,00	209.600	19,47	SEBA KLL-Q
03/07/2017	44,00	209.700	19,45	SEBA KLL-Q
03/07/2017	46,00	209.700	19,47	SEBA KLL-Q
03/07/2017	48,00	209.600	19,77	SEBA KLL-Q
03/07/2017	50,00	209.900	19,77	SEBA KLL-Q
03/07/2017	52,00	210.000	19,80	SEBA KLL-Q
03/07/2017	54,00	209.800	19,85	SEBA KLL-Q
03/07/2017	56,00	209.700	19,87	SEBA KLL-Q
03/07/2017	58,00	209.700	19,88	SEBA KLL-Q
03/07/2017	60,00	209.800	19,87	SEBA KLL-Q
03/07/2017	62,00	209.900	19,88	SEBA KLL-Q
03/07/2017	64,00	209.800	19,97	SEBA KLL-Q
03/07/2017	66,00	209.800	20,03	SEBA KLL-Q
03/07/2017	68,00	209.600	20,16	SEBA KLL-Q
03/07/2017	70,00	209.800	20,22	SEBA KLL-Q
03/07/2017	72,00	209.700	20,30	SEBA KLL-Q
03/07/2017	74,00	209.700	20,37	SEBA KLL-Q
03/07/2017	76,00	209.800	20,40	SEBA KLL-Q
10/10/2017	1,50	89.780	19,35	SEBA KLL-Q
10/10/2017	2,00	89.960	19,02	SEBA KLL-Q
10/10/2017	4,00	89.950	18,88	SEBA KLL-Q
10/10/2017	6,00	89.900	18,92	SEBA KLL-Q
10/10/2017	8,00	90.920	18,83	SEBA KLL-Q
10/10/2017	10,00	90.570	18,83	SEBA KLL-Q
10/10/2017	12,00	90.300	18,83	SEBA KLL-Q
10/10/2017	14,00	90.210	18,83	SEBA KLL-Q
10/10/2017	16,00	90.320	18,81	SEBA KLL-Q
10/10/2017	18,00	90.560	18,80	SEBA KLL-Q
10/10/2017	20,00	90.570	18,78	SEBA KLL-Q
10/10/2017	21,00	90.540	18,77	SEBA KLL-Q
10/10/2017	22,00	90.510	18,76	SEBA KLL-Q
10/10/2017	23,00	90.420	18,74	SEBA KLL-Q
10/10/2017	23,50	90.370	18,73	SEBA KLL-Q
10/10/2017	24,00	90.210	18,72	SEBA KLL-Q
10/10/2017	24,20	90.160	18,72	SEBA KLL-Q
10/10/2017	24,60	90.600	18,71	SEBA KLL-Q
10/10/2017	24,80	93.270	18,70	SEBA KLL-Q
10/10/2017	25,00	96.870	10,69	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
10/10/2017	25,20	101.500	18,68	SEBA KLL-Q
10/10/2017	25,40	110.700	18,67	SEBA KLL-Q
10/10/2017	25,60	123.800	18,66	SEBA KLL-Q
10/10/2017	25,80	140.800	18,66	SEBA KLL-Q
10/10/2017	26,00	155.400	18,67	SEBA KLL-Q
10/10/2017	26,20	182.100	18,73	SEBA KLL-Q
10/10/2017	26,40	199.300	18,80	SEBA KLL-Q
10/10/2017	26,60	215.300	18,92	SEBA KLL-Q
10/10/2017	26,80	216.900	18,95	SEBA KLL-Q
10/10/2017	27,00	218.700	18,96	SEBA KLL-Q
10/10/2017	27,20	220.800	18,98	SEBA KLL-Q
10/10/2017	27,40	221.900	19,00	SEBA KLL-Q
10/10/2017	27,60	224.800	19,02	SEBA KLL-Q
10/10/2017	27,80	230.000	19,04	SEBA KLL-Q
10/10/2017	28,00	232.200	19,05	SEBA KLL-Q
10/10/2017	28,20	239.100	19,05	SEBA KLL-Q
10/10/2017	28,40	239.200	19,06	SEBA KLL-Q
10/10/2017	28,60	239.200	19,06	SEBA KLL-Q
10/10/2017	28,80	239.300	19,07	SEBA KLL-Q
10/10/2017	29,00	239.300	19,06	SEBA KLL-Q
10/10/2017	29,50	240.400	19,06	SEBA KLL-Q
10/10/2017	30,00	244.000	19,10	SEBA KLL-Q
10/10/2017	32,00	247.100	19,18	SEBA KLL-Q
10/10/2017	34,00	251.600	19,23	SEBA KLL-Q
10/10/2017	37,00	252.500	19,43	SEBA KLL-Q
10/10/2017	40,00	252.600	19,49	SEBA KLL-Q
10/10/2017	43,00	252.600	19,52	SEBA KLL-Q
10/10/2017	46,00	252.500	19,53	SEBA KLL-Q
10/10/2017	50,00	252.600	19,57	SEBA KLL-Q
10/10/2017	53,00	252.500	19,56	SEBA KLL-Q
10/10/2017	56,00	252.500	19,57	SEBA KLL-Q
10/10/2017	59,00	252.600	19,58	SEBA KLL-Q
10/10/2017	62,00	252.600	19,61	SEBA KLL-Q
10/10/2017	65,00	252.600	19,83	SEBA KLL-Q
10/10/2017	68,00	252.600	20,00	SEBA KLL-Q
10/10/2017	71,00	252.600	20,21	SEBA KLL-Q
10/10/2017	74,00	252.600	20,32	SEBA KLL-Q
10/10/2017	76,00	252.600	20,38	SEBA KLL-Q
10/10/2017	77,55	251.200	20,43	SEBA KLL-Q
02/01/2018	1,5	93.170	22,03	SEBA KLL-Q
02/01/2018	2,0	93.120	20,10	SEBA KLL-Q
02/01/2018	4,0	93.200	20,00	SEBA KLL-Q
02/01/2018	6,0	93.280	19,10	SEBA KLL-Q
02/01/2018	8,0	93.040	19,00	SEBA KLL-Q
02/01/2018	10,0	93.240	18,90	SEBA KLL-Q
02/01/2018	12,0	93.470	18,90	SEBA KLL-Q
02/01/2018	14,0	93.540	18,90	SEBA KLL-Q
02/01/2018	16,0	93.700	18,90	SEBA KLL-Q
02/01/2018	18,0	93.740	18,90	SEBA KLL-Q
02/01/2018	20,0	93.750	18,90	SEBA KLL-Q
02/01/2018	22,0	93.800	18,90	SEBA KLL-Q
02/01/2018	23,0	93.750	18,90	SEBA KLL-Q
02/01/2018	23,5	93.750	18,90	SEBA KLL-Q
02/01/2018	24,0	93.640	18,80	SEBA KLL-Q
02/01/2018	25,0	94.180	18,80	SEBA KLL-Q
02/01/2018	26,0	141.100	18,80	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/01/2018	26,5	187.600	18,90	SEBA KLL-Q
02/01/2018	26,7	199.100	19,00	SEBA KLL-Q
02/01/2018	26,9	200.000	19,00	SEBA KLL-Q
02/01/2018	27,1	201.100	19,10	SEBA KLL-Q
02/01/2018	27,3	203.700	19,10	SEBA KLL-Q
02/01/2018	27,5	204.600	19,10	SEBA KLL-Q
02/01/2018	27,7	209.900	19,10	SEBA KLL-Q
02/01/2018	27,9	211.700	19,20	SEBA KLL-Q
02/01/2018	28,1	211.800	19,20	SEBA KLL-Q
02/01/2018	28,5	218.600	19,20	SEBA KLL-Q
02/01/2018	29,0	219.200	19,20	SEBA KLL-Q
02/01/2018	29,5	220.200	19,20	SEBA KLL-Q
02/01/2018	30,0	224.400	19,20	SEBA KLL-Q
02/01/2018	31,0	226.400	19,30	SEBA KLL-Q
02/01/2018	32,0	226.600	19,30	SEBA KLL-Q
02/01/2018	33,0	228.700	19,30	SEBA KLL-Q
02/01/2018	34,0	230.300	19,30	SEBA KLL-Q
02/01/2018	36,0	230.500	19,30	SEBA KLL-Q
02/01/2018	38,0	230.900	19,40	SEBA KLL-Q
02/01/2018	40,0	230.800	19,50	SEBA KLL-Q
02/01/2018	42,0	230.800	19,50	SEBA KLL-Q
02/01/2018	44,0	230.900	19,50	SEBA KLL-Q
02/01/2018	46,0	230.900	19,50	SEBA KLL-Q
02/01/2018	48,0	231.200	19,70	SEBA KLL-Q
02/01/2018	50,0	231.200	19,80	SEBA KLL-Q
02/01/2018	52,0	231.100	19,80	SEBA KLL-Q
02/01/2018	54,0	231.000	19,80	SEBA KLL-Q
02/01/2018	56,0	230.900	19,90	SEBA KLL-Q
02/01/2018	58,0	231.000	19,90	SEBA KLL-Q
02/01/2018	60,0	230.900	19,90	SEBA KLL-Q
02/01/2018	62,0	230.900	19,90	SEBA KLL-Q
02/01/2018	64,0	230.900	19,90	SEBA KLL-Q
02/01/2018	66,0	231.100	20,00	SEBA KLL-Q
02/01/2018	68,0	230.800	20,20	SEBA KLL-Q
02/01/2018	70,0	230.800	20,20	SEBA KLL-Q
02/01/2018	72,0	231.000	20,30	SEBA KLL-Q
02/01/2018	74,0	230.600	20,40	SEBA KLL-Q
02/01/2018	76,0	230.600	20,40	SEBA KLL-Q
23/04/2018	1,2	100.400	20,90	SEBA KLL-Q
23/04/2018	1,4	100.200	20,80	SEBA KLL-Q
23/04/2018	1,6	100.400	20,50	SEBA KLL-Q
23/04/2018	1,8	100.400	20,20	SEBA KLL-Q
23/04/2018	2,0	100.400	19,90	SEBA KLL-Q
23/04/2018	2,2	100.500	19,70	SEBA KLL-Q
23/04/2018	2,4	100.500	19,60	SEBA KLL-Q
23/04/2018	2,6	100.500	19,60	SEBA KLL-Q
23/04/2018	2,8	100.500	19,50	SEBA KLL-Q
23/04/2018	3,0	100.500	19,50	SEBA KLL-Q
23/04/2018	3,5	100.600	19,50	SEBA KLL-Q
23/04/2018	4,0	100.600	19,50	SEBA KLL-Q
23/04/2018	4,5	100.600	19,50	SEBA KLL-Q
23/04/2018	5,0	100.600	19,50	SEBA KLL-Q
23/04/2018	6,0	100.800	19,30	SEBA KLL-Q
23/04/2018	7,0	100.900	19,00	SEBA KLL-Q
23/04/2018	8,0	100.900	19,00	SEBA KLL-Q
23/04/2018	10,0	101.200	19,00	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/04/2018	12,0	101.400	19,00	SEBA KLL-Q
23/04/2018	14,0	101.500	19,00	SEBA KLL-Q
23/04/2018	16,0	101.500	18,90	SEBA KLL-Q
23/04/2018	18,0	101.600	18,90	SEBA KLL-Q
23/04/2018	20,0	101.600	18,90	SEBA KLL-Q
23/04/2018	22,0	101.300	18,80	SEBA KLL-Q
23/04/2018	24,0	101.100	18,80	SEBA KLL-Q
23/04/2018	24,5	101.000	18,60	SEBA KLL-Q
23/04/2018	25,0	104.000	18,80	SEBA KLL-Q
23/04/2018	25,2	107.300	18,80	SEBA KLL-Q
23/04/2018	25,4	115.000	18,80	SEBA KLL-Q
23/04/2018	25,6	126.600	18,90	SEBA KLL-Q
23/04/2018	25,8	140.400	18,80	SEBA KLL-Q
23/04/2018	26,0	153.600	18,80	SEBA KLL-Q
23/04/2018	26,2	174.600	18,80	SEBA KLL-Q
23/04/2018	26,4	185.800	18,90	SEBA KLL-Q
23/04/2018	26,6	202.500	19,00	SEBA KLL-Q
23/04/2018	26,8	203.800	19,00	SEBA KLL-Q
23/04/2018	27,0	204.700	19,00	SEBA KLL-Q
23/04/2018	27,5	208.700	19,10	SEBA KLL-Q
23/04/2018	28,0	216.900	19,10	SEBA KLL-Q
23/04/2018	28,5	223.000	19,10	SEBA KLL-Q
23/04/2018	29,0	224.000	19,10	SEBA KLL-Q
23/04/2018	30,0	223.000	19,20	SEBA KLL-Q
23/04/2018	32,0	229.400	19,20	SEBA KLL-Q
23/04/2018	34,0	233.700	19,30	SEBA KLL-Q
23/04/2018	36,0	235.000	19,30	SEBA KLL-Q
23/04/2018	38,0	234.900	19,60	SEBA KLL-Q
23/04/2018	40,0	234.800	19,70	SEBA KLL-Q
23/04/2018	42,0	234.900	19,70	SEBA KLL-Q
23/04/2018	44,0	234.900	19,70	SEBA KLL-Q
23/04/2018	46,0	234.900	19,70	SEBA KLL-Q
23/04/2018	48,0	234.900	19,70	SEBA KLL-Q
23/04/2018	50,0	234.900	19,80	SEBA KLL-Q
23/04/2018	52,0	234.900	19,80	SEBA KLL-Q
23/04/2018	54,0	234.900	19,80	SEBA KLL-Q
23/04/2018	56,0	234.900	19,80	SEBA KLL-Q
23/04/2018	58,0	234.900	19,90	SEBA KLL-Q
23/04/2018	60,0	234.900	19,90	SEBA KLL-Q
23/04/2018	62,0	234.900	19,90	SEBA KLL-Q
23/04/2018	64,0	234.800	20,00	SEBA KLL-Q
23/04/2018	66,0	234.900	20,10	SEBA KLL-Q
23/04/2018	68,0	234.800	20,20	SEBA KLL-Q
23/04/2018	70,0	234.800	20,30	SEBA KLL-Q
23/04/2018	72,0	235.100	20,40	SEBA KLL-Q
23/04/2018	74,0	235.400	20,50	SEBA KLL-Q
23/04/2018	76,0	235.800	20,50	SEBA KLL-Q
27/07/2018	1,0	113.300	17,72	SEBA KLL-Q
27/07/2018	1,2	113.100	18,09	SEBA KLL-Q
27/07/2018	1,4	113.600	17,82	SEBA KLL-Q
27/07/2018	1,6	113.400	18,00	SEBA KLL-Q
27/07/2018	1,8	113.200	18,04	SEBA KLL-Q
27/07/2018	2,0	112.900	18,22	SEBA KLL-Q
27/07/2018	2,5	112.700	18,43	SEBA KLL-Q
27/07/2018	3,0	112.800	18,46	SEBA KLL-Q
27/07/2018	3,5	113.100	18,57	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
27/07/2018	4,0	112.700	18,77	SEBA KLL-Q
27/07/2018	5,0	112.900	19,50	SEBA KLL-Q
27/07/2018	6,0	112.900	19,18	SEBA KLL-Q
27/07/2018	7,0	112.800	19,08	SEBA KLL-Q
27/07/2018	8,0	112.800	19,06	SEBA KLL-Q
27/07/2018	9,0	112.900	19,03	SEBA KLL-Q
27/07/2018	10,0	113.100	19,01	SEBA KLL-Q
27/07/2018	12,0	113.500	19,00	SEBA KLL-Q
27/07/2018	14,0	113.600	18,99	SEBA KLL-Q
27/07/2018	16,0	113.600	18,97	SEBA KLL-Q
27/07/2018	18,0	113.400	18,99	SEBA KLL-Q
27/07/2018	20,0	113.200	18,98	SEBA KLL-Q
27/07/2018	22,0	112.900	18,96	SEBA KLL-Q
27/07/2018	24,0	112.100	18,82	SEBA KLL-Q
27/07/2018	26,0	184.900	18,50	SEBA KLL-Q
27/07/2018	26,2	207.300	18,89	SEBA KLL-Q
27/07/2018	26,4	220.600	18,96	SEBA KLL-Q
27/07/2018	26,6	238.800	19,05	SEBA KLL-Q
27/07/2018	26,8	240.500	19,09	SEBA KLL-Q
27/07/2018	27,0	241.500	19,13	SEBA KLL-Q
27/07/2018	27,2	242.100	19,14	SEBA KLL-Q
27/07/2018	27,4	245.000	19,11	SEBA KLL-Q
27/07/2018	27,6	250.000	19,15	SEBA KLL-Q
27/07/2018	27,8	254.100	19,17	SEBA KLL-Q
27/07/2018	28,0	259.000	19,18	SEBA KLL-Q
27/07/2018	28,2	263.300	19,17	SEBA KLL-Q
27/07/2018	28,4	264.400	19,18	SEBA KLL-Q
27/07/2018	28,6	264.400	19,21	SEBA KLL-Q
27/07/2018	28,8	264.500	19,20	SEBA KLL-Q
27/07/2018	29,0	264.700	19,18	SEBA KLL-Q
27/07/2018	29,5	265.500	19,18	SEBA KLL-Q
27/07/2018	30,0	265.700	19,20	SEBA KLL-Q
27/07/2018	31,0	266.200	19,26	SEBA KLL-Q
27/07/2018	32,0	266.200	19,27	SEBA KLL-Q
27/07/2018	33,0	270.500	19,33	SEBA KLL-Q
27/07/2018	34,0	276.200	19,35	SEBA KLL-Q
27/07/2018	35,0	276.300	19,35	SEBA KLL-Q
27/07/2018	36,0	279.800	19,39	SEBA KLL-Q
27/07/2018	37,0	279.900	19,43	SEBA KLL-Q
27/07/2018	38,0	279.900	19,45	SEBA KLL-Q
27/07/2018	39,0	280.000	19,48	SEBA KLL-Q
27/07/2018	40,0	280.000	19,53	SEBA KLL-Q
27/07/2018	42,0	280.000	19,52	SEBA KLL-Q
27/07/2018	44,0	279.900	19,75	SEBA KLL-Q
27/07/2018	46,0	280.000	19,68	SEBA KLL-Q
27/07/2018	48,0	280.000	19,69	SEBA KLL-Q
27/07/2018	50,0	280.100	19,76	SEBA KLL-Q
27/07/2018	52,0	280.100	19,83	SEBA KLL-Q
27/07/2018	54,0	280.000	19,87	SEBA KLL-Q
27/07/2018	56,0	280.200	19,94	SEBA KLL-Q
26/08/2018	1,0	104.500	18,47	SEBA KLL-Q
26/08/2018	1,5	104.500	18,36	SEBA KLL-Q
26/08/2018	2,0	104.500	18,40	SEBA KLL-Q
26/08/2018	3,0	104.300	18,61	SEBA KLL-Q
26/08/2018	4,0	104.300	18,88	SEBA KLL-Q
26/08/2018	6,0	104.200	19,06	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/08/2018	8,0	104.200	19,00	SEBA KLL-Q
26/08/2018	10,0	104.000	18,99	SEBA KLL-Q
26/08/2018	12,0	103.800	18,98	SEBA KLL-Q
26/08/2018	14,0	103.700	18,96	SEBA KLL-Q
26/08/2018	16,0	103.700	18,97	SEBA KLL-Q
26/08/2018	18,0	103.900	18,95	SEBA KLL-Q
26/08/2018	20,0	103.900	18,96	SEBA KLL-Q
26/08/2018	22,0	104.100	18,86	SEBA KLL-Q
26/08/2018	22,5	104.000	18,86	SEBA KLL-Q
26/08/2018	23,0	103.900	18,87	SEBA KLL-Q
26/08/2018	23,5	103.700	18,86	SEBA KLL-Q
26/08/2018	24,0	105.100	18,83	SEBA KLL-Q
26/08/2018	24,5	109.100	18,81	SEBA KLL-Q
26/08/2018	25,0	114.500	18,80	SEBA KLL-Q
26/08/2018	25,5	134.000	18,79	SEBA KLL-Q
26/08/2018	26,0	165.800	18,81	SEBA KLL-Q
26/08/2018	26,2	183.500	18,88	SEBA KLL-Q
26/08/2018	26,4	199.000	18,92	SEBA KLL-Q
26/08/2018	26,6	217.000	19,04	SEBA KLL-Q
26/08/2018	26,8	219.500	19,08	SEBA KLL-Q
26/08/2018	27,0	221.000	19,08	SEBA KLL-Q
26/08/2018	27,2	224.200	19,11	SEBA KLL-Q
26/08/2018	27,4	226.500	19,12	SEBA KLL-Q
26/08/2018	27,6	227.700	19,15	SEBA KLL-Q
26/08/2018	27,8	230.900	19,16	SEBA KLL-Q
26/08/2018	28,0	235.900	19,15	SEBA KLL-Q
26/08/2018	28,2	240.000	19,13	SEBA KLL-Q
26/08/2018	28,4	240.100	19,17	SEBA KLL-Q
26/08/2018	28,6	240.200	19,17	SEBA KLL-Q
26/08/2018	28,8	240.400	19,17	SEBA KLL-Q
26/08/2018	29,0	240.400	19,17	SEBA KLL-Q
26/08/2018	29,5	241.400	19,17	SEBA KLL-Q
26/08/2018	30,0	241.300	19,17	SEBA KLL-Q
26/08/2018	30,5	241.500	19,21	SEBA KLL-Q
26/08/2018	31,0	241.900	19,22	SEBA KLL-Q
26/08/2018	31,5	242.400	19,26	SEBA KLL-Q
26/08/2018	32,0	243.100	19,27	SEBA KLL-Q
26/08/2018	33,0	245.500	19,30	SEBA KLL-Q
26/08/2018	34,0	250.700	19,32	SEBA KLL-Q
26/08/2018	36,0	254.000	19,39	SEBA KLL-Q
26/08/2018	38,0	254.100	19,46	SEBA KLL-Q
26/08/2018	40,0	254.200	19,64	SEBA KLL-Q
26/08/2018	42,0	254.100	19,67	SEBA KLL-Q
26/08/2018	44,0	254.200	19,71	SEBA KLL-Q
26/08/2018	46,0	254.300	19,72	SEBA KLL-Q
26/08/2018	48,0	254.200	19,78	SEBA KLL-Q
26/08/2018	50,0	254.200	19,79	SEBA KLL-Q
26/08/2018	52,0	254.300	19,80	SEBA KLL-Q
26/08/2018	54,0	254.300	19,82	SEBA KLL-Q
26/08/2018	56,0	254.400	19,89	SEBA KLL-Q
26/08/2018	58,0	254.400	19,90	SEBA KLL-Q
26/08/2018	60,0	254.500	19,90	SEBA KLL-Q
26/08/2018	62,0	254.500	19,91	SEBA KLL-Q
26/08/2018	64,0	255.400	20,21	SEBA KLL-Q
26/08/2018	66,0	255.300	20,28	SEBA KLL-Q
26/08/2018	68,0	255.400	20,33	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/08/2018	70,0	255.400	20,39	SEBA KLL-Q
26/08/2018	72,0	255.500	20,40	SEBA KLL-Q
26/08/2018	74,0	255.400	20,39	SEBA KLL-Q
26/08/2018	76,0	255.400	20,57	SEBA KLL-Q
26/08/2018	77,0	255.800	20,61	SEBA KLL-Q
05/09/2018	1,1	107.500	18,80	SEBA KLL-Q
05/09/2018	1,2	107.200	18,70	SEBA KLL-Q
05/09/2018	1,4	107.300	18,70	SEBA KLL-Q
05/09/2018	1,6	107.300	18,60	SEBA KLL-Q
05/09/2018	1,8	107.300	18,60	SEBA KLL-Q
05/09/2018	2,0	107.300	18,60	SEBA KLL-Q
05/09/2018	2,5	107.300	18,70	SEBA KLL-Q
05/09/2018	3,0	107.400	18,80	SEBA KLL-Q
05/09/2018	4,0	107.300	18,90	SEBA KLL-Q
05/09/2018	6,0	107.300	19,10	SEBA KLL-Q
05/09/2018	8,0	107.300	19,10	SEBA KLL-Q
05/09/2018	10,0	107.500	19,10	SEBA KLL-Q
05/09/2018	12,0	107.700	19,10	SEBA KLL-Q
05/09/2018	14,0	108.000	19,10	SEBA KLL-Q
05/09/2018	16,0	108.200	19,00	SEBA KLL-Q
05/09/2018	18,0	108.300	19,00	SEBA KLL-Q
05/09/2018	20,0	108.300	19,00	SEBA KLL-Q
05/09/2018	21,0	108.300	19,00	SEBA KLL-Q
05/09/2018	22,0	108.300	18,90	SEBA KLL-Q
05/09/2018	23,0	108.100	18,90	SEBA KLL-Q
05/09/2018	23,5	107.900	18,90	SEBA KLL-Q
05/09/2018	24,0	107.700	18,90	SEBA KLL-Q
05/09/2018	25,0	107.100	18,90	SEBA KLL-Q
05/09/2018	25,5	116.700	18,90	SEBA KLL-Q
05/09/2018	25,7	123.700	18,90	SEBA KLL-Q
05/09/2018	25,9	135.200	18,90	SEBA KLL-Q
05/09/2018	26,2	156.100	18,90	SEBA KLL-Q
05/09/2018	26,4	181.200	18,90	SEBA KLL-Q
05/09/2018	26,6	214.100	19,10	SEBA KLL-Q
05/09/2018	26,8	215.900	19,10	SEBA KLL-Q
05/09/2018	27,0	217.000	19,10	SEBA KLL-Q
05/09/2018	27,2	221.000	19,20	SEBA KLL-Q
05/09/2018	27,5	222.800	19,20	SEBA KLL-Q
05/09/2018	28,0	232.300	19,20	SEBA KLL-Q
05/09/2018	29,0	240.600	19,30	SEBA KLL-Q
05/09/2018	30,0	240.200	19,30	SEBA KLL-Q
05/09/2018	32,0	241.500	19,30	SEBA KLL-Q
05/09/2018	34,0	243.300	19,30	SEBA KLL-Q
05/09/2018	36,0	254.300	19,30	SEBA KLL-Q
05/09/2018	38,0	254.300	19,50	SEBA KLL-Q
05/09/2018	40,0	254.300	19,50	SEBA KLL-Q
05/09/2018	42,0	254.400	19,60	SEBA KLL-Q
05/09/2018	44,0	254.400	19,70	SEBA KLL-Q
05/09/2018	46,0	254.500	19,70	SEBA KLL-Q
05/09/2018	48,0	254.600	19,70	SEBA KLL-Q
05/09/2018	50,0	254.700	19,80	SEBA KLL-Q
05/09/2018	52,0	254.700	19,90	SEBA KLL-Q
05/09/2018	54,0	254.700	19,90	SEBA KLL-Q
05/09/2018	56,0	254.300	19,90	SEBA KLL-Q
05/09/2018	58,0	254.500	20,00	SEBA KLL-Q
05/09/2018	60,0	254.700	20,10	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/09/2018	62,0	254.700	20,10	SEBA KLL-Q
05/09/2018	64,0	254.700	20,10	SEBA KLL-Q
05/09/2018	66,0	256.100	20,30	SEBA KLL-Q
05/09/2018	68,0	255.900	20,30	SEBA KLL-Q
05/09/2018	70,0	255.600	20,40	SEBA KLL-Q
05/09/2018	72,0	255.700	20,50	SEBA KLL-Q
05/09/2018	74,0	255.700	20,60	SEBA KLL-Q
05/09/2018	76,0	255.700	20,60	SEBA KLL-Q
05/09/2018	77,6	253.200	20,70	SEBA KLL-Q
13/11/2018	1,5	107.400	21,67	SEBA KLL-Q
13/11/2018	2,0	108.300	20,10	SEBA KLL-Q
13/11/2018	2,5	108.200	19,67	SEBA KLL-Q
13/11/2018	3,0	108.300	19,57	SEBA KLL-Q
13/11/2018	4,0	107.800	19,37	SEBA KLL-Q
13/11/2018	5,0	107.600	19,28	SEBA KLL-Q
13/11/2018	6,0	107.100	19,19	SEBA KLL-Q
13/11/2018	8,0	106.100	18,99	SEBA KLL-Q
13/11/2018	10,0	105.600	18,65	SEBA KLL-Q
13/11/2018	12,0	105.300	18,95	SEBA KLL-Q
13/11/2018	14,0	123.800	18,96	SEBA KLL-Q
13/11/2018	14,5	123.800	18,96	SEBA KLL-Q
13/11/2018	15,0	124.000	18,96	SEBA KLL-Q
13/11/2018	15,5	123.900	18,96	SEBA KLL-Q
13/11/2018	16,0	124.100	18,96	SEBA KLL-Q
13/11/2018	18,0	124.400	18,96	SEBA KLL-Q
13/11/2018	20,0	124.400	18,97	SEBA KLL-Q
13/11/2018	21,0	124.400	18,96	SEBA KLL-Q
13/11/2018	21,5	124.400	18,94	SEBA KLL-Q
13/11/2018	22,0	124.400	18,96	SEBA KLL-Q
13/11/2018	23,0	124.400	18,89	SEBA KLL-Q
13/11/2018	24,0	124.500	18,90	SEBA KLL-Q
13/11/2018	24,5	124.500	18,87	SEBA KLL-Q
13/11/2018	25,0	124.500	18,86	SEBA KLL-Q
13/11/2018	25,2	124.500	18,85	SEBA KLL-Q
13/11/2018	25,4	124.600	18,87	SEBA KLL-Q
13/11/2018	25,6	125.200	18,84	SEBA KLL-Q
13/11/2018	25,8	127.600	18,86	SEBA KLL-Q
13/11/2018	26,0	133.900	18,79	SEBA KLL-Q
13/11/2018	26,2	159.400	18,81	SEBA KLL-Q
13/11/2018	26,4	182.500	18,80	SEBA KLL-Q
13/11/2018	26,6	204.300	18,82	SEBA KLL-Q
13/11/2018	26,8	206.600	19,01	SEBA KLL-Q
13/11/2018	27,0	208.100	19,07	SEBA KLL-Q
13/11/2018	27,2	211.000	19,08	SEBA KLL-Q
13/11/2018	27,4	212.100	19,11	SEBA KLL-Q
13/11/2018	27,6	218.200	19,13	SEBA KLL-Q
13/11/2018	27,8	219.100	19,15	SEBA KLL-Q
13/11/2018	28,0	220.100	19,16	SEBA KLL-Q
13/11/2018	28,5	227.800	19,17	SEBA KLL-Q
13/11/2018	29,0	227.800	19,18	SEBA KLL-Q
13/11/2018	29,5	228.800	19,18	SEBA KLL-Q
13/11/2018	30,0	232.800	19,21	SEBA KLL-Q
13/11/2018	30,5	234.500	19,23	SEBA KLL-Q
13/11/2018	31,0	235.000	19,25	SEBA KLL-Q
13/11/2018	32,0	235.100	19,23	SEBA KLL-Q
13/11/2018	33,0	237.400	19,31	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/11/2018	35,0	239.700	19,29	SEBA KLL-Q
13/11/2018	37,0	239.800	19,67	SEBA KLL-Q
13/11/2018	39,0	237.900	19,66	SEBA KLL-Q
13/11/2018	41,0	239.700	19,68	SEBA KLL-Q
13/11/2018	43,0	239.700	19,70	SEBA KLL-Q
13/11/2018	45,0	239.800	19,71	SEBA KLL-Q
13/11/2018	48,0	239.700	19,74	SEBA KLL-Q
13/11/2018	51,0	239.700	19,76	SEBA KLL-Q
13/11/2018	54,0	239.800	19,79	SEBA KLL-Q
13/11/2018	57,0	239.800	19,79	SEBA KLL-Q
13/11/2018	60,0	239.700	19,79	SEBA KLL-Q
13/11/2018	63,0	239.700	19,95	SEBA KLL-Q
13/11/2018	66,0	239.600	20,12	SEBA KLL-Q
13/11/2018	69,0	239.700	20,27	SEBA KLL-Q
13/11/2018	72,0	239.800	20,28	SEBA KLL-Q
13/11/2018	75,0	239.700	20,48	SEBA KLL-Q
13/11/2018	77,0	239.700	20,51	SEBA KLL-Q
27/01/2019	1,60	112.000	22,95	SEBA KLL-Q
27/01/2019	1,80	117.800	21,47	SEBA KLL-Q
27/01/2019	2,00	118.100	20,66	SEBA KLL-Q
27/01/2019	2,50	117.700	19,80	SEBA KLL-Q
27/01/2019	3,00	118.200	19,52	SEBA KLL-Q
27/01/2019	4,00	117.900	19,43	SEBA KLL-Q
27/01/2019	6,00	117.600	19,23	SEBA KLL-Q
27/01/2019	8,00	117.500	18,98	SEBA KLL-Q
27/01/2019	10,00	117.900	18,95	SEBA KLL-Q
27/01/2019	12,00	118.000	18,94	SEBA KLL-Q
27/01/2019	14,00	136.000	18,96	SEBA KLL-Q
27/01/2019	16,00	137.300	18,97	SEBA KLL-Q
27/01/2019	18,00	137.400	18,95	SEBA KLL-Q
27/01/2019	20,00	137.500	18,94	SEBA KLL-Q
27/01/2019	22,00	137.600	18,91	SEBA KLL-Q
27/01/2019	24,00	137.700	18,87	SEBA KLL-Q
27/01/2019	25,00	137.900	18,84	SEBA KLL-Q
27/01/2019	26,00	140.700	18,80	SEBA KLL-Q
27/01/2019	26,20	165.200	18,79	SEBA KLL-Q
27/01/2019	26,40	189.100	18,83	SEBA KLL-Q
27/01/2019	26,60	219.800	19,03	SEBA KLL-Q
27/01/2019	26,80	220.700	19,06	SEBA KLL-Q
27/01/2019	27,00	221.700	19,08	SEBA KLL-Q
27/01/2019	27,50	225.200	19,10	SEBA KLL-Q
27/01/2019	28,00	233.600	19,16	SEBA KLL-Q
27/01/2019	29,00	241.300	19,16	SEBA KLL-Q
27/01/2019	30,00	248.200	19,20	SEBA KLL-Q
27/01/2019	32,00	250.000	19,29	SEBA KLL-Q
27/01/2019	34,00	253.200	19,32	SEBA KLL-Q
27/01/2019	36,00	253.600	19,46	SEBA KLL-Q
27/01/2019	38,00	253.500	19,50	SEBA KLL-Q
27/01/2019	40,00	253.500	19,52	SEBA KLL-Q
27/01/2019	42,00	253.500	19,52	SEBA KLL-Q
27/01/2019	44,00	253.500	19,52	SEBA KLL-Q
27/01/2019	46,00	253.500	19,54	SEBA KLL-Q
27/01/2019	48,00	253.500	19,57	SEBA KLL-Q
27/01/2019	50,00	253.700	19,74	SEBA KLL-Q
27/01/2019	52,00	253.700	19,79	SEBA KLL-Q
27/01/2019	54,00	253.600	19,82	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
27/01/2019	56,00	253.700	19,86	SEBA KLL-Q
27/01/2019	58,00	253.600	19,87	SEBA KLL-Q
27/01/2019	60,00	253.600	19,90	SEBA KLL-Q
27/01/2019	62,00	253.600	19,90	SEBA KLL-Q
27/01/2019	64,00	253.600	20,10	SEBA KLL-Q
27/01/2019	66,00	253.600	20,09	SEBA KLL-Q
27/01/2019	68,00	253.600	20,20	SEBA KLL-Q
27/01/2019	70,00	253.700	20,26	SEBA KLL-Q
27/01/2019	72,00	253.500	20,35	SEBA KLL-Q
27/01/2019	74,00	253.600	20,42	SEBA KLL-Q
27/01/2019	76,00	253.600	20,46	SEBA KLL-Q
20/03/2019	1,50	92.380	23,18	SEBA KLL-Q
20/03/2019	2,00	92.780	22,43	SEBA KLL-Q
20/03/2019	2,50	92.840	21,70	SEBA KLL-Q
20/03/2019	3,00	95.630	21,34	SEBA KLL-Q
20/03/2019	4,00	96.050	20,89	SEBA KLL-Q
20/03/2019	5,00	99.030	20,18	SEBA KLL-Q
20/03/2019	6,00	99.550	19,52	SEBA KLL-Q
20/03/2019	8,00	104.000	19,01	SEBA KLL-Q
20/03/2019	10,00	103.400	18,97	SEBA KLL-Q
20/03/2019	12,00	102.600	18,96	SEBA KLL-Q
20/03/2019	14,00	132.300	18,98	SEBA KLL-Q
20/03/2019	14,50	132.700	18,98	SEBA KLL-Q
20/03/2019	15,00	132.700	18,98	SEBA KLL-Q
20/03/2019	15,50	133.000	18,98	SEBA KLL-Q
20/03/2019	16,00	133.100	18,98	SEBA KLL-Q
20/03/2019	18,00	133.800	18,97	SEBA KLL-Q
20/03/2019	20,00	133.700	18,97	SEBA KLL-Q
20/03/2019	21,00	133.400	18,97	SEBA KLL-Q
20/03/2019	21,50	133.300	18,97	SEBA KLL-Q
20/03/2019	22,00	133.200	18,97	SEBA KLL-Q
20/03/2019	23,00	133.100	18,96	SEBA KLL-Q
20/03/2019	24,00	133.200	18,94	SEBA KLL-Q
20/03/2019	24,50	133.700	18,92	SEBA KLL-Q
20/03/2019	25,00	133.800	18,89	SEBA KLL-Q
20/03/2019	25,20	133.700	18,89	SEBA KLL-Q
20/03/2019	25,40	133.800	18,86	SEBA KLL-Q
20/03/2019	25,60	133.900	18,85	SEBA KLL-Q
20/03/2019	25,80	134.400	18,83	SEBA KLL-Q
20/03/2019	27,00	137.800	18,81	SEBA KLL-Q
20/03/2019	27,20	156.300	18,83	SEBA KLL-Q
20/03/2019	27,40	185.100	18,91	SEBA KLL-Q
20/03/2019	27,60	204.000	19,01	SEBA KLL-Q
20/03/2019	27,80	204.800	19,05	SEBA KLL-Q
20/03/2019	28,00	219.600	19,16	SEBA KLL-Q
20/03/2019	28,50	225.100	19,18	SEBA KLL-Q
20/03/2019	29,00	225.100	19,17	SEBA KLL-Q
20/03/2019	30,00	225.700	19,17	SEBA KLL-Q
20/03/2019	31,00	226.600	19,22	SEBA KLL-Q
20/03/2019	33,00	231.000	19,28	SEBA KLL-Q
20/03/2019	34,00	234.700	19,34	SEBA KLL-Q
20/03/2019	34,50	234.600	19,35	SEBA KLL-Q
20/03/2019	35,00	236.300	19,39	SEBA KLL-Q
20/03/2019	35,20	236.200	19,45	SEBA KLL-Q
20/03/2019	35,40	236.300	19,51	SEBA KLL-Q
20/03/2019	35,60	236.100	19,59	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/03/2019	35,80	236.000	19,62	SEBA KLL-Q
20/03/2019	36,00	235.900	19,63	SEBA KLL-Q
20/03/2019	36,20	235.800	19,63	SEBA KLL-Q
20/03/2019	36,40	235.700	19,63	SEBA KLL-Q
20/03/2019	36,60	235.600	19,65	SEBA KLL-Q
20/03/2019	36,80	235.600	19,68	SEBA KLL-Q
20/03/2019	37,00	235.500	19,68	SEBA KLL-Q
20/03/2019	37,50	235.800	19,68	SEBA KLL-Q
20/03/2019	38,00	235.400	19,72	SEBA KLL-Q
20/03/2019	38,20	235.400	19,72	SEBA KLL-Q
20/03/2019	38,40	235.300	19,72	SEBA KLL-Q
20/03/2019	38,60	235.200	19,73	SEBA KLL-Q
20/03/2019	38,80	235.100	19,73	SEBA KLL-Q
20/03/2019	39,00	235.100	19,72	SEBA KLL-Q
20/03/2019	40,00	235.000	19,72	SEBA KLL-Q
20/03/2019	41,00	234.900	19,72	SEBA KLL-Q
20/03/2019	42,00	234.900	19,71	SEBA KLL-Q
20/03/2019	44,00	234.800	19,72	SEBA KLL-Q
20/03/2019	46,00	234.700	19,73	SEBA KLL-Q
20/03/2019	48,00	234.600	19,74	SEBA KLL-Q
20/03/2019	50,00	234.400	19,76	SEBA KLL-Q
20/03/2019	52,00	234.600	19,97	SEBA KLL-Q
20/03/2019	55,00	234.500	19,81	SEBA KLL-Q
20/03/2019	58,00	234.400	19,85	SEBA KLL-Q
20/03/2019	61,00	234.400	19,91	SEBA KLL-Q
20/03/2019	64,00	234.500	19,97	SEBA KLL-Q
20/03/2019	67,00	234.700	20,21	SEBA KLL-Q
19/04/2019	1,20	67.420	20,41	SEBA KLL-Q
19/04/2019	1,40	67.350	20,31	SEBA KLL-Q
19/04/2019	1,60	67.350	20,20	SEBA KLL-Q
19/04/2019	1,80	67.370	20,06	SEBA KLL-Q
19/04/2019	2,00	67.370	19,90	SEBA KLL-Q
19/04/2019	3,00	67.200	19,85	SEBA KLL-Q
19/04/2019	4,00	67.380	19,86	SEBA KLL-Q
19/04/2019	6,00	68.800	19,28	SEBA KLL-Q
19/04/2019	7,00	68.780	19,10	SEBA KLL-Q
19/04/2019	7,50	68.850	18,95	SEBA KLL-Q
19/04/2019	8,00	68.860	18,95	SEBA KLL-Q
19/04/2019	9,00	68.840	18,94	SEBA KLL-Q
19/04/2019	11,00	68.950	18,94	SEBA KLL-Q
19/04/2019	13,00	72.060	18,93	SEBA KLL-Q
19/04/2019	13,20	73.850	18,92	SEBA KLL-Q
19/04/2019	13,40	75.910	18,92	SEBA KLL-Q
19/04/2019	13,60	77.650	18,92	SEBA KLL-Q
19/04/2019	13,80	81.530	18,92	SEBA KLL-Q
19/04/2019	14,00	84.760	18,91	SEBA KLL-Q
19/04/2019	14,50	93.590	18,91	SEBA KLL-Q
19/04/2019	15,00	107.400	18,90	SEBA KLL-Q
19/04/2019	15,20	113.600	18,90	SEBA KLL-Q
19/04/2019	15,40	134.100	18,93	SEBA KLL-Q
19/04/2019	15,60	145.000	18,96	SEBA KLL-Q
19/04/2019	15,80	147.800	18,97	SEBA KLL-Q
19/04/2019	16,00	148.000	18,97	SEBA KLL-Q
19/04/2019	16,50	147.900	18,97	SEBA KLL-Q
19/04/2019	17,00	147.800	18,97	SEBA KLL-Q
19/04/2019	18,00	147.900	18,97	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/04/2019	19,00	148.000	18,96	SEBA KLL-Q
19/04/2019	21,00	147.900	18,97	SEBA KLL-Q
19/04/2019	23,00	148.700	18,92	SEBA KLL-Q
19/04/2019	25,00	148.700	18,89	SEBA KLL-Q
19/04/2019	27,00	186.700	18,88	SEBA KLL-Q
19/04/2019	27,20	212.600	19,09	SEBA KLL-Q
19/04/2019	27,40	213.700	19,11	SEBA KLL-Q
19/04/2019	27,60	216.600	19,14	SEBA KLL-Q
19/04/2019	27,80	219.800	19,14	SEBA KLL-Q
19/04/2019	28,00	222.400	19,16	SEBA KLL-Q
19/04/2019	28,20	228.100	19,17	SEBA KLL-Q
19/04/2019	28,40	228.700	19,18	SEBA KLL-Q
19/04/2019	28,60	228.700	19,17	SEBA KLL-Q
19/04/2019	29,00	228.700	19,17	SEBA KLL-Q
19/04/2019	30,00	230.700	19,20	SEBA KLL-Q
19/04/2019	32,00	235.000	19,25	SEBA KLL-Q
19/04/2019	34,00	239.500	19,34	SEBA KLL-Q
19/04/2019	36,00	239.500	19,64	SEBA KLL-Q
19/04/2019	38,00	240.200	19,71	SEBA KLL-Q
19/04/2019	40,00	241.000	19,71	SEBA KLL-Q
19/04/2019	42,00	240.700	19,72	SEBA KLL-Q
19/04/2019	44,00	240.500	19,72	SEBA KLL-Q
19/04/2019	46,00	240.500	19,73	SEBA KLL-Q
19/04/2019	48,00	240.400	19,73	SEBA KLL-Q
19/04/2019	50,00	240.300	19,75	SEBA KLL-Q
19/04/2019	52,00	240.300	19,76	SEBA KLL-Q
19/04/2019	54,00	240.200	19,79	SEBA KLL-Q
19/04/2019	56,00	240.200	19,81	SEBA KLL-Q
19/04/2019	58,00	239.700	19,85	SEBA KLL-Q
19/04/2019	60,00	239.800	19,87	SEBA KLL-Q
19/04/2019	62,00	239.800	19,91	SEBA KLL-Q
19/04/2019	64,00	239.700	20,01	SEBA KLL-Q
19/04/2019	66,00	239.800	20,13	SEBA KLL-Q
19/04/2019	68,00	239.500	20,15	SEBA KLL-Q
19/04/2019	70,00	239.600	20,34	SEBA KLL-Q
19/04/2019	72,00	239.800	20,40	SEBA KLL-Q
28/06/2019	1,00	60.510	18,52	SEBA KLL-Q
28/06/2019	1,20	60.430	18,52	SEBA KLL-Q
28/06/2019	1,40	60.480	18,52	SEBA KLL-Q
28/06/2019	1,60	60.490	18,52	SEBA KLL-Q
28/06/2019	1,80	60.490	18,50	SEBA KLL-Q
28/06/2019	2,00	60.500	18,50	SEBA KLL-Q
28/06/2019	2,50	60.510	18,50	SEBA KLL-Q
28/06/2019	3,00	60.510	18,85	SEBA KLL-Q
28/06/2019	4,00	60.460	18,85	SEBA KLL-Q
28/06/2019	5,00	60.440	18,85	SEBA KLL-Q
28/06/2019	6,00	60.510	18,85	SEBA KLL-Q
28/06/2019	8,00	60.620	18,93	SEBA KLL-Q
28/06/2019	10,00	60.640	18,93	SEBA KLL-Q
28/06/2019	12,00	60.660	18,93	SEBA KLL-Q
28/06/2019	14,00	61.190	18,93	SEBA KLL-Q
28/06/2019	16,00	63.120	18,91	SEBA KLL-Q
28/06/2019	18,00	81.970	18,91	SEBA KLL-Q
28/06/2019	20,00	90.950	18,91	SEBA KLL-Q
28/06/2019	22,00	92.060	18,91	SEBA KLL-Q
28/06/2019	24,00	126.700	18,89	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
28/06/2019	26,00	186.500	18,90	SEBA KLL-Q
28/06/2019	26,20	203.600	18,91	SEBA KLL-Q
28/06/2019	26,40	206.400	19,02	SEBA KLL-Q
28/06/2019	26,60	206.600	19,02	SEBA KLL-Q
28/06/2019	26,80	206.300	19,02	SEBA KLL-Q
28/06/2019	27,00	207.600	19,02	SEBA KLL-Q
28/06/2019	27,50	213.100	19,08	SEBA KLL-Q
28/06/2019	28,00	218.400	19,08	SEBA KLL-Q
28/06/2019	29,00	226.500	19,08	SEBA KLL-Q
28/06/2019	30,00	233.300	19,26	SEBA KLL-Q
28/06/2019	32,00	234.200	19,26	SEBA KLL-Q
28/06/2019	34,00	235.100	19,26	SEBA KLL-Q
28/06/2019	36,00	234.400	19,26	SEBA KLL-Q
28/06/2019	38,00	234.500	19,51	SEBA KLL-Q
28/06/2019	40,00	234.300	19,51	SEBA KLL-Q
28/06/2019	42,00	234.200	19,51	SEBA KLL-Q
28/06/2019	44,00	234.600	19,54	SEBA KLL-Q
28/06/2019	46,00	234.600	19,54	SEBA KLL-Q
28/06/2019	48,00	234.200	19,54	SEBA KLL-Q
28/06/2019	50,00	234.600	19,54	SEBA KLL-Q
28/06/2019	52,00	234.600	19,80	SEBA KLL-Q
28/06/2019	54,00	234.600	19,80	SEBA KLL-Q
28/06/2019	56,00	234.400	19,80	SEBA KLL-Q
28/06/2019	58,00	234.200	19,80	SEBA KLL-Q
28/06/2019	60,00	234.200	19,80	SEBA KLL-Q
28/06/2019	62,00	234.500	19,89	SEBA KLL-Q
28/06/2019	64,00	234.300	19,89	SEBA KLL-Q
28/06/2019	66,00	234.500	19,89	SEBA KLL-Q
28/06/2019	68,00	234.500	20,17	SEBA KLL-Q
28/06/2019	70,00	234.600	20,15	SEBA KLL-Q
28/06/2019	72,00	234.600	20,15	SEBA KLL-Q
17/09/2019	1,20	61.360	21,01	SEBA KLL-Q
17/09/2019	1,40	61.370	20,32	SEBA KLL-Q
17/09/2019	1,60	61.310	19,59	SEBA KLL-Q
17/09/2019	1,80	61.420	19,55	SEBA KLL-Q
17/09/2019	2,00	61.560	19,22	SEBA KLL-Q
17/09/2019	2,50	61.550	19,17	SEBA KLL-Q
17/09/2019	3,00	62.240	19,14	SEBA KLL-Q
17/09/2019	4,00	62.360	19,13	SEBA KLL-Q
17/09/2019	5,00	62.360	19,00	SEBA KLL-Q
17/09/2019	6,00	62.360	18,95	SEBA KLL-Q
17/09/2019	8,00	62.460	18,91	SEBA KLL-Q
17/09/2019	10,00	62.510	18,91	SEBA KLL-Q
17/09/2019	12,00	63.120	18,91	SEBA KLL-Q
17/09/2019	14,00	63.790	18,90	SEBA KLL-Q
17/09/2019	16,00	64.460	18,90	SEBA KLL-Q
17/09/2019	18,00	68.080	18,89	SEBA KLL-Q
17/09/2019	20,00	75.060	18,87	SEBA KLL-Q
17/09/2019	22,00	86.870	18,84	SEBA KLL-Q
17/09/2019	24,00	172.000	18,77	SEBA KLL-Q
17/09/2019	26,00	211.700	18,96	SEBA KLL-Q
17/09/2019	26,20	211.700	18,97	SEBA KLL-Q
17/09/2019	26,40	211.900	19,00	SEBA KLL-Q
17/09/2019	26,60	211.900	19,04	SEBA KLL-Q
17/09/2019	26,80	211.800	19,08	SEBA KLL-Q
17/09/2019	27,00	213.100	19,12	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/09/2019	27,50	218.500	19,17	SEBA KLL-Q
17/09/2019	28,00	223.300	19,25	SEBA KLL-Q
17/09/2019	29,00	230.300	19,27	SEBA KLL-Q
17/09/2019	30,00	235.000	19,34	SEBA KLL-Q
17/09/2019	32,00	235.300	19,41	SEBA KLL-Q
17/09/2019	34,00	235.600	19,47	SEBA KLL-Q
17/09/2019	36,00	235.200	19,49	SEBA KLL-Q
17/09/2019	38,00	235.300	19,50	SEBA KLL-Q
17/09/2019	40,00	235.400	19,50	SEBA KLL-Q
17/09/2019	42,00	235.500	19,51	SEBA KLL-Q
17/09/2019	44,00	235.500	19,55	SEBA KLL-Q
17/09/2019	46,00	236.300	19,68	SEBA KLL-Q
17/09/2019	48,00	235.800	19,70	SEBA KLL-Q
17/09/2019	50,00	236.000	19,77	SEBA KLL-Q
17/09/2019	52,00	236.000	19,82	SEBA KLL-Q
17/09/2019	54,00	236.100	19,84	SEBA KLL-Q
17/09/2019	56,00	236.300	19,85	SEBA KLL-Q
17/09/2019	58,00	235.800	19,92	SEBA KLL-Q
17/09/2019	60,00	236.200	19,94	SEBA KLL-Q
17/09/2019	62,00	236.000	19,94	SEBA KLL-Q
17/09/2019	64,00	236.100	20,03	SEBA KLL-Q
17/09/2019	66,00	236.200	20,09	SEBA KLL-Q
17/09/2019	68,00	235.700	20,17	SEBA KLL-Q
17/09/2019	70,00	236.200	20,18	SEBA KLL-Q
17/09/2019	72,00	236.500	20,26	SEBA KLL-Q
21/11/2019	1,50	65.860	21,51	SEBA KLL-Q (249)
21/11/2019	2,00	65.270	19,87	SEBA KLL-Q (249)
21/11/2019	2,50	65.500	19,38	SEBA KLL-Q (249)
21/11/2019	3,00	65.600	19,28	SEBA KLL-Q (249)
21/11/2019	4,00	65.610	19,21	SEBA KLL-Q (249)
21/11/2019	5,00	65.800	19,08	SEBA KLL-Q (249)
21/11/2019	6,00	66.260	18,93	SEBA KLL-Q (249)
21/11/2019	7,00	66.340	18,90	SEBA KLL-Q (249)
21/11/2019	8,00	66.320	18,89	SEBA KLL-Q (249)
21/11/2019	10,00	66.430	18,89	SEBA KLL-Q (249)
21/11/2019	12,00	67.290	18,89	SEBA KLL-Q (249)
21/11/2019	12,50	67.480	18,89	SEBA KLL-Q (249)
21/11/2019	13,00	67.700	18,88	SEBA KLL-Q (249)
21/11/2019	13,50	67.890	18,89	SEBA KLL-Q (249)
21/11/2019	14,00	68.130	18,88	SEBA KLL-Q (249)
21/11/2019	14,50	68.320	18,88	SEBA KLL-Q (249)
21/11/2019	15,00	68.530	18,89	SEBA KLL-Q (249)
21/11/2019	15,50	68.600	18,88	SEBA KLL-Q (249)
21/11/2019	16,00	69.030	18,89	SEBA KLL-Q (249)
21/11/2019	18,00	73.550	18,87	SEBA KLL-Q (249)
21/11/2019	20,00	80.420	18,84	SEBA KLL-Q (249)
21/11/2019	21,00	86.850	18,82	SEBA KLL-Q (249)
21/11/2019	21,50	93.350	18,81	SEBA KLL-Q (249)
21/11/2019	22,00	101.700	18,79	SEBA KLL-Q (249)
21/11/2019	23,00	107.500	18,75	SEBA KLL-Q (249)
21/11/2019	24,00	188.400	18,81	SEBA KLL-Q (249)
21/11/2019	24,50	211.000	18,90	SEBA KLL-Q (249)
21/11/2019	25,00	211.200	18,96	SEBA KLL-Q (249)
21/11/2019	25,20	211.200	18,99	SEBA KLL-Q (249)
21/11/2019	25,40	211.100	18,99	SEBA KLL-Q (249)
21/11/2019	25,60	211.100	18,99	SEBA KLL-Q (249)

Anexo G: Posición de la Interfase Salina

MP-05C				
Fecha	Prof. [m]	C.E. [ $\mu\text{S}/\text{cm}$ ]	TEMP [°C]	Equipo
21/11/2019	25,80	211.300	19,02	SEBA KLL-Q (249)
21/11/2019	26,00	211.200	19,04	SEBA KLL-Q (249)
21/11/2019	26,50	211.500	19,09	SEBA KLL-Q (249)
21/11/2019	27,00	212.300	19,12	SEBA KLL-Q (249)
21/11/2019	27,20	213.700	19,15	SEBA KLL-Q (249)
21/11/2019	27,40	216.600	19,17	SEBA KLL-Q (249)
21/11/2019	27,60	219.800	19,21	SEBA KLL-Q (249)
21/11/2019	27,80	220.200	19,21	SEBA KLL-Q (249)
21/11/2019	28,00	221.300	19,23	SEBA KLL-Q (249)
21/11/2019	28,50	227.700	19,26	SEBA KLL-Q (249)
21/11/2019	29,00	227.900	19,27	SEBA KLL-Q (249)
21/11/2019	30,00	227.800	19,28	SEBA KLL-Q (249)
21/11/2019	31,00	232.000	19,34	SEBA KLL-Q (249)
21/11/2019	33,00	232.600	19,43	SEBA KLL-Q (249)
21/11/2019	34,00	232.400	19,46	SEBA KLL-Q (249)
21/11/2019	34,50	232.400	19,46	SEBA KLL-Q (249)
21/11/2019	35,00	232.300	19,48	SEBA KLL-Q (249)
21/11/2019	35,20	232.400	19,48	SEBA KLL-Q (249)
21/11/2019	35,40	232.400	19,48	SEBA KLL-Q (249)
21/11/2019	35,60	232.400	19,48	SEBA KLL-Q (249)
21/11/2019	35,80	232.500	19,48	SEBA KLL-Q (249)
21/11/2019	36,00	232.500	19,49	SEBA KLL-Q (249)
21/11/2019	36,20	232.400	19,49	SEBA KLL-Q (249)
21/11/2019	36,40	232.500	19,48	SEBA KLL-Q (249)
21/11/2019	36,60	232.400	19,48	SEBA KLL-Q (249)
21/11/2019	36,80	232.600	19,48	SEBA KLL-Q (249)
21/11/2019	37,00	232.300	19,49	SEBA KLL-Q (249)
21/11/2019	37,50	232.500	19,48	SEBA KLL-Q (249)
21/11/2019	38,00	232.500	19,43	SEBA KLL-Q (249)
21/11/2019	38,20	232.500	19,48	SEBA KLL-Q (249)
21/11/2019	38,40	232.500	19,49	SEBA KLL-Q (249)
21/11/2019	38,60	232.400	19,49	SEBA KLL-Q (249)
21/11/2019	38,80	232.400	19,49	SEBA KLL-Q (249)
21/11/2019	39,00	232.500	19,49	SEBA KLL-Q (249)
21/11/2019	40,00	232.600	19,50	SEBA KLL-Q (249)
21/11/2019	41,00	232.500	19,50	SEBA KLL-Q (249)
21/11/2019	42,00	232.600	19,50	SEBA KLL-Q (249)
21/11/2019	44,00	232.500	19,50	SEBA KLL-Q (249)
21/11/2019	46,00	234.000	19,54	SEBA KLL-Q (249)
21/11/2019	48,00	233.500	19,73	SEBA KLL-Q (249)
21/11/2019	50,00	233.100	19,79	SEBA KLL-Q (249)
21/11/2019	52,00	233.400	19,81	SEBA KLL-Q (249)
21/11/2019	55,00	233.200	19,83	SEBA KLL-Q (249)
21/11/2019	58,00	233.300	19,93	SEBA KLL-Q (249)
21/11/2019	61,00	233.200	19,94	SEBA KLL-Q (249)
21/11/2019	64,00	233.400	20,00	SEBA KLL-Q (249)
21/11/2019	67,00	233.300	20,13	SEBA KLL-Q (249)
21/11/2019	68,00	233.400	10,18	SEBA KLL-Q (249)
21/11/2019	70,00	233.600	20,20	SEBA KLL-Q (249)
21/11/2019	72,00	233.400	20,30	SEBA KLL-Q (249)
21/11/2019	74,00	233.700	20,37	SEBA KLL-Q (249)
21/11/2019	76,00	233.200	20,42	SEBA KLL-Q (249)
21/11/2019	77,00	233.100	20,46	SEBA KLL-Q (249)

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2013	1,50	14.100	19,90	TLC-107 SONDA 1
22/10/2013	1,70	14.300	19,70	TLC-107 SONDA 1
22/10/2013	1,90	15.100	19,50	TLC-107 SONDA 1
22/10/2013	2,10	15.500	19,50	TLC-107 SONDA 1
22/10/2013	2,30	15.300	19,50	TLC-107 SONDA 1
22/10/2013	2,50	15.300	19,50	TLC-107 SONDA 1
22/10/2013	2,70	15.400	19,50	TLC-107 SONDA 1
22/10/2013	2,90	15.400	19,50	TLC-107 SONDA 1
22/10/2013	3,10	15.400	19,50	TLC-107 SONDA 1
22/10/2013	3,30	15.400	19,50	TLC-107 SONDA 1
22/10/2013	3,50	15.400	19,50	TLC-107 SONDA 1
22/10/2013	4,00	15.500	19,50	TLC-107 SONDA 1
22/10/2013	4,50	15.500	19,70	TLC-107 SONDA 1
22/10/2013	5,00	15.500	19,70	TLC-107 SONDA 1
22/10/2013	5,50	15.500	19,80	TLC-107 SONDA 1
22/10/2013	6,00	15.500	19,80	TLC-107 SONDA 1
22/10/2013	6,50	15.500	19,80	TLC-107 SONDA 1
22/10/2013	7,00	15.500	19,80	TLC-107 SONDA 1
22/10/2013	7,50	15.500	19,80	TLC-107 SONDA 1
22/10/2013	8,00	15.500	19,80	TLC-107 SONDA 1
22/10/2013	9,00	15.400	19,90	TLC-107 SONDA 1
22/10/2013	10,00	15.400	19,90	TLC-107 SONDA 1
22/10/2013	11,00	15.400	19,90	TLC-107 SONDA 1
22/10/2013	12,00	15.400	19,90	TLC-107 SONDA 1
22/10/2013	13,00	21.400	19,90	TLC-107 SONDA 1
22/10/2013	14,00	31.200	20,00	TLC-107 SONDA 1
22/10/2013	15,00	43.800	20,00	TLC-107 SONDA 1
22/10/2013	20,00	53.300	20,20	TLC-107 SONDA 1
22/10/2013	21,00	69.700	20,20	TLC-107 SONDA 1
22/10/2013	22,00	190.700	20,20	TLC-107 SONDA 1
22/10/2013	23,00	199.800	20,20	TLC-107 SONDA 1
22/10/2013	23,50	217.000	20,20	TLC-107 SONDA 1
22/10/2013	24,00	219.900	20,20	TLC-107 SONDA 1
22/10/2013	24,50	222.900	20,20	TLC-107 SONDA 1
22/10/2013	25,00	223.100	20,40	TLC-107 SONDA 1
22/10/2013	25,50	223.100	20,40	TLC-107 SONDA 1
22/10/2013	26,00	222.900	20,40	TLC-107 SONDA 1
22/10/2013	26,50	223.400	20,40	TLC-107 SONDA 1
22/10/2013	27,00	223.600	20,40	TLC-107 SONDA 1
22/10/2013	28,00	223.900	20,40	TLC-107 SONDA 1
22/10/2013	29,00	224.300	20,40	TLC-107 SONDA 1
22/10/2013	30,00	224.100	20,40	TLC-107 SONDA 1
22/10/2013	31,00	224.300	20,40	TLC-107 SONDA 1
22/10/2013	32,00	225.300	20,40	TLC-107 SONDA 1
22/10/2013	33,00	225.400	20,50	TLC-107 SONDA 1
22/10/2013	38,00	239.300	20,50	TLC-107 SONDA 1
22/10/2013	43,00	232.400	20,60	TLC-107 SONDA 1
22/10/2013	48,00	230.800	20,70	TLC-107 SONDA 1
22/10/2013	53,00	229.200	20,90	TLC-107 SONDA 1
22/10/2013	58,00	228.500	20,90	TLC-107 SONDA 1
22/10/2013	62,01	208.000	21,10	TLC-107 SONDA 1
19/11/2013	1,40	11.800	20,90	TLC-107 SONDA 1
19/11/2013	1,60	12.500	20,40	TLC-107 SONDA 1
19/11/2013	1,80	12.400	20,30	TLC-107 SONDA 1
19/11/2013	2,00	12.400	20,30	TLC-107 SONDA 1
19/11/2013	2,20	12.300	20,00	TLC-107 SONDA 1
19/11/2013	2,40	12.200	20,00	TLC-107 SONDA 1
19/11/2013	2,60	12.200	19,90	TLC-107 SONDA 1
19/11/2013	2,80	12.100	19,90	TLC-107 SONDA 1
19/11/2013	3,00	12.100	19,90	TLC-107 SONDA 1
19/11/2013	3,50	12.000	19,90	TLC-107 SONDA 1
19/11/2013	4,00	11.900	19,90	TLC-107 SONDA 1
19/11/2013	4,50	11.800	19,90	TLC-107 SONDA 1
19/11/2013	5,00	11.900	19,90	TLC-107 SONDA 1
19/11/2013	5,50	11.600	19,90	TLC-107 SONDA 1
19/11/2013	6,00	11.500	19,90	TLC-107 SONDA 1
19/11/2013	7,00	11.300	20,00	TLC-107 SONDA 1
19/11/2013	8,00	11.300	20,00	TLC-107 SONDA 1
19/11/2013	9,00	11.100	20,00	TLC-107 SONDA 1
19/11/2013	10,00	11.000	20,00	TLC-107 SONDA 1
19/11/2013	15,00	27.700	20,20	TLC-107 SONDA 1
19/11/2013	20,00	32.500	20,30	TLC-107 SONDA 1
19/11/2013	21,00	36.100	20,30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/11/2013	21,50	36.500	20,30	TLC-107 SONDA 1
19/11/2013	21,70	42.600	20,30	TLC-107 SONDA 1
19/11/2013	21,90	77.700	20,30	TLC-107 SONDA 1
19/11/2013	22,00	80.300	20,30	TLC-107 SONDA 1
19/11/2013	22,20	82.900	20,30	TLC-107 SONDA 1
19/11/2013	22,40	85.500	20,30	TLC-107 SONDA 1
19/11/2013	22,60	89.200	20,30	TLC-107 SONDA 1
19/11/2013	22,80	96.200	20,30	TLC-107 SONDA 1
19/11/2013	23,00	101.800	20,40	TLC-107 SONDA 1
19/11/2013	23,20	109.400	20,40	TLC-107 SONDA 1
19/11/2013	23,40	109.100	20,40	TLC-107 SONDA 1
19/11/2013	23,60	109.500	20,40	TLC-107 SONDA 1
19/11/2013	23,80	110.100	20,40	TLC-107 SONDA 1
19/11/2013	24,00	112.100	20,40	TLC-107 SONDA 1
19/11/2013	24,50	113.100	20,50	TLC-107 SONDA 1
19/11/2013	25,00	114.100	20,50	TLC-107 SONDA 1
19/11/2013	25,50	116.600	20,50	TLC-107 SONDA 1
19/11/2013	26,00	116.600	20,50	TLC-107 SONDA 1
19/11/2013	27,00	116.400	20,50	TLC-107 SONDA 1
19/11/2013	28,00	114.700	20,50	TLC-107 SONDA 1
19/11/2013	29,00	115.700	20,50	TLC-107 SONDA 1
19/11/2013	30,00	115.900	20,50	TLC-107 SONDA 1
19/11/2013	35,00	123.300	20,60	TLC-107 SONDA 1
19/11/2013	36,00	132.000	20,60	TLC-107 SONDA 1
19/11/2013	37,00	134.500	20,70	TLC-107 SONDA 1
19/11/2013	38,00	141.400	20,70	TLC-107 SONDA 1
19/11/2013	39,00	145.500	20,60	TLC-107 SONDA 1
19/11/2013	40,00	147.300	20,70	TLC-107 SONDA 1
19/11/2013	45,00	146.300	20,70	TLC-107 SONDA 1
19/11/2013	50,00	148.300	21,10	TLC-107 SONDA 1
19/11/2013	55,00	155.700	21,10	TLC-107 SONDA 1
19/11/2013	60,00	153.900	21,10	TLC-107 SONDA 1
19/11/2013	65,00	155.700	21,20	TLC-107 SONDA 1
19/11/2013	70,00	154.600	21,30	TLC-107 SONDA 1
19/11/2013	75,10	151.700	21,40	TLC-107 SONDA 1
17/12/2013	1,50	10.500	21,30	TLC-107 SONDA 1
17/12/2013	1,70	10.300	20,70	TLC-107 SONDA 1
17/12/2013	1,90	10.300	20,50	TLC-107 SONDA 1
17/12/2013	2,10	10.300	20,50	TLC-107 SONDA 1
17/12/2013	2,30	10.400	20,50	TLC-107 SONDA 1
17/12/2013	2,50	10.400	20,30	TLC-107 SONDA 1
17/12/2013	3,00	10.400	20,20	TLC-107 SONDA 1
17/12/2013	3,50	10.300	20,20	TLC-107 SONDA 1
17/12/2013	4,00	10.300	20,00	TLC-107 SONDA 1
17/12/2013	5,00	10.300	20,00	TLC-107 SONDA 1
17/12/2013	6,00	10.300	20,20	TLC-107 SONDA 1
17/12/2013	7,00	10.300	20,20	TLC-107 SONDA 1
17/12/2013	8,00	10.200	20,20	TLC-107 SONDA 1
17/12/2013	9,00	10.300	20,20	TLC-107 SONDA 1
17/12/2013	10,00	10.300	20,20	TLC-107 SONDA 1
17/12/2013	11,00	10.300	20,20	TLC-107 SONDA 1
17/12/2013	12,00	10.300	20,20	TLC-107 SONDA 1
17/12/2013	13,00	13.300	20,20	TLC-107 SONDA 1
17/12/2013	14,00	20.500	20,20	TLC-107 SONDA 1
17/12/2013	15,00	26.100	20,30	TLC-107 SONDA 1
17/12/2013	16,00	29.600	20,30	TLC-107 SONDA 1
17/12/2013	17,00	29.900	20,30	TLC-107 SONDA 1
17/12/2013	18,00	30.100	20,30	TLC-107 SONDA 1
17/12/2013	19,00	30.200	20,30	TLC-107 SONDA 1
17/12/2013	20,00	30.300	20,40	TLC-107 SONDA 1
17/12/2013	21,00	31.200	20,40	TLC-107 SONDA 1
17/12/2013	22,00	41.900	20,40	TLC-107 SONDA 1
17/12/2013	23,00	73.600	20,40	TLC-107 SONDA 1
17/12/2013	24,00	123.300	20,50	TLC-107 SONDA 1
17/12/2013	25,00	143.700	20,50	TLC-107 SONDA 1
17/12/2013	26,00	152.800	20,50	TLC-107 SONDA 1
17/12/2013	27,00	153.500	20,50	TLC-107 SONDA 1
17/12/2013	28,00	154.300	20,50	TLC-107 SONDA 1
17/12/2013	29,00	153.500	20,50	TLC-107 SONDA 1
17/12/2013	30,00	153.900	20,60	TLC-107 SONDA 1
17/12/2013	35,00	166.800	20,70	TLC-107 SONDA 1
17/12/2013	36,00	187.300	20,70	TLC-107 SONDA 1
17/12/2013	37,00	192.700	20,70	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/12/2013	38,00	213.000	20,70	TLC-107 SONDA 1
17/12/2013	39,00	237.600	20,70	TLC-107 SONDA 1
17/12/2013	40,00	240.700	20,70	TLC-107 SONDA 1
17/12/2013	45,00	243.300	20,80	TLC-107 SONDA 1
17/12/2013	50,00	247.200	21,20	TLC-107 SONDA 1
17/12/2013	55,00	247.200	21,20	TLC-107 SONDA 1
17/12/2013	60,00	250.500	21,20	TLC-107 SONDA 1
17/12/2013	65,00	253.300	21,30	TLC-107 SONDA 1
17/12/2013	70,00	254.400	21,40	TLC-107 SONDA 1
17/12/2013	75,00	255.000	21,60	TLC-107 SONDA 1
17/12/2013	76,00	118.100	21,60	TLC-107 SONDA 1
18/03/2014	1,40	8.478	21,90	TLC-107 SONDA 1
18/03/2014	1,60	8.590	21,80	TLC-107 SONDA 1
18/03/2014	1,80	8.581	21,60	TLC-107 SONDA 1
18/03/2014	2,00	8.612	21,40	TLC-107 SONDA 1
18/03/2014	2,50	8.636	21,10	TLC-107 SONDA 1
18/03/2014	3,00	8.687	20,80	TLC-107 SONDA 1
18/03/2014	3,50	8.712	20,60	TLC-107 SONDA 1
18/03/2014	4,00	8.724	20,40	TLC-107 SONDA 1
18/03/2014	5,00	8.750	20,30	TLC-107 SONDA 1
18/03/2014	6,00	8.801	20,20	TLC-107 SONDA 1
18/03/2014	7,00	8.788	20,20	TLC-107 SONDA 1
18/03/2014	8,00	8.781	20,20	TLC-107 SONDA 1
18/03/2014	9,00	8.772	20,20	TLC-107 SONDA 1
18/03/2014	10,00	8.767	20,20	TLC-107 SONDA 1
18/03/2014	11,00	8.762	20,20	TLC-107 SONDA 1
18/03/2014	12,00	9.020	20,20	TLC-107 SONDA 1
18/03/2014	13,00	13.200	20,20	TLC-107 SONDA 1
18/03/2014	14,00	19.000	20,30	TLC-107 SONDA 1
18/03/2014	15,00	23.400	20,30	TLC-107 SONDA 1
18/03/2014	16,00	26.400	20,30	TLC-107 SONDA 1
18/03/2014	17,00	27.100	20,30	TLC-107 SONDA 1
18/03/2014	18,00	27.900	20,30	TLC-107 SONDA 1
18/03/2014	19,00	28.000	20,40	TLC-107 SONDA 1
18/03/2014	20,00	29.200	20,40	TLC-107 SONDA 1
18/03/2014	21,00	30.400	20,40	TLC-107 SONDA 1
18/03/2014	22,00	33.500	20,40	TLC-107 SONDA 1
18/03/2014	23,00	58.200	20,40	TLC-107 SONDA 1
18/03/2014	24,00	110.500	20,50	TLC-107 SONDA 1
18/03/2014	25,00	129.900	20,50	TLC-107 SONDA 1
18/03/2014	26,00	131.700	20,50	TLC-107 SONDA 1
18/03/2014	27,00	133.100	20,50	TLC-107 SONDA 1
18/03/2014	28,00	134.400	20,50	TLC-107 SONDA 1
18/03/2014	29,00	135.800	20,50	TLC-107 SONDA 1
18/03/2014	30,00	136.600	20,60	TLC-107 SONDA 1
18/03/2014	31,00	137.500	20,60	TLC-107 SONDA 1
18/03/2014	32,00	138.500	20,60	TLC-107 SONDA 1
18/03/2014	33,00	139.300	20,60	TLC-107 SONDA 1
18/03/2014	34,00	150.500	20,70	TLC-107 SONDA 1
18/03/2014	35,00	156.400	20,70	TLC-107 SONDA 1
18/03/2014	36,00	173.600	20,70	TLC-107 SONDA 1
18/03/2014	37,00	179.700	20,70	TLC-107 SONDA 1
18/03/2014	38,00	198.900	20,70	TLC-107 SONDA 1
18/03/2014	39,00	212.200	20,70	TLC-107 SONDA 1
18/03/2014	40,00	213.200	20,70	TLC-107 SONDA 1
18/03/2014	41,00	213.300	20,70	TLC-107 SONDA 1
18/03/2014	42,00	212.800	20,80	TLC-107 SONDA 1
18/03/2014	44,00	212.800	20,80	TLC-107 SONDA 1
18/03/2014	46,00	214.000	20,90	TLC-107 SONDA 1
18/03/2014	48,00	215.200	21,10	TLC-107 SONDA 1
18/03/2014	50,00	215.800	21,10	TLC-107 SONDA 1
18/03/2014	55,00	215.200	21,10	TLC-107 SONDA 1
18/03/2014	60,00	214.100	21,10	TLC-107 SONDA 1
18/03/2014	65,00	213.000	21,30	TLC-107 SONDA 1
18/03/2014	70,00	210.300	21,40	TLC-107 SONDA 1
18/03/2014	75,00	199.700	21,50	TLC-107 SONDA 1
18/03/2014	75,40	190.000	21,50	TLC-107 SONDA 1
19/04/2014	1,40	17.200	21,80	TLC-107 SONDA 1
19/04/2014	1,60	16.300	21,60	TLC-107 SONDA 1
19/04/2014	1,80	16.100	21,40	TLC-107 SONDA 1
19/04/2014	2,00	16.200	21,30	TLC-107 SONDA 1
19/04/2014	2,20	16.300	21,20	TLC-107 SONDA 1
19/04/2014	2,40	16.400	21,10	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/04/2014	3,00	16.400	20,80	TLC-107 SONDA 1
19/04/2014	4,00	16.500	20,50	TLC-107 SONDA 1
19/04/2014	5,00	16.800	20,30	TLC-107 SONDA 1
19/04/2014	6,00	16.800	20,30	TLC-107 SONDA 1
19/04/2014	7,00	17.200	20,20	TLC-107 SONDA 1
19/04/2014	8,00	17.700	20,20	TLC-107 SONDA 1
19/04/2014	9,00	17.800	20,20	TLC-107 SONDA 1
19/04/2014	10,00	18.000	20,20	TLC-107 SONDA 1
19/04/2014	11,00	18.300	20,30	TLC-107 SONDA 1
19/04/2014	12,00	18.300	20,30	TLC-107 SONDA 1
19/04/2014	13,00	26.800	20,30	TLC-107 SONDA 1
19/04/2014	14,00	33.500	20,30	TLC-107 SONDA 1
19/04/2014	15,00	37.200	20,30	TLC-107 SONDA 1
19/04/2014	16,00	38.600	20,40	TLC-107 SONDA 1
19/04/2014	17,00	38.700	20,40	TLC-107 SONDA 1
19/04/2014	19,00	38.500	20,40	TLC-107 SONDA 1
19/04/2014	21,00	38.900	20,40	TLC-107 SONDA 1
19/04/2014	23,00	38.700	20,40	TLC-107 SONDA 1
19/04/2014	23,20	50.100	20,40	TLC-107 SONDA 1
19/04/2014	23,40	80.300	20,50	TLC-107 SONDA 1
19/04/2014	23,60	108.600	20,50	TLC-107 SONDA 1
19/04/2014	23,80	118.700	20,50	TLC-107 SONDA 1
19/04/2014	24,00	125.500	20,50	TLC-107 SONDA 1
19/04/2014	24,20	129.400	20,50	TLC-107 SONDA 1
19/04/2014	24,40	130.500	20,50	TLC-107 SONDA 1
19/04/2014	24,60	132.900	20,50	TLC-107 SONDA 1
19/04/2014	24,80	144.200	20,50	TLC-107 SONDA 1
19/04/2014	25,00	154.700	20,50	TLC-107 SONDA 1
19/04/2014	25,20	156.700	20,50	TLC-107 SONDA 1
19/04/2014	25,40	160.600	20,50	TLC-107 SONDA 1
19/04/2014	25,60	161.700	20,50	TLC-107 SONDA 1
19/04/2014	25,80	163.900	20,50	TLC-107 SONDA 1
19/04/2014	26,00	166.200	20,50	TLC-107 SONDA 1
19/04/2014	26,50	169.600	20,50	TLC-107 SONDA 1
19/04/2014	27,00	171.300	20,50	TLC-107 SONDA 1
19/04/2014	27,50	171.900	20,50	TLC-107 SONDA 1
19/04/2014	28,00	173.800	20,50	TLC-107 SONDA 1
19/04/2014	29,00	175.300	20,50	TLC-107 SONDA 1
19/04/2014	30,00	177.800	20,50	TLC-107 SONDA 1
19/04/2014	31,00	179.700	20,60	TLC-107 SONDA 1
19/04/2014	32,00	181.000	20,60	TLC-107 SONDA 1
19/04/2014	34,00	190.600	20,60	TLC-107 SONDA 1
19/04/2014	36,00	204.500	20,70	TLC-107 SONDA 1
19/04/2014	38,00	221.000	20,70	TLC-107 SONDA 1
19/04/2014	40,00	226.100	20,70	TLC-107 SONDA 1
19/04/2014	42,00	226.700	20,80	TLC-107 SONDA 1
19/04/2014	44,00	228.800	20,80	TLC-107 SONDA 1
19/04/2014	46,00	228.200	20,90	TLC-107 SONDA 1
19/04/2014	48,00	227.700	21,20	TLC-107 SONDA 1
19/04/2014	50,00	228.300	21,20	TLC-107 SONDA 1
19/04/2014	52,00	228.300	21,20	TLC-107 SONDA 1
19/04/2014	54,00	228.900	21,20	TLC-107 SONDA 1
19/04/2014	56,00	229.200	21,00	TLC-107 SONDA 1
19/04/2014	58,00	230.100	21,20	TLC-107 SONDA 1
19/04/2014	60,00	231.000	21,20	TLC-107 SONDA 1
19/04/2014	62,00	231.700	21,20	TLC-107 SONDA 1
19/04/2014	64,00	232.300	21,30	TLC-107 SONDA 1
19/04/2014	66,00	232.300	21,30	TLC-107 SONDA 1
19/04/2014	68,00	233.900	21,40	TLC-107 SONDA 1
19/04/2014	70,00	234.900	21,40	TLC-107 SONDA 1
19/04/2014	72,00	235.600	21,50	TLC-107 SONDA 1
19/04/2014	73,60	160.700	21,50	TLC-107 SONDA 1
15/05/2014	1,60	15.700	21,10	TLC-107 SONDA 1
15/05/2014	1,80	16.600	20,90	TLC-107 SONDA 1
15/05/2014	2,00	17.000	20,90	TLC-107 SONDA 1
15/05/2014	2,50	17.600	20,80	TLC-107 SONDA 1
15/05/2014	3,00	17.800	20,70	TLC-107 SONDA 1
15/05/2014	4,00	20.200	20,50	TLC-107 SONDA 1
15/05/2014	5,00	21.000	20,30	TLC-107 SONDA 1
15/05/2014	6,00	21.600	20,30	TLC-107 SONDA 1
15/05/2014	7,00	21.800	20,30	TLC-107 SONDA 1
15/05/2014	8,00	21.900	20,30	TLC-107 SONDA 1
15/05/2014	9,00	22.000	20,20	TLC-107 SONDA 1



Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
15/05/2014	10,00	22.000	20,30	TLC-107 SONDA 1
15/05/2014	12,00	22.100	20,30	TLC-107 SONDA 1
15/05/2014	13,00	32.400	20,30	TLC-107 SONDA 1
15/05/2014	14,00	42.200	20,30	TLC-107 SONDA 1
15/05/2014	15,00	46.800	20,30	TLC-107 SONDA 1
15/05/2014	16,00	48.200	20,40	TLC-107 SONDA 1
15/05/2014	17,00	48.500	20,40	TLC-107 SONDA 1
15/05/2014	18,00	48.900	20,40	TLC-107 SONDA 1
15/05/2014	20,00	48.700	20,40	TLC-107 SONDA 1
15/05/2014	22,00	48.700	20,40	TLC-107 SONDA 1
15/05/2014	23,00	57.900	20,50	TLC-107 SONDA 1
15/05/2014	23,20	83.900	20,50	TLC-107 SONDA 1
15/05/2014	23,40	129.300	20,50	TLC-107 SONDA 1
15/05/2014	23,80	156.400	20,50	TLC-107 SONDA 1
15/05/2014	24,00	162.600	20,50	TLC-107 SONDA 1
15/05/2014	24,20	168.900	20,50	TLC-107 SONDA 1
15/05/2014	24,40	180.100	20,50	TLC-107 SONDA 1
15/05/2014	24,60	196.800	20,50	TLC-107 SONDA 1
15/05/2014	24,80	202.400	20,50	TLC-107 SONDA 1
15/05/2014	25,00	203.600	20,50	TLC-107 SONDA 1
15/05/2014	25,20	204.400	20,50	TLC-107 SONDA 1
15/05/2014	25,40	205.500	20,50	TLC-107 SONDA 1
15/05/2014	25,60	206.400	20,50	TLC-107 SONDA 1
15/05/2014	25,80	208.300	20,50	TLC-107 SONDA 1
15/05/2014	26,00	208.400	20,50	TLC-107 SONDA 1
15/05/2014	26,50	210.200	20,50	TLC-107 SONDA 1
15/05/2014	27,00	211.100	20,50	TLC-107 SONDA 1
15/05/2014	28,00	212.700	20,50	TLC-107 SONDA 1
15/05/2014	29,00	212.900	20,50	TLC-107 SONDA 1
15/05/2014	30,00	214.500	20,50	TLC-107 SONDA 1
15/05/2014	31,00	215.100	20,50	TLC-107 SONDA 1
15/05/2014	32,00	215.500	20,60	TLC-107 SONDA 1
15/05/2014	34,00	224.800	20,60	TLC-107 SONDA 1
15/05/2014	36,00	241.800	20,70	TLC-107 SONDA 1
15/05/2014	37,00	262.200	20,70	TLC-107 SONDA 1
15/05/2014	38,00	263.000	20,70	TLC-107 SONDA 1
15/05/2014	39,00	271.900	20,70	TLC-107 SONDA 1
15/05/2014	40,00	271.900	20,70	TLC-107 SONDA 1
15/05/2014	42,00	269.300	20,80	TLC-107 SONDA 1
15/05/2014	44,00	269.900	20,80	TLC-107 SONDA 1
15/05/2014	46,00	268.300	20,90	TLC-107 SONDA 1
15/05/2014	48,00	267.300	21,10	TLC-107 SONDA 1
15/05/2014	50,00	265.800	21,10	TLC-107 SONDA 1
15/05/2014	52,00	265.800	21,10	TLC-107 SONDA 1
15/05/2014	54,00	265.100	21,10	TLC-107 SONDA 1
15/05/2014	56,00	264.800	21,10	TLC-107 SONDA 1
15/05/2014	58,00	264.800	21,10	TLC-107 SONDA 1
15/05/2014	60,00	264.800	21,10	TLC-107 SONDA 1
15/05/2014	62,00	263.800	21,30	TLC-107 SONDA 1
15/05/2014	64,00	263.800	21,30	TLC-107 SONDA 1
15/05/2014	66,00	265.000	21,40	TLC-107 SONDA 1
15/05/2014	68,00	263.800	21,40	TLC-107 SONDA 1
15/05/2014	70,00	263.700	21,50	TLC-107 SONDA 1
15/05/2014	72,00	263.400	21,50	TLC-107 SONDA 1
15/05/2014	72,80	192.200	21,50	TLC-107 SONDA 1
15/06/2014	1,50	13.400	20,50	TLC-107 SONDA 1
15/06/2014	1,70	14.000	20,40	TLC-107 SONDA 1
15/06/2014	1,90	14.000	20,30	TLC-107 SONDA 1
15/06/2014	2,10	14.100	20,40	TLC-107 SONDA 1
15/06/2014	2,30	14.100	20,30	TLC-107 SONDA 1
15/06/2014	2,50	14.200	20,30	TLC-107 SONDA 1
15/06/2014	3,00	14.200	20,40	TLC-107 SONDA 1
15/06/2014	3,50	14.200	20,40	TLC-107 SONDA 1
15/06/2014	4,00	14.300	20,40	TLC-107 SONDA 1
15/06/2014	5,00	14.300	20,30	TLC-107 SONDA 1
15/06/2014	6,00	14.300	20,30	TLC-107 SONDA 1
15/06/2014	8,00	14.300	20,30	TLC-107 SONDA 1
15/06/2014	10,00	14.400	20,30	TLC-107 SONDA 1
15/06/2014	12,00	14.500	20,30	TLC-107 SONDA 1
15/06/2014	13,00	20.800	20,30	TLC-107 SONDA 1
15/06/2014	14,00	25.600	20,30	TLC-107 SONDA 1
15/06/2014	15,00	28.200	20,30	TLC-107 SONDA 1
15/06/2014	16,00	28.900	20,40	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
15/06/2014	17,00	29.000	20,40	TLC-107 SONDA 1
15/06/2014	18,00	29.000	20,40	TLC-107 SONDA 1
15/06/2014	20,00	28.900	20,40	TLC-107 SONDA 1
15/06/2014	22,00	28.800	20,40	TLC-107 SONDA 1
15/06/2014	23,00	32.300	20,50	TLC-107 SONDA 1
15/06/2014	23,20	45.400	20,50	TLC-107 SONDA 1
15/06/2014	23,40	60.800	20,50	TLC-107 SONDA 1
15/06/2014	23,60	72.200	20,50	TLC-107 SONDA 1
15/06/2014	23,80	74.100	20,50	TLC-107 SONDA 1
15/06/2014	24,00	76.200	20,50	TLC-107 SONDA 1
15/06/2014	24,50	85.000	20,50	TLC-107 SONDA 1
15/06/2014	25,00	91.100	20,50	TLC-107 SONDA 1
15/06/2014	25,50	92.900	20,50	TLC-107 SONDA 1
15/06/2014	26,00	92.600	20,50	TLC-107 SONDA 1
15/06/2014	27,00	92.700	20,50	TLC-107 SONDA 1
15/06/2014	28,00	92.800	20,50	TLC-107 SONDA 1
15/06/2014	29,00	92.900	20,50	TLC-107 SONDA 1
15/06/2014	30,00	93.200	20,50	TLC-107 SONDA 1
15/06/2014	32,00	93.200	20,60	TLC-107 SONDA 1
15/06/2014	34,00	95.200	20,60	TLC-107 SONDA 1
15/06/2014	36,00	100.000	20,70	TLC-107 SONDA 1
15/06/2014	38,00	105.900	20,70	TLC-107 SONDA 1
15/06/2014	40,00	109.700	20,70	TLC-107 SONDA 1
15/06/2014	42,00	109.400	20,80	TLC-107 SONDA 1
15/06/2014	44,00	108.700	20,80	TLC-107 SONDA 1
15/06/2014	46,00	110.000	20,90	TLC-107 SONDA 1
15/06/2014	48,00	108.500	21,10	TLC-107 SONDA 1
15/06/2014	50,00	110.700	21,10	TLC-107 SONDA 1
15/06/2014	52,00	109.600	21,10	TLC-107 SONDA 1
15/06/2014	54,00	111.100	21,10	TLC-107 SONDA 1
15/06/2014	56,00	114.500	21,20	TLC-107 SONDA 1
15/06/2014	58,00	115.700	21,20	TLC-107 SONDA 1
15/06/2014	58,50	129.300	21,20	TLC-107 SONDA 1
15/06/2014	59,00	131.400	21,20	TLC-107 SONDA 1
15/06/2014	59,50	133.500	21,20	TLC-107 SONDA 1
15/06/2014	60,00	136.600	21,20	TLC-107 SONDA 1
15/06/2014	60,50	137.800	21,20	TLC-107 SONDA 1
15/06/2014	61,00	139.000	21,20	TLC-107 SONDA 1
15/06/2014	61,50	141.000	21,20	TLC-107 SONDA 1
15/06/2014	62,00	142.500	21,30	TLC-107 SONDA 1
15/06/2014	62,50	144.600	21,30	TLC-107 SONDA 1
15/06/2014	63,00	146.600	21,30	TLC-107 SONDA 1
15/06/2014	63,50	147.500	21,30	TLC-107 SONDA 1
15/06/2014	64,00	149.400	21,30	TLC-107 SONDA 1
15/06/2014	65,00	150.600	21,30	TLC-107 SONDA 1
15/06/2014	66,00	152.200	21,40	TLC-107 SONDA 1
15/06/2014	67,00	153.900	21,40	TLC-107 SONDA 1
15/06/2014	68,00	155.100	21,40	TLC-107 SONDA 1
15/06/2014	69,00	156.500	21,40	TLC-107 SONDA 1
15/06/2014	70,00	157.700	21,50	TLC-107 SONDA 1
15/06/2014	72,00	158.800	21,50	TLC-107 SONDA 1
15/06/2014	73,00	122.300	21,50	TLC-107 SONDA 1
15/06/2014	74,00	118.000	21,50	TLC-107 SONDA 1
15/06/2014	74,30	121.400	21,60	TLC-107 SONDA 1
16/07/2014	1,70	12.800	19,50	TLC-107 SONDA 1
16/07/2014	2,00	13.300	19,70	TLC-107 SONDA 1
16/07/2014	2,50	13.400	19,80	TLC-107 SONDA 1
16/07/2014	3,00	13.600	19,90	TLC-107 SONDA 1
16/07/2014	3,50	13.600	20,00	TLC-107 SONDA 1
16/07/2014	4,00	13.600	20,20	TLC-107 SONDA 1
16/07/2014	5,00	13.600	20,30	TLC-107 SONDA 1
16/07/2014	6,00	13.400	20,30	TLC-107 SONDA 1
16/07/2014	7,00	13.000	20,30	TLC-107 SONDA 1
16/07/2014	8,00	12.300	20,30	TLC-107 SONDA 1
16/07/2014	9,00	11.100	20,30	TLC-107 SONDA 1
16/07/2014	10,00	9.882	20,30	TLC-107 SONDA 1
16/07/2014	11,00	8.307	20,30	TLC-107 SONDA 1
16/07/2014	12,00	6.737	20,30	TLC-107 SONDA 1
16/07/2014	13,00	6.617	20,30	TLC-107 SONDA 1
16/07/2014	15,00	16.100	20,30	TLC-107 SONDA 1
16/07/2014	16,00	23.500	20,40	TLC-107 SONDA 1
16/07/2014	16,50	23.600	20,40	TLC-107 SONDA 1
16/07/2014	17,00	23.700	20,40	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/07/2014	17,50	23.700	20,40	TLC-107 SONDA 1
16/07/2014	18,00	27.300	20,40	TLC-107 SONDA 1
16/07/2014	18,50	28.800	20,40	TLC-107 SONDA 1
16/07/2014	19,00	28.900	20,40	TLC-107 SONDA 1
16/07/2014	20,00	29.900	20,40	TLC-107 SONDA 1
16/07/2014	21,00	29.700	20,40	TLC-107 SONDA 1
16/07/2014	22,00	29.800	20,40	TLC-107 SONDA 1
16/07/2014	24,00	31.900	20,40	TLC-107 SONDA 1
16/07/2014	25,00	41.200	20,40	TLC-107 SONDA 1
16/07/2014	26,00	45.000	20,40	TLC-107 SONDA 1
16/07/2014	27,00	47.200	20,40	TLC-107 SONDA 1
16/07/2014	28,00	56.400	20,40	TLC-107 SONDA 1
16/07/2014	29,00	58.800	20,40	TLC-107 SONDA 1
16/07/2014	30,00	59.600	20,40	TLC-107 SONDA 1
16/07/2014	32,00	60.800	20,50	TLC-107 SONDA 1
16/07/2014	34,00	61.800	20,50	TLC-107 SONDA 1
16/07/2014	36,00	64.400	20,50	TLC-107 SONDA 1
16/07/2014	37,00	65.400	20,50	TLC-107 SONDA 1
16/07/2014	38,00	71.500	20,60	TLC-107 SONDA 1
16/07/2014	39,00	92.400	20,60	TLC-107 SONDA 1
16/07/2014	40,00	96.700	20,60	TLC-107 SONDA 1
16/07/2014	41,00	97.100	20,60	TLC-107 SONDA 1
16/07/2014	42,00	97.900	20,70	TLC-107 SONDA 1
16/07/2014	43,00	98.400	20,70	TLC-107 SONDA 1
16/07/2014	44,00	102.400	20,70	TLC-107 SONDA 1
16/07/2014	45,00	107.900	20,70	TLC-107 SONDA 1
16/07/2014	46,00	117.000	20,90	TLC-107 SONDA 1
16/07/2014	46,50	115.900	20,90	TLC-107 SONDA 1
16/07/2014	47,00	115.300	21,10	TLC-107 SONDA 1
16/07/2014	48,00	115.400	21,10	TLC-107 SONDA 1
16/07/2014	49,00	115.400	21,10	TLC-107 SONDA 1
16/07/2014	50,00	115.300	21,10	TLC-107 SONDA 1
16/07/2014	51,00	115.000	21,10	TLC-107 SONDA 1
16/07/2014	52,00	115.000	21,10	TLC-107 SONDA 1
16/07/2014	53,00	115.000	21,10	TLC-107 SONDA 1
16/07/2014	54,00	115.200	21,10	TLC-107 SONDA 1
16/07/2014	55,00	115.200	21,10	TLC-107 SONDA 1
16/07/2014	56,00	115.400	21,10	TLC-107 SONDA 1
16/07/2014	57,00	115.300	21,10	TLC-107 SONDA 1
16/07/2014	58,00	115.200	21,10	TLC-107 SONDA 1
16/07/2014	59,00	115.200	21,20	TLC-107 SONDA 1
16/07/2014	60,00	115.200	21,20	TLC-107 SONDA 1
16/07/2014	62,00	115.200	21,30	TLC-107 SONDA 1
16/07/2014	64,00	115.400	21,30	TLC-107 SONDA 1
16/07/2014	66,00	115.300	21,30	TLC-107 SONDA 1
16/07/2014	68,00	115.700	21,40	TLC-107 SONDA 1
16/07/2014	70,00	115.800	21,50	TLC-107 SONDA 1
16/07/2014	73,10	78.000	21,60	TLC-107 SONDA 1
19/08/2014	1,40	19.800	20,30	TLC-107 SONDA 1
19/08/2014	2,00	19.800	19,90	TLC-107 SONDA 1
19/08/2014	4,00	19.900	20,20	TLC-107 SONDA 1
19/08/2014	6,00	20.000	20,30	TLC-107 SONDA 1
19/08/2014	8,00	20.000	20,30	TLC-107 SONDA 1
19/08/2014	10,00	20.100	20,30	TLC-107 SONDA 1
19/08/2014	12,00	20.100	20,30	TLC-107 SONDA 1
19/08/2014	14,00	35.600	20,30	TLC-107 SONDA 1
19/08/2014	15,00	39.000	20,40	TLC-107 SONDA 1
19/08/2014	16,00	40.100	20,40	TLC-107 SONDA 1
19/08/2014	17,00	40.200	20,40	TLC-107 SONDA 1
19/08/2014	18,00	40.400	20,40	TLC-107 SONDA 1
19/08/2014	19,00	40.400	20,40	TLC-107 SONDA 1
19/08/2014	20,00	40.500	20,40	TLC-107 SONDA 1
19/08/2014	22,00	40.400	20,40	TLC-107 SONDA 1
19/08/2014	22,50	40.600	20,40	TLC-107 SONDA 1
19/08/2014	23,00	52.800	20,50	TLC-107 SONDA 1
19/08/2014	23,20	71.300	20,50	TLC-107 SONDA 1
19/08/2014	23,40	91.300	20,50	TLC-107 SONDA 1
19/08/2014	23,60	98.000	20,50	TLC-107 SONDA 1
19/08/2014	23,80	99.900	20,50	TLC-107 SONDA 1
19/08/2014	24,00	102.000	20,50	TLC-107 SONDA 1
19/08/2014	24,20	105.100	20,50	TLC-107 SONDA 1
19/08/2014	24,40	108.100	20,50	TLC-107 SONDA 1
19/08/2014	24,60	114.500	20,50	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/08/2014	24,80	124.200	20,50	TLC-107 SONDA 1
19/08/2014	25,00	133.800	20,50	TLC-107 SONDA 1
19/08/2014	25,20	138.000	20,50	TLC-107 SONDA 1
19/08/2014	25,40	139.300	20,50	TLC-107 SONDA 1
19/08/2014	25,60	139.900	20,50	TLC-107 SONDA 1
19/08/2014	25,80	140.300	20,50	TLC-107 SONDA 1
19/08/2014	26,00	140.300	20,50	TLC-107 SONDA 1
19/08/2014	26,20	140.500	20,50	TLC-107 SONDA 1
19/08/2014	26,40	140.700	20,50	TLC-107 SONDA 1
19/08/2014	26,60	140.800	20,50	TLC-107 SONDA 1
19/08/2014	26,80	140.800	20,50	TLC-107 SONDA 1
19/08/2014	27,00	140.800	20,50	TLC-107 SONDA 1
19/08/2014	27,20	140.900	20,50	TLC-107 SONDA 1
19/08/2014	27,40	141.000	20,50	TLC-107 SONDA 1
19/08/2014	27,60	140.800	20,50	TLC-107 SONDA 1
19/08/2014	27,80	141.000	20,50	TLC-107 SONDA 1
19/08/2014	28,00	141.000	20,50	TLC-107 SONDA 1
19/08/2014	28,50	141.000	20,50	TLC-107 SONDA 1
19/08/2014	29,00	141.100	20,50	TLC-107 SONDA 1
19/08/2014	29,50	141.300	20,50	TLC-107 SONDA 1
19/08/2014	30,00	141.300	20,50	TLC-107 SONDA 1
19/08/2014	30,50	141.100	20,50	TLC-107 SONDA 1
19/08/2014	31,00	141.000	20,60	TLC-107 SONDA 1
19/08/2014	31,50	141.400	20,50	TLC-107 SONDA 1
19/08/2014	32,00	141.800	20,60	TLC-107 SONDA 1
19/08/2014	32,50	141.700	20,60	TLC-107 SONDA 1
19/08/2014	33,00	142.900	20,60	TLC-107 SONDA 1
19/08/2014	33,50	145.400	20,60	TLC-107 SONDA 1
19/08/2014	34,00	146.600	20,60	TLC-107 SONDA 1
19/08/2014	34,50	148.500	20,70	TLC-107 SONDA 1
19/08/2014	35,00	149.500	20,70	TLC-107 SONDA 1
19/08/2014	35,50	152.500	20,70	TLC-107 SONDA 1
19/08/2014	36,00	158.900	20,70	TLC-107 SONDA 1
19/08/2014	36,50	162.500	20,70	TLC-107 SONDA 1
19/08/2014	37,00	163.700	20,70	TLC-107 SONDA 1
19/08/2014	37,50	165.900	20,70	TLC-107 SONDA 1
19/08/2014	38,00	173.700	20,70	TLC-107 SONDA 1
19/08/2014	38,50	178.600	20,70	TLC-107 SONDA 1
19/08/2014	39,00	179.800	20,70	TLC-107 SONDA 1
19/08/2014	39,50	181.000	20,70	TLC-107 SONDA 1
19/08/2014	40,00	180.600	20,70	TLC-107 SONDA 1
19/08/2014	40,50	180.700	20,80	TLC-107 SONDA 1
19/08/2014	41,00	181.000	20,80	TLC-107 SONDA 1
19/08/2014	41,50	180.700	20,80	TLC-107 SONDA 1
19/08/2014	42,00	181.000	20,80	TLC-107 SONDA 1
19/08/2014	43,00	181.800	20,80	TLC-107 SONDA 1
19/08/2014	44,00	181.600	20,80	TLC-107 SONDA 1
19/08/2014	45,00	182.200	20,80	TLC-107 SONDA 1
19/08/2014	46,00	182.000	20,90	TLC-107 SONDA 1
19/08/2014	47,00	181.700	20,90	TLC-107 SONDA 1
19/08/2014	48,00	182.600	20,90	TLC-107 SONDA 1
19/08/2014	49,00	182.400	20,90	TLC-107 SONDA 1
19/08/2014	50,00	182.100	21,10	TLC-107 SONDA 1
19/08/2014	51,00	182.100	21,10	TLC-107 SONDA 1
19/08/2014	52,00	181.900	21,10	TLC-107 SONDA 1
19/08/2014	53,00	182.700	21,10	TLC-107 SONDA 1
19/08/2014	54,00	182.100	21,10	TLC-107 SONDA 1
19/08/2014	56,00	181.900	21,20	TLC-107 SONDA 1
19/08/2014	58,00	182.100	21,20	TLC-107 SONDA 1
19/08/2014	60,00	182.700	21,20	TLC-107 SONDA 1
19/08/2014	62,00	182.200	21,30	TLC-107 SONDA 1
19/08/2014	64,00	182.500	21,30	TLC-107 SONDA 1
19/08/2014	66,00	182.600	21,30	TLC-107 SONDA 1
19/08/2014	68,00	182.800	21,40	TLC-107 SONDA 1
19/08/2014	70,00	182.800	21,40	TLC-107 SONDA 1
19/08/2014	72,00	183.000	21,50	TLC-107 SONDA 1
19/08/2014	73,60	126.700	21,50	TLC-107 SONDA 1
02/09/2014	1,40	20.800	19,80	TLC-107 SONDA 1
02/09/2014	2,00	20.700	19,80	TLC-107 SONDA 1
02/09/2014	4,00	20.700	20,00	TLC-107 SONDA 1
02/09/2014	6,00	20.500	20,30	TLC-107 SONDA 1
02/09/2014	8,00	20.500	20,30	TLC-107 SONDA 1
02/09/2014	10,00	20.500	20,30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/09/2014	12,00	20.500	20,30	TLC-107 SONDA 1
02/09/2014	14,00	35.500	20,30	TLC-107 SONDA 1
02/09/2014	15,00	38.100	20,30	TLC-107 SONDA 1
02/09/2014	16,00	40.200	20,40	TLC-107 SONDA 1
02/09/2014	17,00	40.300	20,40	TLC-107 SONDA 1
02/09/2014	18,00	40.200	20,40	TLC-107 SONDA 1
02/09/2014	19,00	40.200	20,40	TLC-107 SONDA 1
02/09/2014	20,00	40.200	20,40	TLC-107 SONDA 1
02/09/2014	21,00	40.100	20,40	TLC-107 SONDA 1
02/09/2014	22,00	40.000	20,40	TLC-107 SONDA 1
02/09/2014	23,00	55.700	20,50	TLC-107 SONDA 1
02/09/2014	23,20	81.400	20,50	TLC-107 SONDA 1
02/09/2014	23,40	95.900	20,50	TLC-107 SONDA 1
02/09/2014	23,60	108.200	20,50	TLC-107 SONDA 1
02/09/2014	23,80	111.900	20,50	TLC-107 SONDA 1
02/09/2014	24,00	111.200	20,50	TLC-107 SONDA 1
02/09/2014	24,20	117.100	20,50	TLC-107 SONDA 1
02/09/2014	24,40	121.600	20,50	TLC-107 SONDA 1
02/09/2014	24,60	124.800	20,50	TLC-107 SONDA 1
02/09/2014	24,80	145.400	20,50	TLC-107 SONDA 1
02/09/2014	25,00	159.800	20,50	TLC-107 SONDA 1
02/09/2014	25,20	170.500	20,50	TLC-107 SONDA 1
02/09/2014	25,40	171.300	20,50	TLC-107 SONDA 1
02/09/2014	25,60	172.600	20,50	TLC-107 SONDA 1
02/09/2014	25,80	172.900	20,50	TLC-107 SONDA 1
02/09/2014	26,00	174.000	20,50	TLC-107 SONDA 1
02/09/2014	26,20	173.400	20,50	TLC-107 SONDA 1
02/09/2014	26,40	175.100	20,50	TLC-107 SONDA 1
02/09/2014	26,60	173.400	20,50	TLC-107 SONDA 1
02/09/2014	26,80	173.700	20,50	TLC-107 SONDA 1
02/09/2014	27,00	173.700	20,50	TLC-107 SONDA 1
02/09/2014	27,50	174.300	20,50	TLC-107 SONDA 1
02/09/2014	28,00	174.300	20,50	TLC-107 SONDA 1
02/09/2014	28,50	174.300	20,50	TLC-107 SONDA 1
02/09/2014	29,00	174.500	20,50	TLC-107 SONDA 1
02/09/2014	30,00	173.000	20,50	TLC-107 SONDA 1
02/09/2014	31,00	173.800	20,60	TLC-107 SONDA 1
02/09/2014	32,00	175.200	20,60	TLC-107 SONDA 1
02/09/2014	33,00	175.200	20,60	TLC-107 SONDA 1
02/09/2014	34,00	186.800	20,60	TLC-107 SONDA 1
02/09/2014	35,00	192.300	20,70	TLC-107 SONDA 1
02/09/2014	36,00	209.100	20,70	TLC-107 SONDA 1
02/09/2014	37,00	216.000	20,70	TLC-107 SONDA 1
02/09/2014	38,00	236.600	20,70	TLC-107 SONDA 1
02/09/2014	39,00	249.700	20,70	TLC-107 SONDA 1
02/09/2014	41,00	248.500	20,80	TLC-107 SONDA 1
02/09/2014	43,00	248.500	20,80	TLC-107 SONDA 1
02/09/2014	45,00	251.300	20,80	TLC-107 SONDA 1
02/09/2014	47,00	251.800	20,90	TLC-107 SONDA 1
02/09/2014	49,00	252.300	21,10	TLC-107 SONDA 1
02/09/2014	51,00	251.900	21,10	TLC-107 SONDA 1
02/09/2014	53,00	251.700	21,10	TLC-107 SONDA 1
02/09/2014	55,00	252.900	21,10	TLC-107 SONDA 1
02/09/2014	57,00	251.200	21,10	TLC-107 SONDA 1
02/09/2014	59,00	250.600	21,20	TLC-107 SONDA 1
02/09/2014	61,00	251.100	21,20	TLC-107 SONDA 1
02/09/2014	63,00	251.100	21,30	TLC-107 SONDA 1
02/09/2014	65,00	251.700	21,30	TLC-107 SONDA 1
02/09/2014	67,00	251.000	21,30	TLC-107 SONDA 1
02/09/2014	69,00	250.500	21,40	TLC-107 SONDA 1
02/09/2014	71,00	251.600	21,50	TLC-107 SONDA 1
02/09/2014	73,00	134.800	21,50	TLC-107 SONDA 1
07/10/2014	1,40	20.600	19,70	TLC-107 SONDA 1
07/10/2014	2,00	20.900	19,80	TLC-107 SONDA 1
07/10/2014	2,50	20.900	19,80	TLC-107 SONDA 1
07/10/2014	3,00	20.900	19,80	TLC-107 SONDA 1
07/10/2014	4,00	20.900	20,00	TLC-107 SONDA 1
07/10/2014	5,00	20.800	20,20	TLC-107 SONDA 1
07/10/2014	6,00	20.900	20,30	TLC-107 SONDA 1
07/10/2014	8,00	21.000	20,30	TLC-107 SONDA 1
07/10/2014	10,00	21.000	20,30	TLC-107 SONDA 1
07/10/2014	12,00	21.000	20,30	TLC-107 SONDA 1
07/10/2014	13,00	29.500	20,30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/10/2014	13,50	32.800	20,30	TLC-107 SONDA 1
07/10/2014	14,00	36.600	20,30	TLC-107 SONDA 1
07/10/2014	14,20	38.700	20,30	TLC-107 SONDA 1
07/10/2014	14,40	39.000	20,30	TLC-107 SONDA 1
07/10/2014	14,60	39.300	20,30	TLC-107 SONDA 1
07/10/2014	14,80	39.800	20,30	TLC-107 SONDA 1
07/10/2014	15,00	40.900	20,30	TLC-107 SONDA 1
07/10/2014	15,50	41.300	20,40	TLC-107 SONDA 1
07/10/2014	16,00	41.400	20,40	TLC-107 SONDA 1
07/10/2014	16,50	41.500	20,40	TLC-107 SONDA 1
07/10/2014	17,00	41.400	20,40	TLC-107 SONDA 1
07/10/2014	17,50	41.400	20,40	TLC-107 SONDA 1
07/10/2014	18,00	41.400	20,40	TLC-107 SONDA 1
07/10/2014	18,50	41.400	20,40	TLC-107 SONDA 1
07/10/2014	19,00	41.300	20,40	TLC-107 SONDA 1
07/10/2014	19,50	41.300	20,40	TLC-107 SONDA 1
07/10/2014	20,00	41.300	20,40	TLC-107 SONDA 1
07/10/2014	20,50	41.300	20,40	TLC-107 SONDA 1
07/10/2014	21,50	41.200	20,40	TLC-107 SONDA 1
07/10/2014	22,50	41.200	20,40	TLC-107 SONDA 1
07/10/2014	22,70	41.700	20,40	TLC-107 SONDA 1
07/10/2014	22,90	48.200	20,50	TLC-107 SONDA 1
07/10/2014	23,00	56.900	20,50	TLC-107 SONDA 1
07/10/2014	23,20	76.300	20,50	TLC-107 SONDA 1
07/10/2014	23,40	105.900	20,50	TLC-107 SONDA 1
07/10/2014	23,60	110.800	20,50	TLC-107 SONDA 1
07/10/2014	23,80	112.900	20,50	TLC-107 SONDA 1
07/10/2014	24,00	116.500	20,50	TLC-107 SONDA 1
07/10/2014	24,20	120.200	20,50	TLC-107 SONDA 1
07/10/2014	24,40	124.600	20,50	TLC-107 SONDA 1
07/10/2014	24,60	136.700	20,50	TLC-107 SONDA 1
07/10/2014	24,80	151.500	20,50	TLC-107 SONDA 1
07/10/2014	25,00	162.200	20,50	TLC-107 SONDA 1
07/10/2014	25,20	164.300	20,50	TLC-107 SONDA 1
07/10/2014	25,40	164.800	20,50	TLC-107 SONDA 1
07/10/2014	25,60	165.400	20,50	TLC-107 SONDA 1
07/10/2014	25,80	165.400	20,50	TLC-107 SONDA 1
07/10/2014	26,00	166.100	20,50	TLC-107 SONDA 1
07/10/2014	26,50	166.100	20,50	TLC-107 SONDA 1
07/10/2014	27,00	166.500	20,50	TLC-107 SONDA 1
07/10/2014	27,50	168.600	20,50	TLC-107 SONDA 1
07/10/2014	28,00	169.800	20,50	TLC-107 SONDA 1
07/10/2014	29,00	168.600	20,50	TLC-107 SONDA 1
07/10/2014	30,00	169.600	20,60	TLC-107 SONDA 1
07/10/2014	31,00	168.400	20,60	TLC-107 SONDA 1
07/10/2014	32,00	170.600	20,60	TLC-107 SONDA 1
07/10/2014	33,00	171.600	20,60	TLC-107 SONDA 1
07/10/2014	34,00	178.100	20,60	TLC-107 SONDA 1
07/10/2014	36,00	180.100	20,70	TLC-107 SONDA 1
07/10/2014	37,00	189.800	20,70	TLC-107 SONDA 1
07/10/2014	38,00	206.400	20,70	TLC-107 SONDA 1
07/10/2014	40,00	220.600	20,80	TLC-107 SONDA 1
07/10/2014	42,00	219.700	20,80	TLC-107 SONDA 1
07/10/2014	44,00	221.100	20,80	TLC-107 SONDA 1
07/10/2014	46,00	224.500	20,80	TLC-107 SONDA 1
07/10/2014	48,00	223.300	20,90	TLC-107 SONDA 1
07/10/2014	50,00	223.100	21,10	TLC-107 SONDA 1
07/10/2014	52,00	224.100	21,10	TLC-107 SONDA 1
07/10/2014	54,00	223.800	21,10	TLC-107 SONDA 1
07/10/2014	56,00	222.400	21,10	TLC-107 SONDA 1
07/10/2014	58,00	223.600	21,20	TLC-107 SONDA 1
07/10/2014	60,00	225.300	21,20	TLC-107 SONDA 1
07/10/2014	62,00	225.500	21,30	TLC-107 SONDA 1
07/10/2014	64,00	225.500	21,30	TLC-107 SONDA 1
07/10/2014	66,00	228.700	21,40	TLC-107 SONDA 1
07/10/2014	68,00	229.700	21,40	TLC-107 SONDA 1
07/10/2014	70,00	230.600	21,50	TLC-107 SONDA 1
07/10/2014	72,00	230.900	21,50	TLC-107 SONDA 1
07/10/2014	72,30	195.100	21,50	TLC-107 SONDA 1
04/11/2014	1,40	19.300	20,90	TLC-107 SONDA 1
04/11/2014	2,00	19.700	20,40	TLC-107 SONDA 1
04/11/2014	4,00	19.700	20,30	TLC-107 SONDA 1
04/11/2014	6,00	19.800	20,30	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/11/2014	8,00	19.800	20,30	TLC-107 SONDA 1
04/11/2014	10,00	19.800	20,30	TLC-107 SONDA 1
04/11/2014	12,00	19.800	20,30	TLC-107 SONDA 1
04/11/2014	13,00	25.000	20,30	TLC-107 SONDA 1
04/11/2014	14,00	32.400	20,30	TLC-107 SONDA 1
04/11/2014	14,50	33.400	20,30	TLC-107 SONDA 1
04/11/2014	15,00	34.700	20,30	TLC-107 SONDA 1
04/11/2014	16,00	36.900	20,40	TLC-107 SONDA 1
04/11/2014	17,00	37.500	20,40	TLC-107 SONDA 1
04/11/2014	18,00	37.600	20,40	TLC-107 SONDA 1
04/11/2014	19,00	37.600	20,40	TLC-107 SONDA 1
04/11/2014	20,00	37.800	20,40	TLC-107 SONDA 1
04/11/2014	21,00	37.800	20,40	TLC-107 SONDA 1
04/11/2014	22,00	37.900	20,40	TLC-107 SONDA 1
04/11/2014	23,00	49.900	20,40	TLC-107 SONDA 1
04/11/2014	23,20	72.700	20,50	TLC-107 SONDA 1
04/11/2014	23,40	96.700	20,50	TLC-107 SONDA 1
04/11/2014	23,60	107.300	20,50	TLC-107 SONDA 1
04/11/2014	23,80	109.100	20,50	TLC-107 SONDA 1
04/11/2014	24,00	111.600	20,50	TLC-107 SONDA 1
04/11/2014	24,20	115.100	20,50	TLC-107 SONDA 1
04/11/2014	24,40	121.700	20,50	TLC-107 SONDA 1
04/11/2014	24,60	136.600	20,50	TLC-107 SONDA 1
04/11/2014	24,80	154.200	20,50	TLC-107 SONDA 1
04/11/2014	25,00	171.600	20,50	TLC-107 SONDA 1
04/11/2014	25,20	175.000	20,50	TLC-107 SONDA 1
04/11/2014	25,40	176.400	20,50	TLC-107 SONDA 1
04/11/2014	25,60	177.300	20,50	TLC-107 SONDA 1
04/11/2014	25,80	178.800	20,50	TLC-107 SONDA 1
04/11/2014	26,00	180.000	20,50	TLC-107 SONDA 1
04/11/2014	27,00	180.600	20,50	TLC-107 SONDA 1
04/11/2014	28,00	182.200	20,50	TLC-107 SONDA 1
04/11/2014	29,00	182.300	20,60	TLC-107 SONDA 1
04/11/2014	30,00	183.900	20,60	TLC-107 SONDA 1
04/11/2014	32,00	184.900	20,60	TLC-107 SONDA 1
04/11/2014	34,00	190.800	20,70	TLC-107 SONDA 1
04/11/2014	36,00	220.300	20,70	TLC-107 SONDA 1
04/11/2014	38,00	250.800	20,70	TLC-107 SONDA 1
04/11/2014	40,00	276.700	20,70	TLC-107 SONDA 1
04/11/2014	42,00	278.800	20,80	TLC-107 SONDA 1
04/11/2014	44,00	280.200	20,80	TLC-107 SONDA 1
04/11/2014	46,00	282.000	20,90	TLC-107 SONDA 1
04/11/2014	48,00	285.900	21,10	TLC-107 SONDA 1
04/11/2014	50,00	287.400	21,10	TLC-107 SONDA 1
04/11/2014	52,00	288.800	21,10	TLC-107 SONDA 1
04/11/2014	54,00	291.000	21,10	TLC-107 SONDA 1
04/11/2014	56,00	291.800	21,20	TLC-107 SONDA 1
04/11/2014	58,00	294.000	21,20	TLC-107 SONDA 1
04/11/2014	60,00	297.200	21,20	TLC-107 SONDA 1
04/11/2014	62,00	298.800	21,20	TLC-107 SONDA 1
04/11/2014	64,00	303.300	21,30	TLC-107 SONDA 1
04/11/2014	66,00	302.800	21,40	TLC-107 SONDA 1
04/11/2014	68,00	305.200	21,40	TLC-107 SONDA 1
04/11/2014	70,00	307.800	21,50	TLC-107 SONDA 1
04/11/2014	72,00	309.200	21,50	TLC-107 SONDA 1
04/11/2014	72,40	186.900	21,50	TLC-107 SONDA 1
11/01/2015	1,50	20.600	22,10	TLC-107 SONDA 1
11/01/2015	2,00	20.400	21,20	TLC-107 SONDA 1
11/01/2015	3,00	20.500	20,70	TLC-107 SONDA 1
11/01/2015	4,00	20.500	20,50	TLC-107 SONDA 1
11/01/2015	6,00	20.700	20,30	TLC-107 SONDA 1
11/01/2015	8,00	20.700	20,30	TLC-107 SONDA 1
11/01/2015	10,00	20.800	20,30	TLC-107 SONDA 1
11/01/2015	12,00	20.800	20,30	TLC-107 SONDA 1
11/01/2015	13,00	27.100	20,30	TLC-107 SONDA 1
11/01/2015	13,50	31.500	20,30	TLC-107 SONDA 1
11/01/2015	13,70	33.300	20,30	TLC-107 SONDA 1
11/01/2015	13,90	33.700	20,30	TLC-107 SONDA 1
11/01/2015	14,20	34.800	20,30	TLC-107 SONDA 1
11/01/2015	14,40	35.100	20,40	TLC-107 SONDA 1
11/01/2015	14,60	35.400	20,40	TLC-107 SONDA 1
11/01/2015	14,80	35.800	20,40	TLC-107 SONDA 1
11/01/2015	15,00	36.800	20,40	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/01/2015	15,50	38.000	20,40	TLC-107 SONDA 1
11/01/2015	16,00	38.100	20,40	TLC-107 SONDA 1
11/01/2015	17,00	38.100	20,40	TLC-107 SONDA 1
11/01/2015	18,00	38.200	20,40	TLC-107 SONDA 1
11/01/2015	19,00	38.600	20,40	TLC-107 SONDA 1
11/01/2015	20,00	38.700	20,40	TLC-107 SONDA 1
11/01/2015	22,00	38.600	20,40	TLC-107 SONDA 1
11/01/2015	23,00	55.000	20,50	TLC-107 SONDA 1
11/01/2015	23,50	89.500	20,50	TLC-107 SONDA 1
11/01/2015	23,70	91.400	20,50	TLC-107 SONDA 1
11/01/2015	23,90	92.900	20,50	TLC-107 SONDA 1
11/01/2015	24,20	97.900	20,50	TLC-107 SONDA 1
11/01/2015	24,40	101.800	20,50	TLC-107 SONDA 1
11/01/2015	24,60	111.800	20,50	TLC-107 SONDA 1
11/01/2015	24,80	129.900	20,50	TLC-107 SONDA 1
11/01/2015	25,00	144.700	20,50	TLC-107 SONDA 1
11/01/2015	25,20	159.500	20,50	TLC-107 SONDA 1
11/01/2015	25,40	165.900	20,50	TLC-107 SONDA 1
11/01/2015	25,60	166.300	20,50	TLC-107 SONDA 1
11/01/2015	25,80	167.800	20,50	TLC-107 SONDA 1
11/01/2015	26,00	171.000	20,50	TLC-107 SONDA 1
11/01/2015	26,20	172.500	20,50	TLC-107 SONDA 1
11/01/2015	26,40	174.500	20,50	TLC-107 SONDA 1
11/01/2015	26,60	175.000	20,50	TLC-107 SONDA 1
11/01/2015	26,80	177.300	20,50	TLC-107 SONDA 1
11/01/2015	27,00	177.100	20,50	TLC-107 SONDA 1
11/01/2015	27,50	179.000	20,50	TLC-107 SONDA 1
11/01/2015	28,00	180.800	20,50	TLC-107 SONDA 1
11/01/2015	28,50	181.500	20,50	TLC-107 SONDA 1
11/01/2015	29,00	181.500	20,50	TLC-107 SONDA 1
11/01/2015	29,50	182.400	20,60	TLC-107 SONDA 1
11/01/2015	30,00	183.600	20,60	TLC-107 SONDA 1
11/01/2015	31,00	184.700	20,60	TLC-107 SONDA 1
11/01/2015	32,00	185.300	20,60	TLC-107 SONDA 1
11/01/2015	33,00	188.200	20,60	TLC-107 SONDA 1
11/01/2015	34,00	202.800	20,60	TLC-107 SONDA 1
11/01/2015	35,00	208.000	20,70	TLC-107 SONDA 1
11/01/2015	37,00	231.900	20,70	TLC-107 SONDA 1
11/01/2015	40,00	262.800	20,70	TLC-107 SONDA 1
11/01/2015	42,00	263.700	20,80	TLC-107 SONDA 1
11/01/2015	44,00	264.900	20,80	TLC-107 SONDA 1
11/01/2015	46,00	266.600	20,80	TLC-107 SONDA 1
11/01/2015	48,00	266.000	20,90	TLC-107 SONDA 1
11/01/2015	50,00	265.700	21,10	TLC-107 SONDA 1
11/01/2015	52,00	267.700	21,10	TLC-107 SONDA 1
11/01/2015	54,00	266.500	21,10	TLC-107 SONDA 1
11/01/2015	56,00	267.600	21,20	TLC-107 SONDA 1
11/01/2015	58,00	267.000	21,20	TLC-107 SONDA 1
11/01/2015	60,00	268.800	21,20	TLC-107 SONDA 1
11/01/2015	62,00	288.800	21,30	TLC-107 SONDA 1
11/01/2015	64,00	288.700	21,30	TLC-107 SONDA 1
11/01/2015	66,00	288.900	21,40	TLC-107 SONDA 1
11/01/2015	68,00	279.100	21,40	TLC-107 SONDA 1
11/01/2015	70,00	279.500	21,50	TLC-107 SONDA 1
11/01/2015	72,00	278.500	21,50	TLC-107 SONDA 1
11/01/2015	73,30	129.400	21,50	TLC-107 SONDA 1
13/02/2015	1,50	20.500	22,30	TLC-107 SONDA 1
13/02/2015	2,00	20.500	21,40	TLC-107 SONDA 1
13/02/2015	4,00	20.300	20,50	TLC-107 SONDA 1
13/02/2015	6,00	20.300	20,30	TLC-107 SONDA 1
13/02/2015	8,00	20.300	20,30	TLC-107 SONDA 1
13/02/2015	9,00	20.300	20,30	TLC-107 SONDA 1
13/02/2015	10,00	20.400	20,30	TLC-107 SONDA 1
13/02/2015	12,00	20.500	20,30	TLC-107 SONDA 1
13/02/2015	13,00	27.700	20,30	TLC-107 SONDA 1
13/02/2015	13,50	30.800	20,30	TLC-107 SONDA 1
13/02/2015	14,00	34.700	20,30	TLC-107 SONDA 1
13/02/2015	14,50	36.500	20,40	TLC-107 SONDA 1
13/02/2015	15,00	38.400	20,40	TLC-107 SONDA 1
13/02/2015	15,50	40.000	20,40	TLC-107 SONDA 1
13/02/2015	16,00	40.000	20,40	TLC-107 SONDA 1
13/02/2015	16,50	40.100	20,40	TLC-107 SONDA 1
13/02/2015	17,00	40.100	20,40	TLC-107 SONDA 1



Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/02/2015	18,00	40.100	20,40	TLC-107 SONDA 1
13/02/2015	19,00	40.200	20,40	TLC-107 SONDA 1
13/02/2015	20,00	40.200	20,40	TLC-107 SONDA 1
13/02/2015	21,00	40.200	20,40	TLC-107 SONDA 1
13/02/2015	22,00	40.100	20,40	TLC-107 SONDA 1
13/02/2015	22,50	41.400	20,40	TLC-107 SONDA 1
13/02/2015	23,00	57.100	20,50	TLC-107 SONDA 1
13/02/2015	23,20	71.000	20,50	TLC-107 SONDA 1
13/02/2015	23,40	81.200	20,50	TLC-107 SONDA 1
13/02/2015	23,60	89.900	20,50	TLC-107 SONDA 1
13/02/2015	23,80	90.900	20,50	TLC-107 SONDA 1
13/02/2015	24,00	93.500	20,50	TLC-107 SONDA 1
13/02/2015	24,20	97.200	20,50	TLC-107 SONDA 1
13/02/2015	24,40	105.000	20,50	TLC-107 SONDA 1
13/02/2015	24,60	111.200	20,50	TLC-107 SONDA 1
13/02/2015	24,80	118.900	20,50	TLC-107 SONDA 1
13/02/2015	25,00	131.000	20,50	TLC-107 SONDA 1
13/02/2015	25,20	150.100	20,50	TLC-107 SONDA 1
13/02/2015	25,40	181.600	20,50	TLC-107 SONDA 1
13/02/2015	25,60	185.500	20,50	TLC-107 SONDA 1
13/02/2015	25,80	186.200	20,50	TLC-107 SONDA 1
13/02/2015	26,00	186.900	20,50	TLC-107 SONDA 1
13/02/2015	26,20	186.900	20,50	TLC-107 SONDA 1
13/02/2015	26,40	187.500	20,50	TLC-107 SONDA 1
13/02/2015	26,60	187.500	20,50	TLC-107 SONDA 1
13/02/2015	26,80	187.900	20,50	TLC-107 SONDA 1
13/02/2015	27,00	187.900	20,50	TLC-107 SONDA 1
13/02/2015	28,00	188.600	20,50	TLC-107 SONDA 1
13/02/2015	30,00	187.800	20,60	TLC-107 SONDA 1
13/02/2015	32,00	187.100	20,60	TLC-107 SONDA 1
13/02/2015	34,00	198.500	20,60	TLC-107 SONDA 1
13/02/2015	36,00	215.900	20,70	TLC-107 SONDA 1
13/02/2015	38,00	253.200	20,70	TLC-107 SONDA 1
13/02/2015	40,00	269.500	20,70	TLC-107 SONDA 1
13/02/2015	42,00	270.000	20,80	TLC-107 SONDA 1
13/02/2015	44,00	269.900	20,80	TLC-107 SONDA 1
13/02/2015	46,00	270.800	20,80	TLC-107 SONDA 1
13/02/2015	48,00	269.500	20,90	TLC-107 SONDA 1
13/02/2015	50,00	271.500	20,90	TLC-107 SONDA 1
13/02/2015	52,00	270.200	21,10	TLC-107 SONDA 1
13/02/2015	54,00	268.900	21,10	TLC-107 SONDA 1
13/02/2015	56,00	269.500	21,20	TLC-107 SONDA 1
13/02/2015	58,00	268.200	21,20	TLC-107 SONDA 1
13/02/2015	60,00	268.200	21,20	TLC-107 SONDA 1
13/02/2015	62,00	268.900	21,30	TLC-107 SONDA 1
13/02/2015	64,00	267.900	21,30	TLC-107 SONDA 1
13/02/2015	66,00	266.900	21,40	TLC-107 SONDA 1
13/02/2015	68,00	265.000	21,40	TLC-107 SONDA 1
13/02/2015	70,00	266.300	21,40	TLC-107 SONDA 1
13/02/2015	72,00	267.000	21,50	TLC-107 SONDA 1
13/02/2015	72,80	121.400	21,50	TLC-107 SONDA 1
05/03/2015	1,50	35.400	22,30	TLC-107 SONDA 1
05/03/2015	2,00	36.600	21,50	TLC-107 SONDA 1
05/03/2015	2,50	36.800	21,20	TLC-107 SONDA 1
05/03/2015	3,00	37.000	20,80	TLC-107 SONDA 1
05/03/2015	4,00	37.100	20,50	TLC-107 SONDA 1
05/03/2015	5,00	37.500	20,40	TLC-107 SONDA 1
05/03/2015	7,00	37.500	20,30	TLC-107 SONDA 1
05/03/2015	9,00	37.400	20,30	TLC-107 SONDA 1
05/03/2015	11,00	37.600	20,30	TLC-107 SONDA 1
05/03/2015	13,00	44.100	20,30	TLC-107 SONDA 1
05/03/2015	14,00	51.300	20,30	TLC-107 SONDA 1
05/03/2015	14,50	52.600	20,40	TLC-107 SONDA 1
05/03/2015	15,00	55.300	20,40	TLC-107 SONDA 1
05/03/2015	15,50	56.300	20,40	TLC-107 SONDA 1
05/03/2015	16,00	56.400	20,40	TLC-107 SONDA 1
05/03/2015	17,00	56.500	20,40	TLC-107 SONDA 1
05/03/2015	18,00	56.500	20,40	TLC-107 SONDA 1
05/03/2015	20,00	56.500	20,40	TLC-107 SONDA 1
05/03/2015	21,00	56.500	20,40	TLC-107 SONDA 1
05/03/2015	22,00	59.100	20,40	TLC-107 SONDA 1
05/03/2015	22,50	66.600	20,50	TLC-107 SONDA 1
05/03/2015	22,70	75.800	20,50	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/03/2015	22,90	85.900	20,50	TLC-107 SONDA 1
05/03/2015	23,00	92.200	20,50	TLC-107 SONDA 1
05/03/2015	23,20	102.000	20,50	TLC-107 SONDA 1
05/03/2015	23,40	112.300	20,50	TLC-107 SONDA 1
05/03/2015	23,60	114.000	20,50	TLC-107 SONDA 1
05/03/2015	23,80	114.300	20,50	TLC-107 SONDA 1
05/03/2015	24,00	114.800	20,50	TLC-107 SONDA 1
05/03/2015	24,20	115.100	20,50	TLC-107 SONDA 1
05/03/2015	24,40	115.200	20,50	TLC-107 SONDA 1
05/03/2015	24,60	114.900	20,50	TLC-107 SONDA 1
05/03/2015	24,80	115.300	20,50	TLC-107 SONDA 1
05/03/2015	25,00	123.400	20,50	TLC-107 SONDA 1
05/03/2015	25,20	133.400	20,50	TLC-107 SONDA 1
05/03/2015	25,40	152.100	20,50	TLC-107 SONDA 1
05/03/2015	25,60	215.300	20,50	TLC-107 SONDA 1
05/03/2015	25,80	221.600	20,50	TLC-107 SONDA 1
05/03/2015	26,00	223.300	20,50	TLC-107 SONDA 1
05/03/2015	27,00	222.900	20,50	TLC-107 SONDA 1
05/03/2015	28,00	223.600	20,60	TLC-107 SONDA 1
05/03/2015	29,00	223.600	20,60	TLC-107 SONDA 1
05/03/2015	30,00	222.800	20,60	TLC-107 SONDA 1
05/03/2015	32,00	223.200	20,60	TLC-107 SONDA 1
05/03/2015	34,00	235.400	20,70	TLC-107 SONDA 1
05/03/2015	36,00	226.700	20,70	TLC-107 SONDA 1
05/03/2015	38,00	293.600	20,70	TLC-107 SONDA 1
05/03/2015	40,00	307.500	20,80	TLC-107 SONDA 1
05/03/2015	42,00	307.000	20,80	TLC-107 SONDA 1
05/03/2015	45,00	308.300	20,80	TLC-107 SONDA 1
05/03/2015	47,00	309.100	20,90	TLC-107 SONDA 1
05/03/2015	50,00	307.600	20,90	TLC-107 SONDA 1
05/03/2015	52,00	308.400	21,10	TLC-107 SONDA 1
05/03/2015	55,00	307.900	21,10	TLC-107 SONDA 1
05/03/2015	57,00	305.500	21,20	TLC-107 SONDA 1
05/03/2015	60,00	303.900	21,20	TLC-107 SONDA 1
05/03/2015	62,00	303.300	21,30	TLC-107 SONDA 1
05/03/2015	65,00	302.500	21,30	TLC-107 SONDA 1
05/03/2015	67,00	301.100	21,40	TLC-107 SONDA 1
05/03/2015	70,00	301.100	21,50	TLC-107 SONDA 1
05/03/2015	72,00	304.400	21,50	TLC-107 SONDA 1
05/03/2015	72,50	147.200	21,50	TLC-107 SONDA 1
07/04/2015	1,50	25.200	21,50	TLC-107 SONDA 1
07/04/2015	2,00	26.500	21,40	TLC-107 SONDA 1
07/04/2015	3,00	26.500	20,90	TLC-107 SONDA 1
07/04/2015	4,00	26.700	20,60	TLC-107 SONDA 1
07/04/2015	5,00	26.700	20,40	TLC-107 SONDA 1
07/04/2015	7,00	26.600	20,30	TLC-107 SONDA 1
07/04/2015	9,00	26.500	20,30	TLC-107 SONDA 1
07/04/2015	10,00	26.600	20,30	TLC-107 SONDA 1
07/04/2015	12,00	26.800	20,30	TLC-107 SONDA 1
07/04/2015	14,00	43.700	20,40	TLC-107 SONDA 1
07/04/2015	14,50	46.600	20,40	TLC-107 SONDA 1
07/04/2015	15,00	49.000	20,40	TLC-107 SONDA 1
07/04/2015	15,50	51.100	20,40	TLC-107 SONDA 1
07/04/2015	16,00	52.400	20,40	TLC-107 SONDA 1
07/04/2015	16,50	52.600	20,40	TLC-107 SONDA 1
07/04/2015	17,00	52.200	20,40	TLC-107 SONDA 1
07/04/2015	18,00	52.300	20,40	TLC-107 SONDA 1
07/04/2015	19,00	52.400	20,40	TLC-107 SONDA 1
07/04/2015	20,00	52.500	20,40	TLC-107 SONDA 1
07/04/2015	21,00	55.000	20,40	TLC-107 SONDA 1
07/04/2015	21,50	63.000	20,40	TLC-107 SONDA 1
07/04/2015	21,70	68.200	20,40	TLC-107 SONDA 1
07/04/2015	22,00	68.900	20,40	TLC-107 SONDA 1
07/04/2015	22,20	70.000	20,40	TLC-107 SONDA 1
07/04/2015	22,40	71.700	20,50	TLC-107 SONDA 1
07/04/2015	22,60	79.200	20,50	TLC-107 SONDA 1
07/04/2015	22,80	92.500	20,50	TLC-107 SONDA 1
07/04/2015	23,00	100.800	20,50	TLC-107 SONDA 1
07/04/2015	23,20	110.500	20,50	TLC-107 SONDA 1
07/04/2015	23,40	118.900	20,50	TLC-107 SONDA 1
07/04/2015	23,60	120.600	20,50	TLC-107 SONDA 1
07/04/2015	23,80	120.600	20,50	TLC-107 SONDA 1
07/04/2015	24,00	120.700	20,50	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/04/2015	24,20	121.500	20,50	TLC-107 SONDA 1
07/04/2015	24,40	121.800	20,50	TLC-107 SONDA 1
07/04/2015	24,60	131.100	20,50	TLC-107 SONDA 1
07/04/2015	24,80	145.100	20,50	TLC-107 SONDA 1
07/04/2015	25,00	161.900	20,50	TLC-107 SONDA 1
07/04/2015	25,20	186.900	20,50	TLC-107 SONDA 1
07/04/2015	25,40	267.200	20,50	TLC-107 SONDA 1
07/04/2015	25,60	293.900	20,50	TLC-107 SONDA 1
07/04/2015	25,80	308.200	20,50	TLC-107 SONDA 1
07/04/2015	26,00	308.900	20,50	TLC-107 SONDA 1
07/04/2015	28,00	309.500	20,50	TLC-107 SONDA 1
07/04/2015	30,00	310.800	20,60	TLC-107 SONDA 1
07/04/2015	32,00	308.800	20,60	TLC-107 SONDA 1
07/04/2015	34,00	331.400	20,60	TLC-107 SONDA 1
07/04/2015	37,00	396.900	20,60	TLC-107 SONDA 1
07/04/2015	40,00	400.000	20,70	TLC-107 SONDA 1
07/04/2015	43,00	400.000	20,80	TLC-107 SONDA 1
07/04/2015	45,00	400.000	20,80	TLC-107 SONDA 1
07/04/2015	47,00	400.000	20,90	TLC-107 SONDA 1
07/04/2015	50,00	400.000	20,90	TLC-107 SONDA 1
07/04/2015	52,00	400.000	21,10	TLC-107 SONDA 1
07/04/2015	55,00	400.000	21,10	TLC-107 SONDA 1
07/04/2015	58,00	400.000	21,20	TLC-107 SONDA 1
07/04/2015	60,00	400.000	21,20	TLC-107 SONDA 1
07/04/2015	63,00	400.000	21,30	TLC-107 SONDA 1
07/04/2015	65,00	400.000	21,30	TLC-107 SONDA 1
07/04/2015	67,00	400.000	21,40	TLC-107 SONDA 1
07/04/2015	70,00	400.000	21,40	TLC-107 SONDA 1
07/04/2015	72,00	400.000	21,50	TLC-107 SONDA 1
07/04/2015	72,30	197.800	21,50	TLC-107 SONDA 1
09/05/2015	1,30	20.500	20,40	TLC-107 SONDA 2
09/05/2015	2,00	22.300	20,70	TLC-107 SONDA 2
09/05/2015	2,50	22.500	20,90	TLC-107 SONDA 2
09/05/2015	3,00	22.700	20,70	TLC-107 SONDA 2
09/05/2015	4,00	24.700	20,50	TLC-107 SONDA 2
09/05/2015	5,00	25.000	20,40	TLC-107 SONDA 2
09/05/2015	6,00	25.000	20,30	TLC-107 SONDA 2
09/05/2015	7,00	25.000	20,40	TLC-107 SONDA 2
09/05/2015	8,00	25.000	20,40	TLC-107 SONDA 2
09/05/2015	10,00	25.000	20,30	TLC-107 SONDA 2
09/05/2015	12,00	25.200	20,30	TLC-107 SONDA 2
09/05/2015	12,50	27.000	20,40	TLC-107 SONDA 2
09/05/2015	12,70	29.200	20,40	TLC-107 SONDA 2
09/05/2015	13,00	34.300	20,40	TLC-107 SONDA 2
09/05/2015	13,20	37.400	20,40	TLC-107 SONDA 2
09/05/2015	13,40	39.000	20,40	TLC-107 SONDA 2
09/05/2015	13,60	41.800	20,40	TLC-107 SONDA 2
09/05/2015	13,80	43.000	20,40	TLC-107 SONDA 2
09/05/2015	14,00	45.200	20,40	TLC-107 SONDA 2
09/05/2015	14,20	46.000	20,40	TLC-107 SONDA 2
09/05/2015	14,40	46.500	20,40	TLC-107 SONDA 2
09/05/2015	14,60	46.800	20,40	TLC-107 SONDA 2
09/05/2015	14,80	47.100	20,40	TLC-107 SONDA 2
09/05/2015	15,00	48.300	20,40	TLC-107 SONDA 2
09/05/2015	15,20	49.500	20,40	TLC-107 SONDA 2
09/05/2015	15,40	50.500	20,40	TLC-107 SONDA 2
09/05/2015	15,60	51.300	20,40	TLC-107 SONDA 2
09/05/2015	15,80	51.400	20,40	TLC-107 SONDA 2
09/05/2015	16,00	51.200	20,40	TLC-107 SONDA 2
09/05/2015	16,50	51.200	20,40	TLC-107 SONDA 2
09/05/2015	17,00	51.300	20,40	TLC-107 SONDA 2
09/05/2015	17,50	51.500	20,40	TLC-107 SONDA 2
09/05/2015	18,00	52.100	20,40	TLC-107 SONDA 2
09/05/2015	19,00	52.000	20,40	TLC-107 SONDA 2
09/05/2015	20,00	52.000	20,50	TLC-107 SONDA 2
09/05/2015	21,00	60.000	20,50	TLC-107 SONDA 2
09/05/2015	21,50	61.900	20,50	TLC-107 SONDA 2
09/05/2015	22,00	66.300	20,50	TLC-107 SONDA 2
09/05/2015	22,20	67.500	20,50	TLC-107 SONDA 2
09/05/2015	22,40	71.900	20,50	TLC-107 SONDA 2
09/05/2015	22,60	83.600	20,50	TLC-107 SONDA 2
09/05/2015	22,80	96.200	20,50	TLC-107 SONDA 2
09/05/2015	23,00	113.300	20,50	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/05/2015	23,20	125.700	20,50	TLC-107 SONDA 2
09/05/2015	23,40	141.100	20,50	TLC-107 SONDA 2
09/05/2015	23,60	144.600	20,50	TLC-107 SONDA 2
09/05/2015	23,80	145.900	20,50	TLC-107 SONDA 2
09/05/2015	24,00	147.100	20,50	TLC-107 SONDA 2
09/05/2015	24,50	154.700	20,50	TLC-107 SONDA 2
09/05/2015	25,00	199.900	20,50	TLC-107 SONDA 2
09/05/2015	25,50	321.800	20,50	TLC-107 SONDA 2
09/05/2015	26,00	342.100	20,60	TLC-107 SONDA 2
09/05/2015	28,00	340.700	20,60	TLC-107 SONDA 2
09/05/2015	30,00	338.400	20,60	TLC-107 SONDA 2
09/05/2015	32,00	339.300	20,60	TLC-107 SONDA 2
09/05/2015	34,00	354.700	20,70	TLC-107 SONDA 2
09/05/2015	36,00	377.300	20,70	TLC-107 SONDA 2
09/05/2015	38,00	392.200	20,70	TLC-107 SONDA 2
09/05/2015	40,00	395.800	20,90	TLC-107 SONDA 2
09/05/2015	42,00	396.500	20,90	TLC-107 SONDA 2
09/05/2015	44,00	395.500	20,90	TLC-107 SONDA 2
09/05/2015	46,00	394.500	21,00	TLC-107 SONDA 2
09/05/2015	48,00	394.200	21,00	TLC-107 SONDA 2
09/05/2015	50,00	393.900	21,00	TLC-107 SONDA 2
09/05/2015	52,00	392.300	21,10	TLC-107 SONDA 2
09/05/2015	54,00	394.000	21,20	TLC-107 SONDA 2
09/05/2015	56,00	391.900	21,20	TLC-107 SONDA 2
09/05/2015	58,00	391.300	21,20	TLC-107 SONDA 2
09/05/2015	60,00	399.900	21,20	TLC-107 SONDA 2
09/05/2015	62,00	390.000	21,30	TLC-107 SONDA 2
09/05/2015	64,00	389.600	21,30	TLC-107 SONDA 2
09/05/2015	66,00	388.700	21,40	TLC-107 SONDA 2
09/05/2015	68,00	388.400	21,40	TLC-107 SONDA 2
09/05/2015	70,00	387.800	21,50	TLC-107 SONDA 2
09/05/2015	72,00	386.700	21,50	TLC-107 SONDA 2
09/05/2015	72,80	243.600	21,50	TLC-107 SONDA 2
02/06/2015	1,30	19.400	20,50	TLC-107 SONDA 2
02/06/2015	2,00	19.300	20,50	TLC-107 SONDA 2
02/06/2015	3,00	19.700	20,60	TLC-107 SONDA 2
02/06/2015	5,00	19.700	20,40	TLC-107 SONDA 2
02/06/2015	7,00	19.800	20,40	TLC-107 SONDA 2
02/06/2015	9,00	19.500	20,40	TLC-107 SONDA 2
02/06/2015	11,00	19.700	20,40	TLC-107 SONDA 2
02/06/2015	12,00	19.500	20,40	TLC-107 SONDA 2
02/06/2015	12,20	19.800	20,40	TLC-107 SONDA 2
02/06/2015	12,40	19.700	20,40	TLC-107 SONDA 2
02/06/2015	12,60	20.500	20,40	TLC-107 SONDA 2
02/06/2015	12,80	21.900	20,40	TLC-107 SONDA 2
02/06/2015	13,00	24.500	20,40	TLC-107 SONDA 2
02/06/2015	13,20	25.500	20,40	TLC-107 SONDA 2
02/06/2015	13,40	27.200	20,40	TLC-107 SONDA 2
02/06/2015	13,60	28.700	20,40	TLC-107 SONDA 2
02/06/2015	13,80	29.300	20,40	TLC-107 SONDA 2
02/06/2015	14,00	29.700	20,40	TLC-107 SONDA 2
02/06/2015	14,50	31.100	20,40	TLC-107 SONDA 2
02/06/2015	15,00	32.200	20,40	TLC-107 SONDA 2
02/06/2015	15,50	33.100	20,40	TLC-107 SONDA 2
02/06/2015	16,00	33.400	20,40	TLC-107 SONDA 2
02/06/2015	16,50	33.400	20,40	TLC-107 SONDA 2
02/06/2015	17,00	33.500	20,40	TLC-107 SONDA 2
02/06/2015	17,50	33.500	20,40	TLC-107 SONDA 2
02/06/2015	18,00	33.500	20,40	TLC-107 SONDA 2
02/06/2015	18,50	33.500	20,40	TLC-107 SONDA 2
02/06/2015	19,00	33.600	20,40	TLC-107 SONDA 2
02/06/2015	20,00	33.700	20,50	TLC-107 SONDA 2
02/06/2015	21,00	38.800	20,50	TLC-107 SONDA 2
02/06/2015	21,50	40.100	20,50	TLC-107 SONDA 2
02/06/2015	22,00	43.500	20,50	TLC-107 SONDA 2
02/06/2015	22,50	45.600	20,50	TLC-107 SONDA 2
02/06/2015	23,00	50.500	20,50	TLC-107 SONDA 2
02/06/2015	23,50	81.700	20,50	TLC-107 SONDA 2
02/06/2015	24,00	85.200	20,50	TLC-107 SONDA 2
02/06/2015	24,50	88.100	20,50	TLC-107 SONDA 2
02/06/2015	25,00	111.300	20,50	TLC-107 SONDA 2
02/06/2015	25,50	171.600	20,50	TLC-107 SONDA 2
02/06/2015	26,00	186.300	20,50	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/06/2015	26,50	185.600	20,60	TLC-107 SONDA 2
02/06/2015	27,00	186.500	20,60	TLC-107 SONDA 2
02/06/2015	28,00	186.100	20,60	TLC-107 SONDA 2
02/06/2015	29,00	185.900	20,60	TLC-107 SONDA 2
02/06/2015	30,00	186.100	20,60	TLC-107 SONDA 2
02/06/2015	32,00	184.900	20,70	TLC-107 SONDA 2
02/06/2015	34,00	194.700	20,70	TLC-107 SONDA 2
02/06/2015	36,00	206.100	20,70	TLC-107 SONDA 2
02/06/2015	38,00	216.100	20,70	TLC-107 SONDA 2
02/06/2015	40,00	216.800	20,90	TLC-107 SONDA 2
02/06/2015	42,00	217.200	20,90	TLC-107 SONDA 2
02/06/2015	44,00	217.000	20,90	TLC-107 SONDA 2
02/06/2015	46,00	217.100	21,00	TLC-107 SONDA 2
02/06/2015	48,00	216.900	21,00	TLC-107 SONDA 2
02/06/2015	50,00	217.000	21,00	TLC-107 SONDA 2
02/06/2015	52,00	216.600	21,10	TLC-107 SONDA 2
02/06/2015	54,00	216.100	21,20	TLC-107 SONDA 2
02/06/2015	56,00	215.900	21,20	TLC-107 SONDA 2
02/06/2015	58,00	216.300	21,20	TLC-107 SONDA 2
02/06/2015	60,00	215.700	21,20	TLC-107 SONDA 2
02/06/2015	62,00	215.200	21,30	TLC-107 SONDA 2
02/06/2015	64,00	215.200	21,30	TLC-107 SONDA 2
02/06/2015	66,00	214.500	21,40	TLC-107 SONDA 2
02/06/2015	68,00	215.000	21,40	TLC-107 SONDA 2
02/06/2015	70,00	214.300	21,50	TLC-107 SONDA 2
02/06/2015	72,00	214.500	21,50	TLC-107 SONDA 2
02/06/2015	72,30	146.300	21,50	TLC-107 SONDA 2
07/07/2015	1,30	23.300	20,00	TLC-107 SONDA 1
07/07/2015	2,00	23.300	20,30	TLC-107 SONDA 1
07/07/2015	3,00	23.200	20,40	TLC-107 SONDA 1
07/07/2015	4,00	23.300	20,40	TLC-107 SONDA 1
07/07/2015	5,00	23.300	20,40	TLC-107 SONDA 1
07/07/2015	6,00	23.300	20,40	TLC-107 SONDA 1
07/07/2015	7,00	23.200	20,40	TLC-107 SONDA 1
07/07/2015	8,00	23.200	20,40	TLC-107 SONDA 1
07/07/2015	9,00	23.200	20,40	TLC-107 SONDA 1
07/07/2015	10,00	23.200	20,40	TLC-107 SONDA 1
07/07/2015	11,00	23.100	20,40	TLC-107 SONDA 1
07/07/2015	12,00	23.100	20,40	TLC-107 SONDA 1
07/07/2015	13,00	27.000	20,40	TLC-107 SONDA 1
07/07/2015	13,50	30.700	20,40	TLC-107 SONDA 1
07/07/2015	14,00	32.100	20,40	TLC-107 SONDA 1
07/07/2015	14,50	32.300	20,40	TLC-107 SONDA 1
07/07/2015	15,00	33.200	20,40	TLC-107 SONDA 1
07/07/2015	15,50	34.200	20,40	TLC-107 SONDA 1
07/07/2015	16,00	34.300	20,40	TLC-107 SONDA 1
07/07/2015	17,00	34.400	20,40	TLC-107 SONDA 1
07/07/2015	18,00	34.500	20,50	TLC-107 SONDA 1
07/07/2015	19,00	34.700	20,50	TLC-107 SONDA 1
07/07/2015	20,00	34.600	20,50	TLC-107 SONDA 1
07/07/2015	21,00	35.600	20,50	TLC-107 SONDA 1
07/07/2015	21,50	45.800	20,50	TLC-107 SONDA 1
07/07/2015	22,00	51.800	20,50	TLC-107 SONDA 1
07/07/2015	22,50	59.000	20,50	TLC-107 SONDA 1
07/07/2015	23,00	79.600	20,50	TLC-107 SONDA 1
07/07/2015	23,50	97.800	20,50	TLC-107 SONDA 1
07/07/2015	24,00	101.300	20,50	TLC-107 SONDA 1
07/07/2015	24,50	105.900	20,50	TLC-107 SONDA 1
07/07/2015	25,00	130.700	20,50	TLC-107 SONDA 1
07/07/2015	25,50	198.700	20,50	TLC-107 SONDA 1
07/07/2015	26,00	220.400	20,60	TLC-107 SONDA 1
07/07/2015	26,50	219.900	20,60	TLC-107 SONDA 1
07/07/2015	27,00	220.400	20,60	TLC-107 SONDA 1
07/07/2015	28,00	220.200	20,60	TLC-107 SONDA 1
07/07/2015	30,00	221.200	20,60	TLC-107 SONDA 1
07/07/2015	32,00	219.900	20,60	TLC-107 SONDA 1
07/07/2015	34,00	225.500	20,70	TLC-107 SONDA 1
07/07/2015	36,00	232.700	20,70	TLC-107 SONDA 1
07/07/2015	38,00	240.500	20,70	TLC-107 SONDA 1
07/07/2015	40,00	243.700	20,90	TLC-107 SONDA 1
07/07/2015	42,00	243.900	20,90	TLC-107 SONDA 1
07/07/2015	44,00	243.700	20,90	TLC-107 SONDA 1
07/07/2015	46,00	244.000	21,00	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/07/2015	48,00	243.900	21,00	TLC-107 SONDA 1
07/07/2015	50,00	243.700	21,00	TLC-107 SONDA 1
07/07/2015	52,00	243.000	21,00	TLC-107 SONDA 1
07/07/2015	54,00	242.600	21,20	TLC-107 SONDA 1
07/07/2015	56,00	242.200	21,20	TLC-107 SONDA 1
07/07/2015	58,00	242.400	21,20	TLC-107 SONDA 1
07/07/2015	60,00	241.700	21,20	TLC-107 SONDA 1
07/07/2015	62,00	241.700	21,30	TLC-107 SONDA 1
07/07/2015	64,00	241.600	21,30	TLC-107 SONDA 1
07/07/2015	66,00	242.000	21,30	TLC-107 SONDA 1
07/07/2015	68,00	241.900	21,40	TLC-107 SONDA 1
07/07/2015	70,00	240.600	21,50	TLC-107 SONDA 1
07/07/2015	72,00	240.400	21,50	TLC-107 SONDA 1
07/07/2015	72,50	162.700	21,50	TLC-107 SONDA 1
08/08/2015	1,50	19.787	19,71	SEBA MPS-D3
08/08/2015	2,00	19.771	19,70	SEBA MPS-D3
08/08/2015	3,00	19.752	19,88	SEBA MPS-D3
08/08/2015	5,00	19.755	20,16	SEBA MPS-D3
08/08/2015	7,00	19.758	20,19	SEBA MPS-D3
08/08/2015	9,00	19.760	20,19	SEBA MPS-D3
08/08/2015	11,00	19.790	20,18	SEBA MPS-D3
08/08/2015	13,00	24.817	20,20	SEBA MPS-D3
08/08/2015	13,50	27.244	20,21	SEBA MPS-D3
08/08/2015	13,70	28.458	20,21	SEBA MPS-D3
08/08/2015	13,90	28.870	20,21	SEBA MPS-D3
08/08/2015	14,10	29.919	20,21	SEBA MPS-D3
08/08/2015	14,30	29.999	20,22	SEBA MPS-D3
08/08/2015	14,50	30.079	20,22	SEBA MPS-D3
08/08/2015	15,00	31.542	20,22	SEBA MPS-D3
08/08/2015	15,50	32.302	20,22	SEBA MPS-D3
08/08/2015	16,00	32.444	20,23	SEBA MPS-D3
08/08/2015	16,50	32.480	20,23	SEBA MPS-D3
08/08/2015	17,00	32.540	20,24	SEBA MPS-D3
08/08/2015	18,00	32.576	20,24	SEBA MPS-D3
08/08/2015	19,00	32.574	20,25	SEBA MPS-D3
08/08/2015	20,00	32.644	20,26	SEBA MPS-D3
08/08/2015	21,00	36.997	20,28	SEBA MPS-D3
08/08/2015	21,20	37.571	20,28	SEBA MPS-D3
08/08/2015	21,40	39.955	20,28	SEBA MPS-D3
08/08/2015	21,60	42.381	20,29	SEBA MPS-D3
08/08/2015	21,80	43.942	20,29	SEBA MPS-D3
08/08/2015	22,00	44.762	20,29	SEBA MPS-D3
08/08/2015	22,20	45.335	20,30	SEBA MPS-D3
08/08/2015	22,40	47.615	20,30	SEBA MPS-D3
08/08/2015	22,60	55.270	20,30	SEBA MPS-D3
08/08/2015	22,80	60.715	20,31	SEBA MPS-D3
08/08/2015	23,00	67.053	20,31	SEBA MPS-D3
08/08/2015	23,20	72.377	20,31	SEBA MPS-D3
08/08/2015	23,40	75.047	20,31	SEBA MPS-D3
08/08/2015	23,60	75.679	20,32	SEBA MPS-D3
08/08/2015	23,80	76.162	20,32	SEBA MPS-D3
08/08/2015	24,00	76.753	20,33	SEBA MPS-D3
08/08/2015	24,20	77.720	20,33	SEBA MPS-D3
08/08/2015	24,40	78.587	20,34	SEBA MPS-D3
08/08/2015	24,60	82.324	20,34	SEBA MPS-D3
08/08/2015	24,80	87.857	20,34	SEBA MPS-D3
08/08/2015	25,00	95.117	20,34	SEBA MPS-D3
08/08/2015	25,20	112.697	20,34	SEBA MPS-D3
08/08/2015	25,40	133.331	20,35	SEBA MPS-D3
08/08/2015	25,60	155.126	20,35	SEBA MPS-D3
08/08/2015	25,80	155.320	20,36	SEBA MPS-D3
08/08/2015	26,00	155.555	20,36	SEBA MPS-D3
08/08/2015	26,20	155.584	20,36	SEBA MPS-D3
08/08/2015	26,50	155.556	20,38	SEBA MPS-D3
08/08/2015	27,00	155.660	20,41	SEBA MPS-D3
08/08/2015	27,50	155.632	20,43	SEBA MPS-D3
08/08/2015	28,00	155.641	20,43	SEBA MPS-D3
08/08/2015	29,00	155.647	20,44	SEBA MPS-D3
08/08/2015	30,00	155.635	20,44	SEBA MPS-D3
08/08/2015	31,00	155.612	20,45	SEBA MPS-D3
08/08/2015	33,00	157.155	20,49	SEBA MPS-D3
08/08/2015	35,00	168.323	20,52	SEBA MPS-D3
08/08/2015	37,00	188.980	20,56	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/08/2015	39,00	220.334	20,60	SEBA MPS-D3
08/08/2015	41,00	223.115	20,64	SEBA MPS-D3
08/08/2015	43,00	223.367	20,68	SEBA MPS-D3
08/08/2015	45,00	225.937	20,71	SEBA MPS-D3
08/08/2015	47,00	227.451	20,75	SEBA MPS-D3
08/08/2015	49,00	228.343	20,78	SEBA MPS-D3
08/08/2015	51,00	228.515	20,83	SEBA MPS-D3
08/08/2015	53,00	229.260	20,88	SEBA MPS-D3
08/08/2015	55,00	229.365	20,90	SEBA MPS-D3
08/08/2015	57,00	229.436	21,00	SEBA MPS-D3
08/08/2015	59,00	229.555	21,02	SEBA MPS-D3
08/08/2015	61,00	229.486	21,07	SEBA MPS-D3
08/08/2015	63,00	229.484	21,12	SEBA MPS-D3
08/08/2015	65,00	229.391	21,17	SEBA MPS-D3
08/08/2015	67,00	229.302	21,22	SEBA MPS-D3
08/08/2015	69,00	229.536	21,27	SEBA MPS-D3
08/08/2015	71,00	229.478	21,33	SEBA MPS-D3
08/08/2015	72,50	113.554	21,39	SEBA MPS-D3
06/09/2015	1,40	20.740	19,71	SEBA MPS-D3
06/09/2015	2,00	20.750	19,84	SEBA MPS-D3
06/09/2015	4,00	20.740	20,03	SEBA MPS-D3
06/09/2015	6,00	20.740	20,18	SEBA MPS-D3
06/09/2015	8,00	20.740	20,20	SEBA MPS-D3
06/09/2015	10,00	20.760	20,20	SEBA MPS-D3
06/09/2015	11,00	20.780	20,20	SEBA MPS-D3
06/09/2015	12,00	20.750	20,20	SEBA MPS-D3
06/09/2015	13,00	26.250	20,21	SEBA MPS-D3
06/09/2015	13,20	27.240	20,21	SEBA MPS-D3
06/09/2015	13,40	28.250	20,21	SEBA MPS-D3
06/09/2015	13,60	29.810	20,22	SEBA MPS-D3
06/09/2015	13,80	30.060	20,22	SEBA MPS-D3
06/09/2015	14,00	31.530	20,22	SEBA MPS-D3
06/09/2015	15,00	33.600	20,23	SEBA MPS-D3
06/09/2015	16,00	34.560	20,24	SEBA MPS-D3
06/09/2015	18,00	34.680	20,25	SEBA MPS-D3
06/09/2015	20,00	34.750	20,27	SEBA MPS-D3
06/09/2015	21,00	39.910	20,28	SEBA MPS-D3
06/09/2015	21,20	40.170	20,29	SEBA MPS-D3
06/09/2015	21,40	43.100	20,29	SEBA MPS-D3
06/09/2015	21,60	46.370	20,29	SEBA MPS-D3
06/09/2015	21,80	48.090	20,30	SEBA MPS-D3
06/09/2015	22,00	48.890	20,30	SEBA MPS-D3
06/09/2015	22,20	49.390	20,30	SEBA MPS-D3
06/09/2015	22,40	51.960	20,30	SEBA MPS-D3
06/09/2015	22,60	60.640	20,31	SEBA MPS-D3
06/09/2015	22,80	66.670	20,31	SEBA MPS-D3
06/09/2015	23,00	74.570	20,31	SEBA MPS-D3
06/09/2015	23,20	80.110	20,32	SEBA MPS-D3
06/09/2015	23,40	82.480	20,32	SEBA MPS-D3
06/09/2015	23,60	82.940	20,32	SEBA MPS-D3
06/09/2015	23,80	83.310	20,33	SEBA MPS-D3
06/09/2015	24,00	84.030	20,34	SEBA MPS-D3
06/09/2015	24,20	85.110	20,34	SEBA MPS-D3
06/09/2015	24,40	86.330	20,34	SEBA MPS-D3
06/09/2015	24,60	91.440	20,34	SEBA MPS-D3
06/09/2015	24,80	98.090	20,35	SEBA MPS-D3
06/09/2015	25,00	104.800	20,35	SEBA MPS-D3
06/09/2015	25,50	152.000	20,37	SEBA MPS-D3
06/09/2015	26,00	161.300	20,42	SEBA MPS-D3
06/09/2015	27,00	161.300	20,43	SEBA MPS-D3
06/09/2015	29,00	161.300	20,44	SEBA MPS-D3
06/09/2015	31,00	161.300	20,44	SEBA MPS-D3
06/09/2015	33,00	161.900	20,49	SEBA MPS-D3
06/09/2015	35,00	174.300	20,52	SEBA MPS-D3
06/09/2015	37,00	195.400	20,56	SEBA MPS-D3
06/09/2015	39,00	228.200	20,61	SEBA MPS-D3
06/09/2015	41,00	230.700	20,64	SEBA MPS-D3
06/09/2015	43,00	231.200	20,67	SEBA MPS-D3
06/09/2015	45,00	234.200	20,72	SEBA MPS-D3
06/09/2015	47,00	235.300	20,76	SEBA MPS-D3
06/09/2015	49,00	236.000	20,80	SEBA MPS-D3
06/09/2015	51,00	236.600	20,82	SEBA MPS-D3
06/09/2015	53,00	237.200	20,88	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/09/2015	55,00	237.200	20,93	SEBA MPS-D3
06/09/2015	57,00	237.200	20,94	SEBA MPS-D3
06/09/2015	59,00	237.300	21,20	SEBA MPS-D3
06/09/2015	61,00	237.400	21,11	SEBA MPS-D3
06/09/2015	63,00	237.400	21,15	SEBA MPS-D3
06/09/2015	65,00	237.500	21,18	SEBA MPS-D3
06/09/2015	67,00	237.400	21,23	SEBA MPS-D3
06/09/2015	69,00	237.500	21,29	SEBA MPS-D3
06/09/2015	71,00	237.400	21,32	SEBA MPS-D3
06/09/2015	72,00	112.200	21,39	SEBA MPS-D3
06/10/2015	1,40	20.769	19,95	SEBA MPS-D3
06/10/2015	2,00	20.767	20,01	SEBA MPS-D3
06/10/2015	4,00	20.754	20,10	SEBA MPS-D3
06/10/2015	6,00	20.754	20,19	SEBA MPS-D3
06/10/2015	8,00	20.757	20,21	SEBA MPS-D3
06/10/2015	10,00	20.779	20,20	SEBA MPS-D3
06/10/2015	12,00	20.783	20,21	SEBA MPS-D3
06/10/2015	12,50	21.114	20,21	SEBA MPS-D3
06/10/2015	13,00	25.349	20,21	SEBA MPS-D3
06/10/2015	13,50	27.653	20,22	SEBA MPS-D3
06/10/2015	14,00	29.505	20,23	SEBA MPS-D3
06/10/2015	14,50	29.728	20,24	SEBA MPS-D3
06/10/2015	15,00	30.820	20,24	SEBA MPS-D3
06/10/2015	16,00	31.519	20,24	SEBA MPS-D3
06/10/2015	17,00	31.597	20,25	SEBA MPS-D3
06/10/2015	18,00	31.654	20,25	SEBA MPS-D3
06/10/2015	20,00	31.720	20,28	SEBA MPS-D3
06/10/2015	20,50	31.820	20,28	SEBA MPS-D3
06/10/2015	21,00	34.148	20,28	SEBA MPS-D3
06/10/2015	21,50	38.778	20,29	SEBA MPS-D3
06/10/2015	22,00	44.169	20,29	SEBA MPS-D3
06/10/2015	22,20	44.907	20,30	SEBA MPS-D3
06/10/2015	22,40	47.231	20,30	SEBA MPS-D3
06/10/2015	22,60	55.920	20,30	SEBA MPS-D3
06/10/2015	22,80	62.100	20,30	SEBA MPS-D3
06/10/2015	23,00	69.964	20,31	SEBA MPS-D3
06/10/2015	23,20	77.266	20,31	SEBA MPS-D3
06/10/2015	23,40	80.556	20,32	SEBA MPS-D3
06/10/2015	23,60	81.127	20,32	SEBA MPS-D3
06/10/2015	23,80	81.615	20,32	SEBA MPS-D3
06/10/2015	24,00	82.165	20,33	SEBA MPS-D3
06/10/2015	24,20	83.080	20,33	SEBA MPS-D3
06/10/2015	24,40	84.185	20,34	SEBA MPS-D3
06/10/2015	24,60	89.106	20,34	SEBA MPS-D3
06/10/2015	24,80	95.023	20,34	SEBA MPS-D3
06/10/2015	25,00	103.163	20,34	SEBA MPS-D3
06/10/2015	25,20	117.240	20,34	SEBA MPS-D3
06/10/2015	25,40	144.701	20,35	SEBA MPS-D3
06/10/2015	25,60	158.203	20,37	SEBA MPS-D3
06/10/2015	25,80	158.194	20,36	SEBA MPS-D3
06/10/2015	26,00	158.256	20,36	SEBA MPS-D3
06/10/2015	27,00	158.300	20,40	SEBA MPS-D3
06/10/2015	29,00	158.382	20,45	SEBA MPS-D3
06/10/2015	31,00	158.367	20,46	SEBA MPS-D3
06/10/2015	33,00	159.062	20,49	SEBA MPS-D3
06/10/2015	34,00	167.618	20,51	SEBA MPS-D3
06/10/2015	35,00	171.007	20,52	SEBA MPS-D3
06/10/2015	36,00	188.042	20,53	SEBA MPS-D3
06/10/2015	37,00	191.805	20,56	SEBA MPS-D3
06/10/2015	38,00	210.587	20,58	SEBA MPS-D3
06/10/2015	40,00	225.880	20,62	SEBA MPS-D3
06/10/2015	42,00	226.143	20,65	SEBA MPS-D3
06/10/2015	44,00	226.151	20,69	SEBA MPS-D3
06/10/2015	46,00	229.930	20,73	SEBA MPS-D3
06/10/2015	48,00	230.777	20,76	SEBA MPS-D3
06/10/2015	50,00	231.131	20,80	SEBA MPS-D3
06/10/2015	52,00	231.372	20,84	SEBA MPS-D3
06/10/2015	54,00	232.016	20,89	SEBA MPS-D3
06/10/2015	56,00	232.032	20,93	SEBA MPS-D3
06/10/2015	58,00	232.054	20,99	SEBA MPS-D3
06/10/2015	60,00	232.053	21,07	SEBA MPS-D3
06/10/2015	62,00	232.184	21,10	SEBA MPS-D3
06/10/2015	64,00	232.112	21,15	SEBA MPS-D3



Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/10/2015	66,00	232.141	21,20	SEBA MPS-D3
06/10/2015	68,00	232.120	21,26	SEBA MPS-D3
06/10/2015	70,00	232.159	21,29	SEBA MPS-D3
06/10/2015	72,60	108.670	21,37	SEBA MPS-D3
03/11/2015	1,40	20.749	20,28	SEBA MPS-D3
03/11/2015	2,00	20.759	20,18	SEBA MPS-D3
03/11/2015	4,00	20.768	20,16	SEBA MPS-D3
03/11/2015	6,00	20.782	20,21	SEBA MPS-D3
03/11/2015	8,00	20.787	20,22	SEBA MPS-D3
03/11/2015	10,00	20.815	20,21	SEBA MPS-D3
03/11/2015	12,00	20.826	20,21	SEBA MPS-D3
03/11/2015	12,50	20.842	20,22	SEBA MPS-D3
03/11/2015	13,00	25.214	20,22	SEBA MPS-D3
03/11/2015	13,50	27.239	20,23	SEBA MPS-D3
03/11/2015	14,00	29.141	20,24	SEBA MPS-D3
03/11/2015	15,00	30.394	20,24	SEBA MPS-D3
03/11/2015	16,00	31.000	20,25	SEBA MPS-D3
03/11/2015	18,00	31.115	20,26	SEBA MPS-D3
03/11/2015	20,00	31.263	20,28	SEBA MPS-D3
03/11/2015	20,50	31.605	20,28	SEBA MPS-D3
03/11/2015	21,00	32.031	20,28	SEBA MPS-D3
03/11/2015	21,20	32.089	20,28	SEBA MPS-D3
03/11/2015	21,40	38.915	20,29	SEBA MPS-D3
03/11/2015	21,60	40.922	20,29	SEBA MPS-D3
03/11/2015	21,80	41.972	20,29	SEBA MPS-D3
03/11/2015	22,00	42.432	20,30	SEBA MPS-D3
03/11/2015	22,20	43.786	20,30	SEBA MPS-D3
03/11/2015	22,40	47.535	20,30	SEBA MPS-D3
03/11/2015	22,60	57.342	20,30	SEBA MPS-D3
03/11/2015	22,80	64.957	20,30	SEBA MPS-D3
03/11/2015	23,00	74.274	20,31	SEBA MPS-D3
03/11/2015	23,20	81.990	20,31	SEBA MPS-D3
03/11/2015	23,40	84.916	20,32	SEBA MPS-D3
03/11/2015	23,60	85.274	20,32	SEBA MPS-D3
03/11/2015	23,80	85.497	20,32	SEBA MPS-D3
03/11/2015	24,00	85.565	20,33	SEBA MPS-D3
03/11/2015	24,20	85.640	20,33	SEBA MPS-D3
03/11/2015	24,40	85.660	20,33	SEBA MPS-D3
03/11/2015	24,60	85.721	20,33	SEBA MPS-D3
03/11/2015	24,80	89.185	20,34	SEBA MPS-D3
03/11/2015	25,00	93.580	20,34	SEBA MPS-D3
03/11/2015	25,20	109.566	20,35	SEBA MPS-D3
03/11/2015	25,40	137.722	20,35	SEBA MPS-D3
03/11/2015	25,60	156.658	20,36	SEBA MPS-D3
03/11/2015	25,80	156.698	20,36	SEBA MPS-D3
03/11/2015	26,00	156.802	20,38	SEBA MPS-D3
03/11/2015	28,00	157.069	20,43	SEBA MPS-D3
03/11/2015	30,00	157.036	20,46	SEBA MPS-D3
03/11/2015	32,00	157.107	20,48	SEBA MPS-D3
03/11/2015	33,00	157.921	20,49	SEBA MPS-D3
03/11/2015	34,00	166.215	20,51	SEBA MPS-D3
03/11/2015	35,00	169.723	20,52	SEBA MPS-D3
03/11/2015	36,00	186.426	20,53	SEBA MPS-D3
03/11/2015	37,00	190.026	20,56	SEBA MPS-D3
03/11/2015	38,00	208.255	20,57	SEBA MPS-D3
03/11/2015	40,00	222.641	20,62	SEBA MPS-D3
03/11/2015	42,00	222.883	20,66	SEBA MPS-D3
03/11/2015	44,00	223.342	20,69	SEBA MPS-D3
03/11/2015	46,00	226.797	20,72	SEBA MPS-D3
03/11/2015	48,00	227.577	20,76	SEBA MPS-D3
03/11/2015	50,00	228.099	20,80	SEBA MPS-D3
03/11/2015	52,00	228.295	20,84	SEBA MPS-D3
03/11/2015	54,00	228.880	20,92	SEBA MPS-D3
03/11/2015	56,00	228.921	20,96	SEBA MPS-D3
03/11/2015	58,00	228.922	21,03	SEBA MPS-D3
03/11/2015	60,00	228.918	21,04	SEBA MPS-D3
03/11/2015	62,00	228.927	21,07	SEBA MPS-D3
03/11/2015	64,00	228.972	21,14	SEBA MPS-D3
03/11/2015	66,00	228.943	21,19	SEBA MPS-D3
03/11/2015	68,00	228.912	21,24	SEBA MPS-D3
03/11/2015	70,00	228.827	21,31	SEBA MPS-D3
03/11/2015	71,60	109.240	21,37	SEBA MPS-D3
07/12/2015	1,50	22.807	20,26	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/12/2015	2,00	22.837	20,32	SEBA MPS-D3
07/12/2015	4,00	22.701	20,22	SEBA MPS-D3
07/12/2015	6,00	22.682	20,22	SEBA MPS-D3
07/12/2015	8,00	22.699	20,23	SEBA MPS-D3
07/12/2015	10,00	22.724	20,22	SEBA MPS-D3
07/12/2015	12,00	22.744	20,22	SEBA MPS-D3
07/12/2015	13,00	28.045	20,23	SEBA MPS-D3
07/12/2015	13,50	30.433	20,24	SEBA MPS-D3
07/12/2015	14,00	33.008	20,24	SEBA MPS-D3
07/12/2015	15,00	34.605	20,25	SEBA MPS-D3
07/12/2015	17,00	35.491	20,26	SEBA MPS-D3
07/12/2015	19,00	35.528	20,27	SEBA MPS-D3
07/12/2015	21,00	37.694	20,29	SEBA MPS-D3
07/12/2015	21,50	47.208	20,29	SEBA MPS-D3
07/12/2015	22,00	54.497	20,30	SEBA MPS-D3
07/12/2015	22,20	54.763	20,30	SEBA MPS-D3
07/12/2015	22,40	58.275	20,30	SEBA MPS-D3
07/12/2015	22,60	68.393	20,31	SEBA MPS-D3
07/12/2015	22,80	75.814	20,31	SEBA MPS-D3
07/12/2015	23,00	85.641	20,31	SEBA MPS-D3
07/12/2015	23,20	94.809	20,31	SEBA MPS-D3
07/12/2015	23,40	98.634	20,32	SEBA MPS-D3
07/12/2015	23,60	99.790	20,32	SEBA MPS-D3
07/12/2015	23,80	100.656	20,33	SEBA MPS-D3
07/12/2015	24,00	101.667	20,33	SEBA MPS-D3
07/12/2015	24,50	108.230	20,34	SEBA MPS-D3
07/12/2015	25,00	124.014	20,34	SEBA MPS-D3
07/12/2015	25,20	136.565	20,35	SEBA MPS-D3
07/12/2015	25,40	154.846	20,36	SEBA MPS-D3
07/12/2015	25,60	161.832	20,41	SEBA MPS-D3
07/12/2015	25,80	161.912	20,42	SEBA MPS-D3
07/12/2015	26,00	161.870	20,42	SEBA MPS-D3
07/12/2015	28,00	161.938	20,43	SEBA MPS-D3
07/12/2015	30,00	161.923	20,44	SEBA MPS-D3
07/12/2015	32,00	161.952	20,44	SEBA MPS-D3
07/12/2015	33,00	162.695	20,49	SEBA MPS-D3
07/12/2015	34,00	170.997	20,51	SEBA MPS-D3
07/12/2015	35,00	174.491	20,52	SEBA MPS-D3
07/12/2015	36,00	191.451	20,54	SEBA MPS-D3
07/12/2015	37,00	195.495	20,57	SEBA MPS-D3
07/12/2015	38,00	214.340	20,58	SEBA MPS-D3
07/12/2015	40,00	230.446	20,62	SEBA MPS-D3
07/12/2015	42,00	230.241	20,66	SEBA MPS-D3
07/12/2015	44,00	230.632	20,70	SEBA MPS-D3
07/12/2015	46,00	234.299	20,73	SEBA MPS-D3
07/12/2015	48,00	235.094	20,76	SEBA MPS-D3
07/12/2015	50,00	235.538	20,80	SEBA MPS-D3
07/12/2015	52,00	235.823	20,86	SEBA MPS-D3
07/12/2015	54,00	236.392	20,93	SEBA MPS-D3
07/12/2015	56,00	236.367	20,95	SEBA MPS-D3
07/12/2015	58,00	236.377	21,00	SEBA MPS-D3
07/12/2015	60,00	236.463	21,09	SEBA MPS-D3
07/12/2015	62,00	236.502	21,11	SEBA MPS-D3
07/12/2015	64,00	236.199	21,16	SEBA MPS-D3
07/12/2015	66,00	236.423	21,22	SEBA MPS-D3
07/12/2015	68,00	236.477	21,27	SEBA MPS-D3
07/12/2015	70,00	236.434	21,31	SEBA MPS-D3
07/12/2015	71,50	105.578	21,37	SEBA MPS-D3
16/01/2016	1,50	22.617	20,82	SEBA MPS-D3
16/01/2016	2,00	22.550	20,59	SEBA MPS-D3
16/01/2016	4,00	22.576	20,30	SEBA MPS-D3
16/01/2016	6,00	22.584	20,24	SEBA MPS-D3
16/01/2016	8,00	22.587	20,24	SEBA MPS-D3
16/01/2016	10,00	22.587	20,24	SEBA MPS-D3
16/01/2016	12,00	22.548	20,23	SEBA MPS-D3
16/01/2016	13,00	27.880	20,24	SEBA MPS-D3
16/01/2016	13,50	30.289	20,25	SEBA MPS-D3
16/01/2016	14,00	33.069	20,25	SEBA MPS-D3
16/01/2016	15,00	35.207	20,26	SEBA MPS-D3
16/01/2016	17,00	36.294	20,26	SEBA MPS-D3
16/01/2016	19,00	36.268	20,27	SEBA MPS-D3
16/01/2016	21,00	41.379	20,29	SEBA MPS-D3
16/01/2016	21,50	49.424	20,30	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/01/2016	22,00	60.166	20,30	SEBA MPS-D3
16/01/2016	22,20	60.557	20,30	SEBA MPS-D3
16/01/2016	22,40	64.383	20,31	SEBA MPS-D3
16/01/2016	22,60	75.839	20,30	SEBA MPS-D3
16/01/2016	22,80	84.443	20,31	SEBA MPS-D3
16/01/2016	23,00	94.962	20,31	SEBA MPS-D3
16/01/2016	23,20	106.482	20,32	SEBA MPS-D3
16/01/2016	23,40	110.626	20,32	SEBA MPS-D3
16/01/2016	23,60	111.536	20,33	SEBA MPS-D3
16/01/2016	23,80	112.413	20,33	SEBA MPS-D3
16/01/2016	24,00	113.310	20,34	SEBA MPS-D3
16/01/2016	24,20	114.916	20,34	SEBA MPS-D3
16/01/2016	24,40	116.678	20,34	SEBA MPS-D3
16/01/2016	24,60	121.446	20,34	SEBA MPS-D3
16/01/2016	24,80	127.057	20,35	SEBA MPS-D3
16/01/2016	25,00	132.934	20,35	SEBA MPS-D3
16/01/2016	25,20	142.867	20,35	SEBA MPS-D3
16/01/2016	25,40	158.091	20,35	SEBA MPS-D3
16/01/2016	25,60	161.893	20,36	SEBA MPS-D3
16/01/2016	25,80	161.931	20,37	SEBA MPS-D3
16/01/2016	26,00	161.939	20,37	SEBA MPS-D3
16/01/2016	28,00	162.048	20,44	SEBA MPS-D3
16/01/2016	30,00	162.025	20,46	SEBA MPS-D3
16/01/2016	32,00	162.067	20,48	SEBA MPS-D3
16/01/2016	33,00	162.746	20,49	SEBA MPS-D3
16/01/2016	34,00	171.174	20,52	SEBA MPS-D3
16/01/2016	35,00	174.750	20,52	SEBA MPS-D3
16/01/2016	36,00	191.736	20,54	SEBA MPS-D3
16/01/2016	37,00	195.633	20,57	SEBA MPS-D3
16/01/2016	38,00	213.980	20,59	SEBA MPS-D3
16/01/2016	40,00	228.999	20,63	SEBA MPS-D3
16/01/2016	42,00	229.130	20,66	SEBA MPS-D3
16/01/2016	44,00	229.360	20,70	SEBA MPS-D3
16/01/2016	46,00	233.131	20,73	SEBA MPS-D3
16/01/2016	48,00	233.837	20,76	SEBA MPS-D3
16/01/2016	50,00	234.251	20,81	SEBA MPS-D3
16/01/2016	52,00	234.507	20,85	SEBA MPS-D3
16/01/2016	54,00	235.137	21,00	SEBA MPS-D3
16/01/2016	56,00	235.204	21,00	SEBA MPS-D3
16/01/2016	58,00	235.139	21,02	SEBA MPS-D3
16/01/2016	60,00	235.154	21,04	SEBA MPS-D3
16/01/2016	62,00	235.177	21,08	SEBA MPS-D3
16/01/2016	64,00	235.172	21,14	SEBA MPS-D3
16/01/2016	66,00	235.132	21,21	SEBA MPS-D3
16/01/2016	68,00	235.118	21,26	SEBA MPS-D3
16/01/2016	70,00	235.152	21,29	SEBA MPS-D3
16/01/2016	71,45	116.189	21,37	SEBA MPS-D3
09/02/2016	1,50	23.261	20,76	SEBA MPS-D3
09/02/2016	2,00	23.220	20,68	SEBA MPS-D3
09/02/2016	4,00	23.208	20,34	SEBA MPS-D3
09/02/2016	6,00	23.213	20,25	SEBA MPS-D3
09/02/2016	8,00	23.222	20,23	SEBA MPS-D3
09/02/2016	10,00	23.243	20,23	SEBA MPS-D3
09/02/2016	12,00	23.180	20,23	SEBA MPS-D3
09/02/2016	14,00	33.984	20,25	SEBA MPS-D3
09/02/2016	16,00	37.606	20,26	SEBA MPS-D3
09/02/2016	18,00	37.750	20,26	SEBA MPS-D3
09/02/2016	20,00	37.660	20,27	SEBA MPS-D3
09/02/2016	20,50	38.995	20,28	SEBA MPS-D3
09/02/2016	21,00	44.846	20,28	SEBA MPS-D3
09/02/2016	21,50	52.145	20,29	SEBA MPS-D3
09/02/2016	22,00	66.421	20,30	SEBA MPS-D3
09/02/2016	22,50	72.885	20,30	SEBA MPS-D3
09/02/2016	23,00	106.639	20,30	SEBA MPS-D3
09/02/2016	23,50	118.463	20,32	SEBA MPS-D3
09/02/2016	24,00	119.974	20,32	SEBA MPS-D3
09/02/2016	24,50	124.712	20,33	SEBA MPS-D3
09/02/2016	25,00	138.054	20,34	SEBA MPS-D3
09/02/2016	25,50	162.782	20,37	SEBA MPS-D3
09/02/2016	26,00	164.911	20,41	SEBA MPS-D3
09/02/2016	28,00	164.954	20,42	SEBA MPS-D3
09/02/2016	30,00	164.923	20,44	SEBA MPS-D3
09/02/2016	32,00	164.924	20,46	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/02/2016	33,00	165.558	20,49	SEBA MPS-D3
09/02/2016	34,00	174.140	20,51	SEBA MPS-D3
09/02/2016	35,00	177.612	20,52	SEBA MPS-D3
09/02/2016	36,00	195.250	20,54	SEBA MPS-D3
09/02/2016	37,00	199.101	20,56	SEBA MPS-D3
09/02/2016	38,00	218.180	20,58	SEBA MPS-D3
09/02/2016	39,00	230.529	20,61	SEBA MPS-D3
09/02/2016	40,00	233.293	20,62	SEBA MPS-D3
09/02/2016	42,00	233.346	20,65	SEBA MPS-D3
09/02/2016	44,00	233.622	20,69	SEBA MPS-D3
09/02/2016	46,00	237.361	20,72	SEBA MPS-D3
09/02/2016	48,00	238.226	20,75	SEBA MPS-D3
09/02/2016	50,00	238.669	20,80	SEBA MPS-D3
09/02/2016	52,00	238.873	20,84	SEBA MPS-D3
09/02/2016	54,00	239.680	20,97	SEBA MPS-D3
09/02/2016	56,00	239.625	21,00	SEBA MPS-D3
09/02/2016	58,00	239.573	21,01	SEBA MPS-D3
09/02/2016	60,00	239.574	21,03	SEBA MPS-D3
09/02/2016	62,00	239.567	21,07	SEBA MPS-D3
09/02/2016	64,00	239.603	21,13	SEBA MPS-D3
09/02/2016	66,00	239.515	21,19	SEBA MPS-D3
09/02/2016	68,00	239.562	21,24	SEBA MPS-D3
09/02/2016	70,00	239.522	21,30	SEBA MPS-D3
09/02/2016	71,45	89.394	21,37	SEBA MPS-D3
08/03/2016	1,50	22.920	20,97	SEBA MPS-D3
08/03/2016	2,00	22.880	20,75	SEBA MPS-D3
08/03/2016	4,00	22.870	20,37	SEBA MPS-D3
08/03/2016	6,00	22.890	20,26	SEBA MPS-D3
08/03/2016	8,00	22.900	20,25	SEBA MPS-D3
08/03/2016	10,00	22.920	20,24	SEBA MPS-D3
08/03/2016	12,00	22.920	20,24	SEBA MPS-D3
08/03/2016	14,00	33.210	20,26	SEBA MPS-D3
08/03/2016	16,00	36.430	20,27	SEBA MPS-D3
08/03/2016	18,00	36.570	20,27	SEBA MPS-D3
08/03/2016	20,00	36.530	20,28	SEBA MPS-D3
08/03/2016	22,00	71.010	20,30	SEBA MPS-D3
08/03/2016	24,00	123.700	20,33	SEBA MPS-D3
08/03/2016	26,00	163.300	20,37	SEBA MPS-D3
08/03/2016	27,00	163.400	20,39	SEBA MPS-D3
08/03/2016	28,00	163.400	20,44	SEBA MPS-D3
08/03/2016	29,00	163.400	20,45	SEBA MPS-D3
08/03/2016	30,00	163.400	20,46	SEBA MPS-D3
08/03/2016	31,00	163.400	20,47	SEBA MPS-D3
08/03/2016	32,00	163.500	20,49	SEBA MPS-D3
08/03/2016	33,00	164.300	20,49	SEBA MPS-D3
08/03/2016	34,00	172.600	20,51	SEBA MPS-D3
08/03/2016	35,00	172.800	20,52	SEBA MPS-D3
08/03/2016	36,00	193.100	20,55	SEBA MPS-D3
08/03/2016	37,00	197.600	20,57	SEBA MPS-D3
08/03/2016	38,00	215.800	20,59	SEBA MPS-D3
08/03/2016	40,00	228.200	20,61	SEBA MPS-D3
08/03/2016	41,00	231.200	20,65	SEBA MPS-D3
08/03/2016	42,00	231.000	20,62	SEBA MPS-D3
08/03/2016	44,00	231.300	20,70	SEBA MPS-D3
08/03/2016	46,00	235.100	20,73	SEBA MPS-D3
08/03/2016	48,00	235.900	20,76	SEBA MPS-D3
08/03/2016	50,00	236.400	20,80	SEBA MPS-D3
08/03/2016	52,00	236.600	20,85	SEBA MPS-D3
08/03/2016	54,00	237.200	20,93	SEBA MPS-D3
08/03/2016	56,00	237.300	21,00	SEBA MPS-D3
08/03/2016	58,00	237.300	21,02	SEBA MPS-D3
08/03/2016	60,00	237.200	21,04	SEBA MPS-D3
08/03/2016	62,00	237.300	21,08	SEBA MPS-D3
08/03/2016	64,00	237.200	21,14	SEBA MPS-D3
08/03/2016	66,00	237.200	21,20	SEBA MPS-D3
08/03/2016	68,00	237.200	21,25	SEBA MPS-D3
08/03/2016	70,00	237.300	21,30	SEBA MPS-D3
08/03/2016	71,45	90.090	21,36	SEBA MPS-D3
06/05/2016	1,60	23.270	20,44	SEBA KLL-Q
06/05/2016	2,00	23.280	20,53	SEBA KLL-Q
06/05/2016	3,00	23.280	20,45	SEBA KLL-Q
06/05/2016	4,00	23.320	20,34	SEBA KLL-Q
06/05/2016	5,00	23.300	20,26	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/05/2016	6,00	23.310	20,24	SEBA KLL-Q
06/05/2016	7,00	23.310	20,24	SEBA KLL-Q
06/05/2016	8,00	23.320	20,23	SEBA KLL-Q
06/05/2016	9,00	23.320	20,23	SEBA KLL-Q
06/05/2016	10,00	23.340	20,23	SEBA KLL-Q
06/05/2016	11,00	23.380	20,23	SEBA KLL-Q
06/05/2016	12,00	23.200	20,23	SEBA KLL-Q
06/05/2016	13,00	28.760	20,24	SEBA KLL-Q
06/05/2016	14,00	33.770	20,25	SEBA KLL-Q
06/05/2016	14,50	34.180	20,25	SEBA KLL-Q
06/05/2016	15,00	36.080	20,25	SEBA KLL-Q
06/05/2016	15,50	36.780	20,25	SEBA KLL-Q
06/05/2016	16,00	36.920	20,25	SEBA KLL-Q
06/05/2016	16,50	36.990	20,26	SEBA KLL-Q
06/05/2016	17,00	37.010	20,26	SEBA KLL-Q
06/05/2016	17,50	37.030	20,26	SEBA KLL-Q
06/05/2016	18,00	37.050	20,26	SEBA KLL-Q
06/05/2016	19,00	36.950	20,26	SEBA KLL-Q
06/05/2016	20,00	36.930	20,27	SEBA KLL-Q
06/05/2016	21,00	41.240	20,27	SEBA KLL-Q
06/05/2016	21,50	57.930	20,28	SEBA KLL-Q
06/05/2016	21,75	82.190	20,29	SEBA KLL-Q
06/05/2016	22,00	82.720	20,29	SEBA KLL-Q
06/05/2016	22,25	86.160	20,29	SEBA KLL-Q
06/05/2016	22,50	92.580	20,28	SEBA KLL-Q
06/05/2016	22,75	111.300	20,28	SEBA KLL-Q
06/05/2016	23,00	123.500	20,29	SEBA KLL-Q
06/05/2016	23,25	129.100	20,30	SEBA KLL-Q
06/05/2016	23,50	129.800	20,30	SEBA KLL-Q
06/05/2016	23,75	130.500	20,31	SEBA KLL-Q
06/05/2016	24,00	131.300	20,31	SEBA KLL-Q
06/05/2016	24,25	132.800	20,32	SEBA KLL-Q
06/05/2016	24,50	135.500	20,32	SEBA KLL-Q
06/05/2016	24,75	139.500	20,32	SEBA KLL-Q
06/05/2016	25,00	143.800	20,33	SEBA KLL-Q
06/05/2016	25,25	152.200	20,33	SEBA KLL-Q
06/05/2016	25,50	159.500	20,36	SEBA KLL-Q
06/05/2016	25,75	160.900	20,38	SEBA KLL-Q
06/05/2016	26,00	160.100	20,38	SEBA KLL-Q
06/05/2016	26,25	160.100	20,39	SEBA KLL-Q
06/05/2016	26,50	160.100	20,39	SEBA KLL-Q
06/05/2016	26,75	160.100	20,39	SEBA KLL-Q
06/05/2016	27,00	160.100	20,40	SEBA KLL-Q
06/05/2016	27,25	160.100	20,40	SEBA KLL-Q
06/05/2016	27,50	160.000	20,40	SEBA KLL-Q
06/05/2016	28,00	160.100	20,41	SEBA KLL-Q
06/05/2016	28,50	160.100	20,40	SEBA KLL-Q
06/05/2016	29,00	160.100	20,41	SEBA KLL-Q
06/05/2016	30,00	160.100	20,43	SEBA KLL-Q
06/05/2016	31,00	160.100	20,44	SEBA KLL-Q
06/05/2016	32,00	160.100	20,46	SEBA KLL-Q
06/05/2016	33,00	160.900	20,47	SEBA KLL-Q
06/05/2016	34,00	169.100	20,50	SEBA KLL-Q
06/05/2016	34,50	169.600	20,50	SEBA KLL-Q
06/05/2016	35,00	172.800	20,51	SEBA KLL-Q
06/05/2016	35,50	177.200	20,51	SEBA KLL-Q
06/05/2016	36,00	189.500	20,53	SEBA KLL-Q
06/05/2016	36,25	191.400	20,53	SEBA KLL-Q
06/05/2016	36,50	192.200	20,54	SEBA KLL-Q
06/05/2016	36,75	192.700	20,55	SEBA KLL-Q
06/05/2016	37,00	193.500	20,54	SEBA KLL-Q
06/05/2016	37,25	194.300	20,55	SEBA KLL-Q
06/05/2016	37,50	200.100	20,55	SEBA KLL-Q
06/05/2016	37,75	207.600	20,55	SEBA KLL-Q
06/05/2016	38,00	211.700	20,57	SEBA KLL-Q
06/05/2016	38,25	219.200	20,58	SEBA KLL-Q
06/05/2016	38,50	221.500	20,58	SEBA KLL-Q
06/05/2016	38,75	222.100	20,58	SEBA KLL-Q
06/05/2016	39,00	223.800	20,59	SEBA KLL-Q
06/05/2016	40,00	226.400	20,60	SEBA KLL-Q
06/05/2016	41,00	226.400	20,62	SEBA KLL-Q
06/05/2016	42,00	226.400	20,64	SEBA KLL-Q
06/05/2016	44,00	226.700	20,68	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/05/2016	46,00	230.500	20,71	SEBA KLL-Q
06/05/2016	48,00	231.300	20,75	SEBA KLL-Q
06/05/2016	50,00	231.700	20,79	SEBA KLL-Q
06/05/2016	55,00	232.700	20,98	SEBA KLL-Q
06/05/2016	60,00	232.700	21,02	SEBA KLL-Q
06/05/2016	65,00	232.700	21,15	SEBA KLL-Q
06/05/2016	70,00	232.600	21,28	SEBA KLL-Q
06/05/2016	71,35	105.200	21,33	SEBA KLL-Q
11/07/2016	1,60	25.240	19,70	SEBA KLL-Q
11/07/2016	2,00	25.140	20,00	SEBA KLL-Q
11/07/2016	3,00	25.140	20,25	SEBA KLL-Q
11/07/2016	4,00	25.160	20,27	SEBA KLL-Q
11/07/2016	5,00	25.160	20,25	SEBA KLL-Q
11/07/2016	6,00	25.180	20,24	SEBA KLL-Q
11/07/2016	7,00	25.180	20,25	SEBA KLL-Q
11/07/2016	8,00	25.180	20,25	SEBA KLL-Q
11/07/2016	9,00	25.200	20,24	SEBA KLL-Q
11/07/2016	10,00	25.240	20,24	SEBA KLL-Q
11/07/2016	11,00	25.280	20,24	SEBA KLL-Q
11/07/2016	12,00	25.200	20,25	SEBA KLL-Q
11/07/2016	13,00	31.080	20,25	SEBA KLL-Q
11/07/2016	14,00	35.470	20,26	SEBA KLL-Q
11/07/2016	14,50	36.530	20,26	SEBA KLL-Q
11/07/2016	15,00	37.980	20,26	SEBA KLL-Q
11/07/2016	15,50	38.710	20,26	SEBA KLL-Q
11/07/2016	16,00	38.830	20,26	SEBA KLL-Q
11/07/2016	16,50	38.890	20,26	SEBA KLL-Q
11/07/2016	17,00	38.920	20,27	SEBA KLL-Q
11/07/2016	18,00	38.900	20,27	SEBA KLL-Q
11/07/2016	19,00	38.800	20,27	SEBA KLL-Q
11/07/2016	20,00	38.780	20,27	SEBA KLL-Q
11/07/2016	21,00	41.830	20,28	SEBA KLL-Q
11/07/2016	21,50	53.410	20,29	SEBA KLL-Q
11/07/2016	21,75	103.500	20,28	SEBA KLL-Q
11/07/2016	22,00	104.200	20,28	SEBA KLL-Q
11/07/2016	22,25	106.200	20,28	SEBA KLL-Q
11/07/2016	22,50	112.700	20,29	SEBA KLL-Q
11/07/2016	22,75	121.500	20,29	SEBA KLL-Q
11/07/2016	23,00	126.700	20,30	SEBA KLL-Q
11/07/2016	23,25	127.500	20,31	SEBA KLL-Q
11/07/2016	23,50	127.700	20,31	SEBA KLL-Q
11/07/2016	23,75	128.000	20,32	SEBA KLL-Q
11/07/2016	24,00	128.700	20,33	SEBA KLL-Q
11/07/2016	24,50	130.400	20,33	SEBA KLL-Q
11/07/2016	24,75	131.800	20,34	SEBA KLL-Q
11/07/2016	25,00	133.700	20,34	SEBA KLL-Q
11/07/2016	25,25	138.200	20,34	SEBA KLL-Q
11/07/2016	25,50	143.400	20,36	SEBA KLL-Q
11/07/2016	25,75	145.200	20,38	SEBA KLL-Q
11/07/2016	26,00	147.800	20,42	SEBA KLL-Q
11/07/2016	26,25	147.900	20,42	SEBA KLL-Q
11/07/2016	26,50	147.900	20,42	SEBA KLL-Q
11/07/2016	27,00	147.900	20,42	SEBA KLL-Q
11/07/2016	27,50	147.900	20,42	SEBA KLL-Q
11/07/2016	28,00	147.900	20,43	SEBA KLL-Q
11/07/2016	29,00	147.900	20,43	SEBA KLL-Q
11/07/2016	30,00	147.900	20,43	SEBA KLL-Q
11/07/2016	31,00	147.900	20,43	SEBA KLL-Q
11/07/2016	31,50	147.800	20,44	SEBA KLL-Q
11/07/2016	32,00	147.900	20,43	SEBA KLL-Q
11/07/2016	33,00	148.900	20,47	SEBA KLL-Q
11/07/2016	33,50	156.200	20,49	SEBA KLL-Q
11/07/2016	33,75	157.800	20,50	SEBA KLL-Q
11/07/2016	34,00	158.500	20,50	SEBA KLL-Q
11/07/2016	34,25	158.700	20,51	SEBA KLL-Q
11/07/2016	34,75	161.300	20,51	SEBA KLL-Q
11/07/2016	35,00	162.700	20,51	SEBA KLL-Q
11/07/2016	35,25	165.300	20,51	SEBA KLL-Q
11/07/2016	35,50	168.100	20,51	SEBA KLL-Q
11/07/2016	35,75	171.000	20,52	SEBA KLL-Q
11/07/2016	36,00	184.700	20,53	SEBA KLL-Q
11/07/2016	36,25	187.600	20,54	SEBA KLL-Q
11/07/2016	36,50	188.700	20,56	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/07/2016	36,75	189.600	20,55	SEBA KLL-Q
11/07/2016	37,00	190.400	20,56	SEBA KLL-Q
11/07/2016	37,25	191.000	20,56	SEBA KLL-Q
11/07/2016	37,50	198.900	20,56	SEBA KLL-Q
11/07/2016	37,75	208.700	20,58	SEBA KLL-Q
11/07/2016	38,00	213.800	20,59	SEBA KLL-Q
11/07/2016	38,25	217.800	20,58	SEBA KLL-Q
11/07/2016	38,50	218.800	20,59	SEBA KLL-Q
11/07/2016	38,75	219.000	20,59	SEBA KLL-Q
11/07/2016	39,00	219.300	20,59	SEBA KLL-Q
11/07/2016	39,50	219.500	20,60	SEBA KLL-Q
11/07/2016	40,00	219.500	20,61	SEBA KLL-Q
11/07/2016	45,00	221.000	20,71	SEBA KLL-Q
11/07/2016	50,00	222.600	20,75	SEBA KLL-Q
11/07/2016	55,00	223.500	20,92	SEBA KLL-Q
11/07/2016	60,00	223.600	21,04	SEBA KLL-Q
11/07/2016	65,00	223.600	21,14	SEBA KLL-Q
11/07/2016	70,00	223.800	21,34	SEBA KLL-Q
11/07/2016	71,35	106.700	21,38	SEBA KLL-Q
22/10/2016	1,60	22.620	20,14	SEBA KLL-Q
22/10/2016	2,00	22.643	20,21	SEBA KLL-Q
22/10/2016	3,00	22.631	20,23	SEBA KLL-Q
22/10/2016	4,00	22.633	20,23	SEBA KLL-Q
22/10/2016	6,00	22.612	20,27	SEBA KLL-Q
22/10/2016	8,00	22.630	20,27	SEBA KLL-Q
22/10/2016	10,00	22.670	20,27	SEBA KLL-Q
22/10/2016	12,00	22.612	20,27	SEBA KLL-Q
22/10/2016	13,00	28.725	20,27	SEBA KLL-Q
22/10/2016	14,00	33.588	20,27	SEBA KLL-Q
22/10/2016	14,50	34.067	20,28	SEBA KLL-Q
22/10/2016	15,00	36.400	20,28	SEBA KLL-Q
22/10/2016	15,50	37.345	20,28	SEBA KLL-Q
22/10/2016	16,00	37.461	20,28	SEBA KLL-Q
22/10/2016	16,50	37.519	20,28	SEBA KLL-Q
22/10/2016	17,00	37.555	20,28	SEBA KLL-Q
22/10/2016	18,00	37.552	20,29	SEBA KLL-Q
22/10/2016	19,00	37.430	20,29	SEBA KLL-Q
22/10/2016	19,50	37.397	20,29	SEBA KLL-Q
22/10/2016	20,00	37.395	20,29	SEBA KLL-Q
22/10/2016	20,50	37.560	20,30	SEBA KLL-Q
22/10/2016	21,00	39.701	20,30	SEBA KLL-Q
22/10/2016	21,20	40.219	20,30	SEBA KLL-Q
22/10/2016	21,40	44.690	20,30	SEBA KLL-Q
22/10/2016	21,60	80.310	20,30	SEBA KLL-Q
22/10/2016	21,80	96.420	20,30	SEBA KLL-Q
22/10/2016	22,00	97.988	20,30	SEBA KLL-Q
22/10/2016	22,20	99.412	20,30	SEBA KLL-Q
22/10/2016	22,40	105.432	20,29	SEBA KLL-Q
22/10/2016	22,60	121.342	20,29	SEBA KLL-Q
22/10/2016	22,80	130.000	20,30	SEBA KLL-Q
22/10/2016	23,00	142.171	20,31	SEBA KLL-Q
22/10/2016	23,20	147.118	20,31	SEBA KLL-Q
22/10/2016	23,40	147.200	20,32	SEBA KLL-Q
22/10/2016	23,60	148.204	20,33	SEBA KLL-Q
22/10/2016	23,80	148.554	20,33	SEBA KLL-Q
22/10/2016	24,00	149.254	20,34	SEBA KLL-Q
22/10/2016	24,20	150.362	20,34	SEBA KLL-Q
22/10/2016	24,40	151.169	20,35	SEBA KLL-Q
22/10/2016	24,60	153.345	20,35	SEBA KLL-Q
22/10/2016	24,80	154.270	20,35	SEBA KLL-Q
22/10/2016	25,00	155.613	20,37	SEBA KLL-Q
22/10/2016	25,20	158.003	20,37	SEBA KLL-Q
22/10/2016	25,40	158.895	20,40	SEBA KLL-Q
22/10/2016	25,60	159.002	20,42	SEBA KLL-Q
22/10/2016	25,80	159.016	20,42	SEBA KLL-Q
22/10/2016	26,00	158.985	20,43	SEBA KLL-Q
22/10/2016	26,20	158.997	20,42	SEBA KLL-Q
22/10/2016	26,40	159.005	20,43	SEBA KLL-Q
22/10/2016	26,60	159.012	20,43	SEBA KLL-Q
22/10/2016	26,80	159.024	20,43	SEBA KLL-Q
22/10/2016	27,00	159.008	20,44	SEBA KLL-Q
22/10/2016	27,20	158.993	20,43	SEBA KLL-Q
22/10/2016	27,40	159.000	20,43	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2016	27,60	159.000	20,43	SEBA KLL-Q
22/10/2016	27,80	158.957	20,44	SEBA KLL-Q
22/10/2016	28,00	158.984	20,44	SEBA KLL-Q
22/10/2016	28,20	159.015	20,44	SEBA KLL-Q
22/10/2016	28,40	159.015	20,44	SEBA KLL-Q
22/10/2016	28,60	158.996	20,44	SEBA KLL-Q
22/10/2016	28,80	158.991	20,45	SEBA KLL-Q
22/10/2016	29,00	158.991	20,45	SEBA KLL-Q
22/10/2016	29,50	158.975	20,46	SEBA KLL-Q
22/10/2016	30,00	159.011	20,45	SEBA KLL-Q
22/10/2016	30,50	159.014	20,46	SEBA KLL-Q
22/10/2016	31,00	158.975	20,46	SEBA KLL-Q
22/10/2016	31,50	158.998	20,47	SEBA KLL-Q
22/10/2016	32,00	159.084	20,50	SEBA KLL-Q
22/10/2016	32,50	159.199	20,50	SEBA KLL-Q
22/10/2016	33,00	159.644	20,51	SEBA KLL-Q
22/10/2016	33,50	164.321	20,51	SEBA KLL-Q
22/10/2016	33,70	165.258	20,52	SEBA KLL-Q
22/10/2016	33,90	165.668	20,52	SEBA KLL-Q
22/10/2016	34,10	165.817	20,53	SEBA KLL-Q
22/10/2016	34,50	166.060	20,52	SEBA KLL-Q
22/10/2016	35,00	168.667	20,53	SEBA KLL-Q
22/10/2016	35,50	172.803	20,53	SEBA KLL-Q
22/10/2016	35,70	174.577	20,53	SEBA KLL-Q
22/10/2016	35,90	182.324	20,54	SEBA KLL-Q
22/10/2016	36,10	186.052	20,55	SEBA KLL-Q
22/10/2016	36,30	187.311	20,56	SEBA KLL-Q
22/10/2016	36,50	187.854	20,56	SEBA KLL-Q
22/10/2016	36,70	188.488	20,56	SEBA KLL-Q
22/10/2016	36,90	189.179	20,56	SEBA KLL-Q
22/10/2016	37,10	189.299	20,57	SEBA KLL-Q
22/10/2016	37,50	196.220	20,56	SEBA KLL-Q
22/10/2016	37,70	203.801	20,57	SEBA KLL-Q
22/10/2016	37,90	207.936	20,58	SEBA KLL-Q
22/10/2016	38,10	214.820	20,59	SEBA KLL-Q
22/10/2016	38,30	220.735	20,60	SEBA KLL-Q
22/10/2016	38,50	223.769	20,60	SEBA KLL-Q
22/10/2016	38,70	224.772	20,61	SEBA KLL-Q
22/10/2016	38,90	225.429	20,61	SEBA KLL-Q
22/10/2016	39,10	228.977	20,61	SEBA KLL-Q
22/10/2016	39,30	229.452	20,61	SEBA KLL-Q
22/10/2016	39,50	229.590	20,61	SEBA KLL-Q
22/10/2016	40,00	230.136	20,63	SEBA KLL-Q
22/10/2016	40,50	230.179	20,63	SEBA KLL-Q
22/10/2016	41,00	230.272	20,63	SEBA KLL-Q
22/10/2016	42,00	230.251	20,66	SEBA KLL-Q
22/10/2016	43,00	230.492	20,67	SEBA KLL-Q
22/10/2016	44,00	230.492	20,70	SEBA KLL-Q
22/10/2016	46,00	232.479	20,73	SEBA KLL-Q
22/10/2016	48,00	232.977	20,76	SEBA KLL-Q
22/10/2016	50,00	233.365	20,80	SEBA KLL-Q
22/10/2016	52,00	233.830	20,85	SEBA KLL-Q
22/10/2016	54,00	234.173	20,88	SEBA KLL-Q
22/10/2016	56,00	234.228	20,95	SEBA KLL-Q
22/10/2016	58,00	234.218	20,96	SEBA KLL-Q
22/10/2016	63,00	234.328	21,12	SEBA KLL-Q
22/10/2016	68,00	234.349	21,29	SEBA KLL-Q
22/10/2016	71,35	111.941	21,37	SEBA KLL-Q
15/01/2017	1,80	24.230	20,80	SEBA KLL-Q
15/01/2017	2,00	24.200	20,58	SEBA KLL-Q
15/01/2017	4,00	24.190	20,33	SEBA KLL-Q
15/01/2017	6,00	24.190	20,29	SEBA KLL-Q
15/01/2017	8,00	24.180	20,28	SEBA KLL-Q
15/01/2017	10,00	24.210	20,28	SEBA KLL-Q
15/01/2017	12,00	24.170	20,27	SEBA KLL-Q
15/01/2017	14,00	33.450	20,28	SEBA KLL-Q
15/01/2017	15,00	34.950	20,28	SEBA KLL-Q
15/01/2017	16,00	36.250	20,28	SEBA KLL-Q
15/01/2017	17,00	36.350	20,28	SEBA KLL-Q
15/01/2017	18,00	36.340	20,29	SEBA KLL-Q
15/01/2017	19,00	36.320	20,29	SEBA KLL-Q
15/01/2017	20,00	36.380	20,29	SEBA KLL-Q
15/01/2017	21,00	43.750	20,29	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
15/01/2017	21,50	49.890	20,30	SEBA KLL-Q
15/01/2017	22,00	103.800	20,30	SEBA KLL-Q
15/01/2017	22,20	105.200	20,29	SEBA KLL-Q
15/01/2017	22,40	110.000	20,29	SEBA KLL-Q
15/01/2017	22,60	120.600	20,29	SEBA KLL-Q
15/01/2017	22,80	126.100	20,30	SEBA KLL-Q
15/01/2017	23,00	132.100	20,31	SEBA KLL-Q
15/01/2017	23,20	132.900	20,32	SEBA KLL-Q
15/01/2017	23,40	133.000	20,32	SEBA KLL-Q
15/01/2017	23,60	133.100	20,33	SEBA KLL-Q
15/01/2017	23,80	133.200	20,33	SEBA KLL-Q
15/01/2017	24,00	133.500	20,33	SEBA KLL-Q
15/01/2017	24,50	134.800	20,34	SEBA KLL-Q
15/01/2017	25,00	138.800	20,34	SEBA KLL-Q
15/01/2017	25,50	152.100	20,35	SEBA KLL-Q
15/01/2017	25,80	154.600	20,36	SEBA KLL-Q
15/01/2017	26,00	176.600	20,40	SEBA KLL-Q
15/01/2017	26,20	176.600	20,40	SEBA KLL-Q
15/01/2017	26,40	176.600	20,41	SEBA KLL-Q
15/01/2017	26,60	176.600	20,40	SEBA KLL-Q
15/01/2017	26,80	176.600	20,40	SEBA KLL-Q
15/01/2017	27,00	176.600	20,41	SEBA KLL-Q
15/01/2017	27,50	176.600	20,41	SEBA KLL-Q
15/01/2017	28,00	176.600	20,41	SEBA KLL-Q
15/01/2017	28,50	176.600	20,42	SEBA KLL-Q
15/01/2017	29,00	176.600	20,43	SEBA KLL-Q
15/01/2017	29,50	176.600	20,43	SEBA KLL-Q
15/01/2017	30,00	176.600	20,44	SEBA KLL-Q
15/01/2017	31,00	176.600	20,45	SEBA KLL-Q
15/01/2017	32,00	176.600	20,46	SEBA KLL-Q
15/01/2017	33,00	177.400	20,48	SEBA KLL-Q
15/01/2017	33,50	183.600	20,50	SEBA KLL-Q
15/01/2017	33,80	185.200	20,50	SEBA KLL-Q
15/01/2017	34,00	185.400	20,50	SEBA KLL-Q
15/01/2017	34,20	185.600	20,50	SEBA KLL-Q
15/01/2017	34,40	185.700	20,50	SEBA KLL-Q
15/01/2017	34,60	186.300	20,50	SEBA KLL-Q
15/01/2017	34,80	188.000	20,50	SEBA KLL-Q
15/01/2017	35,00	188.900	20,51	SEBA KLL-Q
15/01/2017	35,20	191.100	20,51	SEBA KLL-Q
15/01/2017	35,40	192.600	20,51	SEBA KLL-Q
15/01/2017	35,60	195.200	20,51	SEBA KLL-Q
15/01/2017	35,80	201.200	20,52	SEBA KLL-Q
15/01/2017	36,00	207.900	20,54	SEBA KLL-Q
15/01/2017	36,20	209.200	20,54	SEBA KLL-Q
15/01/2017	36,40	209.900	20,55	SEBA KLL-Q
15/01/2017	36,60	210.400	20,55	SEBA KLL-Q
15/01/2017	36,80	211.100	20,55	SEBA KLL-Q
15/01/2017	37,00	211.300	20,55	SEBA KLL-Q
15/01/2017	37,50	220.600	20,56	SEBA KLL-Q
15/01/2017	37,80	228.200	20,57	SEBA KLL-Q
15/01/2017	38,00	233.200	20,58	SEBA KLL-Q
15/01/2017	38,20	239.700	20,58	SEBA KLL-Q
15/01/2017	38,50	243.200	20,60	SEBA KLL-Q
15/01/2017	38,80	243.900	20,60	SEBA KLL-Q
15/01/2017	39,00	246.100	20,61	SEBA KLL-Q
15/01/2017	39,20	247.700	20,61	SEBA KLL-Q
15/01/2017	39,50	247.900	20,61	SEBA KLL-Q
15/01/2017	39,80	248.700	20,61	SEBA KLL-Q
15/01/2017	40,00	248.700	20,61	SEBA KLL-Q
15/01/2017	40,50	248.800	20,61	SEBA KLL-Q
15/01/2017	41,00	248.800	20,62	SEBA KLL-Q
15/01/2017	42,00	248.800	20,64	SEBA KLL-Q
15/01/2017	44,00	249.000	20,68	SEBA KLL-Q
15/01/2017	46,00	251.300	20,72	SEBA KLL-Q
15/01/2017	48,00	251.800	20,76	SEBA KLL-Q
15/01/2017	50,00	252.300	20,80	SEBA KLL-Q
15/01/2017	52,00	252.800	20,84	SEBA KLL-Q
15/01/2017	54,00	253.300	20,96	SEBA KLL-Q
15/01/2017	56,00	253.200	20,98	SEBA KLL-Q
15/01/2017	58,00	253.300	20,99	SEBA KLL-Q
15/01/2017	60,00	253.300	21,01	SEBA KLL-Q
15/01/2017	64,00	253.300	21,12	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
15/01/2017	68,00	253.200	21,24	SEBA KLL-Q
23/04/2017	1,50	22.910	20,80	SEBA KLL-Q
23/04/2017	2,00	22.890	20,70	SEBA KLL-Q
23/04/2017	4,00	22.910	20,30	SEBA KLL-Q
23/04/2017	6,00	22.920	20,20	SEBA KLL-Q
23/04/2017	8,00	22.940	20,20	SEBA KLL-Q
23/04/2017	10,00	22.970	20,20	SEBA KLL-Q
23/04/2017	12,00	22.950	20,20	SEBA KLL-Q
23/04/2017	14,00	32.350	20,20	SEBA KLL-Q
23/04/2017	16,00	35.420	20,20	SEBA KLL-Q
23/04/2017	18,00	35.490	20,20	SEBA KLL-Q
23/04/2017	20,00	55.500	20,20	SEBA KLL-Q
23/04/2017	22,00	55.590	20,20	SEBA KLL-Q
23/04/2017	23,00	123.600	20,20	SEBA KLL-Q
23/04/2017	23,50	128.100	20,20	SEBA KLL-Q
23/04/2017	24,00	129.500	20,30	SEBA KLL-Q
23/04/2017	24,50	133.000	20,30	SEBA KLL-Q
23/04/2017	25,00	139.200	20,30	SEBA KLL-Q
23/04/2017	25,50	158.000	20,30	SEBA KLL-Q
23/04/2017	25,70	163.300	20,30	SEBA KLL-Q
23/04/2017	26,00	177.500	20,30	SEBA KLL-Q
23/04/2017	26,20	177.600	20,30	SEBA KLL-Q
23/04/2017	26,40	177.600	20,30	SEBA KLL-Q
23/04/2017	26,60	177.600	20,30	SEBA KLL-Q
23/04/2017	27,00	177.600	20,30	SEBA KLL-Q
23/04/2017	27,20	177.600	20,30	SEBA KLL-Q
23/04/2017	27,50	177.500	20,30	SEBA KLL-Q
23/04/2017	27,70	177.500	20,30	SEBA KLL-Q
23/04/2017	28,00	177.500	20,30	SEBA KLL-Q
23/04/2017	28,50	177.500	20,30	SEBA KLL-Q
23/04/2017	29,00	177.400	20,30	SEBA KLL-Q
23/04/2017	29,50	177.500	20,30	SEBA KLL-Q
23/04/2017	30,00	177.300	20,30	SEBA KLL-Q
23/04/2017	30,50	177.400	20,30	SEBA KLL-Q
23/04/2017	31,00	177.300	20,30	SEBA KLL-Q
23/04/2017	32,00	177.400	20,30	SEBA KLL-Q
23/04/2017	33,00	178.100	20,40	SEBA KLL-Q
23/04/2017	33,50	184.300	20,40	SEBA KLL-Q
23/04/2017	33,70	185.700	20,40	SEBA KLL-Q
23/04/2017	33,90	185.900	20,40	SEBA KLL-Q
23/04/2017	34,10	186.200	20,40	SEBA KLL-Q
23/04/2017	34,30	186.300	20,40	SEBA KLL-Q
23/04/2017	34,50	186.600	20,40	SEBA KLL-Q
23/04/2017	35,00	189.800	20,40	SEBA KLL-Q
23/04/2017	35,20	192.100	20,40	SEBA KLL-Q
23/04/2017	35,40	193.600	20,40	SEBA KLL-Q
23/04/2017	35,60	196.000	20,40	SEBA KLL-Q
23/04/2017	35,80	202.500	20,40	SEBA KLL-Q
23/04/2017	36,00	206.500	20,40	SEBA KLL-Q
23/04/2017	37,00	212.700	20,50	SEBA KLL-Q
23/04/2017	38,00	236.400	20,50	SEBA KLL-Q
23/04/2017	40,00	255.600	20,50	SEBA KLL-Q
23/04/2017	42,00	255.600	20,40	SEBA KLL-Q
23/04/2017	44,00	256.200	20,60	SEBA KLL-Q
23/04/2017	46,00	258.900	20,60	SEBA KLL-Q
23/04/2017	48,00	258.900	20,70	SEBA KLL-Q
23/04/2017	50,00	260.000	20,70	SEBA KLL-Q
23/04/2017	52,00	260.300	20,70	SEBA KLL-Q
23/04/2017	54,00	260.900	20,80	SEBA KLL-Q
23/04/2017	56,00	260.800	20,80	SEBA KLL-Q
23/04/2017	58,00	260.700	20,90	SEBA KLL-Q
23/04/2017	60,00	260.700	20,90	SEBA KLL-Q
23/04/2017	62,00	260.600	21,00	SEBA KLL-Q
23/04/2017	64,00	260.600	21,00	SEBA KLL-Q
23/04/2017	66,00	260.500	21,10	SEBA KLL-Q
23/04/2017	68,00	260.400	21,10	SEBA KLL-Q
23/04/2017	70,00	260.400	21,20	SEBA KLL-Q
04/07/2017	1,50	19.110	20,02	SEBA KLL-Q
04/07/2017	2,00	19.130	20,08	SEBA KLL-Q
04/07/2017	4,00	19.110	20,30	SEBA KLL-Q
04/07/2017	6,00	19.090	20,29	SEBA KLL-Q
04/07/2017	8,00	19.070	20,29	SEBA KLL-Q
04/07/2017	10,00	19.070	20,29	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/07/2017	12,00	19.030	20,29	SEBA KLL-Q
04/07/2017	14,00	24.840	20,29	SEBA KLL-Q
04/07/2017	16,00	26.840	20,29	SEBA KLL-Q
04/07/2017	18,00	26.970	20,29	SEBA KLL-Q
04/07/2017	20,00	26.920	20,29	SEBA KLL-Q
04/07/2017	22,00	88.450	20,30	SEBA KLL-Q
04/07/2017	23,00	91.200	20,29	SEBA KLL-Q
04/07/2017	23,50	91.330	20,30	SEBA KLL-Q
04/07/2017	24,00	91.450	20,28	SEBA KLL-Q
04/07/2017	25,00	92.200	20,28	SEBA KLL-Q
04/07/2017	26,00	102.400	20,29	SEBA KLL-Q
04/07/2017	26,50	122.800	20,31	SEBA KLL-Q
04/07/2017	26,70	144.500	20,40	SEBA KLL-Q
04/07/2017	26,90	144.700	20,43	SEBA KLL-Q
04/07/2017	27,10	144.800	20,43	SEBA KLL-Q
04/07/2017	27,30	144.700	20,43	SEBA KLL-Q
04/07/2017	27,50	144.700	20,44	SEBA KLL-Q
04/07/2017	28,00	144.700	20,44	SEBA KLL-Q
04/07/2017	29,00	144.700	20,44	SEBA KLL-Q
04/07/2017	30,00	144.700	20,44	SEBA KLL-Q
04/07/2017	31,00	144.700	20,44	SEBA KLL-Q
04/07/2017	32,00	144.700	20,44	SEBA KLL-Q
04/07/2017	33,00	145.400	20,47	SEBA KLL-Q
04/07/2017	34,00	153.000	20,50	SEBA KLL-Q
04/07/2017	35,00	156.200	20,51	SEBA KLL-Q
04/07/2017	35,50	160.800	20,51	SEBA KLL-Q
04/07/2017	36,00	172.700	20,53	SEBA KLL-Q
04/07/2017	36,20	174.200	20,54	SEBA KLL-Q
04/07/2017	36,40	174.900	20,54	SEBA KLL-Q
04/07/2017	36,60	175.400	20,55	SEBA KLL-Q
04/07/2017	36,80	175.900	20,56	SEBA KLL-Q
04/07/2017	37,00	176.300	20,55	SEBA KLL-Q
04/07/2017	37,20	176.700	20,55	SEBA KLL-Q
04/07/2017	37,40	179.300	20,56	SEBA KLL-Q
04/07/2017	37,60	187.100	20,57	SEBA KLL-Q
04/07/2017	37,80	190.500	20,57	SEBA KLL-Q
04/07/2017	38,00	194.900	20,57	SEBA KLL-Q
04/07/2017	38,20	200.300	20,59	SEBA KLL-Q
04/07/2017	38,40	202.600	20,59	SEBA KLL-Q
04/07/2017	38,60	204.100	20,60	SEBA KLL-Q
04/07/2017	38,80	204.300	20,61	SEBA KLL-Q
04/07/2017	39,00	206.200	20,60	SEBA KLL-Q
04/07/2017	40,00	208.800	20,62	SEBA KLL-Q
04/07/2017	42,00	209.000	20,64	SEBA KLL-Q
04/07/2017	44,00	209.100	20,70	SEBA KLL-Q
04/07/2017	46,00	211.400	20,73	SEBA KLL-Q
04/07/2017	48,00	212.100	20,76	SEBA KLL-Q
04/07/2017	50,00	212.600	20,80	SEBA KLL-Q
04/07/2017	52,00	212.800	20,84	SEBA KLL-Q
04/07/2017	54,00	213.400	20,97	SEBA KLL-Q
04/07/2017	56,00	213.300	20,98	SEBA KLL-Q
04/07/2017	58,00	213.400	20,99	SEBA KLL-Q
04/07/2017	60,00	213.400	21,02	SEBA KLL-Q
04/07/2017	62,00	213.400	21,05	SEBA KLL-Q
04/07/2017	64,00	213.400	21,12	SEBA KLL-Q
04/07/2017	66,00	213.300	21,17	SEBA KLL-Q
04/07/2017	68,00	213.400	21,21	SEBA KLL-Q
04/07/2017	70,00	213.300	21,28	SEBA KLL-Q
09/10/2017	2,00	21.190	19,28	SEBA KLL-Q
09/10/2017	4,00	21.110	20,04	SEBA KLL-Q
09/10/2017	6,00	21.130	20,22	SEBA KLL-Q
09/10/2017	8,00	21.150	20,23	SEBA KLL-Q
09/10/2017	10,00	21.200	20,23	SEBA KLL-Q
09/10/2017	12,00	21.150	20,23	SEBA KLL-Q
09/10/2017	13,00	24.910	20,23	SEBA KLL-Q
09/10/2017	14,00	27.370	20,23	SEBA KLL-Q
09/10/2017	16,00	29.830	20,23	SEBA KLL-Q
09/10/2017	18,00	29.900	20,23	SEBA KLL-Q
09/10/2017	19,00	29.810	20,23	SEBA KLL-Q
09/10/2017	20,00	29.900	20,23	SEBA KLL-Q
09/10/2017	20,20	30.160	20,23	SEBA KLL-Q
09/10/2017	20,40	30.650	20,23	SEBA KLL-Q
09/10/2017	20,60	39.370	20,23	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/10/2017	20,80	40.490	20,23	SEBA KLL-Q
09/10/2017	21,00	41.020	20,23	SEBA KLL-Q
09/10/2017	21,20	41.220	20,23	SEBA KLL-Q
09/10/2017	21,40	45.130	20,24	SEBA KLL-Q
09/10/2017	21,60	112.100	20,23	SEBA KLL-Q
09/10/2017	21,80	112.400	20,24	SEBA KLL-Q
09/10/2017	22,00	112.500	20,23	SEBA KLL-Q
09/10/2017	22,40	113.700	20,24	SEBA KLL-Q
09/10/2017	22,80	116.600	20,25	SEBA KLL-Q
09/10/2017	23,20	116.900	20,25	SEBA KLL-Q
09/10/2017	23,60	117.100	20,25	SEBA KLL-Q
09/10/2017	24,00	117.300	20,25	SEBA KLL-Q
09/10/2017	24,50	117.900	20,24	SEBA KLL-Q
09/10/2017	25,00	119.200	20,23	SEBA KLL-Q
09/10/2017	25,40	121.100	20,21	SEBA KLL-Q
09/10/2017	25,80	135.100	20,23	SEBA KLL-Q
09/10/2017	26,20	150.800	20,25	SEBA KLL-Q
09/10/2017	26,40	164.200	20,29	SEBA KLL-Q
09/10/2017	26,60	170.900	20,36	SEBA KLL-Q
09/10/2017	26,80	171.000	20,36	SEBA KLL-Q
09/10/2017	27,00	171.100	20,36	SEBA KLL-Q
09/10/2017	27,50	171.100	20,36	SEBA KLL-Q
09/10/2017	28,00	171.100	20,37	SEBA KLL-Q
09/10/2017	29,00	171.100	20,38	SEBA KLL-Q
09/10/2017	30,00	171.200	20,37	SEBA KLL-Q
09/10/2017	31,00	171.300	20,39	SEBA KLL-Q
09/10/2017	32,00	171.300	20,40	SEBA KLL-Q
09/10/2017	33,00	172.200	20,40	SEBA KLL-Q
09/10/2017	33,40	178.500	20,42	SEBA KLL-Q
09/10/2017	33,80	180.600	20,42	SEBA KLL-Q
09/10/2017	34,20	181.000	20,42	SEBA KLL-Q
09/10/2017	34,60	181.900	20,43	SEBA KLL-Q
09/10/2017	35,00	184.800	20,42	SEBA KLL-Q
09/10/2017	35,20	186.700	20,42	SEBA KLL-Q
09/10/2017	35,40	188.700	20,43	SEBA KLL-Q
09/10/2017	35,60	191.100	20,44	SEBA KLL-Q
09/10/2017	35,80	197.100	20,44	SEBA KLL-Q
09/10/2017	36,00	203.800	20,45	SEBA KLL-Q
09/10/2017	36,20	205.600	20,46	SEBA KLL-Q
09/10/2017	36,40	206.700	20,47	SEBA KLL-Q
09/10/2017	36,60	207.300	20,47	SEBA KLL-Q
09/10/2017	36,80	208.100	20,47	SEBA KLL-Q
09/10/2017	37,00	208.400	20,48	SEBA KLL-Q
09/10/2017	37,20	209.100	20,48	SEBA KLL-Q
09/10/2017	37,40	212.300	20,49	SEBA KLL-Q
09/10/2017	37,60	222.100	20,49	SEBA KLL-Q
09/10/2017	38,00	230.500	20,51	SEBA KLL-Q
09/10/2017	38,40	238.900	20,51	SEBA KLL-Q
09/10/2017	38,80	240.900	20,52	SEBA KLL-Q
09/10/2017	39,20	244.700	20,53	SEBA KLL-Q
09/10/2017	39,60	245.400	20,53	SEBA KLL-Q
09/10/2017	40,00	246.000	20,54	SEBA KLL-Q
09/10/2017	42,00	246.100	20,57	SEBA KLL-Q
09/10/2017	44,00	246.300	20,61	SEBA KLL-Q
09/10/2017	46,00	248.900	20,64	SEBA KLL-Q
09/10/2017	48,00	249.800	20,68	SEBA KLL-Q
09/10/2017	50,00	250.300	20,71	SEBA KLL-Q
09/10/2017	52,00	250.500	20,75	SEBA KLL-Q
09/10/2017	54,00	251.000	20,86	SEBA KLL-Q
09/10/2017	56,00	251.100	20,88	SEBA KLL-Q
09/10/2017	58,00	251.100	20,91	SEBA KLL-Q
09/10/2017	60,00	251.100	20,95	SEBA KLL-Q
09/10/2017	62,00	251.100	21,01	SEBA KLL-Q
09/10/2017	64,00	251.000	21,06	SEBA KLL-Q
09/10/2017	66,00	251.000	21,12	SEBA KLL-Q
09/10/2017	68,00	251.100	21,19	SEBA KLL-Q
09/10/2017	70,00	251.100	21,22	SEBA KLL-Q
02/01/2018	2,0	20.290	20,80	SEBA KLL-Q
02/01/2018	4,0	20.150	20,50	SEBA KLL-Q
02/01/2018	6,0	20.150	20,40	SEBA KLL-Q
02/01/2018	8,0	20.140	20,40	SEBA KLL-Q
02/01/2018	10,0	20.190	20,40	SEBA KLL-Q
02/01/2018	12,0	20.160	20,40	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/01/2018	14,0	20.360	20,40	SEBA KLL-Q
02/01/2018	16,0	28.160	20,40	SEBA KLL-Q
02/01/2018	18,0	28.360	20,40	SEBA KLL-Q
02/01/2018	20,0	28.340	20,40	SEBA KLL-Q
02/01/2018	22,0	112.500	20,40	SEBA KLL-Q
02/01/2018	23,0	112.800	20,40	SEBA KLL-Q
02/01/2018	23,5	117.500	20,40	SEBA KLL-Q
02/01/2018	24,0	117.500	20,40	SEBA KLL-Q
02/01/2018	25,0	118.000	20,40	SEBA KLL-Q
02/01/2018	26,0	136.800	20,40	SEBA KLL-Q
02/01/2018	26,5	162.100	20,40	SEBA KLL-Q
02/01/2018	26,7	162.700	20,50	SEBA KLL-Q
02/01/2018	26,9	162.700	20,50	SEBA KLL-Q
02/01/2018	27,1	162.800	20,50	SEBA KLL-Q
02/01/2018	27,3	162.700	20,50	SEBA KLL-Q
02/01/2018	27,5	162.700	20,50	SEBA KLL-Q
02/01/2018	28,0	162.700	20,50	SEBA KLL-Q
02/01/2018	28,5	162.800	20,50	SEBA KLL-Q
02/01/2018	29,0	162.700	20,50	SEBA KLL-Q
02/01/2018	29,5	162.700	20,50	SEBA KLL-Q
02/01/2018	30,0	162.700	20,50	SEBA KLL-Q
02/01/2018	30,5	162.600	20,50	SEBA KLL-Q
02/01/2018	31,0	162.600	20,50	SEBA KLL-Q
02/01/2018	31,5	162.600	20,50	SEBA KLL-Q
02/01/2018	32,0	162.400	20,50	SEBA KLL-Q
02/01/2018	32,5	163.000	20,50	SEBA KLL-Q
02/01/2018	33,0	163.300	20,50	SEBA KLL-Q
02/01/2018	33,5	168.500	20,50	SEBA KLL-Q
02/01/2018	34,0	171.400	20,60	SEBA KLL-Q
02/01/2018	34,2	171.500	20,50	SEBA KLL-Q
02/01/2018	34,4	171.500	20,60	SEBA KLL-Q
02/01/2018	34,6	172.100	20,60	SEBA KLL-Q
02/01/2018	34,8	173.600	20,60	SEBA KLL-Q
02/01/2018	35,0	174.500	20,50	SEBA KLL-Q
02/01/2018	35,2	175.600	20,60	SEBA KLL-Q
02/01/2018	35,4	177.500	20,60	SEBA KLL-Q
02/01/2018	35,8	185.500	20,60	SEBA KLL-Q
02/01/2018	36,0	192.200	20,60	SEBA KLL-Q
02/01/2018	36,2	192.900	20,60	SEBA KLL-Q
02/01/2018	36,4	194.600	20,60	SEBA KLL-Q
02/01/2018	36,6	195.100	20,60	SEBA KLL-Q
02/01/2018	36,8	195.700	20,60	SEBA KLL-Q
02/01/2018	37,0	196.200	20,60	SEBA KLL-Q
02/01/2018	37,2	196.300	20,60	SEBA KLL-Q
02/01/2018	37,4	198.800	20,60	SEBA KLL-Q
02/01/2018	37,6	207.300	20,60	SEBA KLL-Q
02/01/2018	37,8	211.300	20,60	SEBA KLL-Q
02/01/2018	38,0	215.700	20,60	SEBA KLL-Q
02/01/2018	38,5	224.500	20,60	SEBA KLL-Q
02/01/2018	39,0	227.100	20,60	SEBA KLL-Q
02/01/2018	39,5	228.600	20,60	SEBA KLL-Q
02/01/2018	40,0	229.700	20,60	SEBA KLL-Q
02/01/2018	41,0	229.700	20,70	SEBA KLL-Q
02/01/2018	42,0	229.800	20,70	SEBA KLL-Q
02/01/2018	44,0	230.000	20,70	SEBA KLL-Q
02/01/2018	46,0	232.100	20,70	SEBA KLL-Q
02/01/2018	48,0	232.800	20,70	SEBA KLL-Q
02/01/2018	50,0	233.100	20,80	SEBA KLL-Q
02/01/2018	52,0	233.700	20,80	SEBA KLL-Q
02/01/2018	54,0	234.400	20,90	SEBA KLL-Q
02/01/2018	56,0	234.400	21,00	SEBA KLL-Q
02/01/2018	58,0	234.300	21,00	SEBA KLL-Q
02/01/2018	60,0	234.200	21,00	SEBA KLL-Q
02/01/2018	62,0	234.400	21,00	SEBA KLL-Q
02/01/2018	64,0	234.400	21,00	SEBA KLL-Q
02/01/2018	66,0	234.200	21,20	SEBA KLL-Q
02/01/2018	68,0	234.100	21,20	SEBA KLL-Q
02/01/2018	70,0	234.100	21,30	SEBA KLL-Q
02/01/2018	71,0	234.100	21,30	SEBA KLL-Q
23/04/2018	1,6	22.160	21,43	SEBA KLL-Q
23/04/2018	1,8	22.160	21,35	SEBA KLL-Q
23/04/2018	2,0	22.180	21,22	SEBA KLL-Q
23/04/2018	2,2	22.200	21,12	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/04/2018	2,4	22.200	21,00	SEBA KLL-Q
23/04/2018	2,6	22.190	20,90	SEBA KLL-Q
23/04/2018	2,8	22.200	20,80	SEBA KLL-Q
23/04/2018	3,0	22.210	20,70	SEBA KLL-Q
23/04/2018	3,5	22.210	20,60	SEBA KLL-Q
23/04/2018	4,0	22.210	20,50	SEBA KLL-Q
23/04/2018	4,5	22.200	20,40	SEBA KLL-Q
23/04/2018	5,0	22.210	20,40	SEBA KLL-Q
23/04/2018	6,0	22.220	20,30	SEBA KLL-Q
23/04/2018	7,0	22.220	20,30	SEBA KLL-Q
23/04/2018	8,0	22.220	20,30	SEBA KLL-Q
23/04/2018	9,0	22.230	20,30	SEBA KLL-Q
23/04/2018	10,0	22.240	20,30	SEBA KLL-Q
23/04/2018	12,0	22.400	20,30	SEBA KLL-Q
23/04/2018	14,0	28.530	20,30	SEBA KLL-Q
23/04/2018	15,0	29.740	20,30	SEBA KLL-Q
23/04/2018	16,0	30.250	20,30	SEBA KLL-Q
23/04/2018	16,5	30.310	20,30	SEBA KLL-Q
23/04/2018	17,0	30.400	20,30	SEBA KLL-Q
23/04/2018	17,5	30.350	20,30	SEBA KLL-Q
23/04/2018	18,0	30.250	20,30	SEBA KLL-Q
23/04/2018	19,0	30.470	20,30	SEBA KLL-Q
23/04/2018	20,0	30.610	20,30	SEBA KLL-Q
23/04/2018	21,0	42.010	20,30	SEBA KLL-Q
23/04/2018	22,0	118.200	20,30	SEBA KLL-Q
23/04/2018	22,5	120.800	20,30	SEBA KLL-Q
23/04/2018	23,0	122.100	20,30	SEBA KLL-Q
23/04/2018	23,5	122.200	20,30	SEBA KLL-Q
23/04/2018	24,0	122.300	20,30	SEBA KLL-Q
23/04/2018	25,0	123.800	20,30	SEBA KLL-Q
23/04/2018	26,0	142.700	20,30	SEBA KLL-Q
23/04/2018	26,5	165.900	20,40	SEBA KLL-Q
23/04/2018	26,7	166.100	20,40	SEBA KLL-Q
23/04/2018	26,9	166.200	20,40	SEBA KLL-Q
23/04/2018	27,0	166.100	20,40	SEBA KLL-Q
23/04/2018	27,5	166.200	20,40	SEBA KLL-Q
23/04/2018	28,0	166.100	20,40	SEBA KLL-Q
23/04/2018	29,0	166.200	20,50	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/04/2018	30,0	166.200	20,50	SEBA KLL-Q
23/04/2018	31,0	166.200	20,50	SEBA KLL-Q
23/04/2018	31,5	166.200	20,50	SEBA KLL-Q
23/04/2018	32,0	166.900	20,50	SEBA KLL-Q
23/04/2018	32,5	166.900	20,50	SEBA KLL-Q
23/04/2018	33,0	173.200	20,50	SEBA KLL-Q
23/04/2018	33,2	175.200	20,50	SEBA KLL-Q
23/04/2018	33,4	175.300	20,50	SEBA KLL-Q
23/04/2018	33,6	176.000	20,50	SEBA KLL-Q
23/04/2018	33,8	177.400	20,50	SEBA KLL-Q
23/04/2018	34,0	178.400	20,50	SEBA KLL-Q
23/04/2018	34,2	180.300	20,50	SEBA KLL-Q
23/04/2018	34,4	182.600	20,50	SEBA KLL-Q
23/04/2018	34,6	184.300	20,50	SEBA KLL-Q
23/04/2018	34,8	190.100	20,50	SEBA KLL-Q
23/04/2018	35,0	195.600	20,50	SEBA KLL-Q
23/04/2018	35,2	197.400	20,60	SEBA KLL-Q
23/04/2018	35,4	198.300	20,60	SEBA KLL-Q
23/04/2018	35,6	198.700	20,60	SEBA KLL-Q
23/04/2018	35,8	199.300	20,60	SEBA KLL-Q
23/04/2018	36,0	199.600	20,60	SEBA KLL-Q
23/04/2018	36,2	200.100	20,60	SEBA KLL-Q
23/04/2018	36,4	203.700	20,60	SEBA KLL-Q
23/04/2018	36,6	210.900	20,60	SEBA KLL-Q
23/04/2018	36,8	214.900	20,60	SEBA KLL-Q
23/04/2018	37,0	219.700	20,60	SEBA KLL-Q
23/04/2018	37,5	228.200	20,60	SEBA KLL-Q
23/04/2018	38,0	231.000	20,60	SEBA KLL-Q
23/04/2018	39,0	232.500	20,60	SEBA KLL-Q
23/04/2018	40,0	233.300	20,60	SEBA KLL-Q
23/04/2018	42,0	233.400	20,70	SEBA KLL-Q
23/04/2018	44,0	233.400	20,70	SEBA KLL-Q
23/04/2018	46,0	235.900	20,70	SEBA KLL-Q
23/04/2018	48,0	235.900	20,70	SEBA KLL-Q
23/04/2018	50,0	237.000	20,80	SEBA KLL-Q
23/04/2018	52,0	237.700	20,80	SEBA KLL-Q
23/04/2018	54,0	237.900	20,90	SEBA KLL-Q
23/04/2018	56,0	237.900	20,90	SEBA KLL-Q
23/04/2018	58,0	237.800	20,90	SEBA KLL-Q
23/04/2018	60,0	237.800	21,00	SEBA KLL-Q
23/04/2018	62,0	237.800	21,00	SEBA KLL-Q
23/04/2018	64,0	238.000	21,20	SEBA KLL-Q
23/04/2018	66,0	237.900	21,20	SEBA KLL-Q
23/04/2018	68,0	236.000	21,20	SEBA KLL-Q
23/04/2018	70,0	238.000	21,30	SEBA KLL-Q
27/07/2018	1,6	27.370	19,54	SEBA KLL-Q
27/07/2018	1,8	27.250	20,01	SEBA KLL-Q
27/07/2018	2,0	27.170	20,11	SEBA KLL-Q
27/07/2018	2,5	27.140	20,16	SEBA KLL-Q
27/07/2018	3,0	27.120	20,23	SEBA KLL-Q
27/07/2018	3,5	27.110	20,25	SEBA KLL-Q
27/07/2018	4,0	27.090	20,31	SEBA KLL-Q
27/07/2018	4,5	27.090	20,35	SEBA KLL-Q
27/07/2018	5,0	27.080	20,36	SEBA KLL-Q
27/07/2018	6,0	27.060	20,38	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
27/07/2018	7,0	27.030	20,38	SEBA KLL-Q
27/07/2018	8,0	27.050	20,37	SEBA KLL-Q
27/07/2018	10,0	27.050	20,38	SEBA KLL-Q
27/07/2018	12,0	27.240	20,37	SEBA KLL-Q
27/07/2018	14,0	34.280	20,36	SEBA KLL-Q
27/07/2018	15,0	36.310	20,36	SEBA KLL-Q
27/07/2018	16,0	36.710	20,37	SEBA KLL-Q
27/07/2018	17,0	36.960	20,36	SEBA KLL-Q
27/07/2018	18,0	36.930	20,36	SEBA KLL-Q
27/07/2018	20,0	37.080	20,38	SEBA KLL-Q
27/07/2018	22,0	116.900	20,35	SEBA KLL-Q
27/07/2018	22,2	117.300	20,34	SEBA KLL-Q
27/07/2018	22,4	118.000	20,37	SEBA KLL-Q
27/07/2018	22,6	118.400	20,34	SEBA KLL-Q
27/07/2018	22,8	118.600	20,34	SEBA KLL-Q
27/07/2018	23,0	118.700	20,34	SEBA KLL-Q
27/07/2018	23,5	118.700	20,34	SEBA KLL-Q
27/07/2018	24,0	118.700	20,33	SEBA KLL-Q
27/07/2018	25,0	118.800	20,34	SEBA KLL-Q
27/07/2018	26,0	128.600	20,33	SEBA KLL-Q
27/07/2018	26,2	129.400	20,34	SEBA KLL-Q
27/07/2018	26,4	151.400	20,35	SEBA KLL-Q
27/07/2018	26,6	183.300	20,38	SEBA KLL-Q
27/07/2018	26,8	195.900	20,46	SEBA KLL-Q
27/07/2018	27,0	196.700	20,48	SEBA KLL-Q
27/07/2018	27,5	196.700	20,51	SEBA KLL-Q
27/07/2018	28,0	196.800	20,49	SEBA KLL-Q
27/07/2018	28,5	196.800	20,48	SEBA KLL-Q
27/07/2018	29,0	196.800	20,46	SEBA KLL-Q
27/07/2018	30,0	196.900	20,48	SEBA KLL-Q
27/07/2018	31,0	196.900	20,48	SEBA KLL-Q
27/07/2018	32,0	196.900	20,49	SEBA KLL-Q
27/07/2018	33,0	197.800	20,48	SEBA KLL-Q
27/07/2018	34,0	207.900	20,53	SEBA KLL-Q
27/07/2018	34,2	208.200	20,54	SEBA KLL-Q
27/07/2018	34,4	208.400	20,53	SEBA KLL-Q
27/07/2018	34,6	210.900	20,53	SEBA KLL-Q
27/07/2018	34,8	211.000	20,55	SEBA KLL-Q
27/07/2018	35,0	212.000	20,54	SEBA KLL-Q
27/07/2018	35,5	216.700	20,55	SEBA KLL-Q
27/07/2018	36,0	217.700	20,57	SEBA KLL-Q
27/07/2018	36,5	233.800	20,53	SEBA KLL-Q
27/07/2018	37,0	238.500	20,62	SEBA KLL-Q
27/07/2018	37,5	238.900	20,63	SEBA KLL-Q
27/07/2018	38,0	262.400	20,62	SEBA KLL-Q
27/07/2018	38,5	272.800	20,63	SEBA KLL-Q
27/07/2018	39,0	275.400	20,64	SEBA KLL-Q
27/07/2018	39,5	275.600	20,64	SEBA KLL-Q
27/07/2018	40,0	278.700	20,67	SEBA KLL-Q
27/07/2018	41,0	279.000	20,67	SEBA KLL-Q
27/07/2018	42,0	279.000	20,69	SEBA KLL-Q
27/07/2018	44,0	279.200	20,71	SEBA KLL-Q
27/07/2018	46,0	281.800	20,75	SEBA KLL-Q
27/07/2018	48,0	282.000	20,78	SEBA KLL-Q
27/07/2018	50,0	283.300	20,73	SEBA KLL-Q
27/07/2018	52,0	283.600	20,74	SEBA KLL-Q
27/07/2018	54,0	283.800	20,86	SEBA KLL-Q
27/07/2018	56,0	284.400	20,91	SEBA KLL-Q
27/07/2018	58,0	284.500	21,06	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
27/07/2018	60,0	284.600	21,03	SEBA KLL-Q
26/08/2018	2,0	23.090	19,84	SEBA KLL-Q
26/08/2018	2,5	23.040	20,15	SEBA KLL-Q
26/08/2018	3,0	22.990	20,26	SEBA KLL-Q
26/08/2018	4,0	22.980	20,32	SEBA KLL-Q
26/08/2018	6,0	22.950	20,41	SEBA KLL-Q
26/08/2018	8,0	22.950	20,44	SEBA KLL-Q
26/08/2018	10,0	22.980	20,41	SEBA KLL-Q
26/08/2018	12,0	28.940	20,43	SEBA KLL-Q
26/08/2018	14,0	28.930	20,44	SEBA KLL-Q
26/08/2018	16,0	31.040	20,43	SEBA KLL-Q
26/08/2018	18,0	31.420	20,42	SEBA KLL-Q
26/08/2018	20,0	31.590	20,41	SEBA KLL-Q
26/08/2018	22,0	110.600	20,4	SEBA KLL-Q
26/08/2018	22,2	110.800	20,39	SEBA KLL-Q
26/08/2018	22,4	111.600	20,39	SEBA KLL-Q
26/08/2018	22,6	112.200	20,38	SEBA KLL-Q
26/08/2018	22,8	112.300	20,38	SEBA KLL-Q
26/08/2018	23,0	112.400	20,4	SEBA KLL-Q
26/08/2018	23,5	112.400	20,39	SEBA KLL-Q
26/08/2018	24,0	112.500	20,4	SEBA KLL-Q
26/08/2018	24,5	112.500	20,41	SEBA KLL-Q
26/08/2018	25,0	112.800	20,37	SEBA KLL-Q
26/08/2018	25,5	113.600	20,35	SEBA KLL-Q
26/08/2018	26,0	124.500	20,37	SEBA KLL-Q
26/08/2018	26,5	150.300	20,41	SEBA KLL-Q
26/08/2018	27,0	176.900	20,54	SEBA KLL-Q
26/08/2018	27,2	176.900	20,52	SEBA KLL-Q
26/08/2018	27,4	177.000	20,52	SEBA KLL-Q
26/08/2018	27,6	177.100	20,54	SEBA KLL-Q
26/08/2018	27,8	177.000	20,51	SEBA KLL-Q
26/08/2018	28,0	177.100	20,52	SEBA KLL-Q
26/08/2018	29,0	177.100	20,52	SEBA KLL-Q
26/08/2018	30,0	177.100	20,55	SEBA KLL-Q
26/08/2018	32,0	177.200	20,51	SEBA KLL-Q
26/08/2018	33,0	178.000	20,57	SEBA KLL-Q
26/08/2018	33,5	184.800	20,58	SEBA KLL-Q
26/08/2018	34,0	187.000	20,57	SEBA KLL-Q
26/08/2018	34,5	187.500	20,56	SEBA KLL-Q
26/08/2018	35,0	187.500	20,57	SEBA KLL-Q
26/08/2018	35,5	195.500	20,61	SEBA KLL-Q
26/08/2018	36,0	208.700	20,61	SEBA KLL-Q
26/08/2018	36,2	211.700	20,61	SEBA KLL-Q
26/08/2018	36,4	212.500	20,62	SEBA KLL-Q
26/08/2018	36,6	219.100	20,62	SEBA KLL-Q
26/08/2018	36,8	213.800	20,63	SEBA KLL-Q
26/08/2018	37,0	214.300	20,63	SEBA KLL-Q
26/08/2018	37,5	221.900	20,64	SEBA KLL-Q
26/08/2018	38,0	222.100	20,62	SEBA KLL-Q
26/08/2018	38,5	235.700	20,63	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/08/2018	39,0	245.300	20,66	SEBA KLL-Q
26/08/2018	40,0	251.000	20,62	SEBA KLL-Q
26/08/2018	40,5	251.100	20,7	SEBA KLL-Q
26/08/2018	41,0	251.100	20,69	SEBA KLL-Q
26/08/2018	42,0	251.200	20,7	SEBA KLL-Q
26/08/2018	44,0	251.400	20,74	SEBA KLL-Q
26/08/2018	46,0	254.000	20,76	SEBA KLL-Q
26/08/2018	48,0	254.800	20,76	SEBA KLL-Q
26/08/2018	50,0	255.200	20,84	SEBA KLL-Q
26/08/2018	52,0	255.600	20,89	SEBA KLL-Q
26/08/2018	54,0	256.200	20,9	SEBA KLL-Q
26/08/2018	56,0	256.200	20,91	SEBA KLL-Q
26/08/2018	58,0	256.300	21,06	SEBA KLL-Q
26/08/2018	60,0	256.300	21,09	SEBA KLL-Q
26/08/2018	62,0	256.400	21,12	SEBA KLL-Q
26/08/2018	64,0	256.300	21,18	SEBA KLL-Q
26/08/2018	66,0	256.400	21,22	SEBA KLL-Q
26/08/2018	68,0	256.300	21,29	SEBA KLL-Q
26/08/2018	69,0	256.300	21,31	SEBA KLL-Q
26/08/2018	70,0	256.300	21,31	SEBA KLL-Q
05/09/2018	1,5	21.370	19,86	SEBA KLL-Q
05/09/2018	1,7	21.430	19,86	SEBA KLL-Q
05/09/2018	1,9	21.420	20,15	SEBA KLL-Q
05/09/2018	2,2	21.460	20,22	SEBA KLL-Q
05/09/2018	2,5	21.460	20,20	SEBA KLL-Q
05/09/2018	3,0	21.470	20,30	SEBA KLL-Q
05/09/2018	4,0	21.460	20,30	SEBA KLL-Q
05/09/2018	5,0	21.470	20,40	SEBA KLL-Q
05/09/2018	6,0	21.460	20,50	SEBA KLL-Q
05/09/2018	8,0	21.460	20,50	SEBA KLL-Q
05/09/2018	10,0	21.490	20,50	SEBA KLL-Q
05/09/2018	12,0	21.460	20,50	SEBA KLL-Q
05/09/2018	14,0	26.890	20,50	SEBA KLL-Q
05/09/2018	16,0	29.030	20,50	SEBA KLL-Q
05/09/2018	16,5	29.050	20,50	SEBA KLL-Q
05/09/2018	17,0	29.240	20,50	SEBA KLL-Q
05/09/2018	18,0	29.320	20,50	SEBA KLL-Q
05/09/2018	18,5	29.330	20,50	SEBA KLL-Q
05/09/2018	19,0	29.360	20,50	SEBA KLL-Q
05/09/2018	19,5	29.450	20,50	SEBA KLL-Q
05/09/2018	20,0	29.690	20,50	SEBA KLL-Q
05/09/2018	20,5	40.260	20,50	SEBA KLL-Q
05/09/2018	21,0	82.690	20,50	SEBA KLL-Q
05/09/2018	21,2	104.800	20,50	SEBA KLL-Q
05/09/2018	21,4	115.800	20,50	SEBA KLL-Q
05/09/2018	21,6	116.900	20,50	SEBA KLL-Q
05/09/2018	21,8	117.000	20,50	SEBA KLL-Q
05/09/2018	22,0	117.000	20,50	SEBA KLL-Q
05/09/2018	23,0	119.300	20,50	SEBA KLL-Q
05/09/2018	24,0	119.400	20,50	SEBA KLL-Q
05/09/2018	25,0	120.300	20,50	SEBA KLL-Q
05/09/2018	26,0	134.700	20,50	SEBA KLL-Q
05/09/2018	26,5	165.600	20,50	SEBA KLL-Q
05/09/2018	26,7	176.100	20,60	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/09/2018	26,9	177.900	20,60	SEBA KLL-Q
05/09/2018	27,2	176.500	20,60	SEBA KLL-Q
05/09/2018	27,4	176.100	20,60	SEBA KLL-Q
05/09/2018	27,6	176.200	20,60	SEBA KLL-Q
05/09/2018	27,8	176.200	20,60	SEBA KLL-Q
05/09/2018	28,0	176.300	20,60	SEBA KLL-Q
05/09/2018	28,5	176.300	20,60	SEBA KLL-Q
05/09/2018	29,0	176.200	20,60	SEBA KLL-Q
05/09/2018	30,0	176.200	20,60	SEBA KLL-Q
05/09/2018	31,0	176.300	20,60	SEBA KLL-Q
05/09/2018	32,0	176.200	20,60	SEBA KLL-Q
05/09/2018	32,5	176.700	20,60	SEBA KLL-Q
05/09/2018	33,0	176.100	20,60	SEBA KLL-Q
05/09/2018	33,5	183.900	20,70	SEBA KLL-Q
05/09/2018	33,7	185.300	20,70	SEBA KLL-Q
05/09/2018	33,9	186.000	20,70	SEBA KLL-Q
05/09/2018	34,2	186.300	20,70	SEBA KLL-Q
05/09/2018	34,4	186.400	20,70	SEBA KLL-Q
05/09/2018	35,0	189.700	20,70	SEBA KLL-Q
05/09/2018	35,2	191.600	20,70	SEBA KLL-Q
05/09/2018	35,4	193.600	20,70	SEBA KLL-Q
05/09/2018	35,6	196.300	20,70	SEBA KLL-Q
05/09/2018	35,8	201.600	20,60	SEBA KLL-Q
05/09/2018	36,0	209.300	20,60	SEBA KLL-Q
05/09/2018	36,5	212.200	20,70	SEBA KLL-Q
05/09/2018	37,0	213.500	20,70	SEBA KLL-Q
05/09/2018	38,0	235.700	20,70	SEBA KLL-Q
05/09/2018	39,0	248.200	20,70	SEBA KLL-Q
05/09/2018	40,0	251.800	20,70	SEBA KLL-Q
05/09/2018	42,0	256.900	20,80	SEBA KLL-Q
05/09/2018	44,0	252.300	20,80	SEBA KLL-Q
05/09/2018	46,0	254.900	20,80	SEBA KLL-Q
05/09/2018	48,0	255.600	20,90	SEBA KLL-Q
05/09/2018	50,0	256.200	20,90	SEBA KLL-Q
05/09/2018	52,0	256.600	20,90	SEBA KLL-Q
05/09/2018	54,0	257.200	21,00	SEBA KLL-Q
05/09/2018	56,0	257.300	21,00	SEBA KLL-Q
05/09/2018	58,0	257.300	21,00	SEBA KLL-Q
05/09/2018	60,0	257.300	21,10	SEBA KLL-Q
05/09/2018	62,0	257.300	21,10	SEBA KLL-Q
05/09/2018	64,0	257.400	21,20	SEBA KLL-Q
05/09/2018	66,0	257.500	21,30	SEBA KLL-Q
05/09/2018	68,0	257.500	21,30	SEBA KLL-Q
05/09/2018	70,0	257.300	21,40	SEBA KLL-Q
05/09/2018	71,0	257.400	21	SEBA KLL-Q
13/11/2018	2,0	22.770	20,43	SEBA KLL-Q
13/11/2018	2,5	22.740	20,39	SEBA KLL-Q
13/11/2018	3,0	22.720	20,37	SEBA KLL-Q
13/11/2018	4,0	22.750	20,37	SEBA KLL-Q
13/11/2018	6,0	22.730	20,38	SEBA KLL-Q
13/11/2018	8,0	22.730	20,38	SEBA KLL-Q
13/11/2018	10,0	22.810	20,38	SEBA KLL-Q
13/11/2018	12,0	23.150	20,38	SEBA KLL-Q
13/11/2018	14,0	29.340	20,37	SEBA KLL-Q
13/11/2018	16,0	30.530	20,37	SEBA KLL-Q
13/11/2018	18,0	30.680	20,37	SEBA KLL-Q
13/11/2018	20,0	30.500	20,38	SEBA KLL-Q
13/11/2018	21,0	45.220	20,37	SEBA KLL-Q
13/11/2018	21,2	45.360	20,37	SEBA KLL-Q
13/11/2018	21,4	45.370	20,37	SEBA KLL-Q
13/11/2018	21,6	119.400	20,37	SEBA KLL-Q
13/11/2018	21,8	119.600	20,36	SEBA KLL-Q
13/11/2018	22,0	119.600	20,37	SEBA KLL-Q
13/11/2018	22,2	120.700	20,38	SEBA KLL-Q
13/11/2018	22,4	121.500	20,36	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/11/2018	22,6	122.500	20,37	SEBA KLL-Q
13/11/2018	22,8	122.900	20,38	SEBA KLL-Q
13/11/2018	23,0	123.100	20,37	SEBA KLL-Q
13/11/2018	23,5	123.200	20,36	SEBA KLL-Q
13/11/2018	24,0	123.200	20,37	SEBA KLL-Q
13/11/2018	24,5	123.300	20,36	SEBA KLL-Q
13/11/2018	25,0	123.600	20,34	SEBA KLL-Q
13/11/2018	25,5	124.800	20,32	SEBA KLL-Q
13/11/2018	26,0	146.800	20,38	SEBA KLL-Q
13/11/2018	26,2	156.100	20,37	SEBA KLL-Q
13/11/2018	26,4	166.500	20,38	SEBA KLL-Q
13/11/2018	26,6	171.200	20,41	SEBA KLL-Q
13/11/2018	26,8	171.400	20,43	SEBA KLL-Q
13/11/2018	27,0	171.400	20,44	SEBA KLL-Q
13/11/2018	27,2	171.300	20,46	SEBA KLL-Q
13/11/2018	27,4	171.500	20,45	SEBA KLL-Q
13/11/2018	27,6	171.300	20,47	SEBA KLL-Q
13/11/2018	27,8	171.400	20,47	SEBA KLL-Q
13/11/2018	28,0	171.400	20,46	SEBA KLL-Q
13/11/2018	28,5	171.300	20,48	SEBA KLL-Q
13/11/2018	29,0	171.200	20,48	SEBA KLL-Q
13/11/2018	30,0	171.400	20,47	SEBA KLL-Q
13/11/2018	31,0	171.400	20,48	SEBA KLL-Q
13/11/2018	33,0	171.400	20,50	SEBA KLL-Q
13/11/2018	34,0	172.200	20,50	SEBA KLL-Q
13/11/2018	34,5	178.600	20,52	SEBA KLL-Q
13/11/2018	35,0	183.800	20,54	SEBA KLL-Q
13/11/2018	35,2	186.300	20,55	SEBA KLL-Q
13/11/2018	35,4	187.900	20,54	SEBA KLL-Q
13/11/2018	35,6	190.200	20,54	SEBA KLL-Q
13/11/2018	35,8	196.800	20,54	SEBA KLL-Q
13/11/2018	36,0	201.900	20,55	SEBA KLL-Q
13/11/2018	36,2	203.500	20,58	SEBA KLL-Q
13/11/2018	36,4	204.200	20,57	SEBA KLL-Q
13/11/2018	36,6	204.500	20,58	SEBA KLL-Q
13/11/2018	36,8	205.300	20,58	SEBA KLL-Q
13/11/2018	37,0	205.300	20,58	SEBA KLL-Q
13/11/2018	37,5	215.300	20,61	SEBA KLL-Q
13/11/2018	38,0	226.100	20,61	SEBA KLL-Q
13/11/2018	38,2	230.700	20,61	SEBA KLL-Q
13/11/2018	38,4	232.600	20,64	SEBA KLL-Q
13/11/2018	38,6	233.700	20,62	SEBA KLL-Q
13/11/2018	38,8	233.800	20,63	SEBA KLL-Q
13/11/2018	39,0	235.900	20,64	SEBA KLL-Q
13/11/2018	39,5	237.500	20,64	SEBA KLL-Q
13/11/2018	40,0	238.000	20,65	SEBA KLL-Q
13/11/2018	41,0	238.200	20,66	SEBA KLL-Q
13/11/2018	42,0	238.200	20,68	SEBA KLL-Q
13/11/2018	44,0	238.400	20,70	SEBA KLL-Q
13/11/2018	46,0	240.700	20,72	SEBA KLL-Q
13/11/2018	48,0	241.100	20,73	SEBA KLL-Q
13/11/2018	50,0	241.800	20,74	SEBA KLL-Q
13/11/2018	52,0	242.200	20,86	SEBA KLL-Q
13/11/2018	55,0	242.700	20,99	SEBA KLL-Q
13/11/2018	58,0	242.800	21,01	SEBA KLL-Q
13/11/2018	61,0	242.700	21,03	SEBA KLL-Q
13/11/2018	64,0	242.700	21,12	SEBA KLL-Q
13/11/2018	67,0	242.700	21,26	SEBA KLL-Q
13/11/2018	70,0	242.700	21,32	SEBA KLL-Q
27/01/2019	1,8	25.060	20,88	SEBA KLL-Q
27/01/2019	2,0	25.040	20,74	SEBA KLL-Q
27/01/2019	2,2	25.030	20,65	SEBA KLL-Q
27/01/2019	2,7	25.040	20,61	SEBA KLL-Q
27/01/2019	3,0	25.040	20,52	SEBA KLL-Q
27/01/2019	4,0	25.050	20,45	SEBA KLL-Q
27/01/2019	6,0	25.040	20,39	SEBA KLL-Q
27/01/2019	8,0	25.050	20,38	SEBA KLL-Q
27/01/2019	10,0	25.110	20,38	SEBA KLL-Q
27/01/2019	12,0	25.150	20,38	SEBA KLL-Q
27/01/2019	14,0	31.210	20,37	SEBA KLL-Q
27/01/2019	15,0	32.920	20,37	SEBA KLL-Q
27/01/2019	16,0	33.290	20,37	SEBA KLL-Q
27/01/2019	18,0	33.400	20,37	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
27/01/2019	20,0	33.480	20,37	SEBA KLL-Q
27/01/2019	22,0	122.400	20,35	SEBA KLL-Q
27/01/2019	22,2	122.800	20,36	SEBA KLL-Q
27/01/2019	22,4	123.600	20,35	SEBA KLL-Q
27/01/2019	22,6	124.200	20,36	SEBA KLL-Q
27/01/2019	22,8	124.400	20,36	SEBA KLL-Q
27/01/2019	23,0	124.500	20,35	SEBA KLL-Q
27/01/2019	23,5	124.600	20,35	SEBA KLL-Q
27/01/2019	24,0	124.500	20,34	SEBA KLL-Q
27/01/2019	25,0	124.500	20,34	SEBA KLL-Q
27/01/2019	26,0	140.500	20,33	SEBA KLL-Q
27/01/2019	26,5	170.500	20,39	SEBA KLL-Q
27/01/2019	26,7	183.100	20,46	SEBA KLL-Q
27/01/2019	26,9	183.100	20,48	SEBA KLL-Q
27/01/2019	27,1	183.100	20,47	SEBA KLL-Q
27/01/2019	27,3	183.100	20,48	SEBA KLL-Q
27/01/2019	27,5	183.100	20,48	SEBA KLL-Q
27/01/2019	28,0	183.200	20,48	SEBA KLL-Q
27/01/2019	29,0	183.200	20,58	SEBA KLL-Q
27/01/2019	31,0	183.400	20,49	SEBA KLL-Q
27/01/2019	33,0	184.100	20,52	SEBA KLL-Q
27/01/2019	34,0	193.300	20,54	SEBA KLL-Q
27/01/2019	34,2	193.500	20,54	SEBA KLL-Q
27/01/2019	34,4	193.700	20,54	SEBA KLL-Q
27/01/2019	34,6	194.500	20,53	SEBA KLL-Q
27/01/2019	34,8	196.000	20,53	SEBA KLL-Q
27/01/2019	35,0	196.900	20,53	SEBA KLL-Q
27/01/2019	35,2	199.100	20,53	SEBA KLL-Q
27/01/2019	35,4	201.300	20,55	SEBA KLL-Q
27/01/2019	35,6	203.300	20,54	SEBA KLL-Q
27/01/2019	35,8	210.000	20,56	SEBA KLL-Q
27/01/2019	36,0	216.260	20,57	SEBA KLL-Q
27/01/2019	36,5	218.200	20,57	SEBA KLL-Q
27/01/2019	37,0	219.600	20,59	SEBA KLL-Q
27/01/2019	38,0	240.200	20,61	SEBA KLL-Q
27/01/2019	40,0	252.000	20,64	SEBA KLL-Q
27/01/2019	42,0	252.000	20,68	SEBA KLL-Q
27/01/2019	44,0	252.200	20,71	SEBA KLL-Q
27/01/2019	46,0	254.500	20,57	SEBA KLL-Q
27/01/2019	48,0	255.400	20,77	SEBA KLL-Q
27/01/2019	50,0	255.800	20,83	SEBA KLL-Q
27/01/2019	52,0	256.100	20,83	SEBA KLL-Q
27/01/2019	54,0	256.800	20,97	SEBA KLL-Q
27/01/2019	56,0	256.700	21,00	SEBA KLL-Q
27/01/2019	58,0	256.700	21,01	SEBA KLL-Q
27/01/2019	60,0	256.700	21,04	SEBA KLL-Q
27/01/2019	62,0	257.000	21,06	SEBA KLL-Q
27/01/2019	64,0	256.900	21,15	SEBA KLL-Q
27/01/2019	66,0	256.700	21,19	SEBA KLL-Q
27/01/2019	68,0	256.900	21,22	SEBA KLL-Q
27/01/2019	69,0	256.700	21,28	SEBA KLL-Q
26/02/2019	1,4	17.710	21,69	SEBA KLL-Q
26/02/2019	1,6	17.780	21,39	SEBA KLL-Q
26/02/2019	1,8	17.810	21,31	SEBA KLL-Q
26/02/2019	2,0	17.810	21,31	SEBA KLL-Q
26/02/2019	2,5	17.820	20,90	SEBA KLL-Q
26/02/2019	3,0	17.840	20,90	SEBA KLL-Q
26/02/2019	4,0	17.840	20,51	SEBA KLL-Q
26/02/2019	6,0	17.820	20,40	SEBA KLL-Q
26/02/2019	8,0	17.810	20,40	SEBA KLL-Q
26/02/2019	10,0	17.860	20,40	SEBA KLL-Q
26/02/2019	12,0	17.830	20,40	SEBA KLL-Q
26/02/2019	14,0	22.050	20,40	SEBA KLL-Q
26/02/2019	16,0	23.570	20,40	SEBA KLL-Q
26/02/2019	18,0	23.720	20,40	SEBA KLL-Q
26/02/2019	20,0	23.740	20,40	SEBA KLL-Q
26/02/2019	22,0	104.000	20,40	SEBA KLL-Q
26/02/2019	24,0	110.500	20,40	SEBA KLL-Q
26/02/2019	26,0	154.400	20,40	SEBA KLL-Q
26/02/2019	28,0	158.700	20,40	SEBA KLL-Q
26/02/2019	30,0	152.000	20,50	SEBA KLL-Q
26/02/2019	32,0	157.400	20,50	SEBA KLL-Q
26/02/2019	34,0	165.600	20,54	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/02/2019	35,0	168.500	20,54	SEBA KLL-Q
26/02/2019	35,2	170.300	20,54	SEBA KLL-Q
26/02/2019	35,4	171.800	20,55	SEBA KLL-Q
26/02/2019	35,6	173.400	20,55	SEBA KLL-Q
26/02/2019	35,8	179.100	20,55	SEBA KLL-Q
26/02/2019	36,0	184.000	20,60	SEBA KLL-Q
26/02/2019	36,2	183.100	20,60	SEBA KLL-Q
26/02/2019	36,4	185.700	20,60	SEBA KLL-Q
26/02/2019	37,0	187.000	20,60	SEBA KLL-Q
26/02/2019	37,5	187.000	20,60	SEBA KLL-Q
26/02/2019	38,0	209.000	20,60	SEBA KLL-Q
26/02/2019	39,0	224.000	20,64	SEBA KLL-Q
26/02/2019	40,0	229.300	20,64	SEBA KLL-Q
26/02/2019	42,0	229.100	20,68	SEBA KLL-Q
26/02/2019	44,0	228.900	20,68	SEBA KLL-Q
26/02/2019	46,0	231.000	20,68	SEBA KLL-Q
26/02/2019	48,0	231.000	20,72	SEBA KLL-Q
26/02/2019	50,0	232.100	20,77	SEBA KLL-Q
26/02/2019	52,0	232.000	20,82	SEBA KLL-Q
26/02/2019	54,0	232.100	20,82	SEBA KLL-Q
26/02/2019	56,0	232.100	20,82	SEBA KLL-Q
26/02/2019	58,0	232.200	20,94	SEBA KLL-Q
26/02/2019	60,0	232.200	20,90	SEBA KLL-Q
26/02/2019	62,0	230.000	20,94	SEBA KLL-Q
26/02/2019	64,0	230.000	20,94	SEBA KLL-Q
21/03/2019	2,0	15.990	21,22	SEBA KLL-Q
21/03/2019	2,5	15.970	20,96	SEBA KLL-Q
21/03/2019	3,0	16.000	20,74	SEBA KLL-Q
21/03/2019	4,0	16.000	20,52	SEBA KLL-Q
21/03/2019	6,0	15.980	20,14	SEBA KLL-Q
21/03/2019	8,0	15.990	20,40	SEBA KLL-Q
21/03/2019	10,0	16.030	20,40	SEBA KLL-Q
21/03/2019	12,0	15.950	20,40	SEBA KLL-Q
21/03/2019	14,0	19.570	20,40	SEBA KLL-Q
21/03/2019	16,0	21.180	20,40	SEBA KLL-Q
21/03/2019	18,0	21.250	20,39	SEBA KLL-Q
21/03/2019	20,0	21.250	20,40	SEBA KLL-Q
21/03/2019	21,0	28.050	20,39	SEBA KLL-Q
21/03/2019	21,2	28.470	20,39	SEBA KLL-Q
21/03/2019	21,4	28.630	20,39	SEBA KLL-Q
21/03/2019	21,6	100.400	20,38	SEBA KLL-Q
21/03/2019	21,8	100.700	20,38	SEBA KLL-Q
21/03/2019	22,0	100.700	20,38	SEBA KLL-Q
21/03/2019	22,2	101.100	20,39	SEBA KLL-Q
21/03/2019	22,4	102.700	20,39	SEBA KLL-Q
21/03/2019	22,6	104.400	20,39	SEBA KLL-Q
21/03/2019	22,8	105.000	20,39	SEBA KLL-Q
21/03/2019	23,0	105.700	20,39	SEBA KLL-Q
21/03/2019	23,2	105.700	20,39	SEBA KLL-Q
21/03/2019	23,5	105.700	20,40	SEBA KLL-Q
21/03/2019	24,0	106.200	20,39	SEBA KLL-Q
21/03/2019	25,0	107.400	20,37	SEBA KLL-Q
21/03/2019	25,5	109.700	20,36	SEBA KLL-Q
21/03/2019	26,0	136.000	20,37	SEBA KLL-Q
21/03/2019	26,2	150.700	20,39	SEBA KLL-Q
21/03/2019	26,4	162.900	20,41	SEBA KLL-Q
21/03/2019	26,6	162.900	20,43	SEBA KLL-Q
21/03/2019	26,8	163.000	20,44	SEBA KLL-Q
21/03/2019	27,0	163.000	20,45	SEBA KLL-Q
21/03/2019	27,2	163.000	20,45	SEBA KLL-Q
21/03/2019	27,4	162.900	20,45	SEBA KLL-Q
21/03/2019	27,6	162.900	20,46	SEBA KLL-Q
21/03/2019	27,8	163.000	20,47	SEBA KLL-Q
21/03/2019	28,0	163.000	20,48	SEBA KLL-Q
21/03/2019	28,5	162.900	20,49	SEBA KLL-Q
21/03/2019	29,0	163.000	20,50	SEBA KLL-Q
21/03/2019	30,0	162.900	20,51	SEBA KLL-Q
21/03/2019	31,0	163.100	20,51	SEBA KLL-Q
21/03/2019	33,0	163.800	20,51	SEBA KLL-Q
21/03/2019	34,0	172.200	20,53	SEBA KLL-Q
21/03/2019	34,5	172.700	20,54	SEBA KLL-Q
21/03/2019	35,0	175.700	20,54	SEBA KLL-Q
21/03/2019	35,2	176.500	20,54	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/03/2019	35,4	178.600	20,54	SEBA KLL-Q
21/03/2019	35,6	181.000	20,55	SEBA KLL-Q
21/03/2019	35,8	187.600	20,56	SEBA KLL-Q
21/03/2019	36,0	193.800	20,56	SEBA KLL-Q
21/03/2019	36,2	195.000	20,57	SEBA KLL-Q
21/03/2019	36,4	195.700	20,59	SEBA KLL-Q
21/03/2019	36,6	196.300	20,59	SEBA KLL-Q
21/03/2019	36,8	197.000	20,58	SEBA KLL-Q
21/03/2019	37,0	197.600	20,59	SEBA KLL-Q
21/03/2019	37,5	207.200	20,59	SEBA KLL-Q
21/03/2019	38,0	219.800	20,61	SEBA KLL-Q
21/03/2019	38,2	225.200	20,62	SEBA KLL-Q
21/03/2019	38,4	227.000	20,62	SEBA KLL-Q
21/03/2019	38,6	229.400	20,62	SEBA KLL-Q
21/03/2019	38,8	229.300	20,64	SEBA KLL-Q
21/03/2019	39,0	231.900	20,64	SEBA KLL-Q
21/03/2019	39,5	234.100	20,64	SEBA KLL-Q
21/03/2019	40,0	235.300	20,66	SEBA KLL-Q
21/03/2019	41,0	235.300	20,67	SEBA KLL-Q
21/03/2019	42,0	235.300	20,68	SEBA KLL-Q
21/03/2019	44,0	235.700	20,72	SEBA KLL-Q
21/03/2019	46,0	239.000	20,75	SEBA KLL-Q
21/03/2019	48,0	240.200	20,78	SEBA KLL-Q
21/03/2019	50,0	240.700	20,82	SEBA KLL-Q
21/03/2019	52,0	240.700	20,86	SEBA KLL-Q
21/03/2019	55,0	241.100	20,94	SEBA KLL-Q
21/03/2019	58,0	240.900	21,02	SEBA KLL-Q
21/03/2019	61,0	240.900	21,10	SEBA KLL-Q
21/03/2019	64,0	240.800	21,17	SEBA KLL-Q
21/03/2019	67,0	240.800	21,23	SEBA KLL-Q
21/03/2019	70,0	240.700	21,31	SEBA KLL-Q
19/04/2019	1,4	16.910	20,95	SEBA KLL-Q
19/04/2019	1,6	16.900	20,75	SEBA KLL-Q
19/04/2019	1,8	16.930	20,78	SEBA KLL-Q
19/04/2019	2,0	16.930	20,88	SEBA KLL-Q
19/04/2019	3,0	16.960	20,70	SEBA KLL-Q
19/04/2019	5,0	16.940	20,41	SEBA KLL-Q
19/04/2019	7,0	16.930	20,40	SEBA KLL-Q
19/04/2019	9,0	16.930	20,40	SEBA KLL-Q
19/04/2019	11,0	16.969	20,40	SEBA KLL-Q
19/04/2019	13,0	18.980	20,39	SEBA KLL-Q
19/04/2019	15,0	21.750	20,40	SEBA KLL-Q
19/04/2019	17,0	21.960	20,39	SEBA KLL-Q
19/04/2019	19,0	21.950	20,39	SEBA KLL-Q
19/04/2019	21,0	25.330	20,39	SEBA KLL-Q
19/04/2019	21,2	25.610	20,38	SEBA KLL-Q
19/04/2019	21,4	26.520	20,39	SEBA KLL-Q
19/04/2019	21,6	109.900	20,38	SEBA KLL-Q
19/04/2019	21,8	110.600	20,38	SEBA KLL-Q
19/04/2019	22,0	110.500	20,38	SEBA KLL-Q
19/04/2019	22,2	110.800	20,38	SEBA KLL-Q
19/04/2019	22,5	113.400	20,39	SEBA KLL-Q
19/04/2019	23,0	114.700	20,39	SEBA KLL-Q
19/04/2019	24,0	116.100	20,39	SEBA KLL-Q
19/04/2019	25,0	116.800	20,39	SEBA KLL-Q
19/04/2019	26,0	139.500	20,37	SEBA KLL-Q
19/04/2019	26,2	152.700	20,39	SEBA KLL-Q
19/04/2019	26,4	166.000	20,42	SEBA KLL-Q
19/04/2019	26,6	169.700	20,45	SEBA KLL-Q
19/04/2019	26,8	169.400	20,47	SEBA KLL-Q
19/04/2019	27,0	169.300	20,47	SEBA KLL-Q
19/04/2019	27,5	169.300	20,47	SEBA KLL-Q
19/04/2019	28,0	168.900	20,48	SEBA KLL-Q
19/04/2019	29,0	169.000	20,49	SEBA KLL-Q
19/04/2019	31,0	168.800	20,50	SEBA KLL-Q
19/04/2019	33,0	169.400	20,51	SEBA KLL-Q
19/04/2019	34,0	177.800	20,54	SEBA KLL-Q
19/04/2019	34,5	178.100	20,54	SEBA KLL-Q
19/04/2019	35,0	180.900	20,54	SEBA KLL-Q
19/04/2019	35,5	186.000	20,55	SEBA KLL-Q
19/04/2019	36,0	199.200	20,56	SEBA KLL-Q
19/04/2019	36,2	200.300	20,58	SEBA KLL-Q
19/04/2019	36,4	201.300	20,58	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/04/2019	36,6	201.700	20,59	SEBA KLL-Q
19/04/2019	36,8	202.200	20,59	SEBA KLL-Q
19/04/2019	37,0	202.400	20,58	SEBA KLL-Q
19/04/2019	37,5	212.100	20,59	SEBA KLL-Q
19/04/2019	38,0	223.800	20,60	SEBA KLL-Q
19/04/2019	38,5	232.200	20,62	SEBA KLL-Q
19/04/2019	39,0	235.000	20,64	SEBA KLL-Q
19/04/2019	40,0	237.400	20,66	SEBA KLL-Q
19/04/2019	41,0	237.100	20,66	SEBA KLL-Q
19/04/2019	43,0	237.300	20,67	SEBA KLL-Q
19/04/2019	45,0	239.200	20,73	SEBA KLL-Q
19/04/2019	47,0	240.000	20,76	SEBA KLL-Q
19/04/2019	49,0	240.800	20,79	SEBA KLL-Q
19/04/2019	51,0	241.200	20,84	SEBA KLL-Q
19/04/2019	53,0	242.000	20,86	SEBA KLL-Q
19/04/2019	55,0	242.000	20,89	SEBA KLL-Q
19/04/2019	57,0	242.100	20,95	SEBA KLL-Q
19/04/2019	59,0	242.000	21,03	SEBA KLL-Q
19/04/2019	61,0	242.200	21,05	SEBA KLL-Q
19/04/2019	63,0	241.900	21,12	SEBA KLL-Q
19/04/2019	65,0	241.900	21,15	SEBA KLL-Q
19/04/2019	67,0	242.000	21,18	SEBA KLL-Q
19/04/2019	69,0	241.800	21,24	SEBA KLL-Q
19/04/2019	70,0	241.600	21,30	SEBA KLL-Q
28/06/2019	1,4	18.550	20,12	SEBA KLL-Q
28/06/2019	1,6	18.570	20,12	SEBA KLL-Q
28/06/2019	1,8	18.580	20,31	SEBA KLL-Q
28/06/2019	2,0	18.570	20,31	SEBA KLL-Q
28/06/2019	2,5	18.580	20,31	SEBA KLL-Q
28/06/2019	3,0	18.580	20,31	SEBA KLL-Q
28/06/2019	4,0	18.570	20,31	SEBA KLL-Q
28/06/2019	6,0	18.610	20,43	SEBA KLL-Q
28/06/2019	8,0	18.610	20,43	SEBA KLL-Q
28/06/2019	10,0	18.650	20,43	SEBA KLL-Q
28/06/2019	12,0	18.590	20,40	SEBA KLL-Q
28/06/2019	14,0	22.180	20,40	SEBA KLL-Q
28/06/2019	16,0	23.590	20,40	SEBA KLL-Q
28/06/2019	18,0	23.590	20,40	SEBA KLL-Q
28/06/2019	20,0	23.400	20,40	SEBA KLL-Q
28/06/2019	22,0	114.100	20,40	SEBA KLL-Q
28/06/2019	24,0	117.100	20,40	SEBA KLL-Q
28/06/2019	26,0	134.500	20,40	SEBA KLL-Q
28/06/2019	28,0	163.900	20,40	SEBA KLL-Q
28/06/2019	30,0	164.000	20,40	SEBA KLL-Q
28/06/2019	32,0	164.000	20,52	SEBA KLL-Q
28/06/2019	34,0	172.700	20,52	SEBA KLL-Q
28/06/2019	35,0	176.100	20,52	SEBA KLL-Q
28/06/2019	35,5	181.100	20,52	SEBA KLL-Q
28/06/2019	35,7	182.800	20,55	SEBA KLL-Q
28/06/2019	35,9	192.100	20,55	SEBA KLL-Q
28/06/2019	36,1	194.700	20,55	SEBA KLL-Q
28/06/2019	36,3	195.800	20,55	SEBA KLL-Q
28/06/2019	36,5	196.500	20,58	SEBA KLL-Q
28/06/2019	36,7	197.000	20,58	SEBA KLL-Q
28/06/2019	36,9	197.500	20,58	SEBA KLL-Q
28/06/2019	37,1	197.800	20,58	SEBA KLL-Q
28/06/2019	37,3	199.300	20,59	SEBA KLL-Q
28/06/2019	37,5	204.800	20,59	SEBA KLL-Q
28/06/2019	37,7	211.000	20,59	SEBA KLL-Q
28/06/2019	37,9	215.200	20,59	SEBA KLL-Q
28/06/2019	38,5	226.400	20,62	SEBA KLL-Q
28/06/2019	39,0	229.300	20,62	SEBA KLL-Q
28/06/2019	40,0	232.500	20,62	SEBA KLL-Q
28/06/2019	41,0	232.900	20,62	SEBA KLL-Q
28/06/2019	42,0	232.600	20,62	SEBA KLL-Q
28/06/2019	44,0	233.000	20,65	SEBA KLL-Q
28/06/2019	46,0	235.300	20,75	SEBA KLL-Q
28/06/2019	48,0	235.600	20,75	SEBA KLL-Q
28/06/2019	50,0	236.700	20,75	SEBA KLL-Q
28/06/2019	52,0	236.900	20,75	SEBA KLL-Q
28/06/2019	54,0	237.300	20,89	SEBA KLL-Q
28/06/2019	56,0	237.500	20,89	SEBA KLL-Q
28/06/2019	58,0	237.600	20,89	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
28/06/2019	60,0	237.300	20,89	SEBA KLL-Q
28/06/2019	62,0	237.200	21,00	SEBA KLL-Q
28/06/2019	64,0	237.200	21,10	SEBA KLL-Q
28/06/2019	66,0	237.200	21,10	SEBA KLL-Q
29/09/2019	1,4	16.970	20,35	SEBA KLL-Q
29/09/2019	1,6	16.930	20,29	SEBA KLL-Q
29/09/2019	1,8	16.940	20,27	SEBA KLL-Q
29/09/2019	2,0	16.940	20,27	SEBA KLL-Q
29/09/2019	2,5	16.930	20,27	SEBA KLL-Q
29/09/2019	3,0	16.930	20,28	SEBA KLL-Q
29/09/2019	4,0	16.920	20,32	SEBA KLL-Q
29/09/2019	6,0	16.910	20,41	SEBA KLL-Q
29/09/2019	8,0	16.910	20,41	SEBA KLL-Q
29/09/2019	10,0	16.910	20,41	SEBA KLL-Q
29/09/2019	12,0	16.870	20,40	SEBA KLL-Q
29/09/2019	14,0	20.020	20,41	SEBA KLL-Q
29/09/2019	16,0	21.390	20,41	SEBA KLL-Q
29/09/2019	18,0	21.380	20,41	SEBA KLL-Q
29/09/2019	20,0	21.300	20,41	SEBA KLL-Q
29/09/2019	22,0	112.900	20,39	SEBA KLL-Q
29/09/2019	24,0	118.700	20,40	SEBA KLL-Q
29/09/2019	26,0	144.400	20,39	SEBA KLL-Q
29/09/2019	28,0	170.200	20,48	SEBA KLL-Q
29/09/2019	30,0	170.500	20,50	SEBA KLL-Q
29/09/2019	32,0	170.600	20,51	SEBA KLL-Q
29/09/2019	34,0	180.400	20,53	SEBA KLL-Q
29/09/2019	35,0	183.700	20,54	SEBA KLL-Q
29/09/2019	35,5	198.000	20,55	SEBA KLL-Q
29/09/2019	35,7	191.200	20,55	SEBA KLL-Q
29/09/2019	35,9	201.000	20,56	SEBA KLL-Q
29/09/2019	36,1	203.800	20,57	SEBA KLL-Q
29/09/2019	36,3	204.800	20,59	SEBA KLL-Q
29/09/2019	36,5	205.500	20,58	SEBA KLL-Q
29/09/2019	36,7	206.200	20,59	SEBA KLL-Q
29/09/2019	36,9	206.700	20,58	SEBA KLL-Q
29/09/2019	37,1	206.700	20,59	SEBA KLL-Q
29/09/2019	37,3	208.300	20,59	SEBA KLL-Q
29/09/2019	37,5	215.500	20,60	SEBA KLL-Q
29/09/2019	37,7	221.400	20,61	SEBA KLL-Q
29/09/2019	37,9	225.200	20,62	SEBA KLL-Q
29/09/2019	38,5	236.600	20,63	SEBA KLL-Q
29/09/2019	39,0	239.300	20,65	SEBA KLL-Q
29/09/2019	40,0	242.000	20,65	SEBA KLL-Q
29/09/2019	41,0	241.800	20,67	SEBA KLL-Q
29/09/2019	42,0	241.800	20,68	SEBA KLL-Q
29/09/2019	44,0	241.900	20,71	SEBA KLL-Q
29/09/2019	46,0	244.400	20,74	SEBA KLL-Q
29/09/2019	48,0	245.100	20,79	SEBA KLL-Q
29/09/2019	50,0	245.300	20,82	SEBA KLL-Q
29/09/2019	52,0	245.500	20,87	SEBA KLL-Q
29/09/2019	54,0	246.000	20,92	SEBA KLL-Q
29/09/2019	56,0	246.000	20,95	SEBA KLL-Q
29/09/2019	58,0	246.000	20,99	SEBA KLL-Q
29/09/2019	60,0	245.900	21,05	SEBA KLL-Q
29/09/2019	62,0	245.800	21,10	SEBA KLL-Q
29/09/2019	64,0	245.600	21,20	SEBA KLL-Q
29/09/2019	66,0	245.600	21,22	SEBA KLL-Q
21/11/2019	2,0	16.810	20,57	SEBA KLL-Q (249)
21/11/2019	2,5	16.790	20,50	SEBA KLL-Q (249)
21/11/2019	3,0	16.780	20,44	SEBA KLL-Q (249)
21/11/2019	4,0	16.800	20,41	SEBA KLL-Q (249)
21/11/2019	6,0	16.810	20,41	SEBA KLL-Q (249)
21/11/2019	8,0	16.810	20,42	SEBA KLL-Q (249)
21/11/2019	10,0	16.820	20,41	SEBA KLL-Q (249)
21/11/2019	12,0	16.820	20,40	SEBA KLL-Q (249)
21/11/2019	14,0	19.760	20,40	SEBA KLL-Q (249)
21/11/2019	16,0	20.850	20,41	SEBA KLL-Q (249)
21/11/2019	18,0	20.880	20,40	SEBA KLL-Q (249)
21/11/2019	20,0	20.810	20,40	SEBA KLL-Q (249)
21/11/2019	21,0	25.320	20,40	SEBA KLL-Q (249)
21/11/2019	21,2	25.900	20,40	SEBA KLL-Q (249)
21/11/2019	21,4	27.530	20,39	SEBA KLL-Q (249)
21/11/2019	21,6	76.530	20,39	SEBA KLL-Q (249)

Anexo G: Posición de la Interfase Salina

MP-06C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/11/2019	21,8	105.300	20,39	SEBA KLL-Q (249)
21/11/2019	22,0	105.500	20,39	SEBA KLL-Q (249)
21/11/2019	22,2	106.000	20,39	SEBA KLL-Q (249)
21/11/2019	22,4	106.900	20,39	SEBA KLL-Q (249)
21/11/2019	22,6	110.200	20,40	SEBA KLL-Q (249)
21/11/2019	22,8	110.900	20,40	SEBA KLL-Q (249)
21/11/2019	23,0	115.500	20,41	SEBA KLL-Q (249)
21/11/2019	23,2	111.800	20,40	SEBA KLL-Q (249)
21/11/2019	23,5	111.700	20,40	SEBA KLL-Q (249)
21/11/2019	24,0	111.800	20,40	SEBA KLL-Q (249)
21/11/2019	25,0	112.500	20,40	SEBA KLL-Q (249)
21/11/2019	25,5	115.100	20,36	SEBA KLL-Q (249)
21/11/2019	26,0	142.700	20,37	SEBA KLL-Q (249)
21/11/2019	26,2	159.000	20,39	SEBA KLL-Q (249)
21/11/2019	26,4	163.900	20,42	SEBA KLL-Q (249)
21/11/2019	26,6	165.000	20,45	SEBA KLL-Q (249)
21/11/2019	26,8	165.100	20,46	SEBA KLL-Q (249)
21/11/2019	27,0	165.200	20,47	SEBA KLL-Q (249)
21/11/2019	27,2	165.200	20,46	SEBA KLL-Q (249)
21/11/2019	27,4	165.100	20,47	SEBA KLL-Q (249)
21/11/2019	27,6	165.100	20,47	SEBA KLL-Q (249)
21/11/2019	27,8	165.100	20,47	SEBA KLL-Q (249)
21/11/2019	28,0	165.100	20,47	SEBA KLL-Q (249)
21/11/2019	28,5	165.000	20,48	SEBA KLL-Q (249)
21/11/2019	29,0	165.100	20,49	SEBA KLL-Q (249)
21/11/2019	30,0	165.100	20,50	SEBA KLL-Q (249)
21/11/2019	31,0	165.100	20,51	SEBA KLL-Q (249)
21/11/2019	33,0	166.000	20,51	SEBA KLL-Q (249)
21/11/2019	34,0	173.000	20,53	SEBA KLL-Q (249)
21/11/2019	34,5	173.900	20,53	SEBA KLL-Q (249)
21/11/2019	35,0	177.200	20,53	SEBA KLL-Q (249)
21/11/2019	35,2	178.700	20,53	SEBA KLL-Q (249)
21/11/2019	35,4	180.500	20,54	SEBA KLL-Q (249)
21/11/2019	35,6	182.900	20,54	SEBA KLL-Q (249)
21/11/2019	35,8	186.900	20,54	SEBA KLL-Q (249)
21/11/2019	36,0	194.300	20,54	SEBA KLL-Q (249)
21/11/2019	36,2	196.300	20,56	SEBA KLL-Q (249)
21/11/2019	36,4	197.100	20,57	SEBA KLL-Q (249)
21/11/2019	36,6	197.400	20,58	SEBA KLL-Q (249)
21/11/2019	36,8	198.200	20,58	SEBA KLL-Q (249)
21/11/2019	37,0	198.600	20,58	SEBA KLL-Q (249)
21/11/2019	37,5	204.800	20,58	SEBA KLL-Q (249)
21/11/2019	38,0	217.600	20,59	SEBA KLL-Q (249)
21/11/2019	38,2	222.200	20,60	SEBA KLL-Q (249)
21/11/2019	38,4	225.300	20,61	SEBA KLL-Q (249)
21/11/2019	38,6	226.900	20,62	SEBA KLL-Q (249)
21/11/2019	38,8	227.100	20,62	SEBA KLL-Q (249)
21/11/2019	39,0	228.300	20,62	SEBA KLL-Q (249)
21/11/2019	39,5	230.600	20,64	SEBA KLL-Q (249)
21/11/2019	40,0	231.500	20,64	SEBA KLL-Q (249)
21/11/2019	41,0	231.600	20,64	SEBA KLL-Q (249)
21/11/2019	42,0	231.500	20,66	SEBA KLL-Q (249)
21/11/2019	44,0	231.600	20,71	SEBA KLL-Q (249)
21/11/2019	46,0	234.100	20,72	SEBA KLL-Q (249)
21/11/2019	48,0	234.800	20,76	SEBA KLL-Q (249)
21/11/2019	50,0	235.200	20,81	SEBA KLL-Q (249)
21/11/2019	52,0	235.400	20,83	SEBA KLL-Q (249)
21/11/2019	55,0	236.200	20,93	SEBA KLL-Q (249)
21/11/2019	58,0	236.400	20,95	SEBA KLL-Q (249)
21/11/2019	61,0	236.200	21,06	SEBA KLL-Q (249)
21/11/2019	64,0	235.400	21,14	SEBA KLL-Q (249)
21/11/2019	67,0	236.200	21,15	SEBA KLL-Q (249)
21/11/2019	70,0	236.400	21,25	SEBA KLL-Q (249)

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/07/2017	2,00	12.520	20,26	SEBA KLL-Q
14/07/2017	4,00	12.470	20,51	SEBA KLL-Q
14/07/2017	6,00	12.470	20,65	SEBA KLL-Q
14/07/2017	8,00	12.470	20,65	SEBA KLL-Q
14/07/2017	10,00	12.450	20,65	SEBA KLL-Q
14/07/2017	12,00	12.440	20,65	SEBA KLL-Q
14/07/2017	14,00	12.440	20,65	SEBA KLL-Q
14/07/2017	16,00	12.450	20,65	SEBA KLL-Q
14/07/2017	18,00	12.450	20,65	SEBA KLL-Q
14/07/2017	20,00	12.550	20,66	SEBA KLL-Q
14/07/2017	22,00	12.580	20,67	SEBA KLL-Q
14/07/2017	24,00	12.840	20,69	SEBA KLL-Q
14/07/2017	26,00	13.360	20,73	SEBA KLL-Q
14/07/2017	28,00	23.820	21,70	SEBA KLL-Q
14/07/2017	30,00	26.360	21,99	SEBA KLL-Q
14/07/2017	32,00	27.710	21,81	SEBA KLL-Q
14/07/2017	34,00	29.640	22,20	SEBA KLL-Q
14/07/2017	36,00	29.680	22,29	SEBA KLL-Q
14/07/2017	38,00	29.680	22,30	SEBA KLL-Q
14/07/2017	40,00	29.700	22,29	SEBA KLL-Q
14/07/2017	42,00	29.680	22,29	SEBA KLL-Q
14/07/2017	44,00	29.670	22,30	SEBA KLL-Q
14/07/2017	46,00	29.690	22,30	SEBA KLL-Q
14/07/2017	48,00	29.670	22,30	SEBA KLL-Q
14/07/2017	50,00	29.690	22,29	SEBA KLL-Q
14/07/2017	52,00	29.670	22,30	SEBA KLL-Q
14/07/2017	54,00	29.640	22,30	SEBA KLL-Q
14/07/2017	56,00	29.660	22,30	SEBA KLL-Q
14/07/2017	58,00	29.660	22,30	SEBA KLL-Q
14/07/2017	60,00	36.900	22,44	SEBA KLL-Q
14/07/2017	61,00	37.250	22,48	SEBA KLL-Q
14/07/2017	62,00	37.350	22,49	SEBA KLL-Q
14/07/2017	62,50	37.420	22,49	SEBA KLL-Q
14/07/2017	63,00	37.680	22,51	SEBA KLL-Q
14/07/2017	63,20	37.710	22,51	SEBA KLL-Q
14/07/2017	63,40	37.710	22,51	SEBA KLL-Q
14/07/2017	63,60	37.710	22,51	SEBA KLL-Q
14/07/2017	63,80	139.100	22,63	SEBA KLL-Q
14/07/2017	64,00	139.200	22,62	SEBA KLL-Q
14/07/2017	64,50	139.200	22,63	SEBA KLL-Q
14/07/2017	65,00	139.100	22,63	SEBA KLL-Q
14/07/2017	66,00	139.200	22,62	SEBA KLL-Q
14/07/2017	68,00	139.200	22,62	SEBA KLL-Q
14/07/2017	70,00	139.300	22,63	SEBA KLL-Q
14/07/2017	72,00	139.300	22,63	SEBA KLL-Q
14/07/2017	74,00	139.300	22,63	SEBA KLL-Q
14/07/2017	76,00	139.200	22,63	SEBA KLL-Q
14/07/2017	78,00	139.300	22,63	SEBA KLL-Q
14/07/2017	80,00	139.200	22,63	SEBA KLL-Q
14/07/2017	82,00	139.200	22,63	SEBA KLL-Q
14/07/2017	84,00	139.300	22,63	SEBA KLL-Q
14/07/2017	86,00	139.300	22,63	SEBA KLL-Q
14/07/2017	88,00	139.300	22,63	SEBA KLL-Q
14/07/2017	90,00	148.700	22,66	SEBA KLL-Q
14/07/2017	91,00	148.800	22,66	SEBA KLL-Q
14/07/2017	92,00	149.100	22,66	SEBA KLL-Q
14/07/2017	93,00	149.700	22,66	SEBA KLL-Q
14/07/2017	94,00	150.200	22,67	SEBA KLL-Q
14/07/2017	95,00	151.300	22,67	SEBA KLL-Q
14/07/2017	96,00	152.400	22,67	SEBA KLL-Q
14/07/2017	97,00	158.100	22,69	SEBA KLL-Q
14/07/2017	98,00	184.700	22,78	SEBA KLL-Q
14/07/2017	98,50	184.800	22,81	SEBA KLL-Q
14/07/2017	99,00	185.200	22,81	SEBA KLL-Q
14/07/2017	99,50	186.700	22,81	SEBA KLL-Q
14/07/2017	100,00	186.300	22,80	SEBA KLL-Q
14/07/2017	100,50	180.700	22,80	SEBA KLL-Q
14/07/2017	101,00	252.000	23,63	SEBA KLL-Q
14/07/2017	102,00	252.000	23,74	SEBA KLL-Q
14/07/2017	104,00	251.900	23,75	SEBA KLL-Q
14/07/2017	106,00	251.900	23,79	SEBA KLL-Q
14/07/2017	108,00	251.900	23,77	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/07/2017	110,00	251.900	23,78	SEBA KLL-Q
14/07/2017	112,00	251.900	23,78	SEBA KLL-Q
14/07/2017	114,00	251.800	23,78	SEBA KLL-Q
14/07/2017	116,00	251.800	23,81	SEBA KLL-Q
14/07/2017	118,00	251.900	23,81	SEBA KLL-Q
14/07/2017	120,00	251.600	23,87	SEBA KLL-Q
14/07/2017	122,00	251.500	23,88	SEBA KLL-Q
14/07/2017	124,00	251.600	23,88	SEBA KLL-Q
14/07/2017	126,00	251.500	23,90	SEBA KLL-Q
14/07/2017	128,00	251.500	23,92	SEBA KLL-Q
14/07/2017	130,00	251.500	23,98	SEBA KLL-Q
14/07/2017	132,00	251.500	23,97	SEBA KLL-Q
14/07/2017	134,00	251.500	23,99	SEBA KLL-Q
14/07/2017	136,00	251.500	24,05	SEBA KLL-Q
14/07/2017	138,00	251.600	24,11	SEBA KLL-Q
14/07/2017	139,00	251.600	24,19	SEBA KLL-Q
16/12/2017	1,00	14.500	20,91	SEBA KLL-Q
16/12/2017	2,00	14.490	20,80	SEBA KLL-Q
16/12/2017	4,00	14.480	20,86	SEBA KLL-Q
16/12/2017	6,00	14.500	20,85	SEBA KLL-Q
16/12/2017	8,00	14.470	20,84	SEBA KLL-Q
16/12/2017	10,00	14.560	20,88	SEBA KLL-Q
16/12/2017	12,00	14.590	20,85	SEBA KLL-Q
16/12/2017	14,00	14.590	20,96	SEBA KLL-Q
16/12/2017	16,00	14.640	20,84	SEBA KLL-Q
16/12/2017	18,00	14.680	20,83	SEBA KLL-Q
16/12/2017	20,00	14.730	20,93	SEBA KLL-Q
16/12/2017	22,00	14.860	20,92	SEBA KLL-Q
16/12/2017	24,00	15.110	20,89	SEBA KLL-Q
16/12/2017	26,00	15.810	21,01	SEBA KLL-Q
16/12/2017	28,00	28.000	21,97	SEBA KLL-Q
16/12/2017	28,50	28.240	22,01	SEBA KLL-Q
16/12/2017	29,00	28.780	22,16	SEBA KLL-Q
16/12/2017	30,00	30.870	22,32	SEBA KLL-Q
16/12/2017	31,00	31.150	22,30	SEBA KLL-Q
16/12/2017	32,00	32.530	22,39	SEBA KLL-Q
16/12/2017	33,00	32.970	22,42	SEBA KLL-Q
16/12/2017	34,00	34.410	22,49	SEBA KLL-Q
16/12/2017	35,00	34.810	22,56	SEBA KLL-Q
16/12/2017	36,00	34.800	22,58	SEBA KLL-Q
16/12/2017	38,00	34.810	22,59	SEBA KLL-Q
16/12/2017	40,00	34.820	22,57	SEBA KLL-Q
16/12/2017	42,00	34.820	22,57	SEBA KLL-Q
16/12/2017	44,00	34.850	22,57	SEBA KLL-Q
16/12/2017	46,00	34.860	22,54	SEBA KLL-Q
16/12/2017	48,00	34.870	22,53	SEBA KLL-Q
16/12/2017	50,00	34.840	22,64	SEBA KLL-Q
16/12/2017	52,00	34.890	22,53	SEBA KLL-Q
16/12/2017	54,00	34.930	22,50	SEBA KLL-Q
16/12/2017	56,00	34.940	22,49	SEBA KLL-Q
16/12/2017	58,00	34.960	22,49	SEBA KLL-Q
16/12/2017	60,00	38.930	22,58	SEBA KLL-Q
16/12/2017	62,00	45.840	22,77	SEBA KLL-Q
16/12/2017	63,00	46.700	22,80	SEBA KLL-Q
16/12/2017	64,00	153.200	22,83	SEBA KLL-Q
16/12/2017	64,20	153.700	22,82	SEBA KLL-Q
16/12/2017	64,40	154.100	22,80	SEBA KLL-Q
16/12/2017	64,60	154.300	22,81	SEBA KLL-Q
16/12/2017	64,80	154.700	22,78	SEBA KLL-Q
16/12/2017	65,00	154.800	22,81	SEBA KLL-Q
16/12/2017	65,50	155.200	22,76	SEBA KLL-Q
16/12/2017	66,00	155.400	22,75	SEBA KLL-Q
16/12/2017	67,00	155.500	22,76	SEBA KLL-Q
16/12/2017	68,00	155.700	22,75	SEBA KLL-Q
16/12/2017	70,00	156.000	22,72	SEBA KLL-Q
16/12/2017	72,00	156.100	22,72	SEBA KLL-Q
16/12/2017	74,00	156.200	22,72	SEBA KLL-Q
16/12/2017	76,00	156.100	22,72	SEBA KLL-Q
16/12/2017	78,00	156.100	22,73	SEBA KLL-Q
16/12/2017	80,00	156.200	22,73	SEBA KLL-Q
16/12/2017	82,00	156.300	22,73	SEBA KLL-Q
16/12/2017	84,00	156.300	22,72	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/12/2017	86,00	156.500	22,73	SEBA KLL-Q
16/12/2017	88,00	157.100	22,72	SEBA KLL-Q
16/12/2017	90,00	166.500	22,76	SEBA KLL-Q
16/12/2017	91,00	166.600	22,76	SEBA KLL-Q
16/12/2017	92,00	166.700	22,77	SEBA KLL-Q
16/12/2017	94,00	167.900	22,76	SEBA KLL-Q
16/12/2017	96,00	170.100	22,77	SEBA KLL-Q
16/12/2017	98,00	202.900	22,89	SEBA KLL-Q
16/12/2017	98,50	203.500	22,90	SEBA KLL-Q
16/12/2017	99,00	202.300	22,89	SEBA KLL-Q
16/12/2017	100,00	200.400	22,88	SEBA KLL-Q
16/12/2017	102,00	280.900	23,80	SEBA KLL-Q
16/12/2017	102,50	281.200	23,87	SEBA KLL-Q
16/12/2017	103,00	281.700	23,89	SEBA KLL-Q
16/12/2017	104,00	281.700	23,89	SEBA KLL-Q
16/12/2017	106,00	282.400	23,90	SEBA KLL-Q
16/12/2017	108,00	282.700	23,91	SEBA KLL-Q
16/12/2017	110,00	283.000	23,90	SEBA KLL-Q
16/12/2017	112,00	283.100	23,91	SEBA KLL-Q
16/12/2017	114,00	283.300	23,92	SEBA KLL-Q
16/12/2017	116,00	283.100	23,93	SEBA KLL-Q
16/12/2017	118,00	283.200	23,94	SEBA KLL-Q
16/12/2017	120,00	283.100	23,94	SEBA KLL-Q
16/12/2017	122,00	282.900	24,00	SEBA KLL-Q
16/12/2017	124,00	282.900	24,00	SEBA KLL-Q
16/12/2017	126,00	282.900	24,04	SEBA KLL-Q
16/12/2017	128,00	282.800	24,07	SEBA KLL-Q
16/12/2017	130,00	282.700	24,09	SEBA KLL-Q
16/12/2017	132,00	282.500	24,10	SEBA KLL-Q
16/12/2017	134,00	282.300	24,10	SEBA KLL-Q
16/12/2017	136,00	282.300	24,18	SEBA KLL-Q
16/12/2017	138,00	282.200	24,24	SEBA KLL-Q
29/03/2018	0,8	11.000	20,00	Solinst TLC 107
29/03/2018	1,0	11.300	20,40	Solinst TLC 107
29/03/2018	1,2	11.400	20,50	Solinst TLC 107
29/03/2018	1,4	11.500	20,50	Solinst TLC 107
29/03/2018	1,6	11.500	20,50	Solinst TLC 107
29/03/2018	1,8	11.600	20,60	Solinst TLC 107
29/03/2018	2,0	11.600	20,60	Solinst TLC 107
29/03/2018	2,5	11.600	20,70	Solinst TLC 107
29/03/2018	3,0	11.700	20,70	Solinst TLC 107
29/03/2018	3,5	11.700	20,70	Solinst TLC 107
29/03/2018	4,0	11.700	20,70	Solinst TLC 107
29/03/2018	5,0	11.700	20,80	Solinst TLC 107
29/03/2018	6,0	11.700	20,80	Solinst TLC 107
29/03/2018	7,0	12.000	20,80	Solinst TLC 107
29/03/2018	8,0	12.000	20,80	Solinst TLC 107
29/03/2018	10,0	12.100	20,80	Solinst TLC 107
29/03/2018	12,0	12.100	20,80	Solinst TLC 107
29/03/2018	14,0	12.200	20,80	Solinst TLC 107
29/03/2018	16,0	12.200	20,80	Solinst TLC 107
29/03/2018	18,0	12.200	20,80	Solinst TLC 107
29/03/2018	20,0	12.200	20,80	Solinst TLC 107
29/03/2018	22,0	12.400	20,80	Solinst TLC 107
29/03/2018	24,0	12.600	20,80	Solinst TLC 107
29/03/2018	26,0	13.200	20,80	Solinst TLC 107
29/03/2018	28,0	25.900	21,80	Solinst TLC 107
29/03/2018	29,0	26.700	21,80	Solinst TLC 107
29/03/2018	30,0	28.700	22,80	Solinst TLC 107
29/03/2018	32,0	30.500	22,10	Solinst TLC 107
29/03/2018	34,0	31.400	22,30	Solinst TLC 107
29/03/2018	36,0	35.500	22,50	Solinst TLC 107
29/03/2018	38,0	35.500	22,50	Solinst TLC 107
29/03/2018	40,0	35.700	22,50	Solinst TLC 107
29/03/2018	42,0	36.300	22,50	Solinst TLC 107
29/03/2018	44,0	36.600	22,50	Solinst TLC 107
29/03/2018	46,0	36.800	22,50	Solinst TLC 107
29/03/2018	48,0	37.000	22,50	Solinst TLC 107
29/03/2018	50,0	37.500	22,50	Solinst TLC 107
29/03/2018	51,0	37.600	22,50	Solinst TLC 107
29/03/2018	52,0	37.500	22,50	Solinst TLC 107
29/03/2018	53,0	37.500	22,50	Solinst TLC 107

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
29/03/2018	54,0	37.600	22,50	Solinst TLC 107
29/03/2018	55,0	37.700	22,50	Solinst TLC 107
29/03/2018	56,0	37.800	22,50	Solinst TLC 107
29/03/2018	57,0	37.900	22,50	Solinst TLC 107
29/03/2018	58,0	38.000	22,50	Solinst TLC 107
29/03/2018	59,0	38.100	22,50	Solinst TLC 107
29/03/2018	60,0	47.100	22,60	Solinst TLC 107
29/03/2018	60,2	47.700	22,70	Solinst TLC 107
29/03/2018	60,4	47.900	22,70	Solinst TLC 107
29/03/2018	60,6	48.000	22,70	Solinst TLC 107
29/03/2018	60,8	48.100	22,70	Solinst TLC 107
29/03/2018	61,0	48.200	22,70	Solinst TLC 107
29/03/2018	61,2	48.200	22,70	Solinst TLC 107
29/03/2018	61,4	48.200	22,70	Solinst TLC 107
29/03/2018	61,6	48.300	22,70	Solinst TLC 107
29/03/2018	61,8	48.400	22,70	Solinst TLC 107
29/03/2018	62,0	48.700	22,70	Solinst TLC 107
29/03/2018	62,2	48.700	22,70	Solinst TLC 107
29/03/2018	62,4	48.700	22,70	Solinst TLC 107
29/03/2018	62,6	48.900	22,70	Solinst TLC 107
29/03/2018	62,8	49.000	22,80	Solinst TLC 107
29/03/2018	63,0	49.200	22,80	Solinst TLC 107
29/03/2018	63,2	53.200	22,80	Solinst TLC 107
29/03/2018	63,4	55.200	22,80	Solinst TLC 107
29/03/2018	63,6	125.900	22,80	Solinst TLC 107
29/03/2018	63,8	127.200	22,80	Solinst TLC 107
29/03/2018	64,0	127.700	22,80	Solinst TLC 107
29/03/2018	64,5	127.800	22,80	Solinst TLC 107
29/03/2018	65,0	127.800	22,80	Solinst TLC 107
29/03/2018	66,0	127.600	22,80	Solinst TLC 107
29/03/2018	68,0	127.200	22,80	Solinst TLC 107
29/03/2018	70,0	127.200	22,80	Solinst TLC 107
29/03/2018	72,0	127.800	22,80	Solinst TLC 107
29/03/2018	74,0	127.900	22,80	Solinst TLC 107
29/03/2018	76,0	127.900	22,80	Solinst TLC 107
29/03/2018	78,0	127.700	22,80	Solinst TLC 107
29/03/2018	80,0	127.700	22,80	Solinst TLC 107
29/03/2018	82,0	127.600	22,80	Solinst TLC 107
29/03/2018	84,0	128.300	22,80	Solinst TLC 107
29/03/2018	86,0	127.300	22,80	Solinst TLC 107
29/03/2018	88,0	127.400	22,80	Solinst TLC 107
29/03/2018	90,0	129.800	22,80	Solinst TLC 107
29/03/2018	91,0	129.800	22,80	Solinst TLC 107
29/03/2018	92,0	130.400	22,80	Solinst TLC 107
29/03/2018	94,0	130.300	22,80	Solinst TLC 107
29/03/2018	96,0	130.200	22,80	Solinst TLC 107
29/03/2018	98,0	145.700	22,90	Solinst TLC 107
29/03/2018	99,0	146.000	22,90	Solinst TLC 107
29/03/2018	100,0	142.200	23,00	Solinst TLC 107
29/03/2018	102,0	127.300	23,80	Solinst TLC 107
29/03/2018	104,0	126.000	23,90	Solinst TLC 107
29/03/2018	106,0	125.000	23,90	Solinst TLC 107
29/03/2018	108,0	124.700	23,90	Solinst TLC 107
29/03/2018	110,0	123.800	23,90	Solinst TLC 107
29/03/2018	112,0	123.000	23,90	Solinst TLC 107
29/03/2018	114,0	123.000	23,90	Solinst TLC 107
29/03/2018	116,0	123.700	23,90	Solinst TLC 107
29/03/2018	118,0	124.000	23,90	Solinst TLC 107
29/03/2018	119,0	124.200	23,90	Solinst TLC 107
29/03/2018	120,0	124.300	24,00	Solinst TLC 107
29/03/2018	121,0	124.700	24,00	Solinst TLC 107
29/03/2018	122,0	125.200	24,00	Solinst TLC 107
29/03/2018	123,0	125.500	24,00	Solinst TLC 107
29/03/2018	124,0	125.900	24,00	Solinst TLC 107
29/03/2018	125,0	126.200	24,00	Solinst TLC 107
29/03/2018	126,0	126.600	24,00	Solinst TLC 107
29/03/2018	127,0	125.800	24,00	Solinst TLC 107
29/03/2018	128,0	126.700	24,00	Solinst TLC 107
29/03/2018	129,0	126.600	24,00	Solinst TLC 107
29/03/2018	130,0	128.100	24,20	Solinst TLC 107
29/03/2018	131,0	128.200	24,20	Solinst TLC 107
29/03/2018	132,0	129.600	24,20	Solinst TLC 107

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
29/03/2018	133,0	128.800	24,20	Solinst TLC 107
29/03/2018	134,0	129.600	24,20	Solinst TLC 107
29/03/2018	135,0	131.500	24,20	Solinst TLC 107
29/03/2018	136,0	127.800	24,30	Solinst TLC 107
29/03/2018	137,0	136.200	24,30	Solinst TLC 107
29/03/2018	138,0	141.500	24,30	Solinst TLC 107
29/03/2018	139,0	150.000	24,30	Solinst TLC 107
29/03/2018	140,0	107.000	24,40	Solinst TLC 107
29/03/2018	141,0	106.200	24,40	Solinst TLC 107
29/03/2018	142,0	107.500	24,40	Solinst TLC 107
29/03/2018	143,0	109.800	24,40	Solinst TLC 107
29/03/2018	144,0	112.200	24,40	Solinst TLC 107
06/04/2018	0,8	11.700	20,90	Solinst TLC 107
06/04/2018	1,0	11.800	20,80	Solinst TLC 107
06/04/2018	2,0	11.900	20,70	Solinst TLC 107
06/04/2018	4,0	12.100	20,80	Solinst TLC 107
06/04/2018	6,0	12.100	20,80	Solinst TLC 107
06/04/2018	8,0	11.900	20,80	Solinst TLC 107
06/04/2018	10,0	12.000	20,80	Solinst TLC 107
06/04/2018	12,0	12.100	20,80	Solinst TLC 107
06/04/2018	14,0	11.900	20,80	Solinst TLC 107
06/04/2018	16,0	11.900	20,80	Solinst TLC 107
06/04/2018	18,0	11.900	20,80	Solinst TLC 107
06/04/2018	20,0	12.000	20,80	Solinst TLC 107
06/04/2018	22,0	12.200	20,80	Solinst TLC 107
06/04/2018	24,0	12.300	20,80	Solinst TLC 107
06/04/2018	26,0	13.100	20,80	Solinst TLC 107
06/04/2018	28,0	26.100	21,80	Solinst TLC 107
06/04/2018	30,0	29.200	22,00	Solinst TLC 107
06/04/2018	32,0	30.900	22,10	Solinst TLC 107
06/04/2018	34,0	32.200	22,30	Solinst TLC 107
06/04/2018	36,0	34.500	22,50	Solinst TLC 107
06/04/2018	38,0	34.400	22,50	Solinst TLC 107
06/04/2018	40,0	34.200	22,50	Solinst TLC 107
06/04/2018	42,0	34.000	22,50	Solinst TLC 107
06/04/2018	44,0	33.900	22,50	Solinst TLC 107
06/04/2018	46,0	33.700	22,50	Solinst TLC 107
06/04/2018	48,0	33.500	22,50	Solinst TLC 107
06/04/2018	50,0	33.400	22,50	Solinst TLC 107
06/04/2018	52,0	33.200	22,50	Solinst TLC 107
06/04/2018	54,0	32.900	22,50	Solinst TLC 107
06/04/2018	56,0	33.000	22,50	Solinst TLC 107
06/04/2018	58,0	32.800	22,50	Solinst TLC 107
06/04/2018	60,0	39.800	22,70	Solinst TLC 107
06/04/2018	62,0	42.400	22,70	Solinst TLC 107
06/04/2018	63,0	42.500	22,80	Solinst TLC 107
06/04/2018	63,5	104.500	22,80	Solinst TLC 107
06/04/2018	63,7	105.800	22,80	Solinst TLC 107
06/04/2018	64,0	105.900	22,80	Solinst TLC 107
06/04/2018	64,2	105.900	22,80	Solinst TLC 107
06/04/2018	64,4	105.700	22,80	Solinst TLC 107
06/04/2018	64,6	105.800	22,80	Solinst TLC 107
06/04/2018	64,8	105.800	22,80	Solinst TLC 107
06/04/2018	65,0	105.600	22,80	Solinst TLC 107
06/04/2018	65,2	105.700	22,80	Solinst TLC 107
06/04/2018	65,4	105.700	22,80	Solinst TLC 107
06/04/2018	65,6	105.600	22,80	Solinst TLC 107
06/04/2018	65,8	105.100	22,80	Solinst TLC 107
06/04/2018	66,0	105.000	22,80	Solinst TLC 107
06/04/2018	66,5	105.100	22,80	Solinst TLC 107
06/04/2018	67,0	104.800	22,80	Solinst TLC 107
06/04/2018	68,0	105.500	22,80	Solinst TLC 107
06/04/2018	70,0	106.400	22,80	Solinst TLC 107
06/04/2018	72,0	105.400	22,80	Solinst TLC 107
06/04/2018	74,0	105.200	22,80	Solinst TLC 107
06/04/2018	76,0	98.700	22,80	Solinst TLC 107
06/04/2018	78,0	98.100	22,80	Solinst TLC 107
06/04/2018	80,0	97.600	22,80	Solinst TLC 107
06/04/2018	82,0	97.600	22,80	Solinst TLC 107
06/04/2018	84,0	97.200	22,80	Solinst TLC 107
06/04/2018	86,0	97.300	22,80	Solinst TLC 107
06/04/2018	88,0	96.900	22,80	Solinst TLC 107

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/04/2018	90,0	103.300	22,80	Solinst TLC 107
06/04/2018	92,0	102.600	22,80	Solinst TLC 107
06/04/2018	94,0	103.000	22,80	Solinst TLC 107
06/04/2018	96,0	101.400	22,80	Solinst TLC 107
06/04/2018	98,0	108.500	22,90	Solinst TLC 107
06/04/2018	100,0	109.200	22,90	Solinst TLC 107
06/04/2018	102,0	104.000	22,80	Solinst TLC 107
06/04/2018	104,0	105.000	23,90	Solinst TLC 107
06/04/2018	106,0	107.200	23,90	Solinst TLC 107
06/04/2018	108,0	108.800	23,90	Solinst TLC 107
06/04/2018	110,0	110.000	23,90	Solinst TLC 107
06/04/2018	112,0	111.600	23,90	Solinst TLC 107
06/04/2018	114,0	112.600	23,90	Solinst TLC 107
06/04/2018	116,0	116.400	23,90	Solinst TLC 107
06/04/2018	118,0	117.500	23,90	Solinst TLC 107
06/04/2018	120,0	119.100	24,00	Solinst TLC 107
06/04/2018	122,0	119.100	24,00	Solinst TLC 107
06/04/2018	124,0	122.700	24,00	Solinst TLC 107
06/04/2018	126,0	121.500	24,00	Solinst TLC 107
06/04/2018	128,0	123.400	24,00	Solinst TLC 107
06/04/2018	130,0	125.100	24,20	Solinst TLC 107
06/04/2018	132,0	126.200	24,20	Solinst TLC 107
06/04/2018	134,0	121.700	24,20	Solinst TLC 107
06/04/2018	136,0	124.600	24,30	Solinst TLC 107
06/04/2018	138,0	115.300	24,30	Solinst TLC 107
06/04/2018	140,0	105.400	24,30	Solinst TLC 107
06/04/2018	142,0	105.200	24,40	Solinst TLC 107
30/07/2018	1,0	14.020	19,91	SEBA KLL-Q
30/07/2018	2,0	13.920	20,24	SEBA KLL-Q
30/07/2018	3,0	13.900	20,43	SEBA KLL-Q
30/07/2018	5,0	13.890	20,49	SEBA KLL-Q
30/07/2018	7,0	13.840	20,60	SEBA KLL-Q
30/07/2018	9,0	13.850	20,63	SEBA KLL-Q
30/07/2018	11,0	13.860	20,63	SEBA KLL-Q
30/07/2018	13,0	13.870	20,62	SEBA KLL-Q
30/07/2018	15,0	13.860	20,61	SEBA KLL-Q
30/07/2018	17,0	13.850	20,61	SEBA KLL-Q
30/07/2018	19,0	13.920	20,61	SEBA KLL-Q
30/07/2018	21,0	13.980	20,62	SEBA KLL-Q
30/07/2018	23,0	14.040	20,63	SEBA KLL-Q
30/07/2018	25,0	14.370	20,65	SEBA KLL-Q
30/07/2018	27,0	27.840	21,70	SEBA KLL-Q
30/07/2018	27,5	28.030	21,77	SEBA KLL-Q
30/07/2018	28,0	28.450	21,81	SEBA KLL-Q
30/07/2018	29,0	29.290	21,88	SEBA KLL-Q
30/07/2018	30,0	31.690	22,08	SEBA KLL-Q
30/07/2018	32,0	33.700	22,20	SEBA KLL-Q
30/07/2018	34,0	35.980	22,39	SEBA KLL-Q
30/07/2018	36,0	36.080	22,40	SEBA KLL-Q
30/07/2018	38,0	36.070	22,40	SEBA KLL-Q
30/07/2018	40,0	36.070	22,39	SEBA KLL-Q
30/07/2018	42,0	36.100	22,40	SEBA KLL-Q
30/07/2018	44,0	36.110	22,39	SEBA KLL-Q
30/07/2018	46,0	36.090	22,41	SEBA KLL-Q
30/07/2018	48,0	36.110	22,40	SEBA KLL-Q
30/07/2018	50,0	36.100	22,41	SEBA KLL-Q
30/07/2018	52,0	36.020	22,41	SEBA KLL-Q
30/07/2018	54,0	35.410	22,37	SEBA KLL-Q
30/07/2018	56,0	35.410	22,37	SEBA KLL-Q
30/07/2018	58,0	35.430	22,38	SEBA KLL-Q
30/07/2018	60,0	39.210	22,41	SEBA KLL-Q
30/07/2018	62,0	44.280	22,61	SEBA KLL-Q
30/07/2018	63,0	44.550	22,61	SEBA KLL-Q
30/07/2018	63,5	161.100	22,66	SEBA KLL-Q
30/07/2018	64,0	161.200	22,67	SEBA KLL-Q
30/07/2018	65,0	161.400	22,67	SEBA KLL-Q
30/07/2018	67,0	161.400	22,66	SEBA KLL-Q
30/07/2018	69,0	161.400	22,67	SEBA KLL-Q
30/07/2018	71,0	161.400	22,67	SEBA KLL-Q
30/07/2018	73,0	161.400	22,69	SEBA KLL-Q
30/07/2018	75,0	161.400	22,67	SEBA KLL-Q
30/07/2018	77,0	161.400	22,67	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
30/07/2018	79,0	161.400	22,68	SEBA KLL-Q
30/07/2018	81,0	161.400	22,67	SEBA KLL-Q
30/07/2018	83,0	161.400	22,68	SEBA KLL-Q
30/07/2018	85,0	161.400	22,69	SEBA KLL-Q
30/07/2018	87,0	161.400	22,68	SEBA KLL-Q
30/07/2018	89,0	163.700	22,78	SEBA KLL-Q
30/07/2018	91,0	171.500	22,70	SEBA KLL-Q
30/07/2018	92,0	171.700	22,70	SEBA KLL-Q
30/07/2018	94,0	172.300	22,72	SEBA KLL-Q
30/07/2018	96,0	174.700	22,71	SEBA KLL-Q
30/07/2018	98,0	209.300	22,84	SEBA KLL-Q
30/07/2018	98,2	210.200	22,84	SEBA KLL-Q
30/07/2018	98,4	209.200	22,83	SEBA KLL-Q
30/07/2018	98,6	210.400	22,84	SEBA KLL-Q
30/07/2018	98,8	209.800	22,85	SEBA KLL-Q
30/07/2018	99,0	210.100	22,83	SEBA KLL-Q
30/07/2018	100,0	206.700	22,83	SEBA KLL-Q
30/07/2018	101,0	288.100	23,73	SEBA KLL-Q
30/07/2018	101,2	288.300	23,76	SEBA KLL-Q
30/07/2018	101,4	288.400	23,77	SEBA KLL-Q
30/07/2018	101,6	288.300	23,80	SEBA KLL-Q
30/07/2018	101,8	288.300	23,81	SEBA KLL-Q
30/07/2018	102,0	288.300	23,80	SEBA KLL-Q
30/07/2018	104,0	288.200	23,84	SEBA KLL-Q
30/07/2018	106,0	288.100	23,83	SEBA KLL-Q
30/07/2018	108,0	288.000	23,83	SEBA KLL-Q
30/07/2018	110,0	288.000	23,83	SEBA KLL-Q
30/07/2018	112,0	287.900	23,85	SEBA KLL-Q
30/07/2018	114,0	287.900	23,86	SEBA KLL-Q
30/07/2018	116,0	287.800	23,78	SEBA KLL-Q
30/07/2018	118,0	287.700	23,87	SEBA KLL-Q
21/08/2018	0,8	12.300	20,48	SEBA KLL-Q
21/08/2018	1,0	12.270	20,48	SEBA KLL-Q
21/08/2018	1,5	12.240	20,50	SEBA KLL-Q
21/08/2018	2,0	12.240	20,53	SEBA KLL-Q
21/08/2018	3,0	12.230	20,62	SEBA KLL-Q
21/08/2018	4,0	12.240	20,64	SEBA KLL-Q
21/08/2018	6,0	12.300	20,73	SEBA KLL-Q
21/08/2018	8,0	12.300	20,73	SEBA KLL-Q
21/08/2018	10,0	12.300	20,74	SEBA KLL-Q
21/08/2018	12,0	12.300	20,76	SEBA KLL-Q
21/08/2018	14,0	12.320	20,74	SEBA KLL-Q
21/08/2018	16,0	12.330	20,74	SEBA KLL-Q
21/08/2018	18,0	12.330	20,76	SEBA KLL-Q
21/08/2018	20,0	12.320	20,76	SEBA KLL-Q
21/08/2018	22,0	12.380	20,73	SEBA KLL-Q
21/08/2018	24,0	12.640	20,79	SEBA KLL-Q
21/08/2018	26,0	13.100	20,79	SEBA KLL-Q
21/08/2018	28,0	24.860	21,84	SEBA KLL-Q
21/08/2018	28,5	25.160	21,92	SEBA KLL-Q
21/08/2018	29,0	25.690	22,00	SEBA KLL-Q
21/08/2018	30,0	27.800	22,15	SEBA KLL-Q
21/08/2018	31,0	28.050	22,23	SEBA KLL-Q
21/08/2018	32,0	29.620	22,32	SEBA KLL-Q
21/08/2018	34,0	30.370	22,37	SEBA KLL-Q
21/08/2018	36,0	32.660	22,55	SEBA KLL-Q
21/08/2018	38,0	32.630	22,55	SEBA KLL-Q
21/08/2018	40,0	32.720	22,60	SEBA KLL-Q
21/08/2018	42,0	32.680	22,59	SEBA KLL-Q
21/08/2018	44,0	32.660	22,55	SEBA KLL-Q
21/08/2018	46,0	32.750	22,55	SEBA KLL-Q
21/08/2018	48,0	32.600	22,55	SEBA KLL-Q
21/08/2018	50,0	32.760	22,56	SEBA KLL-Q
21/08/2018	52,0	32.760	22,60	SEBA KLL-Q
21/08/2018	54,0	32.600	22,56	SEBA KLL-Q
21/08/2018	56,0	32.430	22,60	SEBA KLL-Q
21/08/2018	58,0	31.830	22,52	SEBA KLL-Q
21/08/2018	60,0	34.270	22,55	SEBA KLL-Q
21/08/2018	62,0	38.700	22,75	SEBA KLL-Q
21/08/2018	63,0	38.930	22,72	SEBA KLL-Q
21/08/2018	64,0	144.900	22,84	SEBA KLL-Q
21/08/2018	64,2	145.000	22,84	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/08/2018	64,4	145.000	22,81	SEBA KLL-Q
21/08/2018	64,6	145.000	22,78	SEBA KLL-Q
21/08/2018	64,8	145.000	22,80	SEBA KLL-Q
21/08/2018	65,0	145.000	22,78	SEBA KLL-Q
21/08/2018	65,5	145.000	22,83	SEBA KLL-Q
21/08/2018	66,0	144.900	22,84	SEBA KLL-Q
21/08/2018	67,0	144.900	22,84	SEBA KLL-Q
21/08/2018	68,0	145.000	22,81	SEBA KLL-Q
21/08/2018	70,0	144.900	22,79	SEBA KLL-Q
21/08/2018	72,0	145.000	22,78	SEBA KLL-Q
21/08/2018	74,0	144.900	22,81	SEBA KLL-Q
21/08/2018	76,0	144.800	22,85	SEBA KLL-Q
21/08/2018	78,0	144.900	22,80	SEBA KLL-Q
21/08/2018	80,0	144.900	22,81	SEBA KLL-Q
21/08/2018	82,0	145.000	22,78	SEBA KLL-Q
21/08/2018	84,0	144.900	22,78	SEBA KLL-Q
21/08/2018	86,0	145.000	22,77	SEBA KLL-Q
21/08/2018	88,0	144.900	22,78	SEBA KLL-Q
21/08/2018	90,0	153.700	22,81	SEBA KLL-Q
21/08/2018	91,0	153.700	22,79	SEBA KLL-Q
21/08/2018	92,0	153.600	22,87	SEBA KLL-Q
21/08/2018	94,0	155.100	22,80	SEBA KLL-Q
21/08/2018	96,0	156.900	22,85	SEBA KLL-Q
21/08/2018	98,0	188.900	22,93	SEBA KLL-Q
21/08/2018	98,5	188.000	22,95	SEBA KLL-Q
21/08/2018	99,0	187.500	22,94	SEBA KLL-Q
21/08/2018	100,0	189.400	22,93	SEBA KLL-Q
21/08/2018	100,2	190.100	22,94	SEBA KLL-Q
21/08/2018	100,4	189.100	22,94	SEBA KLL-Q
21/08/2018	100,6	185.200	22,91	SEBA KLL-Q
21/08/2018	100,8	251.200	23,62	SEBA KLL-Q
21/08/2018	101,0	258.400	23,89	SEBA KLL-Q
21/08/2018	101,2	258.600	23,86	SEBA KLL-Q
21/08/2018	101,4	258.700	23,86	SEBA KLL-Q
21/08/2018	101,6	258.600	23,88	SEBA KLL-Q
21/08/2018	101,8	258.500	23,89	SEBA KLL-Q
21/08/2018	102,0	258.600	23,88	SEBA KLL-Q
21/08/2018	102,5	258.500	23,90	SEBA KLL-Q
21/08/2018	103,0	258.600	23,90	SEBA KLL-Q
21/08/2018	104,0	258.200	23,97	SEBA KLL-Q
21/08/2018	106,0	258.300	23,90	SEBA KLL-Q
21/08/2018	108,0	258.300	23,91	SEBA KLL-Q
21/08/2018	110,0	258.200	23,92	SEBA KLL-Q
21/08/2018	112,0	258.100	23,96	SEBA KLL-Q
21/08/2018	115,0	257.900	23,98	SEBA KLL-Q
21/08/2018	118,0	257.900	23,99	SEBA KLL-Q
21/08/2018	121,0	257.900	24,00	SEBA KLL-Q
21/08/2018	124,0	257.700	24,04	SEBA KLL-Q
21/08/2018	127,0	257.800	24,05	SEBA KLL-Q
21/08/2018	130,0	257.500	24,14	SEBA KLL-Q
21/08/2018	133,0	257.900	24,10	SEBA KLL-Q
21/08/2018	136,0	257.600	24,22	SEBA KLL-Q
21/08/2018	139,0	257.800	24,27	SEBA KLL-Q
08/09/2018	0,6	12.480	20,00	SEBA KLL-Q
08/09/2018	0,8	12.480	20,20	SEBA KLL-Q
08/09/2018	1,0	12.480	20,20	SEBA KLL-Q
08/09/2018	1,5	12.480	20,30	SEBA KLL-Q
08/09/2018	2,0	12.480	20,40	SEBA KLL-Q
08/09/2018	3,0	12.480	20,40	SEBA KLL-Q
08/09/2018	4,0	12.470	20,50	SEBA KLL-Q
08/09/2018	6,0	12.460	20,60	SEBA KLL-Q
08/09/2018	8,0	12.460	20,70	SEBA KLL-Q
08/09/2018	10,0	12.460	20,70	SEBA KLL-Q
08/09/2018	12,0	12.460	20,70	SEBA KLL-Q
08/09/2018	14,0	12.470	20,70	SEBA KLL-Q
08/09/2018	16,0	12.470	20,70	SEBA KLL-Q
08/09/2018	18,0	12.460	20,70	SEBA KLL-Q
08/09/2018	20,0	12.480	20,70	SEBA KLL-Q
08/09/2018	22,0	12.620	20,70	SEBA KLL-Q
08/09/2018	24,0	12.840	20,70	SEBA KLL-Q
08/09/2018	26,0	13.330	20,70	SEBA KLL-Q
08/09/2018	27,0	28.860	20,70	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/09/2018	28,0	25.280	21,80	SEBA KLL-Q
08/09/2018	29,0	25.900	21,90	SEBA KLL-Q
08/09/2018	30,0	28.320	22,10	SEBA KLL-Q
08/09/2018	32,0	30.250	22,20	SEBA KLL-Q
08/09/2018	34,0	31.030	22,30	SEBA KLL-Q
08/09/2018	36,0	33.300	22,50	SEBA KLL-Q
08/09/2018	38,0	33.360	22,50	SEBA KLL-Q
08/09/2018	40,0	33.380	22,60	SEBA KLL-Q
08/09/2018	42,0	33.380	22,60	SEBA KLL-Q
08/09/2018	44,0	33.360	22,60	SEBA KLL-Q
08/09/2018	46,0	33.430	22,60	SEBA KLL-Q
08/09/2018	48,0	33.280	22,60	SEBA KLL-Q
08/09/2018	50,0	33.450	22,50	SEBA KLL-Q
08/09/2018	52,0	33.430	22,50	SEBA KLL-Q
08/09/2018	54,0	33.420	22,50	SEBA KLL-Q
08/09/2018	56,0	32.980	22,50	SEBA KLL-Q
08/09/2018	58,0	33.580	22,50	SEBA KLL-Q
08/09/2018	60,0	33.980	22,50	SEBA KLL-Q
08/09/2018	62,0	39.250	22,50	SEBA KLL-Q
08/09/2018	64,0	146.000	22,80	SEBA KLL-Q
08/09/2018	66,0	146.000	22,80	SEBA KLL-Q
08/09/2018	68,0	146.000	22,80	SEBA KLL-Q
08/09/2018	70,0	146.000	22,80	SEBA KLL-Q
08/09/2018	72,0	146.000	22,80	SEBA KLL-Q
08/09/2018	74,0	146.000	22,80	SEBA KLL-Q
08/09/2018	76,0	146.000	22,80	SEBA KLL-Q
08/09/2018	78,0	146.000	22,80	SEBA KLL-Q
08/09/2018	80,0	146.000	22,80	SEBA KLL-Q
08/09/2018	82,0	146.000	22,80	SEBA KLL-Q
08/09/2018	84,0	146.100	22,80	SEBA KLL-Q
08/09/2018	85,0	146.100	22,80	SEBA KLL-Q
08/09/2018	86,0	146.100	22,80	SEBA KLL-Q
08/09/2018	87,0	146.200	22,80	SEBA KLL-Q
08/09/2018	88,0	146.600	22,80	SEBA KLL-Q
08/09/2018	89,0	147.800	22,80	SEBA KLL-Q
08/09/2018	90,0	155.000	22,80	SEBA KLL-Q
08/09/2018	91,0	154.900	22,80	SEBA KLL-Q
08/09/2018	92,0	155.100	22,80	SEBA KLL-Q
08/09/2018	93,0	155.300	22,80	SEBA KLL-Q
08/09/2018	94,0	156.400	22,80	SEBA KLL-Q
08/09/2018	95,0	157.500	22,80	SEBA KLL-Q
08/09/2018	96,0	158.200	22,80	SEBA KLL-Q
08/09/2018	98,0	190.200	22,90	SEBA KLL-Q
08/09/2018	98,2	190.000	22,90	SEBA KLL-Q
08/09/2018	98,5	190.200	22,90	SEBA KLL-Q
08/09/2018	99,0	188.500	22,90	SEBA KLL-Q
08/09/2018	99,5	188.400	22,90	SEBA KLL-Q
08/09/2018	100,0	190.400	23,00	SEBA KLL-Q
08/09/2018	100,5	186.500	23,00	SEBA KLL-Q
08/09/2018	101,0	264.200	23,00	SEBA KLL-Q
08/09/2018	101,2	264.200	23,00	SEBA KLL-Q
08/09/2018	101,4	261.500	23,00	SEBA KLL-Q
08/09/2018	101,6	261.500	23,90	SEBA KLL-Q
08/09/2018	102,0	261.400	23,90	SEBA KLL-Q
08/09/2018	104,0	261.400	23,90	SEBA KLL-Q
08/09/2018	106,0	261.300	23,90	SEBA KLL-Q
08/09/2018	108,0	261.300	23,90	SEBA KLL-Q
08/09/2018	110,0	261.300	23,90	SEBA KLL-Q
08/09/2018	112,0	261.300	23,90	SEBA KLL-Q
08/09/2018	114,0	261.200	23,90	SEBA KLL-Q
08/09/2018	116,0	261.200	23,90	SEBA KLL-Q
08/09/2018	118,0	261.100	24,00	SEBA KLL-Q
08/09/2018	121,0	261.100	24,00	SEBA KLL-Q
08/09/2018	124,0	260.800	24,00	SEBA KLL-Q
08/09/2018	127,0	260.800	24,10	SEBA KLL-Q
08/09/2018	130,0	260.800	24,10	SEBA KLL-Q
08/09/2018	133,0	260.700	24,10	SEBA KLL-Q
08/09/2018	134,6	260.700	24,10	SEBA KLL-Q
05/11/2018	0,8	12.110	21,57	SEBA KLL-Q
05/11/2018	1,0	12.110	21,30	SEBA KLL-Q
05/11/2018	1,5	12.120	21,17	SEBA KLL-Q
05/11/2018	2,0	12.110	21,16	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/11/2018	4,0	12.110	21,16	SEBA KLL-Q
05/11/2018	6,0	12.140	21,22	SEBA KLL-Q
05/11/2018	8,0	12.200	21,22	SEBA KLL-Q
05/11/2018	10,0	12.210	21,23	SEBA KLL-Q
05/11/2018	12,0	12.220	21,25	SEBA KLL-Q
05/11/2018	14,0	12.220	21,26	SEBA KLL-Q
05/11/2018	16,0	12.220	21,28	SEBA KLL-Q
05/11/2018	18,0	12.230	21,30	SEBA KLL-Q
05/11/2018	20,0	12.290	21,31	SEBA KLL-Q
05/11/2018	22,0	12.470	21,34	SEBA KLL-Q
05/11/2018	24,0	12.600	21,35	SEBA KLL-Q
05/11/2018	26,0	13.050	21,40	SEBA KLL-Q
05/11/2018	28,0	25.510	22,52	SEBA KLL-Q
05/11/2018	30,0	28.600	22,90	SEBA KLL-Q
05/11/2018	32,0	30.540	23,08	SEBA KLL-Q
05/11/2018	34,0	32.010	23,25	SEBA KLL-Q
05/11/2018	36,0	32.070	23,26	SEBA KLL-Q
05/11/2018	38,0	32.010	23,25	SEBA KLL-Q
05/11/2018	40,0	32.110	23,23	SEBA KLL-Q
05/11/2018	42,0	32.110	23,25	SEBA KLL-Q
05/11/2018	44,0	32.200	23,25	SEBA KLL-Q
05/11/2018	46,0	31.930	23,26	SEBA KLL-Q
05/11/2018	48,0	32.000	23,24	SEBA KLL-Q
05/11/2018	50,0	32.060	23,24	SEBA KLL-Q
05/11/2018	52,0	31.930	23,24	SEBA KLL-Q
05/11/2018	54,0	32.280	23,25	SEBA KLL-Q
05/11/2018	56,0	31.600	23,23	SEBA KLL-Q
05/11/2018	58,0	31.050	23,22	SEBA KLL-Q
05/11/2018	60,0	36.780	23,35	SEBA KLL-Q
05/11/2018	62,0	36.900	23,39	SEBA KLL-Q
05/11/2018	64,0	140.000	23,48	SEBA KLL-Q
05/11/2018	64,5	139.800	23,55	SEBA KLL-Q
05/11/2018	65,0	139.800	23,56	SEBA KLL-Q
05/11/2018	66,0	140.100	23,47	SEBA KLL-Q
05/11/2018	67,0	140.000	23,50	SEBA KLL-Q
05/11/2018	68,0	140.200	23,45	SEBA KLL-Q
05/11/2018	69,0	139.500	23,68	SEBA KLL-Q
05/11/2018	70,0	140.300	23,44	SEBA KLL-Q
05/11/2018	72,0	140.300	23,42	SEBA KLL-Q
05/11/2018	74,0	140.300	23,44	SEBA KLL-Q
05/11/2018	76,0	140.300	23,41	SEBA KLL-Q
05/11/2018	78,0	140.300	23,43	SEBA KLL-Q
05/11/2018	80,0	140.500	23,39	SEBA KLL-Q
05/11/2018	82,0	140.500	23,39	SEBA KLL-Q
05/11/2018	84,0	140.500	23,41	SEBA KLL-Q
05/11/2018	86,0	140.600	23,38	SEBA KLL-Q
05/11/2018	88,0	140.900	23,36	SEBA KLL-Q
05/11/2018	90,0	149.100	23,38	SEBA KLL-Q
05/11/2018	91,0	149.100	23,39	SEBA KLL-Q
05/11/2018	92,0	150.300	23,39	SEBA KLL-Q
05/11/2018	93,0	151.300	23,38	SEBA KLL-Q
05/11/2018	94,0	152.000	23,37	SEBA KLL-Q
05/11/2018	95,0	159.300	23,39	SEBA KLL-Q
05/11/2018	95,5	182.100	23,50	SEBA KLL-Q
05/11/2018	95,7	182.400	23,51	SEBA KLL-Q
05/11/2018	96,0	182.400	23,50	SEBA KLL-Q
05/11/2018	96,5	182.100	23,50	SEBA KLL-Q
05/11/2018	97,0	181.100	23,50	SEBA KLL-Q
05/11/2018	97,5	180.100	23,49	SEBA KLL-Q
05/11/2018	98,0	181.100	23,49	SEBA KLL-Q
05/11/2018	98,5	187.700	23,47	SEBA KLL-Q
05/11/2018	99,0	251.200	24,39	SEBA KLL-Q
05/11/2018	100,0	251.300	24,46	SEBA KLL-Q
05/11/2018	102,0	251.300	24,48	SEBA KLL-Q
05/11/2018	104,0	251.300	24,49	SEBA KLL-Q
05/11/2018	106,0	251.300	24,49	SEBA KLL-Q
05/11/2018	108,0	251.300	24,49	SEBA KLL-Q
05/11/2018	110,0	251.300	24,49	SEBA KLL-Q
05/11/2018	114,0	251.200	24,52	SEBA KLL-Q
05/11/2018	118,0	251.100	24,53	SEBA KLL-Q
05/11/2018	122,0	250.900	24,59	SEBA KLL-Q
05/11/2018	126,0	250.800	24,63	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/11/2018	130,0	250.800	24,69	SEBA KLL-Q
24/01/2019	0,8	13.580	21,52	SEBA KLL-Q
24/01/2019	1,0	13.570	20,69	SEBA KLL-Q
24/01/2019	1,5	13.560	20,69	SEBA KLL-Q
24/01/2019	2,0	13.550	20,68	SEBA KLL-Q
24/01/2019	4,0	13.550	20,67	SEBA KLL-Q
24/01/2019	6,0	14.170	20,70	SEBA KLL-Q
24/01/2019	8,0	14.190	20,70	SEBA KLL-Q
24/01/2019	10,0	14.190	20,70	SEBA KLL-Q
24/01/2019	12,0	14.200	20,70	SEBA KLL-Q
24/01/2019	14,0	14.200	20,70	SEBA KLL-Q
24/01/2019	16,0	14.200	20,70	SEBA KLL-Q
24/01/2019	18,0	14.220	20,70	SEBA KLL-Q
24/01/2019	20,0	14.300	20,71	SEBA KLL-Q
24/01/2019	22,0	14.470	20,73	SEBA KLL-Q
24/01/2019	24,0	14.660	20,74	SEBA KLL-Q
24/01/2019	26,0	15.390	20,80	SEBA KLL-Q
24/01/2019	28,0	29.140	21,99	SEBA KLL-Q
24/01/2019	28,5	29.350	22,06	SEBA KLL-Q
24/01/2019	29,0	30.000	22,12	SEBA KLL-Q
24/01/2019	29,5	31.670	22,26	SEBA KLL-Q
24/01/2019	30,0	31.780	22,30	SEBA KLL-Q
24/01/2019	31,0	32.270	22,34	SEBA KLL-Q
24/01/2019	32,0	33.380	22,43	SEBA KLL-Q
24/01/2019	34,0	34.080	22,50	SEBA KLL-Q
24/01/2019	36,0	34.070	22,50	SEBA KLL-Q
24/01/2019	38,0	34.060	22,50	SEBA KLL-Q
24/01/2019	40,0	34.150	22,51	SEBA KLL-Q
24/01/2019	42,0	34.110	22,51	SEBA KLL-Q
24/01/2019	44,0	34.090	22,51	SEBA KLL-Q
24/01/2019	46,0	34.120	22,51	SEBA KLL-Q
24/01/2019	48,0	34.130	22,51	SEBA KLL-Q
24/01/2019	50,0	34.220	22,51	SEBA KLL-Q
24/01/2019	52,0	34.130	22,51	SEBA KLL-Q
24/01/2019	54,0	34.040	22,50	SEBA KLL-Q
24/01/2019	56,0	33.740	22,49	SEBA KLL-Q
24/01/2019	58,0	33.100	22,44	SEBA KLL-Q
24/01/2019	60,0	38.750	22,53	SEBA KLL-Q
24/01/2019	61,0	38.850	22,57	SEBA KLL-Q
24/01/2019	62,0	39.180	22,58	SEBA KLL-Q
24/01/2019	63,0	39.420	22,60	SEBA KLL-Q
24/01/2019	63,5	146.000	22,65	SEBA KLL-Q
24/01/2019	63,7	146.500	22,66	SEBA KLL-Q
24/01/2019	64,0	146.800	22,66	SEBA KLL-Q
24/01/2019	64,5	146.800	22,67	SEBA KLL-Q
24/01/2019	65,0	146.800	22,67	SEBA KLL-Q
24/01/2019	66,0	146.900	22,67	SEBA KLL-Q
24/01/2019	68,0	146.900	22,67	SEBA KLL-Q
24/01/2019	70,0	146.900	22,67	SEBA KLL-Q
24/01/2019	72,0	147.000	22,67	SEBA KLL-Q
24/01/2019	74,0	146.900	22,67	SEBA KLL-Q
24/01/2019	76,0	146.900	22,67	SEBA KLL-Q
24/01/2019	78,0	147.000	22,67	SEBA KLL-Q
24/01/2019	80,0	147.000	22,67	SEBA KLL-Q
24/01/2019	82,0	147.000	22,67	SEBA KLL-Q
24/01/2019	84,0	147.100	22,67	SEBA KLL-Q
24/01/2019	86,0	147.100	22,68	SEBA KLL-Q
24/01/2019	88,0	147.500	22,67	SEBA KLL-Q
24/01/2019	90,0	155.800	22,70	SEBA KLL-Q
24/01/2019	92,0	155.900	22,70	SEBA KLL-Q
24/01/2019	94,0	157.400	22,70	SEBA KLL-Q
24/01/2019	96,0	158.500	22,71	SEBA KLL-Q
24/01/2019	97,0	165.600	22,73	SEBA KLL-Q
24/01/2019	97,5	189.900	22,84	SEBA KLL-Q
24/01/2019	97,7	188.800	22,84	SEBA KLL-Q
24/01/2019	98,0	189.500	22,84	SEBA KLL-Q
24/01/2019	98,5	189.500	22,84	SEBA KLL-Q
24/01/2019	99,0	189.600	22,85	SEBA KLL-Q
24/01/2019	100,0	190.000	22,84	SEBA KLL-Q
24/01/2019	100,2	190.200	22,84	SEBA KLL-Q
24/01/2019	100,4	192.000	22,79	SEBA KLL-Q
24/01/2019	100,6	162.300	22,73	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/01/2019	100,8	259.400	23,67	SEBA KLL-Q
24/01/2019	101,0	259.500	23,76	SEBA KLL-Q
24/01/2019	101,5	259.500	23,79	SEBA KLL-Q
24/01/2019	102,0	259.500	23,80	SEBA KLL-Q
24/01/2019	104,0	259.400	23,82	SEBA KLL-Q
24/01/2019	106,0	259.300	23,83	SEBA KLL-Q
24/01/2019	108,0	259.200	23,84	SEBA KLL-Q
24/01/2019	110,0	259.200	23,84	SEBA KLL-Q
24/01/2019	112,0	259.200	23,85	SEBA KLL-Q
24/01/2019	114,0	259.200	23,86	SEBA KLL-Q
24/01/2019	116,0	259.100	23,87	SEBA KLL-Q
24/01/2019	118,0	259.000	23,88	SEBA KLL-Q
24/01/2019	120,0	258.800	23,94	SEBA KLL-Q
24/01/2019	122,0	258.800	23,94	SEBA KLL-Q
24/01/2019	124,0	258.700	23,92	SEBA KLL-Q
24/01/2019	126,0	258.700	23,98	SEBA KLL-Q
24/01/2019	128,0	258.600	24,02	SEBA KLL-Q
24/01/2019	130,0	258.600	24,04	SEBA KLL-Q
24/01/2019	132,0	258.600	24,04	SEBA KLL-Q
24/01/2019	134,0	258.500	24,06	SEBA KLL-Q
24/01/2019	136,0	258.500	24,15	SEBA KLL-Q
24/01/2019	138,0	258.500	24,21	SEBA KLL-Q
22/03/2019	1,00	9.925	20,15	SEBA KLL-Q
22/03/2019	1,50	9.992	20,54	SEBA KLL-Q
22/03/2019	2,00	9.992	20,71	SEBA KLL-Q
22/03/2019	4,00	10.000	20,82	SEBA KLL-Q
22/03/2019	6,00	14.370	20,89	SEBA KLL-Q
22/03/2019	8,00	14.360	20,89	SEBA KLL-Q
22/03/2019	10,00	14.360	20,89	SEBA KLL-Q
22/03/2019	12,00	14.380	20,89	SEBA KLL-Q
22/03/2019	14,00	14.370	20,89	SEBA KLL-Q
22/03/2019	16,00	14.370	20,89	SEBA KLL-Q
22/03/2019	18,00	14.410	20,89	SEBA KLL-Q
22/03/2019	20,00	14.550	20,91	SEBA KLL-Q
22/03/2019	22,00	14.670	20,91	SEBA KLL-Q
22/03/2019	24,00	14.850	20,95	SEBA KLL-Q
22/03/2019	26,00	15.600	21,00	SEBA KLL-Q
22/03/2019	27,00	27.180	22,05	SEBA KLL-Q
22/03/2019	27,50	27.250	22,17	SEBA KLL-Q
22/03/2019	28,00	27.600	22,20	SEBA KLL-Q
22/03/2019	29,00	27.890	22,24	SEBA KLL-Q
22/03/2019	30,00	28.800	22,23	SEBA KLL-Q
22/03/2019	32,00	30.130	22,47	SEBA KLL-Q
22/03/2019	34,00	30.060	22,47	SEBA KLL-Q
22/03/2019	36,00	30.110	22,48	SEBA KLL-Q
22/03/2019	38,00	30.090	22,48	SEBA KLL-Q
22/03/2019	40,00	30.090	22,47	SEBA KLL-Q
22/03/2019	42,00	30.070	22,48	SEBA KLL-Q
22/03/2019	44,00	30.100	22,48	SEBA KLL-Q
22/03/2019	46,00	30.070	22,47	SEBA KLL-Q
22/03/2019	48,00	30.170	22,48	SEBA KLL-Q
22/03/2019	50,00	30.300	22,48	SEBA KLL-Q
22/03/2019	52,00	30.000	22,47	SEBA KLL-Q
22/03/2019	54,00	29.080	22,40	SEBA KLL-Q
22/03/2019	56,00	28.290	22,35	SEBA KLL-Q
22/03/2019	58,00	28.240	22,35	SEBA KLL-Q
22/03/2019	60,00	34.760	22,49	SEBA KLL-Q
22/03/2019	62,00	35.240	22,56	SEBA KLL-Q
22/03/2019	62,20	35.320	22,57	SEBA KLL-Q
22/03/2019	62,40	35.470	22,56	SEBA KLL-Q
22/03/2019	62,60	35.550	22,57	SEBA KLL-Q
22/03/2019	62,80	35.480	22,57	SEBA KLL-Q
22/03/2019	63,00	35.470	22,57	SEBA KLL-Q
22/03/2019	63,20	36.800	22,57	SEBA KLL-Q
22/03/2019	63,40	139.000	22,65	SEBA KLL-Q
22/03/2019	63,60	139.000	22,66	SEBA KLL-Q
22/03/2019	63,80	137.300	22,66	SEBA KLL-Q
22/03/2019	64,00	136.300	22,66	SEBA KLL-Q
22/03/2019	64,50	136.700	22,66	SEBA KLL-Q
22/03/2019	65,00	136.600	22,67	SEBA KLL-Q
22/03/2019	66,00	136.600	22,66	SEBA KLL-Q
22/03/2019	67,00	136.500	22,67	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/03/2019	68,00	136.300	22,66	SEBA KLL-Q
22/03/2019	70,00	136.000	22,67	SEBA KLL-Q
22/03/2019	72,00	135.600	22,66	SEBA KLL-Q
22/03/2019	74,00	135.400	22,66	SEBA KLL-Q
22/03/2019	76,00	135.300	22,67	SEBA KLL-Q
22/03/2019	78,00	135.200	22,67	SEBA KLL-Q
22/03/2019	80,00	135.100	22,67	SEBA KLL-Q
22/03/2019	82,00	134.900	22,67	SEBA KLL-Q
22/03/2019	84,00	134.800	22,67	SEBA KLL-Q
22/03/2019	86,00	134.500	22,67	SEBA KLL-Q
22/03/2019	88,00	135.100	22,67	SEBA KLL-Q
22/03/2019	90,00	143.200	22,70	SEBA KLL-Q
22/03/2019	92,00	143.500	22,70	SEBA KLL-Q
22/03/2019	94,00	144.200	22,70	SEBA KLL-Q
22/03/2019	94,20	144.500	22,70	SEBA KLL-Q
22/03/2019	94,40	144.600	22,71	SEBA KLL-Q
22/03/2019	94,60	144.200	22,71	SEBA KLL-Q
22/03/2019	94,80	145.500	22,71	SEBA KLL-Q
22/03/2019	95,00	145.200	22,71	SEBA KLL-Q
22/03/2019	95,20	145.200	22,71	SEBA KLL-Q
22/03/2019	95,40	145.100	22,71	SEBA KLL-Q
22/03/2019	95,60	144.900	22,70	SEBA KLL-Q
22/03/2019	95,80	144.400	22,71	SEBA KLL-Q
22/03/2019	96,00	144.800	22,70	SEBA KLL-Q
22/03/2019	96,20	144.900	22,71	SEBA KLL-Q
22/03/2019	96,40	145.100	22,71	SEBA KLL-Q
22/03/2019	96,60	147.600	22,71	SEBA KLL-Q
22/03/2019	96,80	149.700	22,72	SEBA KLL-Q
22/03/2019	97,00	151.400	22,72	SEBA KLL-Q
22/03/2019	97,20	154.100	22,75	SEBA KLL-Q
22/03/2019	97,40	161.000	22,70	SEBA KLL-Q
22/03/2019	97,60	173.900	22,82	SEBA KLL-Q
22/03/2019	97,80	173.600	22,85	SEBA KLL-Q
22/03/2019	98,00	173.300	22,85	SEBA KLL-Q
22/03/2019	98,20	174.000	22,85	SEBA KLL-Q
22/03/2019	98,40	174.200	22,84	SEBA KLL-Q
22/03/2019	98,60	174.300	22,85	SEBA KLL-Q
22/03/2019	98,80	174.400	22,85	SEBA KLL-Q
22/03/2019	99,00	174.900	22,85	SEBA KLL-Q
22/03/2019	99,20	174.200	22,85	SEBA KLL-Q
22/03/2019	99,40	174.400	22,85	SEBA KLL-Q
22/03/2019	99,60	175.100	22,84	SEBA KLL-Q
22/03/2019	99,80	174.600	22,84	SEBA KLL-Q
22/03/2019	100,00	176.100	22,85	SEBA KLL-Q
22/03/2019	100,20	186.900	22,85	SEBA KLL-Q
22/03/2019	100,40	179.900	22,81	SEBA KLL-Q
22/03/2019	100,60	166.300	22,74	SEBA KLL-Q
22/03/2019	100,80	236.100	23,69	SEBA KLL-Q
22/03/2019	101,00	236.600	23,73	SEBA KLL-Q
22/03/2019	101,50	236.100	23,78	SEBA KLL-Q
22/03/2019	102,00	236.000	23,80	SEBA KLL-Q
22/03/2019	103,00	235.900	23,81	SEBA KLL-Q
22/03/2019	104,00	235.600	23,83	SEBA KLL-Q
22/03/2019	106,00	236.000	23,83	SEBA KLL-Q
22/03/2019	108,00	235.900	23,84	SEBA KLL-Q
22/03/2019	110,00	236.000	23,83	SEBA KLL-Q
22/03/2019	112,00	236.000	23,84	SEBA KLL-Q
22/03/2019	114,00	235.800	23,86	SEBA KLL-Q
22/03/2019	117,00	235.800	23,87	SEBA KLL-Q
22/03/2019	120,00	235.500	23,92	SEBA KLL-Q
22/03/2019	123,00	235.500	23,93	SEBA KLL-Q
22/03/2019	126,00	235.300	23,83	SEBA KLL-Q
22/03/2019	129,00	235.300	24,02	SEBA KLL-Q
22/03/2019	132,00	235.300	24,04	SEBA KLL-Q
22/03/2019	135,00	235.600	24,06	SEBA KLL-Q
20/04/2019	0,80	10.700	20,02	SEBA KLL-Q
20/04/2019	1,00	10.700	20,23	SEBA KLL-Q
20/04/2019	1,50	10.720	20,37	SEBA KLL-Q
20/04/2019	2,00	10.720	20,47	SEBA KLL-Q
20/04/2019	4,00	11.650	20,78	SEBA KLL-Q
20/04/2019	6,00	13.870	20,82	SEBA KLL-Q
20/04/2019	8,00	13.880	20,82	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/04/2019	10,00	13.880	20,83	SEBA KLL-Q
20/04/2019	12,00	13.900	20,82	SEBA KLL-Q
20/04/2019	14,00	13.890	20,82	SEBA KLL-Q
20/04/2019	16,00	13.890	20,83	SEBA KLL-Q
20/04/2019	18,00	13.950	20,83	SEBA KLL-Q
20/04/2019	20,00	13.970	20,83	SEBA KLL-Q
20/04/2019	22,00	14.110	20,84	SEBA KLL-Q
20/04/2019	24,00	14.370	20,88	SEBA KLL-Q
20/04/2019	26,00	15.020	20,92	SEBA KLL-Q
20/04/2019	26,20	15.170	20,94	SEBA KLL-Q
20/04/2019	26,40	15.690	20,99	SEBA KLL-Q
20/04/2019	26,60	19.230	21,28	SEBA KLL-Q
20/04/2019	26,80	27.080	22,05	SEBA KLL-Q
20/04/2019	27,00	27.270	22,21	SEBA KLL-Q
20/04/2019	27,20	27.270	22,13	SEBA KLL-Q
20/04/2019	27,50	27.420	22,14	SEBA KLL-Q
20/04/2019	28,00	27.660	22,17	SEBA KLL-Q
20/04/2019	29,00	28.030	22,21	SEBA KLL-Q
20/04/2019	31,00	29.600	22,38	SEBA KLL-Q
20/04/2019	33,00	30.830	22,50	SEBA KLL-Q
20/04/2019	35,00	30.720	22,50	SEBA KLL-Q
20/04/2019	37,00	30.740	22,50	SEBA KLL-Q
20/04/2019	39,00	30.760	22,50	SEBA KLL-Q
20/04/2019	41,00	30.830	22,50	SEBA KLL-Q
20/04/2019	43,00	30.780	22,50	SEBA KLL-Q
20/04/2019	45,00	30.790	22,50	SEBA KLL-Q
20/04/2019	47,00	30.760	22,50	SEBA KLL-Q
20/04/2019	49,00	30.970	22,51	SEBA KLL-Q
20/04/2019	51,00	30.810	22,50	SEBA KLL-Q
20/04/2019	53,00	30.920	22,51	SEBA KLL-Q
20/04/2019	55,00	30.670	22,49	SEBA KLL-Q
20/04/2019	57,00	30.060	22,44	SEBA KLL-Q
20/04/2019	59,00	28.920	22,38	SEBA KLL-Q
20/04/2019	61,00	35.570	22,54	SEBA KLL-Q
20/04/2019	62,00	36.160	22,56	SEBA KLL-Q
20/04/2019	62,50	36.290	22,57	SEBA KLL-Q
20/04/2019	62,70	36.320	22,57	SEBA KLL-Q
20/04/2019	62,90	36.750	22,53	SEBA KLL-Q
20/04/2019	63,10	37.220	22,51	SEBA KLL-Q
20/04/2019	63,30	140.400	22,65	SEBA KLL-Q
20/04/2019	63,50	140.300	22,66	SEBA KLL-Q
20/04/2019	63,70	140.500	22,66	SEBA KLL-Q
20/04/2019	63,90	140.400	22,66	SEBA KLL-Q
20/04/2019	64,10	140.500	22,66	SEBA KLL-Q
20/04/2019	64,50	140.600	22,66	SEBA KLL-Q
20/04/2019	65,00	140.500	22,65	SEBA KLL-Q
20/04/2019	66,00	140.500	22,66	SEBA KLL-Q
20/04/2019	68,00	140.600	22,66	SEBA KLL-Q
20/04/2019	70,00	140.600	22,66	SEBA KLL-Q
20/04/2019	72,00	140.700	22,66	SEBA KLL-Q
20/04/2019	74,00	140.600	22,66	SEBA KLL-Q
20/04/2019	76,00	141.300	22,67	SEBA KLL-Q
20/04/2019	78,00	140.900	22,66	SEBA KLL-Q
20/04/2019	80,00	141.000	22,67	SEBA KLL-Q
20/04/2019	82,00	141.100	22,67	SEBA KLL-Q
20/04/2019	84,00	140.900	22,67	SEBA KLL-Q
20/04/2019	86,00	140.900	22,67	SEBA KLL-Q
20/04/2019	88,00	141.000	22,67	SEBA KLL-Q
20/04/2019	90,00	149.400	22,69	SEBA KLL-Q
20/04/2019	92,00	149.800	22,70	SEBA KLL-Q
20/04/2019	94,00	150.300	22,70	SEBA KLL-Q
20/04/2019	96,00	152.200	22,71	SEBA KLL-Q
20/04/2019	97,00	159.500	22,71	SEBA KLL-Q
20/04/2019	97,20	161.700	22,73	SEBA KLL-Q
20/04/2019	97,40	168.100	22,74	SEBA KLL-Q
20/04/2019	97,60	182.500	22,38	SEBA KLL-Q
20/04/2019	97,80	183.700	22,85	SEBA KLL-Q
20/04/2019	98,00	183.300	22,84	SEBA KLL-Q
20/04/2019	98,20	184.000	22,84	SEBA KLL-Q
20/04/2019	98,40	183.800	22,84	SEBA KLL-Q
20/04/2019	98,60	183.400	22,85	SEBA KLL-Q
20/04/2019	98,80	183.000	22,84	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/04/2019	99,00	182.700	22,83	SEBA KLL-Q
20/04/2019	99,20	182.900	22,84	SEBA KLL-Q
20/04/2019	99,40	183.400	22,84	SEBA KLL-Q
20/04/2019	99,60	183.400	22,84	SEBA KLL-Q
20/04/2019	99,80	183.500	22,84	SEBA KLL-Q
20/04/2019	100,00	184.200	22,84	SEBA KLL-Q
20/04/2019	100,20	190.800	22,88	SEBA KLL-Q
20/04/2019	100,40	199.500	22,84	SEBA KLL-Q
20/04/2019	100,60	175.900	22,74	SEBA KLL-Q
20/04/2019	100,80	249.700	23,65	SEBA KLL-Q
20/04/2019	101,00	249.900	23,75	SEBA KLL-Q
20/04/2019	101,20	249.800	23,76	SEBA KLL-Q
20/04/2019	101,40	249.600	23,78	SEBA KLL-Q
20/04/2019	101,60	249.600	23,79	SEBA KLL-Q
20/04/2019	101,80	249.600	23,80	SEBA KLL-Q
20/04/2019	102,00	249.600	23,80	SEBA KLL-Q
20/04/2019	102,50	249.600	23,80	SEBA KLL-Q
20/04/2019	103,00	249.500	23,81	SEBA KLL-Q
20/04/2019	105,00	249.400	23,83	SEBA KLL-Q
20/04/2019	107,00	249.400	23,83	SEBA KLL-Q
20/04/2019	109,00	249.400	23,84	SEBA KLL-Q
20/04/2019	111,00	249.400	23,83	SEBA KLL-Q
20/04/2019	113,00	249.500	23,84	SEBA KLL-Q
20/04/2019	115,00	249.300	23,86	SEBA KLL-Q
20/04/2019	117,00	249.300	23,87	SEBA KLL-Q
20/04/2019	119,00	249.100	23,90	SEBA KLL-Q
20/04/2019	121,00	249.000	23,94	SEBA KLL-Q
20/04/2019	124,00	249.000	23,94	SEBA KLL-Q
20/04/2019	127,00	249.400	23,98	SEBA KLL-Q
20/04/2019	130,00	249.200	24,00	SEBA KLL-Q
20/04/2019	133,00	249.200	24,03	SEBA KLL-Q
20/04/2019	136,00	249.100	24,08	SEBA KLL-Q
14/06/2019	1,00	11.940	20,48	SEBA KLL-Q
14/06/2019	1,50	11.940	20,53	SEBA KLL-Q
14/06/2019	2,00	11.930	20,57	SEBA KLL-Q
14/06/2019	3,00	11.930	20,63	SEBA KLL-Q
14/06/2019	4,00	12.450	20,71	SEBA KLL-Q
14/06/2019	6,00	14.310	20,84	SEBA KLL-Q
14/06/2019	8,00	14.290	20,84	SEBA KLL-Q
14/06/2019	10,00	14.290	20,84	SEBA KLL-Q
14/06/2019	12,00	14.280	20,84	SEBA KLL-Q
14/06/2019	14,00	14.270	20,84	SEBA KLL-Q
14/06/2019	16,00	14.280	20,84	SEBA KLL-Q
14/06/2019	18,00	14.300	20,84	SEBA KLL-Q
14/06/2019	20,00	14.320	20,85	SEBA KLL-Q
14/06/2019	22,00	14.420	20,86	SEBA KLL-Q
14/06/2019	24,00	14.650	20,88	SEBA KLL-Q
14/06/2019	26,00	15.250	20,94	SEBA KLL-Q
14/06/2019	26,20	15.580	20,95	SEBA KLL-Q
14/06/2019	26,40	15.900	20,99	SEBA KLL-Q
14/06/2019	26,60	18.470	21,17	SEBA KLL-Q
14/06/2019	26,80	26.780	21,98	SEBA KLL-Q
14/06/2019	27,00	27.010	22,12	SEBA KLL-Q
14/06/2019	27,20	27.060	22,14	SEBA KLL-Q
14/06/2019	27,40	27.050	22,15	SEBA KLL-Q
14/06/2019	27,60	27.180	22,18	SEBA KLL-Q
14/06/2019	27,80	27.200	22,17	SEBA KLL-Q
14/06/2019	28,00	27.330	22,18	SEBA KLL-Q
14/06/2019	28,50	27.460	22,20	SEBA KLL-Q
14/06/2019	29,00	27.670	22,22	SEBA KLL-Q
14/06/2019	30,00	28.950	22,36	SEBA KLL-Q
14/06/2019	32,00	30.080	22,49	SEBA KLL-Q
14/06/2019	34,00	30.130	22,49	SEBA KLL-Q
14/06/2019	36,00	30.250	22,50	SEBA KLL-Q
14/06/2019	38,00	30.130	22,49	SEBA KLL-Q
14/06/2019	40,00	30.150	22,49	SEBA KLL-Q
14/06/2019	42,00	30.270	22,50	SEBA KLL-Q
14/06/2019	44,00	30.210	22,50	SEBA KLL-Q
14/06/2019	46,00	30.170	22,50	SEBA KLL-Q
14/06/2019	48,00	30.080	22,49	SEBA KLL-Q
14/06/2019	50,00	30.040	22,49	SEBA KLL-Q
14/06/2019	52,00	30.210	22,50	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/06/2019	54,00	30.150	22,50	SEBA KLL-Q
14/06/2019	56,00	29.820	22,48	SEBA KLL-Q
14/06/2019	58,00	29.220	22,43	SEBA KLL-Q
14/06/2019	60,00	30.550	22,47	SEBA KLL-Q
14/06/2019	62,00	34.940	22,54	SEBA KLL-Q
14/06/2019	62,50	35.770	22,57	SEBA KLL-Q
14/06/2019	63,00	37.220	22,55	SEBA KLL-Q
14/06/2019	63,20	38.330	22,53	SEBA KLL-Q
14/06/2019	63,40	131.900	22,56	SEBA KLL-Q
14/06/2019	63,60	134.900	22,66	SEBA KLL-Q
14/06/2019	63,80	134.900	22,66	SEBA KLL-Q
14/06/2019	64,00	134.800	22,66	SEBA KLL-Q
14/06/2019	64,20	134.900	22,66	SEBA KLL-Q
14/06/2019	64,40	134.800	22,66	SEBA KLL-Q
14/06/2019	64,60	134.800	22,66	SEBA KLL-Q
14/06/2019	64,80	134.900	22,65	SEBA KLL-Q
14/06/2019	65,00	134.800	22,66	SEBA KLL-Q
14/06/2019	65,50	134.900	22,66	SEBA KLL-Q
14/06/2019	66,00	135.000	22,66	SEBA KLL-Q
14/06/2019	67,00	134.900	22,66	SEBA KLL-Q
14/06/2019	68,00	134.900	22,66	SEBA KLL-Q
14/06/2019	70,00	134.900	22,66	SEBA KLL-Q
14/06/2019	72,00	134.900	22,66	SEBA KLL-Q
14/06/2019	74,00	134.900	22,66	SEBA KLL-Q
14/06/2019	76,00	134.900	22,66	SEBA KLL-Q
14/06/2019	78,00	134.900	22,66	SEBA KLL-Q
14/06/2019	80,00	135.000	22,67	SEBA KLL-Q
14/06/2019	82,00	134.900	22,66	SEBA KLL-Q
14/06/2019	84,00	135.000	22,66	SEBA KLL-Q
14/06/2019	86,00	134.900	22,67	SEBA KLL-Q
14/06/2019	88,00	134.900	22,67	SEBA KLL-Q
14/06/2019	90,00	143.100	22,68	SEBA KLL-Q
14/06/2019	92,00	143.200	22,69	SEBA KLL-Q
14/06/2019	94,00	144.000	22,70	SEBA KLL-Q
14/06/2019	96,00	145.400	22,70	SEBA KLL-Q
14/06/2019	97,00	152.200	22,72	SEBA KLL-Q
14/06/2019	97,20	154.100	22,73	SEBA KLL-Q
14/06/2019	97,40	160.700	22,77	SEBA KLL-Q
14/06/2019	97,60	176.300	22,85	SEBA KLL-Q
14/06/2019	97,80	175.600	22,85	SEBA KLL-Q
14/06/2019	98,00	175.600	22,85	SEBA KLL-Q
14/06/2019	98,20	175.100	22,85	SEBA KLL-Q
14/06/2019	98,40	175.400	22,85	SEBA KLL-Q
14/06/2019	98,60	174.900	22,84	SEBA KLL-Q
14/06/2019	98,80	175.800	22,85	SEBA KLL-Q
14/06/2019	99,00	175.400	22,85	SEBA KLL-Q
14/06/2019	99,20	175.100	22,85	SEBA KLL-Q
14/06/2019	99,40	176.000	22,85	SEBA KLL-Q
14/06/2019	99,60	176.100	22,85	SEBA KLL-Q
14/06/2019	99,80	177.500	22,85	SEBA KLL-Q
14/06/2019	100,00	176.700	22,85	SEBA KLL-Q
14/06/2019	100,20	178.600	22,85	SEBA KLL-Q
14/06/2019	100,40	173.600	22,85	SEBA KLL-Q
14/06/2019	100,60	159.100	22,86	SEBA KLL-Q
14/06/2019	100,80	235.400	23,48	SEBA KLL-Q
14/06/2019	101,00	236.100	23,73	SEBA KLL-Q
14/06/2019	101,50	235.800	23,78	SEBA KLL-Q
14/06/2019	102,00	235.900	23,79	SEBA KLL-Q
14/06/2019	103,00	235.900	23,80	SEBA KLL-Q
14/06/2019	104,00	236.000	23,81	SEBA KLL-Q
14/06/2019	106,00	235.000	23,83	SEBA KLL-Q
14/06/2019	108,00	235.900	23,83	SEBA KLL-Q
14/06/2019	110,00	236.000	23,83	SEBA KLL-Q
14/06/2019	112,00	235.800	23,84	SEBA KLL-Q
14/06/2019	115,00	235.600	23,87	SEBA KLL-Q
14/06/2019	118,00	235.700	23,87	SEBA KLL-Q
14/06/2019	121,00	235.400	23,93	SEBA KLL-Q
14/06/2019	124,00	235.400	23,93	SEBA KLL-Q
14/06/2019	127,00	235.600	23,93	SEBA KLL-Q
14/06/2019	130,00	235.300	24,03	SEBA KLL-Q
14/06/2019	133,00	235.400	24,04	SEBA KLL-Q
14/06/2019	136,00	235.400	24,07	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/09/2019	1,00	11.970	20,51	SEBA KLL-Q
17/09/2019	1,50	11.980	20,51	SEBA KLL-Q
17/09/2019	2,00	11.980	20,53	SEBA KLL-Q
17/09/2019	4,00	11.980	20,64	SEBA KLL-Q
17/09/2019	6,00	12.650	20,81	SEBA KLL-Q
17/09/2019	8,00	12.670	20,81	SEBA KLL-Q
17/09/2019	10,00	12.720	20,81	SEBA KLL-Q
17/09/2019	12,00	12.780	20,82	SEBA KLL-Q
17/09/2019	14,00	12.800	20,82	SEBA KLL-Q
17/09/2019	16,00	12.820	20,82	SEBA KLL-Q
17/09/2019	18,00	12.830	20,82	SEBA KLL-Q
17/09/2019	20,00	12.820	20,82	SEBA KLL-Q
17/09/2019	22,00	12.790	20,82	SEBA KLL-Q
17/09/2019	24,00	12.940	20,83	SEBA KLL-Q
17/09/2019	26,00	13.560	20,88	SEBA KLL-Q
17/09/2019	27,00	24.660	21,75	SEBA KLL-Q
17/09/2019	27,50	24.730	22,11	SEBA KLL-Q
17/09/2019	28,00	25.060	22,14	SEBA KLL-Q
17/09/2019	29,00	25.410	22,19	SEBA KLL-Q
17/09/2019	30,00	26.680	22,33	SEBA KLL-Q
17/09/2019	32,00	27.740	22,44	SEBA KLL-Q
17/09/2019	34,00	27.850	22,46	SEBA KLL-Q
17/09/2019	36,00	27.910	22,47	SEBA KLL-Q
17/09/2019	38,00	27.870	22,47	SEBA KLL-Q
17/09/2019	40,00	27.960	22,47	SEBA KLL-Q
17/09/2019	42,00	27.880	22,47	SEBA KLL-Q
17/09/2019	44,00	27.960	22,47	SEBA KLL-Q
17/09/2019	46,00	27.950	22,47	SEBA KLL-Q
17/09/2019	48,00	27.940	22,47	SEBA KLL-Q
17/09/2019	50,00	27.870	22,47	SEBA KLL-Q
17/09/2019	52,00	27.870	22,47	SEBA KLL-Q
17/09/2019	54,00	27.870	22,46	SEBA KLL-Q
17/09/2019	56,00	27.710	22,45	SEBA KLL-Q
17/09/2019	58,00	27.140	22,41	SEBA KLL-Q
17/09/2019	60,00	28.980	22,37	SEBA KLL-Q
17/09/2019	62,00	33.320	22,54	SEBA KLL-Q
17/09/2019	62,20	33.750	22,55	SEBA KLL-Q
17/09/2019	62,40	33.960	22,56	SEBA KLL-Q
17/09/2019	62,60	34.050	22,57	SEBA KLL-Q
17/09/2019	62,80	34.070	22,57	SEBA KLL-Q
17/09/2019	63,00	34.420	22,55	SEBA KLL-Q
17/09/2019	63,20	35.990	22,60	SEBA KLL-Q
17/09/2019	63,40	136.400	22,66	SEBA KLL-Q
17/09/2019	63,60	136.400	22,66	SEBA KLL-Q
17/09/2019	63,80	136.400	22,66	SEBA KLL-Q
17/09/2019	64,00	136.400	22,66	SEBA KLL-Q
17/09/2019	64,50	136.400	22,66	SEBA KLL-Q
17/09/2019	65,00	136.400	22,66	SEBA KLL-Q
17/09/2019	66,00	136.400	22,66	SEBA KLL-Q
17/09/2019	67,00	136.400	22,66	SEBA KLL-Q
17/09/2019	68,00	136.400	22,66	SEBA KLL-Q
17/09/2019	70,00	136.400	22,66	SEBA KLL-Q
17/09/2019	72,00	136.000	22,66	SEBA KLL-Q
17/09/2019	74,00	135.800	22,66	SEBA KLL-Q
17/09/2019	76,00	135.600	22,66	SEBA KLL-Q
17/09/2019	78,00	135.700	22,66	SEBA KLL-Q
17/09/2019	80,00	135.400	22,66	SEBA KLL-Q
17/09/2019	82,00	135.300	22,66	SEBA KLL-Q
17/09/2019	84,00	135.200	22,66	SEBA KLL-Q
17/09/2019	86,00	135.200	22,66	SEBA KLL-Q
17/09/2019	88,00	135.300	22,69	SEBA KLL-Q
17/09/2019	90,00	143.500	22,69	SEBA KLL-Q
17/09/2019	92,00	143.900	22,69	SEBA KLL-Q
17/09/2019	94,00	144.600	22,70	SEBA KLL-Q
17/09/2019	94,20	144.900	22,70	SEBA KLL-Q
17/09/2019	94,40	144.900	22,70	SEBA KLL-Q
17/09/2019	94,60	145.200	22,70	SEBA KLL-Q
17/09/2019	94,80	145.100	22,70	SEBA KLL-Q
17/09/2019	95,00	145.200	22,70	SEBA KLL-Q
17/09/2019	95,20	145.400	22,70	SEBA KLL-Q
17/09/2019	95,40	145.500	22,70	SEBA KLL-Q
17/09/2019	95,60	145.800	22,70	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/09/2019	95,80	146.000	22,70	SEBA KLL-Q
17/09/2019	96,00	146.200	22,70	SEBA KLL-Q
17/09/2019	96,20	146.800	22,70	SEBA KLL-Q
17/09/2019	96,40	148.200	22,71	SEBA KLL-Q
17/09/2019	96,60	150.100	22,71	SEBA KLL-Q
17/09/2019	96,80	152.400	22,72	SEBA KLL-Q
17/09/2019	97,00	153.100	22,72	SEBA KLL-Q
17/09/2019	97,20	155.000	22,73	SEBA KLL-Q
17/09/2019	97,40	161.800	22,73	SEBA KLL-Q
17/09/2019	97,60	178.000	22,85	SEBA KLL-Q
17/09/2019	97,80	178.500	22,85	SEBA KLL-Q
17/09/2019	98,00	178.100	22,85	SEBA KLL-Q
17/09/2019	98,20	178.800	22,86	SEBA KLL-Q
17/09/2019	98,40	178.200	22,86	SEBA KLL-Q
17/09/2019	98,60	178.400	22,86	SEBA KLL-Q
17/09/2019	98,80	178.600	22,86	SEBA KLL-Q
17/09/2019	99,00	178.800	22,86	SEBA KLL-Q
17/09/2019	99,20	178.100	22,86	SEBA KLL-Q
17/09/2019	99,40	179.200	22,86	SEBA KLL-Q
17/09/2019	99,60	178.700	22,86	SEBA KLL-Q
17/09/2019	99,80	178.200	22,86	SEBA KLL-Q
17/09/2019	100,00	178.700	22,86	SEBA KLL-Q
17/09/2019	100,20	190.000	22,90	SEBA KLL-Q
17/09/2019	100,40	188.300	22,85	SEBA KLL-Q
17/09/2019	100,60	154.800	22,73	SEBA KLL-Q
17/09/2019	100,80	239.000	23,59	SEBA KLL-Q
17/09/2019	101,00	238.900	23,70	SEBA KLL-Q
17/09/2019	101,50	238.400	23,77	SEBA KLL-Q
17/09/2019	102,00	238.200	23,79	SEBA KLL-Q
17/09/2019	103,00	238.300	23,78	SEBA KLL-Q
17/09/2019	104,00	237.900	23,82	SEBA KLL-Q
17/09/2019	106,00	237.800	23,83	SEBA KLL-Q
17/09/2019	108,00	237.700	23,83	SEBA KLL-Q
17/09/2019	110,00	237.600	23,83	SEBA KLL-Q
17/09/2019	112,00	237.400	23,84	SEBA KLL-Q
17/09/2019	114,00	237.300	23,85	SEBA KLL-Q
17/09/2019	117,00	237.000	23,86	SEBA KLL-Q
17/09/2019	120,00	236.900	23,91	SEBA KLL-Q
17/09/2019	123,00	236.500	23,92	SEBA KLL-Q
17/09/2019	126,00	236.400	23,97	SEBA KLL-Q
17/09/2019	129,00	236.100	24,03	SEBA KLL-Q
17/09/2019	132,00	235.900	24,04	SEBA KLL-Q
17/09/2019	135,00	235.900	24,05	SEBA KLL-Q
22/11/2019	1,00	13.500	20,92	SEBA KLL-Q
22/11/2019	1,50	13.490	20,98	SEBA KLL-Q
22/11/2019	2,00	13.500	20,86	SEBA KLL-Q
22/11/2019	4,00	13.490	20,86	SEBA KLL-Q
22/11/2019	6,00	14.850	20,92	SEBA KLL-Q
22/11/2019	8,00	14.850	20,92	SEBA KLL-Q
22/11/2019	10,00	14.860	20,93	SEBA KLL-Q
22/11/2019	12,00	14.850	20,93	SEBA KLL-Q
22/11/2019	14,00	14.880	20,92	SEBA KLL-Q
22/11/2019	16,00	14.870	20,93	SEBA KLL-Q
22/11/2019	18,00	14.880	20,93	SEBA KLL-Q
22/11/2019	20,00	14.920	20,93	SEBA KLL-Q
22/11/2019	22,00	14.860	20,94	SEBA KLL-Q
22/11/2019	24,00	15.030	20,94	SEBA KLL-Q
22/11/2019	26,00	15.880	21,01	SEBA KLL-Q
22/11/2019	27,00	26.850	22,14	SEBA KLL-Q
22/11/2019	27,50	26.970	22,18	SEBA KLL-Q
22/11/2019	28,00	27.220	22,20	SEBA KLL-Q
22/11/2019	29,00	27.520	22,23	SEBA KLL-Q
22/11/2019	30,00	28.340	22,31	SEBA KLL-Q
22/11/2019	32,00	28.660	22,36	SEBA KLL-Q
22/11/2019	34,00	29.040	22,40	SEBA KLL-Q
22/11/2019	36,00	29.060	22,41	SEBA KLL-Q
22/11/2019	38,00	29.040	22,41	SEBA KLL-Q
22/11/2019	40,00	29.020	22,41	SEBA KLL-Q
22/11/2019	42,00	28.960	22,40	SEBA KLL-Q
22/11/2019	44,00	29.020	22,41	SEBA KLL-Q
22/11/2019	46,00	29.050	22,41	SEBA KLL-Q
22/11/2019	48,00	29.110	22,42	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-07C-1				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/11/2019	50,00	29.040	22,41	SEBA KLL-Q
22/11/2019	52,00	28.890	22,40	SEBA KLL-Q
22/11/2019	54,00	27.850	22,30	SEBA KLL-Q
22/11/2019	56,00	27.880	22,30	SEBA KLL-Q
22/11/2019	58,00	27.880	22,30	SEBA KLL-Q
22/11/2019	60,00	28.870	22,33	SEBA KLL-Q
22/11/2019	62,00	35.980	22,54	SEBA KLL-Q
22/11/2019	62,20	36.210	22,56	SEBA KLL-Q
22/11/2019	62,40	36.230	22,57	SEBA KLL-Q
22/11/2019	62,60	36.230	22,57	SEBA KLL-Q
22/11/2019	62,80	36.270	22,57	SEBA KLL-Q
22/11/2019	63,00	36.350	22,57	SEBA KLL-Q
22/11/2019	63,20	107.900	22,61	SEBA KLL-Q
22/11/2019	63,40	136.200	22,65	SEBA KLL-Q
22/11/2019	63,60	136.300	22,65	SEBA KLL-Q
22/11/2019	63,80	136.300	22,65	SEBA KLL-Q
22/11/2019	64,00	136.200	22,65	SEBA KLL-Q
22/11/2019	64,50	136.200	22,66	SEBA KLL-Q
22/11/2019	65,00	136.200	22,65	SEBA KLL-Q
22/11/2019	66,00	136.300	22,64	SEBA KLL-Q
22/11/2019	67,00	136.200	22,65	SEBA KLL-Q
22/11/2019	68,00	136.300	22,65	SEBA KLL-Q
22/11/2019	70,00	136.200	22,65	SEBA KLL-Q
22/11/2019	72,00	136.300	22,65	SEBA KLL-Q
22/11/2019	74,00	136.300	22,65	SEBA KLL-Q
22/11/2019	76,00	136.300	22,65	SEBA KLL-Q
22/11/2019	78,00	136.300	22,65	SEBA KLL-Q
22/11/2019	80,00	136.400	22,65	SEBA KLL-Q
22/11/2019	82,00	136.200	22,65	SEBA KLL-Q
22/11/2019	84,00	136.300	22,66	SEBA KLL-Q
22/11/2019	86,00	136.400	22,66	SEBA KLL-Q
22/11/2019	88,00	136.400	22,65	SEBA KLL-Q
22/11/2019	90,00	143.800	22,68	SEBA KLL-Q
22/11/2019	92,00	144.200	22,68	SEBA KLL-Q
22/11/2019	94,00	145.500	22,69	SEBA KLL-Q
22/11/2019	94,20	145.500	22,69	SEBA KLL-Q
22/11/2019	94,40	145.900	22,69	SEBA KLL-Q
22/11/2019	94,60	146.100	22,68	SEBA KLL-Q
22/11/2019	94,80	146.100	22,69	SEBA KLL-Q
22/11/2019	95,00	146.300	22,69	SEBA KLL-Q
22/11/2019	95,20	146.400	22,70	SEBA KLL-Q
22/11/2019	95,40	146.500	22,69	SEBA KLL-Q
22/11/2019	95,60	146.900	22,69	SEBA KLL-Q
22/11/2019	95,80	146.800	22,69	SEBA KLL-Q
22/11/2019	96,00	146.900	22,68	SEBA KLL-Q
22/11/2019	96,20	147.200	22,70	SEBA KLL-Q
22/11/2019	96,40	147.800	22,69	SEBA KLL-Q
22/11/2019	96,60	151.600	22,71	SEBA KLL-Q
22/11/2019	96,80	153.100	22,71	SEBA KLL-Q
22/11/2019	97,00	154.000	22,72	SEBA KLL-Q
22/11/2019	97,20	155.800	22,73	SEBA KLL-Q
22/11/2019	97,40	161.700	22,75	SEBA KLL-Q
22/11/2019	97,60	178.100	22,83	SEBA KLL-Q
22/11/2019	97,80	178.100	22,85	SEBA KLL-Q
22/11/2019	98,00	178.300	22,84	SEBA KLL-Q
22/11/2019	98,20	178.600	22,86	SEBA KLL-Q
22/11/2019	98,40	178.300	22,85	SEBA KLL-Q
22/11/2019	98,60	179.100	22,85	SEBA KLL-Q
22/11/2019	98,80	178.900	22,85	SEBA KLL-Q
22/11/2019	99,00	179.200	22,85	SEBA KLL-Q
22/11/2019	99,20	178.400	22,85	SEBA KLL-Q
22/11/2019	99,40	178.300	22,85	SEBA KLL-Q
22/11/2019	99,60	179.000	22,86	SEBA KLL-Q
22/11/2019	99,80	178.100	22,86	SEBA KLL-Q
22/11/2019	100,00	179.000	22,85	SEBA KLL-Q
22/11/2019	100,20	188.800	22,87	SEBA KLL-Q
22/11/2019	100,40	169.900	22,82	SEBA KLL-Q
22/11/2019	100,60	157.800	22,73	SEBA KLL-Q
22/11/2019	100,80	238.900	23,47	SEBA KLL-Q
22/11/2019	101,00	238.900	23,72	SEBA KLL-Q
22/11/2019	101,50	238.800	23,77	SEBA KLL-Q
22/11/2019	102,00	238.800	23,79	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

<b>MP-07C-1</b>				
<b>Fecha</b>	<b>Prof. [m]</b>	<b>C.E. [uS/cm]</b>	<b>TEMP [°C]</b>	<b>Equipo</b>
22/11/2019	103,00	238.700	23,81	SEBA KLL-Q
22/11/2019	104,00	238.700	23,81	SEBA KLL-Q
22/11/2019	106,00	238.700	23,81	SEBA KLL-Q
22/11/2019	108,00	238.700	23,82	SEBA KLL-Q
22/11/2019	110,00	238.600	23,82	SEBA KLL-Q
22/11/2019	112,00	238.700	23,82	SEBA KLL-Q
22/11/2019	114,00	238.400	23,84	SEBA KLL-Q
22/11/2019	117,00	238.800	23,85	SEBA KLL-Q
22/11/2019	120,00	238.400	23,91	SEBA KLL-Q
22/11/2019	123,00	238.300	23,92	SEBA KLL-Q
22/11/2019	126,00	238.200	23,96	SEBA KLL-Q
22/11/2019	129,00	238.200	24,03	SEBA KLL-Q
22/11/2019	132,00	238.200	24,02	SEBA KLL-Q
22/11/2019	135,00	237.900	24,06	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/07/2016	9,10	4.598	23,6	SEBA KLL-Q
12/07/2016	10,00	4.588	23,8	SEBA KLL-Q
12/07/2016	11,00	4.588	24,1	SEBA KLL-Q
12/07/2016	12,00	4.581	24,1	SEBA KLL-Q
12/07/2016	13,00	4.581	24,1	SEBA KLL-Q
12/07/2016	14,00	4.581	24,2	SEBA KLL-Q
12/07/2016	15,00	4.583	24,2	SEBA KLL-Q
12/07/2016	16,00	4.584	24,2	SEBA KLL-Q
12/07/2016	17,00	4.584	24,2	SEBA KLL-Q
12/07/2016	18,00	4.584	24,2	SEBA KLL-Q
12/07/2016	19,00	4.585	24,2	SEBA KLL-Q
12/07/2016	20,00	4.584	24,2	SEBA KLL-Q
12/07/2016	21,00	4.584	24,2	SEBA KLL-Q
12/07/2016	22,00	4.584	24,2	SEBA KLL-Q
12/07/2016	23,00	4.585	24,2	SEBA KLL-Q
12/07/2016	24,00	4.584	24,2	SEBA KLL-Q
12/07/2016	25,00	4.584	24,2	SEBA KLL-Q
12/07/2016	26,00	4.584	24,2	SEBA KLL-Q
12/07/2016	27,00	4.583	24,3	SEBA KLL-Q
12/07/2016	28,00	4.582	24,3	SEBA KLL-Q
12/07/2016	29,00	4.582	24,3	SEBA KLL-Q
12/07/2016	30,00	4.583	24,3	SEBA KLL-Q
12/07/2016	31,00	4.582	24,3	SEBA KLL-Q
12/07/2016	32,00	4.581	24,4	SEBA KLL-Q
12/07/2016	33,00	4.580	24,4	SEBA KLL-Q
12/07/2016	34,00	4.577	24,5	SEBA KLL-Q
12/07/2016	35,00	4.574	24,6	SEBA KLL-Q
12/07/2016	36,00	4.574	24,6	SEBA KLL-Q
12/07/2016	37,00	4.576	24,6	SEBA KLL-Q
12/07/2016	38,00	4.575	24,6	SEBA KLL-Q
12/07/2016	39,00	4.574	24,6	SEBA KLL-Q
12/07/2016	40,00	4.572	24,6	SEBA KLL-Q
12/07/2016	41,00	4.570	24,7	SEBA KLL-Q
12/07/2016	42,00	4.568	24,7	SEBA KLL-Q
12/07/2016	43,00	4.568	24,7	SEBA KLL-Q
12/07/2016	44,00	4.568	24,7	SEBA KLL-Q
12/07/2016	45,00	4.567	24,7	SEBA KLL-Q
12/07/2016	46,00	4.561	24,8	SEBA KLL-Q
12/07/2016	47,00	4.554	24,8	SEBA KLL-Q
12/07/2016	48,00	4.553	24,8	SEBA KLL-Q
12/07/2016	49,00	4.553	24,9	SEBA KLL-Q
12/07/2016	50,00	4.554	24,9	SEBA KLL-Q
12/07/2016	51,00	4.558	24,8	SEBA KLL-Q
12/07/2016	52,00	4.551	24,9	SEBA KLL-Q
12/07/2016	53,00	4.542	24,9	SEBA KLL-Q
12/07/2016	54,00	4.552	24,9	SEBA KLL-Q
12/07/2016	55,00	4.548	24,9	SEBA KLL-Q
12/07/2016	56,00	4.484	25,2	SEBA KLL-Q
12/07/2016	57,00	4.374	25,5	SEBA KLL-Q
12/07/2016	58,00	4.344	25,6	SEBA KLL-Q
12/07/2016	59,00	4.341	25,6	SEBA KLL-Q
12/07/2016	60,00	4.322	25,7	SEBA KLL-Q
12/07/2016	61,00	4.296	25,7	SEBA KLL-Q
12/07/2016	62,00	4.292	25,7	SEBA KLL-Q
12/07/2016	63,00	4.308	25,7	SEBA KLL-Q
12/07/2016	64,00	4.383	25,7	SEBA KLL-Q
12/07/2016	65,00	4.395	25,7	SEBA KLL-Q
12/07/2016	66,00	4.496	25,7	SEBA KLL-Q
12/07/2016	66,50	4.494	25,7	SEBA KLL-Q
12/07/2016	67,00	4.702	25,7	SEBA KLL-Q
12/07/2016	67,50	4.708	25,7	SEBA KLL-Q
12/07/2016	68,00	10.790	25,7	SEBA KLL-Q
12/07/2016	68,25	18.370	25,7	SEBA KLL-Q
12/07/2016	68,50	24.040	25,7	SEBA KLL-Q
12/07/2016	68,75	26.310	25,7	SEBA KLL-Q
12/07/2016	69,00	33.640	25,7	SEBA KLL-Q
12/07/2016	69,25	41.350	25,7	SEBA KLL-Q
12/07/2016	69,50	54.410	25,7	SEBA KLL-Q
12/07/2016	69,75	66.270	25,7	SEBA KLL-Q
12/07/2016	70,00	74.630	25,7	SEBA KLL-Q
12/07/2016	70,25	90.260	25,7	SEBA KLL-Q
12/07/2016	70,50	103.800	25,8	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/07/2016	70,75	111.100	25,8	SEBA KLL-Q
12/07/2016	71,00	119.400	25,8	SEBA KLL-Q
12/07/2016	71,25	130.300	25,8	SEBA KLL-Q
12/07/2016	71,50	142.700	25,8	SEBA KLL-Q
12/07/2016	71,75	150.500	25,8	SEBA KLL-Q
12/07/2016	72,00	157.100	25,9	SEBA KLL-Q
12/07/2016	72,25	160.700	25,9	SEBA KLL-Q
12/07/2016	72,50	167.100	25,9	SEBA KLL-Q
12/07/2016	72,75	189.900	25,9	SEBA KLL-Q
12/07/2016	73,00	210.900	25,9	SEBA KLL-Q
12/07/2016	73,25	220.300	25,9	SEBA KLL-Q
12/07/2016	73,50	220.600	25,9	SEBA KLL-Q
12/07/2016	73,75	221.200	25,9	SEBA KLL-Q
12/07/2016	74,00	221.400	25,9	SEBA KLL-Q
12/07/2016	75,00	222.800	25,9	SEBA KLL-Q
12/07/2016	76,00	223.800	26,0	SEBA KLL-Q
12/07/2016	78,00	223.200	26,0	SEBA KLL-Q
12/07/2016	80,00	221.700	26,1	SEBA KLL-Q
12/07/2016	85,00	221.700	26,2	SEBA KLL-Q
12/07/2016	90,00	221.700	26,3	SEBA KLL-Q
12/07/2016	95,00	221.700	26,4	SEBA KLL-Q
12/07/2016	100,00	221.700	26,5	SEBA KLL-Q
12/07/2016	100,40	117.000	26,5	SEBA KLL-Q
23/10/2016	9,10	4.210	23,4	SEBA KLL-Q
23/10/2016	10,00	4.198	23,7	SEBA KLL-Q
23/10/2016	11,00	4.194	23,9	SEBA KLL-Q
23/10/2016	12,00	4.189	24,0	SEBA KLL-Q
23/10/2016	13,00	4.190	24,0	SEBA KLL-Q
23/10/2016	14,00	4.188	24,0	SEBA KLL-Q
23/10/2016	16,00	4.187	24,0	SEBA KLL-Q
23/10/2016	18,00	4.188	24,0	SEBA KLL-Q
23/10/2016	20,00	4.187	24,0	SEBA KLL-Q
23/10/2016	22,00	4.187	24,0	SEBA KLL-Q
23/10/2016	24,00	4.186	24,0	SEBA KLL-Q
23/10/2016	26,00	4.185	24,0	SEBA KLL-Q
23/10/2016	28,00	4.186	24,1	SEBA KLL-Q
23/10/2016	30,00	4.185	24,1	SEBA KLL-Q
23/10/2016	32,00	4.183	24,2	SEBA KLL-Q
23/10/2016	34,00	4.181	24,5	SEBA KLL-Q
23/10/2016	36,00	4.173	25,1	SEBA KLL-Q
23/10/2016	38,00	4.173	25,2	SEBA KLL-Q
23/10/2016	40,00	4.172	25,2	SEBA KLL-Q
23/10/2016	41,00	4.171	25,2	SEBA KLL-Q
23/10/2016	42,00	4.172	25,2	SEBA KLL-Q
23/10/2016	43,00	4.172	25,2	SEBA KLL-Q
23/10/2016	44,00	4.172	25,3	SEBA KLL-Q
23/10/2016	45,00	4.171	25,3	SEBA KLL-Q
23/10/2016	46,00	4.172	25,3	SEBA KLL-Q
23/10/2016	47,00	4.171	25,3	SEBA KLL-Q
23/10/2016	48,00	4.171	25,3	SEBA KLL-Q
23/10/2016	49,00	4.171	25,3	SEBA KLL-Q
23/10/2016	50,00	4.174	25,3	SEBA KLL-Q
23/10/2016	51,00	4.172	25,3	SEBA KLL-Q
23/10/2016	52,00	4.170	25,4	SEBA KLL-Q
23/10/2016	53,00	4.170	25,4	SEBA KLL-Q
23/10/2016	54,00	4.171	25,4	SEBA KLL-Q
23/10/2016	55,00	4.171	25,4	SEBA KLL-Q
23/10/2016	56,00	4.163	25,5	SEBA KLL-Q
23/10/2016	57,00	4.155	25,7	SEBA KLL-Q
23/10/2016	58,00	4.151	25,7	SEBA KLL-Q
23/10/2016	59,00	4.151	25,8	SEBA KLL-Q
23/10/2016	60,00	4.149	25,8	SEBA KLL-Q
23/10/2016	61,00	4.149	25,8	SEBA KLL-Q
23/10/2016	62,00	4.142	25,8	SEBA KLL-Q
23/10/2016	63,00	4.138	25,8	SEBA KLL-Q
23/10/2016	64,00	4.138	25,8	SEBA KLL-Q
23/10/2016	65,00	4.139	25,8	SEBA KLL-Q
23/10/2016	66,00	4.139	25,9	SEBA KLL-Q
23/10/2016	67,00	4.139	25,9	SEBA KLL-Q
23/10/2016	68,00	4.308	25,9	SEBA KLL-Q
23/10/2016	68,20	5.142	25,9	SEBA KLL-Q
23/10/2016	68,40	7.249	25,9	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/10/2016	68,60	11.028	25,9	SEBA KLL-Q
23/10/2016	68,80	14.972	25,9	SEBA KLL-Q
23/10/2016	69,00	19.522	25,9	SEBA KLL-Q
23/10/2016	69,20	24.475	25,9	SEBA KLL-Q
23/10/2016	69,40	29.942	25,9	SEBA KLL-Q
23/10/2016	69,60	34.348	25,9	SEBA KLL-Q
23/10/2016	69,80	39.198	25,9	SEBA KLL-Q
23/10/2016	70,00	45.753	25,9	SEBA KLL-Q
23/10/2016	70,20	60.671	25,9	SEBA KLL-Q
23/10/2016	70,40	81.570	25,9	SEBA KLL-Q
23/10/2016	70,60	94.703	25,9	SEBA KLL-Q
23/10/2016	70,80	104.959	25,9	SEBA KLL-Q
23/10/2016	71,00	116.090	25,9	SEBA KLL-Q
23/10/2016	71,20	127.415	25,9	SEBA KLL-Q
23/10/2016	71,40	139.346	25,9	SEBA KLL-Q
23/10/2016	71,60	150.715	25,9	SEBA KLL-Q
23/10/2016	71,80	160.969	25,9	SEBA KLL-Q
23/10/2016	72,00	170.149	25,9	SEBA KLL-Q
23/10/2016	72,20	180.496	25,9	SEBA KLL-Q
23/10/2016	72,40	196.592	25,9	SEBA KLL-Q
23/10/2016	72,60	214.650	25,9	SEBA KLL-Q
23/10/2016	72,80	225.746	25,9	SEBA KLL-Q
23/10/2016	73,00	230.980	25,9	SEBA KLL-Q
23/10/2016	73,20	233.097	25,9	SEBA KLL-Q
23/10/2016	73,40	234.079	26,0	SEBA KLL-Q
23/10/2016	73,60	234.000	26,0	SEBA KLL-Q
23/10/2016	73,80	234.891	26,0	SEBA KLL-Q
23/10/2016	74,00	235.169	26,0	SEBA KLL-Q
23/10/2016	74,50	235.752	26,0	SEBA KLL-Q
23/10/2016	75,00	235.993	26,0	SEBA KLL-Q
23/10/2016	76,00	236.400	26,0	SEBA KLL-Q
23/10/2016	77,00	236.444	26,0	SEBA KLL-Q
23/10/2016	78,00	236.511	26,1	SEBA KLL-Q
23/10/2016	80,00	232.578	26,1	SEBA KLL-Q
23/10/2016	82,00	232.507	26,1	SEBA KLL-Q
23/10/2016	84,00	232.448	26,2	SEBA KLL-Q
23/10/2016	86,00	232.347	26,2	SEBA KLL-Q
23/10/2016	90,00	232.414	26,3	SEBA KLL-Q
23/10/2016	95,00	232.321	26,5	SEBA KLL-Q
23/10/2016	100,00	232.348	26,5	SEBA KLL-Q
18/11/2016	9,10	4.234	23,8	SEBA KLL-Q
18/11/2016	10,00	4.228	23,8	SEBA KLL-Q
18/11/2016	11,00	4.228	24,0	SEBA KLL-Q
18/11/2016	12,00	4.227	24,0	SEBA KLL-Q
18/11/2016	14,00	4.226	24,0	SEBA KLL-Q
18/11/2016	16,00	4.226	24,0	SEBA KLL-Q
18/11/2016	18,00	4.226	24,0	SEBA KLL-Q
18/11/2016	20,00	4.226	24,0	SEBA KLL-Q
18/11/2016	22,00	4.226	24,0	SEBA KLL-Q
18/11/2016	24,00	4.225	24,0	SEBA KLL-Q
18/11/2016	26,00	4.227	24,0	SEBA KLL-Q
18/11/2016	28,00	4.226	24,1	SEBA KLL-Q
18/11/2016	30,00	4.226	24,1	SEBA KLL-Q
18/11/2016	32,00	4.225	24,2	SEBA KLL-Q
18/11/2016	34,00	4.225	24,5	SEBA KLL-Q
18/11/2016	36,00	4.215	25,1	SEBA KLL-Q
18/11/2016	38,00	4.214	25,2	SEBA KLL-Q
18/11/2016	40,00	4.213	25,2	SEBA KLL-Q
18/11/2016	42,00	4.214	25,2	SEBA KLL-Q
18/11/2016	44,00	4.215	25,2	SEBA KLL-Q
18/11/2016	46,00	4.214	25,3	SEBA KLL-Q
18/11/2016	48,00	4.214	25,3	SEBA KLL-Q
18/11/2016	50,00	4.213	25,3	SEBA KLL-Q
18/11/2016	52,00	4.214	25,3	SEBA KLL-Q
18/11/2016	54,00	4.213	25,4	SEBA KLL-Q
18/11/2016	56,00	4.208	25,5	SEBA KLL-Q
18/11/2016	58,00	4.197	25,7	SEBA KLL-Q
18/11/2016	60,00	4.198	25,7	SEBA KLL-Q
18/11/2016	62,00	4.192	25,8	SEBA KLL-Q
18/11/2016	64,00	4.191	25,8	SEBA KLL-Q
18/11/2016	66,00	4.191	25,8	SEBA KLL-Q
18/11/2016	68,00	5.146	25,8	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/11/2016	68,20	6.170	25,8	SEBA KLL-Q
18/11/2016	68,40	8.417	25,8	SEBA KLL-Q
18/11/2016	68,60	10.800	25,8	SEBA KLL-Q
18/11/2016	68,80	13.970	25,8	SEBA KLL-Q
18/11/2016	69,00	18.120	25,8	SEBA KLL-Q
18/11/2016	69,20	23.220	25,8	SEBA KLL-Q
18/11/2016	69,40	26.060	25,8	SEBA KLL-Q
18/11/2016	69,60	32.180	25,8	SEBA KLL-Q
18/11/2016	69,80	37.500	25,8	SEBA KLL-Q
18/11/2016	70,00	43.580	25,8	SEBA KLL-Q
18/11/2016	70,20	58.280	25,9	SEBA KLL-Q
18/11/2016	70,40	75.910	25,9	SEBA KLL-Q
18/11/2016	70,60	88.370	25,9	SEBA KLL-Q
18/11/2016	70,80	101.700	25,9	SEBA KLL-Q
18/11/2016	71,00	113.100	25,9	SEBA KLL-Q
18/11/2016	71,20	126.000	25,9	SEBA KLL-Q
18/11/2016	71,40	139.700	25,9	SEBA KLL-Q
18/11/2016	71,60	148.200	25,9	SEBA KLL-Q
18/11/2016	71,80	159.300	25,9	SEBA KLL-Q
18/11/2016	72,00	170.500	25,9	SEBA KLL-Q
18/11/2016	72,20	182.300	25,9	SEBA KLL-Q
18/11/2016	72,40	198.100	25,9	SEBA KLL-Q
18/11/2016	72,60	212.400	25,9	SEBA KLL-Q
18/11/2016	72,80	221.900	25,9	SEBA KLL-Q
18/11/2016	73,00	227.500	25,9	SEBA KLL-Q
18/11/2016	73,50	230.800	25,9	SEBA KLL-Q
18/11/2016	74,00	231.500	25,9	SEBA KLL-Q
18/11/2016	75,00	232.300	25,9	SEBA KLL-Q
18/11/2016	76,00	232.800	26,0	SEBA KLL-Q
18/11/2016	77,00	232.800	26,0	SEBA KLL-Q
18/11/2016	78,00	233.000	26,0	SEBA KLL-Q
18/11/2016	80,00	229.000	26,0	SEBA KLL-Q
18/11/2016	85,00	228.900	26,2	SEBA KLL-Q
18/11/2016	90,00	228.900	26,3	SEBA KLL-Q
18/11/2016	95,00	228.900	26,4	SEBA KLL-Q
18/11/2016	100,00	228.900	26,5	SEBA KLL-Q
18/11/2016	100,40	126.300	26,5	SEBA KLL-Q
21/12/2016	9,50	4.246	23,5	SEBA KLL-Q
21/12/2016	10,00	4.231	23,7	SEBA KLL-Q
21/12/2016	12,00	4.234	23,9	SEBA KLL-Q
21/12/2016	14,00	4.233	24,0	SEBA KLL-Q
21/12/2016	16,00	4.234	24,0	SEBA KLL-Q
21/12/2016	18,00	4.235	24,0	SEBA KLL-Q
21/12/2016	20,00	4.235	24,0	SEBA KLL-Q
21/12/2016	22,00	4.235	24,0	SEBA KLL-Q
21/12/2016	24,00	4.236	24,0	SEBA KLL-Q
21/12/2016	26,00	4.236	24,1	SEBA KLL-Q
21/12/2016	28,00	4.234	24,1	SEBA KLL-Q
21/12/2016	30,00	4.235	24,1	SEBA KLL-Q
21/12/2016	32,00	4.236	24,2	SEBA KLL-Q
21/12/2016	34,00	4.233	24,5	SEBA KLL-Q
21/12/2016	36,00	4.233	25,1	SEBA KLL-Q
21/12/2016	38,00	4.227	25,2	SEBA KLL-Q
21/12/2016	40,00	4.228	25,2	SEBA KLL-Q
21/12/2016	42,00	4.228	25,2	SEBA KLL-Q
21/12/2016	44,00	4.228	25,2	SEBA KLL-Q
21/12/2016	46,00	4.228	25,3	SEBA KLL-Q
21/12/2016	48,00	4.227	25,3	SEBA KLL-Q
21/12/2016	50,00	4.227	25,3	SEBA KLL-Q
21/12/2016	52,00	4.227	25,4	SEBA KLL-Q
21/12/2016	54,00	4.227	25,4	SEBA KLL-Q
21/12/2016	56,00	4.223	25,4	SEBA KLL-Q
21/12/2016	58,00	4.213	25,7	SEBA KLL-Q
21/12/2016	60,00	4.215	25,7	SEBA KLL-Q
21/12/2016	62,00	4.218	25,8	SEBA KLL-Q
21/12/2016	64,00	4.218	25,8	SEBA KLL-Q
21/12/2016	66,00	4.219	25,8	SEBA KLL-Q
21/12/2016	68,00	4.815	25,8	SEBA KLL-Q
21/12/2016	68,50	9.890	25,8	SEBA KLL-Q
21/12/2016	68,70	11.890	25,8	SEBA KLL-Q
21/12/2016	68,90	15.190	25,8	SEBA KLL-Q
21/12/2016	69,10	18.240	25,8	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/12/2016	69,30	24.210	25,8	SEBA KLL-Q
21/12/2016	69,50	28.350	25,8	SEBA KLL-Q
21/12/2016	69,70	33.210	25,9	SEBA KLL-Q
21/12/2016	69,90	38.670	25,9	SEBA KLL-Q
21/12/2016	70,10	45.950	25,9	SEBA KLL-Q
21/12/2016	70,30	60.800	25,9	SEBA KLL-Q
21/12/2016	70,50	74.650	25,9	SEBA KLL-Q
21/12/2016	70,70	89.470	25,9	SEBA KLL-Q
21/12/2016	70,90	104.200	25,9	SEBA KLL-Q
21/12/2016	71,10	115.700	25,9	SEBA KLL-Q
21/12/2016	71,30	130.400	25,9	SEBA KLL-Q
21/12/2016	71,50	143.700	25,9	SEBA KLL-Q
21/12/2016	71,70	154.900	25,9	SEBA KLL-Q
21/12/2016	71,90	155.100	25,9	SEBA KLL-Q
21/12/2016	72,10	179.600	25,9	SEBA KLL-Q
21/12/2016	72,30	191.800	25,9	SEBA KLL-Q
21/12/2016	72,50	210.100	25,9	SEBA KLL-Q
21/12/2016	72,70	220.500	25,9	SEBA KLL-Q
21/12/2016	72,90	220.500	25,9	SEBA KLL-Q
21/12/2016	73,10	227.200	25,9	SEBA KLL-Q
21/12/2016	73,30	232.400	25,9	SEBA KLL-Q
21/12/2016	73,50	232.700	25,9	SEBA KLL-Q
21/12/2016	73,70	233.000	25,9	SEBA KLL-Q
21/12/2016	73,90	233.400	25,9	SEBA KLL-Q
21/12/2016	74,10	233.700	25,9	SEBA KLL-Q
21/12/2016	74,30	234.000	25,9	SEBA KLL-Q
21/12/2016	74,50	234.200	25,9	SEBA KLL-Q
21/12/2016	75,00	234.400	25,9	SEBA KLL-Q
21/12/2016	75,50	234.700	26,0	SEBA KLL-Q
21/12/2016	76,00	234.800	26,0	SEBA KLL-Q
21/12/2016	77,00	234.800	26,0	SEBA KLL-Q
21/12/2016	78,00	234.900	26,0	SEBA KLL-Q
21/12/2016	80,00	230.800	26,0	SEBA KLL-Q
21/12/2016	82,00	230.800	26,1	SEBA KLL-Q
21/12/2016	84,00	230.800	26,1	SEBA KLL-Q
21/12/2016	86,00	230.800	26,2	SEBA KLL-Q
21/12/2016	88,00	230.800	26,2	SEBA KLL-Q
21/12/2016	90,00	230.800	26,3	SEBA KLL-Q
21/12/2016	92,00	230.800	26,3	SEBA KLL-Q
21/12/2016	94,00	230.800	26,4	SEBA KLL-Q
21/12/2016	96,00	230.700	26,4	SEBA KLL-Q
21/12/2016	98,00	230.800	26,4	SEBA KLL-Q
21/12/2016	100,00	230.800	26,5	SEBA KLL-Q
21/12/2016	100,40	129.600	26,5	SEBA KLL-Q
04/07/2017	9,50	3.472	23,0	SEBA KLL-Q
04/07/2017	10,00	3.442	23,8	SEBA KLL-Q
04/07/2017	12,00	3.432	24,1	SEBA KLL-Q
04/07/2017	14,00	3.416	24,1	SEBA KLL-Q
04/07/2017	16,00	3.421	24,1	SEBA KLL-Q
04/07/2017	18,00	3.411	24,1	SEBA KLL-Q
04/07/2017	20,00	3.408	24,1	SEBA KLL-Q
04/07/2017	22,00	3.409	24,1	SEBA KLL-Q
04/07/2017	24,00	3.405	24,2	SEBA KLL-Q
04/07/2017	26,00	3.410	24,2	SEBA KLL-Q
04/07/2017	28,00	3.406	24,2	SEBA KLL-Q
04/07/2017	30,00	3.408	24,2	SEBA KLL-Q
04/07/2017	32,00	3.407	24,3	SEBA KLL-Q
04/07/2017	34,00	3.401	24,7	SEBA KLL-Q
04/07/2017	36,00	3.402	25,2	SEBA KLL-Q
04/07/2017	38,00	3.404	25,3	SEBA KLL-Q
04/07/2017	40,00	3.404	25,3	SEBA KLL-Q
04/07/2017	42,00	3.405	25,3	SEBA KLL-Q
04/07/2017	44,00	3.404	25,3	SEBA KLL-Q
04/07/2017	46,00	3.405	25,4	SEBA KLL-Q
04/07/2017	48,00	3.405	25,4	SEBA KLL-Q
04/07/2017	50,00	3.405	25,4	SEBA KLL-Q
04/07/2017	52,00	3.404	25,4	SEBA KLL-Q
04/07/2017	54,00	3.403	25,4	SEBA KLL-Q
04/07/2017	56,00	3.403	25,6	SEBA KLL-Q
04/07/2017	58,00	3.401	25,7	SEBA KLL-Q
04/07/2017	60,00	3.402	25,7	SEBA KLL-Q
04/07/2017	63,00	3.411	25,8	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/07/2017	64,00	3.416	25,8	SEBA KLL-Q
04/07/2017	66,00	3.416	25,8	SEBA KLL-Q
04/07/2017	68,00	3.447	25,8	SEBA KLL-Q
04/07/2017	70,00	34.990	25,8	SEBA KLL-Q
04/07/2017	71,00	89.110	25,8	SEBA KLL-Q
04/07/2017	71,50	129.200	25,9	SEBA KLL-Q
04/07/2017	71,70	145.800	25,9	SEBA KLL-Q
04/07/2017	71,90	163.600	25,9	SEBA KLL-Q
04/07/2017	72,10	179.200	25,9	SEBA KLL-Q
04/07/2017	72,30	190.800	25,9	SEBA KLL-Q
04/07/2017	72,50	200.100	25,9	SEBA KLL-Q
04/07/2017	72,70	206.800	25,9	SEBA KLL-Q
04/07/2017	72,90	211.100	25,9	SEBA KLL-Q
04/07/2017	73,10	213.200	25,9	SEBA KLL-Q
04/07/2017	73,30	214.700	25,9	SEBA KLL-Q
04/07/2017	73,50	215.000	25,9	SEBA KLL-Q
04/07/2017	74,00	215.900	25,9	SEBA KLL-Q
04/07/2017	75,00	216.400	25,9	SEBA KLL-Q
04/07/2017	76,00	216.800	25,9	SEBA KLL-Q
04/07/2017	78,00	217.000	26,0	SEBA KLL-Q
04/07/2017	80,00	213.200	26,0	SEBA KLL-Q
04/07/2017	82,00	212.800	26,1	SEBA KLL-Q
04/07/2017	84,00	212.900	26,1	SEBA KLL-Q
04/07/2017	86,00	212.800	26,1	SEBA KLL-Q
04/07/2017	88,00	212.800	26,2	SEBA KLL-Q
04/07/2017	90,00	212.800	26,2	SEBA KLL-Q
04/07/2017	92,00	212.800	26,3	SEBA KLL-Q
04/07/2017	94,00	212.800	26,4	SEBA KLL-Q
04/07/2017	96,00	212.800	26,4	SEBA KLL-Q
04/07/2017	98,00	212.800	26,5	SEBA KLL-Q
04/07/2017	100,00	212.800	26,4	SEBA KLL-Q
10/10/2017	9,50	4.086	23,7	SEBA KLL-Q
10/10/2017	10,00	4.081	24,0	SEBA KLL-Q
10/10/2017	12,00	4.088	24,1	SEBA KLL-Q
10/10/2017	14,00	4.079	24,1	SEBA KLL-Q
10/10/2017	17,00	4.076	24,1	SEBA KLL-Q
10/10/2017	20,00	4.080	24,1	SEBA KLL-Q
10/10/2017	23,00	4.079	24,1	SEBA KLL-Q
10/10/2017	26,00	4.080	24,2	SEBA KLL-Q
10/10/2017	29,00	4.079	24,2	SEBA KLL-Q
10/10/2017	32,00	4.078	24,3	SEBA KLL-Q
10/10/2017	35,00	4.075	25,1	SEBA KLL-Q
10/10/2017	38,00	4.077	25,3	SEBA KLL-Q
10/10/2017	41,00	4.077	25,3	SEBA KLL-Q
10/10/2017	44,00	4.076	25,3	SEBA KLL-Q
10/10/2017	47,00	4.076	25,4	SEBA KLL-Q
10/10/2017	50,00	4.076	25,4	SEBA KLL-Q
10/10/2017	53,00	4.075	25,4	SEBA KLL-Q
10/10/2017	56,00	4.075	25,5	SEBA KLL-Q
10/10/2017	59,00	4.075	25,7	SEBA KLL-Q
10/10/2017	65,00	4.090	25,7	SEBA KLL-Q
10/10/2017	66,00	4.095	25,8	SEBA KLL-Q
10/10/2017	68,00	4.159	25,8	SEBA KLL-Q
10/10/2017	68,20	5.349	25,8	SEBA KLL-Q
10/10/2017	68,40	7.794	25,8	SEBA KLL-Q
10/10/2017	68,60	10.100	25,8	SEBA KLL-Q
10/10/2017	68,80	13.060	25,8	SEBA KLL-Q
10/10/2017	69,00	15.930	25,8	SEBA KLL-Q
10/10/2017	69,20	18.920	25,8	SEBA KLL-Q
10/10/2017	69,40	22.400	25,8	SEBA KLL-Q
10/10/2017	69,60	26.580	25,8	SEBA KLL-Q
10/10/2017	69,80	31.180	25,8	SEBA KLL-Q
10/10/2017	70,00	35.910	25,8	SEBA KLL-Q
10/10/2017	70,20	48.140	25,8	SEBA KLL-Q
10/10/2017	70,40	57.470	25,8	SEBA KLL-Q
10/10/2017	70,60	70.320	25,8	SEBA KLL-Q
10/10/2017	70,80	85.070	25,8	SEBA KLL-Q
10/10/2017	71,00	102.700	25,8	SEBA KLL-Q
10/10/2017	71,20	123.200	25,8	SEBA KLL-Q
10/10/2017	71,40	143.600	25,8	SEBA KLL-Q
10/10/2017	71,60	167.200	25,8	SEBA KLL-Q
10/10/2017	71,80	190.100	25,8	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
10/10/2017	72,00	209.900	25,8	SEBA KLL-Q
10/10/2017	72,20	225.900	25,8	SEBA KLL-Q
10/10/2017	72,40	237.900	25,8	SEBA KLL-Q
10/10/2017	72,60	244.700	25,8	SEBA KLL-Q
10/10/2017	72,80	249.900	25,8	SEBA KLL-Q
10/10/2017	73,00	252.300	25,8	SEBA KLL-Q
10/10/2017	73,50	255.200	25,8	SEBA KLL-Q
10/10/2017	74,00	256.100	25,9	SEBA KLL-Q
10/10/2017	75,00	256.800	25,9	SEBA KLL-Q
10/10/2017	76,00	257.100	25,9	SEBA KLL-Q
10/10/2017	78,00	257.200	25,9	SEBA KLL-Q
10/10/2017	80,00	252.800	26,0	SEBA KLL-Q
10/10/2017	82,00	252.200	26,0	SEBA KLL-Q
10/10/2017	84,00	252.200	26,1	SEBA KLL-Q
10/10/2017	86,00	252.200	26,1	SEBA KLL-Q
10/10/2017	88,00	252.200	26,2	SEBA KLL-Q
10/10/2017	90,00	252.300	26,2	SEBA KLL-Q
10/10/2017	92,00	252.300	26,2	SEBA KLL-Q
10/10/2017	94,00	252.300	26,3	SEBA KLL-Q
10/10/2017	96,00	252.300	26,3	SEBA KLL-Q
10/10/2017	98,00	252.300	26,3	SEBA KLL-Q
10/10/2017	100,00	252.200	26,4	SEBA KLL-Q
02/01/2018	10,0	4.270	24,00	SEBA KLL-Q
02/01/2018	12,0	4.272	24,40	SEBA KLL-Q
02/01/2018	14,0	4.240	24,50	SEBA KLL-Q
02/01/2018	16,0	4.240	24,50	SEBA KLL-Q
02/01/2018	18,0	4.240	24,50	SEBA KLL-Q
02/01/2018	20,0	4.232	24,50	SEBA KLL-Q
02/01/2018	22,0	4.233	24,50	SEBA KLL-Q
02/01/2018	24,0	4.232	24,50	SEBA KLL-Q
02/01/2018	26,0	4.232	24,50	SEBA KLL-Q
02/01/2018	28,0	4.231	24,50	SEBA KLL-Q
02/01/2018	30,0	4.220	24,60	SEBA KLL-Q
02/01/2018	32,0	4.231	24,70	SEBA KLL-Q
02/01/2018	34,0	4.235	25,30	SEBA KLL-Q
02/01/2018	36,0	4.225	25,60	SEBA KLL-Q
02/01/2018	38,0	4.223	25,60	SEBA KLL-Q
02/01/2018	40,0	4.224	25,60	SEBA KLL-Q
02/01/2018	42,0	4.221	25,60	SEBA KLL-Q
02/01/2018	44,0	4.222	25,60	SEBA KLL-Q
02/01/2018	46,0	4.223	25,60	SEBA KLL-Q
02/01/2018	48,0	4.221	25,70	SEBA KLL-Q
02/01/2018	50,0	4.223	25,70	SEBA KLL-Q
02/01/2018	52,0	4.220	25,70	SEBA KLL-Q
02/01/2018	54,0	4.221	25,70	SEBA KLL-Q
02/01/2018	55,0	4.219	25,70	SEBA KLL-Q
02/01/2018	56,0	4.222	25,80	SEBA KLL-Q
02/01/2018	57,0	4.222	25,90	SEBA KLL-Q
02/01/2018	58,0	4.218	25,90	SEBA KLL-Q
02/01/2018	59,0	4.220	25,90	SEBA KLL-Q
02/01/2018	60,0	4.237	25,90	SEBA KLL-Q
02/01/2018	61,0	4.235	25,90	SEBA KLL-Q
02/01/2018	62,0	4.235	25,90	SEBA KLL-Q
02/01/2018	62,5	4.238	25,90	SEBA KLL-Q
02/01/2018	63,0	4.240	25,90	SEBA KLL-Q
02/01/2018	63,5	4.238	25,90	SEBA KLL-Q
02/01/2018	64,0	4.236	25,90	SEBA KLL-Q
02/01/2018	64,5	4.238	25,90	SEBA KLL-Q
02/01/2018	65,0	4.237	25,90	SEBA KLL-Q
02/01/2018	65,2	4.238	25,90	SEBA KLL-Q
02/01/2018	65,4	4.240	25,90	SEBA KLL-Q
02/01/2018	65,6	4.238	25,90	SEBA KLL-Q
02/01/2018	65,8	4.239	25,90	SEBA KLL-Q
02/01/2018	66,0	4.236	25,90	SEBA KLL-Q
02/01/2018	66,2	4.241	25,90	SEBA KLL-Q
02/01/2018	66,4	4.242	25,90	SEBA KLL-Q
02/01/2018	66,6	4.244	26,00	SEBA KLL-Q
02/01/2018	66,8	4.241	26,00	SEBA KLL-Q
02/01/2018	67,0	4.245	26,00	SEBA KLL-Q
02/01/2018	67,2	4.242	26,00	SEBA KLL-Q
02/01/2018	67,4	4.256	26,00	SEBA KLL-Q
02/01/2018	67,6	4.305	26,00	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
02/01/2018	67,8	4.325	26,00	SEBA KLL-Q
02/01/2018	68,0	4.329	26,00	SEBA KLL-Q
02/01/2018	68,2	4.503	26,00	SEBA KLL-Q
02/01/2018	68,4	7.035	26,00	SEBA KLL-Q
02/01/2018	68,6	9.249	26,00	SEBA KLL-Q
02/01/2018	68,8	11.422	26,00	SEBA KLL-Q
02/01/2018	69,0	13.945	26,00	SEBA KLL-Q
02/01/2018	69,2	17.797	26,00	SEBA KLL-Q
02/01/2018	69,4	21.252	26,00	SEBA KLL-Q
02/01/2018	69,6	25.607	26,00	SEBA KLL-Q
02/01/2018	69,8	29.722	26,00	SEBA KLL-Q
02/01/2018	70,0	34.295	26,00	SEBA KLL-Q
02/01/2018	70,2	44.754	26,00	SEBA KLL-Q
02/01/2018	70,4	54.621	26,00	SEBA KLL-Q
02/01/2018	70,6	66.200	26,00	SEBA KLL-Q
02/01/2018	70,8	76.810	26,00	SEBA KLL-Q
02/01/2018	71,0	96.790	26,00	SEBA KLL-Q
02/01/2018	71,2	116.330	26,00	SEBA KLL-Q
02/01/2018	71,4	139.010	26,00	SEBA KLL-Q
02/01/2018	71,6	162.250	26,00	SEBA KLL-Q
02/01/2018	71,8	186.550	26,00	SEBA KLL-Q
02/01/2018	72,0	186.600	26,00	SEBA KLL-Q
02/01/2018	72,2	205.000	26,00	SEBA KLL-Q
02/01/2018	72,4	206.200	26,00	SEBA KLL-Q
02/01/2018	72,6	217.500	26,00	SEBA KLL-Q
02/01/2018	72,8	222.300	26,00	SEBA KLL-Q
02/01/2018	73,0	224.300	26,00	SEBA KLL-Q
02/01/2018	73,2	225.700	26,00	SEBA KLL-Q
02/01/2018	73,4	227.000	26,00	SEBA KLL-Q
02/01/2018	73,6	227.400	26,00	SEBA KLL-Q
02/01/2018	73,8	227.900	26,00	SEBA KLL-Q
02/01/2018	74,0	228.300	26,00	SEBA KLL-Q
02/01/2018	74,5	228.400	26,00	SEBA KLL-Q
02/01/2018	75,0	229.200	26,00	SEBA KLL-Q
02/01/2018	75,5	229.800	26,00	SEBA KLL-Q
02/01/2018	76,0	229.900	26,10	SEBA KLL-Q
02/01/2018	76,5	230.000	26,10	SEBA KLL-Q
02/01/2018	77,0	230.100	26,10	SEBA KLL-Q
02/01/2018	78,0	230.100	26,10	SEBA KLL-Q
02/01/2018	79,0	230.200	26,10	SEBA KLL-Q
02/01/2018	80,0	228.400	26,10	SEBA KLL-Q
02/01/2018	81,0	226.400	26,10	SEBA KLL-Q
02/01/2018	82,0	226.000	26,20	SEBA KLL-Q
02/01/2018	83,0	226.000	26,20	SEBA KLL-Q
02/01/2018	85,0	225.800	26,20	SEBA KLL-Q
02/01/2018	87,0	225.800	26,20	SEBA KLL-Q
02/01/2018	89,0	225.900	26,20	SEBA KLL-Q
02/01/2018	91,0	225.900	26,20	SEBA KLL-Q
02/01/2018	93,0	225.800	26,30	SEBA KLL-Q
02/01/2018	94,0	226.000	26,40	SEBA KLL-Q
02/01/2018	96,0	225.900	26,50	SEBA KLL-Q
02/01/2018	97,0	225.800	26,50	SEBA KLL-Q
02/01/2018	98,0	225.800	26,40	SEBA KLL-Q
02/01/2018	99,0	225.800	26,40	SEBA KLL-Q
23/04/2018	9,2	4.311	24,50	SEBA KLL-Q
23/04/2018	9,4	4.309	24,57	SEBA KLL-Q
23/04/2018	9,6	4.308	24,58	SEBA KLL-Q
23/04/2018	9,8	4.311	24,65	SEBA KLL-Q
23/04/2018	10,0	4.308	24,69	SEBA KLL-Q
23/04/2018	10,2	4.310	24,68	SEBA KLL-Q
23/04/2018	10,4	4.310	24,71	SEBA KLL-Q
23/04/2018	10,6	4.310	24,72	SEBA KLL-Q
23/04/2018	10,8	4.309	24,72	SEBA KLL-Q
23/04/2018	11,0	4.310	24,72	SEBA KLL-Q
23/04/2018	11,5	4.310	24,72	SEBA KLL-Q
23/04/2018	12,0	4.312	24,72	SEBA KLL-Q
23/04/2018	12,5	4.310	24,72	SEBA KLL-Q
23/04/2018	13,0	4.311	24,72	SEBA KLL-Q
23/04/2018	14,0	4.312	24,72	SEBA KLL-Q
23/04/2018	15,0	4.312	24,72	SEBA KLL-Q
23/04/2018	16,0	4.312	24,72	SEBA KLL-Q
23/04/2018	18,0	4.313	24,72	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/04/2018	20,0	4.313	24,72	SEBA KLL-Q
23/04/2018	22,0	4.312	24,73	SEBA KLL-Q
23/04/2018	24,0	4.312	24,73	SEBA KLL-Q
23/04/2018	26,0	4.313	24,74	SEBA KLL-Q
23/04/2018	28,0	4.313	24,79	SEBA KLL-Q
23/04/2018	30,0	4.314	24,82	SEBA KLL-Q
23/04/2018	32,0	4.311	24,90	SEBA KLL-Q
23/04/2018	34,0	4.310	25,49	SEBA KLL-Q
23/04/2018	36,0	4.310	25,55	SEBA KLL-Q
23/04/2018	38,0	4.310	25,56	SEBA KLL-Q
23/04/2018	40,0	4.310	25,56	SEBA KLL-Q
23/04/2018	42,0	4.310	25,59	SEBA KLL-Q
23/04/2018	44,0	4.310	25,60	SEBA KLL-Q
23/04/2018	46,0	4.311	25,63	SEBA KLL-Q
23/04/2018	48,0	4.310	25,64	SEBA KLL-Q
23/04/2018	50,0	4.310	25,63	SEBA KLL-Q
23/04/2018	52,0	4.311	25,64	SEBA KLL-Q
23/04/2018	54,0	4.310	25,65	SEBA KLL-Q
23/04/2018	56,0	4.308	25,78	SEBA KLL-Q
23/04/2018	58,0	4.308	25,81	SEBA KLL-Q
23/04/2018	60,0	4.311	25,82	SEBA KLL-Q
23/04/2018	62,0	4.321	25,83	SEBA KLL-Q
23/04/2018	63,0	4.320	25,84	SEBA KLL-Q
23/04/2018	63,5	4.321	25,84	SEBA KLL-Q
23/04/2018	64,0	4.321	25,84	SEBA KLL-Q
23/04/2018	64,2	4.321	25,84	SEBA KLL-Q
23/04/2018	64,4	4.321	25,84	SEBA KLL-Q
23/04/2018	64,6	4.322	25,85	SEBA KLL-Q
23/04/2018	64,8	4.322	25,85	SEBA KLL-Q
23/04/2018	65,0	4.322	25,85	SEBA KLL-Q
23/04/2018	65,2	4.322	25,85	SEBA KLL-Q
23/04/2018	65,4	4.322	25,85	SEBA KLL-Q
23/04/2018	65,6	4.324	25,85	SEBA KLL-Q
23/04/2018	65,8	4.326	25,85	SEBA KLL-Q
23/04/2018	66,0	4.328	25,85	SEBA KLL-Q
23/04/2018	66,2	4.327	25,85	SEBA KLL-Q
23/04/2018	66,4	4.326	25,85	SEBA KLL-Q
23/04/2018	66,6	4.325	25,85	SEBA KLL-Q
23/04/2018	66,8	4.326	25,85	SEBA KLL-Q
23/04/2018	67,0	4.325	25,85	SEBA KLL-Q
23/04/2018	67,2	4.325	25,85	SEBA KLL-Q
23/04/2018	67,4	4.321	25,85	SEBA KLL-Q
23/04/2018	67,6	4.350	25,85	SEBA KLL-Q
23/04/2018	67,8	4.368	25,85	SEBA KLL-Q
23/04/2018	68,0	5.113	25,85	SEBA KLL-Q
23/04/2018	68,2	5.638	25,86	SEBA KLL-Q
23/04/2018	68,4	7.402	25,86	SEBA KLL-Q
23/04/2018	68,6	10.400	25,86	SEBA KLL-Q
23/04/2018	68,8	12.840	25,87	SEBA KLL-Q
23/04/2018	69,0	15.690	25,87	SEBA KLL-Q
23/04/2018	69,2	18.870	25,87	SEBA KLL-Q
23/04/2018	69,4	22.520	25,87	SEBA KLL-Q
23/04/2018	69,6	26.770	25,87	SEBA KLL-Q
23/04/2018	69,8	31.230	25,87	SEBA KLL-Q
23/04/2018	70,0	38.370	25,88	SEBA KLL-Q
23/04/2018	70,2	46.260	25,88	SEBA KLL-Q
23/04/2018	70,4	56.760	25,88	SEBA KLL-Q
23/04/2018	70,6	65.680	25,88	SEBA KLL-Q
23/04/2018	70,8	80.970	25,89	SEBA KLL-Q
23/04/2018	71,0	98.500	25,89	SEBA KLL-Q
23/04/2018	71,2	115.000	25,90	SEBA KLL-Q
23/04/2018	71,4	136.400	25,90	SEBA KLL-Q
23/04/2018	71,6	159.700	25,90	SEBA KLL-Q
23/04/2018	71,8	184.600	25,90	SEBA KLL-Q
23/04/2018	72,0	203.000	25,90	SEBA KLL-Q
23/04/2018	72,2	215.300	25,90	SEBA KLL-Q
23/04/2018	72,4	224.500	25,90	SEBA KLL-Q
23/04/2018	72,6	231.200	25,90	SEBA KLL-Q
23/04/2018	72,8	234.100	25,90	SEBA KLL-Q
23/04/2018	73,0	236.200	25,90	SEBA KLL-Q
23/04/2018	73,2	237.500	25,90	SEBA KLL-Q
23/04/2018	73,4	238.400	25,90	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/04/2018	73,6	238.900	25,90	SEBA KLL-Q
23/04/2018	73,8	239.200	25,90	SEBA KLL-Q
23/04/2018	74,0	239.500	25,90	SEBA KLL-Q
23/04/2018	74,5	239.900	25,90	SEBA KLL-Q
23/04/2018	75,0	240.100	25,90	SEBA KLL-Q
23/04/2018	76,0	240.100	25,90	SEBA KLL-Q
23/04/2018	77,0	240.300	26,00	SEBA KLL-Q
23/04/2018	78,0	240.300	26,00	SEBA KLL-Q
23/04/2018	80,0	238.100	26,00	SEBA KLL-Q
23/04/2018	82,0	235.900	26,00	SEBA KLL-Q
23/04/2018	84,0	235.900	26,10	SEBA KLL-Q
23/04/2018	86,0	235.900	26,10	SEBA KLL-Q
23/04/2018	88,0	235.900	26,20	SEBA KLL-Q
23/04/2018	90,0	235.800	26,20	SEBA KLL-Q
23/04/2018	92,0	235.800	26,20	SEBA KLL-Q
23/04/2018	94,0	235.800	26,40	SEBA KLL-Q
23/04/2018	96,0	235.800	26,40	SEBA KLL-Q
23/04/2018	98,0	235.800	26,40	SEBA KLL-Q
23/04/2018	100,0	235.900	26,40	SEBA KLL-Q
27/07/2018	9,1	4.903	24,03	SEBA KLL-Q
27/07/2018	9,3	4.877	24,67	SEBA KLL-Q
27/07/2018	9,5	4.843	24,72	SEBA KLL-Q
27/07/2018	10,0	4.793	24,76	SEBA KLL-Q
27/07/2018	10,5	4.793	24,83	SEBA KLL-Q
27/07/2018	11,0	4.760	24,89	SEBA KLL-Q
27/07/2018	12,0	4.743	24,88	SEBA KLL-Q
27/07/2018	13,0	4.743	24,89	SEBA KLL-Q
27/07/2018	14,0	4.734	24,90	SEBA KLL-Q
27/07/2018	16,0	4.731	24,89	SEBA KLL-Q
27/07/2018	18,0	4.728	24,88	SEBA KLL-Q
27/07/2018	20,0	4.725	24,89	SEBA KLL-Q
27/07/2018	22,0	4.722	24,88	SEBA KLL-Q
27/07/2018	24,0	4.720	24,91	SEBA KLL-Q
27/07/2018	26,0	4.720	24,92	SEBA KLL-Q
27/07/2018	28,0	4.725	24,94	SEBA KLL-Q
27/07/2018	30,0	4.718	24,98	SEBA KLL-Q
27/07/2018	32,0	4.723	25,10	SEBA KLL-Q
27/07/2018	34,0	4.719	25,56	SEBA KLL-Q
27/07/2018	36,0	4.717	25,63	SEBA KLL-Q
27/07/2018	38,0	4.717	25,63	SEBA KLL-Q
27/07/2018	40,0	4.710	25,65	SEBA KLL-Q
27/07/2018	42,0	4.714	25,68	SEBA KLL-Q
27/07/2018	44,0	4.710	25,68	SEBA KLL-Q
27/07/2018	46,0	4.720	25,69	SEBA KLL-Q
27/07/2018	48,0	4.715	25,71	SEBA KLL-Q
27/07/2018	50,0	4.714	25,69	SEBA KLL-Q
27/07/2018	52,0	4.714	25,70	SEBA KLL-Q
27/07/2018	54,0	4.716	25,73	SEBA KLL-Q
27/07/2018	56,0	4.711	25,83	SEBA KLL-Q
27/07/2018	58,0	4.712	25,86	SEBA KLL-Q
27/07/2018	60,0	4.708	25,88	SEBA KLL-Q
27/07/2018	62,0	4.727	25,88	SEBA KLL-Q
27/07/2018	64,0	4.727	25,90	SEBA KLL-Q
27/07/2018	66,0	4.733	25,91	SEBA KLL-Q
27/07/2018	68,0	15.220	25,94	SEBA KLL-Q
27/07/2018	68,2	19.040	25,92	SEBA KLL-Q
27/07/2018	68,4	20.080	25,92	SEBA KLL-Q
27/07/2018	68,6	24.510	25,93	SEBA KLL-Q
27/07/2018	68,8	26.420	25,94	SEBA KLL-Q
27/07/2018	69,0	35.160	25,94	SEBA KLL-Q
27/07/2018	69,2	35.800	25,93	SEBA KLL-Q
27/07/2018	69,4	45.030	25,93	SEBA KLL-Q
27/07/2018	69,6	55.620	25,95	SEBA KLL-Q
27/07/2018	69,8	61.590	25,93	SEBA KLL-Q
27/07/2018	70,0	69.890	25,93	SEBA KLL-Q
27/07/2018	70,2	79.820	25,93	SEBA KLL-Q
27/07/2018	70,4	96.150	25,94	SEBA KLL-Q
27/07/2018	70,6	100.700	25,96	SEBA KLL-Q
27/07/2018	70,8	120.000	25,95	SEBA KLL-Q
27/07/2018	71,0	139.800	25,97	SEBA KLL-Q
27/07/2018	71,2	144.200	25,98	SEBA KLL-Q
27/07/2018	71,4	163.800	25,98	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
27/07/2018	71,6	191.600	25,97	SEBA KLL-Q
27/07/2018	71,8	204.200	25,96	SEBA KLL-Q
27/07/2018	72,0	223.500	25,97	SEBA KLL-Q
27/07/2018	72,2	240.000	25,97	SEBA KLL-Q
27/07/2018	72,4	254.000	25,96	SEBA KLL-Q
27/07/2018	72,6	259.900	25,98	SEBA KLL-Q
27/07/2018	72,8	271.400	25,98	SEBA KLL-Q
27/07/2018	73,0	273.700	25,79	SEBA KLL-Q
27/07/2018	73,5	286.500	26,00	SEBA KLL-Q
27/07/2018	74,0	287.300	25,98	SEBA KLL-Q
27/07/2018	74,5	287.700	25,99	SEBA KLL-Q
27/07/2018	75,0	287.700	26,01	SEBA KLL-Q
27/07/2018	76,0	287.600	26,02	SEBA KLL-Q
27/07/2018	78,0	287.800	26,06	SEBA KLL-Q
27/07/2018	80,0	285.500	26,09	SEBA KLL-Q
27/07/2018	82,0	283.100	26,15	SEBA KLL-Q
27/07/2018	84,0	282.600	26,19	SEBA KLL-Q
26/08/2018	9,2	4.390	23,35	SEBA KLL-Q
26/08/2018	9,4	4.303	24,32	SEBA KLL-Q
26/08/2018	9,6	4.309	24,33	SEBA KLL-Q
26/08/2018	9,8	4.290	24,81	SEBA KLL-Q
26/08/2018	10,0	4.285	24,85	SEBA KLL-Q
26/08/2018	10,5	4.263	25,09	SEBA KLL-Q
26/08/2018	11,0	4.265	25,15	SEBA KLL-Q
26/08/2018	12,0	4.258	25,18	SEBA KLL-Q
26/08/2018	14,0	4.254	25,19	SEBA KLL-Q
26/08/2018	16,0	4.255	25,17	SEBA KLL-Q
26/08/2018	18,0	4.254	25,19	SEBA KLL-Q
26/08/2018	20,0	4.251	25,21	SEBA KLL-Q
26/08/2018	22,0	4.254	25,15	SEBA KLL-Q
26/08/2018	24,0	4.253	25,20	SEBA KLL-Q
26/08/2018	26,0	4.256	25,19	SEBA KLL-Q
26/08/2018	28,0	4.255	25,25	SEBA KLL-Q
26/08/2018	30,0	4.256	25,24	SEBA KLL-Q
26/08/2018	32,0	4.257	25,63	SEBA KLL-Q
26/08/2018	34,0	4.253	25,82	SEBA KLL-Q
26/08/2018	36,0	4.255	25,83	SEBA KLL-Q
26/08/2018	38,0	4.252	25,84	SEBA KLL-Q
26/08/2018	40,0	4.253	25,90	SEBA KLL-Q
26/08/2018	42,0	4.259	25,86	SEBA KLL-Q
26/08/2018	44,0	4.258	25,88	SEBA KLL-Q
26/08/2018	46,0	4.258	25,89	SEBA KLL-Q
26/08/2018	48,0	4.258	25,90	SEBA KLL-Q
26/08/2018	50,0	4.257	25,91	SEBA KLL-Q
26/08/2018	52,0	4.256	25,92	SEBA KLL-Q
26/08/2018	54,0	4.258	25,94	SEBA KLL-Q
26/08/2018	56,0	4.262	26,00	SEBA KLL-Q
26/08/2018	58,0	4.258	26,03	SEBA KLL-Q
26/08/2018	60,0	4.274	26,04	SEBA KLL-Q
26/08/2018	62,0	4.273	26,08	SEBA KLL-Q
26/08/2018	64,0	4.275	26,11	SEBA KLL-Q
26/08/2018	66,0	4.277	26,15	SEBA KLL-Q
26/08/2018	68,0	4.318	26,07	SEBA KLL-Q
26/08/2018	68,5	16.650	26,06	SEBA KLL-Q
26/08/2018	69,0	23.910	26,12	SEBA KLL-Q
26/08/2018	69,2	28.980	26,10	SEBA KLL-Q
26/08/2018	69,4	32.760	26,09	SEBA KLL-Q
26/08/2018	69,6	38.930	26,07	SEBA KLL-Q
26/08/2018	69,8	46.420	26,08	SEBA KLL-Q
26/08/2018	70,0	54.700	26,13	SEBA KLL-Q
26/08/2018	70,2	65.700	26,10	SEBA KLL-Q
26/08/2018	70,4	80.050	26,13	SEBA KLL-Q
26/08/2018	70,6	89.880	26,09	SEBA KLL-Q
26/08/2018	70,8	101.700	26,10	SEBA KLL-Q
26/08/2018	71,0	118.400	26,12	SEBA KLL-Q
26/08/2018	71,2	131.600	26,13	SEBA KLL-Q
26/08/2018	71,4	147.400	26,07	SEBA KLL-Q
26/08/2018	71,6	167.800	26,15	SEBA KLL-Q
26/08/2018	71,8	186.700	26,10	SEBA KLL-Q
26/08/2018	72,0	204.300	26,09	SEBA KLL-Q
26/08/2018	72,2	220.400	26,14	SEBA KLL-Q
26/08/2018	72,4	230.100	26,09	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/08/2018	72,6	238.100	26,14	SEBA KLL-Q
26/08/2018	72,8	244.700	26,09	SEBA KLL-Q
26/08/2018	73,0	250.300	26,13	SEBA KLL-Q
26/08/2018	73,2	254.500	26,10	SEBA KLL-Q
26/08/2018	73,4	255.900	26,11	SEBA KLL-Q
26/08/2018	73,6	256.500	26,09	SEBA KLL-Q
26/08/2018	73,8	256.900	26,07	SEBA KLL-Q
26/08/2018	74,0	256.900	26,09	SEBA KLL-Q
26/08/2018	74,5	257.100	26,15	SEBA KLL-Q
26/08/2018	75,0	257.100	26,16	SEBA KLL-Q
26/08/2018	76,0	257.600	26,16	SEBA KLL-Q
26/08/2018	78,0	257.700	26,12	SEBA KLL-Q
26/08/2018	80,0	257.500	26,13	SEBA KLL-Q
26/08/2018	82,0	253.300	26,25	SEBA KLL-Q
26/08/2018	84,0	252.100	26,27	SEBA KLL-Q
26/08/2018	86,0	253.000	26,31	SEBA KLL-Q
26/08/2018	88,0	253.000	26,35	SEBA KLL-Q
26/08/2018	90,0	252.700	26,37	SEBA KLL-Q
26/08/2018	92,0	253.000	26,24	SEBA KLL-Q
26/08/2018	94,0	253.000	26,47	SEBA KLL-Q
26/08/2018	96,0	252.800	26,53	SEBA KLL-Q
26/08/2018	98,0	252.700	26,54	SEBA KLL-Q
26/08/2018	98,5	253.000	26,57	SEBA KLL-Q
05/09/2018	9,1	4.293	24,40	SEBA KLL-Q
05/09/2018	9,5	4.287	24,60	SEBA KLL-Q
05/09/2018	9,7	4.285	24,60	SEBA KLL-Q
05/09/2018	9,9	4.283	24,80	SEBA KLL-Q
05/09/2018	10,2	4.283	24,80	SEBA KLL-Q
05/09/2018	10,5	4.274	25,10	SEBA KLL-Q
05/09/2018	11,0	4.272	25,10	SEBA KLL-Q
05/09/2018	11,5	4.268	25,10	SEBA KLL-Q
05/09/2018	12,0	4.266	25,10	SEBA KLL-Q
05/09/2018	13,0	4.264	25,10	SEBA KLL-Q
05/09/2018	14,0	4.264	25,10	SEBA KLL-Q
05/09/2018	16,0	4.262	25,20	SEBA KLL-Q
05/09/2018	18,0	4.262	25,20	SEBA KLL-Q
05/09/2018	20,0	4.260	25,20	SEBA KLL-Q
05/09/2018	22,0	4.259	25,20	SEBA KLL-Q
05/09/2018	24,0	4.258	25,20	SEBA KLL-Q
05/09/2018	26,0	4.260	25,20	SEBA KLL-Q
05/09/2018	28,0	4.261	25,20	SEBA KLL-Q
05/09/2018	30,0	4.258	25,20	SEBA KLL-Q
05/09/2018	32,0	4.256	25,30	SEBA KLL-Q
05/09/2018	34,0	4.256	25,80	SEBA KLL-Q
05/09/2018	36,0	4.256	25,90	SEBA KLL-Q
05/09/2018	38,0	4.256	25,90	SEBA KLL-Q
05/09/2018	40,0	4.254	25,90	SEBA KLL-Q
05/09/2018	42,0	4.258	25,90	SEBA KLL-Q
05/09/2018	44,0	4.257	25,90	SEBA KLL-Q
05/09/2018	46,0	4.257	25,90	SEBA KLL-Q
05/09/2018	48,0	4.260	25,90	SEBA KLL-Q
05/09/2018	50,0	4.259	25,90	SEBA KLL-Q
05/09/2018	52,0	4.257	25,90	SEBA KLL-Q
05/09/2018	54,0	4.254	25,90	SEBA KLL-Q
05/09/2018	56,0	4.254	26,10	SEBA KLL-Q
05/09/2018	58,0	4.260	26,10	SEBA KLL-Q
05/09/2018	60,0	4.259	26,10	SEBA KLL-Q
05/09/2018	62,0	4.254	26,10	SEBA KLL-Q
05/09/2018	64,0	4.273	26,10	SEBA KLL-Q
05/09/2018	65,0	4.273	26,10	SEBA KLL-Q
05/09/2018	65,5	4.272	26,10	SEBA KLL-Q
05/09/2018	66,0	4.269	26,20	SEBA KLL-Q
05/09/2018	67,0	4.269	26,20	SEBA KLL-Q
05/09/2018	68,0	4.554	26,20	SEBA KLL-Q
05/09/2018	68,5	14.920	26,20	SEBA KLL-Q
05/09/2018	69,0	23.660	26,20	SEBA KLL-Q
05/09/2018	69,2	28.470	26,20	SEBA KLL-Q
05/09/2018	69,4	32.610	26,20	SEBA KLL-Q
05/09/2018	69,6	39.030	26,20	SEBA KLL-Q
05/09/2018	69,8	45.840	26,20	SEBA KLL-Q
05/09/2018	70,0	55.830	26,20	SEBA KLL-Q
05/09/2018	70,2	65.530	26,20	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/09/2018	70,4	78.370	26,20	SEBA KLL-Q
05/09/2018	70,6	91.830	26,20	SEBA KLL-Q
05/09/2018	70,8	103.300	26,20	SEBA KLL-Q
05/09/2018	71,0	119.400	26,20	SEBA KLL-Q
05/09/2018	71,2	132.100	26,20	SEBA KLL-Q
05/09/2018	71,4	147.600	26,20	SEBA KLL-Q
05/09/2018	71,6	165.200	26,20	SEBA KLL-Q
05/09/2018	71,8	185.200	26,20	SEBA KLL-Q
05/09/2018	72,0	204.200	26,20	SEBA KLL-Q
05/09/2018	72,2	220.800	26,20	SEBA KLL-Q
05/09/2018	72,4	230.000	26,20	SEBA KLL-Q
05/09/2018	72,6	239.300	26,20	SEBA KLL-Q
05/09/2018	72,8	245.500	26,20	SEBA KLL-Q
05/09/2018	73,0	251.700	26,20	SEBA KLL-Q
05/09/2018	73,5	257.200	26,20	SEBA KLL-Q
05/09/2018	74,0	258.100	26,20	SEBA KLL-Q
05/09/2018	75,0	258.500	26,20	SEBA KLL-Q
05/09/2018	76,0	258.800	26,20	SEBA KLL-Q
05/09/2018	78,0	258.900	26,30	SEBA KLL-Q
05/09/2018	80,0	257.300	26,30	SEBA KLL-Q
05/09/2018	82,0	254.400	26,30	SEBA KLL-Q
05/09/2018	84,0	254.300	26,40	SEBA KLL-Q
05/09/2018	86,0	254.200	26,40	SEBA KLL-Q
05/09/2018	88,0	254.000	26,50	SEBA KLL-Q
05/09/2018	90,0	254.300	26,50	SEBA KLL-Q
05/09/2018	92,0	254.200	26,60	SEBA KLL-Q
05/09/2018	94,0	254.200	26,60	SEBA KLL-Q
05/09/2018	96,0	254.400	26,70	SEBA KLL-Q
05/09/2018	98,0	254.400	26,70	SEBA KLL-Q
05/09/2018	99,0	254.400	26,70	SEBA KLL-Q
05/09/2018	99,5	254.200	26,70	SEBA KLL-Q
13/11/2018	10,0	4.511	24,95	SEBA KLL-Q
13/11/2018	10,5	4.510	25,00	SEBA KLL-Q
13/11/2018	11,0	4.509	25,03	SEBA KLL-Q
13/11/2018	12,0	4.509	25,04	SEBA KLL-Q
13/11/2018	14,0	4.509	25,02	SEBA KLL-Q
13/11/2018	16,0	4.510	25,03	SEBA KLL-Q
13/11/2018	18,0	4.509	25,03	SEBA KLL-Q
13/11/2018	20,0	4.510	25,04	SEBA KLL-Q
13/11/2018	22,0	4.511	25,04	SEBA KLL-Q
13/11/2018	24,0	4.510	25,05	SEBA KLL-Q
13/11/2018	26,0	4.509	25,07	SEBA KLL-Q
13/11/2018	28,0	4.510	25,10	SEBA KLL-Q
13/11/2018	30,0	4.510	25,11	SEBA KLL-Q
13/11/2018	32,0	4.508	25,25	SEBA KLL-Q
13/11/2018	34,0	4.510	25,57	SEBA KLL-Q
13/11/2018	36,0	4.508	25,64	SEBA KLL-Q
13/11/2018	38,0	4.508	25,65	SEBA KLL-Q
13/11/2018	40,0	4.508	25,66	SEBA KLL-Q
13/11/2018	42,0	4.509	25,67	SEBA KLL-Q
13/11/2018	44,0	4.508	25,68	SEBA KLL-Q
13/11/2018	46,0	4.509	25,70	SEBA KLL-Q
13/11/2018	48,0	4.508	25,71	SEBA KLL-Q
13/11/2018	50,0	4.510	25,70	SEBA KLL-Q
13/11/2018	52,0	4.508	25,71	SEBA KLL-Q
13/11/2018	54,0	4.509	25,72	SEBA KLL-Q
13/11/2018	56,0	4.508	25,72	SEBA KLL-Q
13/11/2018	58,0	4.509	25,70	SEBA KLL-Q
13/11/2018	60,0	4.520	25,72	SEBA KLL-Q
13/11/2018	62,0	4.521	25,86	SEBA KLL-Q
13/11/2018	64,0	4.521	25,86	SEBA KLL-Q
13/11/2018	66,0	4.522	25,87	SEBA KLL-Q
13/11/2018	68,0	4.565	25,87	SEBA KLL-Q
13/11/2018	70,0	48.070	25,89	SEBA KLL-Q
13/11/2018	70,2	68.290	25,90	SEBA KLL-Q
13/11/2018	70,4	70.800	25,91	SEBA KLL-Q
13/11/2018	70,6	87.220	25,90	SEBA KLL-Q
13/11/2018	70,8	100.200	25,90	SEBA KLL-Q
13/11/2018	71,0	115.000	25,91	SEBA KLL-Q
13/11/2018	71,2	131.500	25,91	SEBA KLL-Q
13/11/2018	71,4	148.400	25,91	SEBA KLL-Q
13/11/2018	71,6	166.700	25,92	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/11/2018	71,8	186.100	25,92	SEBA KLL-Q
13/11/2018	72,0	203.600	25,93	SEBA KLL-Q
13/11/2018	72,2	216.500	25,92	SEBA KLL-Q
13/11/2018	72,4	225.500	25,92	SEBA KLL-Q
13/11/2018	72,6	232.700	25,93	SEBA KLL-Q
13/11/2018	72,8	237.900	25,93	SEBA KLL-Q
13/11/2018	73,0	241.200	25,94	SEBA KLL-Q
13/11/2018	73,5	243.700	25,95	SEBA KLL-Q
13/11/2018	74,0	244.300	25,96	SEBA KLL-Q
13/11/2018	74,5	244.700	25,97	SEBA KLL-Q
13/11/2018	75,0	244.700	25,97	SEBA KLL-Q
13/11/2018	76,0	245.100	25,99	SEBA KLL-Q
13/11/2018	78,0	245.200	26,03	SEBA KLL-Q
13/11/2018	80,0	243.100	26,07	SEBA KLL-Q
13/11/2018	82,0	240.800	26,12	SEBA KLL-Q
13/11/2018	84,0	240.700	26,15	SEBA KLL-Q
13/11/2018	87,0	240.700	26,16	SEBA KLL-Q
13/11/2018	90,0	240.600	26,15	SEBA KLL-Q
13/11/2018	93,0	240.800	26,21	SEBA KLL-Q
13/11/2018	96,0	240.600	26,42	SEBA KLL-Q
13/11/2018	99,0	240.600	26,46	SEBA KLL-Q
27/01/2019	9,20	4.579	24,98	SEBA KLL-Q
27/01/2019	9,40	4.585	24,98	SEBA KLL-Q
27/01/2019	9,60	4.585	25,04	SEBA KLL-Q
27/01/2019	9,80	4.586	25,04	SEBA KLL-Q
27/01/2019	10,00	4.584	25,04	SEBA KLL-Q
27/01/2019	10,50	4.581	25,07	SEBA KLL-Q
27/01/2019	11,00	4.581	25,08	SEBA KLL-Q
27/01/2019	12,00	4.581	25,09	SEBA KLL-Q
27/01/2019	14,00	4.581	25,09	SEBA KLL-Q
27/01/2019	16,00	4.582	25,09	SEBA KLL-Q
27/01/2019	18,00	4.580	25,09	SEBA KLL-Q
27/01/2019	20,00	4.582	25,09	SEBA KLL-Q
27/01/2019	22,00	4.581	25,09	SEBA KLL-Q
27/01/2019	24,00	4.581	25,10	SEBA KLL-Q
27/01/2019	26,00	4.581	25,14	SEBA KLL-Q
27/01/2019	28,00	4.581	25,16	SEBA KLL-Q
27/01/2019	30,00	4.581	25,19	SEBA KLL-Q
27/01/2019	32,00	4.582	25,28	SEBA KLL-Q
27/01/2019	34,00	4.581	25,65	SEBA KLL-Q
27/01/2019	36,00	4.580	25,65	SEBA KLL-Q
27/01/2019	38,00	4.581	25,65	SEBA KLL-Q
27/01/2019	40,00	4.581	25,66	SEBA KLL-Q
27/01/2019	42,00	4.581	25,68	SEBA KLL-Q
27/01/2019	44,00	4.580	25,69	SEBA KLL-Q
27/01/2019	46,00	4.582	25,70	SEBA KLL-Q
27/01/2019	48,00	4.582	25,70	SEBA KLL-Q
27/01/2019	50,00	4.581	25,72	SEBA KLL-Q
27/01/2019	52,00	4.582	25,74	SEBA KLL-Q
27/01/2019	54,00	4.580	25,75	SEBA KLL-Q
27/01/2019	56,00	4.582	25,81	SEBA KLL-Q
27/01/2019	58,00	4.581	25,84	SEBA KLL-Q
27/01/2019	60,00	4.581	25,85	SEBA KLL-Q
27/01/2019	62,00	4.593	25,86	SEBA KLL-Q
27/01/2019	64,00	4.594	25,86	SEBA KLL-Q
27/01/2019	66,00	4.595	25,86	SEBA KLL-Q
27/01/2019	67,00	4.599	25,87	SEBA KLL-Q
27/01/2019	67,50	4.610	25,87	SEBA KLL-Q
27/01/2019	67,80	4.628	25,87	SEBA KLL-Q
27/01/2019	68,00	4.630	25,87	SEBA KLL-Q
27/01/2019	68,20	4.661	25,87	SEBA KLL-Q
27/01/2019	68,40	7.013	25,87	SEBA KLL-Q
27/01/2019	68,60	10.760	25,87	SEBA KLL-Q
27/01/2019	68,80	14.050	25,88	SEBA KLL-Q
27/01/2019	69,00	17.620	25,88	SEBA KLL-Q
27/01/2019	69,20	22.090	25,88	SEBA KLL-Q
27/01/2019	69,40	26.300	25,88	SEBA KLL-Q
27/01/2019	69,60	30.900	25,89	SEBA KLL-Q
27/01/2019	69,80	36.500	25,89	SEBA KLL-Q
27/01/2019	70,00	44.390	25,89	SEBA KLL-Q
27/01/2019	70,20	60.050	25,89	SEBA KLL-Q
27/01/2019	70,40	73.520	25,90	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
27/01/2019	70,60	85.810	25,90	SEBA KLL-Q
27/01/2019	70,80	101.900	25,90	SEBA KLL-Q
27/01/2019	71,00	118.100	25,91	SEBA KLL-Q
27/01/2019	71,20	137.300	25,91	SEBA KLL-Q
27/01/2019	71,40	157.200	25,92	SEBA KLL-Q
27/01/2019	71,60	177.900	25,92	SEBA KLL-Q
27/01/2019	71,80	199.700	25,92	SEBA KLL-Q
27/01/2019	72,00	219.500	25,92	SEBA KLL-Q
27/01/2019	72,20	232.000	25,93	SEBA KLL-Q
27/01/2019	72,40	241.300	25,93	SEBA KLL-Q
27/01/2019	72,60	248.400	25,93	SEBA KLL-Q
27/01/2019	72,80	252.800	25,94	SEBA KLL-Q
27/01/2019	73,00	254.900	25,94	SEBA KLL-Q
27/01/2019	73,50	257.000	25,95	SEBA KLL-Q
27/01/2019	74,00	257.500	25,95	SEBA KLL-Q
27/01/2019	75,00	258.100	25,97	SEBA KLL-Q
27/01/2019	76,00	258.400	25,99	SEBA KLL-Q
27/01/2019	78,00	258.600	26,03	SEBA KLL-Q
27/01/2019	80,00	256.300	26,07	SEBA KLL-Q
27/01/2019	82,00	253.800	26,11	SEBA KLL-Q
27/01/2019	84,00	253.700	26,15	SEBA KLL-Q
27/01/2019	86,00	253.700	26,20	SEBA KLL-Q
27/01/2019	88,00	253.600	26,23	SEBA KLL-Q
27/01/2019	90,00	253.800	26,28	SEBA KLL-Q
27/01/2019	92,00	253.800	26,32	SEBA KLL-Q
27/01/2019	94,00	253.800	26,39	SEBA KLL-Q
27/01/2019	96,00	253.800	26,41	SEBA KLL-Q
27/01/2019	98,00	253.800	26,43	SEBA KLL-Q
27/01/2019	98,50	253.700	26,45	SEBA KLL-Q
26/02/2019	9,20	4.001	25,04	SEBA KLL-Q
26/02/2019	9,40	4.002	25,03	SEBA KLL-Q
26/02/2019	9,60	4.001	25,03	SEBA KLL-Q
26/02/2019	10,00	3.998	25,09	SEBA KLL-Q
26/02/2019	10,50	3.996	25,09	SEBA KLL-Q
26/02/2019	11,00	3.995	25,09	SEBA KLL-Q
26/02/2019	12,00	3.995	25,09	SEBA KLL-Q
26/02/2019	13,00	3.996	25,09	SEBA KLL-Q
26/02/2019	14,00	3.997	25,09	SEBA KLL-Q
26/02/2019	16,00	3.997	25,09	SEBA KLL-Q
26/02/2019	18,00	3.997	25,09	SEBA KLL-Q
26/02/2019	19,00	3.996	25,09	SEBA KLL-Q
26/02/2019	20,00	3.996	25,09	SEBA KLL-Q
26/02/2019	22,00	3.995	25,10	SEBA KLL-Q
26/02/2019	24,00	3.996	25,10	SEBA KLL-Q
26/02/2019	26,00	3.997	25,13	SEBA KLL-Q
26/02/2019	28,00	3.996	25,13	SEBA KLL-Q
26/02/2019	30,00	3.996	25,19	SEBA KLL-Q
26/02/2019	32,00	3.996	25,19	SEBA KLL-Q
26/02/2019	34,00	3.995	25,60	SEBA KLL-Q
26/02/2019	36,00	3.995	25,60	SEBA KLL-Q
26/02/2019	38,00	3.995	25,66	SEBA KLL-Q
26/02/2019	40,00	3.995	25,66	SEBA KLL-Q
26/02/2019	42,00	3.995	25,68	SEBA KLL-Q
26/02/2019	44,00	3.995	25,68	SEBA KLL-Q
26/02/2019	46,00	3.996	25,70	SEBA KLL-Q
26/02/2019	48,00	3.996	25,70	SEBA KLL-Q
26/02/2019	50,00	3.995	25,71	SEBA KLL-Q
26/02/2019	52,00	3.996	25,71	SEBA KLL-Q
26/02/2019	54,00	3.996	25,74	SEBA KLL-Q
26/02/2019	56,00	3.997	25,74	SEBA KLL-Q
26/02/2019	58,00	3.997	25,74	SEBA KLL-Q
26/02/2019	60,00	3.997	25,84	SEBA KLL-Q
26/02/2019	62,00	4.004	25,84	SEBA KLL-Q
26/02/2019	64,00	4.009	25,85	SEBA KLL-Q
26/02/2019	66,00	4.010	25,86	SEBA KLL-Q
26/02/2019	68,00	4.046	25,86	SEBA KLL-Q
26/02/2019	70,00	44.880	25,89	SEBA KLL-Q
26/02/2019	71,00	114.200	25,89	SEBA KLL-Q
26/02/2019	71,50	118.400	25,91	SEBA KLL-Q
26/02/2019	72,00	206.400	25,91	SEBA KLL-Q
26/02/2019	72,20	215.700	25,93	SEBA KLL-Q
26/02/2019	72,30	235.500	25,93	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/02/2019	74,00	235.700	25,96	SEBA KLL-Q
26/02/2019	76,00	236.000	25,96	SEBA KLL-Q
26/02/2019	78,00	235.800	26,02	SEBA KLL-Q
26/02/2019	80,00	233.700	26,02	SEBA KLL-Q
26/02/2019	82,00	233.600	26,11	SEBA KLL-Q
26/02/2019	84,00	233.600	26,11	SEBA KLL-Q
26/02/2019	86,00	229.700	26,19	SEBA KLL-Q
26/03/2019	10,00	3.935	25,00	SEBA KLL-Q
26/03/2019	10,50	3.934	25,08	SEBA KLL-Q
26/03/2019	11,00	3.932	25,11	SEBA KLL-Q
26/03/2019	12,00	3.931	25,12	SEBA KLL-Q
26/03/2019	13,00	3.930	25,13	SEBA KLL-Q
26/03/2019	14,00	3.931	25,13	SEBA KLL-Q
26/03/2019	16,00	3.930	25,12	SEBA KLL-Q
26/03/2019	18,00	3.932	25,13	SEBA KLL-Q
26/03/2019	20,00	3.931	25,13	SEBA KLL-Q
26/03/2019	22,00	3.932	25,13	SEBA KLL-Q
26/03/2019	24,00	3.932	25,14	SEBA KLL-Q
26/03/2019	26,00	3.932	25,16	SEBA KLL-Q
26/03/2019	28,00	3.932	25,18	SEBA KLL-Q
26/03/2019	30,00	3.931	25,21	SEBA KLL-Q
26/03/2019	32,00	3.931	25,71	SEBA KLL-Q
26/03/2019	34,00	3.933	25,60	SEBA KLL-Q
26/03/2019	36,00	3.932	25,66	SEBA KLL-Q
26/03/2019	38,00	3.931	25,67	SEBA KLL-Q
26/03/2019	40,00	3.931	25,67	SEBA KLL-Q
26/03/2019	42,00	3.933	25,69	SEBA KLL-Q
26/03/2019	44,00	3.931	25,69	SEBA KLL-Q
26/03/2019	46,00	3.932	25,69	SEBA KLL-Q
26/03/2019	48,00	3.932	25,77	SEBA KLL-Q
26/03/2019	50,00	3.932	25,72	SEBA KLL-Q
26/03/2019	52,00	3.932	25,74	SEBA KLL-Q
26/03/2019	54,00	3.932	25,76	SEBA KLL-Q
26/03/2019	56,00	3.932	25,83	SEBA KLL-Q
26/03/2019	58,00	3.932	25,84	SEBA KLL-Q
26/03/2019	60,00	3.936	25,85	SEBA KLL-Q
26/03/2019	62,00	3.942	25,86	SEBA KLL-Q
26/03/2019	64,00	3.644	25,86	SEBA KLL-Q
26/03/2019	66,00	3.944	25,86	SEBA KLL-Q
26/03/2019	68,00	5.172	25,87	SEBA KLL-Q
26/03/2019	68,20	9.079	25,89	SEBA KLL-Q
26/03/2019	68,40	9.180	25,87	SEBA KLL-Q
26/03/2019	68,60	10.620	25,87	SEBA KLL-Q
26/03/2019	68,80	14.410	25,87	SEBA KLL-Q
26/03/2019	69,00	17.960	25,88	SEBA KLL-Q
26/03/2019	69,20	21.430	25,80	SEBA KLL-Q
26/03/2019	69,40	25.850	25,80	SEBA KLL-Q
26/03/2019	69,60	31.030	25,89	SEBA KLL-Q
26/03/2019	69,80	39.180	25,89	SEBA KLL-Q
26/03/2019	70,00	47.820	25,89	SEBA KLL-Q
26/03/2019	70,20	57.000	25,90	SEBA KLL-Q
26/03/2019	70,40	66.770	25,90	SEBA KLL-Q
26/03/2019	70,60	83.950	25,90	SEBA KLL-Q
26/03/2019	70,80	94.720	25,91	SEBA KLL-Q
26/03/2019	71,00	111.700	25,91	SEBA KLL-Q
26/03/2019	71,20	129.200	25,91	SEBA KLL-Q
26/03/2019	71,40	145.700	25,91	SEBA KLL-Q
26/03/2019	71,60	166.600	25,92	SEBA KLL-Q
26/03/2019	71,80	187.600	25,92	SEBA KLL-Q
26/03/2019	72,00	203.800	25,92	SEBA KLL-Q
26/03/2019	72,20	217.000	25,93	SEBA KLL-Q
26/03/2019	72,40	226.200	25,93	SEBA KLL-Q
26/03/2019	72,60	232.700	25,94	SEBA KLL-Q
26/03/2019	72,80	236.500	25,93	SEBA KLL-Q
26/03/2019	73,00	238.500	25,94	SEBA KLL-Q
26/03/2019	73,50	240.600	25,95	SEBA KLL-Q
26/03/2019	74,00	240.200	25,96	SEBA KLL-Q
26/03/2019	75,00	239.900	25,98	SEBA KLL-Q
26/03/2019	76,00	239.800	25,98	SEBA KLL-Q
26/03/2019	78,00	239.400	26,02	SEBA KLL-Q
26/03/2019	80,00	238.000	26,08	SEBA KLL-Q
26/03/2019	82,00	234.800	26,12	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/03/2019	84,00	234.700	26,16	SEBA KLL-Q
26/03/2019	86,00	234.900	26,20	SEBA KLL-Q
26/03/2019	88,00	234.800	26,24	SEBA KLL-Q
26/03/2019	90,00	234.800	26,28	SEBA KLL-Q
26/03/2019	92,00	234.900	26,31	SEBA KLL-Q
26/03/2019	94,00	234.900	26,38	SEBA KLL-Q
26/03/2019	96,00	234.800	26,42	SEBA KLL-Q
26/03/2019	98,00	234.700	26,43	SEBA KLL-Q
19/04/2019	9,50	4.085	25,01	SEBA KLL-Q
19/04/2019	10,00	4.053	25,08	SEBA KLL-Q
19/04/2019	11,00	4.046	25,13	SEBA KLL-Q
19/04/2019	13,00	4.043	25,13	SEBA KLL-Q
19/04/2019	15,00	4.044	25,13	SEBA KLL-Q
19/04/2019	17,00	4.045	25,13	SEBA KLL-Q
19/04/2019	19,00	4.044	25,14	SEBA KLL-Q
19/04/2019	21,00	4.045	25,12	SEBA KLL-Q
19/04/2019	23,00	4.045	25,14	SEBA KLL-Q
19/04/2019	25,00	4.046	25,14	SEBA KLL-Q
19/04/2019	27,00	4.048	25,19	SEBA KLL-Q
19/04/2019	29,00	4.048	25,21	SEBA KLL-Q
19/04/2019	31,00	4.049	25,23	SEBA KLL-Q
19/04/2019	33,00	4.047	25,46	SEBA KLL-Q
19/04/2019	35,00	4.050	25,61	SEBA KLL-Q
19/04/2019	37,00	4.050	25,67	SEBA KLL-Q
19/04/2019	39,00	4.050	25,67	SEBA KLL-Q
19/04/2019	41,00	4.052	25,68	SEBA KLL-Q
19/04/2019	43,00	4.052	25,70	SEBA KLL-Q
19/04/2019	45,00	4.053	25,70	SEBA KLL-Q
19/04/2019	47,00	4.053	25,72	SEBA KLL-Q
19/04/2019	49,00	4.053	25,72	SEBA KLL-Q
19/04/2019	51,00	4.054	25,72	SEBA KLL-Q
19/04/2019	53,00	4.053	25,75	SEBA KLL-Q
19/04/2019	55,00	4.054	25,76	SEBA KLL-Q
19/04/2019	57,00	4.055	25,83	SEBA KLL-Q
19/04/2019	59,00	4.055	25,85	SEBA KLL-Q
19/04/2019	61,00	4.064	25,85	SEBA KLL-Q
19/04/2019	63,00	4.066	25,86	SEBA KLL-Q
19/04/2019	65,00	4.067	25,86	SEBA KLL-Q
19/04/2019	67,00	4.069	25,86	SEBA KLL-Q
19/04/2019	67,50	4.084	25,87	SEBA KLL-Q
19/04/2019	68,00	4.119	25,87	SEBA KLL-Q
19/04/2019	68,20	7.245	25,87	SEBA KLL-Q
19/04/2019	68,40	9.206	25,87	SEBA KLL-Q
19/04/2019	68,60	11.350	25,87	SEBA KLL-Q
19/04/2019	68,80	14.380	25,87	SEBA KLL-Q
19/04/2019	69,00	18.420	25,88	SEBA KLL-Q
19/04/2019	69,20	21.800	25,88	SEBA KLL-Q
19/04/2019	69,40	26.350	25,88	SEBA KLL-Q
19/04/2019	69,60	33.340	25,89	SEBA KLL-Q
19/04/2019	69,80	39.040	25,89	SEBA KLL-Q
19/04/2019	70,00	47.750	25,89	SEBA KLL-Q
19/04/2019	70,20	60.490	25,89	SEBA KLL-Q
19/04/2019	70,40	71.530	25,90	SEBA KLL-Q
19/04/2019	70,60	85.720	25,90	SEBA KLL-Q
19/04/2019	70,80	100.600	25,90	SEBA KLL-Q
19/04/2019	71,00	114.700	25,91	SEBA KLL-Q
19/04/2019	71,20	132.800	25,91	SEBA KLL-Q
19/04/2019	71,40	149.500	25,91	SEBA KLL-Q
19/04/2019	71,60	169.800	25,92	SEBA KLL-Q
19/04/2019	71,80	189.900	25,92	SEBA KLL-Q
19/04/2019	72,00	206.600	25,93	SEBA KLL-Q
19/04/2019	72,20	219.800	25,92	SEBA KLL-Q
19/04/2019	72,40	229.200	25,93	SEBA KLL-Q
19/04/2019	72,60	235.300	25,93	SEBA KLL-Q
19/04/2019	72,80	238.100	25,94	SEBA KLL-Q
19/04/2019	73,00	241.000	25,94	SEBA KLL-Q
19/04/2019	73,50	243.200	25,94	SEBA KLL-Q
19/04/2019	74,00	243.400	25,95	SEBA KLL-Q
19/04/2019	75,00	243.800	25,97	SEBA KLL-Q
19/04/2019	77,00	243.900	26,01	SEBA KLL-Q
19/04/2019	79,00	243.400	26,04	SEBA KLL-Q
19/04/2019	81,00	239.100	26,09	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/04/2019	83,00	238.600	26,13	SEBA KLL-Q
19/04/2019	85,00	238.600	26,17	SEBA KLL-Q
19/04/2019	87,00	238.400	26,22	SEBA KLL-Q
19/04/2019	89,00	238.300	26,26	SEBA KLL-Q
19/04/2019	91,00	238.200	26,28	SEBA KLL-Q
19/04/2019	93,00	238.000	26,38	SEBA KLL-Q
19/04/2019	95,00	238.000	26,40	SEBA KLL-Q
19/04/2019	97,00	237.900	26,42	SEBA KLL-Q
28/06/2019	9,02	4.312	24,72	SEBA KLL-Q
28/06/2019	9,22	4.352	24,72	SEBA KLL-Q
28/06/2019	9,42	4.355	24,81	SEBA KLL-Q
28/06/2019	9,62	4.356	24,81	SEBA KLL-Q
28/06/2019	10,00	4.357	25,11	SEBA KLL-Q
28/06/2019	10,50	4.362	25,11	SEBA KLL-Q
28/06/2019	11,00	4.360	25,11	SEBA KLL-Q
28/06/2019	12,00	4.360	25,15	SEBA KLL-Q
28/06/2019	13,00	4.360	25,18	SEBA KLL-Q
28/06/2019	14,00	4.360	25,18	SEBA KLL-Q
28/06/2019	16,00	4.361	25,18	SEBA KLL-Q
28/06/2019	18,00	4.361	25,18	SEBA KLL-Q
28/06/2019	20,00	4.361	25,18	SEBA KLL-Q
28/06/2019	22,00	4.360	25,19	SEBA KLL-Q
28/06/2019	24,00	4.360	25,19	SEBA KLL-Q
28/06/2019	26,00	4.359	25,22	SEBA KLL-Q
28/06/2019	28,00	4.360	25,22	SEBA KLL-Q
28/06/2019	30,00	4.360	25,22	SEBA KLL-Q
28/06/2019	32,00	4.360	25,27	SEBA KLL-Q
28/06/2019	34,00	4.359	25,65	SEBA KLL-Q
28/06/2019	36,00	4.359	25,65	SEBA KLL-Q
28/06/2019	38,00	4.359	25,68	SEBA KLL-Q
28/06/2019	40,00	4.359	25,68	SEBA KLL-Q
28/06/2019	42,00	4.358	25,70	SEBA KLL-Q
28/06/2019	44,00	4.358	25,70	SEBA KLL-Q
28/06/2019	46,00	4.358	25,70	SEBA KLL-Q
28/06/2019	48,00	4.359	25,72	SEBA KLL-Q
28/06/2019	50,00	4.359	25,73	SEBA KLL-Q
28/06/2019	52,00	4.359	25,73	SEBA KLL-Q
28/06/2019	54,00	4.357	25,72	SEBA KLL-Q
28/06/2019	56,00	4.359	25,72	SEBA KLL-Q
28/06/2019	58,00	4.360	25,85	SEBA KLL-Q
28/06/2019	60,00	4.364	25,85	SEBA KLL-Q
28/06/2019	62,00	4.370	25,86	SEBA KLL-Q
28/06/2019	64,00	4.371	25,86	SEBA KLL-Q
28/06/2019	66,00	4.372	25,87	SEBA KLL-Q
28/06/2019	68,00	4.401	25,87	SEBA KLL-Q
28/06/2019	68,50	8.272	25,87	SEBA KLL-Q
28/06/2019	69,00	15.840	25,88	SEBA KLL-Q
28/06/2019	69,50	24.980	25,88	SEBA KLL-Q
28/06/2019	70,00	29.090	25,89	SEBA KLL-Q
28/06/2019	70,50	67.700	25,89	SEBA KLL-Q
28/06/2019	71,00	207.200	25,92	SEBA KLL-Q
28/06/2019	71,20	211.200	25,92	SEBA KLL-Q
28/06/2019	71,40	223.900	25,94	SEBA KLL-Q
28/06/2019	71,60	230.100	25,94	SEBA KLL-Q
28/06/2019	71,80	233.700	25,94	SEBA KLL-Q
28/06/2019	72,00	234.900	25,99	SEBA KLL-Q
28/06/2019	72,50	237.900	25,99	SEBA KLL-Q
28/06/2019	73,00	238.300	25,95	SEBA KLL-Q
28/06/2019	74,00	239.300	25,98	SEBA KLL-Q
28/06/2019	76,00	239.600	25,98	SEBA KLL-Q
28/06/2019	78,00	239.900	25,98	SEBA KLL-Q
28/06/2019	80,00	239.900	26,00	SEBA KLL-Q
28/06/2019	82,00	239.800	26,00	SEBA KLL-Q
28/06/2019	84,00	240.100	26,00	SEBA KLL-Q
28/06/2019	86,00	240.100	26,00	SEBA KLL-Q
28/06/2019	88,00	240.100	26,00	SEBA KLL-Q
28/06/2019	90,00	239.900	26,00	SEBA KLL-Q
29/09/2019	9,30	4.396	24,96	SEBA KLL-Q
29/09/2019	9,40	4.401	24,85	SEBA KLL-Q
29/09/2019	9,60	4.406	24,91	SEBA KLL-Q
29/09/2019	10,00	4.398	25,10	SEBA KLL-Q
29/09/2019	10,50	4.397	25,20	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
29/09/2019	11,00	4.396	25,22	SEBA KLL-Q
29/09/2019	12,00	4.396	25,24	SEBA KLL-Q
29/09/2019	13,00	4.397	25,23	SEBA KLL-Q
29/09/2019	14,00	4.396	25,24	SEBA KLL-Q
29/09/2019	16,00	4.397	25,24	SEBA KLL-Q
29/09/2019	18,00	4.397	25,24	SEBA KLL-Q
29/09/2019	20,00	4.396	25,24	SEBA KLL-Q
29/09/2019	22,00	4.397	25,26	SEBA KLL-Q
29/09/2019	24,00	4.397	25,26	SEBA KLL-Q
29/09/2019	26,00	4.396	25,27	SEBA KLL-Q
29/09/2019	28,00	4.398	25,30	SEBA KLL-Q
29/09/2019	30,00	4.396	25,32	SEBA KLL-Q
29/09/2019	32,00	4.395	25,43	SEBA KLL-Q
29/09/2019	34,00	4.396	25,64	SEBA KLL-Q
29/09/2019	36,00	4.396	25,70	SEBA KLL-Q
29/09/2019	38,00	4.395	25,70	SEBA KLL-Q
29/09/2019	40,00	4.396	25,71	SEBA KLL-Q
29/09/2019	42,00	4.395	25,72	SEBA KLL-Q
29/09/2019	44,00	4.395	25,73	SEBA KLL-Q
29/09/2019	46,00	4.395	25,74	SEBA KLL-Q
29/09/2019	48,00	4.396	25,75	SEBA KLL-Q
29/09/2019	50,00	4.395	25,75	SEBA KLL-Q
29/09/2019	52,00	4.395	25,76	SEBA KLL-Q
29/09/2019	54,00	4.395	25,78	SEBA KLL-Q
29/09/2019	56,00	4.400	25,84	SEBA KLL-Q
29/09/2019	58,00	4.406	25,86	SEBA KLL-Q
29/09/2019	60,00	4.403	25,87	SEBA KLL-Q
29/09/2019	62,00	4.407	25,87	SEBA KLL-Q
29/09/2019	64,00	4.408	25,87	SEBA KLL-Q
29/09/2019	66,00	4.409	25,87	SEBA KLL-Q
29/09/2019	68,00	4.444	25,87	SEBA KLL-Q
29/09/2019	68,50	7.114	25,87	SEBA KLL-Q
29/09/2019	69,00	12.870	25,88	SEBA KLL-Q
29/09/2019	69,50	22.120	25,88	SEBA KLL-Q
29/09/2019	70,00	35.460	25,89	SEBA KLL-Q
29/09/2019	70,50	65.110	25,91	SEBA KLL-Q
29/09/2019	71,00	103.200	25,92	SEBA KLL-Q
29/09/2019	71,20	120.500	25,92	SEBA KLL-Q
29/09/2019	71,40	141.200	25,92	SEBA KLL-Q
29/09/2019	71,60	165.400	25,92	SEBA KLL-Q
29/09/2019	71,80	185.700	25,93	SEBA KLL-Q
29/09/2019	72,00	205.000	25,93	SEBA KLL-Q
29/09/2019	72,50	230.000	25,93	SEBA KLL-Q
29/09/2019	73,00	237.300	25,95	SEBA KLL-Q
29/09/2019	74,00	239.400	25,95	SEBA KLL-Q
29/09/2019	76,00	240.900	25,98	SEBA KLL-Q
29/09/2019	78,00	240.700	26,04	SEBA KLL-Q
29/09/2019	80,00	239.900	26,07	SEBA KLL-Q
29/09/2019	82,00	236.300	26,11	SEBA KLL-Q
29/09/2019	84,00	236.200	26,16	SEBA KLL-Q
29/09/2019	86,00	236.100	26,20	SEBA KLL-Q
29/09/2019	88,00	236.300	26,24	SEBA KLL-Q
29/09/2019	90,00	236.200	26,29	SEBA KLL-Q
05/11/2019	9,30	4.392	25,00	SEBA KLL-Q
05/11/2019	9,40	4.386	25,13	SEBA KLL-Q
05/11/2019	9,60	4.384	25,16	SEBA KLL-Q
05/11/2019	10,00	4.383	25,19	SEBA KLL-Q
05/11/2019	10,50	4.382	25,24	SEBA KLL-Q
05/11/2019	11,00	4.383	25,26	SEBA KLL-Q
05/11/2019	12,00	4.384	25,26	SEBA KLL-Q
05/11/2019	13,00	4.384	25,26	SEBA KLL-Q
05/11/2019	14,00	4.385	25,26	SEBA KLL-Q
05/11/2019	16,00	4.385	25,27	SEBA KLL-Q
05/11/2019	18,00	4.385	25,26	SEBA KLL-Q
05/11/2019	20,00	4.386	25,27	SEBA KLL-Q
05/11/2019	22,00	4.386	25,27	SEBA KLL-Q
05/11/2019	24,00	4.386	25,29	SEBA KLL-Q
05/11/2019	26,00	4.387	25,31	SEBA KLL-Q
05/11/2019	28,00	4.387	25,32	SEBA KLL-Q
05/11/2019	30,00	4.387	25,34	SEBA KLL-Q
05/11/2019	32,00	4.387	25,42	SEBA KLL-Q
05/11/2019	34,00	4.389	25,66	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-09C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/11/2019	36,00	4.388	25,70	SEBA KLL-Q
05/11/2019	38,00	4.389	25,70	SEBA KLL-Q
05/11/2019	40,00	4.389	25,70	SEBA KLL-Q
05/11/2019	42,00	4.389	25,72	SEBA KLL-Q
05/11/2019	44,00	4.389	25,72	SEBA KLL-Q
05/11/2019	46,00	4.388	25,72	SEBA KLL-Q
05/11/2019	48,00	4.390	25,72	SEBA KLL-Q
05/11/2019	50,00	4.390	25,72	SEBA KLL-Q
05/11/2019	52,00	4.389	25,76	SEBA KLL-Q
05/11/2019	54,00	4.390	25,77	SEBA KLL-Q
05/11/2019	56,00	4.392	25,82	SEBA KLL-Q
05/11/2019	58,00	4.392	25,84	SEBA KLL-Q
05/11/2019	60,00	4.401	25,85	SEBA KLL-Q
05/11/2019	62,00	4.403	25,85	SEBA KLL-Q
05/11/2019	64,00	4.403	25,86	SEBA KLL-Q
05/11/2019	66,00	4.405	25,86	SEBA KLL-Q
05/11/2019	68,00	4.440	25,86	SEBA KLL-Q
05/11/2019	68,50	6.924	25,87	SEBA KLL-Q
05/11/2019	69,00	12.560	25,87	SEBA KLL-Q
05/11/2019	69,50	22.240	25,88	SEBA KLL-Q
05/11/2019	70,00	36.670	25,89	SEBA KLL-Q
05/11/2019	70,50	64.690	25,90	SEBA KLL-Q
05/11/2019	71,00	101.100	25,90	SEBA KLL-Q
05/11/2019	71,20	120.500	25,91	SEBA KLL-Q
05/11/2019	71,40	138.900	25,91	SEBA KLL-Q
05/11/2019	71,60	161.400	25,91	SEBA KLL-Q
05/11/2019	71,80	185.100	25,92	SEBA KLL-Q
05/11/2019	72,00	205.900	25,92	SEBA KLL-Q
05/11/2019	72,50	229.600	25,92	SEBA KLL-Q
05/11/2019	73,00	236.900	25,93	SEBA KLL-Q
05/11/2019	74,00	239.800	25,95	SEBA KLL-Q
05/11/2019	76,00	240.500	25,99	SEBA KLL-Q
05/11/2019	78,00	240.600	26,03	SEBA KLL-Q
05/11/2019	80,00	239.400	26,05	SEBA KLL-Q
05/11/2019	82,00	236.100	26,07	SEBA KLL-Q
05/11/2019	84,00	236.000	26,15	SEBA KLL-Q
05/11/2019	86,00	236.000	26,19	SEBA KLL-Q
05/11/2019	88,00	236.100	26,23	SEBA KLL-Q
05/11/2019	90,00	236.100	26,27	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/10/2016	9,70	18.208	22,8	SEBA KLL-Q
12/10/2016	11,00	18.159	22,7	SEBA KLL-Q
12/10/2016	12,00	18.149	22,8	SEBA KLL-Q
12/10/2016	14,00	18.107	22,8	SEBA KLL-Q
12/10/2016	16,00	18.048	22,8	SEBA KLL-Q
12/10/2016	18,00	18.000	22,9	SEBA KLL-Q
12/10/2016	20,00	18.339	22,9	SEBA KLL-Q
12/10/2016	21,00	24.105	22,9	SEBA KLL-Q
12/10/2016	22,00	33.548	22,9	SEBA KLL-Q
12/10/2016	22,50	33.869	22,9	SEBA KLL-Q
12/10/2016	23,00	33.903	22,9	SEBA KLL-Q
12/10/2016	23,50	34.595	22,9	SEBA KLL-Q
12/10/2016	24,00	35.606	22,9	SEBA KLL-Q
12/10/2016	24,50	37.003	22,9	SEBA KLL-Q
12/10/2016	25,00	38.833	23,0	SEBA KLL-Q
12/10/2016	25,50	40.078	23,0	SEBA KLL-Q
12/10/2016	26,00	42.954	23,0	SEBA KLL-Q
12/10/2016	26,50	44.435	23,0	SEBA KLL-Q
12/10/2016	27,00	47.845	23,0	SEBA KLL-Q
12/10/2016	27,50	48.786	23,0	SEBA KLL-Q
12/10/2016	28,00	49.626	23,0	SEBA KLL-Q
12/10/2016	28,50	50.033	23,0	SEBA KLL-Q
12/10/2016	29,00	50.206	23,0	SEBA KLL-Q
12/10/2016	29,50	50.664	23,1	SEBA KLL-Q
12/10/2016	30,00	50.794	23,1	SEBA KLL-Q
12/10/2016	31,00	51.057	23,1	SEBA KLL-Q
12/10/2016	32,00	52.064	23,1	SEBA KLL-Q
12/10/2016	32,50	52.915	23,1	SEBA KLL-Q
12/10/2016	33,00	54.072	23,1	SEBA KLL-Q
12/10/2016	33,50	55.203	23,2	SEBA KLL-Q
12/10/2016	34,00	55.307	23,2	SEBA KLL-Q
12/10/2016	34,50	55.820	23,2	SEBA KLL-Q
12/10/2016	35,00	56.615	23,2	SEBA KLL-Q
12/10/2016	35,50	57.143	23,2	SEBA KLL-Q
12/10/2016	36,00	57.719	23,2	SEBA KLL-Q
12/10/2016	36,50	58.299	23,2	SEBA KLL-Q
12/10/2016	37,00	58.677	23,2	SEBA KLL-Q
12/10/2016	37,50	59.163	23,3	SEBA KLL-Q
12/10/2016	38,00	59.590	23,3	SEBA KLL-Q
12/10/2016	38,50	60.075	23,3	SEBA KLL-Q
12/10/2016	39,00	60.166	23,3	SEBA KLL-Q
12/10/2016	40,00	60.280	23,3	SEBA KLL-Q
12/10/2016	41,00	60.801	23,3	SEBA KLL-Q
12/10/2016	41,50	61.403	23,4	SEBA KLL-Q
12/10/2016	42,00	61.452	23,4	SEBA KLL-Q
12/10/2016	43,00	62.071	23,4	SEBA KLL-Q
12/10/2016	44,00	62.599	23,4	SEBA KLL-Q
12/10/2016	45,00	63.185	23,5	SEBA KLL-Q
12/10/2016	46,00	63.689	23,5	SEBA KLL-Q
12/10/2016	47,00	64.318	23,5	SEBA KLL-Q
12/10/2016	48,00	65.071	23,5	SEBA KLL-Q
12/10/2016	49,00	66.059	23,6	SEBA KLL-Q
12/10/2016	50,00	67.305	23,6	SEBA KLL-Q
12/10/2016	51,00	68.407	23,6	SEBA KLL-Q
12/10/2016	51,50	70.959	23,6	SEBA KLL-Q
12/10/2016	52,00	76.474	23,6	SEBA KLL-Q
12/10/2016	52,20	76.712	23,6	SEBA KLL-Q
12/10/2016	52,40	78.841	23,6	SEBA KLL-Q
12/10/2016	52,60	79.642	23,6	SEBA KLL-Q
12/10/2016	52,80	80.236	23,6	SEBA KLL-Q
12/10/2016	53,00	81.742	23,6	SEBA KLL-Q
12/10/2016	53,20	83.491	23,6	SEBA KLL-Q
12/10/2016	53,40	83.989	23,6	SEBA KLL-Q
12/10/2016	53,60	84.635	23,6	SEBA KLL-Q
12/10/2016	53,80	90.923	23,6	SEBA KLL-Q
12/10/2016	54,00	94.308	23,6	SEBA KLL-Q
12/10/2016	54,20	96.133	23,6	SEBA KLL-Q
12/10/2016	54,40	99.849	23,6	SEBA KLL-Q
12/10/2016	54,60	103.053	23,6	SEBA KLL-Q
12/10/2016	54,80	104.931	23,7	SEBA KLL-Q
12/10/2016	55,00	106.808	23,7	SEBA KLL-Q
12/10/2016	55,20	110.272	23,6	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/10/2016	55,40	114.950	23,7	SEBA KLL-Q
12/10/2016	55,60	116.647	23,7	SEBA KLL-Q
12/10/2016	55,80	118.407	23,7	SEBA KLL-Q
12/10/2016	56,00	119.893	23,7	SEBA KLL-Q
12/10/2016	56,20	122.115	23,7	SEBA KLL-Q
12/10/2016	56,40	124.169	23,7	SEBA KLL-Q
12/10/2016	56,60	125.573	23,7	SEBA KLL-Q
12/10/2016	56,80	127.493	23,7	SEBA KLL-Q
12/10/2016	57,00	128.507	23,7	SEBA KLL-Q
12/10/2016	57,20	129.662	23,7	SEBA KLL-Q
12/10/2016	57,40	132.561	23,7	SEBA KLL-Q
12/10/2016	57,60	134.064	23,6	SEBA KLL-Q
12/10/2016	57,80	135.451	23,6	SEBA KLL-Q
12/10/2016	58,00	136.624	23,6	SEBA KLL-Q
12/10/2016	58,20	137.159	23,6	SEBA KLL-Q
12/10/2016	58,40	140.092	23,6	SEBA KLL-Q
12/10/2016	58,60	140.894	23,6	SEBA KLL-Q
12/10/2016	58,80	141.356	23,6	SEBA KLL-Q
12/10/2016	59,00	142.912	23,6	SEBA KLL-Q
12/10/2016	59,20	144.218	23,6	SEBA KLL-Q
12/10/2016	59,40	145.608	23,7	SEBA KLL-Q
12/10/2016	59,60	147.777	23,7	SEBA KLL-Q
12/10/2016	59,80	151.234	23,7	SEBA KLL-Q
12/10/2016	60,00	154.509	23,7	SEBA KLL-Q
12/10/2016	60,20	155.419	23,7	SEBA KLL-Q
12/10/2016	60,40	156.065	23,7	SEBA KLL-Q
12/10/2016	60,60	157.899	23,7	SEBA KLL-Q
12/10/2016	60,80	160.235	23,7	SEBA KLL-Q
12/10/2016	61,00	162.677	23,7	SEBA KLL-Q
12/10/2016	61,20	167.260	23,7	SEBA KLL-Q
12/10/2016	61,40	170.190	23,8	SEBA KLL-Q
12/10/2016	61,60	174.750	23,8	SEBA KLL-Q
12/10/2016	61,80	177.409	23,8	SEBA KLL-Q
12/10/2016	62,00	179.819	23,8	SEBA KLL-Q
12/10/2016	62,20	181.266	23,8	SEBA KLL-Q
12/10/2016	62,40	183.194	23,8	SEBA KLL-Q
12/10/2016	62,60	184.462	23,8	SEBA KLL-Q
12/10/2016	62,80	185.533	23,8	SEBA KLL-Q
12/10/2016	63,00	186.353	23,9	SEBA KLL-Q
12/10/2016	63,20	187.369	23,9	SEBA KLL-Q
12/10/2016	63,40	188.398	23,9	SEBA KLL-Q
12/10/2016	63,60	189.575	23,9	SEBA KLL-Q
12/10/2016	63,80	189.956	23,9	SEBA KLL-Q
12/10/2016	64,00	190.841	23,9	SEBA KLL-Q
12/10/2016	64,20	191.749	23,9	SEBA KLL-Q
12/10/2016	64,40	192.364	23,9	SEBA KLL-Q
12/10/2016	64,60	193.094	23,9	SEBA KLL-Q
12/10/2016	64,80	193.646	23,9	SEBA KLL-Q
12/10/2016	65,00	194.964	23,9	SEBA KLL-Q
12/10/2016	65,20	196.581	23,9	SEBA KLL-Q
12/10/2016	65,40	198.123	23,9	SEBA KLL-Q
12/10/2016	65,60	200.673	23,9	SEBA KLL-Q
12/10/2016	65,80	202.191	24,0	SEBA KLL-Q
12/10/2016	66,00	203.785	24,0	SEBA KLL-Q
12/10/2016	66,20	205.800	24,0	SEBA KLL-Q
12/10/2016	66,40	205.913	24,0	SEBA KLL-Q
12/10/2016	66,60	206.528	24,0	SEBA KLL-Q
12/10/2016	66,80	207.641	24,0	SEBA KLL-Q
12/10/2016	67,00	208.760	24,0	SEBA KLL-Q
12/10/2016	67,20	209.509	24,0	SEBA KLL-Q
12/10/2016	67,40	209.728	24,0	SEBA KLL-Q
12/10/2016	67,60	209.879	24,0	SEBA KLL-Q
12/10/2016	67,80	210.130	24,0	SEBA KLL-Q
12/10/2016	68,00	210.648	24,0	SEBA KLL-Q
12/10/2016	68,50	211.370	24,0	SEBA KLL-Q
12/10/2016	69,00	212.230	24,0	SEBA KLL-Q
12/10/2016	69,50	214.406	24,1	SEBA KLL-Q
12/10/2016	70,00	216.640	24,1	SEBA KLL-Q
12/10/2016	70,50	219.627	24,1	SEBA KLL-Q
12/10/2016	71,00	221.341	24,1	SEBA KLL-Q
12/10/2016	71,50	223.900	24,1	SEBA KLL-Q
12/10/2016	72,00	225.713	24,1	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/10/2016	72,50	226.112	24,1	SEBA KLL-Q
12/10/2016	73,00	226.400	24,2	SEBA KLL-Q
12/10/2016	73,50	226.482	24,2	SEBA KLL-Q
12/10/2016	74,00	226.618	24,2	SEBA KLL-Q
12/10/2016	75,00	226.990	24,2	SEBA KLL-Q
12/10/2016	76,00	226.990	24,2	SEBA KLL-Q
12/10/2016	78,00	227.025	24,3	SEBA KLL-Q
12/10/2016	80,00	229.702	24,4	SEBA KLL-Q
12/10/2016	82,00	230.238	24,4	SEBA KLL-Q
12/10/2016	84,00	230.338	24,5	SEBA KLL-Q
12/10/2016	86,00	230.970	24,6	SEBA KLL-Q
12/10/2016	90,00	231.030	24,6	SEBA KLL-Q
12/10/2016	95,00	231.012	24,8	SEBA KLL-Q
12/10/2016	99,20	230.991	24,8	SEBA KLL-Q
18/11/2016	9,70	14.360	21,7	SEBA KLL-Q
18/11/2016	11,00	14.280	22,7	SEBA KLL-Q
18/11/2016	12,00	14.270	22,7	SEBA KLL-Q
18/11/2016	13,00	14.260	22,7	SEBA KLL-Q
18/11/2016	14,00	14.250	22,7	SEBA KLL-Q
18/11/2016	15,00	14.220	22,7	SEBA KLL-Q
18/11/2016	16,00	14.210	22,8	SEBA KLL-Q
18/11/2016	18,00	14.180	22,8	SEBA KLL-Q
18/11/2016	20,00	14.170	22,8	SEBA KLL-Q
18/11/2016	20,50	15.050	22,8	SEBA KLL-Q
18/11/2016	21,00	17.370	22,8	SEBA KLL-Q
18/11/2016	21,50	22.570	22,8	SEBA KLL-Q
18/11/2016	22,00	27.540	22,8	SEBA KLL-Q
18/11/2016	22,50	27.600	22,8	SEBA KLL-Q
18/11/2016	23,00	27.650	22,9	SEBA KLL-Q
18/11/2016	23,50	29.190	22,9	SEBA KLL-Q
18/11/2016	24,00	30.990	22,9	SEBA KLL-Q
18/11/2016	24,50	33.030	22,9	SEBA KLL-Q
18/11/2016	25,00	35.800	22,9	SEBA KLL-Q
18/11/2016	25,50	36.230	22,9	SEBA KLL-Q
18/11/2016	26,00	37.090	22,9	SEBA KLL-Q
18/11/2016	26,50	39.690	22,9	SEBA KLL-Q
18/11/2016	27,00	42.420	23,0	SEBA KLL-Q
18/11/2016	27,50	43.440	23,0	SEBA KLL-Q
18/11/2016	28,00	44.980	23,0	SEBA KLL-Q
18/11/2016	28,50	45.030	23,0	SEBA KLL-Q
18/11/2016	29,00	45.110	23,0	SEBA KLL-Q
18/11/2016	30,00	48.460	23,0	SEBA KLL-Q
18/11/2016	31,00	49.510	23,0	SEBA KLL-Q
18/11/2016	32,00	50.590	23,1	SEBA KLL-Q
18/11/2016	33,00	55.470	23,1	SEBA KLL-Q
18/11/2016	34,00	57.560	23,1	SEBA KLL-Q
18/11/2016	35,00	58.100	23,1	SEBA KLL-Q
18/11/2016	36,00	58.490	23,2	SEBA KLL-Q
18/11/2016	37,00	59.580	23,2	SEBA KLL-Q
18/11/2016	38,00	60.810	23,2	SEBA KLL-Q
18/11/2016	39,00	62.000	23,2	SEBA KLL-Q
18/11/2016	40,00	62.760	23,3	SEBA KLL-Q
18/11/2016	41,00	63.340	23,3	SEBA KLL-Q
18/11/2016	42,00	63.960	23,3	SEBA KLL-Q
18/11/2016	43,00	64.580	23,3	SEBA KLL-Q
18/11/2016	44,00	65.160	23,4	SEBA KLL-Q
18/11/2016	45,00	65.890	23,4	SEBA KLL-Q
18/11/2016	46,00	66.920	23,4	SEBA KLL-Q
18/11/2016	47,00	67.890	23,5	SEBA KLL-Q
18/11/2016	48,00	69.000	23,5	SEBA KLL-Q
18/11/2016	49,00	70.540	23,5	SEBA KLL-Q
18/11/2016	50,00	72.730	23,5	SEBA KLL-Q
18/11/2016	51,00	74.650	23,5	SEBA KLL-Q
18/11/2016	51,50	76.430	23,5	SEBA KLL-Q
18/11/2016	52,00	79.720	23,6	SEBA KLL-Q
18/11/2016	52,20	80.040	23,6	SEBA KLL-Q
18/11/2016	52,40	81.340	23,6	SEBA KLL-Q
18/11/2016	52,60	82.740	23,6	SEBA KLL-Q
18/11/2016	52,80	83.540	23,6	SEBA KLL-Q
18/11/2016	53,00	84.360	23,6	SEBA KLL-Q
18/11/2016	53,20	85.560	23,6	SEBA KLL-Q
18/11/2016	53,40	86.300	23,6	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/11/2016	53,60	87.210	23,6	SEBA KLL-Q
18/11/2016	53,80	90.810	23,6	SEBA KLL-Q
18/11/2016	54,00	97.500	23,6	SEBA KLL-Q
18/11/2016	54,20	97.240	23,6	SEBA KLL-Q
18/11/2016	54,40	100.400	23,6	SEBA KLL-Q
18/11/2016	54,60	104.900	23,6	SEBA KLL-Q
18/11/2016	54,80	107.000	23,6	SEBA KLL-Q
18/11/2016	55,00	109.400	23,6	SEBA KLL-Q
18/11/2016	55,20	112.000	23,6	SEBA KLL-Q
18/11/2016	55,40	115.500	23,6	SEBA KLL-Q
18/11/2016	55,60	116.600	23,6	SEBA KLL-Q
18/11/2016	55,80	117.500	23,6	SEBA KLL-Q
18/11/2016	56,00	118.100	23,6	SEBA KLL-Q
18/11/2016	56,20	118.800	23,6	SEBA KLL-Q
18/11/2016	56,40	120.100	23,6	SEBA KLL-Q
18/11/2016	56,60	121.000	23,6	SEBA KLL-Q
18/11/2016	56,80	122.000	23,6	SEBA KLL-Q
18/11/2016	57,00	122.600	23,6	SEBA KLL-Q
18/11/2016	57,20	123.200	23,6	SEBA KLL-Q
18/11/2016	57,40	124.600	23,6	SEBA KLL-Q
18/11/2016	57,60	126.500	23,6	SEBA KLL-Q
18/11/2016	57,80	127.600	23,7	SEBA KLL-Q
18/11/2016	58,00	128.600	23,6	SEBA KLL-Q
18/11/2016	58,20	129.100	23,7	SEBA KLL-Q
18/11/2016	58,40	131.500	23,7	SEBA KLL-Q
18/11/2016	58,60	133.500	23,7	SEBA KLL-Q
18/11/2016	58,80	136.300	23,7	SEBA KLL-Q
18/11/2016	59,00	139.400	23,7	SEBA KLL-Q
18/11/2016	59,20	141.600	23,7	SEBA KLL-Q
18/11/2016	59,40	144.000	23,7	SEBA KLL-Q
18/11/2016	59,60	146.400	23,7	SEBA KLL-Q
18/11/2016	59,80	150.600	23,7	SEBA KLL-Q
18/11/2016	60,00	153.900	23,7	SEBA KLL-Q
18/11/2016	60,20	154.700	23,7	SEBA KLL-Q
18/11/2016	60,40	155.500	23,7	SEBA KLL-Q
18/11/2016	60,60	156.800	23,7	SEBA KLL-Q
18/11/2016	60,80	159.100	23,7	SEBA KLL-Q
18/11/2016	61,00	161.600	23,7	SEBA KLL-Q
18/11/2016	61,20	164.900	23,7	SEBA KLL-Q
18/11/2016	61,40	166.700	23,8	SEBA KLL-Q
18/11/2016	61,60	169.700	23,8	SEBA KLL-Q
18/11/2016	61,80	172.600	23,8	SEBA KLL-Q
18/11/2016	62,00	175.400	23,8	SEBA KLL-Q
18/11/2016	62,20	176.800	23,8	SEBA KLL-Q
18/11/2016	62,40	180.800	23,8	SEBA KLL-Q
18/11/2016	62,60	182.600	23,8	SEBA KLL-Q
18/11/2016	62,80	184.000	23,8	SEBA KLL-Q
18/11/2016	63,00	185.400	23,8	SEBA KLL-Q
18/11/2016	63,20	186.800	23,8	SEBA KLL-Q
18/11/2016	63,40	187.900	23,8	SEBA KLL-Q
18/11/2016	63,60	188.500	23,8	SEBA KLL-Q
18/11/2016	63,80	188.900	23,8	SEBA KLL-Q
18/11/2016	64,00	189.600	23,9	SEBA KLL-Q
18/11/2016	64,20	190.000	23,9	SEBA KLL-Q
18/11/2016	64,40	190.100	23,9	SEBA KLL-Q
18/11/2016	64,60	190.100	23,9	SEBA KLL-Q
18/11/2016	64,80	190.900	23,9	SEBA KLL-Q
18/11/2016	65,00	191.100	23,9	SEBA KLL-Q
18/11/2016	65,20	194.400	23,9	SEBA KLL-Q
18/11/2016	65,40	196.800	23,9	SEBA KLL-Q
18/11/2016	65,60	199.800	23,9	SEBA KLL-Q
18/11/2016	65,80	201.800	23,9	SEBA KLL-Q
18/11/2016	66,00	203.600	23,9	SEBA KLL-Q
18/11/2016	66,20	204.600	23,9	SEBA KLL-Q
18/11/2016	66,40	205.500	23,9	SEBA KLL-Q
18/11/2016	66,60	206.400	23,9	SEBA KLL-Q
18/11/2016	66,80	207.300	23,9	SEBA KLL-Q
18/11/2016	67,00	208.600	24,0	SEBA KLL-Q
18/11/2016	67,20	209.600	24,0	SEBA KLL-Q
18/11/2016	67,40	210.000	24,0	SEBA KLL-Q
18/11/2016	67,60	210.400	24,0	SEBA KLL-Q
18/11/2016	67,80	211.000	24,0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/11/2016	68,00	211.000	24,0	SEBA KLL-Q
18/11/2016	68,50	212.000	24,0	SEBA KLL-Q
18/11/2016	69,00	213.200	24,0	SEBA KLL-Q
18/11/2016	69,50	215.900	24,0	SEBA KLL-Q
18/11/2016	70,00	219.000	24,0	SEBA KLL-Q
18/11/2016	70,50	221.500	24,1	SEBA KLL-Q
18/11/2016	71,00	222.800	24,1	SEBA KLL-Q
18/11/2016	72,00	225.600	24,1	SEBA KLL-Q
18/11/2016	73,00	226.100	24,1	SEBA KLL-Q
18/11/2016	74,00	226.200	24,2	SEBA KLL-Q
18/11/2016	76,00	226.500	24,2	SEBA KLL-Q
18/11/2016	78,00	226.700	24,3	SEBA KLL-Q
18/11/2016	80,00	228.900	24,3	SEBA KLL-Q
18/11/2016	85,00	230.600	24,5	SEBA KLL-Q
18/11/2016	90,00	230.700	24,6	SEBA KLL-Q
18/11/2016	95,00	230.600	24,7	SEBA KLL-Q
18/11/2016	99,20	230.600	24,8	SEBA KLL-Q
21/12/2016	10,00	12.370	22,8	SEBA KLL-Q
21/12/2016	12,00	12.370	22,7	SEBA KLL-Q
21/12/2016	14,00	12.370	22,7	SEBA KLL-Q
21/12/2016	16,00	12.360	22,7	SEBA KLL-Q
21/12/2016	18,00	12.360	22,8	SEBA KLL-Q
21/12/2016	20,00	13.310	22,8	SEBA KLL-Q
21/12/2016	20,50	14.310	22,8	SEBA KLL-Q
21/12/2016	21,00	16.270	22,8	SEBA KLL-Q
21/12/2016	21,50	20.290	22,8	SEBA KLL-Q
21/12/2016	22,00	23.990	22,8	SEBA KLL-Q
21/12/2016	22,50	24.230	22,8	SEBA KLL-Q
21/12/2016	23,00	24.260	22,9	SEBA KLL-Q
21/12/2016	23,50	26.350	22,9	SEBA KLL-Q
21/12/2016	24,00	28.120	22,9	SEBA KLL-Q
21/12/2016	24,50	30.260	22,9	SEBA KLL-Q
21/12/2016	25,00	32.380	22,9	SEBA KLL-Q
21/12/2016	25,50	33.800	22,9	SEBA KLL-Q
21/12/2016	26,00	35.220	22,9	SEBA KLL-Q
21/12/2016	27,00	38.800	22,9	SEBA KLL-Q
21/12/2016	28,00	42.310	23,0	SEBA KLL-Q
21/12/2016	29,00	43.290	23,0	SEBA KLL-Q
21/12/2016	30,00	46.580	23,0	SEBA KLL-Q
21/12/2016	31,00	47.400	23,0	SEBA KLL-Q
21/12/2016	32,00	47.900	23,1	SEBA KLL-Q
21/12/2016	34,00	56.940	23,1	SEBA KLL-Q
21/12/2016	36,00	58.990	23,1	SEBA KLL-Q
21/12/2016	38,00	61.880	23,2	SEBA KLL-Q
21/12/2016	40,00	64.610	23,3	SEBA KLL-Q
21/12/2016	42,00	66.020	23,3	SEBA KLL-Q
21/12/2016	44,00	67.520	23,4	SEBA KLL-Q
21/12/2016	46,00	69.670	23,4	SEBA KLL-Q
21/12/2016	48,00	72.010	23,5	SEBA KLL-Q
21/12/2016	49,00	73.920	23,5	SEBA KLL-Q
21/12/2016	50,00	76.300	23,5	SEBA KLL-Q
21/12/2016	50,50	77.650	23,5	SEBA KLL-Q
21/12/2016	51,00	78.470	23,5	SEBA KLL-Q
21/12/2016	51,50	79.480	23,5	SEBA KLL-Q
21/12/2016	52,00	82.110	23,6	SEBA KLL-Q
21/12/2016	52,50	84.260	23,6	SEBA KLL-Q
21/12/2016	53,00	86.630	23,6	SEBA KLL-Q
21/12/2016	53,50	89.400	23,6	SEBA KLL-Q
21/12/2016	54,00	96.320	23,6	SEBA KLL-Q
21/12/2016	54,20	97.620	23,6	SEBA KLL-Q
21/12/2016	54,40	101.500	23,6	SEBA KLL-Q
21/12/2016	54,60	106.500	23,7	SEBA KLL-Q
21/12/2016	54,80	108.600	23,6	SEBA KLL-Q
21/12/2016	55,00	110.700	23,6	SEBA KLL-Q
21/12/2016	55,20	112.500	23,6	SEBA KLL-Q
21/12/2016	55,40	115.000	23,6	SEBA KLL-Q
21/12/2016	55,60	116.100	23,6	SEBA KLL-Q
21/12/2016	55,80	117.100	23,6	SEBA KLL-Q
21/12/2016	56,00	117.700	23,6	SEBA KLL-Q
21/12/2016	56,20	118.700	23,6	SEBA KLL-Q
21/12/2016	56,40	119.900	23,6	SEBA KLL-Q
21/12/2016	56,60	120.200	23,6	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/12/2016	56,80	120.600	23,6	SEBA KLL-Q
21/12/2016	57,00	122.400	23,7	SEBA KLL-Q
21/12/2016	57,20	123.800	23,7	SEBA KLL-Q
21/12/2016	57,40	124.000	23,7	SEBA KLL-Q
21/12/2016	57,60	125.900	23,7	SEBA KLL-Q
21/12/2016	57,80	127.100	23,7	SEBA KLL-Q
21/12/2016	58,00	128.700	23,7	SEBA KLL-Q
21/12/2016	58,20	129.400	23,7	SEBA KLL-Q
21/12/2016	58,40	131.600	23,7	SEBA KLL-Q
21/12/2016	58,60	133.100	23,7	SEBA KLL-Q
21/12/2016	58,80	134.800	23,7	SEBA KLL-Q
21/12/2016	59,00	138.900	23,7	SEBA KLL-Q
21/12/2016	59,20	142.400	23,7	SEBA KLL-Q
21/12/2016	59,40	144.300	23,6	SEBA KLL-Q
21/12/2016	59,60	147.200	23,6	SEBA KLL-Q
21/12/2016	59,80	150.900	23,7	SEBA KLL-Q
21/12/2016	60,00	155.500	23,7	SEBA KLL-Q
21/12/2016	60,20	156.400	23,7	SEBA KLL-Q
21/12/2016	60,40	157.500	23,7	SEBA KLL-Q
21/12/2016	60,60	158.100	23,7	SEBA KLL-Q
21/12/2016	60,80	160.600	23,7	SEBA KLL-Q
21/12/2016	61,00	162.600	23,7	SEBA KLL-Q
21/12/2016	61,20	165.700	23,8	SEBA KLL-Q
21/12/2016	61,40	167.200	23,8	SEBA KLL-Q
21/12/2016	61,60	171.100	23,8	SEBA KLL-Q
21/12/2016	61,80	173.400	23,7	SEBA KLL-Q
21/12/2016	62,00	175.600	23,8	SEBA KLL-Q
21/12/2016	62,20	178.200	23,8	SEBA KLL-Q
21/12/2016	62,40	180.400	23,8	SEBA KLL-Q
21/12/2016	62,60	183.100	23,8	SEBA KLL-Q
21/12/2016	62,80	184.300	23,8	SEBA KLL-Q
21/12/2016	63,00	185.400	23,8	SEBA KLL-Q
21/12/2016	63,20	186.600	23,8	SEBA KLL-Q
21/12/2016	63,40	187.300	23,8	SEBA KLL-Q
21/12/2016	63,60	187.500	23,8	SEBA KLL-Q
21/12/2016	63,80	187.700	23,9	SEBA KLL-Q
21/12/2016	64,00	187.900	23,9	SEBA KLL-Q
21/12/2016	64,20	188.100	23,9	SEBA KLL-Q
21/12/2016	64,40	188.900	23,9	SEBA KLL-Q
21/12/2016	64,60	189.800	23,9	SEBA KLL-Q
21/12/2016	64,80	191.500	23,9	SEBA KLL-Q
21/12/2016	65,00	192.800	23,9	SEBA KLL-Q
21/12/2016	65,20	196.600	23,9	SEBA KLL-Q
21/12/2016	65,40	199.990	23,9	SEBA KLL-Q
21/12/2016	65,60	201.700	23,9	SEBA KLL-Q
21/12/2016	65,80	203.900	23,9	SEBA KLL-Q
21/12/2016	66,00	205.500	23,9	SEBA KLL-Q
21/12/2016	66,20	206.700	23,9	SEBA KLL-Q
21/12/2016	66,40	207.400	23,9	SEBA KLL-Q
21/12/2016	66,60	208.100	23,9	SEBA KLL-Q
21/12/2016	66,80	209.000	24,0	SEBA KLL-Q
21/12/2016	67,00	210.000	23,9	SEBA KLL-Q
21/12/2016	67,20	211.400	24,0	SEBA KLL-Q
21/12/2016	67,40	212.100	24,0	SEBA KLL-Q
21/12/2016	67,60	212.400	24,0	SEBA KLL-Q
21/12/2016	67,80	213.000	24,0	SEBA KLL-Q
21/12/2016	68,00	213.200	24,0	SEBA KLL-Q
21/12/2016	68,20	213.600	24,0	SEBA KLL-Q
21/12/2016	68,40	213.800	24,0	SEBA KLL-Q
21/12/2016	68,60	213.800	24,0	SEBA KLL-Q
21/12/2016	68,80	214.100	24,0	SEBA KLL-Q
21/12/2016	69,00	214.900	24,1	SEBA KLL-Q
21/12/2016	69,20	216.200	24,0	SEBA KLL-Q
21/12/2016	69,40	217.400	24,0	SEBA KLL-Q
21/12/2016	69,60	218.300	24,0	SEBA KLL-Q
21/12/2016	69,80	219.700	24,0	SEBA KLL-Q
21/12/2016	70,00	220.700	24,0	SEBA KLL-Q
21/12/2016	70,20	221.600	24,0	SEBA KLL-Q
21/12/2016	70,40	222.700	24,0	SEBA KLL-Q
21/12/2016	70,60	223.500	24,1	SEBA KLL-Q
21/12/2016	70,80	224.300	24,1	SEBA KLL-Q
21/12/2016	71,00	224.800	24,1	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/12/2016	71,20	225.600	24,1	SEBA KLL-Q
21/12/2016	71,40	226.200	24,1	SEBA KLL-Q
21/12/2016	71,60	227.000	24,1	SEBA KLL-Q
21/12/2016	71,80	227.700	24,1	SEBA KLL-Q
21/12/2016	72,00	228.000	24,1	SEBA KLL-Q
21/12/2016	72,20	228.200	24,1	SEBA KLL-Q
21/12/2016	72,40	228.300	24,1	SEBA KLL-Q
21/12/2016	72,60	228.400	24,1	SEBA KLL-Q
21/12/2016	72,80	228.500	24,1	SEBA KLL-Q
21/12/2016	73,00	228.500	24,1	SEBA KLL-Q
21/12/2016	73,50	228.700	24,1	SEBA KLL-Q
21/12/2016	74,00	228.800	24,2	SEBA KLL-Q
21/12/2016	75,00	229.100	24,2	SEBA KLL-Q
21/12/2016	76,00	229.200	24,2	SEBA KLL-Q
21/12/2016	78,00	229.200	24,3	SEBA KLL-Q
21/12/2016	80,00	231.200	24,3	SEBA KLL-Q
21/12/2016	82,00	233.100	24,4	SEBA KLL-Q
21/12/2016	84,00	233.000	24,5	SEBA KLL-Q
21/12/2016	86,00	233.000	24,6	SEBA KLL-Q
21/12/2016	88,00	233.000	24,6	SEBA KLL-Q
21/12/2016	89,70	233.000	24,6	SEBA KLL-Q
19/07/2017	10,00	8.304	21,8	SEBA KLL-Q
19/07/2017	12,00	8.702	22,6	SEBA KLL-Q
19/07/2017	14,00	10.320	22,7	SEBA KLL-Q
19/07/2017	16,00	10.840	22,7	SEBA KLL-Q
19/07/2017	20,00	12.760	22,7	SEBA KLL-Q
19/07/2017	21,00	16.720	22,8	SEBA KLL-Q
19/07/2017	22,00	21.140	22,8	SEBA KLL-Q
19/07/2017	23,00	21.390	22,8	SEBA KLL-Q
19/07/2017	24,00	24.830	22,8	SEBA KLL-Q
19/07/2017	25,00	26.940	22,9	SEBA KLL-Q
19/07/2017	26,00	29.000	22,9	SEBA KLL-Q
19/07/2017	27,00	30.790	22,9	SEBA KLL-Q
19/07/2017	28,00	31.960	22,9	SEBA KLL-Q
19/07/2017	29,00	32.520	22,9	SEBA KLL-Q
19/07/2017	30,00	34.010	23,0	SEBA KLL-Q
19/07/2017	31,00	34.390	23,0	SEBA KLL-Q
19/07/2017	32,00	35.540	23,0	SEBA KLL-Q
19/07/2017	33,00	42.600	23,0	SEBA KLL-Q
19/07/2017	33,50	50.090	23,1	SEBA KLL-Q
19/07/2017	34,00	50.190	23,1	SEBA KLL-Q
19/07/2017	35,00	52.240	23,1	SEBA KLL-Q
19/07/2017	36,00	55.110	23,1	SEBA KLL-Q
19/07/2017	37,00	57.980	23,1	SEBA KLL-Q
19/07/2017	38,00	61.920	23,1	SEBA KLL-Q
19/07/2017	39,00	65.100	23,2	SEBA KLL-Q
19/07/2017	40,00	66.240	23,2	SEBA KLL-Q
19/07/2017	41,00	67.320	23,2	SEBA KLL-Q
19/07/2017	42,00	68.020	23,2	SEBA KLL-Q
19/07/2017	43,00	68.870	23,3	SEBA KLL-Q
19/07/2017	44,00	69.610	23,3	SEBA KLL-Q
19/07/2017	45,00	70.390	23,3	SEBA KLL-Q
19/07/2017	46,00	71.580	23,4	SEBA KLL-Q
19/07/2017	47,00	72.990	23,4	SEBA KLL-Q
19/07/2017	48,00	75.140	23,4	SEBA KLL-Q
19/07/2017	49,00	76.980	23,4	SEBA KLL-Q
19/07/2017	50,00	79.940	23,5	SEBA KLL-Q
19/07/2017	51,00	82.150	23,5	SEBA KLL-Q
19/07/2017	52,00	83.790	23,5	SEBA KLL-Q
19/07/2017	53,00	85.720	23,5	SEBA KLL-Q
19/07/2017	54,00	97.210	23,5	SEBA KLL-Q
19/07/2017	54,50	107.100	23,6	SEBA KLL-Q
19/07/2017	55,00	112.400	23,6	SEBA KLL-Q
19/07/2017	55,50	117.000	23,6	SEBA KLL-Q
19/07/2017	56,00	119.300	23,6	SEBA KLL-Q
19/07/2017	56,50	122.000	23,6	SEBA KLL-Q
19/07/2017	57,00	124.000	23,6	SEBA KLL-Q
19/07/2017	57,50	126.300	23,6	SEBA KLL-Q
19/07/2017	58,00	129.400	23,7	SEBA KLL-Q
19/07/2017	58,50	132.200	23,7	SEBA KLL-Q
19/07/2017	59,00	138.000	23,7	SEBA KLL-Q
19/07/2017	59,20	140.800	23,7	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
19/07/2017	59,40	143.300	23,7	SEBA KLL-Q
19/07/2017	59,60	149.000	23,7	SEBA KLL-Q
19/07/2017	59,80	154.900	23,7	SEBA KLL-Q
19/07/2017	60,00	158.700	23,7	SEBA KLL-Q
19/07/2017	60,20	160.200	23,7	SEBA KLL-Q
19/07/2017	60,40	161.500	23,7	SEBA KLL-Q
19/07/2017	60,60	162.400	23,7	SEBA KLL-Q
19/07/2017	60,80	165.100	23,7	SEBA KLL-Q
19/07/2017	61,00	167.200	23,7	SEBA KLL-Q
19/07/2017	61,50	172.500	23,8	SEBA KLL-Q
19/07/2017	62,00	176.400	23,8	SEBA KLL-Q
19/07/2017	62,50	180.000	23,8	SEBA KLL-Q
19/07/2017	63,00	183.000	23,8	SEBA KLL-Q
19/07/2017	63,50	187.000	23,8	SEBA KLL-Q
19/07/2017	64,00	191.300	23,8	SEBA KLL-Q
19/07/2017	64,50	194.600	23,8	SEBA KLL-Q
19/07/2017	65,00	198.900	23,9	SEBA KLL-Q
19/07/2017	65,50	205.500	23,9	SEBA KLL-Q
19/07/2017	66,00	210.200	23,9	SEBA KLL-Q
19/07/2017	66,50	212.200	23,9	SEBA KLL-Q
19/07/2017	67,00	214.200	23,9	SEBA KLL-Q
19/07/2017	67,50	216.900	23,9	SEBA KLL-Q
19/07/2017	68,00	219.400	23,9	SEBA KLL-Q
19/07/2017	69,00	222.600	24,0	SEBA KLL-Q
19/07/2017	70,00	227.100	24,0	SEBA KLL-Q
19/07/2017	71,00	229.700	24,0	SEBA KLL-Q
19/07/2017	72,00	233.400	24,1	SEBA KLL-Q
19/07/2017	73,00	235.000	24,1	SEBA KLL-Q
19/07/2017	74,00	236.100	24,1	SEBA KLL-Q
19/07/2017	76,00	236.900	24,2	SEBA KLL-Q
19/07/2017	78,00	237.200	24,2	SEBA KLL-Q
19/07/2017	80,00	239.000	24,3	SEBA KLL-Q
19/07/2017	82,00	241.600	24,4	SEBA KLL-Q
19/07/2017	84,00	241.300	24,4	SEBA KLL-Q
19/07/2017	86,00	241.300	24,4	SEBA KLL-Q
19/07/2017	88,00	241.200	24,5	SEBA KLL-Q
19/07/2017	90,00	241.200	24,5	SEBA KLL-Q
17/10/2017	10,00	8.935	23,7	SEBA KLL-Q
17/10/2017	12,00	10.280	22,6	SEBA KLL-Q
17/10/2017	14,00	11.940	22,6	SEBA KLL-Q
17/10/2017	16,00	12.420	22,7	SEBA KLL-Q
17/10/2017	18,00	12.830	22,7	SEBA KLL-Q
17/10/2017	20,00	14.070	22,7	SEBA KLL-Q
17/10/2017	21,00	19.180	22,7	SEBA KLL-Q
17/10/2017	22,00	22.350	22,8	SEBA KLL-Q
17/10/2017	23,00	22.920	22,8	SEBA KLL-Q
17/10/2017	24,00	26.230	22,8	SEBA KLL-Q
17/10/2017	25,00	29.540	22,8	SEBA KLL-Q
17/10/2017	26,00	31.900	22,8	SEBA KLL-Q
17/10/2017	27,00	34.270	22,9	SEBA KLL-Q
17/10/2017	28,00	36.160	22,9	SEBA KLL-Q
17/10/2017	29,00	36.950	22,9	SEBA KLL-Q
17/10/2017	30,00	38.950	22,9	SEBA KLL-Q
17/10/2017	31,00	39.820	22,9	SEBA KLL-Q
17/10/2017	32,00	41.190	22,9	SEBA KLL-Q
17/10/2017	33,00	47.590	23,0	SEBA KLL-Q
17/10/2017	34,00	56.300	23,0	SEBA KLL-Q
17/10/2017	35,00	58.070	23,0	SEBA KLL-Q
17/10/2017	36,00	61.650	23,1	SEBA KLL-Q
17/10/2017	37,00	65.410	23,1	SEBA KLL-Q
17/10/2017	38,00	69.960	23,1	SEBA KLL-Q
17/10/2017	39,00	74.280	23,1	SEBA KLL-Q
17/10/2017	40,00	77.180	23,2	SEBA KLL-Q
17/10/2017	41,00	77.860	23,2	SEBA KLL-Q
17/10/2017	42,00	78.620	23,2	SEBA KLL-Q
17/10/2017	43,00	79.340	23,2	SEBA KLL-Q
17/10/2017	44,00	80.250	23,3	SEBA KLL-Q
17/10/2017	45,00	81.060	23,3	SEBA KLL-Q
17/10/2017	46,00	82.800	23,3	SEBA KLL-Q
17/10/2017	47,00	84.400	23,3	SEBA KLL-Q
17/10/2017	48,00	87.040	23,4	SEBA KLL-Q
17/10/2017	49,00	89.110	23,4	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/10/2017	50,00	92.790	23,4	SEBA KLL-Q
17/10/2017	51,00	94.980	23,4	SEBA KLL-Q
17/10/2017	52,00	96.610	23,5	SEBA KLL-Q
17/10/2017	53,00	97.380	23,5	SEBA KLL-Q
17/10/2017	54,00	111.800	23,5	SEBA KLL-Q
17/10/2017	54,50	122.600	23,5	SEBA KLL-Q
17/10/2017	55,00	130.000	23,5	SEBA KLL-Q
17/10/2017	55,50	135.700	23,6	SEBA KLL-Q
17/10/2017	56,00	138.800	23,6	SEBA KLL-Q
17/10/2017	56,50	142.200	23,6	SEBA KLL-Q
17/10/2017	57,00	144.300	23,6	SEBA KLL-Q
17/10/2017	57,50	146.700	23,6	SEBA KLL-Q
17/10/2017	58,00	150.300	23,6	SEBA KLL-Q
17/10/2017	58,50	153.400	23,6	SEBA KLL-Q
17/10/2017	59,00	158.600	23,6	SEBA KLL-Q
17/10/2017	59,50	167.500	23,7	SEBA KLL-Q
17/10/2017	60,00	183.100	23,7	SEBA KLL-Q
17/10/2017	60,20	185.800	23,7	SEBA KLL-Q
17/10/2017	60,40	187.200	23,7	SEBA KLL-Q
17/10/2017	60,60	188.900	23,7	SEBA KLL-Q
17/10/2017	60,80	191.400	23,7	SEBA KLL-Q
17/10/2017	61,00	194.200	23,7	SEBA KLL-Q
17/10/2017	61,50	200.300	23,7	SEBA KLL-Q
17/10/2017	62,00	203.500	23,7	SEBA KLL-Q
17/10/2017	62,50	208.200	23,8	SEBA KLL-Q
17/10/2017	63,00	212.300	23,8	SEBA KLL-Q
17/10/2017	63,50	217.300	23,8	SEBA KLL-Q
17/10/2017	64,00	222.000	23,8	SEBA KLL-Q
17/10/2017	64,50	225.900	23,8	SEBA KLL-Q
17/10/2017	65,00	229.300	23,8	SEBA KLL-Q
17/10/2017	65,50	238.300	23,8	SEBA KLL-Q
17/10/2017	66,00	243.900	23,8	SEBA KLL-Q
17/10/2017	66,50	246.400	23,9	SEBA KLL-Q
17/10/2017	67,00	248.800	23,9	SEBA KLL-Q
17/10/2017	67,50	252.200	23,9	SEBA KLL-Q
17/10/2017	68,00	254.300	23,9	SEBA KLL-Q
17/10/2017	68,50	255.900	23,9	SEBA KLL-Q
17/10/2017	69,00	258.500	23,9	SEBA KLL-Q
17/10/2017	70,00	263.500	23,9	SEBA KLL-Q
17/10/2017	71,00	265.900	24,0	SEBA KLL-Q
17/10/2017	72,00	269.900	24,0	SEBA KLL-Q
17/10/2017	73,00	272.000	24,0	SEBA KLL-Q
17/10/2017	74,00	273.400	24,1	SEBA KLL-Q
17/10/2017	76,00	274.200	24,1	SEBA KLL-Q
17/10/2017	78,00	274.500	24,1	SEBA KLL-Q
17/10/2017	80,00	276.000	24,2	SEBA KLL-Q
17/10/2017	82,00	278.700	24,3	SEBA KLL-Q
17/10/2017	84,00	278.800	24,3	SEBA KLL-Q
17/10/2017	86,00	278.800	24,4	SEBA KLL-Q
17/10/2017	88,00	278.500	24,5	SEBA KLL-Q
17/10/2017	89,30	278.500	24,5	SEBA KLL-Q
23/01/2018	10,0	7.326	22,79	SEBA KLL-Q
23/01/2018	12,0	8.539	22,81	SEBA KLL-Q
23/01/2018	14,0	9.767	22,84	SEBA KLL-Q
23/01/2018	16,0	10.100	22,87	SEBA KLL-Q
23/01/2018	18,0	10.570	22,89	SEBA KLL-Q
23/01/2018	20,0	11.800	22,92	SEBA KLL-Q
23/01/2018	22,0	18.200	22,94	SEBA KLL-Q
23/01/2018	23,0	18.710	22,97	SEBA KLL-Q
23/01/2018	24,0	22.210	23,01	SEBA KLL-Q
23/01/2018	24,5	23.590	22,99	SEBA KLL-Q
23/01/2018	25,0	24.790	23,02	SEBA KLL-Q
23/01/2018	25,5	25.790	23,04	SEBA KLL-Q
23/01/2018	26,0	27.090	23,04	SEBA KLL-Q
23/01/2018	26,5	28.150	23,06	SEBA KLL-Q
23/01/2018	27,0	29.250	23,07	SEBA KLL-Q
23/01/2018	27,5	30.010	23,07	SEBA KLL-Q
23/01/2018	28,0	30.680	23,09	SEBA KLL-Q
23/01/2018	28,5	30.840	23,10	SEBA KLL-Q
23/01/2018	29,0	31.480	23,11	SEBA KLL-Q
23/01/2018	29,5	32.490	23,11	SEBA KLL-Q
23/01/2018	30,0	33.100	23,12	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/01/2018	30,5	33.420	23,13	SEBA KLL-Q
23/01/2018	31,0	33.830	23,14	SEBA KLL-Q
23/01/2018	32,0	35.420	23,18	SEBA KLL-Q
23/01/2018	33,0	41.550	23,19	SEBA KLL-Q
23/01/2018	33,5	44.720	23,21	SEBA KLL-Q
23/01/2018	34,0	46.620	23,21	SEBA KLL-Q
23/01/2018	34,5	46.980	23,23	SEBA KLL-Q
23/01/2018	35,0	48.860	23,24	SEBA KLL-Q
23/01/2018	35,5	50.950	23,24	SEBA KLL-Q
23/01/2018	36,0	52.220	23,25	SEBA KLL-Q
23/01/2018	36,5	53.860	23,26	SEBA KLL-Q
23/01/2018	37,0	55.810	23,27	SEBA KLL-Q
23/01/2018	37,5	58.120	23,29	SEBA KLL-Q
23/01/2018	38,0	60.260	23,30	SEBA KLL-Q
23/01/2018	39,0	63.700	23,32	SEBA KLL-Q
23/01/2018	39,5	64.890	23,34	SEBA KLL-Q
23/01/2018	40,0	65.740	23,35	SEBA KLL-Q
23/01/2018	40,5	65.920	23,36	SEBA KLL-Q
23/01/2018	41,0	66.200	23,37	SEBA KLL-Q
23/01/2018	41,5	66.480	23,38	SEBA KLL-Q
23/01/2018	42,0	66.880	23,40	SEBA KLL-Q
23/01/2018	43,0	67.640	23,43	SEBA KLL-Q
23/01/2018	44,0	68.330	23,46	SEBA KLL-Q
23/01/2018	45,0	69.220	23,48	SEBA KLL-Q
23/01/2018	46,0	70.710	23,51	SEBA KLL-Q
23/01/2018	47,0	72.460	23,53	SEBA KLL-Q
23/01/2018	48,0	74.340	23,58	SEBA KLL-Q
23/01/2018	49,0	76.710	23,59	SEBA KLL-Q
23/01/2018	50,0	79.060	23,62	SEBA KLL-Q
23/01/2018	51,0	80.730	23,63	SEBA KLL-Q
23/01/2018	52,0	82.100	23,66	SEBA KLL-Q
23/01/2018	53,0	82.900	23,70	SEBA KLL-Q
23/01/2018	54,0	96.910	23,72	SEBA KLL-Q
23/01/2018	54,5	105.300	23,72	SEBA KLL-Q
23/01/2018	55,0	110.500	23,74	SEBA KLL-Q
23/01/2018	55,2	112.300	23,74	SEBA KLL-Q
23/01/2018	55,4	115.200	23,75	SEBA KLL-Q
23/01/2018	55,6	116.300	23,77	SEBA KLL-Q
23/01/2018	55,8	117.500	23,78	SEBA KLL-Q
23/01/2018	56,0	118.500	23,77	SEBA KLL-Q
23/01/2018	56,5	122.100	23,79	SEBA KLL-Q
23/01/2018	57,0	123.700	23,81	SEBA KLL-Q
23/01/2018	57,5	125.800	23,80	SEBA KLL-Q
23/01/2018	58,0	128.700	23,82	SEBA KLL-Q
23/01/2018	58,5	131.200	23,84	SEBA KLL-Q
23/01/2018	59,0	136.100	23,86	SEBA KLL-Q
23/01/2018	59,5	145.200	23,87	SEBA KLL-Q
23/01/2018	60,0	157.600	23,88	SEBA KLL-Q
23/01/2018	60,2	158.800	23,88	SEBA KLL-Q
23/01/2018	60,4	160.100	23,88	SEBA KLL-Q
23/01/2018	60,6	161.400	23,90	SEBA KLL-Q
23/01/2018	60,8	163.600	23,90	SEBA KLL-Q
23/01/2018	61,0	166.400	23,92	SEBA KLL-Q
23/01/2018	61,2	168.900	23,92	SEBA KLL-Q
23/01/2018	61,4	170.300	23,93	SEBA KLL-Q
23/01/2018	61,6	171.500	23,94	SEBA KLL-Q
23/01/2018	61,8	172.400	23,94	SEBA KLL-Q
23/01/2018	62,0	173.400	23,95	SEBA KLL-Q
23/01/2018	62,2	174.600	23,95	SEBA KLL-Q
23/01/2018	62,4	176.000	23,96	SEBA KLL-Q
23/01/2018	62,6	177.800	23,96	SEBA KLL-Q
23/01/2018	62,8	179.500	23,97	SEBA KLL-Q
23/01/2018	63,0	181.300	23,98	SEBA KLL-Q
23/01/2018	63,2	182.900	23,99	SEBA KLL-Q
23/01/2018	63,4	184.500	23,98	SEBA KLL-Q
23/01/2018	63,6	186.500	24,00	SEBA KLL-Q
23/01/2018	63,8	187.600	23,99	SEBA KLL-Q
23/01/2018	64,0	189.400	24,00	SEBA KLL-Q
23/01/2018	64,2	191.100	24,00	SEBA KLL-Q
23/01/2018	64,4	192.400	24,00	SEBA KLL-Q
23/01/2018	64,6	193.700	24,00	SEBA KLL-Q
23/01/2018	64,8	194.900	24,01	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/01/2018	65,0	195.800	24,03	SEBA KLL-Q
23/01/2018	65,5	203.700	24,02	SEBA KLL-Q
23/01/2018	66,0	208.400	24,04	SEBA KLL-Q
23/01/2018	66,5	210.400	24,06	SEBA KLL-Q
23/01/2018	67,0	212.500	24,08	SEBA KLL-Q
23/01/2018	67,5	215.300	24,09	SEBA KLL-Q
23/01/2018	68,0	217.200	24,11	SEBA KLL-Q
23/01/2018	68,5	218.900	24,12	SEBA KLL-Q
23/01/2018	69,0	221.000	24,13	SEBA KLL-Q
23/01/2018	70,0	225.200	24,15	SEBA KLL-Q
23/01/2018	71,0	227.200	24,18	SEBA KLL-Q
23/01/2018	72,0	230.700	24,22	SEBA KLL-Q
23/01/2018	74,0	233.000	24,27	SEBA KLL-Q
23/01/2018	76,0	234.000	24,33	SEBA KLL-Q
23/01/2018	78,0	234.200	24,39	SEBA KLL-Q
23/01/2018	80,0	235.700	24,43	SEBA KLL-Q
23/01/2018	82,0	237.900	24,52	SEBA KLL-Q
23/01/2018	84,0	237.900	24,54	SEBA KLL-Q
23/01/2018	86,0	238.000	24,59	SEBA KLL-Q
23/01/2018	88,0	237.900	24,64	SEBA KLL-Q
23/01/2018	90,0	237.500	24,69	SEBA KLL-Q
21/04/2018	9,8	6.626	22,60	SEBA KLL-Q
21/04/2018	10,0	6.639	22,60	SEBA KLL-Q
21/04/2018	10,2	6.643	22,60	SEBA KLL-Q
21/04/2018	10,4	6.640	22,60	SEBA KLL-Q
21/04/2018	10,6	6.641	22,60	SEBA KLL-Q
21/04/2018	10,8	6.738	22,60	SEBA KLL-Q
21/04/2018	11,0	7.088	22,60	SEBA KLL-Q
21/04/2018	11,2	7.147	22,60	SEBA KLL-Q
21/04/2018	11,4	7.277	22,60	SEBA KLL-Q
21/04/2018	11,6	7.432	22,60	SEBA KLL-Q
21/04/2018	11,8	7.597	22,60	SEBA KLL-Q
21/04/2018	12,0	7.816	22,60	SEBA KLL-Q
21/04/2018	12,2	8.053	22,60	SEBA KLL-Q
21/04/2018	12,4	8.550	22,60	SEBA KLL-Q
21/04/2018	13,0	9.108	22,70	SEBA KLL-Q
21/04/2018	13,5	9.847	22,70	SEBA KLL-Q
21/04/2018	14,0	10.020	22,70	SEBA KLL-Q
21/04/2018	15,0	10.220	22,70	SEBA KLL-Q
21/04/2018	16,0	10.350	22,70	SEBA KLL-Q
21/04/2018	17,0	10.400	22,80	SEBA KLL-Q
21/04/2018	18,0	10.620	22,80	SEBA KLL-Q
21/04/2018	18,5	10.800	22,80	SEBA KLL-Q
21/04/2018	19,0	10.950	22,80	SEBA KLL-Q
21/04/2018	19,5	11.230	22,80	SEBA KLL-Q
21/04/2018	20,0	11.690	22,80	SEBA KLL-Q
21/04/2018	20,5	12.630	22,80	SEBA KLL-Q
21/04/2018	21,0	14.060	22,80	SEBA KLL-Q
21/04/2018	22,0	17.800	22,80	SEBA KLL-Q
21/04/2018	23,0	17.930	22,90	SEBA KLL-Q
21/04/2018	24,0	22.050	22,90	SEBA KLL-Q
21/04/2018	26,0	26.560	22,90	SEBA KLL-Q
21/04/2018	28,0	31.720	22,90	SEBA KLL-Q
21/04/2018	30,0	34.880	23,00	SEBA KLL-Q
21/04/2018	32,0	37.220	23,00	SEBA KLL-Q
21/04/2018	34,0	40.640	23,00	SEBA KLL-Q
21/04/2018	36,0	53.820	23,10	SEBA KLL-Q
21/04/2018	38,0	61.230	23,20	SEBA KLL-Q
21/04/2018	40,0	66.640	23,20	SEBA KLL-Q
21/04/2018	42,0	67.870	23,30	SEBA KLL-Q
21/04/2018	44,0	69.270	23,30	SEBA KLL-Q
21/04/2018	46,0	71.650	23,40	SEBA KLL-Q
21/04/2018	48,0	74.580	23,40	SEBA KLL-Q
21/04/2018	48,5	75.500	23,40	SEBA KLL-Q
21/04/2018	49,0	76.430	23,50	SEBA KLL-Q
21/04/2018	49,5	78.150	23,50	SEBA KLL-Q
21/04/2018	50,0	78.850	23,50	SEBA KLL-Q
21/04/2018	50,5	79.440	23,50	SEBA KLL-Q
21/04/2018	51,0	80.180	23,50	SEBA KLL-Q
21/04/2018	51,5	80.540	23,50	SEBA KLL-Q
21/04/2018	52,0	81.350	23,50	SEBA KLL-Q
21/04/2018	52,5	81.380	23,50	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/04/2018	53,0	82.180	23,60	SEBA KLL-Q
21/04/2018	53,5	84.200	23,60	SEBA KLL-Q
21/04/2018	54,0	94.720	23,60	SEBA KLL-Q
21/04/2018	54,2	97.040	23,60	SEBA KLL-Q
21/04/2018	54,4	100.800	23,60	SEBA KLL-Q
21/04/2018	54,6	103.500	23,60	SEBA KLL-Q
21/04/2018	54,8	105.000	23,60	SEBA KLL-Q
21/04/2018	55,0	107.200	23,60	SEBA KLL-Q
21/04/2018	55,2	109.700	23,60	SEBA KLL-Q
21/04/2018	55,4	111.800	23,60	SEBA KLL-Q
21/04/2018	55,6	113.100	23,60	SEBA KLL-Q
21/04/2018	55,8	114.200	23,70	SEBA KLL-Q
21/04/2018	56,0	115.400	23,70	SEBA KLL-Q
21/04/2018	56,5	118.300	23,70	SEBA KLL-Q
21/04/2018	57,0	120.200	23,70	SEBA KLL-Q
21/04/2018	57,5	122.100	23,70	SEBA KLL-Q
21/04/2018	58,0	124.500	23,70	SEBA KLL-Q
21/04/2018	58,5	127.200	23,70	SEBA KLL-Q
21/04/2018	59,0	131.000	23,70	SEBA KLL-Q
21/04/2018	59,5	136.700	23,70	SEBA KLL-Q
21/04/2018	60,0	150.800	23,80	SEBA KLL-Q
21/04/2018	60,2	152.000	23,80	SEBA KLL-Q
21/04/2018	60,4	152.800	23,80	SEBA KLL-Q
21/04/2018	60,6	153.800	23,80	SEBA KLL-Q
21/04/2018	60,8	155.800	23,80	SEBA KLL-Q
21/04/2018	61,0	157.500	23,80	SEBA KLL-Q
21/04/2018	61,2	160.200	23,80	SEBA KLL-Q
21/04/2018	61,4	161.500	23,80	SEBA KLL-Q
21/04/2018	61,6	162.800	23,80	SEBA KLL-Q
21/04/2018	61,8	163.700	23,80	SEBA KLL-Q
21/04/2018	62,0	164.300	23,80	SEBA KLL-Q
21/04/2018	62,2	165.300	23,80	SEBA KLL-Q
21/04/2018	62,4	166.700	23,80	SEBA KLL-Q
21/04/2018	62,6	168.800	23,80	SEBA KLL-Q
21/04/2018	62,8	170.200	23,80	SEBA KLL-Q
21/04/2018	63,0	172.700	23,90	SEBA KLL-Q
21/04/2018	63,5	174.700	23,90	SEBA KLL-Q
21/04/2018	64,0	179.200	23,90	SEBA KLL-Q
21/04/2018	64,2	181.100	23,90	SEBA KLL-Q
21/04/2018	64,4	182.100	23,90	SEBA KLL-Q
21/04/2018	64,6	183.100	23,90	SEBA KLL-Q
21/04/2018	64,8	184.400	23,90	SEBA KLL-Q
21/04/2018	65,0	185.500	23,90	SEBA KLL-Q
21/04/2018	65,5	193.100	23,90	SEBA KLL-Q
21/04/2018	65,7	194.400	23,90	SEBA KLL-Q
21/04/2018	66,0	196.500	23,90	SEBA KLL-Q
21/04/2018	66,2	197.200	23,90	SEBA KLL-Q
21/04/2018	66,4	198.000	23,90	SEBA KLL-Q
21/04/2018	66,6	198.700	23,90	SEBA KLL-Q
21/04/2018	66,8	199.700	24,00	SEBA KLL-Q
21/04/2018	67,0	200.300	24,00	SEBA KLL-Q
21/04/2018	67,2	201.100	24,00	SEBA KLL-Q
21/04/2018	67,4	202.100	24,00	SEBA KLL-Q
21/04/2018	67,6	203.200	24,00	SEBA KLL-Q
21/04/2018	67,8	203.700	24,00	SEBA KLL-Q
21/04/2018	68,0	204.500	24,00	SEBA KLL-Q
21/04/2018	68,5	206.100	24,00	SEBA KLL-Q
21/04/2018	69,0	208.200	24,00	SEBA KLL-Q
21/04/2018	70,0	211.100	24,00	SEBA KLL-Q
21/04/2018	71,0	213.800	24,00	SEBA KLL-Q
21/04/2018	73,0	217.900	24,00	SEBA KLL-Q
21/04/2018	75,0	217.900	24,10	SEBA KLL-Q
21/04/2018	77,0	220.100	24,20	SEBA KLL-Q
21/04/2018	79,0	220.800	24,30	SEBA KLL-Q
21/04/2018	81,0	223.400	24,40	SEBA KLL-Q
21/04/2018	83,0	223.600	24,40	SEBA KLL-Q
21/04/2018	85,0	223.500	24,40	SEBA KLL-Q
21/04/2018	87,0	223.500	24,40	SEBA KLL-Q
28/07/2018	10,0	10.910	22,01	SEBA KLL-Q
28/07/2018	10,2	10.770	22,49	SEBA KLL-Q
28/07/2018	10,4	10.720	22,45	SEBA KLL-Q
28/07/2018	10,6	10.680	22,59	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
28/07/2018	10,8	10.690	22,63	SEBA KLL-Q
28/07/2018	11,0	10.750	22,64	SEBA KLL-Q
28/07/2018	11,5	10.830	22,65	SEBA KLL-Q
28/07/2018	12,0	10.890	22,66	SEBA KLL-Q
28/07/2018	13,0	11.360	22,70	SEBA KLL-Q
28/07/2018	13,5	11.420	22,69	SEBA KLL-Q
28/07/2018	14,0	12.050	22,72	SEBA KLL-Q
28/07/2018	14,5	12.260	22,74	SEBA KLL-Q
28/07/2018	15,0	12.440	22,75	SEBA KLL-Q
28/07/2018	16,0	13.020	22,78	SEBA KLL-Q
28/07/2018	16,5	13.150	22,81	SEBA KLL-Q
28/07/2018	17,0	13.400	22,81	SEBA KLL-Q
28/07/2018	18,0	13.980	22,82	SEBA KLL-Q
28/07/2018	19,0	14.550	22,83	SEBA KLL-Q
28/07/2018	20,0	14.870	22,84	SEBA KLL-Q
28/07/2018	21,0	14.860	22,85	SEBA KLL-Q
28/07/2018	22,0	20.980	22,90	SEBA KLL-Q
28/07/2018	22,2	21.830	22,90	SEBA KLL-Q
28/07/2018	22,4	21.950	22,98	SEBA KLL-Q
28/07/2018	22,6	21.960	22,91	SEBA KLL-Q
28/07/2018	22,8	22.040	22,91	SEBA KLL-Q
28/07/2018	23,0	22.060	22,91	SEBA KLL-Q
28/07/2018	24,0	25.310	22,94	SEBA KLL-Q
28/07/2018	24,2	26.220	22,95	SEBA KLL-Q
28/07/2018	24,4	26.880	22,95	SEBA KLL-Q
28/07/2018	24,6	26.950	22,96	SEBA KLL-Q
28/07/2018	24,8	28.980	22,96	SEBA KLL-Q
28/07/2018	25,0	29.750	22,95	SEBA KLL-Q
28/07/2018	25,5	30.830	22,96	SEBA KLL-Q
28/07/2018	26,0	32.300	22,97	SEBA KLL-Q
28/07/2018	26,5	33.710	22,98	SEBA KLL-Q
28/07/2018	27,0	35.520	22,99	SEBA KLL-Q
28/07/2018	27,5	36.730	23,00	SEBA KLL-Q
28/07/2018	28,0	38.750	23,02	SEBA KLL-Q
28/07/2018	28,5	38.880	23,02	SEBA KLL-Q
28/07/2018	29,0	39.490	23,04	SEBA KLL-Q
28/07/2018	30,0	43.270	23,07	SEBA KLL-Q
28/07/2018	31,0	44.470	23,07	SEBA KLL-Q
28/07/2018	32,0	44.520	23,09	SEBA KLL-Q
28/07/2018	33,0	44.700	23,10	SEBA KLL-Q
28/07/2018	34,0	59.390	23,16	SEBA KLL-Q
28/07/2018	34,2	59.440	23,15	SEBA KLL-Q
28/07/2018	34,4	59.470	23,15	SEBA KLL-Q
28/07/2018	34,6	59.540	23,15	SEBA KLL-Q
28/07/2018	34,8	60.170	23,17	SEBA KLL-Q
28/07/2018	35,0	61.090	23,16	SEBA KLL-Q
28/07/2018	35,5	63.580	23,16	SEBA KLL-Q
28/07/2018	36,0	65.520	23,17	SEBA KLL-Q
28/07/2018	37,0	67.680	23,18	SEBA KLL-Q
28/07/2018	38,0	74.000	23,20	SEBA KLL-Q
28/07/2018	38,5	74.100	23,22	SEBA KLL-Q
28/07/2018	39,0	78.580	23,24	SEBA KLL-Q
28/07/2018	40,0	81.180	23,29	SEBA KLL-Q
28/07/2018	40,5	82.180	23,29	SEBA KLL-Q
28/07/2018	41,0	82.930	23,30	SEBA KLL-Q
28/07/2018	42,0	84.190	23,31	SEBA KLL-Q
28/07/2018	43,0	84.990	23,34	SEBA KLL-Q
28/07/2018	44,0	86.020	23,40	SEBA KLL-Q
28/07/2018	45,0	87.410	23,43	SEBA KLL-Q
28/07/2018	46,0	88.450	23,46	SEBA KLL-Q
28/07/2018	47,0	90.460	23,47	SEBA KLL-Q
28/07/2018	48,0	92.160	23,47	SEBA KLL-Q
28/07/2018	49,0	95.000	23,52	SEBA KLL-Q
28/07/2018	50,0	97.720	23,57	SEBA KLL-Q
28/07/2018	51,0	99.690	23,53	SEBA KLL-Q
28/07/2018	52,0	101.800	23,61	SEBA KLL-Q
28/07/2018	53,0	104.900	23,64	SEBA KLL-Q
28/07/2018	54,0	117.200	23,65	SEBA KLL-Q
28/07/2018	54,2	120.600	23,65	SEBA KLL-Q
28/07/2018	54,4	122.600	23,66	SEBA KLL-Q
28/07/2018	54,6	126.600	23,67	SEBA KLL-Q
28/07/2018	54,8	129.000	23,69	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
28/07/2018	55,0	132.100	23,69	SEBA KLL-Q
28/07/2018	55,5	138.100	23,69	SEBA KLL-Q
28/07/2018	56,0	142.900	23,70	SEBA KLL-Q
28/07/2018	56,5	148.500	23,74	SEBA KLL-Q
28/07/2018	57,0	151.700	23,73	SEBA KLL-Q
28/07/2018	58,0	158.600	23,75	SEBA KLL-Q
28/07/2018	59,0	168.000	23,78	SEBA KLL-Q
28/07/2018	59,2	170.600	23,79	SEBA KLL-Q
28/07/2018	59,4	174.100	23,79	SEBA KLL-Q
28/07/2018	59,6	177.200	23,81	SEBA KLL-Q
28/07/2018	59,8	182.200	23,80	SEBA KLL-Q
28/07/2018	60,0	187.500	23,81	SEBA KLL-Q
28/07/2018	60,5	193.800	23,81	SEBA KLL-Q
28/07/2018	61,0	199.900	23,84	SEBA KLL-Q
28/07/2018	62,0	210.100	23,86	SEBA KLL-Q
28/07/2018	62,5	214.500	23,88	SEBA KLL-Q
28/07/2018	63,0	219.700	23,90	SEBA KLL-Q
28/07/2018	63,5	224.100	23,91	SEBA KLL-Q
28/07/2018	64,0	229.500	23,95	SEBA KLL-Q
28/07/2018	65,0	239.400	23,95	SEBA KLL-Q
28/07/2018	66,0	250.400	23,97	SEBA KLL-Q
28/07/2018	67,0	256.800	23,99	SEBA KLL-Q
28/07/2018	68,0	262.800	24,03	SEBA KLL-Q
28/07/2018	69,0	267.200	24,04	SEBA KLL-Q
28/07/2018	70,0	272.100	24,07	SEBA KLL-Q
28/07/2018	71,0	275.200	24,09	SEBA KLL-Q
28/07/2018	72,0	278.300	24,13	SEBA KLL-Q
28/07/2018	74,0	280.500	24,15	SEBA KLL-Q
28/07/2018	76,0	282.700	24,25	SEBA KLL-Q
28/07/2018	78,0	283.000	24,30	SEBA KLL-Q
28/07/2018	80,0	283.700	24,30	SEBA KLL-Q
23/08/2018	10,0	8.199	22,53	SEBA KLL-Q
23/08/2018	10,2	8.156	22,82	SEBA KLL-Q
23/08/2018	10,4	8.145	22,84	SEBA KLL-Q
23/08/2018	10,6	8.139	22,89	SEBA KLL-Q
23/08/2018	10,8	8.127	22,92	SEBA KLL-Q
23/08/2018	11,0	8.244	22,98	SEBA KLL-Q
23/08/2018	11,5	8.356	22,90	SEBA KLL-Q
23/08/2018	12,0	8.572	22,92	SEBA KLL-Q
23/08/2018	13,0	10.220	22,94	SEBA KLL-Q
23/08/2018	13,5	10.620	22,94	SEBA KLL-Q
23/08/2018	14,0	10.910	22,96	SEBA KLL-Q
23/08/2018	15,0	11.210	23,01	SEBA KLL-Q
23/08/2018	16,0	11.400	23,03	SEBA KLL-Q
23/08/2018	18,0	11.420	23,06	SEBA KLL-Q
23/08/2018	20,0	11.510	23,09	SEBA KLL-Q
23/08/2018	22,0	18.580	23,13	SEBA KLL-Q
23/08/2018	22,5	18.640	23,14	SEBA KLL-Q
23/08/2018	23,0	18.730	23,14	SEBA KLL-Q
23/08/2018	23,5	18.810	23,14	SEBA KLL-Q
23/08/2018	24,0	22.380	23,14	SEBA KLL-Q
23/08/2018	25,0	25.820	23,15	SEBA KLL-Q
23/08/2018	26,0	28.630	23,17	SEBA KLL-Q
23/08/2018	27,0	32.010	23,19	SEBA KLL-Q
23/08/2018	28,0	34.190	23,25	SEBA KLL-Q
23/08/2018	29,0	35.030	23,26	SEBA KLL-Q
23/08/2018	30,0	36.950	23,22	SEBA KLL-Q
23/08/2018	32,0	38.860	23,31	SEBA KLL-Q
23/08/2018	34,0	51.030	23,35	SEBA KLL-Q
23/08/2018	34,5	51.160	23,41	SEBA KLL-Q
23/08/2018	35,0	53.090	23,40	SEBA KLL-Q
23/08/2018	36,0	56.720	23,41	SEBA KLL-Q
23/08/2018	38,0	64.840	23,41	SEBA KLL-Q
23/08/2018	38,5	67.830	23,48	SEBA KLL-Q
23/08/2018	39,0	69.630	23,48	SEBA KLL-Q
23/08/2018	40,0	72.930	23,44	SEBA KLL-Q
23/08/2018	41,0	73.970	23,54	SEBA KLL-Q
23/08/2018	42,0	74.590	23,58	SEBA KLL-Q
23/08/2018	44,0	76.040	23,59	SEBA KLL-Q
23/08/2018	46,0	76.240	23,59	SEBA KLL-Q
23/08/2018	48,0	82.210	23,72	SEBA KLL-Q
23/08/2018	50,0	86.900	23,80	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/08/2018	52,0	89.900	23,77	SEBA KLL-Q
23/08/2018	54,0	103.800	23,80	SEBA KLL-Q
23/08/2018	54,5	110.800	23,80	SEBA KLL-Q
23/08/2018	55,0	116.400	23,92	SEBA KLL-Q
23/08/2018	56,0	126.900	23,87	SEBA KLL-Q
23/08/2018	56,5	130.600	23,89	SEBA KLL-Q
23/08/2018	57,0	133.900	23,89	SEBA KLL-Q
23/08/2018	58,0	140.300	23,93	SEBA KLL-Q
23/08/2018	59,0	148.100	23,99	SEBA KLL-Q
23/08/2018	60,0	166.700	23,97	SEBA KLL-Q
23/08/2018	61,0	176.200	24,01	SEBA KLL-Q
23/08/2018	62,0	184.600	24,06	SEBA KLL-Q
23/08/2018	63,0	192.500	24,07	SEBA KLL-Q
23/08/2018	64,0	200.400	24,10	SEBA KLL-Q
23/08/2018	65,0	210.100	24,09	SEBA KLL-Q
23/08/2018	65,2	216.300	24,09	SEBA KLL-Q
23/08/2018	65,4	214.700	24,09	SEBA KLL-Q
23/08/2018	65,6	217.100	24,10	SEBA KLL-Q
23/08/2018	65,8	219.200	24,11	SEBA KLL-Q
23/08/2018	66,0	219.900	24,12	SEBA KLL-Q
23/08/2018	66,5	223.600	24,11	SEBA KLL-Q
23/08/2018	67,0	225.700	24,14	SEBA KLL-Q
23/08/2018	68,0	231.200	24,14	SEBA KLL-Q
23/08/2018	70,0	239.600	24,18	SEBA KLL-Q
23/08/2018	72,0	244.800	24,19	SEBA KLL-Q
23/08/2018	74,0	247.600	24,29	SEBA KLL-Q
23/08/2018	76,0	248.700	24,35	SEBA KLL-Q
23/08/2018	78,0	248.500	24,54	SEBA KLL-Q
23/08/2018	80,0	252.100	24,46	SEBA KLL-Q
23/08/2018	82,0	253.000	24,50	SEBA KLL-Q
23/08/2018	84,0	253.000	24,59	SEBA KLL-Q
23/08/2018	86,0	253.100	24,64	SEBA KLL-Q
23/08/2018	87,5	252.500	24,76	SEBA KLL-Q
07/09/2018	9,6	8.206	22,40	SEBA KLL-Q
07/09/2018	9,7	8.220	22,40	SEBA KLL-Q
07/09/2018	9,9	8.210	22,40	SEBA KLL-Q
07/09/2018	10,2	8.208	22,50	SEBA KLL-Q
07/09/2018	10,4	8.206	22,60	SEBA KLL-Q
07/09/2018	10,6	8.201	22,60	SEBA KLL-Q
07/09/2018	10,8	8.206	22,60	SEBA KLL-Q
07/09/2018	11,0	8.390	22,70	SEBA KLL-Q
07/09/2018	11,5	8.513	22,70	SEBA KLL-Q
07/09/2018	12,0	8.786	22,70	SEBA KLL-Q
07/09/2018	13,0	10.440	22,70	SEBA KLL-Q
07/09/2018	14,0	11.210	22,70	SEBA KLL-Q
07/09/2018	15,0	11.440	22,80	SEBA KLL-Q
07/09/2018	16,0	11.530	22,80	SEBA KLL-Q
07/09/2018	18,0	11.540	22,80	SEBA KLL-Q
07/09/2018	20,0	11.800	22,90	SEBA KLL-Q
07/09/2018	22,0	14.440	22,90	SEBA KLL-Q
07/09/2018	24,0	19.290	22,90	SEBA KLL-Q
07/09/2018	26,0	26.670	23,00	SEBA KLL-Q
07/09/2018	28,0	34.970	23,00	SEBA KLL-Q
07/09/2018	30,0	38.010	23,00	SEBA KLL-Q
07/09/2018	32,0	39.460	23,10	SEBA KLL-Q
07/09/2018	34,0	52.240	23,20	SEBA KLL-Q
07/09/2018	36,0	57.800	23,20	SEBA KLL-Q
07/09/2018	38,0	66.200	23,30	SEBA KLL-Q
07/09/2018	40,0	74.810	23,30	SEBA KLL-Q
07/09/2018	42,0	76.580	23,40	SEBA KLL-Q
07/09/2018	44,0	78.240	23,40	SEBA KLL-Q
07/09/2018	46,0	80.540	23,50	SEBA KLL-Q
07/09/2018	48,0	84.400	23,50	SEBA KLL-Q
07/09/2018	50,0	89.430	23,60	SEBA KLL-Q
07/09/2018	51,0	91.210	23,60	SEBA KLL-Q
07/09/2018	51,5	92.010	23,60	SEBA KLL-Q
07/09/2018	52,0	92.920	23,60	SEBA KLL-Q
07/09/2018	52,5	93.850	23,70	SEBA KLL-Q
07/09/2018	53,0	94.860	23,70	SEBA KLL-Q
07/09/2018	54,0	105.600	23,70	SEBA KLL-Q
07/09/2018	55,0	119.300	23,70	SEBA KLL-Q
07/09/2018	56,0	125.200	23,70	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/09/2018	57,0	135.600	23,80	SEBA KLL-Q
07/09/2018	58,0	144.800	23,80	SEBA KLL-Q
07/09/2018	59,0	152.800	23,80	SEBA KLL-Q
07/09/2018	59,5	157.600	23,80	SEBA KLL-Q
07/09/2018	60,0	171.400	23,87	SEBA KLL-Q
07/09/2018	60,2	174.900	23,90	SEBA KLL-Q
07/09/2018	60,4	176.500	23,90	SEBA KLL-Q
07/09/2018	60,6	177.900	23,90	SEBA KLL-Q
07/09/2018	60,8	180.000	23,90	SEBA KLL-Q
07/09/2018	61,0	182.300	23,90	SEBA KLL-Q
07/09/2018	61,2	184.800	23,90	SEBA KLL-Q
07/09/2018	61,4	186.900	23,90	SEBA KLL-Q
07/09/2018	61,6	188.600	23,90	SEBA KLL-Q
07/09/2018	61,8	189.900	23,90	SEBA KLL-Q
07/09/2018	62,0	191.100	23,90	SEBA KLL-Q
07/09/2018	62,2	192.600	24,00	SEBA KLL-Q
07/09/2018	62,4	194.300	24,00	SEBA KLL-Q
07/09/2018	62,6	196.000	24,00	SEBA KLL-Q
07/09/2018	62,8	197.800	24,00	SEBA KLL-Q
07/09/2018	63,0	199.600	24,00	SEBA KLL-Q
07/09/2018	63,2	201.300	24,00	SEBA KLL-Q
07/09/2018	63,4	203.400	24,00	SEBA KLL-Q
07/09/2018	63,6	205.600	24,00	SEBA KLL-Q
07/09/2018	63,8	207.300	24,00	SEBA KLL-Q
07/09/2018	64,0	209.100	24,00	SEBA KLL-Q
07/09/2018	64,5	213.600	24,00	SEBA KLL-Q
07/09/2018	65,0	217.600	24,00	SEBA KLL-Q
07/09/2018	65,5	223.600	24,00	SEBA KLL-Q
07/09/2018	66,0	228.600	24,00	SEBA KLL-Q
07/09/2018	67,0	234.400	24,00	SEBA KLL-Q
07/09/2018	68,0	239.600	24,00	SEBA KLL-Q
07/09/2018	69,0	243.800	24,10	SEBA KLL-Q
07/09/2018	70,0	248.400	24,10	SEBA KLL-Q
07/09/2018	72,0	251.000	24,20	SEBA KLL-Q
07/09/2018	74,0	255.400	24,20	SEBA KLL-Q
07/09/2018	76,0	257.000	24,20	SEBA KLL-Q
07/09/2018	78,0	258.200	24,40	SEBA KLL-Q
07/09/2018	80,0	260.200	24,40	SEBA KLL-Q
07/09/2018	82,0	262.600	24,40	SEBA KLL-Q
07/09/2018	84,0	262.400	24,50	SEBA KLL-Q
07/09/2018	86,0	262.300	24,60	SEBA KLL-Q
07/09/2018	88,0	262.200	24,60	SEBA KLL-Q
17/11/2018	10,0	7.575	22,71	SEBA KLL-Q
17/11/2018	10,5	7.654	22,66	SEBA KLL-Q
17/11/2018	11,0	8.437	22,64	SEBA KLL-Q
17/11/2018	11,5	8.870	22,66	SEBA KLL-Q
17/11/2018	12,0	9.335	22,66	SEBA KLL-Q
17/11/2018	13,0	10.550	22,69	SEBA KLL-Q
17/11/2018	14,0	10.940	22,70	SEBA KLL-Q
17/11/2018	15,0	11.100	22,70	SEBA KLL-Q
17/11/2018	16,0	11.210	22,75	SEBA KLL-Q
17/11/2018	18,0	11.340	22,79	SEBA KLL-Q
17/11/2018	20,0	11.810	22,82	SEBA KLL-Q
17/11/2018	22,0	19.130	23,07	SEBA KLL-Q
17/11/2018	24,0	23.990	22,90	SEBA KLL-Q
17/11/2018	26,0	29.960	22,94	SEBA KLL-Q
17/11/2018	28,0	34.550	22,99	SEBA KLL-Q
17/11/2018	30,0	37.350	23,03	SEBA KLL-Q
17/11/2018	32,0	39.420	23,08	SEBA KLL-Q
17/11/2018	34,0	50.090	23,11	SEBA KLL-Q
17/11/2018	36,0	55.910	23,16	SEBA KLL-Q
17/11/2018	38,0	64.910	23,20	SEBA KLL-Q
17/11/2018	40,0	73.930	23,25	SEBA KLL-Q
17/11/2018	41,0	74.340	23,27	SEBA KLL-Q
17/11/2018	42,0	74.830	23,29	SEBA KLL-Q
17/11/2018	43,0	75.400	23,33	SEBA KLL-Q
17/11/2018	44,0	76.050	23,35	SEBA KLL-Q
17/11/2018	46,0	78.310	23,44	SEBA KLL-Q
17/11/2018	48,0	82.130	23,46	SEBA KLL-Q
17/11/2018	49,0	84.540	23,49	SEBA KLL-Q
17/11/2018	50,0	87.400	23,52	SEBA KLL-Q
17/11/2018	51,0	88.800	23,54	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/11/2018	52,0	90.000	23,56	SEBA KLL-Q
17/11/2018	53,0	90.920	23,59	SEBA KLL-Q
17/11/2018	54,0	104.100	23,61	SEBA KLL-Q
17/11/2018	54,5	111.200	23,63	SEBA KLL-Q
17/11/2018	55,0	115.800	23,64	SEBA KLL-Q
17/11/2018	56,0	126.100	23,67	SEBA KLL-Q
17/11/2018	57,0	133.000	23,69	SEBA KLL-Q
17/11/2018	58,0	139.000	23,72	SEBA KLL-Q
17/11/2018	59,0	145.800	23,74	SEBA KLL-Q
17/11/2018	60,0	165.000	23,77	SEBA KLL-Q
17/11/2018	60,5	168.300	23,79	SEBA KLL-Q
17/11/2018	61,0	172.800	23,80	SEBA KLL-Q
17/11/2018	61,2	175.700	23,82	SEBA KLL-Q
17/11/2018	61,4	177.200	23,82	SEBA KLL-Q
17/11/2018	61,6	178.300	23,83	SEBA KLL-Q
17/11/2018	61,8	179.300	23,83	SEBA KLL-Q
17/11/2018	62,0	180.400	23,84	SEBA KLL-Q
17/11/2018	62,2	181.900	23,85	SEBA KLL-Q
17/11/2018	62,4	183.400	23,86	SEBA KLL-Q
17/11/2018	62,6	184.900	23,86	SEBA KLL-Q
17/11/2018	62,8	186.500	23,86	SEBA KLL-Q
17/11/2018	63,0	188.300	23,87	SEBA KLL-Q
17/11/2018	63,5	192.900	23,88	SEBA KLL-Q
17/11/2018	64,0	197.800	23,89	SEBA KLL-Q
17/11/2018	64,5	200.700	23,90	SEBA KLL-Q
17/11/2018	65,0	203.700	23,92	SEBA KLL-Q
17/11/2018	65,2	206.200	23,92	SEBA KLL-Q
17/11/2018	65,4	209.000	23,93	SEBA KLL-Q
17/11/2018	65,6	211.100	23,93	SEBA KLL-Q
17/11/2018	65,8	212.900	23,94	SEBA KLL-Q
17/11/2018	66,0	214.500	23,95	SEBA KLL-Q
17/11/2018	66,5	217.200	23,96	SEBA KLL-Q
17/11/2018	67,0	219.600	23,97	SEBA KLL-Q
17/11/2018	68,0	223.900	23,99	SEBA KLL-Q
17/11/2018	69,0	227.600	24,03	SEBA KLL-Q
17/11/2018	70,0	231.800	24,06	SEBA KLL-Q
17/11/2018	72,0	236.700	24,12	SEBA KLL-Q
17/11/2018	74,0	239.200	24,17	SEBA KLL-Q
17/11/2018	76,0	240.500	24,22	SEBA KLL-Q
17/11/2018	78,0	240.800	24,27	SEBA KLL-Q
17/11/2018	80,0	242.300	24,34	SEBA KLL-Q
17/11/2018	83,0	244.100	24,43	SEBA KLL-Q
17/11/2018	86,0	244.000	24,51	SEBA KLL-Q
17/11/2018	89,0	243.900	24,55	SEBA KLL-Q
22/01/2019	9,60	7.778	22,9	SEBA KLL-Q
22/01/2019	9,80	7.822	22,9	SEBA KLL-Q
22/01/2019	10,00	8.006	22,8	SEBA KLL-Q
22/01/2019	10,20	8.157	22,8	SEBA KLL-Q
22/01/2019	10,40	8.517	22,7	SEBA KLL-Q
22/01/2019	10,60	8.765	22,7	SEBA KLL-Q
22/01/2019	10,80	9.042	22,7	SEBA KLL-Q
22/01/2019	11,00	9.291	22,7	SEBA KLL-Q
22/01/2019	11,50	9.690	22,7	SEBA KLL-Q
22/01/2019	12,00	10.170	22,7	SEBA KLL-Q
22/01/2019	13,00	10.970	22,7	SEBA KLL-Q
22/01/2019	14,00	11.260	22,7	SEBA KLL-Q
22/01/2019	16,00	11.640	22,8	SEBA KLL-Q
22/01/2019	18,00	12.020	22,8	SEBA KLL-Q
22/01/2019	20,00	12.210	22,8	SEBA KLL-Q
22/01/2019	22,00	20.280	22,9	SEBA KLL-Q
22/01/2019	24,00	25.430	22,9	SEBA KLL-Q
22/01/2019	26,00	31.440	22,9	SEBA KLL-Q
22/01/2019	28,00	36.080	23,0	SEBA KLL-Q
22/01/2019	30,00	39.210	23,0	SEBA KLL-Q
22/01/2019	32,00	41.800	23,1	SEBA KLL-Q
22/01/2019	34,00	53.120	23,1	SEBA KLL-Q
22/01/2019	36,00	59.470	23,2	SEBA KLL-Q
22/01/2019	38,00	69.710	23,2	SEBA KLL-Q
22/01/2019	40,00	77.260	23,3	SEBA KLL-Q
22/01/2019	42,00	78.970	23,3	SEBA KLL-Q
22/01/2019	44,00	79.740	23,4	SEBA KLL-Q
22/01/2019	46,00	82.480	23,4	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/01/2019	48,00	86.480	23,5	SEBA KLL-Q
22/01/2019	50,00	91.710	23,5	SEBA KLL-Q
22/01/2019	51,00	93.180	23,5	SEBA KLL-Q
22/01/2019	52,00	94.630	23,6	SEBA KLL-Q
22/01/2019	53,00	96.040	23,6	SEBA KLL-Q
22/01/2019	54,00	110.100	23,6	SEBA KLL-Q
22/01/2019	54,50	116.900	23,6	SEBA KLL-Q
22/01/2019	55,00	121.600	23,6	SEBA KLL-Q
22/01/2019	55,50	128.200	23,7	SEBA KLL-Q
22/01/2019	56,00	132.400	23,7	SEBA KLL-Q
22/01/2019	56,50	137.200	23,7	SEBA KLL-Q
22/01/2019	57,00	140.800	23,7	SEBA KLL-Q
22/01/2019	57,50	144.100	23,7	SEBA KLL-Q
22/01/2019	58,00	147.200	23,7	SEBA KLL-Q
22/01/2019	58,50	151.000	23,7	SEBA KLL-Q
22/01/2019	59,00	154.500	23,8	SEBA KLL-Q
22/01/2019	59,50	160.600	23,8	SEBA KLL-Q
22/01/2019	60,00	174.600	23,8	SEBA KLL-Q
22/01/2019	60,20	176.600	23,8	SEBA KLL-Q
22/01/2019	60,40	177.800	23,8	SEBA KLL-Q
22/01/2019	60,60	179.000	23,8	SEBA KLL-Q
22/01/2019	60,80	181.200	23,8	SEBA KLL-Q
22/01/2019	61,00	183.600	23,8	SEBA KLL-Q
22/01/2019	61,20	186.200	23,8	SEBA KLL-Q
22/01/2019	61,40	188.100	23,8	SEBA KLL-Q
22/01/2019	61,60	189.200	23,8	SEBA KLL-Q
22/01/2019	61,80	190.500	23,8	SEBA KLL-Q
22/01/2019	62,00	191.700	23,8	SEBA KLL-Q
22/01/2019	62,20	193.100	23,8	SEBA KLL-Q
22/01/2019	62,40	194.700	23,9	SEBA KLL-Q
22/01/2019	62,60	196.400	23,9	SEBA KLL-Q
22/01/2019	62,80	192.200	23,9	SEBA KLL-Q
22/01/2019	63,00	200.200	23,9	SEBA KLL-Q
22/01/2019	63,20	202.200	23,9	SEBA KLL-Q
22/01/2019	63,40	204.100	23,9	SEBA KLL-Q
22/01/2019	63,60	206.100	23,9	SEBA KLL-Q
22/01/2019	63,80	207.600	23,9	SEBA KLL-Q
22/01/2019	64,00	209.500	23,9	SEBA KLL-Q
22/01/2019	64,50	213.800	23,9	SEBA KLL-Q
22/01/2019	65,00	217.100	23,9	SEBA KLL-Q
22/01/2019	66,00	228.500	23,9	SEBA KLL-Q
22/01/2019	68,00	238.700	24,0	SEBA KLL-Q
22/01/2019	70,00	247.500	24,0	SEBA KLL-Q
22/01/2019	72,00	252.700	24,1	SEBA KLL-Q
22/01/2019	74,00	255.500	24,2	SEBA KLL-Q
22/01/2019	76,00	256.900	24,2	SEBA KLL-Q
22/01/2019	78,00	257.300	24,3	SEBA KLL-Q
22/01/2019	80,00	259.200	24,3	SEBA KLL-Q
22/01/2019	82,00	261.300	24,4	SEBA KLL-Q
22/01/2019	84,00	261.200	24,4	SEBA KLL-Q
22/01/2019	86,00	261.200	24,5	SEBA KLL-Q
22/01/2019	87,70	261.100	24,6	SEBA KLL-Q
13/02/2019	10,00	7.607	23,0	SEBA KLL-Q
13/02/2019	10,80	7.683	22,7	SEBA KLL-Q
13/02/2019	11,00	7.915	22,6	SEBA KLL-Q
13/02/2019	12,00	8.187	22,6	SEBA KLL-Q
13/02/2019	14,00	10.140	22,7	SEBA KLL-Q
13/02/2019	16,00	10.270	22,8	SEBA KLL-Q
13/02/2019	18,00	10.270	22,8	SEBA KLL-Q
13/02/2019	20,00	10.270	22,8	SEBA KLL-Q
13/02/2019	22,00	18.090	22,9	SEBA KLL-Q
13/02/2019	22,20	18.210	22,9	SEBA KLL-Q
13/02/2019	22,40	18.250	22,9	SEBA KLL-Q
13/02/2019	22,60	18.250	22,9	SEBA KLL-Q
13/02/2019	22,80	18.270	22,9	SEBA KLL-Q
13/02/2019	23,00	18.270	22,9	SEBA KLL-Q
13/02/2019	23,50	19.590	22,9	SEBA KLL-Q
13/02/2019	24,00	21.750	22,9	SEBA KLL-Q
13/02/2019	25,00	24.540	22,9	SEBA KLL-Q
13/02/2019	26,00	26.670	22,9	SEBA KLL-Q
13/02/2019	28,00	31.310	23,0	SEBA KLL-Q
13/02/2019	30,00	34.110	23,0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/02/2019	32,00	35.170	23,1	SEBA KLL-Q
13/02/2019	34,00	45.990	23,1	SEBA KLL-Q
13/02/2019	35,00	47.710	23,1	SEBA KLL-Q
13/02/2019	36,00	51.380	23,1	SEBA KLL-Q
13/02/2019	38,00	59.590	23,2	SEBA KLL-Q
13/02/2019	40,00	66.840	23,2	SEBA KLL-Q
13/02/2019	42,00	66.870	23,2	SEBA KLL-Q
13/02/2019	44,00	69.050	23,3	SEBA KLL-Q
13/02/2019	46,00	71.430	23,4	SEBA KLL-Q
13/02/2019	48,00	74.990	23,4	SEBA KLL-Q
13/02/2019	50,00	79.310	23,5	SEBA KLL-Q
13/02/2019	51,00	80.400	23,5	SEBA KLL-Q
13/02/2019	52,00	81.700	23,5	SEBA KLL-Q
13/02/2019	53,00	83.100	23,6	SEBA KLL-Q
13/02/2019	54,00	94.590	23,6	SEBA KLL-Q
13/02/2019	55,00	104.800	23,6	SEBA KLL-Q
13/02/2019	56,00	114.100	23,7	SEBA KLL-Q
13/02/2019	57,00	121.200	23,7	SEBA KLL-Q
13/02/2019	58,00	127.000	23,7	SEBA KLL-Q
13/02/2019	59,00	133.300	23,7	SEBA KLL-Q
13/02/2019	60,00	150.500	23,8	SEBA KLL-Q
13/02/2019	61,00	157.800	23,8	SEBA KLL-Q
13/02/2019	62,00	164.700	23,8	SEBA KLL-Q
13/02/2019	63,00	171.800	23,9	SEBA KLL-Q
13/02/2019	64,00	179.700	23,9	SEBA KLL-Q
13/02/2019	65,00	187.100	23,9	SEBA KLL-Q
13/02/2019	65,50	192.300	23,9	SEBA KLL-Q
13/02/2019	66,00	196.600	23,9	SEBA KLL-Q
13/02/2019	66,50	199.000	23,9	SEBA KLL-Q
13/02/2019	66,60	199.600	23,9	SEBA KLL-Q
13/02/2019	66,80	200.500	24,0	SEBA KLL-Q
13/02/2019	67,00	201.100	24,0	SEBA KLL-Q
13/02/2019	67,20	201.800	24,0	SEBA KLL-Q
13/02/2019	67,40	202.700	24,0	SEBA KLL-Q
13/02/2019	67,60	203.700	24,0	SEBA KLL-Q
13/02/2019	67,80	204.400	24,0	SEBA KLL-Q
13/02/2019	68,00	205.100	24,0	SEBA KLL-Q
13/02/2019	68,20	205.900	24,0	SEBA KLL-Q
13/02/2019	68,40	206.600	24,0	SEBA KLL-Q
13/02/2019	68,60	207.100	24,0	SEBA KLL-Q
13/02/2019	68,80	208.100	24,0	SEBA KLL-Q
13/02/2019	69,00	208.600	24,0	SEBA KLL-Q
13/02/2019	69,20	209.500	24,0	SEBA KLL-Q
13/02/2019	69,40	210.500	24,0	SEBA KLL-Q
13/02/2019	69,60	211.400	24,0	SEBA KLL-Q
13/02/2019	69,80	211.700	24,0	SEBA KLL-Q
13/02/2019	70,00	212.700	24,0	SEBA KLL-Q
13/02/2019	71,00	214.900	24,1	SEBA KLL-Q
13/02/2019	72,00	217.000	24,1	SEBA KLL-Q
13/02/2019	74,00	219.400	24,2	SEBA KLL-Q
13/02/2019	76,00	220.400	24,2	SEBA KLL-Q
13/02/2019	78,00	220.800	24,3	SEBA KLL-Q
13/02/2019	80,00	222.000	24,3	SEBA KLL-Q
13/02/2019	83,00	224.200	24,4	SEBA KLL-Q
13/02/2019	86,00	224.100	24,5	SEBA KLL-Q
18/03/2019	10,15	8.535	22,6	SEBA KLL-Q
18/03/2019	10,50	8.568	22,6	SEBA KLL-Q
18/03/2019	11,00	8.920	22,6	SEBA KLL-Q
18/03/2019	12,00	9.281	22,6	SEBA KLL-Q
18/03/2019	14,00	9.828	22,7	SEBA KLL-Q
18/03/2019	16,00	9.827	22,7	SEBA KLL-Q
18/03/2019	18,00	9.824	22,8	SEBA KLL-Q
18/03/2019	20,00	9.847	22,8	SEBA KLL-Q
18/03/2019	22,00	17.790	22,9	SEBA KLL-Q
18/03/2019	22,50	17.930	22,9	SEBA KLL-Q
18/03/2019	23,00	18.840	22,9	SEBA KLL-Q
18/03/2019	24,00	21.860	22,9	SEBA KLL-Q
18/03/2019	25,00	24.810	22,9	SEBA KLL-Q
18/03/2019	26,00	27.540	22,9	SEBA KLL-Q
18/03/2019	27,00	30.320	23,0	SEBA KLL-Q
18/03/2019	28,00	31.780	23,0	SEBA KLL-Q
18/03/2019	30,00	34.000	23,0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/03/2019	32,00	35.910	23,1	SEBA KLL-Q
18/03/2019	34,00	45.870	23,1	SEBA KLL-Q
18/03/2019	35,00	47.300	23,1	SEBA KLL-Q
18/03/2019	36,00	51.140	23,2	SEBA KLL-Q
18/03/2019	37,00	53.850	23,2	SEBA KLL-Q
18/03/2019	38,00	58.320	23,2	SEBA KLL-Q
18/03/2019	39,00	64.560	23,2	SEBA KLL-Q
18/03/2019	40,00	69.580	23,2	SEBA KLL-Q
18/03/2019	42,00	70.920	23,3	SEBA KLL-Q
18/03/2019	44,00	72.000	23,4	SEBA KLL-Q
18/03/2019	46,00	73.920	23,4	SEBA KLL-Q
18/03/2019	48,00	77.410	23,5	SEBA KLL-Q
18/03/2019	50,00	83.760	23,5	SEBA KLL-Q
18/03/2019	52,00	85.820	23,6	SEBA KLL-Q
18/03/2019	54,00	97.790	23,6	SEBA KLL-Q
18/03/2019	56,00	120.100	23,7	SEBA KLL-Q
18/03/2019	57,00	127.500	23,7	SEBA KLL-Q
18/03/2019	58,00	133.700	23,7	SEBA KLL-Q
18/03/2019	59,00	141.200	23,8	SEBA KLL-Q
18/03/2019	60,00	152.600	23,8	SEBA KLL-Q
18/03/2019	60,50	161.800	23,8	SEBA KLL-Q
18/03/2019	61,00	166.300	23,8	SEBA KLL-Q
18/03/2019	61,50	171.000	23,8	SEBA KLL-Q
18/03/2019	62,00	173.900	23,8	SEBA KLL-Q
18/03/2019	62,50	177.100	23,9	SEBA KLL-Q
18/03/2019	63,00	181.100	23,9	SEBA KLL-Q
18/03/2019	63,20	182.900	23,9	SEBA KLL-Q
18/03/2019	63,40	184.700	23,9	SEBA KLL-Q
18/03/2019	63,60	186.600	23,9	SEBA KLL-Q
18/03/2019	63,80	188.300	23,9	SEBA KLL-Q
18/03/2019	64,00	194.000	23,9	SEBA KLL-Q
18/03/2019	64,20	191.500	23,9	SEBA KLL-Q
18/03/2019	64,40	193.000	23,9	SEBA KLL-Q
18/03/2019	64,60	194.300	23,9	SEBA KLL-Q
18/03/2019	64,80	195.300	23,9	SEBA KLL-Q
18/03/2019	65,00	196.900	23,9	SEBA KLL-Q
18/03/2019	65,20	198.600	24,0	SEBA KLL-Q
18/03/2019	65,40	200.500	23,9	SEBA KLL-Q
18/03/2019	65,60	202.900	23,9	SEBA KLL-Q
18/03/2019	65,80	204.500	23,9	SEBA KLL-Q
18/03/2019	66,00	206.100	23,9	SEBA KLL-Q
18/03/2019	66,50	208.800	24,0	SEBA KLL-Q
18/03/2019	67,00	210.800	24,0	SEBA KLL-Q
18/03/2019	68,00	214.900	24,0	SEBA KLL-Q
18/03/2019	69,00	218.600	24,0	SEBA KLL-Q
18/03/2019	70,00	222.900	24,1	SEBA KLL-Q
18/03/2019	71,00	225.000	24,1	SEBA KLL-Q
18/03/2019	72,00	227.100	24,1	SEBA KLL-Q
18/03/2019	74,00	228.500	24,1	SEBA KLL-Q
18/03/2019	76,00	230.200	24,2	SEBA KLL-Q
18/03/2019	78,00	231.800	24,3	SEBA KLL-Q
18/03/2019	80,00	232.800	24,3	SEBA KLL-Q
18/03/2019	83,00	234.500	24,5	SEBA KLL-Q
18/03/2019	86,00	234.300	24,5	SEBA KLL-Q
18/03/2019	88,00	234.200	24,5	SEBA KLL-Q
18/04/2019	9,55	8.540	22,7	SEBA KLL-Q
18/04/2019	10,00	8.518	22,6	SEBA KLL-Q
18/04/2019	11,00	8.849	22,6	SEBA KLL-Q
18/04/2019	12,00	9.286	22,6	SEBA KLL-Q
18/04/2019	13,00	9.751	22,6	SEBA KLL-Q
18/04/2019	14,00	9.892	22,7	SEBA KLL-Q
18/04/2019	15,00	9.937	22,7	SEBA KLL-Q
18/04/2019	16,00	9.939	22,7	SEBA KLL-Q
18/04/2019	17,00	9.940	22,7	SEBA KLL-Q
18/04/2019	18,00	9.970	22,8	SEBA KLL-Q
18/04/2019	19,00	10.060	22,8	SEBA KLL-Q
18/04/2019	19,50	10.190	22,8	SEBA KLL-Q
18/04/2019	20,00	10.330	22,8	SEBA KLL-Q
18/04/2019	20,50	13.130	22,8	SEBA KLL-Q
18/04/2019	21,00	15.640	22,8	SEBA KLL-Q
18/04/2019	21,20	16.720	22,8	SEBA KLL-Q
18/04/2019	21,50	17.590	22,8	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/04/2019	22,00	18.860	22,8	SEBA KLL-Q
18/04/2019	22,50	18.870	22,9	SEBA KLL-Q
18/04/2019	23,00	19.770	22,9	SEBA KLL-Q
18/04/2019	23,50	21.140	22,9	SEBA KLL-Q
18/04/2019	24,00	22.640	22,9	SEBA KLL-Q
18/04/2019	25,00	25.260	22,9	SEBA KLL-Q
18/04/2019	26,00	27.400	22,9	SEBA KLL-Q
18/04/2019	27,00	29.670	22,9	SEBA KLL-Q
18/04/2019	28,00	30.860	23,0	SEBA KLL-Q
18/04/2019	29,00	31.740	23,0	SEBA KLL-Q
18/04/2019	30,00	33.470	23,0	SEBA KLL-Q
18/04/2019	32,00	35.740	23,0	SEBA KLL-Q
18/04/2019	34,00	43.470	23,1	SEBA KLL-Q
18/04/2019	35,00	45.900	23,1	SEBA KLL-Q
18/04/2019	36,00	48.800	23,1	SEBA KLL-Q
18/04/2019	37,00	51.970	23,2	SEBA KLL-Q
18/04/2019	38,00	56.970	23,2	SEBA KLL-Q
18/04/2019	39,00	62.890	23,2	SEBA KLL-Q
18/04/2019	40,00	67.130	23,2	SEBA KLL-Q
18/04/2019	42,00	68.270	23,3	SEBA KLL-Q
18/04/2019	44,00	69.210	23,3	SEBA KLL-Q
18/04/2019	46,00	71.150	23,4	SEBA KLL-Q
18/04/2019	48,00	74.590	23,4	SEBA KLL-Q
18/04/2019	50,00	80.190	23,5	SEBA KLL-Q
18/04/2019	52,00	83.110	23,5	SEBA KLL-Q
18/04/2019	54,00	95.100	23,6	SEBA KLL-Q
18/04/2019	54,50	101.500	23,6	SEBA KLL-Q
18/04/2019	55,00	105.500	23,6	SEBA KLL-Q
18/04/2019	55,50	110.500	23,6	SEBA KLL-Q
18/04/2019	56,00	115.200	23,6	SEBA KLL-Q
18/04/2019	57,00	122.500	23,7	SEBA KLL-Q
18/04/2019	58,00	129.200	23,7	SEBA KLL-Q
18/04/2019	59,00	136.000	23,7	SEBA KLL-Q
18/04/2019	60,00	152.700	23,7	SEBA KLL-Q
18/04/2019	60,50	155.900	23,8	SEBA KLL-Q
18/04/2019	61,00	160.400	23,8	SEBA KLL-Q
18/04/2019	61,50	164.400	23,8	SEBA KLL-Q
18/04/2019	62,00	167.200	23,8	SEBA KLL-Q
18/04/2019	62,50	170.400	23,8	SEBA KLL-Q
18/04/2019	63,00	174.300	23,8	SEBA KLL-Q
18/04/2019	63,20	176.200	23,9	SEBA KLL-Q
18/04/2019	63,40	178.300	23,9	SEBA KLL-Q
18/04/2019	63,60	179.700	23,9	SEBA KLL-Q
18/04/2019	63,80	181.400	23,9	SEBA KLL-Q
18/04/2019	64,00	183.100	23,9	SEBA KLL-Q
18/04/2019	64,20	183.500	23,9	SEBA KLL-Q
18/04/2019	64,40	186.000	23,9	SEBA KLL-Q
18/04/2019	64,60	187.000	23,9	SEBA KLL-Q
18/04/2019	64,80	188.600	23,9	SEBA KLL-Q
18/04/2019	65,00	189.800	23,9	SEBA KLL-Q
18/04/2019	65,20	191.300	23,9	SEBA KLL-Q
18/04/2019	65,40	194.000	23,9	SEBA KLL-Q
18/04/2019	65,60	195.000	23,9	SEBA KLL-Q
18/04/2019	65,80	197.800	23,9	SEBA KLL-Q
18/04/2019	66,00	199.300	23,9	SEBA KLL-Q
18/04/2019	66,50	195.200	23,9	SEBA KLL-Q
18/04/2019	67,00	204.200	23,9	SEBA KLL-Q
18/04/2019	68,00	208.100	24,0	SEBA KLL-Q
18/04/2019	69,00	211.400	24,0	SEBA KLL-Q
18/04/2019	70,00	215.500	24,0	SEBA KLL-Q
18/04/2019	71,00	217.800	24,0	SEBA KLL-Q
18/04/2019	72,00	219.800	24,1	SEBA KLL-Q
18/04/2019	74,00	222.200	24,1	SEBA KLL-Q
18/04/2019	76,00	223.300	24,2	SEBA KLL-Q
18/04/2019	78,00	223.800	24,2	SEBA KLL-Q
18/04/2019	80,00	225.200	24,3	SEBA KLL-Q
18/04/2019	83,00	227.000	24,4	SEBA KLL-Q
18/04/2019	86,00	227.200	24,4	SEBA KLL-Q
18/04/2019	88,00	226.900	24,5	SEBA KLL-Q
13/06/2019	10,00	8.553	22,7	SEBA KLL-Q
13/06/2019	10,50	8.626	22,6	SEBA KLL-Q
13/06/2019	11,00	9.024	22,6	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/06/2019	12,00	9.496	22,6	SEBA KLL-Q
13/06/2019	13,00	10.180	22,7	SEBA KLL-Q
13/06/2019	14,00	10.420	22,7	SEBA KLL-Q
13/06/2019	16,00	10.660	22,8	SEBA KLL-Q
13/06/2019	18,00	10.780	22,8	SEBA KLL-Q
13/06/2019	20,00	11.080	22,8	SEBA KLL-Q
13/06/2019	22,00	19.490	22,9	SEBA KLL-Q
13/06/2019	22,50	19.680	22,9	SEBA KLL-Q
13/06/2019	23,00	20.250	22,9	SEBA KLL-Q
13/06/2019	24,00	23.230	22,9	SEBA KLL-Q
13/06/2019	25,00	26.140	22,9	SEBA KLL-Q
13/06/2019	26,00	28.380	22,9	SEBA KLL-Q
13/06/2019	27,00	31.020	23,0	SEBA KLL-Q
13/06/2019	28,00	32.450	23,0	SEBA KLL-Q
13/06/2019	30,00	35.060	23,0	SEBA KLL-Q
13/06/2019	32,00	37.310	23,1	SEBA KLL-Q
13/06/2019	34,00	46.090	23,1	SEBA KLL-Q
13/06/2019	34,50	46.470	23,1	SEBA KLL-Q
13/06/2019	35,00	48.060	23,1	SEBA KLL-Q
13/06/2019	35,50	50.040	23,2	SEBA KLL-Q
13/06/2019	36,00	51.370	23,2	SEBA KLL-Q
13/06/2019	37,00	55.110	23,2	SEBA KLL-Q
13/06/2019	38,00	60.540	23,2	SEBA KLL-Q
13/06/2019	40,00	69.960	23,2	SEBA KLL-Q
13/06/2019	42,00	70.000	23,3	SEBA KLL-Q
13/06/2019	44,00	72.000	23,4	SEBA KLL-Q
13/06/2019	46,00	74.290	23,4	SEBA KLL-Q
13/06/2019	48,00	78.340	23,5	SEBA KLL-Q
13/06/2019	50,00	84.160	23,5	SEBA KLL-Q
13/06/2019	50,50	84.800	23,5	SEBA KLL-Q
13/06/2019	51,00	85.500	23,5	SEBA KLL-Q
13/06/2019	51,50	86.140	23,6	SEBA KLL-Q
13/06/2019	52,00	86.780	23,6	SEBA KLL-Q
13/06/2019	52,50	87.080	23,6	SEBA KLL-Q
13/06/2019	53,00	87.630	23,6	SEBA KLL-Q
13/06/2019	53,50	87.780	23,6	SEBA KLL-Q
13/06/2019	54,00	99.800	23,6	SEBA KLL-Q
13/06/2019	54,20	102.100	23,6	SEBA KLL-Q
13/06/2019	54,40	104.200	23,6	SEBA KLL-Q
13/06/2019	54,60	106.900	23,6	SEBA KLL-Q
13/06/2019	54,80	108.400	23,6	SEBA KLL-Q
13/06/2019	55,00	109.900	23,7	SEBA KLL-Q
13/06/2019	55,50	115.400	23,7	SEBA KLL-Q
13/06/2019	56,00	120.100	23,7	SEBA KLL-Q
13/06/2019	56,50	124.300	23,7	SEBA KLL-Q
13/06/2019	57,00	127.400	23,7	SEBA KLL-Q
13/06/2019	58,00	133.800	23,7	SEBA KLL-Q
13/06/2019	59,00	141.200	23,7	SEBA KLL-Q
13/06/2019	59,50	145.600	23,8	SEBA KLL-Q
13/06/2019	60,00	156.900	23,8	SEBA KLL-Q
13/06/2019	60,50	161.800	23,8	SEBA KLL-Q
13/06/2019	61,00	165.900	23,8	SEBA KLL-Q
13/06/2019	61,50	170.400	23,8	SEBA KLL-Q
13/06/2019	62,00	173.100	23,8	SEBA KLL-Q
13/06/2019	62,50	176.700	23,9	SEBA KLL-Q
13/06/2019	63,00	180.700	23,9	SEBA KLL-Q
13/06/2019	63,50	185.300	23,9	SEBA KLL-Q
13/06/2019	64,00	189.400	23,9	SEBA KLL-Q
13/06/2019	64,20	190.500	23,9	SEBA KLL-Q
13/06/2019	64,40	192.400	23,9	SEBA KLL-Q
13/06/2019	64,60	193.700	23,9	SEBA KLL-Q
13/06/2019	64,80	195.000	23,9	SEBA KLL-Q
13/06/2019	65,00	196.300	23,9	SEBA KLL-Q
13/06/2019	65,20	198.200	23,9	SEBA KLL-Q
13/06/2019	65,40	199.900	23,9	SEBA KLL-Q
13/06/2019	65,60	202.300	23,9	SEBA KLL-Q
13/06/2019	65,80	204.700	23,9	SEBA KLL-Q
13/06/2019	66,00	206.100	23,9	SEBA KLL-Q
13/06/2019	66,20	207.300	23,9	SEBA KLL-Q
13/06/2019	66,40	208.300	24,0	SEBA KLL-Q
13/06/2019	66,60	209.200	24,0	SEBA KLL-Q
13/06/2019	66,80	210.100	24,0	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/06/2019	67,00	211.100	24,0	SEBA KLL-Q
13/06/2019	67,50	213.200	24,0	SEBA KLL-Q
13/06/2019	68,00	215.300	24,0	SEBA KLL-Q
13/06/2019	69,00	218.800	24,0	SEBA KLL-Q
13/06/2019	70,00	222.800	24,0	SEBA KLL-Q
13/06/2019	72,00	227.300	24,1	SEBA KLL-Q
13/06/2019	74,00	230.100	24,2	SEBA KLL-Q
13/06/2019	76,00	231.100	24,2	SEBA KLL-Q
13/06/2019	78,00	231.600	24,3	SEBA KLL-Q
13/06/2019	80,00	233.000	24,3	SEBA KLL-Q
13/06/2019	83,00	235.000	24,4	SEBA KLL-Q
13/06/2019	86,00	234.900	24,5	SEBA KLL-Q
17/09/2019	10,15	7.907	22,7	SEBA KLL-Q
17/09/2019	10,50	7.933	22,7	SEBA KLL-Q
17/09/2019	11,00	8.362	22,7	SEBA KLL-Q
17/09/2019	12,00	8.867	22,7	SEBA KLL-Q
17/09/2019	14,00	9.842	22,7	SEBA KLL-Q
17/09/2019	16,00	9.984	22,8	SEBA KLL-Q
17/09/2019	18,00	10.040	22,8	SEBA KLL-Q
17/09/2019	20,00	10.250	22,8	SEBA KLL-Q
17/09/2019	22,00	18.630	22,9	SEBA KLL-Q
17/09/2019	22,50	18.670	22,9	SEBA KLL-Q
17/09/2019	23,00	19.510	22,9	SEBA KLL-Q
17/09/2019	24,00	22.600	22,9	SEBA KLL-Q
17/09/2019	25,00	25.220	22,9	SEBA KLL-Q
17/09/2019	26,00	27.620	22,9	SEBA KLL-Q
17/09/2019	27,00	30.050	23,0	SEBA KLL-Q
17/09/2019	28,00	31.530	23,0	SEBA KLL-Q
17/09/2019	30,00	34.250	23,0	SEBA KLL-Q
17/09/2019	32,00	36.590	23,1	SEBA KLL-Q
17/09/2019	34,00	45.540	23,1	SEBA KLL-Q
17/09/2019	35,00	47.350	23,1	SEBA KLL-Q
17/09/2019	36,00	51.320	23,2	SEBA KLL-Q
17/09/2019	37,00	54.780	23,2	SEBA KLL-Q
17/09/2019	38,00	68.130	23,2	SEBA KLL-Q
17/09/2019	39,00	65.320	23,2	SEBA KLL-Q
17/09/2019	40,00	68.940	23,3	SEBA KLL-Q
17/09/2019	42,00	69.980	23,3	SEBA KLL-Q
17/09/2019	44,00	71.390	23,4	SEBA KLL-Q
17/09/2019	46,00	74.020	23,4	SEBA KLL-Q
17/09/2019	48,00	78.040	23,5	SEBA KLL-Q
17/09/2019	50,00	83.400	23,5	SEBA KLL-Q
17/09/2019	52,00	86.100	23,6	SEBA KLL-Q
17/09/2019	54,00	99.470	23,6	SEBA KLL-Q
17/09/2019	56,00	119.300	23,7	SEBA KLL-Q
17/09/2019	57,00	127.300	23,7	SEBA KLL-Q
17/09/2019	58,00	134.200	23,7	SEBA KLL-Q
17/09/2019	59,00	141.700	23,7	SEBA KLL-Q
17/09/2019	60,00	157.900	23,8	SEBA KLL-Q
17/09/2019	60,50	161.100	23,8	SEBA KLL-Q
17/09/2019	61,00	165.100	23,8	SEBA KLL-Q
17/09/2019	61,50	169.900	23,8	SEBA KLL-Q
17/09/2019	62,00	172.700	23,8	SEBA KLL-Q
17/09/2019	62,50	176.000	23,9	SEBA KLL-Q
17/09/2019	63,00	180.100	23,9	SEBA KLL-Q
17/09/2019	63,20	181.800	23,9	SEBA KLL-Q
17/09/2019	63,40	183.900	23,9	SEBA KLL-Q
17/09/2019	63,60	185.600	23,9	SEBA KLL-Q
17/09/2019	63,80	187.400	23,9	SEBA KLL-Q
17/09/2019	64,00	188.900	23,9	SEBA KLL-Q
17/09/2019	64,20	190.300	23,9	SEBA KLL-Q
17/09/2019	64,40	192.100	23,9	SEBA KLL-Q
17/09/2019	64,60	193.500	23,9	SEBA KLL-Q
17/09/2019	64,80	194.800	23,9	SEBA KLL-Q
17/09/2019	65,00	196.000	23,9	SEBA KLL-Q
17/09/2019	65,20	197.900	23,9	SEBA KLL-Q
17/09/2019	65,40	199.800	23,9	SEBA KLL-Q
17/09/2019	65,60	202.200	23,9	SEBA KLL-Q
17/09/2019	65,80	204.200	23,9	SEBA KLL-Q
17/09/2019	66,00	205.400	24,0	SEBA KLL-Q
17/09/2019	66,50	208.600	24,0	SEBA KLL-Q
17/09/2019	67,00	210.800	24,0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/09/2019	68,00	214.600	24,0	SEBA KLL-Q
17/09/2019	69,00	218.400	24,0	SEBA KLL-Q
17/09/2019	70,00	222.800	24,0	SEBA KLL-Q
17/09/2019	71,00	225.300	24,1	SEBA KLL-Q
17/09/2019	72,00	227.300	24,1	SEBA KLL-Q
17/09/2019	74,00	229.700	24,2	SEBA KLL-Q
17/09/2019	76,00	230.800	24,2	SEBA KLL-Q
17/09/2019	78,00	231.100	24,3	SEBA KLL-Q
17/09/2019	80,00	232.800	24,3	SEBA KLL-Q
17/09/2019	83,00	234.500	24,4	SEBA KLL-Q
17/09/2019	86,00	234.300	24,5	SEBA KLL-Q
17/09/2019	88,00	234.200	24,5	SEBA KLL-Q
14/11/2019	10,15	8.512	22,7	SEBA KLL-Q
14/11/2019	10,50	8.515	22,7	SEBA KLL-Q
14/11/2019	11,00	8.697	22,7	SEBA KLL-Q
14/11/2019	12,00	9.094	22,7	SEBA KLL-Q
14/11/2019	14,00	10.150	22,7	SEBA KLL-Q
14/11/2019	16,00	10.350	22,8	SEBA KLL-Q
14/11/2019	18,00	10.360	22,8	SEBA KLL-Q
14/11/2019	20,00	10.530	22,8	SEBA KLL-Q
14/11/2019	22,00	19.710	22,9	SEBA KLL-Q
14/11/2019	22,50	20.080	22,9	SEBA KLL-Q
14/11/2019	23,00	20.870	22,9	SEBA KLL-Q
14/11/2019	24,00	24.390	22,9	SEBA KLL-Q
14/11/2019	25,00	27.260	22,9	SEBA KLL-Q
14/11/2019	26,00	30.060	23,0	SEBA KLL-Q
14/11/2019	27,00	32.710	23,0	SEBA KLL-Q
14/11/2019	28,00	34.540	23,0	SEBA KLL-Q
14/11/2019	30,00	37.910	23,0	SEBA KLL-Q
14/11/2019	32,00	40.650	23,1	SEBA KLL-Q
14/11/2019	34,00	50.360	23,1	SEBA KLL-Q
14/11/2019	35,00	52.910	23,1	SEBA KLL-Q
14/11/2019	36,00	56.660	23,2	SEBA KLL-Q
14/11/2019	37,00	60.990	23,2	SEBA KLL-Q
14/11/2019	38,00	67.060	23,2	SEBA KLL-Q
14/11/2019	39,00	72.770	23,3	SEBA KLL-Q
14/11/2019	40,00	76.650	23,3	SEBA KLL-Q
14/11/2019	42,00	77.920	23,3	SEBA KLL-Q
14/11/2019	44,00	79.600	23,4	SEBA KLL-Q
14/11/2019	46,00	82.520	23,4	SEBA KLL-Q
14/11/2019	48,00	86.750	23,5	SEBA KLL-Q
14/11/2019	50,00	92.770	23,5	SEBA KLL-Q
14/11/2019	52,00	96.080	23,6	SEBA KLL-Q
14/11/2019	54,00	111.500	23,6	SEBA KLL-Q
14/11/2019	56,00	133.800	23,7	SEBA KLL-Q
14/11/2019	57,00	143.900	23,7	SEBA KLL-Q
14/11/2019	58,00	151.500	23,7	SEBA KLL-Q
14/11/2019	59,00	160.300	23,8	SEBA KLL-Q
14/11/2019	60,00	178.300	23,8	SEBA KLL-Q
14/11/2019	60,50	186.400	23,8	SEBA KLL-Q
14/11/2019	61,00	188.200	23,8	SEBA KLL-Q
14/11/2019	61,50	192.600	23,8	SEBA KLL-Q
14/11/2019	62,00	195.800	23,8	SEBA KLL-Q
14/11/2019	62,50	199.400	23,9	SEBA KLL-Q
14/11/2019	63,00	204.100	23,9	SEBA KLL-Q
14/11/2019	63,20	205.900	23,9	SEBA KLL-Q
14/11/2019	63,40	208.100	23,9	SEBA KLL-Q
14/11/2019	63,60	210.200	23,9	SEBA KLL-Q
14/11/2019	63,80	212.000	23,9	SEBA KLL-Q
14/11/2019	64,00	213.600	23,9	SEBA KLL-Q
14/11/2019	64,20	215.400	23,9	SEBA KLL-Q
14/11/2019	64,40	217.400	23,9	SEBA KLL-Q
14/11/2019	64,60	218.800	23,9	SEBA KLL-Q
14/11/2019	64,80	220.100	23,9	SEBA KLL-Q
14/11/2019	65,00	221.500	23,9	SEBA KLL-Q
14/11/2019	65,20	224.700	23,9	SEBA KLL-Q
14/11/2019	65,40	226.200	23,9	SEBA KLL-Q
14/11/2019	65,60	228.200	23,9	SEBA KLL-Q
14/11/2019	65,80	230.200	23,9	SEBA KLL-Q
14/11/2019	66,00	231.800	24,0	SEBA KLL-Q
14/11/2019	66,50	234.600	24,0	SEBA KLL-Q
14/11/2019	67,00	236.700	24,0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MP-12C				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/11/2019	68,00	241.000	24,0	SEBA KLL-Q
14/11/2019	69,00	244.800	24,0	SEBA KLL-Q
14/11/2019	70,00	249.600	24,1	SEBA KLL-Q
14/11/2019	71,00	252.100	24,1	SEBA KLL-Q
14/11/2019	72,00	254.100	24,1	SEBA KLL-Q
14/11/2019	74,00	256.500	24,2	SEBA KLL-Q
14/11/2019	76,00	257.600	24,2	SEBA KLL-Q
14/11/2019	78,00	257.500	24,3	SEBA KLL-Q
14/11/2019	80,00	259.200	24,3	SEBA KLL-Q
14/11/2019	83,00	234.500	24,4	SEBA KLL-Q
14/11/2019	86,00	234.300	24,5	SEBA KLL-Q
14/11/2019	88,00	234.200	24,5	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/10/2013	0,80	78.000	19,3	TLC-107 SONDA 1
24/10/2013	1,00	81.100	19,1	TLC-107 SONDA 1
24/10/2013	1,20	98.800	18,4	TLC-107 SONDA 1
24/10/2013	1,40	105.300	17,5	TLC-107 SONDA 1
24/10/2013	1,60	113.100	16,5	TLC-107 SONDA 1
24/10/2013	1,80	155.000	15,9	TLC-107 SONDA 1
24/10/2013	2,00	181.000	15,5	TLC-107 SONDA 1
24/10/2013	2,20	193.200	15,3	TLC-107 SONDA 1
24/10/2013	2,40	200.900	15,1	TLC-107 SONDA 1
24/10/2013	2,60	204.000	15,0	TLC-107 SONDA 1
24/10/2013	2,80	221.100	14,8	TLC-107 SONDA 1
24/10/2013	3,00	237.200	14,8	TLC-107 SONDA 1
24/10/2013	3,20	263.900	14,8	TLC-107 SONDA 1
24/10/2013	3,40	269.400	14,8	TLC-107 SONDA 1
24/10/2013	3,60	272.300	14,8	TLC-107 SONDA 1
24/10/2013	3,80	271.700	14,9	TLC-107 SONDA 1
24/10/2013	4,00	271.900	14,9	TLC-107 SONDA 1
24/10/2013	4,50	271.300	15,1	TLC-107 SONDA 1
24/10/2013	5,00	271.600	15,2	TLC-107 SONDA 1
24/10/2013	5,50	269.700	15,3	TLC-107 SONDA 1
24/10/2013	6,00	268.200	15,4	TLC-107 SONDA 1
24/10/2013	6,50	268.200	15,4	TLC-107 SONDA 1
24/10/2013	7,00	268.200	15,4	TLC-107 SONDA 1
24/10/2013	7,50	268.000	15,4	TLC-107 SONDA 1
24/10/2013	8,00	268.000	15,4	TLC-107 SONDA 1
24/10/2013	9,00	263.300	15,4	TLC-107 SONDA 1
24/10/2013	10,00	261.200	15,3	TLC-107 SONDA 1
24/10/2013	11,00	260.900	15,3	TLC-107 SONDA 1
24/10/2013	12,00	257.300	15,3	TLC-107 SONDA 1
24/10/2013	13,00	256.000	15,3	TLC-107 SONDA 1
24/10/2013	14,00	255.700	15,3	TLC-107 SONDA 1
24/10/2013	15,00	256.000	15,3	TLC-107 SONDA 1
24/10/2013	20,00	254.200	15,4	TLC-107 SONDA 1
24/10/2013	25,00	253.900	15,4	TLC-107 SONDA 1
24/10/2013	30,00	253.200	15,7	TLC-107 SONDA 1
24/10/2013	35,00	249.700	15,9	TLC-107 SONDA 1
24/10/2013	40,00	248.200	16,0	TLC-107 SONDA 1
24/10/2013	41,77	214.600	16,0	TLC-107 SONDA 1
24/11/2013	0,90	46.400	20,0	TLC-107 SONDA 1
24/11/2013	1,10	53.400	20,0	TLC-107 SONDA 1
24/11/2013	1,30	60.400	19,2	TLC-107 SONDA 1
24/11/2013	1,50	61.900	18,4	TLC-107 SONDA 1
24/11/2013	1,70	62.700	17,7	TLC-107 SONDA 1
24/11/2013	1,90	93.900	17,2	TLC-107 SONDA 1
24/11/2013	2,10	100.200	16,6	TLC-107 SONDA 1
24/11/2013	2,30	104.600	16,3	TLC-107 SONDA 1
24/11/2013	2,50	120.500	16,1	TLC-107 SONDA 1
24/11/2013	2,70	138.000	15,8	TLC-107 SONDA 1
24/11/2013	2,90	143.800	15,5	TLC-107 SONDA 1
24/11/2013	3,10	163.500	15,4	TLC-107 SONDA 1
24/11/2013	3,30	173.500	15,3	TLC-107 SONDA 1
24/11/2013	3,50	182.800	15,2	TLC-107 SONDA 1
24/11/2013	4,00	190.500	15,1	TLC-107 SONDA 1
24/11/2013	4,50	203.800	15,1	TLC-107 SONDA 1
24/11/2013	5,00	210.000	15,2	TLC-107 SONDA 1
24/11/2013	6,00	211.400	15,2	TLC-107 SONDA 1
24/11/2013	7,00	211.000	15,3	TLC-107 SONDA 1
24/11/2013	8,00	204.100	15,4	TLC-107 SONDA 1
24/11/2013	9,00	189.900	15,4	TLC-107 SONDA 1
24/11/2013	10,00	180.300	15,3	TLC-107 SONDA 1
24/11/2013	15,00	154.400	15,3	TLC-107 SONDA 1
24/11/2013	50,00	147.900	15,3	TLC-107 SONDA 1
24/11/2013	25,00	147.400	15,4	TLC-107 SONDA 1
24/11/2013	30,00	147.200	15,7	TLC-107 SONDA 1
24/11/2013	35,00	139.900	15,9	TLC-107 SONDA 1
24/11/2013	40,00	136.700	16,0	TLC-107 SONDA 1
14/12/2013	0,80	40.300	22,1	TLC-107 SONDA 1
14/12/2013	1,00	41.700	22,3	TLC-107 SONDA 1
14/12/2013	1,20	42.600	21,7	TLC-107 SONDA 1
14/12/2013	1,40	43.200	20,5	TLC-107 SONDA 1
14/12/2013	1,60	43.500	19,4	TLC-107 SONDA 1
14/12/2013	1,80	63.900	18,4	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/12/2013	2,00	70.400	17,8	TLC-107 SONDA 1
14/12/2013	2,20	73.000	17,4	TLC-107 SONDA 1
14/12/2013	2,40	75.500	17,0	TLC-107 SONDA 1
14/12/2013	2,60	81.900	16,5	TLC-107 SONDA 1
14/12/2013	2,80	91.600	16,3	TLC-107 SONDA 1
14/12/2013	3,00	105.600	16,1	TLC-107 SONDA 1
14/12/2013	3,50	136.300	15,7	TLC-107 SONDA 1
14/12/2013	4,00	146.600	15,5	TLC-107 SONDA 1
14/12/2013	4,50	150.600	15,4	TLC-107 SONDA 1
14/12/2013	5,00	168.400	15,4	TLC-107 SONDA 1
14/12/2013	5,50	175.000	15,4	TLC-107 SONDA 1
14/12/2013	6,00	178.500	15,4	TLC-107 SONDA 1
14/12/2013	7,00	181.600	15,5	TLC-107 SONDA 1
14/12/2013	8,00	190.200	15,5	TLC-107 SONDA 1
14/12/2013	9,00	211.300	15,5	TLC-107 SONDA 1
14/12/2013	10,00	215.500	15,4	TLC-107 SONDA 1
14/12/2013	11,00	223.700	15,4	TLC-107 SONDA 1
14/12/2013	12,00	229.600	15,4	TLC-107 SONDA 1
14/12/2013	13,00	235.200	15,4	TLC-107 SONDA 1
14/12/2013	14,00	239.400	15,4	TLC-107 SONDA 1
14/12/2013	15,00	241.600	15,4	TLC-107 SONDA 1
14/12/2013	20,00	246.900	15,4	TLC-107 SONDA 1
14/12/2013	25,00	254.000	15,4	TLC-107 SONDA 1
14/12/2013	30,00	258.600	15,7	TLC-107 SONDA 1
14/12/2013	35,00	264.200	16,0	TLC-107 SONDA 1
14/12/2013	40,00	269.700	16,1	TLC-107 SONDA 1
14/12/2013	41,20	143.500	16,1	TLC-107 SONDA 1
16/01/2014	1,50	94.800	20,7	ALT FTC
16/01/2014	1,75	119.900	20,2	ALT FTC
16/01/2014	2,00	148.100	19,0	ALT FTC
16/01/2014	2,25	167.400	18,4	ALT FTC
16/01/2014	2,50	186.100	17,8	ALT FTC
16/01/2014	2,75	201.300	17,3	ALT FTC
16/01/2014	3,00	202.700	17,0	ALT FTC
16/01/2014	3,25	200.100	16,6	ALT FTC
16/01/2014	3,50	193.400	16,3	ALT FTC
16/01/2014	3,75	192.100	16,1	ALT FTC
16/01/2014	4,00	185.700	16,0	ALT FTC
16/01/2014	4,25	183.700	15,8	ALT FTC
16/01/2014	4,50	180.000	15,7	ALT FTC
16/01/2014	4,75	175.000	15,7	ALT FTC
16/01/2014	5,00	165.100	15,5	ALT FTC
16/01/2014	5,25	157.600	15,4	ALT FTC
16/01/2014	5,50	155.600	15,4	ALT FTC
16/01/2014	5,75	154.800	15,4	ALT FTC
16/01/2014	6,00	152.300	15,4	ALT FTC
16/01/2014	6,25	151.500	15,4	ALT FTC
16/01/2014	6,50	150.600	15,4	ALT FTC
16/01/2014	6,75	154.800	15,4	ALT FTC
16/01/2014	7,00	148.800	15,4	ALT FTC
16/01/2014	7,25	149.200	15,4	ALT FTC
16/01/2014	7,50	146.100	15,4	ALT FTC
16/01/2014	7,75	145.200	15,4	ALT FTC
16/01/2014	8,00	146.600	15,4	ALT FTC
16/01/2014	8,50	140.800	15,4	ALT FTC
16/01/2014	9,00	134.400	15,4	ALT FTC
16/01/2014	9,50	130.500	15,3	ALT FTC
16/01/2014	10,00	127.200	15,3	ALT FTC
16/01/2014	11,00	121.500	15,3	ALT FTC
16/01/2014	12,00	120.300	15,3	ALT FTC
16/01/2014	13,00	117.900	15,3	ALT FTC
16/01/2014	14,00	115.900	15,3	ALT FTC
16/01/2014	15,00	111.700	15,3	ALT FTC
16/01/2014	16,00	116.700	15,3	ALT FTC
16/01/2014	17,00	114.200	15,3	ALT FTC
16/01/2014	18,00	113.000	15,3	ALT FTC
16/01/2014	19,00	113.000	15,3	ALT FTC
16/01/2014	20,00	112.700	15,4	ALT FTC
16/01/2014	21,00	125.800	15,4	ALT FTC
16/01/2014	22,00	111.400	15,4	ALT FTC
16/01/2014	23,00	110.100	15,4	ALT FTC
16/01/2014	24,00	111.400	15,4	ALT FTC

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/01/2014	25,00	112.700	15,4	ALT FTC
16/01/2014	26,00	116.400	15,4	ALT FTC
16/01/2014	27,00	112.700	15,4	ALT FTC
16/01/2014	28,00	109.800	15,5	ALT FTC
16/01/2014	29,00	119.700	15,5	ALT FTC
16/01/2014	30,00	109.500	15,7	ALT FTC
16/01/2014	31,00	112.100	15,7	ALT FTC
16/01/2014	32,00	110.800	15,7	ALT FTC
16/01/2014	33,00	108.300	15,8	ALT FTC
16/01/2014	34,00	106.700	15,8	ALT FTC
16/01/2014	35,00	105.400	15,8	ALT FTC
16/01/2014	36,00	102.500	15,9	ALT FTC
16/01/2014	37,00	110.200	15,9	ALT FTC
16/01/2014	38,00	107.700	15,9	ALT FTC
16/01/2014	39,00	106.100	16,0	ALT FTC
16/01/2014	40,00	102.200	16,0	ALT FTC
16/01/2014	41,00	103.500	16,0	ALT FTC
16/01/2014	42,00	194.900	16,0	ALT FTC
21/03/2014	0,90	22.900	21,1	TLC-107 SONDA 1
21/03/2014	1,00	23.300	20,8	TLC-107 SONDA 1
21/03/2014	1,20	23.900	20,6	TLC-107 SONDA 1
21/03/2014	1,40	24.500	20,3	TLC-107 SONDA 1
21/03/2014	1,60	26.100	19,9	TLC-107 SONDA 1
21/03/2014	1,80	33.900	19,4	TLC-107 SONDA 1
21/03/2014	2,00	35.300	19,1	TLC-107 SONDA 1
21/03/2014	2,50	39.400	18,6	TLC-107 SONDA 1
21/03/2014	3,00	44.800	18,0	TLC-107 SONDA 1
21/03/2014	3,50	51.300	17,0	TLC-107 SONDA 1
21/03/2014	4,00	52.700	16,8	TLC-107 SONDA 1
21/03/2014	4,50	53.300	16,6	TLC-107 SONDA 1
21/03/2014	5,00	54.800	16,2	TLC-107 SONDA 1
21/03/2014	5,50	55.700	16,0	TLC-107 SONDA 1
21/03/2014	6,00	56.200	15,9	TLC-107 SONDA 1
21/03/2014	7,00	56.800	15,7	TLC-107 SONDA 1
21/03/2014	8,00	56.800	15,5	TLC-107 SONDA 1
21/03/2014	9,00	57.700	15,5	TLC-107 SONDA 1
21/03/2014	10,00	59.100	15,4	TLC-107 SONDA 1
21/03/2014	11,00	59.100	15,4	TLC-107 SONDA 1
21/03/2014	12,00	59.100	15,4	TLC-107 SONDA 1
21/03/2014	14,00	59.700	15,4	TLC-107 SONDA 1
21/03/2014	16,00	59.600	15,4	TLC-107 SONDA 1
21/03/2014	18,00	60.400	15,4	TLC-107 SONDA 1
21/03/2014	20,00	61.400	15,4	TLC-107 SONDA 1
21/03/2014	22,00	61.100	15,5	TLC-107 SONDA 1
21/03/2014	24,00	61.400	15,5	TLC-107 SONDA 1
21/03/2014	26,00	66.400	15,5	TLC-107 SONDA 1
21/03/2014	28,00	69.400	15,7	TLC-107 SONDA 1
21/03/2014	30,00	74.400	15,7	TLC-107 SONDA 1
21/03/2014	32,00	72.100	15,7	TLC-107 SONDA 1
21/03/2014	34,00	74.400	15,9	TLC-107 SONDA 1
21/03/2014	36,00	76.100	15,9	TLC-107 SONDA 1
21/03/2014	38,00	77.600	16,0	TLC-107 SONDA 1
21/03/2014	39,00	78.500	16,1	TLC-107 SONDA 1
21/03/2014	40,00	79.700	16,1	TLC-107 SONDA 1
23/04/2014	1,40	158.100	19,7	TLC-107 SONDA 1
23/04/2014	1,60	165.800	20,3	TLC-107 SONDA 1
23/04/2014	1,80	174.100	20,5	TLC-107 SONDA 1
23/04/2014	2,00	181.700	20,5	TLC-107 SONDA 1
23/04/2014	2,20	202.800	20,4	TLC-107 SONDA 1
23/04/2014	2,40	218.800	20,2	TLC-107 SONDA 1
23/04/2014	2,60	227.700	19,9	TLC-107 SONDA 1
23/04/2014	2,80	235.000	19,7	TLC-107 SONDA 1
23/04/2014	3,00	247.600	19,3	TLC-107 SONDA 1
23/04/2014	3,50	261.700	18,6	TLC-107 SONDA 1
23/04/2014	4,00	311.100	17,7	TLC-107 SONDA 1
23/04/2014	4,50	323.400	17,3	TLC-107 SONDA 1
23/04/2014	5,00	339.100	17,0	TLC-107 SONDA 1
23/04/2014	5,50	341.600	17,0	TLC-107 SONDA 1
23/04/2014	6,00	335.700	16,4	TLC-107 SONDA 1
23/04/2014	6,50	338.800	16,3	TLC-107 SONDA 1
23/04/2014	7,00	344.700	16,3	TLC-107 SONDA 1
23/04/2014	8,00	349.300	16,3	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/04/2014	9,00	349.900	16,2	TLC-107 SONDA 1
23/04/2014	10,00	352.900	16,3	TLC-107 SONDA 1
23/04/2014	11,00	355.800	16,3	TLC-107 SONDA 1
23/04/2014	12,00	359.000	16,3	TLC-107 SONDA 1
23/04/2014	13,00	339.000	16,4	TLC-107 SONDA 1
23/04/2014	14,00	336.000	16,6	TLC-107 SONDA 1
23/04/2014	15,00	339.500	16,6	TLC-107 SONDA 1
23/04/2014	16,00	339.200	16,7	TLC-107 SONDA 1
23/04/2014	17,00	339.200	16,7	TLC-107 SONDA 1
23/04/2014	18,00	346.100	16,8	TLC-107 SONDA 1
23/04/2014	19,00	350.700	17,0	TLC-107 SONDA 1
23/04/2014	20,00	353.900	17,0	TLC-107 SONDA 1
23/04/2014	21,00	380.400	17,1	TLC-107 SONDA 1
23/04/2014	22,00	384.100	17,2	TLC-107 SONDA 1
23/04/2014	23,00	379.400	17,2	TLC-107 SONDA 1
23/04/2014	24,00	400.000	17,2	TLC-107 SONDA 1
23/04/2014	25,00	400.000	17,2	TLC-107 SONDA 1
23/04/2014	26,00	400.000	17,2	TLC-107 SONDA 1
23/04/2014	27,00	400.000	17,3	TLC-107 SONDA 1
23/04/2014	28,00	400.000	17,3	TLC-107 SONDA 1
23/04/2014	29,00	400.000	17,3	TLC-107 SONDA 1
23/04/2014	30,00	400.000	17,4	TLC-107 SONDA 1
23/04/2014	31,00	400.000	17,4	TLC-107 SONDA 1
23/04/2014	32,00	400.000	17,4	TLC-107 SONDA 1
23/04/2014	33,00	400.000	17,4	TLC-107 SONDA 1
23/04/2014	34,00	400.000	17,4	TLC-107 SONDA 1
23/04/2014	35,00	400.000	17,5	TLC-107 SONDA 1
23/04/2014	36,00	400.000	17,5	TLC-107 SONDA 1
23/04/2014	37,00	400.000	17,5	TLC-107 SONDA 1
23/04/2014	37,20	272.500	17,5	TLC-107 SONDA 1
20/05/2014	1,00	92.700	14,1	TLC-107 SONDA 1
20/05/2014	1,20	92.500	14,1	TLC-107 SONDA 1
20/05/2014	1,40	92.300	14,2	TLC-107 SONDA 1
20/05/2014	1,60	93.500	14,3	TLC-107 SONDA 1
20/05/2014	1,80	110.200	15,2	TLC-107 SONDA 1
20/05/2014	2,00	143.500	15,3	TLC-107 SONDA 1
20/05/2014	2,20	160.400	16,8	TLC-107 SONDA 1
20/05/2014	2,40	176.800	17,2	TLC-107 SONDA 1
20/05/2014	2,60	187.900	17,4	TLC-107 SONDA 1
20/05/2014	2,80	203.600	17,4	TLC-107 SONDA 1
20/05/2014	3,00	214.700	17,5	TLC-107 SONDA 1
20/05/2014	3,20	225.300	17,4	TLC-107 SONDA 1
20/05/2014	3,40	247.000	17,4	TLC-107 SONDA 1
20/05/2014	3,60	260.800	17,3	TLC-107 SONDA 1
20/05/2014	3,80	271.400	17,2	TLC-107 SONDA 1
20/05/2014	4,00	278.300	17,2	TLC-107 SONDA 1
20/05/2014	4,50	283.400	16,8	TLC-107 SONDA 1
20/05/2014	5,00	294.700	16,6	TLC-107 SONDA 1
20/05/2014	6,00	301.700	16,2	TLC-107 SONDA 1
20/05/2014	7,00	307.300	15,9	TLC-107 SONDA 1
20/05/2014	8,00	307.000	15,7	TLC-107 SONDA 1
20/05/2014	9,00	318.000	15,5	TLC-107 SONDA 1
20/05/2014	10,00	319.900	15,5	TLC-107 SONDA 1
20/05/2014	11,00	324.400	15,4	TLC-107 SONDA 1
20/05/2014	12,00	326.800	15,4	TLC-107 SONDA 1
20/05/2014	13,00	326.000	15,4	TLC-107 SONDA 1
20/05/2014	14,00	328.000	15,4	TLC-107 SONDA 1
20/05/2014	15,00	329.300	15,4	TLC-107 SONDA 1
20/05/2014	16,00	330.500	15,4	TLC-107 SONDA 1
20/05/2014	17,00	330.500	15,4	TLC-107 SONDA 1
20/05/2014	18,00	330.900	15,4	TLC-107 SONDA 1
20/05/2014	19,00	330.800	15,4	TLC-107 SONDA 1
20/05/2014	20,00	330.800	15,5	TLC-107 SONDA 1
20/05/2014	21,00	330.800	15,5	TLC-107 SONDA 1
20/05/2014	22,00	331.500	15,5	TLC-107 SONDA 1
20/05/2014	23,00	331.300	15,5	TLC-107 SONDA 1
20/05/2014	24,00	333.000	15,5	TLC-107 SONDA 1
20/05/2014	25,00	333.000	15,5	TLC-107 SONDA 1
20/05/2014	26,00	332.400	15,7	TLC-107 SONDA 1
20/05/2014	28,00	333.000	15,7	TLC-107 SONDA 1
20/05/2014	30,00	334.600	15,7	TLC-107 SONDA 1
20/05/2014	32,00	334.900	15,8	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/05/2014	36,00	336.100	16,0	TLC-107 SONDA 1
20/05/2014	38,00	337.400	16,1	TLC-107 SONDA 1
20/05/2014	40,00	338.700	15,1	TLC-107 SONDA 1
20/05/2014	41,20	243.300	15,1	TLC-107 SONDA 1
18/06/2014	0,80	69.800	11,3	TLC-107 SONDA 1
18/06/2014	1,00	69.600	11,5	TLC-107 SONDA 1
18/06/2014	1,20	69.600	11,5	TLC-107 SONDA 1
18/06/2014	1,40	69.800	11,5	TLC-107 SONDA 1
18/06/2014	1,60	69.400	11,6	TLC-107 SONDA 1
18/06/2014	1,80	75.900	12,1	TLC-107 SONDA 1
18/06/2014	2,00	107.000	14,1	TLC-107 SONDA 1
18/06/2014	2,20	120.700	15,0	TLC-107 SONDA 1
18/06/2014	2,40	124.700	15,5	TLC-107 SONDA 1
18/06/2014	2,60	134.500	15,9	TLC-107 SONDA 1
18/06/2014	2,80	146.700	16,2	TLC-107 SONDA 1
18/06/2014	3,00	156.900	16,4	TLC-107 SONDA 1
18/06/2014	3,20	170.800	16,5	TLC-107 SONDA 1
18/06/2014	3,40	179.600	16,7	TLC-107 SONDA 1
18/06/2014	3,60	183.600	17,2	TLC-107 SONDA 1
18/06/2014	3,80	186.800	16,8	TLC-107 SONDA 1
18/06/2014	4,00	191.400	16,8	TLC-107 SONDA 1
18/06/2014	4,20	194.900	16,7	TLC-107 SONDA 1
18/06/2014	4,40	197.500	16,7	TLC-107 SONDA 1
18/06/2014	4,60	198.600	16,7	TLC-107 SONDA 1
18/06/2014	4,80	204.500	16,6	TLC-107 SONDA 1
18/06/2014	5,00	207.800	16,5	TLC-107 SONDA 1
18/06/2014	5,50	210.800	16,4	TLC-107 SONDA 1
18/06/2014	6,00	212.400	16,3	TLC-107 SONDA 1
18/06/2014	7,00	213.400	16,0	TLC-107 SONDA 1
18/06/2014	8,00	220.600	15,7	TLC-107 SONDA 1
18/06/2014	9,00	227.500	15,5	TLC-107 SONDA 1
18/06/2014	10,00	228.600	15,3	TLC-107 SONDA 1
18/06/2014	12,00	235.400	15,4	TLC-107 SONDA 1
18/06/2014	14,00	238.500	15,4	TLC-107 SONDA 1
18/06/2014	16,00	239.300	15,4	TLC-107 SONDA 1
18/06/2014	18,00	240.000	15,4	TLC-107 SONDA 1
18/06/2014	20,00	245.300	15,5	TLC-107 SONDA 1
18/06/2014	24,00	247.500	15,5	TLC-107 SONDA 1
18/06/2014	28,00	247.900	15,7	TLC-107 SONDA 1
18/06/2014	32,00	253.500	15,8	TLC-107 SONDA 1
18/06/2014	36,00	262.900	16,0	TLC-107 SONDA 1
18/06/2014	40,00	255.300	16,1	TLC-107 SONDA 1
23/07/2014	1,00	34.300	11,0	TLC-107 SONDA 1
23/07/2014	2,00	47.300	12,6	TLC-107 SONDA 1
23/07/2014	3,00	69.200	15,0	TLC-107 SONDA 1
23/07/2014	4,00	82.700	16,1	TLC-107 SONDA 1
23/07/2014	5,00	92.900	16,3	TLC-107 SONDA 1
23/07/2014	6,00	97.400	16,2	TLC-107 SONDA 1
23/07/2014	7,00	100.900	16,0	TLC-107 SONDA 1
23/07/2014	8,00	105.600	15,8	TLC-107 SONDA 1
23/07/2014	9,00	111.600	15,5	TLC-107 SONDA 1
23/07/2014	10,00	113.700	15,5	TLC-107 SONDA 1
23/07/2014	11,00	116.900	15,5	TLC-107 SONDA 1
23/07/2014	12,00	125.200	15,4	TLC-107 SONDA 1
23/07/2014	13,00	133.400	15,4	TLC-107 SONDA 1
23/07/2014	14,00	142.400	15,4	TLC-107 SONDA 1
23/07/2014	15,00	151.900	15,4	TLC-107 SONDA 1
23/07/2014	16,00	167.900	15,4	TLC-107 SONDA 1
23/07/2014	17,00	198.800	15,4	TLC-107 SONDA 1
23/07/2014	18,00	240.900	15,4	TLC-107 SONDA 1
23/07/2014	19,00	270.500	15,4	TLC-107 SONDA 1
23/07/2014	20,00	291.500	15,5	TLC-107 SONDA 1
23/07/2014	22,00	313.300	15,5	TLC-107 SONDA 1
23/07/2014	24,00	353.700	15,5	TLC-107 SONDA 1
23/07/2014	26,00	367.400	15,7	TLC-107 SONDA 1
23/07/2014	28,00	380.200	15,7	TLC-107 SONDA 1
23/07/2014	30,00	383.500	15,7	TLC-107 SONDA 1
23/07/2014	32,00	397.800	15,8	TLC-107 SONDA 1
23/07/2014	34,00	400.000	15,9	TLC-107 SONDA 1
23/07/2014	36,00	400.000	16,0	TLC-107 SONDA 1
23/07/2014	38,00	400.000	16,1	TLC-107 SONDA 1
23/07/2014	40,00	400.000	16,1	TLC-107 SONDA 1



Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/07/2014	41,10	216.000	16,1	TLC-107 SONDA 1
16/08/2014	0,90	64.600	11,9	TLC-107 SONDA 1
16/08/2014	1,50	64.400	11,9	TLC-107 SONDA 1
16/08/2014	2,00	91.200	12,3	TLC-107 SONDA 1
16/08/2014	2,50	115.600	13,3	TLC-107 SONDA 1
16/08/2014	2,70	122.700	13,7	TLC-107 SONDA 1
16/08/2014	2,90	135.200	14,0	TLC-107 SONDA 1
16/08/2014	3,10	147.900	14,4	TLC-107 SONDA 1
16/08/2014	3,30	156.600	14,7	TLC-107 SONDA 1
16/08/2014	3,50	164.100	15,1	TLC-107 SONDA 1
16/08/2014	3,70	169.300	15,3	TLC-107 SONDA 1
16/08/2014	3,90	175.200	15,4	TLC-107 SONDA 1
16/08/2014	4,10	179.500	15,7	TLC-107 SONDA 1
16/08/2014	4,30	185.100	15,7	TLC-107 SONDA 1
16/08/2014	4,50	194.700	15,9	TLC-107 SONDA 1
16/08/2014	4,70	204.200	16,0	TLC-107 SONDA 1
16/08/2014	4,90	217.100	16,1	TLC-107 SONDA 1
16/08/2014	5,00	246.300	16,1	TLC-107 SONDA 1
16/08/2014	5,50	289.900	16,1	TLC-107 SONDA 1
16/08/2014	6,00	381.600	16,1	TLC-107 SONDA 1
16/08/2014	7,00	400.000	16,1	TLC-107 SONDA 1
16/08/2014	8,00	400.000	15,8	TLC-107 SONDA 1
16/08/2014	9,00	400.000	15,7	TLC-107 SONDA 1
16/08/2014	10,00	400.000	15,5	TLC-107 SONDA 1
16/08/2014	12,00	400.000	15,4	TLC-107 SONDA 1
16/08/2014	14,00	400.000	15,4	TLC-107 SONDA 1
16/08/2014	16,00	400.000	15,4	TLC-107 SONDA 1
16/08/2014	18,00	400.000	15,4	TLC-107 SONDA 1
16/08/2014	20,00	400.000	15,5	TLC-107 SONDA 1
16/08/2014	22,00	400.000	15,5	TLC-107 SONDA 1
16/08/2014	24,00	400.000	15,5	TLC-107 SONDA 1
16/08/2014	26,00	400.000	15,7	TLC-107 SONDA 1
16/08/2014	28,00	400.000	15,7	TLC-107 SONDA 1
16/08/2014	30,00	400.000	15,7	TLC-107 SONDA 1
16/08/2014	32,00	400.000	15,8	TLC-107 SONDA 1
16/08/2014	34,00	400.000	15,9	TLC-107 SONDA 1
16/08/2014	36,00	400.000	16,0	TLC-107 SONDA 1
16/08/2014	38,00	400.000	16,0	TLC-107 SONDA 1
16/08/2014	40,00	400.000	16,1	TLC-107 SONDA 1
16/08/2014	40,80	400.000	16,1	TLC-107 SONDA 1
03/09/2014	0,90	49.200	13,8	TLC-107 SONDA 1
03/09/2014	1,20	49.500	13,6	TLC-107 SONDA 1
03/09/2014	1,40	49.600	13,2	TLC-107 SONDA 1
03/09/2014	1,60	49.500	13,1	TLC-107 SONDA 1
03/09/2014	1,80	50.100	13,0	TLC-107 SONDA 1
03/09/2014	2,00	68.400	13,2	TLC-107 SONDA 1
03/09/2014	2,50	85.200	13,6	TLC-107 SONDA 1
03/09/2014	3,00	97.700	14,1	TLC-107 SONDA 1
03/09/2014	3,50	114.900	14,7	TLC-107 SONDA 1
03/09/2014	4,00	124.900	15,2	TLC-107 SONDA 1
03/09/2014	4,50	129.900	15,5	TLC-107 SONDA 1
03/09/2014	5,00	138.500	15,9	TLC-107 SONDA 1
03/09/2014	5,50	142.900	16,0	TLC-107 SONDA 1
03/09/2014	6,00	148.000	16,0	TLC-107 SONDA 1
03/09/2014	6,50	153.100	16,0	TLC-107 SONDA 1
03/09/2014	7,00	159.500	16,0	TLC-107 SONDA 1
03/09/2014	7,50	167.900	15,9	TLC-107 SONDA 1
03/09/2014	8,00	190.000	15,8	TLC-107 SONDA 1
03/09/2014	8,50	220.700	15,7	TLC-107 SONDA 1
03/09/2014	9,00	269.500	15,7	TLC-107 SONDA 1
03/09/2014	10,00	333.900	15,5	TLC-107 SONDA 1
03/09/2014	12,00	400.000	15,4	TLC-107 SONDA 1
03/09/2014	14,00	400.000	15,4	TLC-107 SONDA 1
03/09/2014	16,00	400.000	15,4	TLC-107 SONDA 1
03/09/2014	18,00	400.000	15,5	TLC-107 SONDA 1
03/09/2014	20,00	400.000	15,5	TLC-107 SONDA 1
03/09/2014	22,00	400.000	15,5	TLC-107 SONDA 1
03/09/2014	24,00	400.000	15,5	TLC-107 SONDA 1
03/09/2014	26,00	400.000	15,7	TLC-107 SONDA 1
03/09/2014	28,00	400.000	15,7	TLC-107 SONDA 1
03/09/2014	30,00	400.000	15,7	TLC-107 SONDA 1
03/09/2014	32,00	400.000	15,8	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
03/09/2014	34,00	400.000	15,9	TLC-107 SONDA 1
03/09/2014	36,00	400.000	16,0	TLC-107 SONDA 1
03/09/2014	38,00	400.000	16,1	TLC-107 SONDA 1
03/09/2014	40,00	400.000	16,1	TLC-107 SONDA 1
03/09/2014	41,30	369.200	16,1	TLC-107 SONDA 1
09/10/2014	0,90	65.400	17,6	TLC-107 SONDA 1
09/10/2014	1,10	65.600	17,3	TLC-107 SONDA 1
09/10/2014	1,50	65.600	15,8	TLC-107 SONDA 1
09/10/2014	2,00	88.100	14,7	TLC-107 SONDA 1
09/10/2014	2,20	103.000	14,4	TLC-107 SONDA 1
09/10/2014	2,40	110.900	14,3	TLC-107 SONDA 1
09/10/2014	2,60	119.900	14,3	TLC-107 SONDA 1
09/10/2014	2,80	126.900	14,3	TLC-107 SONDA 1
09/10/2014	3,00	138.500	14,4	TLC-107 SONDA 1
09/10/2014	3,20	149.200	14,6	TLC-107 SONDA 1
09/10/2014	3,40	160.900	14,7	TLC-107 SONDA 1
09/10/2014	3,60	166.500	14,8	TLC-107 SONDA 1
09/10/2014	3,80	170.900	14,9	TLC-107 SONDA 1
09/10/2014	4,00	176.800	15,0	TLC-107 SONDA 1
09/10/2014	4,20	182.600	15,1	TLC-107 SONDA 1
09/10/2014	4,40	186.300	15,2	TLC-107 SONDA 1
09/10/2014	4,60	187.000	15,3	TLC-107 SONDA 1
09/10/2014	4,80	192.900	15,4	TLC-107 SONDA 1
09/10/2014	5,00	199.700	15,5	TLC-107 SONDA 1
09/10/2014	5,50	205.400	15,7	TLC-107 SONDA 1
09/10/2014	6,00	208.700	15,8	TLC-107 SONDA 1
09/10/2014	7,00	213.900	15,9	TLC-107 SONDA 1
09/10/2014	8,00	219.100	15,8	TLC-107 SONDA 1
09/10/2014	9,00	234.900	15,7	TLC-107 SONDA 1
09/10/2014	10,00	254.900	15,5	TLC-107 SONDA 1
09/10/2014	12,00	306.500	15,5	TLC-107 SONDA 1
09/10/2014	14,00	343.800	15,4	TLC-107 SONDA 1
09/10/2014	16,00	379.900	15,4	TLC-107 SONDA 1
09/10/2014	18,00	400.000	15,4	TLC-107 SONDA 1
09/10/2014	20,00	400.000	15,5	TLC-107 SONDA 1
09/10/2014	22,00	400.000	15,5	TLC-107 SONDA 1
09/10/2014	24,00	400.000	15,5	TLC-107 SONDA 1
09/10/2014	26,00	400.000	15,7	TLC-107 SONDA 1
09/10/2014	28,00	400.000	15,7	TLC-107 SONDA 1
09/10/2014	30,00	400.000	15,7	TLC-107 SONDA 1
09/10/2014	32,00	400.000	15,8	TLC-107 SONDA 1
09/10/2014	34,00	400.000	15,9	TLC-107 SONDA 1
09/10/2014	36,00	400.000	16,0	TLC-107 SONDA 1
09/10/2014	38,00	400.000	16,1	TLC-107 SONDA 1
09/10/2014	39,00	400.000	16,1	TLC-107 SONDA 1
09/10/2014	40,00	400.000	16,1	TLC-107 SONDA 1
09/10/2014	41,10	238.100	16,1	TLC-107 SONDA 1
08/11/2014	0,80	57.200	19,9	TLC-107 SONDA 1
08/11/2014	1,00	57.300	19,8	TLC-107 SONDA 1
08/11/2014	1,50	57.900	17,6	TLC-107 SONDA 1
08/11/2014	2,00	80.300	16,2	TLC-107 SONDA 1
08/11/2014	2,20	89.900	15,8	TLC-107 SONDA 1
08/11/2014	2,40	98.900	15,7	TLC-107 SONDA 1
08/11/2014	2,60	104.300	15,3	TLC-107 SONDA 1
08/11/2014	2,80	109.400	15,2	TLC-107 SONDA 1
08/11/2014	3,00	124.500	15,1	TLC-107 SONDA 1
08/11/2014	3,20	137.700	15,0	TLC-107 SONDA 1
08/11/2014	3,40	146.200	15,0	TLC-107 SONDA 1
08/11/2014	3,60	150.900	15,0	TLC-107 SONDA 1
08/11/2014	3,80	157.600	15,0	TLC-107 SONDA 1
08/11/2014	4,00	159.700	15,1	TLC-107 SONDA 1
08/11/2014	4,20	163.600	15,1	TLC-107 SONDA 1
08/11/2014	4,40	165.600	15,2	TLC-107 SONDA 1
08/11/2014	4,60	168.100	15,2	TLC-107 SONDA 1
08/11/2014	4,80	177.800	15,3	TLC-107 SONDA 1
08/11/2014	5,00	190.500	15,3	TLC-107 SONDA 1
08/11/2014	5,20	198.500	15,4	TLC-107 SONDA 1
08/11/2014	5,50	203.600	15,5	TLC-107 SONDA 1
08/11/2014	6,50	214.800	15,7	TLC-107 SONDA 1
08/11/2014	7,50	221.900	15,8	TLC-107 SONDA 1
08/11/2014	8,50	231.900	15,7	TLC-107 SONDA 1
08/11/2014	10,00	259.000	15,7	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/11/2014	12,00	305.600	15,5	TLC-107 SONDA 1
08/11/2014	14,00	350.300	15,5	TLC-107 SONDA 1
08/11/2014	16,00	393.300	15,4	TLC-107 SONDA 1
08/11/2014	18,00	400.000	15,5	TLC-107 SONDA 1
08/11/2014	20,00	400.000	15,5	TLC-107 SONDA 1
08/11/2014	22,00	400.000	15,5	TLC-107 SONDA 1
08/11/2014	24,00	400.000	15,5	TLC-107 SONDA 1
08/11/2014	26,00	400.000	15,5	TLC-107 SONDA 1
08/11/2014	28,00	400.000	15,7	TLC-107 SONDA 1
08/11/2014	30,00	400.000	15,8	TLC-107 SONDA 1
08/11/2014	32,00	400.000	15,8	TLC-107 SONDA 1
08/11/2014	34,00	400.000	15,9	TLC-107 SONDA 1
08/11/2014	36,00	400.000	16,0	TLC-107 SONDA 1
08/11/2014	38,00	400.000	16,0	TLC-107 SONDA 1
08/11/2014	40,00	400.000	16,1	TLC-107 SONDA 1
08/11/2014	41,20	291.600	16,2	TLC-107 SONDA 1
11/01/2015	1,00	50.100	21,7	TLC-107 SONDA 1
11/01/2015	1,50	57.200	19,1	TLC-107 SONDA 1
11/01/2015	2,00	81.300	17,7	TLC-107 SONDA 1
11/01/2015	2,20	89.100	17,4	TLC-107 SONDA 1
11/01/2015	2,40	99.400	17,1	TLC-107 SONDA 1
11/01/2015	2,60	104.900	16,7	TLC-107 SONDA 1
11/01/2015	2,80	110.800	16,5	TLC-107 SONDA 1
11/01/2015	3,00	117.400	16,4	TLC-107 SONDA 1
11/01/2015	3,20	125.900	16,2	TLC-107 SONDA 1
11/01/2015	3,40	143.100	16,1	TLC-107 SONDA 1
11/01/2015	3,60	149.200	15,9	TLC-107 SONDA 1
11/01/2015	3,80	150.400	15,8	TLC-107 SONDA 1
11/01/2015	4,00	154.400	15,8	TLC-107 SONDA 1
11/01/2015	4,20	157.800	15,7	TLC-107 SONDA 1
11/01/2015	4,40	159.300	15,7	TLC-107 SONDA 1
11/01/2015	4,60	159.900	15,5	TLC-107 SONDA 1
11/01/2015	4,80	164.800	15,5	TLC-107 SONDA 1
11/01/2015	5,00	166.400	15,5	TLC-107 SONDA 1
11/01/2015	5,20	167.900	15,5	TLC-107 SONDA 1
11/01/2015	5,40	169.000	15,5	TLC-107 SONDA 1
11/01/2015	5,60	169.900	15,5	TLC-107 SONDA 1
11/01/2015	5,80	170.200	15,5	TLC-107 SONDA 1
11/01/2015	6,00	170.700	15,5	TLC-107 SONDA 1
11/01/2015	6,20	171.200	15,5	TLC-107 SONDA 1
11/01/2015	6,40	171.300	15,7	TLC-107 SONDA 1
11/01/2015	6,60	172.800	15,7	TLC-107 SONDA 1
11/01/2015	6,80	171.300	15,7	TLC-107 SONDA 1
11/01/2015	7,00	171.500	15,7	TLC-107 SONDA 1
11/01/2015	7,20	172.200	15,7	TLC-107 SONDA 1
11/01/2015	7,40	171.700	15,7	TLC-107 SONDA 1
11/01/2015	7,60	172.600	15,7	TLC-107 SONDA 1
11/01/2015	7,80	172.600	15,7	TLC-107 SONDA 1
11/01/2015	8,00	172.800	15,7	TLC-107 SONDA 1
11/01/2015	8,50	174.200	15,7	TLC-107 SONDA 1
11/01/2015	8,99	179.300	15,7	TLC-107 SONDA 1
11/01/2015	9,49	180.300	15,7	TLC-107 SONDA 1
11/01/2015	9,99	182.000	15,5	TLC-107 SONDA 1
11/01/2015	10,50	184.100	15,5	TLC-107 SONDA 1
11/01/2015	11,00	185.800	15,5	TLC-107 SONDA 1
11/01/2015	11,49	188.500	15,5	TLC-107 SONDA 1
11/01/2015	11,99	189.000	15,5	TLC-107 SONDA 1
11/01/2015	12,49	193.100	15,5	TLC-107 SONDA 1
11/01/2015	12,99	194.500	15,5	TLC-107 SONDA 1
11/01/2015	13,49	195.900	15,5	TLC-107 SONDA 1
11/01/2015	13,99	199.900	15,4	TLC-107 SONDA 1
11/01/2015	15,00	200.000	15,5	TLC-107 SONDA 1
11/01/2015	16,00	203.300	15,5	TLC-107 SONDA 1
11/01/2015	18,00	205.900	15,5	TLC-107 SONDA 1
11/01/2015	20,00	215.500	15,5	TLC-107 SONDA 1
11/01/2015	23,00	225.700	15,5	TLC-107 SONDA 1
11/01/2015	26,00	229.700	15,7	TLC-107 SONDA 1
11/01/2015	28,00	235.800	15,7	TLC-107 SONDA 1
11/01/2015	30,00	237.900	15,7	TLC-107 SONDA 1
11/01/2015	32,00	241.200	15,8	TLC-107 SONDA 1
11/01/2015	34,00	241.300	15,9	TLC-107 SONDA 1
11/01/2015	36,00	243.700	16,0	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/01/2015	38,00	246.000	16,0	TLC-107 SONDA 1
11/01/2015	40,00	246.200	16,1	TLC-107 SONDA 1
11/01/2015	41,50	150.200	16,1	TLC-107 SONDA 1
16/02/2015	1,00	50.400	24,0	TLC-107 SONDA 1
16/02/2015	1,50	56.600	20,7	TLC-107 SONDA 1
16/02/2015	1,80	65.000	19,4	TLC-107 SONDA 1
16/02/2015	2,00	89.900	18,7	TLC-107 SONDA 1
16/02/2015	2,20	96.800	18,3	TLC-107 SONDA 1
16/02/2015	2,40	108.500	17,9	TLC-107 SONDA 1
16/02/2015	2,60	116.700	17,6	TLC-107 SONDA 1
16/02/2015	2,80	132.400	17,4	TLC-107 SONDA 1
16/02/2015	3,00	145.000	17,1	TLC-107 SONDA 1
16/02/2015	3,20	169.100	16,8	TLC-107 SONDA 1
16/02/2015	3,40	202.800	16,6	TLC-107 SONDA 1
16/02/2015	3,60	217.800	16,4	TLC-107 SONDA 1
16/02/2015	3,80	231.600	16,3	TLC-107 SONDA 1
16/02/2015	4,00	242.300	16,2	TLC-107 SONDA 1
16/02/2015	5,00	279.900	15,8	TLC-107 SONDA 1
16/02/2015	7,00	307.300	15,7	TLC-107 SONDA 1
16/02/2015	9,00	345.000	15,7	TLC-107 SONDA 1
16/02/2015	11,00	400.000	15,5	TLC-107 SONDA 1
16/02/2015	13,00	400.000	15,5	TLC-107 SONDA 1
16/02/2015	15,00	400.000	15,5	TLC-107 SONDA 1
16/02/2015	17,00	400.000	15,5	TLC-107 SONDA 1
16/02/2015	19,00	400.000	15,5	TLC-107 SONDA 1
16/02/2015	21,00	400.000	15,5	TLC-107 SONDA 1
16/02/2015	23,00	400.000	15,5	TLC-107 SONDA 1
16/02/2015	25,00	400.000	15,7	TLC-107 SONDA 1
16/02/2015	27,00	400.000	15,7	TLC-107 SONDA 1
16/02/2015	29,00	400.000	15,7	TLC-107 SONDA 1
16/02/2015	31,00	400.000	15,8	TLC-107 SONDA 1
16/02/2015	33,00	400.000	15,9	TLC-107 SONDA 1
16/02/2015	35,00	400.000	15,9	TLC-107 SONDA 1
16/02/2015	37,00	400.000	16,0	TLC-107 SONDA 1
16/02/2015	39,00	400.000	16,1	TLC-107 SONDA 1
16/02/2015	40,00	400.000	16,1	TLC-107 SONDA 1
16/02/2015	41,12	389.200	16,1	TLC-107 SONDA 1
07/03/2015	1,00	64.800	21,3	TLC-107 SONDA 1
07/03/2015	1,50	71.000	19,8	TLC-107 SONDA 1
07/03/2015	2,00	103.600	18,7	TLC-107 SONDA 1
07/03/2015	2,50	126.700	17,9	TLC-107 SONDA 1
07/03/2015	3,00	154.100	17,1	TLC-107 SONDA 1
07/03/2015	3,50	193.000	16,7	TLC-107 SONDA 1
07/03/2015	4,00	213.500	16,4	TLC-107 SONDA 1
07/03/2015	5,00	231.900	16,0	TLC-107 SONDA 1
07/03/2015	7,00	239.900	15,7	TLC-107 SONDA 1
07/03/2015	9,00	258.100	15,7	TLC-107 SONDA 1
07/03/2015	11,00	267.500	15,5	TLC-107 SONDA 1
07/03/2015	13,00	275.200	15,5	TLC-107 SONDA 1
07/03/2015	15,00	277.000	15,5	TLC-107 SONDA 1
07/03/2015	17,00	278.100	15,5	TLC-107 SONDA 1
07/03/2015	20,00	281.600	15,5	TLC-107 SONDA 1
07/03/2015	22,00	282.200	15,5	TLC-107 SONDA 1
07/03/2015	24,00	282.200	15,5	TLC-107 SONDA 1
07/03/2015	26,00	282.100	15,7	TLC-107 SONDA 1
07/03/2015	28,00	283.300	15,7	TLC-107 SONDA 1
07/03/2015	30,00	283.700	15,8	TLC-107 SONDA 1
07/03/2015	32,00	284.900	15,8	TLC-107 SONDA 1
07/03/2015	34,00	287.300	15,9	TLC-107 SONDA 1
07/03/2015	36,00	288.900	15,9	TLC-107 SONDA 1
07/03/2015	38,00	288.300	16,1	TLC-107 SONDA 1
07/03/2015	40,00	289.500	16,1	TLC-107 SONDA 1
07/03/2015	41,60	290.400	16,1	TLC-107 SONDA 1
13/04/2015	0,70	104.900	18,6	TLC-107 SONDA 1
13/04/2015	1,00	124.000	18,7	TLC-107 SONDA 1
13/04/2015	1,20	130.400	18,4	TLC-107 SONDA 1
13/04/2015	1,40	135.900	18,0	TLC-107 SONDA 1
13/04/2015	1,60	137.600	17,9	TLC-107 SONDA 1
13/04/2015	1,80	140.100	17,9	TLC-107 SONDA 1
13/04/2015	2,00	158.300	17,9	TLC-107 SONDA 1
13/04/2015	2,20	182.500	17,9	TLC-107 SONDA 1
13/04/2015	2,40	207.900	17,9	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/04/2015	3,00	338.900	17,6	TLC-107 SONDA 1
13/04/2015	4,00	400.000	16,8	TLC-107 SONDA 1
13/04/2015	6,00	400.000	16,0	TLC-107 SONDA 1
13/04/2015	8,00	400.000	15,7	TLC-107 SONDA 1
13/04/2015	10,00	400.000	15,7	TLC-107 SONDA 1
13/04/2015	12,00	400.000	15,5	TLC-107 SONDA 1
13/04/2015	14,00	400.000	15,5	TLC-107 SONDA 1
13/04/2015	16,00	400.000	15,5	TLC-107 SONDA 1
13/04/2015	18,00	400.000	15,5	TLC-107 SONDA 1
13/04/2015	20,00	400.000	15,5	TLC-107 SONDA 1
13/04/2015	22,00	400.000	15,5	TLC-107 SONDA 1
13/04/2015	24,00	400.000	15,5	TLC-107 SONDA 1
13/04/2015	26,00	400.000	15,7	TLC-107 SONDA 1
13/04/2015	28,00	400.000	15,7	TLC-107 SONDA 1
13/04/2015	30,00	400.000	15,7	TLC-107 SONDA 1
13/04/2015	32,00	400.000	15,8	TLC-107 SONDA 1
13/04/2015	34,00	400.000	15,9	TLC-107 SONDA 1
13/04/2015	36,00	400.000	16,0	TLC-107 SONDA 1
13/04/2015	38,00	400.000	16,0	TLC-107 SONDA 1
13/04/2015	40,00	400.000	16,1	TLC-107 SONDA 1
13/04/2015	41,60	400.000	16,1	TLC-107 SONDA 1
10/05/2015	0,80	121.600	17,7	TLC-107 SONDA 2
10/05/2015	1,00	140.900	17,1	TLC-107 SONDA 2
10/05/2015	1,20	141.800	16,6	TLC-107 SONDA 2
10/05/2015	1,40	143.300	16,4	TLC-107 SONDA 2
10/05/2015	1,60	142.400	16,4	TLC-107 SONDA 2
10/05/2015	1,80	144.900	17,0	TLC-107 SONDA 2
10/05/2015	2,00	166.200	17,3	TLC-107 SONDA 2
10/05/2015	2,20	194.400	17,4	TLC-107 SONDA 2
10/05/2015	2,40	218.100	17,4	TLC-107 SONDA 2
10/05/2015	3,00	312.300	17,4	TLC-107 SONDA 2
10/05/2015	4,00	381.900	16,9	TLC-107 SONDA 2
10/05/2015	5,00	400.000	16,4	TLC-107 SONDA 2
10/05/2015	7,00	400.000	15,9	TLC-107 SONDA 2
10/05/2015	9,00	400.000	15,7	TLC-107 SONDA 2
10/05/2015	11,00	400.000	15,7	TLC-107 SONDA 2
10/05/2015	13,00	400.000	15,6	TLC-107 SONDA 2
10/05/2015	15,00	400.000	15,6	TLC-107 SONDA 2
10/05/2015	17,00	400.000	15,6	TLC-107 SONDA 2
10/05/2015	19,00	400.000	15,6	TLC-107 SONDA 2
10/05/2015	21,00	400.000	15,6	TLC-107 SONDA 2
10/05/2015	23,00	400.000	15,7	TLC-107 SONDA 2
10/05/2015	25,00	400.000	15,7	TLC-107 SONDA 2
10/05/2015	27,00	400.000	15,7	TLC-107 SONDA 2
10/05/2015	29,00	400.000	15,8	TLC-107 SONDA 2
10/05/2015	31,00	400.000	15,8	TLC-107 SONDA 2
10/05/2015	33,00	400.000	15,9	TLC-107 SONDA 2
10/05/2015	35,00	400.000	16,0	TLC-107 SONDA 2
10/05/2015	37,00	400.000	16,1	TLC-107 SONDA 2
10/05/2015	39,00	400.000	16,1	TLC-107 SONDA 2
10/05/2015	41,20	324.000	16,2	TLC-107 SONDA 2
04/06/2015	0,80	68.300	12,8	TLC-107 SONDA 2
04/06/2015	1,00	79.500	12,8	TLC-107 SONDA 2
04/06/2015	1,50	82.500	12,9	TLC-107 SONDA 2
04/06/2015	2,00	103.600	15,0	TLC-107 SONDA 2
04/06/2015	2,20	128.800	16,0	TLC-107 SONDA 2
04/06/2015	2,40	155.300	16,2	TLC-107 SONDA 2
04/06/2015	2,60	171.700	16,5	TLC-107 SONDA 2
04/06/2015	2,80	189.900	16,6	TLC-107 SONDA 2
04/06/2015	3,00	212.000	16,9	TLC-107 SONDA 2
04/06/2015	3,50	238.900	16,9	TLC-107 SONDA 2
04/06/2015	4,00	244.500	16,9	TLC-107 SONDA 2
04/06/2015	5,00	251.600	16,4	TLC-107 SONDA 2
04/06/2015	6,00	254.200	16,2	TLC-107 SONDA 2
04/06/2015	8,00	257.100	15,8	TLC-107 SONDA 2
04/06/2015	10,00	257.200	15,7	TLC-107 SONDA 2
04/06/2015	12,00	256.200	15,6	TLC-107 SONDA 2
04/06/2015	14,00	255.400	15,6	TLC-107 SONDA 2
04/06/2015	16,00	254.600	15,6	TLC-107 SONDA 2
04/06/2015	18,00	254.600	15,6	TLC-107 SONDA 2
04/06/2015	20,00	254.800	15,6	TLC-107 SONDA 2
04/06/2015	22,00	254.400	15,7	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/06/2015	24,00	254.200	15,7	TLC-107 SONDA 2
04/06/2015	26,00	253.500	15,7	TLC-107 SONDA 2
04/06/2015	28,00	253.900	15,7	TLC-107 SONDA 2
04/06/2015	30,00	252.800	15,8	TLC-107 SONDA 2
04/06/2015	32,00	253.300	15,8	TLC-107 SONDA 2
04/06/2015	34,00	251.900	15,9	TLC-107 SONDA 2
04/06/2015	36,00	250.800	16,0	TLC-107 SONDA 2
04/06/2015	38,00	250.600	16,1	TLC-107 SONDA 2
04/06/2015	39,00	250.400	16,1	TLC-107 SONDA 2
04/06/2015	41,15	194.500	16,2	TLC-107 SONDA 2
09/07/2015	0,80	70.600	11,0	TLC-107 SONDA 1
09/07/2015	1,00	84.400	11,4	TLC-107 SONDA 1
09/07/2015	1,50	87.200	11,6	TLC-107 SONDA 1
09/07/2015	1,70	88.600	11,6	TLC-107 SONDA 1
09/07/2015	1,90	104.300	12,8	TLC-107 SONDA 1
09/07/2015	2,10	111.700	13,6	TLC-107 SONDA 1
09/07/2015	2,30	126.900	14,1	TLC-107 SONDA 1
09/07/2015	2,50	149.600	14,8	TLC-107 SONDA 1
09/07/2015	2,74	167.900	15,1	TLC-107 SONDA 1
09/07/2015	2,90	195.200	15,2	TLC-107 SONDA 1
09/07/2015	3,10	218.800	15,7	TLC-107 SONDA 1
09/07/2015	3,30	242.600	15,9	TLC-107 SONDA 1
09/07/2015	3,50	253.600	16,0	TLC-107 SONDA 1
09/07/2015	4,00	262.900	16,2	TLC-107 SONDA 1
09/07/2015	5,00	268.900	16,3	TLC-107 SONDA 1
09/07/2015	7,00	274.300	16,0	TLC-107 SONDA 1
09/07/2015	9,00	279.600	15,7	TLC-107 SONDA 1
09/07/2015	11,00	278.400	15,7	TLC-107 SONDA 1
09/07/2015	13,00	276.500	15,6	TLC-107 SONDA 1
09/07/2015	15,00	275.100	15,6	TLC-107 SONDA 1
09/07/2015	17,00	274.600	15,6	TLC-107 SONDA 1
09/07/2015	19,00	272.900	15,6	TLC-107 SONDA 1
09/07/2015	21,00	272.500	15,7	TLC-107 SONDA 1
09/07/2015	23,00	271.600	15,7	TLC-107 SONDA 1
09/07/2015	25,00	270.600	15,7	TLC-107 SONDA 1
09/07/2015	27,00	270.900	15,7	TLC-107 SONDA 1
09/07/2015	29,00	270.200	15,7	TLC-107 SONDA 1
09/07/2015	31,00	268.800	15,8	TLC-107 SONDA 1
09/07/2015	33,00	267.100	15,9	TLC-107 SONDA 1
09/07/2015	35,00	267.000	16,0	TLC-107 SONDA 1
09/07/2015	37,00	265.900	16,0	TLC-107 SONDA 1
09/07/2015	39,00	264.300	16,1	TLC-107 SONDA 1
09/07/2015	40,00	263.900	16,1	TLC-107 SONDA 1
09/07/2015	41,00	264.300	16,1	TLC-107 SONDA 1
09/07/2015	41,80	244.700	16,2	TLC-107 SONDA 1
08/08/2015	0,80	73.278	11,5	SEBA MPS-D3
08/08/2015	1,00	73.537	11,2	SEBA MPS-D3
08/08/2015	1,20	73.829	11,0	SEBA MPS-D3
08/08/2015	1,40	74.143	11,2	SEBA MPS-D3
08/08/2015	1,60	74.249	11,3	SEBA MPS-D3
08/08/2015	1,80	85.564	11,8	SEBA MPS-D3
08/08/2015	2,00	87.658	12,5	SEBA MPS-D3
08/08/2015	2,20	94.049	12,9	SEBA MPS-D3
08/08/2015	2,40	104.787	13,5	SEBA MPS-D3
08/08/2015	2,60	115.732	13,9	SEBA MPS-D3
08/08/2015	2,80	129.111	14,2	SEBA MPS-D3
08/08/2015	3,00	145.704	14,5	SEBA MPS-D3
08/08/2015	3,20	160.617	14,8	SEBA MPS-D3
08/08/2015	3,40	171.377	15,1	SEBA MPS-D3
08/08/2015	3,60	178.928	15,3	SEBA MPS-D3
08/08/2015	3,80	184.903	15,4	SEBA MPS-D3
08/08/2015	4,00	188.269	15,6	SEBA MPS-D3
08/08/2015	4,20	188.950	15,7	SEBA MPS-D3
08/08/2015	4,40	189.360	15,8	SEBA MPS-D3
08/08/2015	4,60	193.627	15,8	SEBA MPS-D3
08/08/2015	4,80	198.067	15,9	SEBA MPS-D3
08/08/2015	5,00	200.090	15,9	SEBA MPS-D3
08/08/2015	7,00	204.096	15,8	SEBA MPS-D3
08/08/2015	9,00	216.480	15,5	SEBA MPS-D3
08/08/2015	11,00	224.339	15,4	SEBA MPS-D3
08/08/2015	13,00	230.113	15,3	SEBA MPS-D3
08/08/2015	15,00	231.883	15,3	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/08/2015	17,00	232.853	15,3	SEBA MPS-D3
08/08/2015	19,00	232.954	15,3	SEBA MPS-D3
08/08/2015	21,00	232.995	15,4	SEBA MPS-D3
08/08/2015	23,00	232.940	15,4	SEBA MPS-D3
08/08/2015	25,00	232.955	15,4	SEBA MPS-D3
08/08/2015	27,00	232.856	15,4	SEBA MPS-D3
08/08/2015	29,00	232.834	15,5	SEBA MPS-D3
08/08/2015	31,00	233.165	15,5	SEBA MPS-D3
08/08/2015	33,00	232.953	15,6	SEBA MPS-D3
08/08/2015	35,00	232.884	15,7	SEBA MPS-D3
08/08/2015	37,00	232.754	15,8	SEBA MPS-D3
08/08/2015	39,00	232.831	15,9	SEBA MPS-D3
08/08/2015	41,00	232.700	15,9	SEBA MPS-D3
08/08/2015	41,10	191.720	16,0	SEBA MPS-D3
07/09/2015	1,00	73.070	15,0	SEBA MPS-D3
07/09/2015	1,50	74.810	13,5	SEBA MPS-D3
07/09/2015	2,00	92.280	13,1	SEBA MPS-D3
07/09/2015	2,50	111.900	13,4	SEBA MPS-D3
07/09/2015	3,00	147.300	14,0	SEBA MPS-D3
07/09/2015	3,50	179.900	14,5	SEBA MPS-D3
07/09/2015	4,00	194.400	15,0	SEBA MPS-D3
07/09/2015	4,50	195.800	15,3	SEBA MPS-D3
07/09/2015	5,00	207.200	15,6	SEBA MPS-D3
07/09/2015	7,00	211.200	15,7	SEBA MPS-D3
07/09/2015	9,00	224.100	15,5	SEBA MPS-D3
07/09/2015	11,00	232.000	15,4	SEBA MPS-D3
07/09/2015	13,00	237.900	15,4	SEBA MPS-D3
07/09/2015	15,00	239.800	15,4	SEBA MPS-D3
07/09/2015	17,00	240.800	15,4	SEBA MPS-D3
07/09/2015	19,00	241.000	15,4	SEBA MPS-D3
07/09/2015	21,00	241.000	15,4	SEBA MPS-D3
07/09/2015	23,00	241.000	15,4	SEBA MPS-D3
07/09/2015	25,00	241.000	15,4	SEBA MPS-D3
07/09/2015	27,00	241.000	15,5	SEBA MPS-D3
07/09/2015	29,00	240.800	15,5	SEBA MPS-D3
07/09/2015	31,00	240.900	15,5	SEBA MPS-D3
07/09/2015	33,00	240.900	15,7	SEBA MPS-D3
07/09/2015	35,00	240.900	15,7	SEBA MPS-D3
07/09/2015	37,00	240.800	15,8	SEBA MPS-D3
07/09/2015	39,00	240.800	15,9	SEBA MPS-D3
07/09/2015	41,00	240.800	15,9	SEBA MPS-D3
07/09/2015	41,20	176.000	16,0	SEBA MPS-D3
10/10/2015	0,80	66.191	17,5	SEBA MPS-D3
10/10/2015	1,50	72.207	15,2	SEBA MPS-D3
10/10/2015	2,00	90.848	14,2	SEBA MPS-D3
10/10/2015	2,50	108.132	14,1	SEBA MPS-D3
10/10/2015	3,00	143.701	14,2	SEBA MPS-D3
10/10/2015	3,50	176.540	14,5	SEBA MPS-D3
10/10/2015	4,00	190.262	14,8	SEBA MPS-D3
10/10/2015	4,50	191.617	15,0	SEBA MPS-D3
10/10/2015	5,00	202.925	15,3	SEBA MPS-D3
10/10/2015	7,00	207.081	15,6	SEBA MPS-D3
10/10/2015	9,00	219.323	15,5	SEBA MPS-D3
10/10/2015	11,00	227.388	15,4	SEBA MPS-D3
10/10/2015	13,00	233.211	15,4	SEBA MPS-D3
10/10/2015	15,00	235.077	15,3	SEBA MPS-D3
10/10/2015	17,00	236.117	15,3	SEBA MPS-D3
10/10/2015	19,00	236.277	15,3	SEBA MPS-D3
10/10/2015	21,00	236.210	15,4	SEBA MPS-D3
10/10/2015	23,00	236.185	15,4	SEBA MPS-D3
10/10/2015	25,00	236.196	15,4	SEBA MPS-D3
10/10/2015	27,00	236.188	15,4	SEBA MPS-D3
10/10/2015	29,00	236.216	15,5	SEBA MPS-D3
10/10/2015	31,00	236.148	15,6	SEBA MPS-D3
10/10/2015	33,00	236.112	15,6	SEBA MPS-D3
10/10/2015	35,00	236.197	15,7	SEBA MPS-D3
10/10/2015	37,00	236.048	15,8	SEBA MPS-D3
10/10/2015	39,00	236.006	15,9	SEBA MPS-D3
10/10/2015	41,00	236.068	15,9	SEBA MPS-D3
10/10/2015	41,10	156.179	16,0	SEBA MPS-D3
07/11/2015	0,80	62.868	18,4	SEBA MPS-D3
07/11/2015	1,50	70.190	16,7	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/11/2015	2,00	88.990	15,4	SEBA MPS-D3
07/11/2015	2,50	107.214	14,8	SEBA MPS-D3
07/11/2015	3,00	141.921	14,6	SEBA MPS-D3
07/11/2015	3,50	173.673	14,7	SEBA MPS-D3
07/11/2015	4,00	187.672	14,8	SEBA MPS-D3
07/11/2015	4,50	189.439	14,9	SEBA MPS-D3
07/11/2015	5,00	200.112	15,1	SEBA MPS-D3
07/11/2015	7,00	204.218	15,5	SEBA MPS-D3
07/11/2015	9,00	216.161	15,5	SEBA MPS-D3
07/11/2015	11,00	224.081	15,4	SEBA MPS-D3
07/11/2015	13,00	229.925	15,4	SEBA MPS-D3
07/11/2015	15,00	231.723	15,3	SEBA MPS-D3
07/11/2015	17,00	232.784	15,3	SEBA MPS-D3
07/11/2015	19,00	232.844	15,4	SEBA MPS-D3
07/11/2015	21,00	232.875	15,4	SEBA MPS-D3
07/11/2015	23,00	232.827	15,4	SEBA MPS-D3
07/11/2015	25,00	232.820	15,4	SEBA MPS-D3
07/11/2015	27,00	232.860	15,4	SEBA MPS-D3
07/11/2015	29,00	232.810	15,5	SEBA MPS-D3
07/11/2015	31,00	232.786	15,6	SEBA MPS-D3
07/11/2015	33,00	232.818	15,7	SEBA MPS-D3
07/11/2015	35,00	232.780	15,7	SEBA MPS-D3
07/11/2015	37,00	232.735	15,8	SEBA MPS-D3
07/11/2015	39,00	232.652	15,9	SEBA MPS-D3
07/11/2015	41,00	232.741	15,9	SEBA MPS-D3
07/11/2015	41,10	166.114	16,0	SEBA MPS-D3
06/12/2015	0,80	63.181	20,8	SEBA MPS-D3
06/12/2015	1,00	63.649	20,6	SEBA MPS-D3
06/12/2015	1,50	70.885	17,9	SEBA MPS-D3
06/12/2015	2,00	91.627	16,4	SEBA MPS-D3
06/12/2015	2,50	110.082	15,6	SEBA MPS-D3
06/12/2015	3,00	146.073	15,2	SEBA MPS-D3
06/12/2015	3,50	179.414	15,0	SEBA MPS-D3
06/12/2015	4,00	193.463	15,0	SEBA MPS-D3
06/12/2015	4,50	196.480	15,0	SEBA MPS-D3
06/12/2015	5,00	206.777	15,1	SEBA MPS-D3
06/12/2015	7,00	210.937	15,4	SEBA MPS-D3
06/12/2015	9,00	223.129	15,5	SEBA MPS-D3
06/12/2015	11,00	231.451	15,4	SEBA MPS-D3
06/12/2015	13,00	237.366	15,4	SEBA MPS-D3
06/12/2015	15,00	239.358	15,4	SEBA MPS-D3
06/12/2015	17,00	240.475	15,3	SEBA MPS-D3
06/12/2015	19,00	240.592	15,3	SEBA MPS-D3
06/12/2015	21,00	240.612	15,4	SEBA MPS-D3
06/12/2015	23,00	240.603	15,4	SEBA MPS-D3
06/12/2015	25,00	240.534	15,4	SEBA MPS-D3
06/12/2015	27,00	240.508	15,5	SEBA MPS-D3
06/12/2015	29,00	240.493	15,5	SEBA MPS-D3
06/12/2015	31,00	240.463	15,6	SEBA MPS-D3
06/12/2015	33,00	240.441	15,7	SEBA MPS-D3
06/12/2015	35,00	240.365	15,7	SEBA MPS-D3
06/12/2015	37,00	240.392	15,8	SEBA MPS-D3
06/12/2015	39,00	240.374	15,9	SEBA MPS-D3
06/12/2015	41,00	240.405	15,9	SEBA MPS-D3
06/12/2015	41,10	169.709	16,0	SEBA MPS-D3
16/01/2016	0,90	60.097	21,6	SEBA MPS-D3
16/01/2016	1,50	67.532	19,6	SEBA MPS-D3
16/01/2016	2,00	90.327	17,6	SEBA MPS-D3
16/01/2016	2,50	108.656	16,6	SEBA MPS-D3
16/01/2016	3,00	146.424	16,1	SEBA MPS-D3
16/01/2016	3,50	178.057	15,7	SEBA MPS-D3
16/01/2016	4,00	192.170	15,4	SEBA MPS-D3
16/01/2016	4,50	194.657	15,3	SEBA MPS-D3
16/01/2016	5,00	205.159	15,2	SEBA MPS-D3
16/01/2016	7,00	209.485	15,4	SEBA MPS-D3
16/01/2016	9,00	222.056	15,5	SEBA MPS-D3
16/01/2016	11,00	229.890	15,4	SEBA MPS-D3
16/01/2016	13,00	235.957	15,4	SEBA MPS-D3
16/01/2016	15,00	237.796	15,4	SEBA MPS-D3
16/01/2016	17,00	238.797	15,4	SEBA MPS-D3
16/01/2016	19,00	238.957	15,4	SEBA MPS-D3
16/01/2016	21,00	238.925	15,4	SEBA MPS-D3



Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/01/2016	23,00	239.009	15,4	SEBA MPS-D3
16/01/2016	25,00	238.997	15,4	SEBA MPS-D3
16/01/2016	27,00	239.002	15,4	SEBA MPS-D3
16/01/2016	29,00	238.890	15,5	SEBA MPS-D3
16/01/2016	31,00	238.886	15,6	SEBA MPS-D3
16/01/2016	33,00	238.921	15,7	SEBA MPS-D3
16/01/2016	35,00	238.982	15,7	SEBA MPS-D3
16/01/2016	37,00	238.817	15,8	SEBA MPS-D3
16/01/2016	39,00	238.922	15,9	SEBA MPS-D3
16/01/2016	41,00	238.896	15,9	SEBA MPS-D3
16/01/2016	41,10	165.644	16,0	SEBA MPS-D3
14/02/2016	0,90	59.760	21,8	SEBA MPS-D3
14/02/2016	1,50	67.766	19,7	SEBA MPS-D3
14/02/2016	2,00	92.214	18,1	SEBA MPS-D3
14/02/2016	2,50	112.038	17,2	SEBA MPS-D3
14/02/2016	3,00	182.291	16,1	SEBA MPS-D3
14/02/2016	3,50	196.149	15,8	SEBA MPS-D3
14/02/2016	4,00	199.742	15,5	SEBA MPS-D3
14/02/2016	4,50	209.295	15,4	SEBA MPS-D3
14/02/2016	5,00	213.582	15,4	SEBA MPS-D3
14/02/2016	7,00	226.166	15,5	SEBA MPS-D3
14/02/2016	9,00	226.198	15,5	SEBA MPS-D3
14/02/2016	11,00	234.420	15,4	SEBA MPS-D3
14/02/2016	13,00	240.317	15,4	SEBA MPS-D3
14/02/2016	15,00	242.332	15,4	SEBA MPS-D3
14/02/2016	17,00	243.456	15,4	SEBA MPS-D3
14/02/2016	19,00	243.640	15,4	SEBA MPS-D3
14/02/2016	21,00	243.626	15,4	SEBA MPS-D3
14/02/2016	23,00	243.585	15,4	SEBA MPS-D3
14/02/2016	25,00	243.599	15,4	SEBA MPS-D3
14/02/2016	27,00	243.546	15,5	SEBA MPS-D3
14/02/2016	29,00	243.521	15,5	SEBA MPS-D3
14/02/2016	31,00	243.530	15,6	SEBA MPS-D3
14/02/2016	33,00	243.603	15,6	SEBA MPS-D3
14/02/2016	35,00	243.341	15,8	SEBA MPS-D3
14/02/2016	37,00	243.425	15,8	SEBA MPS-D3
14/02/2016	39,00	243.452	15,9	SEBA MPS-D3
14/02/2016	41,00	237.631	15,9	SEBA MPS-D3
14/02/2016	41,10	164.841	16,0	SEBA MPS-D3
17/03/2016	1,10	59.855	21,0	SEBA MPS-D3
17/03/2016	1,50	61.544	19,7	SEBA MPS-D3
17/03/2016	2,00	110.930	17,7	SEBA MPS-D3
17/03/2016	2,50	149.512	17,1	SEBA MPS-D3
17/03/2016	3,00	178.996	16,6	SEBA MPS-D3
17/03/2016	3,50	193.592	16,1	SEBA MPS-D3
17/03/2016	4,00	196.939	15,9	SEBA MPS-D3
17/03/2016	4,50	197.052	15,8	SEBA MPS-D3
17/03/2016	5,00	206.922	15,6	SEBA MPS-D3
17/03/2016	7,00	211.564	15,4	SEBA MPS-D3
17/03/2016	9,00	224.234	15,4	SEBA MPS-D3
17/03/2016	11,00	232.567	15,4	SEBA MPS-D3
17/03/2016	13,00	238.999	15,4	SEBA MPS-D3
17/03/2016	15,00	241.115	15,4	SEBA MPS-D3
17/03/2016	17,00	242.258	15,4	SEBA MPS-D3
17/03/2016	19,00	242.601	15,4	SEBA MPS-D3
17/03/2016	21,00	242.588	15,4	SEBA MPS-D3
17/03/2016	23,00	242.593	15,4	SEBA MPS-D3
17/03/2016	25,00	242.659	15,4	SEBA MPS-D3
17/03/2016	27,00	242.555	15,5	SEBA MPS-D3
17/03/2016	29,00	242.775	15,5	SEBA MPS-D3
17/03/2016	31,00	242.664	15,6	SEBA MPS-D3
17/03/2016	33,00	242.738	15,7	SEBA MPS-D3
17/03/2016	35,00	242.658	15,7	SEBA MPS-D3
17/03/2016	37,00	242.703	15,8	SEBA MPS-D3
17/03/2016	39,00	242.649	15,9	SEBA MPS-D3
17/03/2016	41,00	242.672	15,9	SEBA MPS-D3
17/03/2016	41,10	167.059	16,0	SEBA MPS-D3
07/05/2016	0,85	58.850	16,1	SEBA KLL-Q
07/05/2016	1,00	59.110	16,4	SEBA KLL-Q
07/05/2016	1,50	59.600	16,4	SEBA KLL-Q
07/05/2016	2,00	88.450	17,1	SEBA KLL-Q
07/05/2016	2,50	103.300	17,2	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/05/2016	3,00	142.100	17,1	SEBA KLL-Q
07/05/2016	3,25	162.400	17,0	SEBA KLL-Q
07/05/2016	3,50	173.700	16,8	SEBA KLL-Q
07/05/2016	3,75	183.200	16,7	SEBA KLL-Q
07/05/2016	4,00	188.300	16,5	SEBA KLL-Q
07/05/2016	4,25	190.300	16,4	SEBA KLL-Q
07/05/2016	4,50	190.900	16,2	SEBA KLL-Q
07/05/2016	4,75	199.800	16,1	SEBA KLL-Q
07/05/2016	5,00	202.500	16,0	SEBA KLL-Q
07/05/2016	5,25	204.300	15,9	SEBA KLL-Q
07/05/2016	5,50	205.600	15,8	SEBA KLL-Q
07/05/2016	6,00	206.600	15,7	SEBA KLL-Q
07/05/2016	7,00	206.900	15,5	SEBA KLL-Q
07/05/2016	8,00	207.000	15,4	SEBA KLL-Q
07/05/2016	9,00	219.400	15,4	SEBA KLL-Q
07/05/2016	10,00	224.000	15,4	SEBA KLL-Q
07/05/2016	12,00	231.100	15,4	SEBA KLL-Q
07/05/2016	14,00	234.700	15,3	SEBA KLL-Q
07/05/2016	16,00	235.900	15,3	SEBA KLL-Q
07/05/2016	18,00	236.400	15,3	SEBA KLL-Q
07/05/2016	20,00	236.400	15,4	SEBA KLL-Q
07/05/2016	22,00	236.400	15,4	SEBA KLL-Q
07/05/2016	25,00	236.400	15,4	SEBA KLL-Q
07/05/2016	30,00	236.200	15,5	SEBA KLL-Q
07/05/2016	35,00	236.300	15,7	SEBA KLL-Q
07/05/2016	40,00	236.200	15,9	SEBA KLL-Q
07/05/2016	41,00	168.700	16,0	SEBA KLL-Q
09/07/2016	0,85	58.100	11,1	SEBA KLL-Q
09/07/2016	1,00	57.930	11,1	SEBA KLL-Q
09/07/2016	1,50	57.870	11,1	SEBA KLL-Q
09/07/2016	2,00	84.920	13,0	SEBA KLL-Q
09/07/2016	2,50	103.300	14,7	SEBA KLL-Q
09/07/2016	2,75	115.700	15,2	SEBA KLL-Q
09/07/2016	3,00	133.000	15,5	SEBA KLL-Q
09/07/2016	3,25	155.400	15,8	SEBA KLL-Q
09/07/2016	3,50	166.100	15,9	SEBA KLL-Q
09/07/2016	3,75	175.500	16,0	SEBA KLL-Q
09/07/2016	4,00	180.000	16,1	SEBA KLL-Q
09/07/2016	4,50	182.800	16,1	SEBA KLL-Q
09/07/2016	5,00	194.900	16,0	SEBA KLL-Q
09/07/2016	5,50	197.800	15,9	SEBA KLL-Q
09/07/2016	6,00	198.600	15,9	SEBA KLL-Q
09/07/2016	7,00	199.000	15,7	SEBA KLL-Q
09/07/2016	8,00	199.100	15,5	SEBA KLL-Q
09/07/2016	9,00	211.800	15,4	SEBA KLL-Q
09/07/2016	10,00	215.500	15,4	SEBA KLL-Q
09/07/2016	12,00	222.900	15,4	SEBA KLL-Q
09/07/2016	14,00	226.400	15,4	SEBA KLL-Q
09/07/2016	16,00	227.500	15,4	SEBA KLL-Q
09/07/2016	20,00	228.100	15,4	SEBA KLL-Q
09/07/2016	25,00	228.100	15,4	SEBA KLL-Q
09/07/2016	30,00	228.000	15,5	SEBA KLL-Q
09/07/2016	35,00	228.100	15,7	SEBA KLL-Q
09/07/2016	40,00	228.000	15,9	SEBA KLL-Q
09/07/2016	41,00	159.900	16,0	SEBA KLL-Q
08/10/2016	0,85	60.335	16,6	SEBA KLL-Q
08/10/2016	1,00	60.389	16,5	SEBA KLL-Q
08/10/2016	1,50	60.421	15,2	SEBA KLL-Q
08/10/2016	2,00	82.985	14,1	SEBA KLL-Q
08/10/2016	2,20	90.265	13,9	SEBA KLL-Q
08/10/2016	2,40	99.139	13,9	SEBA KLL-Q
08/10/2016	2,60	108.375	13,9	SEBA KLL-Q
08/10/2016	2,80	116.881	14,0	SEBA KLL-Q
08/10/2016	3,00	130.959	14,1	SEBA KLL-Q
08/10/2016	3,20	153.690	14,2	SEBA KLL-Q
08/10/2016	3,40	165.228	14,3	SEBA KLL-Q
08/10/2016	3,60	172.595	14,5	SEBA KLL-Q
08/10/2016	3,80	180.419	14,6	SEBA KLL-Q
08/10/2016	4,00	184.092	14,8	SEBA KLL-Q
08/10/2016	4,20	187.938	14,9	SEBA KLL-Q
08/10/2016	4,40	188.139	15,0	SEBA KLL-Q
08/10/2016	4,60	188.179	15,1	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/10/2016	4,80	199.508	15,2	SEBA KLL-Q
08/10/2016	5,00	201.348	15,3	SEBA KLL-Q
08/10/2016	5,20	202.643	15,4	SEBA KLL-Q
08/10/2016	5,40	203.947	15,4	SEBA KLL-Q
08/10/2016	5,60	204.375	15,4	SEBA KLL-Q
08/10/2016	5,80	204.684	15,5	SEBA KLL-Q
08/10/2016	6,00	204.871	15,5	SEBA KLL-Q
08/10/2016	6,50	205.149	15,6	SEBA KLL-Q
08/10/2016	7,00	205.110	15,6	SEBA KLL-Q
08/10/2016	7,50	205.128	15,6	SEBA KLL-Q
08/10/2016	8,00	205.049	15,6	SEBA KLL-Q
08/10/2016	8,50	205.076	15,5	SEBA KLL-Q
08/10/2016	9,00	217.876	15,5	SEBA KLL-Q
08/10/2016	9,20	218.675	15,5	SEBA KLL-Q
08/10/2016	9,40	219.108	15,5	SEBA KLL-Q
08/10/2016	9,60	219.521	15,5	SEBA KLL-Q
08/10/2016	9,80	219.100	15,4	SEBA KLL-Q
08/10/2016	10,00	221.891	15,4	SEBA KLL-Q
08/10/2016	10,20	221.960	15,5	SEBA KLL-Q
08/10/2016	10,40	222.572	15,4	SEBA KLL-Q
08/10/2016	10,60	224.857	15,4	SEBA KLL-Q
08/10/2016	10,80	225.201	15,4	SEBA KLL-Q
08/10/2016	11,00	225.478	15,4	SEBA KLL-Q
08/10/2016	11,50	226.809	15,4	SEBA KLL-Q
08/10/2016	12,00	229.464	15,4	SEBA KLL-Q
08/10/2016	13,00	231.823	15,4	SEBA KLL-Q
08/10/2016	14,00	233.073	15,4	SEBA KLL-Q
08/10/2016	15,00	233.820	15,4	SEBA KLL-Q
08/10/2016	16,00	234.363	15,4	SEBA KLL-Q
08/10/2016	17,00	234.899	15,4	SEBA KLL-Q
08/10/2016	18,00	235.050	15,4	SEBA KLL-Q
08/10/2016	20,00	235.138	15,4	SEBA KLL-Q
08/10/2016	22,00	235.125	15,4	SEBA KLL-Q
08/10/2016	24,00	235.090	15,4	SEBA KLL-Q
08/10/2016	26,00	235.203	15,5	SEBA KLL-Q
08/10/2016	28,00	235.109	15,5	SEBA KLL-Q
08/10/2016	30,00	235.168	15,5	SEBA KLL-Q
08/10/2016	32,00	235.150	15,6	SEBA KLL-Q
08/10/2016	34,00	235.193	15,7	SEBA KLL-Q
08/10/2016	36,00	235.055	15,8	SEBA KLL-Q
08/10/2016	38,00	235.181	15,9	SEBA KLL-Q
08/10/2016	40,00	235.214	15,9	SEBA KLL-Q
08/10/2016	41,10	202.319	16,0	SEBA KLL-Q
15/01/2017	1,00	55.670	22,1	SEBA KLL-Q
15/01/2017	1,20	56.790	21,0	SEBA KLL-Q
15/01/2017	1,40	61.270	19,5	SEBA KLL-Q
15/01/2017	1,60	66.050	18,4	SEBA KLL-Q
15/01/2017	1,80	77.980	17,6	SEBA KLL-Q
15/01/2017	2,00	91.150	17,1	SEBA KLL-Q
15/01/2017	2,20	101.000	16,7	SEBA KLL-Q
15/01/2017	2,40	111.000	16,4	SEBA KLL-Q
15/01/2017	2,60	119.700	16,2	SEBA KLL-Q
15/01/2017	2,80	130.800	16,0	SEBA KLL-Q
15/01/2017	3,00	148.800	15,8	SEBA KLL-Q
15/01/2017	3,20	169.600	15,6	SEBA KLL-Q
15/01/2017	3,40	181.700	15,5	SEBA KLL-Q
15/01/2017	3,60	190.500	15,4	SEBA KLL-Q
15/01/2017	3,80	197.600	15,3	SEBA KLL-Q
15/01/2017	4,00	201.900	15,2	SEBA KLL-Q
15/01/2017	4,20	205.700	15,2	SEBA KLL-Q
15/01/2017	4,40	205.700	15,2	SEBA KLL-Q
15/01/2017	4,60	209.700	15,2	SEBA KLL-Q
15/01/2017	4,80	219.400	15,2	SEBA KLL-Q
15/01/2017	5,00	221.400	15,1	SEBA KLL-Q
15/01/2017	5,20	222.500	15,2	SEBA KLL-Q
15/01/2017	5,50	224.200	15,2	SEBA KLL-Q
15/01/2017	6,00	224.900	15,2	SEBA KLL-Q
15/01/2017	7,00	225.000	15,4	SEBA KLL-Q
15/01/2017	9,00	238.200	15,5	SEBA KLL-Q
15/01/2017	10,00	244.300	15,4	SEBA KLL-Q
15/01/2017	11,00	248.500	15,4	SEBA KLL-Q
15/01/2017	12,00	252.800	15,4	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
15/01/2017	13,00	255.500	15,4	SEBA KLL-Q
15/01/2017	15,00	257.800	15,4	SEBA KLL-Q
15/01/2017	17,00	259.000	15,4	SEBA KLL-Q
15/01/2017	19,00	259.100	15,4	SEBA KLL-Q
15/01/2017	21,00	259.100	15,4	SEBA KLL-Q
15/01/2017	23,00	259.100	15,4	SEBA KLL-Q
15/01/2017	25,00	259.100	15,5	SEBA KLL-Q
15/01/2017	27,00	259.100	15,5	SEBA KLL-Q
15/01/2017	29,00	259.100	15,5	SEBA KLL-Q
15/01/2017	31,00	259.100	15,6	SEBA KLL-Q
15/01/2017	33,00	259.100	15,6	SEBA KLL-Q
15/01/2017	35,00	259.100	15,7	SEBA KLL-Q
15/01/2017	37,00	259.000	15,8	SEBA KLL-Q
15/01/2017	39,00	259.000	15,9	SEBA KLL-Q
15/01/2017	41,00	258.800	15,9	SEBA KLL-Q
07/04/2017	1,00	69.900	20,2	TLC-107 SONDA 1
07/04/2017	2,00	76.400	18,7	TLC-107 SONDA 1
07/04/2017	2,50	99.100	19,9	TLC-107 SONDA 1
07/04/2017	2,70	119.300	17,6	TLC-107 SONDA 1
07/04/2017	2,90	134.100	17,5	TLC-107 SONDA 1
07/04/2017	3,10	152.100	17,2	TLC-107 SONDA 1
07/04/2017	3,30	159.900	17,1	TLC-107 SONDA 1
07/04/2017	3,50	179.400	16,9	TLC-107 SONDA 1
07/04/2017	3,70	184.700	16,8	TLC-107 SONDA 1
07/04/2017	3,90	189.300	16,5	TLC-107 SONDA 1
07/04/2017	4,10	194.300	16,4	TLC-107 SONDA 1
07/04/2017	4,30	202.300	16,2	TLC-107 SONDA 1
07/04/2017	4,50	204.000	16,2	TLC-107 SONDA 1
07/04/2017	4,70	209.700	16,1	TLC-107 SONDA 1
07/04/2017	4,90	216.400	16,0	TLC-107 SONDA 1
07/04/2017	5,10	224.700	15,9	TLC-107 SONDA 1
07/04/2017	5,30	230.500	15,9	TLC-107 SONDA 1
07/04/2017	5,50	239.000	15,8	TLC-107 SONDA 1
07/04/2017	5,70	245.100	15,8	TLC-107 SONDA 1
07/04/2017	5,90	250.400	15,8	TLC-107 SONDA 1
07/04/2017	6,10	252.800	15,7	TLC-107 SONDA 1
07/04/2017	6,30	257.600	15,7	TLC-107 SONDA 1
07/04/2017	6,50	260.800	15,7	TLC-107 SONDA 1
07/04/2017	7,00	262.600	15,7	TLC-107 SONDA 1
07/04/2017	8,00	263.700	15,7	TLC-107 SONDA 1
07/04/2017	10,00	270.500	15,7	TLC-107 SONDA 1
07/04/2017	12,00	273.100	15,7	TLC-107 SONDA 1
07/04/2017	14,00	274.700	15,7	TLC-107 SONDA 1
07/04/2017	16,00	274.900	15,7	TLC-107 SONDA 1
07/04/2017	19,00	275.300	15,7	TLC-107 SONDA 1
07/04/2017	20,00	275.700	15,7	TLC-107 SONDA 1
07/04/2017	22,00	276.400	15,7	TLC-107 SONDA 1
07/04/2017	24,00	276.800	15,7	TLC-107 SONDA 1
07/04/2017	26,00	277.400	15,7	TLC-107 SONDA 1
07/04/2017	28,00	277.000	15,8	TLC-107 SONDA 1
07/04/2017	30,00	277.700	15,8	TLC-107 SONDA 1
07/04/2017	32,00	277.000	15,9	TLC-107 SONDA 1
07/04/2017	34,00	277.700	15,9	TLC-107 SONDA 1
07/04/2017	36,00	277.500	16,0	TLC-107 SONDA 1
07/04/2017	38,00	276.900	16,1	TLC-107 SONDA 1
07/04/2017	40,00	277.400	16,1	TLC-107 SONDA 1
07/04/2017	42,00	276.700	16,1	TLC-107 SONDA 1
26/07/2017	0,80	79.310	10,8	SEBA KLL-Q
26/07/2017	1,00	79.050	10,8	SEBA KLL-Q
26/07/2017	1,20	79.010	10,8	SEBA KLL-Q
26/07/2017	1,40	78.970	10,8	SEBA KLL-Q
26/07/2017	1,60	78.940	10,8	SEBA KLL-Q
26/07/2017	1,80	79.520	11,0	SEBA KLL-Q
26/07/2017	2,00	88.680	12,4	SEBA KLL-Q
26/07/2017	2,20	94.470	13,0	SEBA KLL-Q
26/07/2017	2,40	103.900	13,5	SEBA KLL-Q
26/07/2017	2,60	114.200	13,9	SEBA KLL-Q
26/07/2017	2,80	130.600	14,3	SEBA KLL-Q
26/07/2017	3,00	147.500	14,6	SEBA KLL-Q
26/07/2017	3,20	164.000	14,8	SEBA KLL-Q
26/07/2017	3,40	176.400	15,1	SEBA KLL-Q
26/07/2017	3,60	185.700	15,3	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/07/2017	3,80	193.500	15,4	SEBA KLL-Q
26/07/2017	4,00	197.900	15,5	SEBA KLL-Q
26/07/2017	4,20	199.900	15,6	SEBA KLL-Q
26/07/2017	4,40	201.900	15,7	SEBA KLL-Q
26/07/2017	4,60	206.700	15,7	SEBA KLL-Q
26/07/2017	4,80	211.200	15,7	SEBA KLL-Q
26/07/2017	5,00	213.100	15,8	SEBA KLL-Q
26/07/2017	5,20	214.500	15,8	SEBA KLL-Q
26/07/2017	5,40	216.000	15,7	SEBA KLL-Q
26/07/2017	5,60	216.500	15,7	SEBA KLL-Q
26/07/2017	6,00	217.200	15,7	SEBA KLL-Q
26/07/2017	6,50	217.500	15,7	SEBA KLL-Q
26/07/2017	7,00	217.500	15,6	SEBA KLL-Q
26/07/2017	7,50	217.400	15,5	SEBA KLL-Q
26/07/2017	8,00	217.500	15,5	SEBA KLL-Q
26/07/2017	8,50	227.800	15,4	SEBA KLL-Q
26/07/2017	9,00	231.200	15,4	SEBA KLL-Q
26/07/2017	9,50	233.200	15,4	SEBA KLL-Q
26/07/2017	10,00	236.600	15,4	SEBA KLL-Q
26/07/2017	10,50	239.000	15,4	SEBA KLL-Q
26/07/2017	11,00	240.200	15,4	SEBA KLL-Q
26/07/2017	11,50	241.700	15,4	SEBA KLL-Q
26/07/2017	12,00	244.400	15,4	SEBA KLL-Q
26/07/2017	13,00	246.900	15,4	SEBA KLL-Q
26/07/2017	14,00	248.400	15,3	SEBA KLL-Q
26/07/2017	15,00	249.100	15,3	SEBA KLL-Q
26/07/2017	16,00	249.900	15,3	SEBA KLL-Q
26/07/2017	17,00	250.400	15,4	SEBA KLL-Q
26/07/2017	18,00	250.500	15,4	SEBA KLL-Q
26/07/2017	19,00	250.500	15,4	SEBA KLL-Q
26/07/2017	20,00	250.600	15,4	SEBA KLL-Q
26/07/2017	21,00	250.600	15,4	SEBA KLL-Q
26/07/2017	22,00	250.600	15,4	SEBA KLL-Q
26/07/2017	24,00	250.700	15,4	SEBA KLL-Q
26/07/2017	26,00	250.700	15,4	SEBA KLL-Q
26/07/2017	28,00	250.700	15,5	SEBA KLL-Q
26/07/2017	30,00	250.600	15,5	SEBA KLL-Q
26/07/2017	32,00	250.600	15,6	SEBA KLL-Q
26/07/2017	34,00	250.600	15,7	SEBA KLL-Q
26/07/2017	36,00	250.600	15,7	SEBA KLL-Q
26/07/2017	38,00	250.600	15,8	SEBA KLL-Q
26/07/2017	40,00	250.700	15,9	SEBA KLL-Q
26/07/2017	41,00	250.500	15,9	SEBA KLL-Q
21/10/2017	0,80	69.620	19,9	SEBA KLL-Q
21/10/2017	1,00	70.190	17,9	SEBA KLL-Q
21/10/2017	1,20	70.980	17,1	SEBA KLL-Q
21/10/2017	1,40	76.300	15,8	SEBA KLL-Q
21/10/2017	1,60	80.720	15,1	SEBA KLL-Q
21/10/2017	1,80	68.190	14,4	SEBA KLL-Q
21/10/2017	2,00	95.480	14,2	SEBA KLL-Q
21/10/2017	2,20	102.800	14,0	SEBA KLL-Q
21/10/2017	2,40	112.800	13,9	SEBA KLL-Q
21/10/2017	2,60	124.200	13,9	SEBA KLL-Q
21/10/2017	2,80	145.700	13,9	SEBA KLL-Q
21/10/2017	3,00	165.300	13,9	SEBA KLL-Q
21/10/2017	3,20	182.800	14,0	SEBA KLL-Q
21/10/2017	3,40	196.900	14,1	SEBA KLL-Q
21/10/2017	3,60	207.700	14,2	SEBA KLL-Q
21/10/2017	3,80	216.400	14,3	SEBA KLL-Q
21/10/2017	4,00	221.500	14,4	SEBA KLL-Q
21/10/2017	4,20	223.600	14,5	SEBA KLL-Q
21/10/2017	4,40	224.200	14,6	SEBA KLL-Q
21/10/2017	4,60	233.100	14,8	SEBA KLL-Q
21/10/2017	4,80	237.100	14,8	SEBA KLL-Q
21/10/2017	5,00	239.900	14,9	SEBA KLL-Q
21/10/2017	5,20	241.400	15,0	SEBA KLL-Q
21/10/2017	5,40	242.900	15,1	SEBA KLL-Q
21/10/2017	5,60	243.600	15,1	SEBA KLL-Q
21/10/2017	5,80	244.300	15,2	SEBA KLL-Q
21/10/2017	6,00	244.600	15,2	SEBA KLL-Q
21/10/2017	6,50	245.100	15,3	SEBA KLL-Q
21/10/2017	7,00	245.000	15,4	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/10/2017	7,50	245.600	15,4	SEBA KLL-Q
21/10/2017	8,00	244.900	15,4	SEBA KLL-Q
21/10/2017	8,50	256.400	15,4	SEBA KLL-Q
21/10/2017	9,00	259.100	15,4	SEBA KLL-Q
21/10/2017	9,50	260.400	15,4	SEBA KLL-Q
21/10/2017	10,00	264.400	15,4	SEBA KLL-Q
21/10/2017	10,50	266.300	15,4	SEBA KLL-Q
21/10/2017	11,00	267.100	15,3	SEBA KLL-Q
21/10/2017	11,50	267.600	15,3	SEBA KLL-Q
21/10/2017	12,00	269.700	15,3	SEBA KLL-Q
21/10/2017	14,00	271.800	15,3	SEBA KLL-Q
21/10/2017	16,00	273.900	15,3	SEBA KLL-Q
21/10/2017	17,00	273.000	15,3	SEBA KLL-Q
21/10/2017	18,00	273.100	15,3	SEBA KLL-Q
21/10/2017	19,00	272.500	15,3	SEBA KLL-Q
21/10/2017	20,00	271.800	15,3	SEBA KLL-Q
21/10/2017	22,00	271.500	15,3	SEBA KLL-Q
21/10/2017	24,00	270.300	15,4	SEBA KLL-Q
21/10/2017	26,00	268.400	15,4	SEBA KLL-Q
21/10/2017	28,00	267.200	15,4	SEBA KLL-Q
21/10/2017	30,00	265.600	15,5	SEBA KLL-Q
21/10/2017	32,00	264.600	15,5	SEBA KLL-Q
21/10/2017	34,00	263.600	15,6	SEBA KLL-Q
21/10/2017	36,00	262.600	15,7	SEBA KLL-Q
21/10/2017	38,00	261.400	15,8	SEBA KLL-Q
21/10/2017	40,00	259.700	15,8	SEBA KLL-Q
21/10/2017	41,00	258.200	15,8	SEBA KLL-Q
10/01/2018	1,00	51.640	20,83	SEBA KLL-Q
10/01/2018	1,20	51.630	19,85	SEBA KLL-Q
10/01/2018	1,40	58.990	18,81	SEBA KLL-Q
10/01/2018	1,60	63.730	17,98	SEBA KLL-Q
10/01/2018	1,80	72.370	17,37	SEBA KLL-Q
10/01/2018	2,00	80.670	16,94	SEBA KLL-Q
10/01/2018	2,20	86.990	16,59	SEBA KLL-Q
10/01/2018	2,40	96.510	16,30	SEBA KLL-Q
10/01/2018	2,60	105.800	16,01	SEBA KLL-Q
10/01/2018	2,80	122.000	15,83	SEBA KLL-Q
10/01/2018	3,00	138.900	15,69	SEBA KLL-Q
10/01/2018	3,20	154.200	15,52	SEBA KLL-Q
10/01/2018	3,40	165.000	15,36	SEBA KLL-Q
10/01/2018	3,60	174.700	15,29	SEBA KLL-Q
10/01/2018	3,80	181.600	15,20	SEBA KLL-Q
10/01/2018	4,00	185.800	15,14	SEBA KLL-Q
10/01/2018	4,20	187.800	15,11	SEBA KLL-Q
10/01/2018	4,40	190.800	15,10	SEBA KLL-Q
10/01/2018	4,60	196.100	15,10	SEBA KLL-Q
10/01/2018	4,80	199.200	15,10	SEBA KLL-Q
10/01/2018	5,00	200.600	15,12	SEBA KLL-Q
10/01/2018	5,20	201.900	15,10	SEBA KLL-Q
10/01/2018	5,40	203.200	15,16	SEBA KLL-Q
10/01/2018	5,60	204.000	15,15	SEBA KLL-Q
10/01/2018	5,80	204.500	15,18	SEBA KLL-Q
10/01/2018	6,00	204.900	15,23	SEBA KLL-Q
10/01/2018	6,50	205.300	15,32	SEBA KLL-Q
10/01/2018	7,00	205.100	15,41	SEBA KLL-Q
10/01/2018	7,50	205.500	15,45	SEBA KLL-Q
10/01/2018	8,00	205.500	15,43	SEBA KLL-Q
10/01/2018	8,50	214.600	15,48	SEBA KLL-Q
10/01/2018	9,00	217.600	15,60	SEBA KLL-Q
10/01/2018	9,50	218.400	15,58	SEBA KLL-Q
10/01/2018	10,00	221.600	15,55	SEBA KLL-Q
10/01/2018	10,50	223.700	15,53	SEBA KLL-Q
10/01/2018	11,00	224.600	15,57	SEBA KLL-Q
10/01/2018	11,50	225.200	15,55	SEBA KLL-Q
10/01/2018	12,00	227.800	15,51	SEBA KLL-Q
10/01/2018	14,00	230.600	15,50	SEBA KLL-Q
10/01/2018	16,00	231.200	15,49	SEBA KLL-Q
10/01/2018	18,00	231.600	15,48	SEBA KLL-Q
10/01/2018	20,00	231.400	15,52	SEBA KLL-Q
10/01/2018	22,00	231.500	15,52	SEBA KLL-Q
10/01/2018	24,00	230.800	15,57	SEBA KLL-Q
10/01/2018	26,00	230.800	15,60	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
10/01/2018	28,00	230.500	15,65	SEBA KLL-Q
10/01/2018	30,00	230.400	15,70	SEBA KLL-Q
10/01/2018	32,00	230.500	15,75	SEBA KLL-Q
10/01/2018	34,00	230.300	15,77	SEBA KLL-Q
10/01/2018	36,00	229.800	15,90	SEBA KLL-Q
10/01/2018	38,00	229.800	15,98	SEBA KLL-Q
10/01/2018	40,00	227.500	16,03	SEBA KLL-Q
10/01/2018	41,00	224.600	16,04	SEBA KLL-Q
04/04/2018	1,00	48.210	18,39	SEBA KLL-Q
04/04/2018	2,00	76.920	17,65	SEBA KLL-Q
04/04/2018	2,20	83.540	17,40	SEBA KLL-Q
04/04/2018	2,40	92.300	17,18	SEBA KLL-Q
04/04/2018	2,60	102.700	16,98	SEBA KLL-Q
04/04/2018	2,80	115.400	16,84	SEBA KLL-Q
04/04/2018	3,00	130.900	16,66	SEBA KLL-Q
04/04/2018	3,20	140.500	16,50	SEBA KLL-Q
04/04/2018	3,40	152.200	16,31	SEBA KLL-Q
04/04/2018	3,60	160.700	16,14	SEBA KLL-Q
04/04/2018	3,80	166.300	16,01	SEBA KLL-Q
04/04/2018	4,00	169.800	15,88	SEBA KLL-Q
04/04/2018	4,20	171.300	15,76	SEBA KLL-Q
04/04/2018	4,40	174.200	15,65	SEBA KLL-Q
04/04/2018	4,60	179.300	15,57	SEBA KLL-Q
04/04/2018	4,80	181.900	15,49	SEBA KLL-Q
04/04/2018	5,00	183.500	15,42	SEBA KLL-Q
04/04/2018	5,20	184.500	15,37	SEBA KLL-Q
04/04/2018	5,40	185.600	15,33	SEBA KLL-Q
04/04/2018	5,60	186.100	15,29	SEBA KLL-Q
04/04/2018	5,80	186.200	15,28	SEBA KLL-Q
04/04/2018	6,00	186.700	15,25	SEBA KLL-Q
04/04/2018	6,20	186.800	15,25	SEBA KLL-Q
04/04/2018	6,40	187.000	15,24	SEBA KLL-Q
04/04/2018	6,60	186.900	15,26	SEBA KLL-Q
04/04/2018	6,80	187.000	15,25	SEBA KLL-Q
04/04/2018	7,00	187.000	15,26	SEBA KLL-Q
04/04/2018	7,50	186.900	15,27	SEBA KLL-Q
04/04/2018	8,00	186.900	15,29	SEBA KLL-Q
04/04/2018	8,50	194.700	15,33	SEBA KLL-Q
04/04/2018	9,00	199.400	15,35	SEBA KLL-Q
04/04/2018	9,50	199.900	15,37	SEBA KLL-Q
04/04/2018	10,00	202.900	15,38	SEBA KLL-Q
04/04/2018	11,00	206.500	15,40	SEBA KLL-Q
04/04/2018	12,00	209.900	15,39	SEBA KLL-Q
04/04/2018	13,00	212.300	15,39	SEBA KLL-Q
04/04/2018	14,00	213.300	15,40	SEBA KLL-Q
04/04/2018	16,00	214.700	15,39	SEBA KLL-Q
04/04/2018	18,00	215.200	15,40	SEBA KLL-Q
04/04/2018	20,00	215.300	15,41	SEBA KLL-Q
04/04/2018	22,00	215.300	15,43	SEBA KLL-Q
04/04/2018	24,00	215.200	15,44	SEBA KLL-Q
04/04/2018	26,00	215.200	15,48	SEBA KLL-Q
04/04/2018	28,00	215.100	15,50	SEBA KLL-Q
04/04/2018	30,00	215.100	15,54	SEBA KLL-Q
04/04/2018	32,00	215.100	15,64	SEBA KLL-Q
04/04/2018	34,00	215.000	15,72	SEBA KLL-Q
04/04/2018	36,00	215.000	15,79	SEBA KLL-Q
04/04/2018	38,00	215.000	15,85	SEBA KLL-Q
04/04/2018	40,00	214.900	15,90	SEBA KLL-Q
04/04/2018	40,90	214.800	15,92	SEBA KLL-Q
25/07/2018	0,85	60.620	11,45	SEBA KLL-Q
25/07/2018	1,05	60.090	11,58	SEBA KLL-Q
25/07/2018	1,25	60.140	11,01	SEBA KLL-Q
25/07/2018	1,55	62.370	11,40	SEBA KLL-Q
25/07/2018	2,05	90.500	12,51	SEBA KLL-Q
25/07/2018	2,55	115.000	13,65	SEBA KLL-Q
25/07/2018	3,05	148.900	14,33	SEBA KLL-Q
25/07/2018	3,55	193.100	15,03	SEBA KLL-Q
25/07/2018	3,75	203.700	15,21	SEBA KLL-Q
25/07/2018	3,95	201.100	15,36	SEBA KLL-Q
25/07/2018	4,45	215.300	15,55	SEBA KLL-Q
25/07/2018	4,95	232.500	15,71	SEBA KLL-Q
25/07/2018	5,45	236.700	15,73	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
25/07/2018	5,95	238.000	15,70	SEBA KLL-Q
25/07/2018	6,45	238.900	15,69	SEBA KLL-Q
25/07/2018	7,45	239.300	15,61	SEBA KLL-Q
25/07/2018	8,45	239.700	15,55	SEBA KLL-Q
25/07/2018	9,45	257.400	15,54	SEBA KLL-Q
25/07/2018	9,95	261.600	15,53	SEBA KLL-Q
25/07/2018	10,45	264.300	15,53	SEBA KLL-Q
25/07/2018	10,95	266.200	15,52	SEBA KLL-Q
25/07/2018	11,45	267.100	15,56	SEBA KLL-Q
25/07/2018	12,45	271.300	15,56	SEBA KLL-Q
25/07/2018	13,45	274.800	15,52	SEBA KLL-Q
25/07/2018	14,45	275.300	15,53	SEBA KLL-Q
25/07/2018	15,45	276.300	15,54	SEBA KLL-Q
25/07/2018	17,45	275.700	15,54	SEBA KLL-Q
25/07/2018	19,45	275.200	15,55	SEBA KLL-Q
22/08/2018	1,00	60.920	11,50	SEBA KLL-Q
22/08/2018	1,50	61.160	10,71	SEBA KLL-Q
22/08/2018	2,00	87.450	12,23	SEBA KLL-Q
22/08/2018	2,50	109.000	13,11	SEBA KLL-Q
22/08/2018	3,00	139.200	13,68	SEBA KLL-Q
22/08/2018	3,20	165.400	13,89	SEBA KLL-Q
22/08/2018	3,40	177.400	14,15	SEBA KLL-Q
22/08/2018	3,60	186.700	14,39	SEBA KLL-Q
22/08/2018	3,80	196.200	14,57	SEBA KLL-Q
22/08/2018	4,00	201.200	14,76	SEBA KLL-Q
22/08/2018	4,20	205.200	14,93	SEBA KLL-Q
22/08/2018	4,40	205.200	15,03	SEBA KLL-Q
22/08/2018	4,60	207.200	15,12	SEBA KLL-Q
22/08/2018	4,80	219.700	15,21	SEBA KLL-Q
22/08/2018	5,00	221.000	15,28	SEBA KLL-Q
22/08/2018	5,20	222.300	15,35	SEBA KLL-Q
22/08/2018	5,40	223.600	15,39	SEBA KLL-Q
22/08/2018	5,60	224.300	15,40	SEBA KLL-Q
22/08/2018	5,80	224.500	15,44	SEBA KLL-Q
22/08/2018	6,00	224.700	15,48	SEBA KLL-Q
22/08/2018	6,50	224.900	15,49	SEBA KLL-Q
22/08/2018	7,00	224.700	15,50	SEBA KLL-Q
22/08/2018	8,00	224.200	15,49	SEBA KLL-Q
22/08/2018	9,00	237.500	15,46	SEBA KLL-Q
22/08/2018	9,50	239.600	15,47	SEBA KLL-Q
22/08/2018	10,00	243.100	15,45	SEBA KLL-Q
22/08/2018	11,00	246.100	15,44	SEBA KLL-Q
22/08/2018	12,00	249.100	15,46	SEBA KLL-Q
22/08/2018	14,00	251.800	15,48	SEBA KLL-Q
22/08/2018	16,00	253.300	15,49	SEBA KLL-Q
22/08/2018	18,00	252.600	15,46	SEBA KLL-Q
22/08/2018	20,00	252.000	15,49	SEBA KLL-Q
22/08/2018	22,00	251.800	15,52	SEBA KLL-Q
22/08/2018	24,00	252.500	15,51	SEBA KLL-Q
22/08/2018	26,00	252.600	15,56	SEBA KLL-Q
22/08/2018	28,00	251.700	15,60	SEBA KLL-Q
22/08/2018	30,00	251.000	15,59	SEBA KLL-Q
22/08/2018	32,00	250.500	15,68	SEBA KLL-Q
22/08/2018	34,00	250.600	15,77	SEBA KLL-Q
22/08/2018	37,00	249.900	15,90	SEBA KLL-Q
22/08/2018	40,00	249.300	16,00	SEBA KLL-Q
22/08/2018	40,80	249.200	16,00	SEBA KLL-Q
09/09/2018	0,83	61.700	12,30	SEBA KLL-Q
09/09/2018	1,00	62.000	12,78	SEBA KLL-Q
09/09/2018	1,20	62.020	12,71	SEBA KLL-Q
09/09/2018	1,40	62.310	12,36	SEBA KLL-Q
09/09/2018	1,60	62.610	12,28	SEBA KLL-Q
09/09/2018	1,80	81.330	12,43	SEBA KLL-Q
09/09/2018	2,00	92.360	12,60	SEBA KLL-Q
09/09/2018	2,20	99.990	12,80	SEBA KLL-Q
09/09/2018	2,40	110.500	12,88	SEBA KLL-Q
09/09/2018	2,60	118.400	13,22	SEBA KLL-Q
09/09/2018	2,80	130.700	13,42	SEBA KLL-Q
09/09/2018	3,00	146.100	13,60	SEBA KLL-Q
09/09/2018	3,20	169.500	13,80	SEBA KLL-Q
09/09/2018	3,40	181.100	13,96	SEBA KLL-Q
09/09/2018	3,60	190.900	14,21	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/09/2018	3,80	200.800	14,42	SEBA KLL-Q
09/09/2018	4,00	204.800	14,50	SEBA KLL-Q
09/09/2018	4,20	208.700	14,71	SEBA KLL-Q
09/09/2018	4,40	209.000	14,77	SEBA KLL-Q
09/09/2018	4,60	210.000	14,86	SEBA KLL-Q
09/09/2018	4,80	223.600	14,98	SEBA KLL-Q
09/09/2018	5,00	225.700	15,08	SEBA KLL-Q
09/09/2018	5,20	226.500	15,12	SEBA KLL-Q
09/09/2018	5,40	227.800	15,17	SEBA KLL-Q
09/09/2018	5,60	228.300	15,20	SEBA KLL-Q
09/09/2018	5,80	228.800	15,24	SEBA KLL-Q
09/09/2018	6,00	229.200	15,30	SEBA KLL-Q
09/09/2018	6,50	229.300	15,36	SEBA KLL-Q
09/09/2018	7,00	229.500	15,40	SEBA KLL-Q
09/09/2018	8,00	229.700	15,39	SEBA KLL-Q
09/09/2018	10,00	248.900	15,39	SEBA KLL-Q
09/09/2018	11,00	252.100	15,40	SEBA KLL-Q
09/09/2018	12,00	253.400	15,37	SEBA KLL-Q
09/09/2018	13,00	258.900	15,38	SEBA KLL-Q
09/09/2018	14,00	259.100	15,39	SEBA KLL-Q
09/09/2018	15,00	259.200	15,40	SEBA KLL-Q
09/09/2018	16,00	257.800	15,41	SEBA KLL-Q
09/09/2018	18,00	254.400	15,40	SEBA KLL-Q
09/09/2018	20,00	252.600	15,43	SEBA KLL-Q
09/09/2018	22,00	251.400	15,45	SEBA KLL-Q
09/09/2018	24,00	250.600	15,46	SEBA KLL-Q
09/09/2018	26,00	250.000	15,53	SEBA KLL-Q
09/09/2018	28,00	248.800	15,55	SEBA KLL-Q
09/09/2018	30,00	248.500	15,58	SEBA KLL-Q
09/09/2018	32,00	247.500	15,65	SEBA KLL-Q
09/09/2018	34,00	247.000	15,75	SEBA KLL-Q
09/09/2018	36,00	246.400	15,83	SEBA KLL-Q
09/09/2018	38,00	246.200	15,90	SEBA KLL-Q
09/09/2018	40,00	246.000	15,92	SEBA KLL-Q
09/09/2018	40,80	245.500	15,94	SEBA KLL-Q
28/11/2018	0,90	57.780	19,56	SEBA KLL-Q
28/11/2018	1,00	58.020	19,58	SEBA KLL-Q
28/11/2018	1,20	58.280	19,78	SEBA KLL-Q
28/11/2018	1,40	58.280	18,25	SEBA KLL-Q
28/11/2018	1,60	58.500	16,98	SEBA KLL-Q
28/11/2018	1,80	62.760	16,17	SEBA KLL-Q
28/11/2018	2,00	77.510	15,70	SEBA KLL-Q
28/11/2018	2,50	97.110	15,14	SEBA KLL-Q
28/11/2018	3,00	119.100	14,94	SEBA KLL-Q
28/11/2018	3,20	143.800	14,51	SEBA KLL-Q
28/11/2018	3,40	155.100	14,43	SEBA KLL-Q
28/11/2018	3,60	163.200	14,43	SEBA KLL-Q
28/11/2018	3,80	174.200	14,42	SEBA KLL-Q
28/11/2018	4,00	175.500	14,40	SEBA KLL-Q
28/11/2018	4,20	179.500	14,43	SEBA KLL-Q
28/11/2018	4,40	179.800	14,43	SEBA KLL-Q
28/11/2018	4,60	182.800	14,53	SEBA KLL-Q
28/11/2018	4,80	193.500	14,58	SEBA KLL-Q
28/11/2018	5,00	195.500	14,64	SEBA KLL-Q
28/11/2018	5,20	196.000	14,70	SEBA KLL-Q
28/11/2018	5,40	198.200	14,75	SEBA KLL-Q
28/11/2018	5,60	198.900	14,75	SEBA KLL-Q
28/11/2018	5,80	199.500	14,83	SEBA KLL-Q
28/11/2018	6,00	200.200	14,90	SEBA KLL-Q
28/11/2018	6,20	200.800	15,04	SEBA KLL-Q
28/11/2018	6,40	204.600	15,11	SEBA KLL-Q
28/11/2018	6,60	208.600	15,14	SEBA KLL-Q
28/11/2018	6,80	213.500	15,15	SEBA KLL-Q
28/11/2018	7,00	223.600	15,15	SEBA KLL-Q
28/11/2018	7,50	226.500	15,16	SEBA KLL-Q
28/11/2018	8,00	229.300	15,19	SEBA KLL-Q
28/11/2018	8,50	236.400	15,19	SEBA KLL-Q
28/11/2018	9,00	238.500	15,31	SEBA KLL-Q
28/11/2018	10,00	240.500	15,35	SEBA KLL-Q
28/11/2018	11,00	240.500	15,35	SEBA KLL-Q
28/11/2018	12,00	246.200	15,35	SEBA KLL-Q
28/11/2018	14,00	247.500	15,37	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
28/11/2018	16,00	249.100	15,38	SEBA KLL-Q
28/11/2018	18,00	249.100	15,40	SEBA KLL-Q
28/11/2018	20,00	249.900	15,45	SEBA KLL-Q
28/11/2018	22,00	250.000	15,42	SEBA KLL-Q
28/11/2018	24,00	250.200	15,46	SEBA KLL-Q
28/11/2018	26,00	250.200	15,48	SEBA KLL-Q
28/11/2018	28,00	250.200	15,51	SEBA KLL-Q
28/11/2018	30,00	250.200	15,56	SEBA KLL-Q
28/11/2018	32,00	250.200	15,62	SEBA KLL-Q
28/11/2018	34,00	250.000	15,64	SEBA KLL-Q
28/11/2018	36,00	250.000	15,70	SEBA KLL-Q
15/01/2019	0,84	50.740	20,60	SEBA KLL-Q
15/01/2019	1,00	51.270	21,23	SEBA KLL-Q
15/01/2019	1,20	51.680	20,15	SEBA KLL-Q
15/01/2019	1,40	52.280	19,26	SEBA KLL-Q
15/01/2019	1,60	55.930	18,17	SEBA KLL-Q
15/01/2019	1,80	61.340	17,50	SEBA KLL-Q
15/01/2019	2,00	76.300	17,00	SEBA KLL-Q
15/01/2019	2,20	84.290	16,60	SEBA KLL-Q
15/01/2019	2,40	97.070	16,08	SEBA KLL-Q
15/01/2019	2,60	103.000	15,80	SEBA KLL-Q
15/01/2019	2,80	109.800	15,70	SEBA KLL-Q
15/01/2019	3,00	123.200	15,70	SEBA KLL-Q
15/01/2019	3,20	142.200	15,35	SEBA KLL-Q
15/01/2019	3,40	152.700	15,20	SEBA KLL-Q
15/01/2019	3,60	159.700	15,08	SEBA KLL-Q
15/01/2019	3,80	168.600	14,98	SEBA KLL-Q
15/01/2019	4,00	172.000	14,92	SEBA KLL-Q
15/01/2019	4,50	175.500	14,85	SEBA KLL-Q
15/01/2019	5,00	191.000	14,79	SEBA KLL-Q
15/01/2019	5,50	193.400	14,82	SEBA KLL-Q
15/01/2019	6,00	194.200	14,95	SEBA KLL-Q
15/01/2019	6,50	194.100	15,05	SEBA KLL-Q
15/01/2019	7,00	194.100	15,09	SEBA KLL-Q
15/01/2019	7,50	194.200	15,13	SEBA KLL-Q
15/01/2019	8,00	194.200	15,11	SEBA KLL-Q
15/01/2019	8,50	205.400	15,17	SEBA KLL-Q
15/01/2019	9,00	212.200	15,27	SEBA KLL-Q
15/01/2019	9,50	215.900	15,30	SEBA KLL-Q
15/01/2019	10,00	219.400	15,35	SEBA KLL-Q
15/01/2019	11,00	223.500	15,35	SEBA KLL-Q
15/01/2019	12,00	225.500	15,36	SEBA KLL-Q
15/01/2019	14,00	225.900	15,36	SEBA KLL-Q
15/01/2019	16,00	225.900	15,36	SEBA KLL-Q
15/01/2019	18,00	225.900	15,38	SEBA KLL-Q
15/01/2019	20,00	225.900	15,41	SEBA KLL-Q
15/01/2019	22,00	226.000	15,43	SEBA KLL-Q
15/01/2019	24,00	226.000	15,46	SEBA KLL-Q
15/01/2019	26,00	226.000	15,48	SEBA KLL-Q
15/01/2019	28,00	226.000	15,48	SEBA KLL-Q
15/01/2019	30,00	226.000	15,30	SEBA KLL-Q
15/01/2019	32,00	226.000	15,64	SEBA KLL-Q
15/01/2019	34,00	226.000	15,64	SEBA KLL-Q
15/01/2019	36,00	226.000	15,64	SEBA KLL-Q
22/03/2019	1,00	71.220	20,57	SEBA KLL-Q
22/03/2019	1,50	71.070	19,75	SEBA KLL-Q
22/03/2019	2,00	79.550	18,87	SEBA KLL-Q
22/03/2019	2,20	91.340	18,08	SEBA KLL-Q
22/03/2019	2,40	100.300	17,72	SEBA KLL-Q
22/03/2019	2,60	110.800	17,32	SEBA KLL-Q
22/03/2019	2,80	132.200	17,06	SEBA KLL-Q
22/03/2019	3,00	145.200	16,79	SEBA KLL-Q
22/03/2019	3,20	158.300	16,53	SEBA KLL-Q
22/03/2019	3,40	171.600	16,29	SEBA KLL-Q
22/03/2019	3,60	179.400	16,08	SEBA KLL-Q
22/03/2019	3,80	187.700	15,91	SEBA KLL-Q
22/03/2019	4,00	195.200	15,75	SEBA KLL-Q
22/03/2019	4,20	198.500	15,61	SEBA KLL-Q
22/03/2019	4,40	199.300	15,52	SEBA KLL-Q
22/03/2019	4,60	202.600	15,42	SEBA KLL-Q
22/03/2019	4,80	206.100	15,33	SEBA KLL-Q
22/03/2019	5,00	207.700	15,29	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/03/2019	5,20	209.100	15,22	SEBA KLL-Q
22/03/2019	5,40	210.400	15,18	SEBA KLL-Q
22/03/2019	5,60	210.900	15,15	SEBA KLL-Q
22/03/2019	5,80	211.700	15,12	SEBA KLL-Q
22/03/2019	6,00	211.800	15,10	SEBA KLL-Q
22/03/2019	6,50	212.000	15,12	SEBA KLL-Q
22/03/2019	7,00	211.900	15,12	SEBA KLL-Q
22/03/2019	8,00	214.400	15,17	SEBA KLL-Q
22/03/2019	9,00	225.100	15,27	SEBA KLL-Q
22/03/2019	10,00	231.900	15,33	SEBA KLL-Q
22/03/2019	12,00	239.100	15,37	SEBA KLL-Q
22/03/2019	14,00	243.200	15,38	SEBA KLL-Q
22/03/2019	16,00	245.000	15,40	SEBA KLL-Q
22/03/2019	18,00	245.700	15,41	SEBA KLL-Q
22/03/2019	20,00	245.700	15,44	SEBA KLL-Q
22/03/2019	22,00	245.800	15,46	SEBA KLL-Q
22/03/2019	24,00	245.600	15,48	SEBA KLL-Q
22/03/2019	26,00	245.800	15,51	SEBA KLL-Q
22/03/2019	28,00	246.000	15,55	SEBA KLL-Q
22/03/2019	30,00	245.800	15,60	SEBA KLL-Q
22/03/2019	33,00	246.000	15,68	SEBA KLL-Q
22/03/2019	36,00	246.800	15,82	SEBA KLL-Q
22/03/2019	39,00	246.400	15,92	SEBA KLL-Q
20/04/2019	0,80	72.970	17,02	SEBA KLL-Q
20/04/2019	1,00	73.270	17,38	SEBA KLL-Q
20/04/2019	1,50	73.680	17,58	SEBA KLL-Q
20/04/2019	2,00	84.070	17,55	SEBA KLL-Q
20/04/2019	2,20	93.310	17,84	SEBA KLL-Q
20/04/2019	2,40	102.100	17,38	SEBA KLL-Q
20/04/2019	2,60	113.200	17,22	SEBA KLL-Q
20/04/2019	2,80	135.500	17,06	SEBA KLL-Q
20/04/2019	3,00	149.000	16,91	SEBA KLL-Q
20/04/2019	3,20	161.200	16,72	SEBA KLL-Q
20/04/2019	3,40	174.200	16,53	SEBA KLL-Q
20/04/2019	3,60	182.400	16,38	SEBA KLL-Q
20/04/2019	3,80	190.400	16,18	SEBA KLL-Q
20/04/2019	4,00	198.200	16,02	SEBA KLL-Q
20/04/2019	4,20	202.800	15,09	SEBA KLL-Q
20/04/2019	4,40	203.700	15,88	SEBA KLL-Q
20/04/2019	4,60	208.100	15,77	SEBA KLL-Q
20/04/2019	4,80	208.900	15,57	SEBA KLL-Q
20/04/2019	5,00	210.700	15,50	SEBA KLL-Q
20/04/2019	5,50	213.500	15,35	SEBA KLL-Q
20/04/2019	6,00	214.300	15,24	SEBA KLL-Q
20/04/2019	7,00	214.500	15,17	SEBA KLL-Q
20/04/2019	8,00	219.100	15,21	SEBA KLL-Q
20/04/2019	10,00	234.800	15,30	SEBA KLL-Q
20/04/2019	12,00	242.100	15,36	SEBA KLL-Q
20/04/2019	14,00	246.300	15,39	SEBA KLL-Q
20/04/2019	16,00	248.000	15,41	SEBA KLL-Q
20/04/2019	18,00	248.700	15,41	SEBA KLL-Q
20/04/2019	20,00	248.700	15,42	SEBA KLL-Q
20/04/2019	22,00	248.700	15,44	SEBA KLL-Q
20/04/2019	24,00	248.600	15,47	SEBA KLL-Q
20/04/2019	26,00	248.800	15,51	SEBA KLL-Q
20/04/2019	28,00	248.700	15,55	SEBA KLL-Q
20/04/2019	30,00	248.600	15,57	SEBA KLL-Q
20/04/2019	32,00	248.500	15,66	SEBA KLL-Q
20/04/2019	34,00	248.600	15,74	SEBA KLL-Q
20/04/2019	36,00	248.600	15,82	SEBA KLL-Q
20/04/2019	38,00	248.900	15,85	SEBA KLL-Q
04/06/2019	0,80	64.440	11,19	SEBA KLL-Q
04/06/2019	1,00	65.060	11,85	SEBA KLL-Q
04/06/2019	1,50	65.910	13,19	SEBA KLL-Q
04/06/2019	2,00	82.180	14,85	SEBA KLL-Q
04/06/2019	2,20	91.670	15,37	SEBA KLL-Q
04/06/2019	2,40	99.200	15,65	SEBA KLL-Q
04/06/2019	2,60	109.600	15,86	SEBA KLL-Q
04/06/2019	2,80	129.700	16,00	SEBA KLL-Q
04/06/2019	3,00	144.200	16,08	SEBA KLL-Q
04/06/2019	3,20	155.500	16,14	SEBA KLL-Q
04/06/2019	3,40	168.200	16,16	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/06/2019	3,60	175.900	16,14	SEBA KLL-Q
04/06/2019	3,80	182.700	16,11	SEBA KLL-Q
04/06/2019	4,00	190.000	16,05	SEBA KLL-Q
04/06/2019	4,20	194.600	15,99	SEBA KLL-Q
04/06/2019	4,40	196.000	15,91	SEBA KLL-Q
04/06/2019	4,60	197.400	15,85	SEBA KLL-Q
04/06/2019	4,80	200.000	15,75	SEBA KLL-Q
04/06/2019	5,00	201.700	15,70	SEBA KLL-Q
04/06/2019	5,20	203.000	15,65	SEBA KLL-Q
04/06/2019	5,40	204.100	15,59	SEBA KLL-Q
04/06/2019	5,60	204.700	15,54	SEBA KLL-Q
04/06/2019	6,00	205.000	15,46	SEBA KLL-Q
04/06/2019	6,50	205.300	15,36	SEBA KLL-Q
04/06/2019	7,00	205.500	15,29	SEBA KLL-Q
04/06/2019	8,00	211.100	15,24	SEBA KLL-Q
04/06/2019	10,00	219.000	15,25	SEBA KLL-Q
04/06/2019	12,00	227.700	15,33	SEBA KLL-Q
04/06/2019	14,00	235.300	15,38	SEBA KLL-Q
04/06/2019	16,00	237.100	15,39	SEBA KLL-Q
04/06/2019	18,00	237.800	15,41	SEBA KLL-Q
04/06/2019	20,00	237.700	15,42	SEBA KLL-Q
04/06/2019	22,00	237.700	15,45	SEBA KLL-Q
04/06/2019	24,00	237.700	15,47	SEBA KLL-Q
04/06/2019	26,00	237.700	15,49	SEBA KLL-Q
04/06/2019	28,00	237.700	15,50	SEBA KLL-Q
04/06/2019	30,00	237.800	15,57	SEBA KLL-Q
04/06/2019	32,00	237.800	15,64	SEBA KLL-Q
04/06/2019	34,00	237.900	15,72	SEBA KLL-Q
04/06/2019	36,00	237.800	15,81	SEBA KLL-Q
04/06/2019	38,00	237.800	15,92	SEBA KLL-Q
04/06/2019	39,00	237.800	15,93	SEBA KLL-Q
04/09/2019	0,80	58.750	13,03	SEBA KLL-Q
04/09/2019	1,00	59.280	13,03	SEBA KLL-Q
04/09/2019	1,20	59.450	12,18	SEBA KLL-Q
04/09/2019	1,40	59.700	12,18	SEBA KLL-Q
04/09/2019	1,60	62.340	12,18	SEBA KLL-Q
04/09/2019	1,80	71.140	12,18	SEBA KLL-Q
04/09/2019	2,00	82.720	12,02	SEBA KLL-Q
04/09/2019	2,20	95.960	12,02	SEBA KLL-Q
04/09/2019	2,40	100.800	12,02	SEBA KLL-Q
04/09/2019	2,60	110.000	12,02	SEBA KLL-Q
04/09/2019	2,80	128.400	13,05	SEBA KLL-Q
04/09/2019	3,00	131.100	13,05	SEBA KLL-Q
04/09/2019	3,20	155.900	13,05	SEBA KLL-Q
04/09/2019	3,40	167.100	14,00	SEBA KLL-Q
04/09/2019	3,60	176.600	14,00	SEBA KLL-Q
04/09/2019	3,80	184.400	14,00	SEBA KLL-Q
04/09/2019	4,00	190.400	14,00	SEBA KLL-Q
04/09/2019	4,20	193.900	14,01	SEBA KLL-Q
04/09/2019	4,40	196.500	14,81	SEBA KLL-Q
04/09/2019	4,60	198.800	14,81	SEBA KLL-Q
04/09/2019	4,80	201.800	15,17	SEBA KLL-Q
04/09/2019	5,00	203.300	15,17	SEBA KLL-Q
04/09/2019	5,20	204.500	15,17	SEBA KLL-Q
04/09/2019	5,40	205.500	15,17	SEBA KLL-Q
04/09/2019	5,60	206.000	15,35	SEBA KLL-Q
04/09/2019	5,80	206.200	15,35	SEBA KLL-Q
04/09/2019	6,00	206.500	15,35	SEBA KLL-Q
04/09/2019	6,50	206.700	15,42	SEBA KLL-Q
04/09/2019	7,00	206.800	15,42	SEBA KLL-Q
04/09/2019	7,50	206.800	15,41	SEBA KLL-Q
04/09/2019	8,00	211.700	15,41	SEBA KLL-Q
04/09/2019	9,00	220.600	15,36	SEBA KLL-Q
04/09/2019	10,00	226.400	15,36	SEBA KLL-Q
04/09/2019	12,00	233.100	15,35	SEBA KLL-Q
04/09/2019	14,00	237.000	15,41	SEBA KLL-Q
04/09/2019	16,00	238.700	15,44	SEBA KLL-Q
04/09/2019	18,00	239.400	15,44	SEBA KLL-Q
04/09/2019	20,00	239.400	15,48	SEBA KLL-Q
04/09/2019	22,00	239.400	15,48	SEBA KLL-Q
04/09/2019	24,00	239.400	15,53	SEBA KLL-Q
04/09/2019	26,00	239.300	15,53	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-AC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/09/2019	28,00	239.400	15,55	SEBA KLL-Q
04/09/2019	32,00	239.400	15,64	SEBA KLL-Q
04/09/2019	34,00	239.300	15,78	SEBA KLL-Q
04/09/2019	36,00	239.300	15,78	SEBA KLL-Q
04/09/2019	38,00	239.300	15,95	SEBA KLL-Q
04/09/2019	40,00	239.300	15,95	SEBA KLL-Q
04/09/2019	41,00	239.200	15,95	SEBA KLL-Q
04/11/2019	0,80	57.180	20,24	SEBA KLL-Q
04/11/2019	1,00	57.840	19,80	SEBA KLL-Q
04/11/2019	1,20	57.840	18,45	SEBA KLL-Q
04/11/2019	1,40	57.840	17,18	SEBA KLL-Q
04/11/2019	1,60	57.840	16,06	SEBA KLL-Q
04/11/2019	1,80	69.140	15,34	SEBA KLL-Q
04/11/2019	2,00	82.630	14,94	SEBA KLL-Q
04/11/2019	2,20	91.570	14,71	SEBA KLL-Q
04/11/2019	2,40	99.090	14,51	SEBA KLL-Q
04/11/2019	2,60	108.400	14,30	SEBA KLL-Q
04/11/2019	2,80	125.200	14,22	SEBA KLL-Q
04/11/2019	3,00	141.300	14,17	SEBA KLL-Q
04/11/2019	3,20	153.000	14,15	SEBA KLL-Q
04/11/2019	3,40	163.600	14,16	SEBA KLL-Q
04/11/2019	3,60	172.500	14,19	SEBA KLL-Q
04/11/2019	3,80	180.200	14,25	SEBA KLL-Q
04/11/2019	4,00	186.200	14,33	SEBA KLL-Q
04/11/2019	4,20	189.900	14,39	SEBA KLL-Q
04/11/2019	4,40	192.400	14,47	SEBA KLL-Q
04/11/2019	4,60	195.600	14,55	SEBA KLL-Q
04/11/2019	4,80	198.800	14,63	SEBA KLL-Q
04/11/2019	5,00	200.700	14,71	SEBA KLL-Q
04/11/2019	5,20	201.600	14,79	SEBA KLL-Q
04/11/2019	5,40	202.700	14,85	SEBA KLL-Q
04/11/2019	5,60	203.200	14,92	SEBA KLL-Q
04/11/2019	5,80	203.500	14,97	SEBA KLL-Q
04/11/2019	6,00	203.900	15,04	SEBA KLL-Q
04/11/2019	6,50	204.100	15,18	SEBA KLL-Q
04/11/2019	7,00	204.100	15,21	SEBA KLL-Q
04/11/2019	7,50	204.100	15,22	SEBA KLL-Q
04/11/2019	8,00	208.400	15,30	SEBA KLL-Q
04/11/2019	9,00	217.800	15,32	SEBA KLL-Q
04/11/2019	10,00	223.500	15,33	SEBA KLL-Q
04/11/2019	12,00	230.200	15,34	SEBA KLL-Q
04/11/2019	14,00	234.200	15,36	SEBA KLL-Q
04/11/2019	16,00	235.900	15,39	SEBA KLL-Q
04/11/2019	18,00	236.600	15,40	SEBA KLL-Q
04/11/2019	20,00	236.700	15,42	SEBA KLL-Q
04/11/2019	22,00	236.700	15,44	SEBA KLL-Q
04/11/2019	24,00	236.700	15,47	SEBA KLL-Q
04/11/2019	26,00	236.900	15,51	SEBA KLL-Q
04/11/2019	28,00	236.800	15,55	SEBA KLL-Q
04/11/2019	32,00	236.700	15,66	SEBA KLL-Q
04/11/2019	34,00	236.800	15,76	SEBA KLL-Q
04/11/2019	36,00	236.900	15,83	SEBA KLL-Q
04/11/2019	38,00	236.900	15,89	SEBA KLL-Q
04/11/2019	40,00	237.200	15,94	SEBA KLL-Q
04/11/2019	41,00	236.900	15,96	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/10/2013	1,10	251.200	17,8	TLC-107 SONDA 1
24/10/2013	1,30	253.800	17,4	TLC-107 SONDA 1
24/10/2013	1,50	255.200	17,1	TLC-107 SONDA 1
24/10/2013	1,70	258.500	16,5	TLC-107 SONDA 1
24/10/2013	1,90	259.100	16,1	TLC-107 SONDA 1
24/10/2013	2,10	262.500	15,8	TLC-107 SONDA 1
24/10/2013	2,30	262.900	15,5	TLC-107 SONDA 1
24/10/2013	2,50	265.800	13,3	TLC-107 SONDA 1
24/10/2013	2,70	268.600	15,1	TLC-107 SONDA 1
24/10/2013	2,90	268.900	15,1	TLC-107 SONDA 1
24/10/2013	3,10	270.000	15,0	TLC-107 SONDA 1
24/10/2013	3,30	270.600	15,0	TLC-107 SONDA 1
24/10/2013	3,50	271.000	15,0	TLC-107 SONDA 1
24/10/2013	4,00	271.600	15,2	TLC-107 SONDA 1
24/10/2013	4,50	259.500	15,3	TLC-107 SONDA 1
24/10/2013	5,00	259.200	15,3	TLC-107 SONDA 1
24/10/2013	5,50	258.800	15,5	TLC-107 SONDA 1
24/10/2013	6,00	258.100	15,5	TLC-107 SONDA 1
24/10/2013	6,50	256.800	15,8	TLC-107 SONDA 1
24/10/2013	7,00	256.400	15,8	TLC-107 SONDA 1
24/10/2013	7,50	256.400	15,8	TLC-107 SONDA 1
24/10/2013	8,00	256.100	15,8	TLC-107 SONDA 1
24/10/2013	9,00	253.900	16,0	TLC-107 SONDA 1
24/10/2013	10,00	235.500	16,1	TLC-107 SONDA 1
24/10/2013	11,00	253.500	16,1	TLC-107 SONDA 1
24/10/2013	12,00	251.600	16,2	TLC-107 SONDA 1
24/10/2013	13,00	251.600	16,2	TLC-107 SONDA 1
24/10/2013	18,00	241.400	17,1	TLC-107 SONDA 1
24/10/2013	23,00	239.000	17,3	TLC-107 SONDA 1
24/10/2013	28,00	239.400	17,3	TLC-107 SONDA 1
24/10/2013	33,00	239.500	17,4	TLC-107 SONDA 1
24/10/2013	38,00	252.400	17,4	TLC-107 SONDA 1
24/10/2013	38,77	219.800	17,4	TLC-107 SONDA 1
24/11/2013	1,10	189.400	19,9	TLC-107 SONDA 1
24/11/2013	1,30	191.100	19,7	TLC-107 SONDA 1
24/11/2013	1,50	194.500	18,8	TLC-107 SONDA 1
24/11/2013	1,70	196.300	18,4	TLC-107 SONDA 1
24/11/2013	1,90	197.000	17,9	TLC-107 SONDA 1
24/11/2013	2,10	198.100	17,4	TLC-107 SONDA 1
24/11/2013	2,30	199.100	17,1	TLC-107 SONDA 1
24/11/2013	2,50	198.800	16,7	TLC-107 SONDA 1
24/11/2013	2,70	197.700	16,4	TLC-107 SONDA 1
24/11/2013	2,90	198.800	16,2	TLC-107 SONDA 1
24/11/2013	3,10	197.000	16,0	TLC-107 SONDA 1
24/11/2013	3,30	196.600	15,8	TLC-107 SONDA 1
24/11/2013	3,50	193.900	15,7	TLC-107 SONDA 1
24/11/2013	4,00	154.000	15,4	TLC-107 SONDA 1
24/11/2013	4,50	131.200	15,4	TLC-107 SONDA 1
24/11/2013	5,00	131.200	15,4	TLC-107 SONDA 1
24/11/2013	5,50	131.200	15,5	TLC-107 SONDA 1
24/11/2013	6,00	130.200	15,6	TLC-107 SONDA 1
24/11/2013	6,50	127.300	15,8	TLC-107 SONDA 1
24/11/2013	7,00	128.100	16,0	TLC-107 SONDA 1
24/11/2013	8,00	125.500	16,0	TLC-107 SONDA 1
24/11/2013	9,00	123.300	16,4	TLC-107 SONDA 1
24/11/2013	10,00	123.000	16,1	TLC-107 SONDA 1
24/11/2013	15,00	120.600	16,4	TLC-107 SONDA 1
24/11/2013	20,00	147.900	17,1	TLC-107 SONDA 1
24/11/2013	25,00	110.300	17,3	TLC-107 SONDA 1
24/11/2013	30,00	100.200	17,3	TLC-107 SONDA 1
24/11/2013	35,00	109.900	17,4	TLC-107 SONDA 1
24/11/2013	38,69	92.400	17,4	TLC-107 SONDA 1
15/12/2013	1,10	189.500	22,0	TLC-107 SONDA 1
15/12/2013	1,30	192.800	21,5	TLC-107 SONDA 1
15/12/2013	1,50	193.300	20,8	TLC-107 SONDA 1
15/12/2013	1,70	196.300	19,9	TLC-107 SONDA 1
15/12/2013	1,90	195.900	19,1	TLC-107 SONDA 1
15/12/2013	2,10	195.500	18,7	TLC-107 SONDA 1
15/12/2013	2,30	197.400	18,1	TLC-107 SONDA 1
15/12/2013	2,50	205.600	17,6	TLC-107 SONDA 1
15/12/2013	3,00	210.600	17,0	TLC-107 SONDA 1
15/12/2013	3,50	220.200	16,3	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
15/12/2013	4,00	255.900	15,9	TLC-107 SONDA 1
15/12/2013	4,50	284.700	15,8	TLC-107 SONDA 1
15/12/2013	5,00	284.600	15,7	TLC-107 SONDA 1
15/12/2013	6,00	284.600	15,7	TLC-107 SONDA 1
15/12/2013	7,00	281.000	15,9	TLC-107 SONDA 1
15/12/2013	8,00	279.500	16,0	TLC-107 SONDA 1
15/12/2013	9,00	279.700	16,1	TLC-107 SONDA 1
15/12/2013	10,00	281.500	16,1	TLC-107 SONDA 1
15/12/2013	11,00	282.600	16,2	TLC-107 SONDA 1
15/12/2013	12,00	285.500	16,2	TLC-107 SONDA 1
15/12/2013	13,00	285.700	16,3	TLC-107 SONDA 1
15/12/2013	14,00	286.700	16,3	TLC-107 SONDA 1
15/12/2013	15,00	287.100	16,5	TLC-107 SONDA 1
15/12/2013	20,00	294.800	17,3	TLC-107 SONDA 1
15/12/2013	25,00	297.200	17,3	TLC-107 SONDA 1
15/12/2013	30,00	299.600	17,4	TLC-107 SONDA 1
15/12/2013	35,00	301.700	17,4	TLC-107 SONDA 1
15/12/2013	36,00	306.000	17,4	TLC-107 SONDA 1
15/12/2013	37,00	304.900	17,5	TLC-107 SONDA 1
15/12/2013	38,00	295.400	17,5	TLC-107 SONDA 1
15/12/2013	38,50	121.100	17,5	TLC-107 SONDA 1
15/01/2014	1,50	185.600	21,1	ALT FTC
15/01/2014	1,75	185.700	21,1	ALT FTC
15/01/2014	2,00	187.100	20,8	ALT FTC
15/01/2014	2,25	188.900	20,2	ALT FTC
15/01/2014	2,50	193.300	19,2	ALT FTC
15/01/2014	2,75	195.200	18,7	ALT FTC
15/01/2014	3,00	195.200	18,3	ALT FTC
15/01/2014	3,25	195.500	17,8	ALT FTC
15/01/2014	3,50	196.000	17,3	ALT FTC
15/01/2014	3,75	193.500	17,0	ALT FTC
15/01/2014	4,00	174.700	16,5	ALT FTC
15/01/2014	4,25	170.700	16,1	ALT FTC
15/01/2014	4,50	171.200	16,0	ALT FTC
15/01/2014	4,75	171.800	16,0	ALT FTC
15/01/2014	5,00	171.000	15,9	ALT FTC
15/01/2014	5,25	172.300	15,9	ALT FTC
15/01/2014	5,50	172.700	15,8	ALT FTC
15/01/2014	5,75	173.300	15,8	ALT FTC
15/01/2014	6,00	174.500	15,8	ALT FTC
15/01/2014	6,25	175.100	15,8	ALT FTC
15/01/2014	6,50	172.100	15,8	ALT FTC
15/01/2014	6,75	172.700	15,8	ALT FTC
15/01/2014	7,00	172.700	15,8	ALT FTC
15/01/2014	7,50	171.500	15,8	ALT FTC
15/01/2014	8,00	171.600	15,9	ALT FTC
15/01/2014	8,50	171.000	15,9	ALT FTC
15/01/2014	9,00	169.900	15,9	ALT FTC
15/01/2014	9,50	169.300	16,0	ALT FTC
15/01/2014	10,00	167.400	16,0	ALT FTC
15/01/2014	10,50	168.100	16,0	ALT FTC
15/01/2014	11,00	165.000	16,1	ALT FTC
15/01/2014	11,50	167.000	16,1	ALT FTC
15/01/2014	12,00	163.200	16,2	ALT FTC
15/01/2014	12,50	163.200	16,2	ALT FTC
15/01/2014	13,00	161.100	16,3	ALT FTC
15/01/2014	13,50	160.000	16,3	ALT FTC
15/01/2014	14,00	160.700	16,3	ALT FTC
15/01/2014	14,50	155.900	16,4	ALT FTC
15/01/2014	15,00	155.900	16,4	ALT FTC
15/01/2014	15,50	154.000	16,5	ALT FTC
15/01/2014	16,00	148.400	16,7	ALT FTC
15/01/2014	17,00	145.600	16,8	ALT FTC
15/01/2014	18,00	143.100	17,1	ALT FTC
15/01/2014	19,00	141.400	17,1	ALT FTC
15/01/2014	20,00	139.600	17,1	ALT FTC
15/01/2014	21,00	140.100	17,2	ALT FTC
15/01/2014	22,00	140.200	17,2	ALT FTC
15/01/2014	23,00	137.100	17,3	ALT FTC
15/01/2014	24,00	137.100	17,3	ALT FTC
15/01/2014	25,00	135.700	17,3	ALT FTC
15/01/2014	26,00	135.300	17,3	ALT FTC

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
15/01/2014	27,00	131.500	17,3	ALT FTC
15/01/2014	28,00	135.300	17,3	ALT FTC
15/01/2014	29,00	132.500	17,3	ALT FTC
15/01/2014	30,00	132.200	17,3	ALT FTC
15/01/2014	31,00	132.200	17,4	ALT FTC
15/01/2014	32,00	133.100	17,4	ALT FTC
21/03/2014	1,50	71.000	22,5	TLC-107 SONDA 1
21/03/2014	2,00	72.600	21,7	TLC-107 SONDA 1
21/03/2014	3,00	75.300	21,7	TLC-107 SONDA 1
21/03/2014	4,00	87.300	17,7	TLC-107 SONDA 1
21/03/2014	5,00	89.500	16,8	TLC-107 SONDA 1
21/03/2014	6,00	87.800	16,4	TLC-107 SONDA 1
21/03/2014	7,00	87.000	16,2	TLC-107 SONDA 1
21/03/2014	8,00	86.500	16,1	TLC-107 SONDA 1
21/03/2014	9,00	86.000	16,1	TLC-107 SONDA 1
21/03/2014	10,00	85.800	16,2	TLC-107 SONDA 1
21/03/2014	11,00	85.600	16,3	TLC-107 SONDA 1
21/03/2014	12,00	85.500	16,3	TLC-107 SONDA 1
21/03/2014	14,00	86.200	16,5	TLC-107 SONDA 1
21/03/2014	16,00	86.000	16,7	TLC-107 SONDA 1
21/03/2014	18,00	86.200	16,8	TLC-107 SONDA 1
21/03/2014	20,00	87.200	17,1	TLC-107 SONDA 1
21/03/2014	22,00	87.600	17,2	TLC-107 SONDA 1
21/03/2014	24,00	101.600	17,3	TLC-107 SONDA 1
21/03/2014	26,00	101.800	17,3	TLC-107 SONDA 1
21/03/2014	28,00	102.100	17,4	TLC-107 SONDA 1
21/03/2014	30,00	102.100	17,4	TLC-107 SONDA 1
21/03/2014	32,00	102.800	17,4	TLC-107 SONDA 1
21/03/2014	34,00	103.100	17,4	TLC-107 SONDA 1
21/03/2014	36,00	102.600	17,5	TLC-107 SONDA 1
21/03/2014	38,00	102.300	17,5	TLC-107 SONDA 1
21/03/2014	38,50	66.200	17,5	TLC-107 SONDA 1
23/04/2014	1,40	158.100	19,7	TLC-107 SONDA 1
23/04/2014	1,60	165.800	20,3	TLC-107 SONDA 1
23/04/2014	1,80	174.100	20,5	TLC-107 SONDA 1
23/04/2014	2,00	181.700	20,5	TLC-107 SONDA 1
23/04/2014	2,20	202.800	20,4	TLC-107 SONDA 1
23/04/2014	2,40	218.800	20,2	TLC-107 SONDA 1
23/04/2014	2,60	227.700	19,9	TLC-107 SONDA 1
23/04/2014	2,80	235.000	19,7	TLC-107 SONDA 1
23/04/2014	3,00	247.600	19,3	TLC-107 SONDA 1
23/04/2014	3,50	261.700	18,6	TLC-107 SONDA 1
23/04/2014	4,00	311.100	17,7	TLC-107 SONDA 1
23/04/2014	4,50	323.400	17,3	TLC-107 SONDA 1
23/04/2014	5,00	339.100	17,0	TLC-107 SONDA 1
23/04/2014	5,50	341.600	17,0	TLC-107 SONDA 1
23/04/2014	6,00	335.700	16,4	TLC-107 SONDA 1
23/04/2014	6,50	338.800	16,3	TLC-107 SONDA 1
23/04/2014	7,00	344.700	16,3	TLC-107 SONDA 1
23/04/2014	8,00	349.300	16,3	TLC-107 SONDA 1
23/04/2014	9,00	349.900	16,2	TLC-107 SONDA 1
23/04/2014	10,00	352.900	16,3	TLC-107 SONDA 1
23/04/2014	11,00	355.800	16,3	TLC-107 SONDA 1
23/04/2014	12,00	359.000	16,3	TLC-107 SONDA 1
23/04/2014	13,00	339.000	16,4	TLC-107 SONDA 1
23/04/2014	14,00	336.000	16,6	TLC-107 SONDA 1
23/04/2014	15,00	339.500	16,6	TLC-107 SONDA 1
23/04/2014	16,00	339.200	16,7	TLC-107 SONDA 1
23/04/2014	17,00	339.200	16,7	TLC-107 SONDA 1
23/04/2014	18,00	346.100	16,8	TLC-107 SONDA 1
23/04/2014	19,00	350.700	17,0	TLC-107 SONDA 1
23/04/2014	20,00	353.900	17,0	TLC-107 SONDA 1
23/04/2014	21,00	380.400	17,1	TLC-107 SONDA 1
23/04/2014	22,00	384.100	17,2	TLC-107 SONDA 1
23/04/2014	23,00	379.400	17,2	TLC-107 SONDA 1
23/04/2014	24,00	400.000	17,2	TLC-107 SONDA 1
23/04/2014	25,00	400.000	17,2	TLC-107 SONDA 1
23/04/2014	26,00	400.000	17,2	TLC-107 SONDA 1
23/04/2014	27,00	400.000	17,3	TLC-107 SONDA 1
23/04/2014	28,00	400.000	17,3	TLC-107 SONDA 1
23/04/2014	29,00	400.000	17,3	TLC-107 SONDA 1
23/04/2014	30,00	400.000	17,4	TLC-107 SONDA 1



Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/04/2014	31,00	400.000	17,4	TLC-107 SONDA 1
23/04/2014	32,00	400.000	17,4	TLC-107 SONDA 1
23/04/2014	34,00	400.000	17,4	TLC-107 SONDA 1
23/04/2014	33,00	400.000	17,4	TLC-107 SONDA 1
23/04/2014	35,00	400.000	17,5	TLC-107 SONDA 1
23/04/2014	36,00	400.000	17,5	TLC-107 SONDA 1
23/04/2014	37,00	400.000	17,5	TLC-107 SONDA 1
23/04/2014	37,20	272.500	17,5	TLC-107 SONDA 1
20/05/2014	1,40	135.400	17,7	TLC-107 SONDA 1
20/05/2014	1,60	157.100	17,7	TLC-107 SONDA 1
20/05/2014	1,80	165.900	17,9	TLC-107 SONDA 1
20/05/2014	2,00	170.500	17,9	TLC-107 SONDA 1
20/05/2014	2,20	178.600	18,6	TLC-107 SONDA 1
20/05/2014	2,40	183.700	18,7	TLC-107 SONDA 1
20/05/2014	2,60	188.500	18,8	TLC-107 SONDA 1
20/05/2014	2,80	191.600	18,7	TLC-107 SONDA 1
20/05/2014	3,00	193.000	18,7	TLC-107 SONDA 1
20/05/2014	3,20	195.100	18,5	TLC-107 SONDA 1
20/05/2014	3,40	198.300	18,3	TLC-107 SONDA 1
20/05/2014	3,60	203.700	18,0	TLC-107 SONDA 1
20/05/2014	3,80	207.600	17,8	TLC-107 SONDA 1
20/05/2014	4,00	214.700	17,6	TLC-107 SONDA 1
20/05/2014	4,20	217.600	17,4	TLC-107 SONDA 1
20/05/2014	4,40	218.000	17,3	TLC-107 SONDA 1
20/05/2014	4,60	217.500	17,2	TLC-107 SONDA 1
20/05/2014	4,80	217.200	17,0	TLC-107 SONDA 1
20/05/2014	5,00	220.600	17,8	TLC-107 SONDA 1
20/05/2014	5,20	215.500	17,7	TLC-107 SONDA 1
20/05/2014	5,40	214.700	16,7	TLC-107 SONDA 1
20/05/2014	5,60	214.600	16,5	TLC-107 SONDA 1
20/05/2014	6,00	213.200	16,4	TLC-107 SONDA 1
20/05/2014	6,50	213.200	16,4	TLC-107 SONDA 1
20/05/2014	7,00	213.600	16,3	TLC-107 SONDA 1
20/05/2014	7,50	213.600	16,3	TLC-107 SONDA 1
20/05/2014	8,00	214.000	16,3	TLC-107 SONDA 1
20/05/2014	9,00	214.500	16,3	TLC-107 SONDA 1
20/05/2014	10,00	215.100	16,3	TLC-107 SONDA 1
20/05/2014	11,00	215.600	16,3	TLC-107 SONDA 1
20/05/2014	12,00	216.100	16,4	TLC-107 SONDA 1
20/05/2014	13,00	216.300	16,5	TLC-107 SONDA 1
20/05/2014	14,00	218.300	16,6	TLC-107 SONDA 1
20/05/2014	15,00	219.400	16,6	TLC-107 SONDA 1
20/05/2014	16,00	220.300	16,7	TLC-107 SONDA 1
20/05/2014	17,00	220.600	16,7	TLC-107 SONDA 1
20/05/2014	18,00	223.600	16,8	TLC-107 SONDA 1
20/05/2014	19,00	231.600	17,0	TLC-107 SONDA 1
20/05/2014	21,00	239.500	17,1	TLC-107 SONDA 1
20/05/2014	20,00	235.900	17,1	TLC-107 SONDA 1
20/05/2014	22,00	242.500	17,1	TLC-107 SONDA 1
20/05/2014	23,00	284.100	17,2	TLC-107 SONDA 1
20/05/2014	24,00	250.100	17,2	TLC-107 SONDA 1
20/05/2014	25,00	233.800	17,2	TLC-107 SONDA 1
20/05/2014	26,00	254.700	17,2	TLC-107 SONDA 1
20/05/2014	27,00	256.700	17,2	TLC-107 SONDA 1
20/05/2014	28,00	258.900	17,3	TLC-107 SONDA 1
20/05/2014	29,00	260.300	17,3	TLC-107 SONDA 1
20/05/2014	30,00	263.800	17,3	TLC-107 SONDA 1
20/05/2014	31,00	264.900	17,3	TLC-107 SONDA 1
20/05/2014	32,00	267.300	17,4	TLC-107 SONDA 1
20/05/2014	33,00	270.200	17,4	TLC-107 SONDA 1
20/05/2014	34,00	262.900	17,4	TLC-107 SONDA 1
20/05/2014	35,00	275.000	17,4	TLC-107 SONDA 1
20/05/2014	36,00	278.700	17,4	TLC-107 SONDA 1
20/05/2014	37,00	280.900	17,4	TLC-107 SONDA 1
20/05/2014	37,20	190.200	17,4	TLC-107 SONDA 1
18/06/2014	1,30	155.100	14,8	TLC-107 SONDA 1
18/06/2014	1,50	159.300	14,8	TLC-107 SONDA 1
18/06/2014	1,70	161.300	14,9	TLC-107 SONDA 1
18/06/2014	1,90	162.700	14,9	TLC-107 SONDA 1
18/06/2014	2,10	163.700	15,2	TLC-107 SONDA 1
18/06/2014	2,30	171.400	16,2	TLC-107 SONDA 1
18/06/2014	2,50	180.500	16,6	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
18/06/2014	3,00	182.700	17,2	TLC-107 SONDA 1
18/06/2014	3,50	192.600	17,3	TLC-107 SONDA 1
18/06/2014	4,00	216.400	17,2	TLC-107 SONDA 1
18/06/2014	4,50	219.900	17,0	TLC-107 SONDA 1
18/06/2014	5,00	219.500	16,0	TLC-107 SONDA 1
18/06/2014	6,00	217.300	16,5	TLC-107 SONDA 1
18/06/2014	7,00	218.400	16,4	TLC-107 SONDA 1
18/06/2014	8,00	220.800	16,4	TLC-107 SONDA 1
18/06/2014	10,00	221.700	16,3	TLC-107 SONDA 1
18/06/2014	12,00	220.700	16,5	TLC-107 SONDA 1
18/06/2014	14,00	227.800	16,6	TLC-107 SONDA 1
18/06/2014	16,00	231.400	16,7	TLC-107 SONDA 1
18/06/2014	18,00	232.400	16,8	TLC-107 SONDA 1
18/06/2014	20,00	236.300	17,0	TLC-107 SONDA 1
18/06/2014	22,00	238.600	17,1	TLC-107 SONDA 1
18/06/2014	24,00	237.700	17,2	TLC-107 SONDA 1
18/06/2014	26,00	237.700	17,2	TLC-107 SONDA 1
18/06/2014	28,00	236.800	17,2	TLC-107 SONDA 1
18/06/2014	30,00	237.900	17,3	TLC-107 SONDA 1
18/06/2014	32,00	239.000	17,3	TLC-107 SONDA 1
18/06/2014	36,00	238.600	17,4	TLC-107 SONDA 1
18/06/2014	37,32	190.100	17,4	TLC-107 SONDA 1
23/07/2014	1,50	70.700	12,8	TLC-107 SONDA 1
23/07/2014	2,00	78.400	13,1	TLC-107 SONDA 1
23/07/2014	2,50	181.300	14,2	TLC-107 SONDA 1
23/07/2014	3,00	300.700	15,3	TLC-107 SONDA 1
23/07/2014	4,00	400.000	16,3	TLC-107 SONDA 1
23/07/2014	5,00	400.000	16,3	TLC-107 SONDA 1
23/07/2014	7,00	400.000	16,4	TLC-107 SONDA 1
23/07/2014	9,00	400.000	16,4	TLC-107 SONDA 1
23/07/2014	12,00	400.000	16,4	TLC-107 SONDA 1
23/07/2014	15,00	400.000	16,7	TLC-107 SONDA 1
23/07/2014	18,00	400.000	16,7	TLC-107 SONDA 1
23/07/2014	21,00	400.000	17,0	TLC-107 SONDA 1
23/07/2014	24,00	400.000	17,1	TLC-107 SONDA 1
23/07/2014	27,00	400.000	17,2	TLC-107 SONDA 1
23/07/2014	30,00	400.000	17,3	TLC-107 SONDA 1
23/07/2014	33,00	400.000	17,3	TLC-107 SONDA 1
23/07/2014	36,00	400.000	17,4	TLC-107 SONDA 1
23/07/2014	38,10	347.600	17,4	TLC-107 SONDA 1
16/08/2014	1,30	96.000	13,2	TLC-107 SONDA 1
16/08/2014	1,50	98.900	13,1	TLC-107 SONDA 1
16/08/2014	2,00	108.400	13,2	TLC-107 SONDA 1
16/08/2014	2,20	117.100	13,5	TLC-107 SONDA 1
16/08/2014	2,40	130.600	13,8	TLC-107 SONDA 1
16/08/2014	2,60	139.100	14,1	TLC-107 SONDA 1
16/08/2014	2,80	148.500	14,3	TLC-107 SONDA 1
16/08/2014	3,00	152.400	14,7	TLC-107 SONDA 1
16/08/2014	3,20	158.500	14,9	TLC-107 SONDA 1
16/08/2014	3,40	168.700	15,2	TLC-107 SONDA 1
16/08/2014	3,60	177.900	15,4	TLC-107 SONDA 1
16/08/2014	3,80	203.700	15,8	TLC-107 SONDA 1
16/08/2014	4,00	216.100	15,9	TLC-107 SONDA 1
16/08/2014	4,50	239.100	16,1	TLC-107 SONDA 1
16/08/2014	5,00	245.900	16,1	TLC-107 SONDA 1
16/08/2014	5,50	251.100	16,2	TLC-107 SONDA 1
16/08/2014	6,00	261.800	16,3	TLC-107 SONDA 1
16/08/2014	6,50	293.200	16,4	TLC-107 SONDA 1
16/08/2014	7,00	317.000	16,4	TLC-107 SONDA 1
16/08/2014	7,50	336.800	16,4	TLC-107 SONDA 1
16/08/2014	8,00	366.400	16,4	TLC-107 SONDA 1
16/08/2014	9,00	400.000	16,4	TLC-107 SONDA 1
16/08/2014	10,00	400.000	16,4	TLC-107 SONDA 1
16/08/2014	11,00	400.000	16,4	TLC-107 SONDA 1
16/08/2014	12,00	400.000	16,5	TLC-107 SONDA 1
16/08/2014	13,00	400.000	16,5	TLC-107 SONDA 1
16/08/2014	15,00	400.000	16,7	TLC-107 SONDA 1
16/08/2014	17,00	400.000	16,8	TLC-107 SONDA 1
16/08/2014	19,00	400.000	16,8	TLC-107 SONDA 1
16/08/2014	21,00	400.000	17,0	TLC-107 SONDA 1
16/08/2014	23,00	400.000	17,1	TLC-107 SONDA 1
16/08/2014	25,00	400.000	17,2	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/08/2014	27,00	400.000	17,2	TLC-107 SONDA 1
16/08/2014	29,00	400.000	17,2	TLC-107 SONDA 1
16/08/2014	31,00	400.000	17,3	TLC-107 SONDA 1
16/08/2014	33,00	400.000	17,3	TLC-107 SONDA 1
16/08/2014	35,00	400.000	17,4	TLC-107 SONDA 1
16/08/2014	37,00	400.000	17,4	TLC-107 SONDA 1
16/08/2014	37,82	400.000	17,4	TLC-107 SONDA 1
03/09/2014	1,30	110.000	14,1	TLC-107 SONDA 1
03/09/2014	2,00	118.000	14,0	TLC-107 SONDA 1
03/09/2014	3,00	133.300	14,6	TLC-107 SONDA 1
03/09/2014	3,50	146.900	15,2	TLC-107 SONDA 1
03/09/2014	4,00	179.400	15,5	TLC-107 SONDA 1
03/09/2014	4,50	224.500	15,8	TLC-107 SONDA 1
03/09/2014	5,00	242.400	15,8	TLC-107 SONDA 1
03/09/2014	6,00	268.900	16,3	TLC-107 SONDA 1
03/09/2014	7,00	335.900	16,3	TLC-107 SONDA 1
03/09/2014	8,00	400.000	16,3	TLC-107 SONDA 1
03/09/2014	9,00	400.000	16,4	TLC-107 SONDA 1
03/09/2014	10,00	400.000	16,4	TLC-107 SONDA 1
03/09/2014	12,00	400.000	16,5	TLC-107 SONDA 1
03/09/2014	14,00	400.000	16,6	TLC-107 SONDA 1
03/09/2014	16,00	400.000	16,4	TLC-107 SONDA 1
03/09/2014	18,00	400.000	16,8	TLC-107 SONDA 1
03/09/2014	20,00	400.000	17,0	TLC-107 SONDA 1
03/09/2014	22,00	400.000	17,1	TLC-107 SONDA 1
03/09/2014	24,00	400.000	17,1	TLC-107 SONDA 1
03/09/2014	26,00	400.000	17,2	TLC-107 SONDA 1
03/09/2014	28,00	400.000	17,3	TLC-107 SONDA 1
03/09/2014	30,00	400.000	17,3	TLC-107 SONDA 1
03/09/2014	32,00	400.000	17,3	TLC-107 SONDA 1
03/09/2014	34,00	400.000	16,4	TLC-107 SONDA 1
03/09/2014	36,00	400.000	16,4	TLC-107 SONDA 1
03/09/2014	37,60	400.000	16,4	TLC-107 SONDA 1
09/10/2014	1,30	135.900	17,0	TLC-107 SONDA 1
09/10/2014	1,50	145.700	16,7	TLC-107 SONDA 1
09/10/2014	1,70	168.900	16,0	TLC-107 SONDA 1
09/10/2014	1,90	185.900	15,9	TLC-107 SONDA 1
09/10/2014	2,10	208.900	15,5	TLC-107 SONDA 1
09/10/2014	2,30	225.500	15,3	TLC-107 SONDA 1
09/10/2014	2,50	233.800	15,2	TLC-107 SONDA 1
09/10/2014	3,00	266.900	15,1	TLC-107 SONDA 1
09/10/2014	4,00	370.900	15,4	TLC-107 SONDA 1
09/10/2014	5,00	400.000	15,5	TLC-107 SONDA 1
09/10/2014	7,00	400.000	15,1	TLC-107 SONDA 1
09/10/2014	9,00	400.000	16,3	TLC-107 SONDA 1
09/10/2014	11,00	400.000	16,3	TLC-107 SONDA 1
09/10/2014	13,00	400.000	16,5	TLC-107 SONDA 1
09/10/2014	15,00	400.000	16,7	TLC-107 SONDA 1
09/10/2014	17,00	400.000	16,7	TLC-107 SONDA 1
09/10/2014	19,00	400.000	16,8	TLC-107 SONDA 1
09/10/2014	21,00	400.000	17,0	TLC-107 SONDA 1
09/10/2014	23,00	400.000	17,1	TLC-107 SONDA 1
09/10/2014	25,00	400.000	17,2	TLC-107 SONDA 1
09/10/2014	27,00	400.000	17,2	TLC-107 SONDA 1
09/10/2014	29,00	400.000	17,3	TLC-107 SONDA 1
09/10/2014	31,00	400.000	17,3	TLC-107 SONDA 1
09/10/2014	33,00	400.000	17,3	TLC-107 SONDA 1
09/10/2014	35,00	400.000	17,4	TLC-107 SONDA 1
09/10/2014	37,00	400.000	17,4	TLC-107 SONDA 1
09/10/2014	37,60	242.300	17,4	TLC-107 SONDA 1
08/11/2014	1,30	166.900	19,9	TLC-107 SONDA 1
08/11/2014	2,00	202.900	18,0	TLC-107 SONDA 1
08/11/2014	2,50	225.900	16,6	TLC-107 SONDA 1
08/11/2014	3,00	237.300	16,2	TLC-107 SONDA 1
08/11/2014	4,00	319.300	15,7	TLC-107 SONDA 1
08/11/2014	5,00	356.900	15,7	TLC-107 SONDA 1
08/11/2014	6,00	357.900	16,1	TLC-107 SONDA 1
08/11/2014	8,00	375.200	16,2	TLC-107 SONDA 1
08/11/2014	10,00	398.600	16,3	TLC-107 SONDA 1
08/11/2014	12,00	400.000	16,4	TLC-107 SONDA 1
08/11/2014	14,00	400.000	16,6	TLC-107 SONDA 1
08/11/2014	16,00	400.000	16,7	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/11/2014	18,00	400.000	16,8	TLC-107 SONDA 1
08/11/2014	20,00	400.000	17,0	TLC-107 SONDA 1
08/11/2014	22,00	400.000	17,0	TLC-107 SONDA 1
08/11/2014	24,00	400.000	17,1	TLC-107 SONDA 1
08/11/2014	26,00	400.000	17,2	TLC-107 SONDA 1
08/11/2014	28,00	400.000	17,3	TLC-107 SONDA 1
08/11/2014	30,00	400.000	17,3	TLC-107 SONDA 1
08/11/2014	32,00	400.000	17,3	TLC-107 SONDA 1
08/11/2014	34,00	400.000	17,4	TLC-107 SONDA 1
08/11/2014	36,00	400.000	17,4	TLC-107 SONDA 1
08/11/2014	37,50	263.300	17,4	TLC-107 SONDA 1
11/01/2015	1,50	113.500	21,8	TLC-107 SONDA 1
11/01/2015	2,00	131.900	20,4	TLC-107 SONDA 1
11/01/2015	2,50	138.300	19,1	TLC-107 SONDA 1
11/01/2015	3,00	141.300	18,3	TLC-107 SONDA 1
11/01/2015	3,50	145.700	17,4	TLC-107 SONDA 1
11/01/2015	4,00	163.900	16,6	TLC-107 SONDA 1
11/01/2015	4,50	173.200	16,4	TLC-107 SONDA 1
11/01/2015	5,00	173.200	16,1	TLC-107 SONDA 1
11/01/2015	5,50	171.000	16,1	TLC-107 SONDA 1
11/01/2015	6,00	169.200	16,2	TLC-107 SONDA 1
11/01/2015	6,20	169.400	16,1	TLC-107 SONDA 1
11/01/2015	6,40	168.900	16,2	TLC-107 SONDA 1
11/01/2015	6,60	169.000	16,1	TLC-107 SONDA 1
11/01/2015	6,80	168.900	16,1	TLC-107 SONDA 1
11/01/2015	7,00	169.200	16,1	TLC-107 SONDA 1
11/01/2015	7,20	169.200	16,2	TLC-107 SONDA 1
11/01/2015	7,40	169.200	16,2	TLC-107 SONDA 1
11/01/2015	7,60	169.000	16,2	TLC-107 SONDA 1
11/01/2015	7,80	169.600	16,2	TLC-107 SONDA 1
11/01/2015	8,00	169.600	16,2	TLC-107 SONDA 1
11/01/2015	8,50	170.100	16,2	TLC-107 SONDA 1
11/01/2015	9,00	170.500	16,3	TLC-107 SONDA 1
11/01/2015	9,50	170.300	16,3	TLC-107 SONDA 1
11/01/2015	10,00	170.500	16,3	TLC-107 SONDA 1
11/01/2015	10,50	170.900	16,3	TLC-107 SONDA 1
11/01/2015	11,00	170.300	16,3	TLC-107 SONDA 1
11/01/2015	11,50	170.500	16,4	TLC-107 SONDA 1
11/01/2015	12,00	170.400	16,5	TLC-107 SONDA 1
11/01/2015	12,50	170.400	16,5	TLC-107 SONDA 1
11/01/2015	13,00	171.300	16,5	TLC-107 SONDA 1
11/01/2015	14,00	172.700	16,6	TLC-107 SONDA 1
11/01/2015	15,00	172.900	16,7	TLC-107 SONDA 1
11/01/2015	16,00	174.300	16,7	TLC-107 SONDA 1
11/01/2015	17,00	174.500	16,7	TLC-107 SONDA 1
11/01/2015	18,00	175.500	16,8	TLC-107 SONDA 1
11/01/2015	19,00	178.400	16,8	TLC-107 SONDA 1
11/01/2015	20,00	179.700	17,0	TLC-107 SONDA 1
11/01/2015	21,00	184.900	17,0	TLC-107 SONDA 1
11/01/2015	22,00	187.500	17,1	TLC-107 SONDA 1
11/01/2015	23,00	191.200	17,1	TLC-107 SONDA 1
11/01/2015	24,00	197.900	17,1	TLC-107 SONDA 1
11/01/2015	25,00	202.300	17,1	TLC-107 SONDA 1
11/01/2015	27,00	206.600	17,2	TLC-107 SONDA 1
11/01/2015	29,00	208.500	17,3	TLC-107 SONDA 1
11/01/2015	31,00	214.000	17,3	TLC-107 SONDA 1
11/01/2015	33,00	217.300	17,3	TLC-107 SONDA 1
11/01/2015	35,00	221.600	17,4	TLC-107 SONDA 1
11/01/2015	37,00	224.300	17,4	TLC-107 SONDA 1
11/01/2015	37,80	112.400	17,4	TLC-107 SONDA 1
16/02/2015	1,30	157.700	24,0	TLC-107 SONDA 1
16/02/2015	2,00	166.700	21,9	TLC-107 SONDA 1
16/02/2015	3,00	196.000	19,4	TLC-107 SONDA 1
16/02/2015	4,00	247.800	17,3	TLC-107 SONDA 1
16/02/2015	6,00	299.400	16,4	TLC-107 SONDA 1
16/02/2015	8,00	318.800	16,3	TLC-107 SONDA 1
16/02/2015	10,00	340.400	16,4	TLC-107 SONDA 1
16/02/2015	12,00	385.100	16,5	TLC-107 SONDA 1
16/02/2015	14,00	400.000	16,6	TLC-107 SONDA 1
16/02/2015	16,00	400.000	16,7	TLC-107 SONDA 1
16/02/2015	18,00	400.000	16,8	TLC-107 SONDA 1
16/02/2015	20,00	400.000	17,0	TLC-107 SONDA 1

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/02/2015	22,00	400.000	17,0	TLC-107 SONDA 1
16/02/2015	24,00	400.000	17,1	TLC-107 SONDA 1
16/02/2015	26,00	400.000	17,2	TLC-107 SONDA 1
16/02/2015	28,00	400.000	17,2	TLC-107 SONDA 1
16/02/2015	30,00	400.000	17,3	TLC-107 SONDA 1
16/02/2015	32,00	400.000	17,3	TLC-107 SONDA 1
16/02/2015	34,00	400.000	17,3	TLC-107 SONDA 1
16/02/2015	36,00	400.000	17,4	TLC-107 SONDA 1
16/02/2015	37,20	296.000	17,4	TLC-107 SONDA 1
07/03/2015	1,30	185.100	23,1	TLC-107 SONDA 1
07/03/2015	2,00	198.300	21,8	TLC-107 SONDA 1
07/03/2015	2,50	216.400	20,6	TLC-107 SONDA 1
07/03/2015	3,00	225.300	19,5	TLC-107 SONDA 1
07/03/2015	4,00	276.100	17,5	TLC-107 SONDA 1
07/03/2015	5,00	304.600	16,6	TLC-107 SONDA 1
07/03/2015	7,00	301.800	16,3	TLC-107 SONDA 1
07/03/2015	9,00	299.100	16,3	TLC-107 SONDA 1
07/03/2015	10,00	297.800	16,3	TLC-107 SONDA 1
07/03/2015	12,00	295.600	16,5	TLC-107 SONDA 1
07/03/2015	14,00	296.200	16,6	TLC-107 SONDA 1
07/03/2015	16,00	295.100	16,7	TLC-107 SONDA 1
07/03/2015	18,00	294.700	16,8	TLC-107 SONDA 1
07/03/2015	20,00	294.700	17,0	TLC-107 SONDA 1
07/03/2015	22,00	294.000	17,0	TLC-107 SONDA 1
07/03/2015	24,00	293.900	17,1	TLC-107 SONDA 1
07/03/2015	26,00	295.200	17,2	TLC-107 SONDA 1
07/03/2015	28,00	294.500	17,3	TLC-107 SONDA 1
07/03/2015	30,00	294.100	17,3	TLC-107 SONDA 1
07/03/2015	32,00	294.400	17,4	TLC-107 SONDA 1
07/03/2015	34,00	293.700	17,4	TLC-107 SONDA 1
07/03/2015	36,00	293.800	17,4	TLC-107 SONDA 1
07/03/2015	37,30	144.500	17,5	TLC-107 SONDA 1
13/04/2015	1,00	145.300	20,4	TLC-107 SONDA 1
13/04/2015	1,50	276.200	20,9	TLC-107 SONDA 1
13/04/2015	2,00	271.900	20,8	TLC-107 SONDA 1
13/04/2015	3,00	278.200	20,0	TLC-107 SONDA 1
13/04/2015	4,00	394.800	18,4	TLC-107 SONDA 1
13/04/2015	5,00	400.000	17,4	TLC-107 SONDA 1
13/04/2015	6,00	400.000	17,1	TLC-107 SONDA 1
13/04/2015	7,00	400.000	17,0	TLC-107 SONDA 1
13/04/2015	8,00	400.000	16,6	TLC-107 SONDA 1
13/04/2015	9,00	400.000	16,5	TLC-107 SONDA 1
13/04/2015	10,00	400.000	16,5	TLC-107 SONDA 1
13/04/2015	12,00	400.000	16,4	TLC-107 SONDA 1
13/04/2015	14,00	400.000	16,4	TLC-107 SONDA 1
13/04/2015	16,00	400.000	16,7	TLC-107 SONDA 1
13/04/2015	18,00	400.000	16,7	TLC-107 SONDA 1
13/04/2015	20,00	400.000	17,2	TLC-107 SONDA 1
13/04/2015	22,00	400.000	17,3	TLC-107 SONDA 1
13/04/2015	24,00	400.000	17,3	TLC-107 SONDA 1
13/04/2015	26,00	400.000	17,4	TLC-107 SONDA 1
13/04/2015	28,00	400.000	17,4	TLC-107 SONDA 1
13/04/2015	30,00	400.000	17,4	TLC-107 SONDA 1
13/04/2015	32,00	400.000	17,4	TLC-107 SONDA 1
13/04/2015	34,00	400.000	17,4	TLC-107 SONDA 1
13/04/2015	36,00	400.000	17,4	TLC-107 SONDA 1
13/04/2015	37,30	400.000	17,5	TLC-107 SONDA 1
10/05/2015	1,00	326.000	18,9	TLC-107 SONDA 2
10/05/2015	1,50	332.900	18,9	TLC-107 SONDA 2
10/05/2015	2,00	359.500	19,1	TLC-107 SONDA 2
10/05/2015	4,00	400.000	18,3	TLC-107 SONDA 2
10/05/2015	6,00	400.000	17,3	TLC-107 SONDA 2
10/05/2015	8,00	400.000	16,5	TLC-107 SONDA 2
10/05/2015	10,00	400.000	16,5	TLC-107 SONDA 2
10/05/2015	12,00	400.000	16,5	TLC-107 SONDA 2
10/05/2015	14,00	400.000	16,5	TLC-107 SONDA 2
10/05/2015	16,00	400.000	16,8	TLC-107 SONDA 2
10/05/2015	18,00	400.000	17,1	TLC-107 SONDA 2
10/05/2015	20,00	400.000	17,2	TLC-107 SONDA 2
10/05/2015	22,00	400.000	17,3	TLC-107 SONDA 2
10/05/2015	24,00	400.000	17,3	TLC-107 SONDA 2
10/05/2015	26,00	400.000	17,4	TLC-107 SONDA 2

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
10/05/2015	28,00	400.000	17,4	TLC-107 SONDA 2
10/05/2015	30,00	400.000	17,4	TLC-107 SONDA 2
10/05/2015	32,00	400.000	17,4	TLC-107 SONDA 2
10/05/2015	34,00	400.000	17,5	TLC-107 SONDA 2
10/05/2015	36,00	400.000	17,5	TLC-107 SONDA 2
10/05/2015	37,40	278.200	17,5	TLC-107 SONDA 2
04/06/2015	1,00	157.300	15,8	TLC-107 SONDA 2
04/06/2015	1,50	172.500	15,9	TLC-107 SONDA 2
04/06/2015	2,00	189.500	16,5	TLC-107 SONDA 2
04/06/2015	2,50	215.200	17,8	TLC-107 SONDA 2
04/06/2015	3,00	223.600	18,2	TLC-107 SONDA 2
04/06/2015	4,00	239.600	17,8	TLC-107 SONDA 2
04/06/2015	6,00	248.300	17,2	TLC-107 SONDA 2
04/06/2015	8,00	251.500	16,8	TLC-107 SONDA 2
04/06/2015	10,00	252.800	16,5	TLC-107 SONDA 2
04/06/2015	12,00	252.800	16,5	TLC-107 SONDA 2
04/06/2015	14,00	252.600	16,5	TLC-107 SONDA 2
04/06/2015	16,00	251.100	16,8	TLC-107 SONDA 2
04/06/2015	18,00	249.200	17,0	TLC-107 SONDA 2
04/06/2015	20,00	247.300	17,2	TLC-107 SONDA 2
04/06/2015	22,00	246.300	17,2	TLC-107 SONDA 2
04/06/2015	24,00	245.100	17,3	TLC-107 SONDA 2
04/06/2015	26,00	244.200	17,4	TLC-107 SONDA 2
04/06/2015	28,00	242.900	17,4	TLC-107 SONDA 2
04/06/2015	30,00	242.200	17,4	TLC-107 SONDA 2
04/06/2015	32,00	240.800	17,5	TLC-107 SONDA 2
04/06/2015	34,00	240.800	17,5	TLC-107 SONDA 2
04/06/2015	36,00	240.300	17,5	TLC-107 SONDA 2
04/06/2015	37,00	239.400	17,5	TLC-107 SONDA 2
04/06/2015	37,60	189.800	17,5	TLC-107 SONDA 2
09/07/2015	1,00	56.500	11,9	TLC-107 SONDA 1
09/07/2015	1,50	241.200	13,0	TLC-107 SONDA 1
09/07/2015	2,00	245.800	14,0	TLC-107 SONDA 1
09/07/2015	3,00	257.300	16,1	TLC-107 SONDA 1
09/07/2015	4,00	268.400	17,1	TLC-107 SONDA 1
09/07/2015	6,00	267.300	17,1	TLC-107 SONDA 1
09/07/2015	8,00	270.800	16,6	TLC-107 SONDA 1
09/07/2015	10,00	270.500	16,4	TLC-107 SONDA 1
09/07/2015	12,00	268.900	16,5	TLC-107 SONDA 1
09/07/2015	14,00	267.900	16,6	TLC-107 SONDA 1
09/07/2015	16,00	267.300	16,8	TLC-107 SONDA 1
09/07/2015	18,00	264.700	16,9	TLC-107 SONDA 1
09/07/2015	20,00	262.500	17,1	TLC-107 SONDA 1
09/07/2015	22,00	261.500	17,2	TLC-107 SONDA 1
09/07/2015	24,00	261.100	17,3	TLC-107 SONDA 1
09/07/2015	26,00	260.500	17,3	TLC-107 SONDA 1
09/07/2015	28,00	260.500	17,3	TLC-107 SONDA 1
09/07/2015	30,00	259.200	17,4	TLC-107 SONDA 1
09/07/2015	32,00	258.800	17,4	TLC-107 SONDA 1
09/07/2015	34,00	259.200	17,4	TLC-107 SONDA 1
09/07/2015	36,00	258.800	17,5	TLC-107 SONDA 1
09/07/2015	37,40	186.800	17,5	TLC-107 SONDA 1
08/08/2015	1,20	155.975	12,1	SEBA MPS-D3
08/08/2015	1,40	156.005	12,1	SEBA MPS-D3
08/08/2015	1,60	156.015	12,1	SEBA MPS-D3
08/08/2015	1,80	155.956	12,4	SEBA MPS-D3
08/08/2015	2,00	156.342	12,9	SEBA MPS-D3
08/08/2015	2,20	157.665	13,6	SEBA MPS-D3
08/08/2015	2,40	164.130	14,0	SEBA MPS-D3
08/08/2015	2,60	168.686	14,4	SEBA MPS-D3
08/08/2015	2,80	169.702	14,7	SEBA MPS-D3
08/08/2015	3,00	170.122	15,0	SEBA MPS-D3
08/08/2015	3,20	170.749	15,4	SEBA MPS-D3
08/08/2015	3,40	171.717	15,6	SEBA MPS-D3
08/08/2015	3,60	174.807	16,0	SEBA MPS-D3
08/08/2015	3,80	185.848	16,2	SEBA MPS-D3
08/08/2015	4,00	220.581	16,4	SEBA MPS-D3
08/08/2015	4,50	234.571	16,6	SEBA MPS-D3
08/08/2015	5,00	234.424	16,7	SEBA MPS-D3
08/08/2015	7,00	232.916	16,7	SEBA MPS-D3
08/08/2015	9,00	232.841	16,4	SEBA MPS-D3
08/08/2015	11,00	232.965	16,3	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/08/2015	13,00	232.635	16,4	SEBA MPS-D3
08/08/2015	15,00	232.047	16,5	SEBA MPS-D3
08/08/2015	17,00	231.969	16,6	SEBA MPS-D3
08/08/2015	19,00	232.219	16,7	SEBA MPS-D3
08/08/2015	21,00	232.352	16,9	SEBA MPS-D3
08/08/2015	23,00	232.342	16,9	SEBA MPS-D3
08/08/2015	25,00	232.013	17,0	SEBA MPS-D3
08/08/2015	27,00	231.746	17,1	SEBA MPS-D3
08/08/2015	29,00	231.750	17,2	SEBA MPS-D3
08/08/2015	31,00	231.785	17,2	SEBA MPS-D3
08/08/2015	33,00	231.715	17,2	SEBA MPS-D3
08/08/2015	35,00	231.766	17,3	SEBA MPS-D3
08/08/2015	37,00	231.782	17,3	SEBA MPS-D3
08/08/2015	37,20	110.262	17,3	SEBA MPS-D3
07/09/2015	1,20	159.400	14,4	SEBA MPS-D3
07/09/2015	2,00	161.100	13,7	SEBA MPS-D3
07/09/2015	2,50	173.700	14,0	SEBA MPS-D3
07/09/2015	3,00	176.700	14,4	SEBA MPS-D3
07/09/2015	3,50	178.300	15,1	SEBA MPS-D3
07/09/2015	4,00	232.500	15,8	SEBA MPS-D3
07/09/2015	6,00	241.000	16,5	SEBA MPS-D3
07/09/2015	8,00	240.900	16,5	SEBA MPS-D3
07/09/2015	10,00	241.000	16,4	SEBA MPS-D3
07/09/2015	12,00	241.000	16,3	SEBA MPS-D3
07/09/2015	14,00	240.100	16,4	SEBA MPS-D3
07/09/2015	16,00	240.100	16,5	SEBA MPS-D3
07/09/2015	18,00	239.900	16,6	SEBA MPS-D3
07/09/2015	20,00	240.300	16,8	SEBA MPS-D3
07/09/2015	22,00	240.300	16,8	SEBA MPS-D3
07/09/2015	24,00	239.700	17,0	SEBA MPS-D3
07/09/2015	26,00	239.700	17,1	SEBA MPS-D3
07/09/2015	28,00	239.600	17,1	SEBA MPS-D3
07/09/2015	30,00	239.700	17,2	SEBA MPS-D3
07/09/2015	32,00	239.600	17,2	SEBA MPS-D3
07/09/2015	34,00	239.600	17,3	SEBA MPS-D3
07/09/2015	36,00	239.600	17,3	SEBA MPS-D3
07/09/2015	37,30	156.800	17,3	SEBA MPS-D3
10/10/2015	1,10	155.416	17,2	SEBA MPS-D3
10/10/2015	2,00	157.410	15,4	SEBA MPS-D3
10/10/2015	2,50	169.710	15,0	SEBA MPS-D3
10/10/2015	3,00	172.311	15,0	SEBA MPS-D3
10/10/2015	3,50	174.629	15,2	SEBA MPS-D3
10/10/2015	4,00	225.474	15,6	SEBA MPS-D3
10/10/2015	6,00	236.270	16,3	SEBA MPS-D3
10/10/2015	8,00	236.304	16,4	SEBA MPS-D3
10/10/2015	10,00	236.225	16,4	SEBA MPS-D3
10/10/2015	12,00	236.339	16,3	SEBA MPS-D3
10/10/2015	14,00	235.527	16,4	SEBA MPS-D3
10/10/2015	16,00	235.457	16,5	SEBA MPS-D3
10/10/2015	18,00	235.279	16,7	SEBA MPS-D3
10/10/2015	20,00	235.882	16,9	SEBA MPS-D3
10/10/2015	22,00	235.912	17,0	SEBA MPS-D3
10/10/2015	24,00	235.832	17,1	SEBA MPS-D3
10/10/2015	26,00	235.905	17,1	SEBA MPS-D3
10/10/2015	28,00	235.848	17,2	SEBA MPS-D3
10/10/2015	30,00	235.885	17,2	SEBA MPS-D3
10/10/2015	32,00	235.833	17,2	SEBA MPS-D3
10/10/2015	34,00	235.305	17,3	SEBA MPS-D3
10/10/2015	36,00	235.304	17,3	SEBA MPS-D3
10/10/2015	37,30	135.918	17,4	SEBA MPS-D3
07/11/2015	1,10	152.236	18,3	SEBA MPS-D3
07/11/2015	1,50	152.988	17,9	SEBA MPS-D3
07/11/2015	2,00	154.623	16,8	SEBA MPS-D3
07/11/2015	2,50	167.045	16,1	SEBA MPS-D3
07/11/2015	3,00	168.753	15,8	SEBA MPS-D3
07/11/2015	3,50	171.962	15,6	SEBA MPS-D3
07/11/2015	4,00	225.870	15,7	SEBA MPS-D3
07/11/2015	6,00	233.125	16,1	SEBA MPS-D3
07/11/2015	8,00	233.014	16,3	SEBA MPS-D3
07/11/2015	10,00	232.970	16,3	SEBA MPS-D3
07/11/2015	12,00	232.918	16,4	SEBA MPS-D3
07/11/2015	14,00	232.234	16,4	SEBA MPS-D3

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/11/2015	16,00	232.114	16,5	SEBA MPS-D3
07/11/2015	18,00	232.615	16,8	SEBA MPS-D3
07/11/2015	20,00	232.560	17,0	SEBA MPS-D3
07/11/2015	22,00	232.651	17,0	SEBA MPS-D3
07/11/2015	24,00	232.610	17,1	SEBA MPS-D3
07/11/2015	26,00	232.578	17,1	SEBA MPS-D3
07/11/2015	28,00	232.630	17,1	SEBA MPS-D3
07/11/2015	30,00	232.584	17,2	SEBA MPS-D3
07/11/2015	32,00	232.596	17,2	SEBA MPS-D3
07/11/2015	34,00	232.178	17,3	SEBA MPS-D3
07/11/2015	36,00	232.060	17,3	SEBA MPS-D3
07/11/2015	37,20	106.294	17,4	SEBA MPS-D3
06/12/2015	1,20	156.760	20,3	SEBA MPS-D3
06/12/2015	2,00	159.000	18,3	SEBA MPS-D3
06/12/2015	2,50	171.160	17,3	SEBA MPS-D3
06/12/2015	3,00	172.872	16,7	SEBA MPS-D3
06/12/2015	3,50	177.488	16,3	SEBA MPS-D3
06/12/2015	4,00	228.320	16,0	SEBA MPS-D3
06/12/2015	6,00	240.768	16,1	SEBA MPS-D3
06/12/2015	8,00	240.755	16,2	SEBA MPS-D3
06/12/2015	10,00	240.710	16,3	SEBA MPS-D3
06/12/2015	12,00	240.709	16,4	SEBA MPS-D3
06/12/2015	14,00	240.095	16,4	SEBA MPS-D3
06/12/2015	16,00	239.866	16,5	SEBA MPS-D3
06/12/2015	18,00	239.697	16,7	SEBA MPS-D3
06/12/2015	20,00	240.355	16,9	SEBA MPS-D3
06/12/2015	22,00	240.263	17,0	SEBA MPS-D3
06/12/2015	24,00	240.316	17,1	SEBA MPS-D3
06/12/2015	26,00	240.309	17,1	SEBA MPS-D3
06/12/2015	28,00	240.299	17,2	SEBA MPS-D3
06/12/2015	30,00	240.338	17,2	SEBA MPS-D3
06/12/2015	32,00	240.303	17,2	SEBA MPS-D3
06/12/2015	34,00	240.283	17,3	SEBA MPS-D3
06/12/2015	36,00	240.346	17,3	SEBA MPS-D3
06/12/2015	37,20	102.368	17,4	SEBA MPS-D3
16/01/2016	1,20	154.732	22,8	SEBA MPS-D3
16/01/2016	1,50	155.226	21,6	SEBA MPS-D3
16/01/2016	2,00	156.914	20,0	SEBA MPS-D3
16/01/2016	2,50	166.816	18,9	SEBA MPS-D3
16/01/2016	3,00	170.399	18,0	SEBA MPS-D3
16/01/2016	3,50	176.834	17,2	SEBA MPS-D3
16/01/2016	4,00	229.036	16,6	SEBA MPS-D3
16/01/2016	6,00	239.205	16,2	SEBA MPS-D3
16/01/2016	8,00	239.140	16,3	SEBA MPS-D3
16/01/2016	10,00	239.024	16,3	SEBA MPS-D3
16/01/2016	12,00	239.104	16,4	SEBA MPS-D3
16/01/2016	14,00	238.324	16,5	SEBA MPS-D3
16/01/2016	16,00	238.240	16,5	SEBA MPS-D3
16/01/2016	18,00	238.036	16,7	SEBA MPS-D3
16/01/2016	20,00	238.528	16,8	SEBA MPS-D3
16/01/2016	22,00	238.560	16,9	SEBA MPS-D3
16/01/2016	24,00	238.179	17,0	SEBA MPS-D3
16/01/2016	26,00	237.889	17,1	SEBA MPS-D3
16/01/2016	28,00	237.932	17,1	SEBA MPS-D3
16/01/2016	30,00	237.909	17,2	SEBA MPS-D3
16/01/2016	32,00	237.855	17,2	SEBA MPS-D3
16/01/2016	34,00	237.833	17,3	SEBA MPS-D3
16/01/2016	36,00	237.901	17,3	SEBA MPS-D3
16/01/2016	37,00	237.851	17,3	SEBA MPS-D3
16/01/2016	37,20	118.568	17,3	SEBA MPS-D3
14/02/2016	1,20	157.252	22,7	SEBA MPS-D3
14/02/2016	1,50	156.998	22,4	SEBA MPS-D3
14/02/2016	2,00	158.564	20,9	SEBA MPS-D3
14/02/2016	2,50	170.532	19,7	SEBA MPS-D3
14/02/2016	3,00	172.702	18,7	SEBA MPS-D3
14/02/2016	4,00	234.646	17,1	SEBA MPS-D3
14/02/2016	6,00	243.916	16,3	SEBA MPS-D3
14/02/2016	8,00	243.971	16,3	SEBA MPS-D3
14/02/2016	10,00	243.667	16,4	SEBA MPS-D3
14/02/2016	12,00	243.626	16,4	SEBA MPS-D3
14/02/2016	14,00	242.900	16,5	SEBA MPS-D3
14/02/2016	16,00	242.840	16,5	SEBA MPS-D3



Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/02/2016	18,00	242.581	16,7	SEBA MPS-D3
14/02/2016	20,00	242.815	16,8	SEBA MPS-D3
14/02/2016	22,00	242.872	16,9	SEBA MPS-D3
14/02/2016	24,00	242.785	16,9	SEBA MPS-D3
14/02/2016	26,00	242.489	17,0	SEBA MPS-D3
14/02/2016	28,00	242.393	17,1	SEBA MPS-D3
14/02/2016	30,00	242.431	17,2	SEBA MPS-D3
14/02/2016	32,00	242.402	17,2	SEBA MPS-D3
14/02/2016	34,00	242.469	17,2	SEBA MPS-D3
14/02/2016	36,00	242.576	17,3	SEBA MPS-D3
14/02/2016	37,00	242.423	17,3	SEBA MPS-D3
14/02/2016	37,20	106.857	17,3	SEBA MPS-D3
17/03/2016	1,20	165.115	22,9	SEBA MPS-D3
17/03/2016	1,50	166.418	22,7	SEBA MPS-D3
17/03/2016	2,00	166.492	21,1	SEBA MPS-D3
17/03/2016	2,50	179.059	19,9	SEBA MPS-D3
17/03/2016	3,00	179.610	18,9	SEBA MPS-D3
17/03/2016	4,00	246.378	17,2	SEBA MPS-D3
17/03/2016	6,00	256.112	16,4	SEBA MPS-D3
17/03/2016	8,00	253.730	16,4	SEBA MPS-D3
17/03/2016	10,00	255.850	16,5	SEBA MPS-D3
17/03/2016	12,00	255.807	16,6	SEBA MPS-D3
17/03/2016	14,00	257.474	16,7	SEBA MPS-D3
17/03/2016	16,00	254.982	16,7	SEBA MPS-D3
17/03/2016	18,00	254.710	16,8	SEBA MPS-D3
17/03/2016	20,00	254.956	16,9	SEBA MPS-D3
17/03/2016	22,00	255.016	17,0	SEBA MPS-D3
17/03/2016	24,00	254.924	17,1	SEBA MPS-D3
17/03/2016	26,00	257.038	17,2	SEBA MPS-D3
17/03/2016	28,00	253.301	17,3	SEBA MPS-D3
17/03/2016	30,00	254.553	17,3	SEBA MPS-D3
17/03/2016	32,00	254.522	17,4	SEBA MPS-D3
17/03/2016	34,00	254.592	17,4	SEBA MPS-D3
17/03/2016	36,00	254.705	17,4	SEBA MPS-D3
17/03/2016	37,00	254.544	17,5	SEBA MPS-D3
17/03/2016	37,20	112.200	17,5	SEBA MPS-D3
07/05/2016	1,25	151.000	19,1	SEBA KLL-Q
07/05/2016	1,50	151.300	19,2	SEBA KLL-Q
07/05/2016	2,00	151.500	19,5	SEBA KLL-Q
07/05/2016	2,50	161.000	19,6	SEBA KLL-Q
07/05/2016	3,00	166.300	19,2	SEBA KLL-Q
07/05/2016	3,50	173.500	18,6	SEBA KLL-Q
07/05/2016	4,00	229.200	17,8	SEBA KLL-Q
07/05/2016	4,50	239.300	17,4	SEBA KLL-Q
07/05/2016	5,00	239.200	17,0	SEBA KLL-Q
07/05/2016	5,50	238.000	16,8	SEBA KLL-Q
07/05/2016	6,00	236.800	16,6	SEBA KLL-Q
07/05/2016	7,00	236.800	16,5	SEBA KLL-Q
07/05/2016	8,00	236.900	16,4	SEBA KLL-Q
07/05/2016	10,00	236.800	16,4	SEBA KLL-Q
07/05/2016	12,00	236.600	16,4	SEBA KLL-Q
07/05/2016	14,00	236.300	16,5	SEBA KLL-Q
07/05/2016	16,00	236.200	16,8	SEBA KLL-Q
07/05/2016	20,00	236.500	16,7	SEBA KLL-Q
07/05/2016	25,00	235.700	16,9	SEBA KLL-Q
07/05/2016	30,00	235.700	17,0	SEBA KLL-Q
07/05/2016	35,00	235.700	17,1	SEBA KLL-Q
07/05/2016	37,15	109.600	17,2	SEBA KLL-Q
09/07/2016	1,25	145.000	14,4	SEBA KLL-Q
09/07/2016	2,00	145.200	14,4	SEBA KLL-Q
09/07/2016	2,50	149.500	15,9	SEBA KLL-Q
09/07/2016	3,00	156.400	16,8	SEBA KLL-Q
09/07/2016	3,50	164.700	17,1	SEBA KLL-Q
09/07/2016	3,75	175.900	17,2	SEBA KLL-Q
09/07/2016	4,00	217.000	17,2	SEBA KLL-Q
09/07/2016	4,25	229.800	17,1	SEBA KLL-Q
09/07/2016	4,50	229.800	17,1	SEBA KLL-Q
09/07/2016	5,00	229.900	17,0	SEBA KLL-Q
09/07/2016	10,00	227.100	16,5	SEBA KLL-Q
09/07/2016	15,00	226.900	16,6	SEBA KLL-Q
09/07/2016	20,00	226.700	16,7	SEBA KLL-Q
09/07/2016	25,00	226.400	16,9	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/07/2016	30,00	226.400	16,9	SEBA KLL-Q
09/07/2016	35,00	226.300	17,1	SEBA KLL-Q
09/07/2016	37,10	117.000	17,2	SEBA KLL-Q
09/10/2016	1,30	144.755	17,1	SEBA KLL-Q
09/10/2016	1,60	145.387	16,6	SEBA KLL-Q
09/10/2016	1,80	146.033	16,1	SEBA KLL-Q
09/10/2016	2,00	147.051	15,8	SEBA KLL-Q
09/10/2016	2,20	148.235	15,6	SEBA KLL-Q
09/10/2016	2,40	151.288	15,4	SEBA KLL-Q
09/10/2016	2,60	156.196	15,3	SEBA KLL-Q
09/10/2016	2,80	158.847	15,3	SEBA KLL-Q
09/10/2016	3,00	160.178	15,3	SEBA KLL-Q
09/10/2016	3,20	162.634	15,4	SEBA KLL-Q
09/10/2016	3,40	168.215	15,5	SEBA KLL-Q
09/10/2016	3,60	172.107	15,6	SEBA KLL-Q
09/10/2016	3,80	185.645	15,7	SEBA KLL-Q
09/10/2016	4,00	224.486	15,8	SEBA KLL-Q
09/10/2016	4,20	240.723	15,9	SEBA KLL-Q
09/10/2016	4,40	240.418	16,0	SEBA KLL-Q
09/10/2016	4,60	240.646	16,0	SEBA KLL-Q
09/10/2016	4,80	240.666	16,0	SEBA KLL-Q
09/10/2016	5,00	240.584	16,0	SEBA KLL-Q
09/10/2016	5,50	238.098	16,3	SEBA KLL-Q
09/10/2016	6,00	237.811	16,4	SEBA KLL-Q
09/10/2016	6,50	237.754	16,5	SEBA KLL-Q
09/10/2016	7,00	237.775	16,5	SEBA KLL-Q
09/10/2016	8,00	237.784	16,5	SEBA KLL-Q
09/10/2016	9,00	237.745	16,5	SEBA KLL-Q
09/10/2016	10,00	237.745	16,6	SEBA KLL-Q
09/10/2016	12,00	237.723	16,5	SEBA KLL-Q
09/10/2016	14,00	237.431	16,6	SEBA KLL-Q
09/10/2016	16,00	237.416	16,6	SEBA KLL-Q
09/10/2016	18,00	237.247	16,6	SEBA KLL-Q
09/10/2016	20,00	237.123	16,7	SEBA KLL-Q
09/10/2016	22,00	237.336	16,8	SEBA KLL-Q
09/10/2016	24,00	237.102	16,8	SEBA KLL-Q
09/10/2016	26,00	236.863	16,9	SEBA KLL-Q
09/10/2016	28,00	236.829	16,8	SEBA KLL-Q
09/10/2016	30,00	236.811	17,0	SEBA KLL-Q
09/10/2016	32,00	236.878	17,0	SEBA KLL-Q
09/10/2016	34,00	236.819	17,0	SEBA KLL-Q
09/10/2016	36,00	236.883	17,1	SEBA KLL-Q
09/10/2016	37,10	122.874	17,2	SEBA KLL-Q
15/01/2017	1,40	151.900	22,3	SEBA KLL-Q
15/01/2017	1,60	152.000	21,4	SEBA KLL-Q
15/01/2017	1,80	152.300	20,7	SEBA KLL-Q
15/01/2017	2,00	152.600	20,6	SEBA KLL-Q
15/01/2017	2,20	153.900	19,6	SEBA KLL-Q
15/01/2017	2,40	156.600	19,1	SEBA KLL-Q
15/01/2017	2,60	163.600	18,7	SEBA KLL-Q
15/01/2017	2,80	167.200	18,3	SEBA KLL-Q
15/01/2017	3,00	169.400	17,9	SEBA KLL-Q
15/01/2017	3,50	179.000	17,3	SEBA KLL-Q
15/01/2017	4,00	240.900	16,6	SEBA KLL-Q
15/01/2017	4,50	260.800	16,4	SEBA KLL-Q
15/01/2017	5,00	260.800	16,2	SEBA KLL-Q
15/01/2017	6,00	257.600	16,3	SEBA KLL-Q
15/01/2017	8,00	257.500	16,4	SEBA KLL-Q
15/01/2017	10,00	257.500	16,4	SEBA KLL-Q
15/01/2017	12,00	257.400	16,5	SEBA KLL-Q
15/01/2017	14,00	257.100	16,6	SEBA KLL-Q
15/01/2017	16,00	257.000	16,6	SEBA KLL-Q
15/01/2017	18,00	256.800	16,7	SEBA KLL-Q
15/01/2017	20,00	256.700	16,7	SEBA KLL-Q
15/01/2017	22,00	256.800	16,8	SEBA KLL-Q
15/01/2017	24,00	256.500	16,8	SEBA KLL-Q
15/01/2017	26,00	256.300	16,9	SEBA KLL-Q
15/01/2017	28,00	256.300	18,9	SEBA KLL-Q
15/01/2017	30,00	256.300	16,9	SEBA KLL-Q
15/01/2017	32,00	256.300	17,0	SEBA KLL-Q
15/01/2017	34,00	256.200	17,1	SEBA KLL-Q
15/01/2017	36,00	256.200	17,1	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/04/2017	1,00	132.000	22,4	TLC-107 SONDA 1
07/04/2017	1,20	149.900	22,1	TLC-107 SONDA 1
07/04/2017	1,40	172.200	22,9	TLC-107 SONDA 1
07/04/2017	1,60	182.600	21,7	TLC-107 SONDA 1
07/04/2017	1,80	190.100	21,5	TLC-107 SONDA 1
07/04/2017	2,00	196.600	21,1	TLC-107 SONDA 1
07/04/2017	2,20	207.400	21,0	TLC-107 SONDA 1
07/04/2017	2,40	212.200	20,9	TLC-107 SONDA 1
07/04/2017	2,60	219.500	20,6	TLC-107 SONDA 1
07/04/2017	2,80	230.600	20,3	TLC-107 SONDA 1
07/04/2017	3,00	233.000	20,0	TLC-107 SONDA 1
07/04/2017	3,20	234.400	19,7	TLC-107 SONDA 1
07/04/2017	3,40	238.700	19,3	TLC-107 SONDA 1
07/04/2017	3,60	245.100	19,0	TLC-107 SONDA 1
07/04/2017	3,80	246.500	18,6	TLC-107 SONDA 1
07/04/2017	4,00	256.400	18,4	TLC-107 SONDA 1
07/04/2017	4,20	267.600	18,2	TLC-107 SONDA 1
07/04/2017	4,40	266.900	18,1	TLC-107 SONDA 1
07/04/2017	4,60	267.900	17,9	TLC-107 SONDA 1
07/04/2017	4,80	268.000	17,8	TLC-107 SONDA 1
07/04/2017	5,00	268.500	17,7	TLC-107 SONDA 1
07/04/2017	5,50	272.900	17,3	TLC-107 SONDA 1
07/04/2017	6,00	273.600	17,3	TLC-107 SONDA 1
07/04/2017	8,00	276.200	16,9	TLC-107 SONDA 1
07/04/2017	10,00	277.000	16,8	TLC-107 SONDA 1
07/04/2017	12,00	277.000	16,8	TLC-107 SONDA 1
07/04/2017	14,00	277.100	16,9	TLC-107 SONDA 1
07/04/2017	16,00	276.400	16,9	TLC-107 SONDA 1
07/04/2017	18,00	276.500	17,0	TLC-107 SONDA 1
07/04/2017	20,00	275.700	17,0	TLC-107 SONDA 1
07/04/2017	22,00	275.700	17,0	TLC-107 SONDA 1
07/04/2017	24,00	275.000	17,1	TLC-107 SONDA 1
07/04/2017	26,00	275.000	17,1	TLC-107 SONDA 1
07/04/2017	28,00	274.200	17,2	TLC-107 SONDA 1
07/04/2017	30,00	274.200	17,2	TLC-107 SONDA 1
07/04/2017	32,00	273.300	17,3	TLC-107 SONDA 1
07/04/2017	34,00	273.400	17,3	TLC-107 SONDA 1
07/04/2017	36,00	272.500	17,4	TLC-107 SONDA 1
26/07/2017	1,10	145.900	13,1	SEBA KLL-Q
26/07/2017	1,30	145.300	13,1	SEBA KLL-Q
26/07/2017	1,50	145.200	13,2	SEBA KLL-Q
26/07/2017	1,70	145.200	13,2	SEBA KLL-Q
26/07/2017	1,90	145.100	13,2	SEBA KLL-Q
26/07/2017	2,10	145.200	13,6	SEBA KLL-Q
26/07/2017	2,30	146.100	14,5	SEBA KLL-Q
26/07/2017	2,50	154.100	15,1	SEBA KLL-Q
26/07/2017	2,70	156.900	15,5	SEBA KLL-Q
26/07/2017	2,90	157.600	15,8	SEBA KLL-Q
26/07/2017	3,10	157.900	16,1	SEBA KLL-Q
26/07/2017	3,30	160.400	16,3	SEBA KLL-Q
26/07/2017	3,50	166.900	16,5	SEBA KLL-Q
26/07/2017	3,70	171.800	16,8	SEBA KLL-Q
26/07/2017	3,90	182.400	17,0	SEBA KLL-Q
26/07/2017	4,10	252.700	17,1	SEBA KLL-Q
26/07/2017	4,30	252.700	17,2	SEBA KLL-Q
26/07/2017	4,50	252.700	17,2	SEBA KLL-Q
26/07/2017	5,00	252.600	17,3	SEBA KLL-Q
26/07/2017	5,50	250.700	17,3	SEBA KLL-Q
26/07/2017	6,00	249.300	17,3	SEBA KLL-Q
26/07/2017	6,50	249.100	17,2	SEBA KLL-Q
26/07/2017	7,00	249.100	17,1	SEBA KLL-Q
26/07/2017	8,00	249.100	16,8	SEBA KLL-Q
26/07/2017	9,00	249.000	16,6	SEBA KLL-Q
26/07/2017	10,00	248.900	16,5	SEBA KLL-Q
26/07/2017	12,00	248.700	16,5	SEBA KLL-Q
26/07/2017	14,00	247.800	16,6	SEBA KLL-Q
26/07/2017	16,00	247.700	16,6	SEBA KLL-Q
26/07/2017	18,00	247.400	16,6	SEBA KLL-Q
26/07/2017	20,00	247.100	16,7	SEBA KLL-Q
26/07/2017	22,00	246.900	16,8	SEBA KLL-Q
26/07/2017	24,00	246.800	16,8	SEBA KLL-Q
26/07/2017	26,00	276.700	16,8	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
26/07/2017	28,00	246.600	16,9	SEBA KLL-Q
26/07/2017	30,00	246.600	17,0	SEBA KLL-Q
26/07/2017	32,00	246.500	17,0	SEBA KLL-Q
26/07/2017	34,00	246.600	17,1	SEBA KLL-Q
26/07/2017	36,00	246.500	17,1	SEBA KLL-Q
26/07/2017	37,00	246.500	17,1	SEBA KLL-Q
26/07/2017	37,08	245.900	17,1	SEBA KLL-Q
22/10/2017	1,20	147.600	18,8	SEBA KLL-Q
22/10/2017	1,40	146.300	18,2	SEBA KLL-Q
22/10/2017	1,60	145.100	17,6	SEBA KLL-Q
22/10/2017	1,80	143.600	17,0	SEBA KLL-Q
22/10/2017	2,00	142.200	16,6	SEBA KLL-Q
22/10/2017	2,20	141.600	16,2	SEBA KLL-Q
22/10/2017	2,40	141.500	16,0	SEBA KLL-Q
22/10/2017	2,60	145.800	15,9	SEBA KLL-Q
22/10/2017	2,80	150.900	15,7	SEBA KLL-Q
22/10/2017	3,00	152.500	15,7	SEBA KLL-Q
22/10/2017	3,20	153.700	15,6	SEBA KLL-Q
22/10/2017	3,40	159.200	15,7	SEBA KLL-Q
22/10/2017	3,60	164.300	15,7	SEBA KLL-Q
22/10/2017	3,80	172.800	15,8	SEBA KLL-Q
22/10/2017	4,00	207.200	15,9	SEBA KLL-Q
22/10/2017	4,20	243.500	16,0	SEBA KLL-Q
22/10/2017	4,40	243.300	16,0	SEBA KLL-Q
22/10/2017	4,60	243.000	16,0	SEBA KLL-Q
22/10/2017	4,80	242.900	16,1	SEBA KLL-Q
22/10/2017	5,00	242.500	16,1	SEBA KLL-Q
22/10/2017	5,50	240.700	16,3	SEBA KLL-Q
22/10/2017	6,00	238.800	16,5	SEBA KLL-Q
22/10/2017	6,50	238.600	16,5	SEBA KLL-Q
22/10/2017	7,00	238.600	16,5	SEBA KLL-Q
22/10/2017	7,80	238.700	16,6	SEBA KLL-Q
22/10/2017	9,00	238.500	16,6	SEBA KLL-Q
22/10/2017	10,00	238.300	16,6	SEBA KLL-Q
22/10/2017	12,00	238.100	16,5	SEBA KLL-Q
22/10/2017	14,00	237.900	16,5	SEBA KLL-Q
22/10/2017	16,00	237.800	16,6	SEBA KLL-Q
22/10/2017	18,00	237.500	16,6	SEBA KLL-Q
22/10/2017	20,00	237.400	16,7	SEBA KLL-Q
22/10/2017	22,00	237.000	16,7	SEBA KLL-Q
22/10/2017	24,00	237.200	16,8	SEBA KLL-Q
22/10/2017	26,00	236.900	16,8	SEBA KLL-Q
22/10/2017	28,00	237.100	16,8	SEBA KLL-Q
22/10/2017	30,00	236.900	16,9	SEBA KLL-Q
22/10/2017	32,00	236.900	16,9	SEBA KLL-Q
22/10/2017	34,00	236.900	17,0	SEBA KLL-Q
22/10/2017	36,00	236.800	17,1	SEBA KLL-Q
22/10/2017	37,08	236.400	17,1	SEBA KLL-Q
10/01/2018	1,2	123.500	22,25	SEBA KLL-Q
10/01/2018	1,4	123.300	22,24	SEBA KLL-Q
10/01/2018	1,6	123.200	21,70	SEBA KLL-Q
10/01/2018	1,8	122.900	21,12	SEBA KLL-Q
10/01/2018	2,0	122.600	20,58	SEBA KLL-Q
10/01/2018	2,2	123.000	20,10	SEBA KLL-Q
10/01/2018	2,4	123.400	19,65	SEBA KLL-Q
10/01/2018	2,6	126.800	19,17	SEBA KLL-Q
10/01/2018	2,8	130.600	18,65	SEBA KLL-Q
10/01/2018	3,0	132.300	18,35	SEBA KLL-Q
10/01/2018	3,2	134.500	18,06	SEBA KLL-Q
10/01/2018	3,4	141.400	17,78	SEBA KLL-Q
10/01/2018	3,6	145.600	17,47	SEBA KLL-Q
10/01/2018	3,8	153.900	17,20	SEBA KLL-Q
10/01/2018	4,0	189.100	17,06	SEBA KLL-Q
10/01/2018	4,2	217.900	16,94	SEBA KLL-Q
10/01/2018	4,4	218.300	16,84	SEBA KLL-Q
10/01/2018	4,6	218.100	16,85	SEBA KLL-Q
10/01/2018	4,8	218.000	16,80	SEBA KLL-Q
10/01/2018	5,0	217.900	16,72	SEBA KLL-Q
10/01/2018	5,5	216.200	16,68	SEBA KLL-Q
10/01/2018	6,0	214.200	16,68	SEBA KLL-Q
10/01/2018	6,5	214.100	16,67	SEBA KLL-Q
10/01/2018	7,0	213.300	16,65	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
10/01/2018	8,0	213.400	16,72	SEBA KLL-Q
10/01/2018	10,0	213.100	16,78	SEBA KLL-Q
10/01/2018	12,0	212.900	16,79	SEBA KLL-Q
10/01/2018	14,0	212.400	16,79	SEBA KLL-Q
10/01/2018	16,0	212.300	16,79	SEBA KLL-Q
10/01/2018	18,0	212.200	16,82	SEBA KLL-Q
10/01/2018	20,0	212.000	16,87	SEBA KLL-Q
10/01/2018	22,0	211.800	16,97	SEBA KLL-Q
10/01/2018	24,0	211.600	16,97	SEBA KLL-Q
10/01/2018	26,0	211.500	17,03	SEBA KLL-Q
10/01/2018	28,0	211.500	17,06	SEBA KLL-Q
10/01/2018	30,0	211.200	17,12	SEBA KLL-Q
10/01/2018	32,0	211.100	17,16	SEBA KLL-Q
10/01/2018	34,0	211.000	17,18	SEBA KLL-Q
10/01/2018	36,0	211.100	17,18	SEBA KLL-Q
10/01/2018	37,1	210.600	17,33	SEBA KLL-Q
04/04/2018	1,5	120.600	21,69	SEBA KLL-Q
04/04/2018	2,0	120.900	21,36	SEBA KLL-Q
04/04/2018	2,2	121.600	20,86	SEBA KLL-Q
04/04/2018	2,4	122.300	20,61	SEBA KLL-Q
04/04/2018	2,6	126.800	20,24	SEBA KLL-Q
04/04/2018	2,8	128.400	19,91	SEBA KLL-Q
04/04/2018	3,0	129.900	19,54	SEBA KLL-Q
04/04/2018	3,2	132.000	19,21	SEBA KLL-Q
04/04/2018	3,4	139.900	18,88	SEBA KLL-Q
04/04/2018	3,6	143.700	18,55	SEBA KLL-Q
04/04/2018	3,8	155.800	18,09	SEBA KLL-Q
04/04/2018	4,0	193.900	17,76	SEBA KLL-Q
04/04/2018	4,2	216.200	17,54	SEBA KLL-Q
04/04/2018	4,4	216.200	17,46	SEBA KLL-Q
04/04/2018	4,6	216.300	17,39	SEBA KLL-Q
04/04/2018	4,8	216.300	17,28	SEBA KLL-Q
04/04/2018	5,0	216.100	17,09	SEBA KLL-Q
04/04/2018	6,0	212.900	16,77	SEBA KLL-Q
04/04/2018	8,0	212.900	16,66	SEBA KLL-Q
04/04/2018	10,0	212.800	16,65	SEBA KLL-Q
04/04/2018	12,0	212.700	16,65	SEBA KLL-Q
04/04/2018	14,0	212.400	16,67	SEBA KLL-Q
04/04/2018	16,0	212.400	16,67	SEBA KLL-Q
04/04/2018	18,0	212.200	16,71	SEBA KLL-Q
04/04/2018	20,0	212.100	16,75	SEBA KLL-Q
04/04/2018	22,0	212.100	16,79	SEBA KLL-Q
04/04/2018	24,0	211.800	16,84	SEBA KLL-Q
04/04/2018	26,0	211.800	16,86	SEBA KLL-Q
04/04/2018	28,0	211.800	16,88	SEBA KLL-Q
04/04/2018	30,0	211.700	16,92	SEBA KLL-Q
04/04/2018	32,0	211.700	16,96	SEBA KLL-Q
04/04/2018	34,0	211.700	17,02	SEBA KLL-Q
04/04/2018	36,0	211.600	17,09	SEBA KLL-Q
04/04/2018	37,6	211.400	17,13	SEBA KLL-Q
25/07/2018	1,3	152.900	13,88	SEBA KLL-Q
25/07/2018	1,5	152.800	14,08	SEBA KLL-Q
25/07/2018	1,7	152.500	14,10	SEBA KLL-Q
25/07/2018	1,9	152.200	14,11	SEBA KLL-Q
25/07/2018	2,0	151.900	14,13	SEBA KLL-Q
25/07/2018	2,5	151.900	14,57	SEBA KLL-Q
25/07/2018	3,0	159.700	15,92	SEBA KLL-Q
25/07/2018	3,5	168.600	16,64	SEBA KLL-Q
25/07/2018	3,7	178.600	16,88	SEBA KLL-Q
25/07/2018	3,9	193.800	17,00	SEBA KLL-Q
25/07/2018	4,1	265.200	17,07	SEBA KLL-Q
25/07/2018	4,3	267.100	17,10	SEBA KLL-Q
25/07/2018	4,5	266.000	17,09	SEBA KLL-Q
25/07/2018	4,7	264.700	17,07	SEBA KLL-Q
25/07/2018	5,0	263.800	17,10	SEBA KLL-Q
25/07/2018	5,5	259.500	17,05	SEBA KLL-Q
25/07/2018	6,0	259.100	17,03	SEBA KLL-Q
25/07/2018	7,0	259.000	16,95	SEBA KLL-Q
25/07/2018	8,0	258.600	16,88	SEBA KLL-Q
25/07/2018	10,0	258.400	16,84	SEBA KLL-Q
25/07/2018	12,0	258.000	16,83	SEBA KLL-Q
25/07/2018	14,0	257.800	16,85	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
25/07/2018	16,0	257.700	16,83	SEBA KLL-Q
25/07/2018	18,0	257.300	16,85	SEBA KLL-Q
25/07/2018	20,0	256.900	16,91	SEBA KLL-Q
25/07/2018	22,0	256.800	16,92	SEBA KLL-Q
25/07/2018	24,0	256.200	16,96	SEBA KLL-Q
25/07/2018	26,0	256.100	16,96	SEBA KLL-Q
22/08/2018	1,5	129.500	14,34	SEBA KLL-Q
22/08/2018	2,0	137.100	14,34	SEBA KLL-Q
22/08/2018	2,5	137.000	14,63	SEBA KLL-Q
22/08/2018	3,0	144.300	15,46	SEBA KLL-Q
22/08/2018	3,5	154.200	15,89	SEBA KLL-Q
22/08/2018	4,0	190.300	16,36	SEBA KLL-Q
22/08/2018	4,2	241.900	16,67	SEBA KLL-Q
22/08/2018	4,4	239.800	16,68	SEBA KLL-Q
22/08/2018	4,6	238.600	16,69	SEBA KLL-Q
22/08/2018	4,8	237.900	16,69	SEBA KLL-Q
22/08/2018	5,0	237.900	16,70	SEBA KLL-Q
22/08/2018	5,5	233.500	16,90	SEBA KLL-Q
22/08/2018	6,0	232.400	16,95	SEBA KLL-Q
22/08/2018	7,0	231.800	16,95	SEBA KLL-Q
22/08/2018	8,0	231.900	16,93	SEBA KLL-Q
22/08/2018	10,0	231.400	16,91	SEBA KLL-Q
22/08/2018	12,0	231.300	16,86	SEBA KLL-Q
22/08/2018	14,0	230.800	16,86	SEBA KLL-Q
22/08/2018	16,0	230.400	16,88	SEBA KLL-Q
22/08/2018	18,0	230.300	16,90	SEBA KLL-Q
22/08/2018	20,0	230.200	16,93	SEBA KLL-Q
22/08/2018	22,0	230.100	16,97	SEBA KLL-Q
22/08/2018	24,0	229.800	17,04	SEBA KLL-Q
22/08/2018	26,0	229.100	17,05	SEBA KLL-Q
22/08/2018	28,0	228.400	17,02	SEBA KLL-Q
22/08/2018	30,0	228.900	17,06	SEBA KLL-Q
22/08/2018	33,0	228.600	17,10	SEBA KLL-Q
22/08/2018	36,0	218.800	17,22	SEBA KLL-Q
22/08/2018	36,5	228.400	17,27	SEBA KLL-Q
09/09/2018	1,3	139.900	14,28	SEBA KLL-Q
09/09/2018	1,4	138.000	14,31	SEBA KLL-Q
09/09/2018	1,6	137.700	14,34	SEBA KLL-Q
09/09/2018	1,8	137.400	14,37	SEBA KLL-Q
09/09/2018	2,0	136.600	14,38	SEBA KLL-Q
09/09/2018	2,2	136.500	14,56	SEBA KLL-Q
09/09/2018	2,4	136.800	14,68	SEBA KLL-Q
09/09/2018	2,6	140.800	14,85	SEBA KLL-Q
09/09/2018	2,8	143.900	15,18	SEBA KLL-Q
09/09/2018	3,0	144.200	15,29	SEBA KLL-Q
09/09/2018	3,2	145.000	15,43	SEBA KLL-Q
09/09/2018	3,5	154.900	15,70	SEBA KLL-Q
09/09/2018	3,7	162.400	15,90	SEBA KLL-Q
09/09/2018	3,9	173.400	16,07	SEBA KLL-Q
09/09/2018	4,0	200.400	16,17	SEBA KLL-Q
09/09/2018	4,2	245.000	16,28	SEBA KLL-Q
09/09/2018	4,4	244.900	16,34	SEBA KLL-Q
09/09/2018	4,6	244.800	16,33	SEBA KLL-Q
09/09/2018	4,8	244.700	16,33	SEBA KLL-Q
09/09/2018	5,0	244.600	16,37	SEBA KLL-Q
09/09/2018	5,5	240.900	16,67	SEBA KLL-Q
09/09/2018	6,0	239.700	16,76	SEBA KLL-Q
09/09/2018	6,5	239.600	16,77	SEBA KLL-Q
09/09/2018	7,0	239.600	16,75	SEBA KLL-Q
09/09/2018	8,0	239.400	16,78	SEBA KLL-Q
09/09/2018	10,0	239.300	16,74	SEBA KLL-Q
09/09/2018	12,0	239.100	16,73	SEBA KLL-Q
09/09/2018	14,0	238.700	16,73	SEBA KLL-Q
09/09/2018	16,0	238.600	16,74	SEBA KLL-Q
09/09/2018	18,0	238.700	16,75	SEBA KLL-Q
09/09/2018	20,0	238.500	16,77	SEBA KLL-Q
09/09/2018	22,0	238.500	16,80	SEBA KLL-Q
09/09/2018	24,0	238.100	16,84	SEBA KLL-Q
09/09/2018	26,0	238.000	16,89	SEBA KLL-Q
09/09/2018	28,0	238.200	16,86	SEBA KLL-Q
09/09/2018	30,0	237.300	16,93	SEBA KLL-Q
09/09/2018	32,0	237.400	16,96	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
09/09/2018	34,0	237.300	16,99	SEBA KLL-Q
09/09/2018	36,0	237.000	17,06	SEBA KLL-Q
09/09/2018	37,1	236.800	17,12	SEBA KLL-Q
28/11/2018	1,3	125.900	20,70	SEBA KLL-Q
28/11/2018	1,5	125.900	20,20	SEBA KLL-Q
28/11/2018	1,7	136.300	19,40	SEBA KLL-Q
28/11/2018	1,9	136.300	19,01	SEBA KLL-Q
28/11/2018	2,2	136.600	18,80	SEBA KLL-Q
28/11/2018	2,4	138.300	17,70	SEBA KLL-Q
28/11/2018	2,6	140.300	17,31	SEBA KLL-Q
28/11/2018	2,8	142.800	17,06	SEBA KLL-Q
28/11/2018	3,0	144.600	16,50	SEBA KLL-Q
28/11/2018	3,5	156.300	16,50	SEBA KLL-Q
28/11/2018	3,7	161.600	16,30	SEBA KLL-Q
28/11/2018	3,9	170.000	16,20	SEBA KLL-Q
28/11/2018	4,0	187.700	16,20	SEBA KLL-Q
28/11/2018	4,2	232.800	16,20	SEBA KLL-Q
28/11/2018	4,4	242.800	16,18	SEBA KLL-Q
28/11/2018	4,6	242.800	16,17	SEBA KLL-Q
28/11/2018	4,8	242.800	16,17	SEBA KLL-Q
28/11/2018	5,0	242.700	16,18	SEBA KLL-Q
28/11/2018	6,0	239.000	16,49	SEBA KLL-Q
28/11/2018	8,0	239.100	16,60	SEBA KLL-Q
28/11/2018	10,0	239.100	16,60	SEBA KLL-Q
28/11/2018	12,0	238.800	16,70	SEBA KLL-Q
28/11/2018	14,0	238.700	16,71	SEBA KLL-Q
28/11/2018	16,0	238.700	16,73	SEBA KLL-Q
28/11/2018	18,0	238.500	16,74	SEBA KLL-Q
28/11/2018	20,0	238.500	16,75	SEBA KLL-Q
28/11/2018	22,0	238.400	16,74	SEBA KLL-Q
28/11/2018	24,0	238.200	16,82	SEBA KLL-Q
28/11/2018	26,0	238.300	16,86	SEBA KLL-Q
28/11/2018	28,0	238.300	16,87	SEBA KLL-Q
28/11/2018	30,0	238.000	16,90	SEBA KLL-Q
28/11/2018	32,0	238.100	16,95	SEBA KLL-Q
28/11/2018	34,0	238.300	16,97	SEBA KLL-Q
28/11/2018	36,0	238.000	17,00	SEBA KLL-Q
15/01/2019	1,31	119.300	22,00	SEBA KLL-Q
15/01/2019	1,50	122.100	22,00	SEBA KLL-Q
15/01/2019	1,70	122.200	21,60	SEBA KLL-Q
15/01/2019	2,00	122.500	20,90	SEBA KLL-Q
15/01/2019	2,50	125.900	17,47	SEBA KLL-Q
15/01/2019	3,00	127.900	17,48	SEBA KLL-Q
15/01/2019	3,50	142.100	17,60	SEBA KLL-Q
15/01/2019	3,70	146.400	17,21	SEBA KLL-Q
15/01/2019	3,90	153.300	16,90	SEBA KLL-Q
15/01/2019	4,10	226.600	16,70	SEBA KLL-Q
15/01/2019	4,30	226.800	16,60	SEBA KLL-Q
15/01/2019	4,50	226.600	16,70	SEBA KLL-Q
15/01/2019	5,00	226.600	16,65	SEBA KLL-Q
15/01/2019	6,00	224.600	16,60	SEBA KLL-Q
15/01/2019	8,00	224.600	16,60	SEBA KLL-Q
15/01/2019	10,00	224.500	16,50	SEBA KLL-Q
15/01/2019	12,00	224.300	16,73	SEBA KLL-Q
15/01/2019	14,00	228.200	16,73	SEBA KLL-Q
15/01/2019	16,00	224.600	16,73	SEBA KLL-Q
15/01/2019	18,00	224.300	16,73	SEBA KLL-Q
15/01/2019	20,00	224.600	16,75	SEBA KLL-Q
15/01/2019	22,00	223.700	16,75	SEBA KLL-Q
15/01/2019	24,00	223.800	16,85	SEBA KLL-Q
15/01/2019	26,00	223.700	16,85	SEBA KLL-Q
15/01/2019	28,00	223.600	16,90	SEBA KLL-Q
15/01/2019	30,00	223.600	16,90	SEBA KLL-Q
15/01/2019	32,00	223.600	16,90	SEBA KLL-Q
15/01/2019	33,00	223.600	16,90	SEBA KLL-Q
14/02/2019	0,80	142.700	19,73	SEBA KLL-Q
14/02/2019	1,00	143.200	19,62	SEBA KLL-Q
14/02/2019	1,20	143.500	19,54	SEBA KLL-Q
14/02/2019	1,40	143.600	19,43	SEBA KLL-Q
14/02/2019	1,60	144.200	19,16	SEBA KLL-Q
14/02/2019	1,80	146.100	18,81	SEBA KLL-Q
14/02/2019	2,00	148.900	18,39	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/02/2019	2,50	149.400	18,20	SEBA KLL-Q
14/02/2019	3,00	151.500	17,71	SEBA KLL-Q
14/02/2019	3,20	151.500	17,64	SEBA KLL-Q
14/02/2019	3,40	153.300	17,54	SEBA KLL-Q
14/02/2019	3,60	157.600	17,49	SEBA KLL-Q
14/02/2019	3,80	167.100	17,41	SEBA KLL-Q
14/02/2019	4,00	220.700	17,17	SEBA KLL-Q
14/02/2019	4,20	221.900	17,02	SEBA KLL-Q
14/02/2019	4,40	222.000	16,98	SEBA KLL-Q
14/02/2019	4,60	221.900	16,96	SEBA KLL-Q
14/02/2019	4,80	222.100	16,91	SEBA KLL-Q
14/02/2019	5,00	221.600	16,85	SEBA KLL-Q
14/02/2019	5,50	221.300	16,83	SEBA KLL-Q
14/02/2019	6,00	221.200	16,82	SEBA KLL-Q
14/02/2019	7,00	221.400	16,80	SEBA KLL-Q
14/02/2019	8,00	221.500	16,80	SEBA KLL-Q
14/02/2019	10,00	221.400	16,79	SEBA KLL-Q
14/02/2019	12,00	221.500	16,79	SEBA KLL-Q
14/02/2019	14,00	221.700	16,78	SEBA KLL-Q
14/02/2019	16,00	221.600	16,79	SEBA KLL-Q
14/02/2019	18,00	221.700	16,78	SEBA KLL-Q
14/02/2019	20,00	220.000	16,96	SEBA KLL-Q
14/02/2019	22,00	220.100	16,98	SEBA KLL-Q
14/02/2019	24,00	220.300	17,00	SEBA KLL-Q
14/02/2019	26,00	220.300	17,01	SEBA KLL-Q
14/02/2019	29,00	220.200	17,01	SEBA KLL-Q
14/02/2019	32,00	220.300	17,04	SEBA KLL-Q
14/02/2019	35,00	220.100	17,12	SEBA KLL-Q
14/02/2019	36,00	220.200	17,13	SEBA KLL-Q
14/02/2019	37,00	219.900	17,22	SEBA KLL-Q
22/03/2019	0,80	135.600	23,15	SEBA KLL-Q
22/03/2019	1,00	135.600	23,23	SEBA KLL-Q
22/03/2019	1,20	135.800	23,24	SEBA KLL-Q
22/03/2019	1,40	136.100	23,13	SEBA KLL-Q
22/03/2019	1,60	136.300	22,64	SEBA KLL-Q
22/03/2019	1,80	135.900	22,05	SEBA KLL-Q
22/03/2019	2,00	136.800	21,54	SEBA KLL-Q
22/03/2019	2,20	137.500	20,97	SEBA KLL-Q
22/03/2019	2,40	141.300	20,62	SEBA KLL-Q
22/03/2019	2,60	147.600	20,19	SEBA KLL-Q
22/03/2019	2,80	148.400	19,79	SEBA KLL-Q
22/03/2019	3,00	148.600	19,52	SEBA KLL-Q
22/03/2019	3,20	149.800	18,98	SEBA KLL-Q
22/03/2019	3,40	160.600	18,65	SEBA KLL-Q
22/03/2019	3,60	160.600	18,63	SEBA KLL-Q
22/03/2019	3,80	160.700	18,62	SEBA KLL-Q
22/03/2019	4,00	169.700	18,28	SEBA KLL-Q
22/03/2019	4,20	169.700	18,28	SEBA KLL-Q
22/03/2019	4,40	248.300	17,52	SEBA KLL-Q
22/03/2019	4,60	248.100	17,45	SEBA KLL-Q
22/03/2019	4,80	248.000	17,35	SEBA KLL-Q
22/03/2019	5,00	247.700	17,27	SEBA KLL-Q
22/03/2019	5,50	247.300	17,21	SEBA KLL-Q
22/03/2019	6,00	247.500	17,19	SEBA KLL-Q
22/03/2019	7,00	247.600	17,16	SEBA KLL-Q
22/03/2019	8,00	247.900	17,12	SEBA KLL-Q
22/03/2019	10,00	247.900	17,05	SEBA KLL-Q
22/03/2019	12,00	248.000	17,00	SEBA KLL-Q
22/03/2019	14,00	248.100	16,98	SEBA KLL-Q
22/03/2019	16,00	248.100	16,89	SEBA KLL-Q
22/03/2019	18,00	246.800	17,07	SEBA KLL-Q
22/03/2019	20,00	246.400	17,14	SEBA KLL-Q
22/03/2019	22,00	246.500	17,15	SEBA KLL-Q
22/03/2019	24,00	246.600	17,14	SEBA KLL-Q
22/03/2019	26,00	246.600	17,14	SEBA KLL-Q
22/03/2019	28,00	246.700	17,16	SEBA KLL-Q
22/03/2019	30,00	246.700	17,16	SEBA KLL-Q
22/03/2019	33,00	247.600	17,17	SEBA KLL-Q
22/03/2019	36,00	247.100	17,23	SEBA KLL-Q
20/04/2019	0,80	138.400	20,94	SEBA KLL-Q
20/04/2019	1,00	138.100	20,97	SEBA KLL-Q
20/04/2019	1,20	138.400	20,92	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/04/2019	1,40	138.800	20,73	SEBA KLL-Q
20/04/2019	1,60	138.400	20,91	SEBA KLL-Q
20/04/2019	1,80	139.000	21,12	SEBA KLL-Q
20/04/2019	2,00	139.700	21,04	SEBA KLL-Q
20/04/2019	2,20	141.600	20,82	SEBA KLL-Q
20/04/2019	2,40	148.000	20,59	SEBA KLL-Q
20/04/2019	2,60	151.500	20,36	SEBA KLL-Q
20/04/2019	2,80	151.800	20,14	SEBA KLL-Q
20/04/2019	3,00	152.600	19,70	SEBA KLL-Q
20/04/2019	3,20	153.400	19,43	SEBA KLL-Q
20/04/2019	3,40	165.100	19,06	SEBA KLL-Q
20/04/2019	3,60	176.800	18,76	SEBA KLL-Q
20/04/2019	3,80	190.700	18,41	SEBA KLL-Q
20/04/2019	4,00	243.700	18,13	SEBA KLL-Q
20/04/2019	4,20	251.400	17,19	SEBA KLL-Q
20/04/2019	4,40	251.500	17,85	SEBA KLL-Q
20/04/2019	4,60	250.900	17,80	SEBA KLL-Q
20/04/2019	4,80	250.800	17,67	SEBA KLL-Q
20/04/2019	5,00	250.400	17,59	SEBA KLL-Q
20/04/2019	5,50	250.300	17,49	SEBA KLL-Q
20/04/2019	6,00	250.500	17,43	SEBA KLL-Q
20/04/2019	7,00	250.300	17,37	SEBA KLL-Q
20/04/2019	8,00	250.400	17,31	SEBA KLL-Q
20/04/2019	10,00	250.500	17,10	SEBA KLL-Q
20/04/2019	12,00	250.400	17,01	SEBA KLL-Q
20/04/2019	14,00	250.400	16,97	SEBA KLL-Q
20/04/2019	16,00	249.800	16,85	SEBA KLL-Q
20/04/2019	18,00	248.900	17,10	SEBA KLL-Q
20/04/2019	20,00	248.900	17,14	SEBA KLL-Q
20/04/2019	22,00	249.000	17,16	SEBA KLL-Q
20/04/2019	24,00	249.000	17,17	SEBA KLL-Q
20/04/2019	26,00	249.100	17,16	SEBA KLL-Q
20/04/2019	28,00	249.100	17,17	SEBA KLL-Q
20/04/2019	30,00	249.100	17,17	SEBA KLL-Q
20/04/2019	32,00	249.100	17,19	SEBA KLL-Q
20/04/2019	34,00	249.000	17,21	SEBA KLL-Q
20/04/2019	36,00	249.100	17,23	SEBA KLL-Q
04/06/2019	0,80	136.100	16,96	SEBA KLL-Q
04/06/2019	1,00	136.300	16,66	SEBA KLL-Q
04/06/2019	1,20	136.400	16,65	SEBA KLL-Q
04/06/2019	1,40	136.300	16,65	SEBA KLL-Q
04/06/2019	1,60	136.300	16,68	SEBA KLL-Q
04/06/2019	1,80	136.300	16,71	SEBA KLL-Q
04/06/2019	2,00	135.900	16,82	SEBA KLL-Q
04/06/2019	2,20	136.800	17,33	SEBA KLL-Q
04/06/2019	2,40	138.000	18,05	SEBA KLL-Q
04/06/2019	2,60	144.000	18,56	SEBA KLL-Q
04/06/2019	2,80	147.600	18,71	SEBA KLL-Q
04/06/2019	3,00	148.500	18,76	SEBA KLL-Q
04/06/2019	3,20	149.500	18,74	SEBA KLL-Q
04/06/2019	3,40	156.700	18,71	SEBA KLL-Q
04/06/2019	3,60	166.700	18,58	SEBA KLL-Q
04/06/2019	3,80	192.400	18,44	SEBA KLL-Q
04/06/2019	4,00	233.700	18,27	SEBA KLL-Q
04/06/2019	4,20	239.600	18,19	SEBA KLL-Q
04/06/2019	4,40	239.400	18,08	SEBA KLL-Q
04/06/2019	4,60	238.800	18,05	SEBA KLL-Q
04/06/2019	4,80	238.900	17,98	SEBA KLL-Q
04/06/2019	5,00	239.100	17,90	SEBA KLL-Q
04/06/2019	6,00	238.100	17,68	SEBA KLL-Q
04/06/2019	8,00	238.700	17,41	SEBA KLL-Q
04/06/2019	10,00	238.500	17,10	SEBA KLL-Q
04/06/2019	12,00	238.400	16,93	SEBA KLL-Q
04/06/2019	14,00	238.500	16,87	SEBA KLL-Q
04/06/2019	16,00	238.200	16,84	SEBA KLL-Q
04/06/2019	18,00	237.500	17,03	SEBA KLL-Q
04/06/2019	20,00	237.100	17,09	SEBA KLL-Q
04/06/2019	22,00	237.400	17,13	SEBA KLL-Q
04/06/2019	24,00	237.200	17,15	SEBA KLL-Q
04/06/2019	26,00	237.400	17,16	SEBA KLL-Q
04/06/2019	28,00	237.300	17,16	SEBA KLL-Q
04/06/2019	30,00	237.400	17,18	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
04/06/2019	32,00	237.300	17,18	SEBA KLL-Q
04/06/2019	34,00	237.200	17,21	SEBA KLL-Q
04/06/2019	35,00	237.400	17,23	SEBA KLL-Q
24/09/2019	1,20	140.600	17,85	SEBA KLL-Q
24/09/2019	1,40	140.900	17,32	SEBA KLL-Q
24/09/2019	1,60	141.100	16,73	SEBA KLL-Q
24/09/2019	1,80	141.200	16,37	SEBA KLL-Q
24/09/2019	2,00	141.700	15,99	SEBA KLL-Q
24/09/2019	2,20	142.900	15,83	SEBA KLL-Q
24/09/2019	2,40	146.300	15,74	SEBA KLL-Q
24/09/2019	2,60	152.800	15,74	SEBA KLL-Q
24/09/2019	2,80	155.200	15,80	SEBA KLL-Q
24/09/2019	3,00	157.100	15,90	SEBA KLL-Q
24/09/2019	3,20	162.600	16,03	SEBA KLL-Q
24/09/2019	3,40	176.800	16,15	SEBA KLL-Q
24/09/2019	3,60	184.300	16,33	SEBA KLL-Q
24/09/2019	3,80	216.600	16,51	SEBA KLL-Q
24/09/2019	4,00	243.800	16,62	SEBA KLL-Q
24/09/2019	4,20	246.200	16,78	SEBA KLL-Q
24/09/2019	4,40	246.100	16,80	SEBA KLL-Q
24/09/2019	4,60	245.800	16,85	SEBA KLL-Q
24/09/2019	4,80	245.700	16,92	SEBA KLL-Q
24/09/2019	5,00	245.600	16,96	SEBA KLL-Q
24/09/2019	5,50	245.300	17,06	SEBA KLL-Q
24/09/2019	6,00	244.900	17,14	SEBA KLL-Q
24/09/2019	7,00	244.500	17,21	SEBA KLL-Q
24/09/2019	8,00	244.300	17,23	SEBA KLL-Q
24/09/2019	10,00	243.900	17,02	SEBA KLL-Q
24/09/2019	12,00	243.900	16,87	SEBA KLL-Q
24/09/2019	14,00	243.400	16,82	SEBA KLL-Q
24/09/2019	16,00	243.100	16,82	SEBA KLL-Q
24/09/2019	18,00	242.800	16,85	SEBA KLL-Q
24/09/2019	20,00	242.800	16,91	SEBA KLL-Q
24/09/2019	22,00	242.900	16,96	SEBA KLL-Q
24/09/2019	24,00	243.000	17,03	SEBA KLL-Q
24/09/2019	26,00	243.000	17,10	SEBA KLL-Q
24/09/2019	28,00	243.100	17,11	SEBA KLL-Q
24/09/2019	30,00	243.200	17,14	SEBA KLL-Q
24/09/2019	33,00	243.200	17,18	SEBA KLL-Q
24/09/2019	36,00	243.200	17,23	SEBA KLL-Q
04/11/2019	1,20	139.300	22,17	SEBA KLL-Q
04/11/2019	1,40	139.400	21,33	SEBA KLL-Q
04/11/2019	1,60	139.400	20,34	SEBA KLL-Q
04/11/2019	1,80	139.800	19,57	SEBA KLL-Q
04/11/2019	2,00	140.200	18,97	SEBA KLL-Q
04/11/2019	2,20	140.700	18,47	SEBA KLL-Q
04/11/2019	2,40	142.100	18,08	SEBA KLL-Q
04/11/2019	2,60	148.800	17,66	SEBA KLL-Q
04/11/2019	2,80	153.500	17,36	SEBA KLL-Q
04/11/2019	3,00	155.700	17,13	SEBA KLL-Q
04/11/2019	3,20	159.600	16,98	SEBA KLL-Q
04/11/2019	3,40	171.800	16,86	SEBA KLL-Q
04/11/2019	3,60	180.500	16,78	SEBA KLL-Q
04/11/2019	3,80	211.800	16,74	SEBA KLL-Q
04/11/2019	4,00	239.900	16,73	SEBA KLL-Q
04/11/2019	4,20	238.900	16,72	SEBA KLL-Q
04/11/2019	4,40	238.600	16,72	SEBA KLL-Q
04/11/2019	4,60	238.300	16,73	SEBA KLL-Q
04/11/2019	4,80	238.400	16,74	SEBA KLL-Q
04/11/2019	5,00	238.100	16,75	SEBA KLL-Q
04/11/2019	5,50	238.100	16,81	SEBA KLL-Q
04/11/2019	6,00	237.600	16,86	SEBA KLL-Q
04/11/2019	7,00	237.400	16,97	SEBA KLL-Q
04/11/2019	8,00	237.050	17,06	SEBA KLL-Q
04/11/2019	10,00	237.200	17,00	SEBA KLL-Q
04/11/2019	12,00	237.600	16,89	SEBA KLL-Q
04/11/2019	14,00	237.100	16,82	SEBA KLL-Q
04/11/2019	16,00	237.000	16,82	SEBA KLL-Q
04/11/2019	18,00	236.900	16,84	SEBA KLL-Q
04/11/2019	20,00	237.500	16,99	SEBA KLL-Q
04/11/2019	22,00	237.400	17,07	SEBA KLL-Q
04/11/2019	24,00	237.400	17,09	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

MPS-CC				
Fecha	Prof. [m]	C.E. [ $\mu\text{S}/\text{cm}$ ]	TEMP [°C]	Equipo
04/11/2019	26,00	237.500	17,10	SEBA KLL-Q
04/11/2019	28,00	237.500	17,13	SEBA KLL-Q
04/11/2019	30,00	237.700	17,14	SEBA KLL-Q
04/11/2019	33,00	237.600	17,17	SEBA KLL-Q
04/11/2019	36,00	237.600	17,26	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/07/2016	1,00	17.990	17,3	SEBA KLL-Q
11/07/2016	2,00	18.100	17,5	SEBA KLL-Q
11/07/2016	3,00	28.700	19,4	SEBA KLL-Q
11/07/2016	3,50	28.950	19,8	SEBA KLL-Q
11/07/2016	4,00	28.980	19,8	SEBA KLL-Q
11/07/2016	4,50	28.980	19,8	SEBA KLL-Q
11/07/2016	5,00	28.980	19,8	SEBA KLL-Q
11/07/2016	6,00	29.000	19,8	SEBA KLL-Q
11/07/2016	7,00	28.980	19,8	SEBA KLL-Q
11/07/2016	8,00	29.000	19,8	SEBA KLL-Q
11/07/2016	9,00	28.980	19,8	SEBA KLL-Q
11/07/2016	10,00	28.990	19,8	SEBA KLL-Q
11/07/2016	11,00	28.980	19,8	SEBA KLL-Q
11/07/2016	12,00	29.000	19,8	SEBA KLL-Q
11/07/2016	13,00	28.970	19,8	SEBA KLL-Q
11/07/2016	14,00	28.960	19,8	SEBA KLL-Q
11/07/2016	15,00	28.970	19,9	SEBA KLL-Q
11/07/2016	16,00	28.980	19,9	SEBA KLL-Q
11/07/2016	17,00	28.980	19,9	SEBA KLL-Q
11/07/2016	18,00	28.990	19,9	SEBA KLL-Q
11/07/2016	19,00	29.000	19,9	SEBA KLL-Q
11/07/2016	20,00	29.000	19,9	SEBA KLL-Q
11/07/2016	21,00	29.000	19,9	SEBA KLL-Q
11/07/2016	22,00	28.990	19,9	SEBA KLL-Q
11/07/2016	23,00	28.990	19,9	SEBA KLL-Q
11/07/2016	24,00	28.970	19,9	SEBA KLL-Q
11/07/2016	25,00	28.930	20,0	SEBA KLL-Q
11/07/2016	26,00	28.840	20,0	SEBA KLL-Q
11/07/2016	27,00	28.880	20,1	SEBA KLL-Q
11/07/2016	28,00	28.810	20,3	SEBA KLL-Q
11/07/2016	29,00	44.000	20,1	SEBA KLL-Q
11/07/2016	29,25	44.680	20,1	SEBA KLL-Q
11/07/2016	29,50	44.980	20,1	SEBA KLL-Q
11/07/2016	30,00	45.150	20,1	SEBA KLL-Q
11/07/2016	30,50	45.270	20,0	SEBA KLL-Q
11/07/2016	31,00	45.360	20,0	SEBA KLL-Q
11/07/2016	31,50	46.830	20,1	SEBA KLL-Q
11/07/2016	32,00	47.070	20,1	SEBA KLL-Q
11/07/2016	32,50	47.750	20,1	SEBA KLL-Q
11/07/2016	33,00	48.110	20,1	SEBA KLL-Q
11/07/2016	33,50	48.470	20,0	SEBA KLL-Q
11/07/2016	34,00	48.950	20,0	SEBA KLL-Q
11/07/2016	35,00	52.200	20,5	SEBA KLL-Q
11/07/2016	35,50	52.230	20,6	SEBA KLL-Q
11/07/2016	36,00	52.260	20,6	SEBA KLL-Q
11/07/2016	37,00	52.260	20,6	SEBA KLL-Q
11/07/2016	38,00	52.280	20,6	SEBA KLL-Q
11/07/2016	39,00	52.270	20,6	SEBA KLL-Q
11/07/2016	40,00	52.270	20,6	SEBA KLL-Q
11/07/2016	41,00	52.260	20,6	SEBA KLL-Q
11/07/2016	42,00	52.260	20,6	SEBA KLL-Q
11/07/2016	43,00	52.260	20,6	SEBA KLL-Q
11/07/2016	44,00	52.270	20,6	SEBA KLL-Q
11/07/2016	45,00	52.280	20,6	SEBA KLL-Q
11/07/2016	46,00	52.300	20,6	SEBA KLL-Q
11/07/2016	47,00	52.280	20,6	SEBA KLL-Q
11/07/2016	48,00	52.280	20,6	SEBA KLL-Q
11/07/2016	49,00	52.270	20,6	SEBA KLL-Q
11/07/2016	50,00	59.380	20,6	SEBA KLL-Q
11/07/2016	50,50	59.540	20,6	SEBA KLL-Q
11/07/2016	51,00	59.510	20,6	SEBA KLL-Q
11/07/2016	52,00	59.710	20,6	SEBA KLL-Q
11/07/2016	53,00	97.660	20,4	SEBA KLL-Q
11/07/2016	53,25	100.400	20,4	SEBA KLL-Q
11/07/2016	53,50	102.100	20,5	SEBA KLL-Q
11/07/2016	54,00	102.400	20,6	SEBA KLL-Q
11/07/2016	54,50	102.400	20,6	SEBA KLL-Q
11/07/2016	55,00	102.400	20,6	SEBA KLL-Q
11/07/2016	55,50	102.400	20,6	SEBA KLL-Q
11/07/2016	56,00	102.400	20,6	SEBA KLL-Q
11/07/2016	57,00	102.400	20,6	SEBA KLL-Q
11/07/2016	58,00	102.400	20,6	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/07/2016	59,00	102.400	20,6	SEBA KLL-Q
11/07/2016	60,00	112.700	20,7	SEBA KLL-Q
11/07/2016	60,50	112.900	20,8	SEBA KLL-Q
11/07/2016	61,00	113.100	20,8	SEBA KLL-Q
11/07/2016	61,50	115.600	20,9	SEBA KLL-Q
11/07/2016	62,00	115.700	20,9	SEBA KLL-Q
11/07/2016	63,00	125.000	21,0	SEBA KLL-Q
11/07/2016	63,50	125.600	21,1	SEBA KLL-Q
11/07/2016	64,00	126.400	21,1	SEBA KLL-Q
11/07/2016	65,00	129.000	21,1	SEBA KLL-Q
11/07/2016	66,00	131.500	21,2	SEBA KLL-Q
11/07/2016	67,00	133.500	21,2	SEBA KLL-Q
11/07/2016	68,00	133.900	21,3	SEBA KLL-Q
11/07/2016	69,00	133.900	21,3	SEBA KLL-Q
11/07/2016	70,00	133.900	21,3	SEBA KLL-Q
11/07/2016	71,00	133.900	21,3	SEBA KLL-Q
11/07/2016	72,00	133.900	21,3	SEBA KLL-Q
11/07/2016	73,00	133.900	21,3	SEBA KLL-Q
11/07/2016	74,00	133.900	21,3	SEBA KLL-Q
11/07/2016	75,00	146.700	21,4	SEBA KLL-Q
11/07/2016	75,00	147.100	21,5	SEBA KLL-Q
11/07/2016	76,00	147.900	21,5	SEBA KLL-Q
11/07/2016	77,00	149.300	21,5	SEBA KLL-Q
11/07/2016	78,00	149.500	21,5	SEBA KLL-Q
11/07/2016	79,00	226.500	22,0	SEBA KLL-Q
11/07/2016	79,50	226.600	22,1	SEBA KLL-Q
11/07/2016	80,00	226.600	22,0	SEBA KLL-Q
11/07/2016	82,00	226.600	22,0	SEBA KLL-Q
11/07/2016	84,00	226.600	22,1	SEBA KLL-Q
11/07/2016	89,00	226.600	22,2	SEBA KLL-Q
11/07/2016	94,00	226.600	22,3	SEBA KLL-Q
11/07/2016	99,00	226.700	22,3	SEBA KLL-Q
11/07/2016	99,70	118.600	22,4	SEBA KLL-Q
22/10/2016	1,00	16.656	20,0	SEBA KLL-Q
22/10/2016	2,00	23.976	19,7	SEBA KLL-Q
22/10/2016	3,00	28.905	20,3	SEBA KLL-Q
22/10/2016	4,00	28.930	20,3	SEBA KLL-Q
22/10/2016	5,00	28.956	20,3	SEBA KLL-Q
22/10/2016	6,00	28.939	20,3	SEBA KLL-Q
22/10/2016	7,00	28.943	20,3	SEBA KLL-Q
22/10/2016	8,00	28.943	20,3	SEBA KLL-Q
22/10/2016	9,00	28.946	20,3	SEBA KLL-Q
22/10/2016	10,00	28.948	20,3	SEBA KLL-Q
22/10/2016	11,00	28.948	20,3	SEBA KLL-Q
22/10/2016	12,00	28.939	20,3	SEBA KLL-Q
22/10/2016	13,00	28.961	20,3	SEBA KLL-Q
22/10/2016	14,00	28.969	20,3	SEBA KLL-Q
22/10/2016	15,00	28.935	20,3	SEBA KLL-Q
22/10/2016	16,00	28.958	20,3	SEBA KLL-Q
22/10/2016	17,00	28.960	20,3	SEBA KLL-Q
22/10/2016	18,00	28.935	20,3	SEBA KLL-Q
22/10/2016	19,00	28.958	20,4	SEBA KLL-Q
22/10/2016	20,00	28.964	20,4	SEBA KLL-Q
22/10/2016	21,00	28.979	20,4	SEBA KLL-Q
22/10/2016	22,00	28.977	20,4	SEBA KLL-Q
22/10/2016	23,00	29.009	20,4	SEBA KLL-Q
22/10/2016	24,00	29.026	20,4	SEBA KLL-Q
22/10/2016	25,00	29.043	20,4	SEBA KLL-Q
22/10/2016	26,00	29.022	20,4	SEBA KLL-Q
22/10/2016	27,00	29.041	20,4	SEBA KLL-Q
22/10/2016	28,00	29.092	20,4	SEBA KLL-Q
22/10/2016	28,20	29.451	20,4	SEBA KLL-Q
22/10/2016	28,40	31.045	20,4	SEBA KLL-Q
22/10/2016	28,60	52.096	20,5	SEBA KLL-Q
22/10/2016	28,80	52.199	20,5	SEBA KLL-Q
22/10/2016	29,00	52.610	20,5	SEBA KLL-Q
22/10/2016	29,50	55.074	20,5	SEBA KLL-Q
22/10/2016	30,00	55.307	20,5	SEBA KLL-Q
22/10/2016	30,50	55.551	20,6	SEBA KLL-Q
22/10/2016	31,00	55.703	20,6	SEBA KLL-Q
22/10/2016	31,50	56.082	20,6	SEBA KLL-Q
22/10/2016	32,00	57.210	20,6	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2016	32,50	57.940	20,7	SEBA KLL-Q
22/10/2016	33,00	57.915	20,7	SEBA KLL-Q
22/10/2016	34,00	57.860	20,7	SEBA KLL-Q
22/10/2016	35,00	57.891	20,7	SEBA KLL-Q
22/10/2016	36,00	57.874	20,7	SEBA KLL-Q
22/10/2016	37,00	57.879	20,7	SEBA KLL-Q
22/10/2016	38,00	57.872	20,8	SEBA KLL-Q
22/10/2016	39,00	57.855	20,8	SEBA KLL-Q
22/10/2016	40,00	57.800	20,8	SEBA KLL-Q
22/10/2016	41,00	57.836	20,8	SEBA KLL-Q
22/10/2016	42,00	57.851	20,8	SEBA KLL-Q
22/10/2016	43,00	57.865	20,8	SEBA KLL-Q
22/10/2016	44,00	57.867	20,8	SEBA KLL-Q
22/10/2016	45,00	57.893	20,9	SEBA KLL-Q
22/10/2016	46,00	57.865	20,9	SEBA KLL-Q
22/10/2016	47,00	57.884	20,9	SEBA KLL-Q
22/10/2016	48,00	57.890	20,9	SEBA KLL-Q
22/10/2016	49,00	57.890	20,9	SEBA KLL-Q
22/10/2016	49,20	58.597	20,9	SEBA KLL-Q
22/10/2016	49,40	58.716	20,9	SEBA KLL-Q
22/10/2016	49,60	60.078	20,9	SEBA KLL-Q
22/10/2016	49,80	77.324	21,1	SEBA KLL-Q
22/10/2016	50,00	77.491	21,1	SEBA KLL-Q
22/10/2016	50,20	77.758	21,1	SEBA KLL-Q
22/10/2016	50,40	77.796	21,1	SEBA KLL-Q
22/10/2016	50,60	77.802	21,1	SEBA KLL-Q
22/10/2016	50,80	77.766	21,1	SEBA KLL-Q
22/10/2016	51,00	77.791	21,1	SEBA KLL-Q
22/10/2016	51,50	77.804	21,1	SEBA KLL-Q
22/10/2016	52,00	77.798	21,1	SEBA KLL-Q
22/10/2016	52,50	77.787	21,1	SEBA KLL-Q
22/10/2016	53,00	77.781	21,1	SEBA KLL-Q
22/10/2016	53,50	77.781	21,1	SEBA KLL-Q
22/10/2016	54,00	77.787	21,1	SEBA KLL-Q
22/10/2016	54,50	77.776	21,1	SEBA KLL-Q
22/10/2016	55,00	77.776	21,1	SEBA KLL-Q
22/10/2016	56,00	77.783	21,1	SEBA KLL-Q
22/10/2016	57,00	77.802	21,1	SEBA KLL-Q
22/10/2016	58,00	77.834	21,1	SEBA KLL-Q
22/10/2016	58,50	77.853	21,1	SEBA KLL-Q
22/10/2016	59,00	78.215	21,1	SEBA KLL-Q
22/10/2016	59,20	78.323	21,1	SEBA KLL-Q
22/10/2016	59,40	78.412	21,2	SEBA KLL-Q
22/10/2016	59,60	78.438	21,2	SEBA KLL-Q
22/10/2016	59,80	78.463	21,2	SEBA KLL-Q
22/10/2016	60,00	78.487	21,2	SEBA KLL-Q
22/10/2016	60,20	78.482	21,2	SEBA KLL-Q
22/10/2016	60,40	78.463	21,2	SEBA KLL-Q
22/10/2016	60,60	78.501	21,2	SEBA KLL-Q
22/10/2016	60,80	78.544	21,2	SEBA KLL-Q
22/10/2016	61,00	78.520	21,2	SEBA KLL-Q
22/10/2016	61,50	78.576	21,2	SEBA KLL-Q
22/10/2016	62,00	95.751	21,2	SEBA KLL-Q
22/10/2016	62,20	103.281	21,2	SEBA KLL-Q
22/10/2016	62,40	107.694	21,2	SEBA KLL-Q
22/10/2016	62,60	119.502	21,2	SEBA KLL-Q
22/10/2016	62,80	124.235	21,2	SEBA KLL-Q
22/10/2016	63,00	128.775	21,2	SEBA KLL-Q
22/10/2016	63,20	133.380	21,2	SEBA KLL-Q
22/10/2016	63,40	143.475	21,2	SEBA KLL-Q
22/10/2016	63,60	150.984	21,3	SEBA KLL-Q
22/10/2016	63,80	153.474	21,3	SEBA KLL-Q
22/10/2016	64,00	153.758	21,3	SEBA KLL-Q
22/10/2016	64,20	153.837	21,4	SEBA KLL-Q
22/10/2016	64,40	153.913	21,4	SEBA KLL-Q
22/10/2016	64,60	153.939	21,4	SEBA KLL-Q
22/10/2016	64,80	154.011	21,4	SEBA KLL-Q
22/10/2016	65,00	154.007	21,4	SEBA KLL-Q
22/10/2016	65,50	154.105	21,4	SEBA KLL-Q
22/10/2016	66,00	154.102	21,4	SEBA KLL-Q
22/10/2016	66,50	154.091	21,4	SEBA KLL-Q
22/10/2016	67,00	154.110	21,4	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/10/2016	67,50	154.054	21,4	SEBA KLL-Q
22/10/2016	68,00	154.087	21,4	SEBA KLL-Q
22/10/2016	68,50	154.076	21,4	SEBA KLL-Q
22/10/2016	69,00	154.061	21,4	SEBA KLL-Q
22/10/2016	69,50	154.065	21,4	SEBA KLL-Q
22/10/2016	70,00	154.046	21,4	SEBA KLL-Q
22/10/2016	70,50	154.095	21,4	SEBA KLL-Q
22/10/2016	71,00	154.046	21,4	SEBA KLL-Q
22/10/2016	71,50	154.084	21,4	SEBA KLL-Q
22/10/2016	72,00	154.035	21,4	SEBA KLL-Q
22/10/2016	72,50	154.050	21,4	SEBA KLL-Q
22/10/2016	73,00	154.061	21,4	SEBA KLL-Q
22/10/2016	73,50	154.069	21,4	SEBA KLL-Q
22/10/2016	74,00	154.322	21,4	SEBA KLL-Q
22/10/2016	74,20	154.440	21,4	SEBA KLL-Q
22/10/2016	74,40	154.440	21,5	SEBA KLL-Q
22/10/2016	74,60	154.671	21,5	SEBA KLL-Q
22/10/2016	74,80	154.754	21,5	SEBA KLL-Q
22/10/2016	75,00	154.724	21,5	SEBA KLL-Q
22/10/2016	75,50	155.405	21,6	SEBA KLL-Q
22/10/2016	76,00	157.175	21,7	SEBA KLL-Q
22/10/2016	76,20	158.800	21,7	SEBA KLL-Q
22/10/2016	76,40	159.800	21,7	SEBA KLL-Q
22/10/2016	76,60	160.096	21,8	SEBA KLL-Q
22/10/2016	76,80	160.639	21,8	SEBA KLL-Q
22/10/2016	77,00	161.322	21,8	SEBA KLL-Q
22/10/2016	77,20	161.858	21,9	SEBA KLL-Q
22/10/2016	77,40	162.800	21,9	SEBA KLL-Q
22/10/2016	77,60	162.107	21,9	SEBA KLL-Q
22/10/2016	77,80	164.189	22,0	SEBA KLL-Q
22/10/2016	78,00	166.707	22,0	SEBA KLL-Q
22/10/2016	78,20	214.188	22,2	SEBA KLL-Q
22/10/2016	78,40	237.275	22,4	SEBA KLL-Q
22/10/2016	78,60	237.359	22,4	SEBA KLL-Q
22/10/2016	78,80	237.503	22,4	SEBA KLL-Q
22/10/2016	79,00	237.456	22,4	SEBA KLL-Q
22/10/2016	79,50	237.460	22,4	SEBA KLL-Q
22/10/2016	80,00	237.530	22,4	SEBA KLL-Q
22/10/2016	81,00	237.530	22,4	SEBA KLL-Q
22/10/2016	82,00	237.545	22,4	SEBA KLL-Q
22/10/2016	84,00	237.512	22,4	SEBA KLL-Q
22/10/2016	86,00	237.533	22,4	SEBA KLL-Q
22/10/2016	90,00	237.543	22,5	SEBA KLL-Q
22/10/2016	95,00	237.563	22,5	SEBA KLL-Q
22/10/2016	99,55	134.759	22,6	SEBA KLL-Q
20/11/2016	1,10	15.240	20,8	SEBA KLL-Q
20/11/2016	2,00	23.430	19,9	SEBA KLL-Q
20/11/2016	4,00	29.160	20,2	SEBA KLL-Q
20/11/2016	6,00	29.150	20,2	SEBA KLL-Q
20/11/2016	8,00	29.130	20,3	SEBA KLL-Q
20/11/2016	10,00	29.140	20,3	SEBA KLL-Q
20/11/2016	12,00	29.160	20,3	SEBA KLL-Q
20/11/2016	14,00	29.130	20,3	SEBA KLL-Q
20/11/2016	16,00	29.150	20,3	SEBA KLL-Q
20/11/2016	18,00	29.150	20,3	SEBA KLL-Q
20/11/2016	20,00	29.210	20,4	SEBA KLL-Q
20/11/2016	22,00	29.260	20,4	SEBA KLL-Q
20/11/2016	24,00	29.290	20,4	SEBA KLL-Q
20/11/2016	26,00	29.310	20,4	SEBA KLL-Q
20/11/2016	28,00	29.450	20,4	SEBA KLL-Q
20/11/2016	29,00	54.450	20,5	SEBA KLL-Q
20/11/2016	29,50	55.160	20,5	SEBA KLL-Q
20/11/2016	30,00	55.710	20,5	SEBA KLL-Q
20/11/2016	31,00	55.970	20,6	SEBA KLL-Q
20/11/2016	32,00	57.630	20,6	SEBA KLL-Q
20/11/2016	34,00	58.150	20,7	SEBA KLL-Q
20/11/2016	36,00	58.190	20,7	SEBA KLL-Q
20/11/2016	38,00	58.180	20,7	SEBA KLL-Q
20/11/2016	40,00	58.160	20,7	SEBA KLL-Q
20/11/2016	42,00	58.200	20,7	SEBA KLL-Q
20/11/2016	44,00	58.210	20,7	SEBA KLL-Q
20/11/2016	46,00	58.180	20,8	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/11/2016	48,00	58.210	20,8	SEBA KLL-Q
20/11/2016	49,00	58.230	20,9	SEBA KLL-Q
20/11/2016	49,50	59.010	20,9	SEBA KLL-Q
20/11/2016	49,70	74.970	21,0	SEBA KLL-Q
20/11/2016	49,90	79.890	21,0	SEBA KLL-Q
20/11/2016	50,10	77.220	21,1	SEBA KLL-Q
20/11/2016	50,50	77.430	21,1	SEBA KLL-Q
20/11/2016	51,00	77.490	21,1	SEBA KLL-Q
20/11/2016	52,00	77.500	21,1	SEBA KLL-Q
20/11/2016	54,00	77.550	21,1	SEBA KLL-Q
20/11/2016	56,00	77.570	21,1	SEBA KLL-Q
20/11/2016	58,00	77.610	21,1	SEBA KLL-Q
20/11/2016	60,00	78.320	21,1	SEBA KLL-Q
20/11/2016	61,00	78.280	21,1	SEBA KLL-Q
20/11/2016	61,20	78.300	21,1	SEBA KLL-Q
20/11/2016	61,40	78.390	21,1	SEBA KLL-Q
20/11/2016	61,60	85.320	21,1	SEBA KLL-Q
20/11/2016	61,80	90.830	21,1	SEBA KLL-Q
20/11/2016	62,00	92.040	21,1	SEBA KLL-Q
20/11/2016	62,20	99.750	21,2	SEBA KLL-Q
20/11/2016	62,40	102.500	21,2	SEBA KLL-Q
20/11/2016	62,60	135.800	21,2	SEBA KLL-Q
20/11/2016	62,80	141.400	21,2	SEBA KLL-Q
20/11/2016	63,00	146.000	21,2	SEBA KLL-Q
20/11/2016	63,20	147.000	21,2	SEBA KLL-Q
20/11/2016	63,40	147.200	21,2	SEBA KLL-Q
20/11/2016	63,60	147.400	21,2	SEBA KLL-Q
20/11/2016	63,80	151.200	21,2	SEBA KLL-Q
20/11/2016	64,00	152.800	21,2	SEBA KLL-Q
20/11/2016	64,20	153.300	21,3	SEBA KLL-Q
20/11/2016	64,40	153.100	21,3	SEBA KLL-Q
20/11/2016	64,60	153.100	21,3	SEBA KLL-Q
20/11/2016	64,80	153.100	21,3	SEBA KLL-Q
20/11/2016	65,00	153.100	21,3	SEBA KLL-Q
20/11/2016	66,00	153.200	21,3	SEBA KLL-Q
20/11/2016	67,00	153.100	21,4	SEBA KLL-Q
20/11/2016	68,00	153.000	21,4	SEBA KLL-Q
20/11/2016	69,00	153.000	21,4	SEBA KLL-Q
20/11/2016	70,00	153.100	21,4	SEBA KLL-Q
20/11/2016	72,00	153.000	21,4	SEBA KLL-Q
20/11/2016	74,00	153.000	21,4	SEBA KLL-Q
20/11/2016	75,00	155.300	21,5	SEBA KLL-Q
20/11/2016	75,20	155.300	21,6	SEBA KLL-Q
20/11/2016	75,40	155.300	21,6	SEBA KLL-Q
20/11/2016	75,60	155.500	21,6	SEBA KLL-Q
20/11/2016	75,80	156.000	21,6	SEBA KLL-Q
20/11/2016	76,00	156.700	21,6	SEBA KLL-Q
20/11/2016	76,20	157.000	21,7	SEBA KLL-Q
20/11/2016	76,40	157.900	21,7	SEBA KLL-Q
20/11/2016	76,60	157.600	21,7	SEBA KLL-Q
20/11/2016	76,80	159.300	21,8	SEBA KLL-Q
20/11/2016	77,00	159.600	21,8	SEBA KLL-Q
20/11/2016	77,20	160.200	21,8	SEBA KLL-Q
20/11/2016	77,40	161.000	21,9	SEBA KLL-Q
20/11/2016	77,60	162.800	21,9	SEBA KLL-Q
20/11/2016	77,80	166.200	21,9	SEBA KLL-Q
20/11/2016	78,00	174.700	22,0	SEBA KLL-Q
20/11/2016	78,20	206.800	22,2	SEBA KLL-Q
20/11/2016	78,40	235.800	22,3	SEBA KLL-Q
20/11/2016	78,60	231.100	22,4	SEBA KLL-Q
20/11/2016	78,80	235.100	22,4	SEBA KLL-Q
20/11/2016	79,00	235.100	22,4	SEBA KLL-Q
20/11/2016	80,00	235.100	22,4	SEBA KLL-Q
20/11/2016	85,00	235.100	22,4	SEBA KLL-Q
20/11/2016	90,00	235.400	22,4	SEBA KLL-Q
20/11/2016	95,00	235.100	22,5	SEBA KLL-Q
20/11/2016	99,55	162.100	22,6	SEBA KLL-Q
20/12/2016	1,50	15.210	23,1	SEBA KLL-Q
20/12/2016	2,00	20.290	20,7	SEBA KLL-Q
20/12/2016	4,00	29.750	20,3	SEBA KLL-Q
20/12/2016	6,00	29.720	20,3	SEBA KLL-Q
20/12/2016	8,00	29.700	20,3	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/12/2016	10,00	29.710	20,3	SEBA KLL-Q
20/12/2016	12,00	29.680	20,3	SEBA KLL-Q
20/12/2016	14,00	29.660	20,3	SEBA KLL-Q
20/12/2016	16,00	29.640	20,3	SEBA KLL-Q
20/12/2016	18,00	29.650	20,3	SEBA KLL-Q
20/12/2016	20,00	29.690	20,4	SEBA KLL-Q
20/12/2016	22,00	29.730	20,4	SEBA KLL-Q
20/12/2016	24,00	29.850	20,4	SEBA KLL-Q
20/12/2016	26,00	29.820	20,4	SEBA KLL-Q
20/12/2016	28,00	29.980	20,4	SEBA KLL-Q
20/12/2016	28,20	30.290	20,4	SEBA KLL-Q
20/12/2016	28,40	32.120	20,4	SEBA KLL-Q
20/12/2016	28,60	52.410	20,4	SEBA KLL-Q
20/12/2016	28,80	52.700	20,5	SEBA KLL-Q
20/12/2016	29,00	53.030	20,5	SEBA KLL-Q
20/12/2016	31,00	55.300	20,6	SEBA KLL-Q
20/12/2016	33,00	58.140	20,7	SEBA KLL-Q
20/12/2016	35,00	58.210	20,7	SEBA KLL-Q
20/12/2016	37,00	58.220	20,8	SEBA KLL-Q
20/12/2016	39,00	58.370	20,8	SEBA KLL-Q
20/12/2016	41,00	58.460	20,8	SEBA KLL-Q
20/12/2016	43,00	58.470	20,9	SEBA KLL-Q
20/12/2016	45,00	58.460	20,9	SEBA KLL-Q
20/12/2016	47,00	58.460	20,9	SEBA KLL-Q
20/12/2016	49,00	58.460	20,9	SEBA KLL-Q
20/12/2016	49,20	58.520	20,9	SEBA KLL-Q
20/12/2016	49,40	58.630	20,9	SEBA KLL-Q
20/12/2016	49,60	59.200	20,9	SEBA KLL-Q
20/12/2016	49,80	76.870	21,0	SEBA KLL-Q
20/12/2016	50,00	77.040	21,1	SEBA KLL-Q
20/12/2016	52,00	77.240	21,1	SEBA KLL-Q
20/12/2016	54,00	77.240	21,1	SEBA KLL-Q
20/12/2016	56,00	77.290	21,1	SEBA KLL-Q
20/12/2016	58,00	77.310	21,1	SEBA KLL-Q
20/12/2016	60,00	77.990	21,1	SEBA KLL-Q
20/12/2016	61,00	78.070	21,1	SEBA KLL-Q
20/12/2016	61,20	78.110	21,1	SEBA KLL-Q
20/12/2016	61,40	78.140	21,1	SEBA KLL-Q
20/12/2016	61,60	86.300	21,1	SEBA KLL-Q
20/12/2016	61,80	89.790	21,1	SEBA KLL-Q
20/12/2016	62,00	91.670	21,2	SEBA KLL-Q
20/12/2016	62,20	102.800	21,2	SEBA KLL-Q
20/12/2016	62,40	110.800	21,2	SEBA KLL-Q
20/12/2016	62,60	144.400	21,2	SEBA KLL-Q
20/12/2016	62,80	144.900	21,2	SEBA KLL-Q
20/12/2016	63,00	145.400	21,2	SEBA KLL-Q
20/12/2016	63,20	145.700	21,2	SEBA KLL-Q
20/12/2016	63,40	146.000	21,2	SEBA KLL-Q
20/12/2016	63,60	148.400	21,2	SEBA KLL-Q
20/12/2016	63,80	152.900	21,3	SEBA KLL-Q
20/12/2016	64,00	153.000	21,4	SEBA KLL-Q
20/12/2016	66,00	152.900	21,4	SEBA KLL-Q
20/12/2016	68,00	153.000	21,4	SEBA KLL-Q
20/12/2016	70,00	153.000	21,4	SEBA KLL-Q
20/12/2016	72,00	152.900	21,4	SEBA KLL-Q
20/12/2016	74,00	153.000	21,4	SEBA KLL-Q
20/12/2016	75,00	155.100	21,5	SEBA KLL-Q
20/12/2016	76,00	156.800	21,7	SEBA KLL-Q
20/12/2016	77,00	160.700	21,8	SEBA KLL-Q
20/12/2016	77,20	161.400	21,9	SEBA KLL-Q
20/12/2016	77,40	162.200	21,9	SEBA KLL-Q
20/12/2016	77,60	163.800	22,0	SEBA KLL-Q
20/12/2016	77,80	168.500	22,0	SEBA KLL-Q
20/12/2016	78,00	177.500	22,1	SEBA KLL-Q
20/12/2016	78,20	214.000	22,2	SEBA KLL-Q
20/12/2016	78,40	235.200	22,2	SEBA KLL-Q
20/12/2016	78,60	234.400	22,4	SEBA KLL-Q
20/12/2016	78,80	234.400	22,4	SEBA KLL-Q
20/12/2016	79,00	234.600	22,4	SEBA KLL-Q
20/12/2016	81,00	234.600	22,4	SEBA KLL-Q
20/12/2016	83,00	234.600	22,4	SEBA KLL-Q
20/12/2016	85,00	236.600	22,4	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/12/2016	87,00	234.600	22,4	SEBA KLL-Q
20/12/2016	89,00	234.700	22,5	SEBA KLL-Q
20/12/2016	91,00	234.700	22,5	SEBA KLL-Q
20/12/2016	93,00	234.600	22,5	SEBA KLL-Q
20/12/2016	95,00	234.600	22,5	SEBA KLL-Q
20/12/2016	97,00	235.600	22,6	SEBA KLL-Q
20/12/2016	99,00	235.200	22,6	SEBA KLL-Q
20/12/2016	99,49	194.400	22,6	SEBA KLL-Q
14/01/2017	1,10	15.830	24,5	SEBA KLL-Q
14/01/2017	2,00	18.880	21,4	SEBA KLL-Q
14/01/2017	4,00	33.100	20,3	SEBA KLL-Q
14/01/2017	6,00	33.050	20,3	SEBA KLL-Q
14/01/2017	8,00	33.030	20,3	SEBA KLL-Q
14/01/2017	10,00	33.020	20,3	SEBA KLL-Q
14/01/2017	12,00	33.000	20,3	SEBA KLL-Q
14/01/2017	14,00	32.980	20,3	SEBA KLL-Q
14/01/2017	16,00	32.960	20,3	SEBA KLL-Q
14/01/2017	18,00	32.950	20,3	SEBA KLL-Q
14/01/2017	20,00	32.950	20,3	SEBA KLL-Q
14/01/2017	22,00	32.970	20,4	SEBA KLL-Q
14/01/2017	24,00	33.060	20,4	SEBA KLL-Q
14/01/2017	26,00	33.160	20,4	SEBA KLL-Q
14/01/2017	28,00	33.310	20,4	SEBA KLL-Q
14/01/2017	29,00	56.870	20,5	SEBA KLL-Q
14/01/2017	29,50	58.560	20,5	SEBA KLL-Q
14/01/2017	30,00	58.940	20,5	SEBA KLL-Q
14/01/2017	30,50	59.370	20,5	SEBA KLL-Q
14/01/2017	31,00	59.550	20,5	SEBA KLL-Q
14/01/2017	31,50	59.820	20,6	SEBA KLL-Q
14/01/2017	32,00	63.370	20,6	SEBA KLL-Q
14/01/2017	32,50	63.960	20,7	SEBA KLL-Q
14/01/2017	33,00	64.010	20,7	SEBA KLL-Q
14/01/2017	33,50	64.010	20,7	SEBA KLL-Q
14/01/2017	34,00	64.020	20,7	SEBA KLL-Q
14/01/2017	34,50	64.030	20,7	SEBA KLL-Q
14/01/2017	35,00	64.060	20,8	SEBA KLL-Q
14/01/2017	35,50	64.070	20,8	SEBA KLL-Q
14/01/2017	36,00	64.060	20,8	SEBA KLL-Q
14/01/2017	36,50	64.090	20,8	SEBA KLL-Q
14/01/2017	37,00	64.080	20,8	SEBA KLL-Q
14/01/2017	37,50	64.060	20,8	SEBA KLL-Q
14/01/2017	38,00	64.080	20,8	SEBA KLL-Q
14/01/2017	38,50	64.060	20,8	SEBA KLL-Q
14/01/2017	39,00	64.080	20,8	SEBA KLL-Q
14/01/2017	40,00	64.070	20,8	SEBA KLL-Q
14/01/2017	41,00	64.070	20,8	SEBA KLL-Q
14/01/2017	42,00	64.080	20,8	SEBA KLL-Q
14/01/2017	43,00	64.080	20,8	SEBA KLL-Q
14/01/2017	44,00	64.080	20,8	SEBA KLL-Q
14/01/2017	45,00	64.090	20,8	SEBA KLL-Q
14/01/2017	46,00	64.100	20,8	SEBA KLL-Q
14/01/2017	47,00	64.110	20,8	SEBA KLL-Q
14/01/2017	48,00	64.150	20,9	SEBA KLL-Q
14/01/2017	49,00	64.160	20,9	SEBA KLL-Q
14/01/2017	50,00	84.540	21,1	SEBA KLL-Q
14/01/2017	50,20	84.640	21,1	SEBA KLL-Q
14/01/2017	50,40	84.640	21,1	SEBA KLL-Q
14/01/2017	50,60	84.640	21,1	SEBA KLL-Q
14/01/2017	50,80	84.640	21,1	SEBA KLL-Q
14/01/2017	51,00	84.640	21,1	SEBA KLL-Q
14/01/2017	51,50	84.640	21,1	SEBA KLL-Q
14/01/2017	52,00	84.660	21,1	SEBA KLL-Q
14/01/2017	52,50	84.660	21,1	SEBA KLL-Q
14/01/2017	53,00	84.670	21,1	SEBA KLL-Q
14/01/2017	53,50	84.670	21,1	SEBA KLL-Q
14/01/2017	54,00	84.670	21,1	SEBA KLL-Q
14/01/2017	54,50	84.680	21,1	SEBA KLL-Q
14/01/2017	55,00	84.680	21,1	SEBA KLL-Q
14/01/2017	56,00	84.690	21,1	SEBA KLL-Q
14/01/2017	57,00	84.700	21,1	SEBA KLL-Q
14/01/2017	58,00	84.760	21,1	SEBA KLL-Q
14/01/2017	58,50	84.790	21,1	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/01/2017	59,00	85.330	21,1	SEBA KLL-Q
14/01/2017	59,50	85.500	21,1	SEBA KLL-Q
14/01/2017	60,00	85.520	21,1	SEBA KLL-Q
14/01/2017	60,50	85.550	21,1	SEBA KLL-Q
14/01/2017	61,00	85.550	21,1	SEBA KLL-Q
14/01/2017	61,50	85.660	21,1	SEBA KLL-Q
14/01/2017	62,00	101.200	21,2	SEBA KLL-Q
14/01/2017	62,20	122.800	21,2	SEBA KLL-Q
14/01/2017	62,40	131.100	21,2	SEBA KLL-Q
14/01/2017	62,60	161.600	21,2	SEBA KLL-Q
14/01/2017	62,80	162.100	21,2	SEBA KLL-Q
14/01/2017	63,00	162.400	21,2	SEBA KLL-Q
14/01/2017	63,20	162.900	21,2	SEBA KLL-Q
14/01/2017	63,40	163.100	21,2	SEBA KLL-Q
14/01/2017	63,60	164.800	21,3	SEBA KLL-Q
14/01/2017	63,80	167.600	21,4	SEBA KLL-Q
14/01/2017	64,00	167.700	21,4	SEBA KLL-Q
14/01/2017	64,20	167.700	21,4	SEBA KLL-Q
14/01/2017	64,40	167.700	21,4	SEBA KLL-Q
14/01/2017	64,60	167.700	21,4	SEBA KLL-Q
14/01/2017	64,80	167.700	21,4	SEBA KLL-Q
14/01/2017	65,00	167.700	21,4	SEBA KLL-Q
14/01/2017	65,20	167.700	21,4	SEBA KLL-Q
14/01/2017	65,40	167.700	21,4	SEBA KLL-Q
14/01/2017	65,60	167.700	21,4	SEBA KLL-Q
14/01/2017	66,00	167.700	21,4	SEBA KLL-Q
14/01/2017	66,50	167.700	21,4	SEBA KLL-Q
14/01/2017	67,00	167.700	21,4	SEBA KLL-Q
14/01/2017	67,50	167.700	21,4	SEBA KLL-Q
14/01/2017	68,00	167.700	21,4	SEBA KLL-Q
14/01/2017	68,50	167.700	21,4	SEBA KLL-Q
14/01/2017	69,00	167.700	21,4	SEBA KLL-Q
14/01/2017	69,50	167.700	21,4	SEBA KLL-Q
14/01/2017	70,00	167.700	21,4	SEBA KLL-Q
14/01/2017	70,50	167.700	21,4	SEBA KLL-Q
14/01/2017	71,00	167.700	21,4	SEBA KLL-Q
14/01/2017	72,00	167.700	21,4	SEBA KLL-Q
14/01/2017	73,00	167.700	21,4	SEBA KLL-Q
14/01/2017	75,00	170.300	21,6	SEBA KLL-Q
14/01/2017	76,00	172.400	21,7	SEBA KLL-Q
14/01/2017	77,00	177.300	21,9	SEBA KLL-Q
14/01/2017	78,00	198.100	22,1	SEBA KLL-Q
14/01/2017	78,50	257.600	22,4	SEBA KLL-Q
14/01/2017	79,00	257.600	22,4	SEBA KLL-Q
14/01/2017	80,00	257.600	22,4	SEBA KLL-Q
14/01/2017	82,00	257.600	22,4	SEBA KLL-Q
14/01/2017	84,00	257.600	22,4	SEBA KLL-Q
14/01/2017	86,00	257.600	22,4	SEBA KLL-Q
14/01/2017	88,00	257.500	22,5	SEBA KLL-Q
14/01/2017	90,00	257.600	22,5	SEBA KLL-Q
14/01/2017	92,00	257.500	22,5	SEBA KLL-Q
14/01/2017	94,00	257.600	22,5	SEBA KLL-Q
14/01/2017	96,00	257.600	22,5	SEBA KLL-Q
14/01/2017	98,00	257.400	22,6	SEBA KLL-Q
22/04/2017	1,00	26.470	21,0	SEBA KLL-Q
22/04/2017	3,00	33.050	20,2	SEBA KLL-Q
22/04/2017	5,00	33.110	20,2	SEBA KLL-Q
22/04/2017	7,00	33.150	20,2	SEBA KLL-Q
22/04/2017	9,00	33.170	20,2	SEBA KLL-Q
22/04/2017	11,00	33.190	20,2	SEBA KLL-Q
22/04/2017	13,00	33.200	20,2	SEBA KLL-Q
22/04/2017	15,00	33.240	20,2	SEBA KLL-Q
22/04/2017	17,00	33.260	20,3	SEBA KLL-Q
22/04/2017	19,00	33.350	20,3	SEBA KLL-Q
22/04/2017	21,00	33.440	20,3	SEBA KLL-Q
22/04/2017	23,00	33.550	20,3	SEBA KLL-Q
22/04/2017	25,00	33.600	20,3	SEBA KLL-Q
22/04/2017	27,00	33.700	20,3	SEBA KLL-Q
22/04/2017	29,00	61.210	20,5	SEBA KLL-Q
22/04/2017	30,00	63.700	20,5	SEBA KLL-Q
22/04/2017	32,00	66.250	20,6	SEBA KLL-Q
22/04/2017	34,00	66.700	20,7	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/04/2017	36,00	66.700	20,7	SEBA KLL-Q
22/04/2017	38,00	66.700	20,7	SEBA KLL-Q
22/04/2017	40,00	66.720	20,7	SEBA KLL-Q
22/04/2017	42,00	66.720	20,8	SEBA KLL-Q
22/04/2017	44,00	66.750	20,8	SEBA KLL-Q
22/04/2017	46,00	66.780	20,8	SEBA KLL-Q
22/04/2017	48,00	66.840	20,8	SEBA KLL-Q
22/04/2017	50,00	87.750	20,9	SEBA KLL-Q
22/04/2017	51,00	88.110	21,0	SEBA KLL-Q
22/04/2017	52,00	88.090	21,0	SEBA KLL-Q
22/04/2017	53,00	88.060	21,0	SEBA KLL-Q
22/04/2017	54,00	88.010	21,0	SEBA KLL-Q
22/04/2017	55,00	87.950	21,0	SEBA KLL-Q
22/04/2017	56,00	87.910	21,0	SEBA KLL-Q
22/04/2017	57,00	87.860	21,0	SEBA KLL-Q
22/04/2017	58,00	87.850	21,0	SEBA KLL-Q
22/04/2017	59,00	88.290	21,0	SEBA KLL-Q
22/04/2017	60,00	88.550	21,0	SEBA KLL-Q
22/04/2017	60,50	88.530	21,0	SEBA KLL-Q
22/04/2017	61,00	88.460	21,0	SEBA KLL-Q
22/04/2017	61,50	88.590	21,0	SEBA KLL-Q
22/04/2017	62,00	121.500	21,0	SEBA KLL-Q
22/04/2017	62,50	170.600	21,0	SEBA KLL-Q
22/04/2017	62,70	171.300	21,0	SEBA KLL-Q
22/04/2017	62,90	171.300	21,1	SEBA KLL-Q
22/04/2017	63,10	171.200	21,1	SEBA KLL-Q
22/04/2017	63,30	171.200	21,1	SEBA KLL-Q
22/04/2017	63,50	171.100	21,1	SEBA KLL-Q
22/04/2017	63,70	171.400	21,2	SEBA KLL-Q
22/04/2017	63,90	171.400	21,2	SEBA KLL-Q
22/04/2017	64,10	171.300	21,2	SEBA KLL-Q
22/04/2017	64,30	171.200	21,2	SEBA KLL-Q
22/04/2017	64,50	171.500	21,2	SEBA KLL-Q
22/04/2017	64,70	171.000	21,2	SEBA KLL-Q
22/04/2017	64,90	170.900	21,2	SEBA KLL-Q
22/04/2017	65,50	170.800	21,2	SEBA KLL-Q
22/04/2017	65,70	170.800	21,3	SEBA KLL-Q
22/04/2017	66,00	170.700	21,3	SEBA KLL-Q
22/04/2017	66,50	170.600	21,3	SEBA KLL-Q
22/04/2017	66,70	170.600	21,3	SEBA KLL-Q
22/04/2017	66,90	170.500	21,3	SEBA KLL-Q
22/04/2017	67,10	170.400	21,3	SEBA KLL-Q
22/04/2017	67,30	170.300	21,3	SEBA KLL-Q
22/04/2017	67,50	170.300	21,3	SEBA KLL-Q
22/04/2017	68,00	170.200	21,3	SEBA KLL-Q
22/04/2017	69,00	170.100	21,3	SEBA KLL-Q
22/04/2017	70,00	170.400	21,3	SEBA KLL-Q
22/04/2017	71,00	170.000	21,3	SEBA KLL-Q
22/04/2017	72,00	170.000	21,3	SEBA KLL-Q
22/04/2017	73,00	171.100	21,4	SEBA KLL-Q
22/04/2017	73,50	171.200	21,4	SEBA KLL-Q
22/04/2017	74,00	172.300	21,5	SEBA KLL-Q
22/04/2017	74,50	175.500	21,5	SEBA KLL-Q
22/04/2017	75,00	176.000	21,5	SEBA KLL-Q
22/04/2017	75,50	176.600	21,6	SEBA KLL-Q
22/04/2017	76,00	178.600	21,6	SEBA KLL-Q
22/04/2017	76,50	181.500	21,7	SEBA KLL-Q
22/04/2017	77,00	184.300	21,8	SEBA KLL-Q
22/04/2017	77,50	189.000	21,9	SEBA KLL-Q
22/04/2017	77,70	192.900	21,9	SEBA KLL-Q
22/04/2017	77,90	203.900	22,0	SEBA KLL-Q
22/04/2017	78,00	203.900	22,0	SEBA KLL-Q
22/04/2017	78,50	223.000	22,3	SEBA KLL-Q
22/04/2017	79,00	268.700	22,2	SEBA KLL-Q
22/04/2017	80,00	268.700	22,2	SEBA KLL-Q
22/04/2017	82,00	268.700	22,2	SEBA KLL-Q
22/04/2017	84,00	268.500	22,2	SEBA KLL-Q
22/04/2017	86,00	268.500	22,2	SEBA KLL-Q
22/04/2017	88,00	268.500	22,2	SEBA KLL-Q
22/04/2017	90,00	268.500	22,2	SEBA KLL-Q
22/04/2017	92,00	268.300	22,2	SEBA KLL-Q
22/04/2017	94,00	268.100	22,4	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/04/2017	96,00	268.100	22,4	SEBA KLL-Q
22/04/2017	98,00	267.900	22,5	SEBA KLL-Q
22/04/2017	99,00	267.900	22,5	SEBA KLL-Q
22/04/2017	100,00	267.600	22,5	SEBA KLL-Q
14/07/2017	2,00	27.100	20,1	SEBA KLL-Q
14/07/2017	4,00	28.320	20,2	SEBA KLL-Q
14/07/2017	6,00	28.330	20,2	SEBA KLL-Q
14/07/2017	8,00	28.310	20,2	SEBA KLL-Q
14/07/2017	10,00	28.330	20,2	SEBA KLL-Q
14/07/2017	12,00	28.330	20,2	SEBA KLL-Q
14/07/2017	14,00	28.310	20,2	SEBA KLL-Q
14/07/2017	16,00	28.290	20,3	SEBA KLL-Q
14/07/2017	18,00	28.290	20,3	SEBA KLL-Q
14/07/2017	20,00	28.300	20,3	SEBA KLL-Q
14/07/2017	22,00	28.330	20,3	SEBA KLL-Q
14/07/2017	24,00	28.340	20,4	SEBA KLL-Q
14/07/2017	26,00	28.520	20,4	SEBA KLL-Q
14/07/2017	28,00	28.510	20,4	SEBA KLL-Q
14/07/2017	29,00	32.820	20,5	SEBA KLL-Q
14/07/2017	29,50	53.330	20,5	SEBA KLL-Q
14/07/2017	30,00	53.760	20,5	SEBA KLL-Q
14/07/2017	32,00	57.200	20,6	SEBA KLL-Q
14/07/2017	34,00	57.220	20,7	SEBA KLL-Q
14/07/2017	36,00	57.250	20,8	SEBA KLL-Q
14/07/2017	38,00	57.190	20,8	SEBA KLL-Q
14/07/2017	40,00	57.290	20,8	SEBA KLL-Q
14/07/2017	42,00	57.290	20,8	SEBA KLL-Q
14/07/2017	44,00	57.270	20,8	SEBA KLL-Q
14/07/2017	46,00	57.300	20,8	SEBA KLL-Q
14/07/2017	48,00	57.310	20,8	SEBA KLL-Q
14/07/2017	49,00	57.270	20,8	SEBA KLL-Q
14/07/2017	49,50	57.290	20,8	SEBA KLL-Q
14/07/2017	50,00	79.840	21,0	SEBA KLL-Q
14/07/2017	51,00	80.680	21,1	SEBA KLL-Q
14/07/2017	52,00	80.660	21,1	SEBA KLL-Q
14/07/2017	54,00	80.690	21,1	SEBA KLL-Q
14/07/2017	56,00	80.670	21,1	SEBA KLL-Q
14/07/2017	58,00	80.740	21,1	SEBA KLL-Q
14/07/2017	60,00	81.560	21,1	SEBA KLL-Q
14/07/2017	61,00	81.600	21,1	SEBA KLL-Q
14/07/2017	61,50	81.740	21,1	SEBA KLL-Q
14/07/2017	62,00	138.900	21,2	SEBA KLL-Q
14/07/2017	63,00	148.900	21,2	SEBA KLL-Q
14/07/2017	64,00	148.800	21,3	SEBA KLL-Q
14/07/2017	66,00	148.900	21,3	SEBA KLL-Q
14/07/2017	68,00	148.800	21,3	SEBA KLL-Q
14/07/2017	70,00	148.900	21,3	SEBA KLL-Q
14/07/2017	72,00	148.900	21,3	SEBA KLL-Q
14/07/2017	74,00	157.800	21,5	SEBA KLL-Q
14/07/2017	74,50	167.400	21,6	SEBA KLL-Q
14/07/2017	75,00	167.700	21,6	SEBA KLL-Q
14/07/2017	75,50	167.800	21,6	SEBA KLL-Q
14/07/2017	76,00	169.100	21,6	SEBA KLL-Q
14/07/2017	76,50	173.600	21,7	SEBA KLL-Q
14/07/2017	77,00	178.200	21,8	SEBA KLL-Q
14/07/2017	77,50	222.400	21,9	SEBA KLL-Q
14/07/2017	77,80	243.900	21,9	SEBA KLL-Q
14/07/2017	78,00	251.400	22,0	SEBA KLL-Q
14/07/2017	80,00	254.800	22,2	SEBA KLL-Q
14/07/2017	82,00	254.800	22,3	SEBA KLL-Q
14/07/2017	84,00	254.900	22,3	SEBA KLL-Q
14/07/2017	86,00	255.000	22,2	SEBA KLL-Q
14/07/2017	88,00	255.000	22,3	SEBA KLL-Q
14/07/2017	90,00	255.200	22,4	SEBA KLL-Q
14/07/2017	92,00	255.200	22,4	SEBA KLL-Q
14/07/2017	94,00	255.100	22,5	SEBA KLL-Q
14/07/2017	96,00	255.200	22,5	SEBA KLL-Q
14/07/2017	98,00	255.000	22,5	SEBA KLL-Q
23/10/2017	2,00	26.220	20,2	SEBA KLL-Q
23/10/2017	4,00	33.500	20,2	SEBA KLL-Q
23/10/2017	6,00	33.480	20,3	SEBA KLL-Q
23/10/2017	8,00	33.490	20,3	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/10/2017	10,00	33.520	20,2	SEBA KLL-Q
23/10/2017	12,00	33.520	20,2	SEBA KLL-Q
23/10/2017	14,00	33.500	20,2	SEBA KLL-Q
23/10/2017	16,00	33.530	20,3	SEBA KLL-Q
23/10/2017	18,00	33.590	20,3	SEBA KLL-Q
23/10/2017	20,00	33.670	20,3	SEBA KLL-Q
23/10/2017	22,00	33.720	20,3	SEBA KLL-Q
23/10/2017	24,00	33.820	20,3	SEBA KLL-Q
23/10/2017	26,00	33.850	20,4	SEBA KLL-Q
23/10/2017	28,00	34.380	20,4	SEBA KLL-Q
23/10/2017	28,50	47.370	20,4	SEBA KLL-Q
23/10/2017	29,00	58.670	20,5	SEBA KLL-Q
23/10/2017	29,50	61.470	20,5	SEBA KLL-Q
23/10/2017	30,00	62.110	20,5	SEBA KLL-Q
23/10/2017	31,00	62.310	20,6	SEBA KLL-Q
23/10/2017	32,00	64.640	20,6	SEBA KLL-Q
23/10/2017	34,00	65.050	20,7	SEBA KLL-Q
23/10/2017	36,00	65.040	20,7	SEBA KLL-Q
23/10/2017	38,00	65.060	20,7	SEBA KLL-Q
23/10/2017	40,00	65.070	20,8	SEBA KLL-Q
23/10/2017	42,00	65.120	20,8	SEBA KLL-Q
23/10/2017	44,00	65.180	20,8	SEBA KLL-Q
23/10/2017	46,00	65.200	20,8	SEBA KLL-Q
23/10/2017	48,00	65.150	20,8	SEBA KLL-Q
23/10/2017	49,00	65.550	20,8	SEBA KLL-Q
23/10/2017	50,00	93.400	20,9	SEBA KLL-Q
23/10/2017	51,00	94.380	21,0	SEBA KLL-Q
23/10/2017	52,00	94.590	21,0	SEBA KLL-Q
23/10/2017	54,00	94.620	21,1	SEBA KLL-Q
23/10/2017	56,00	94.630	21,1	SEBA KLL-Q
23/10/2017	58,00	94.760	21,1	SEBA KLL-Q
23/10/2017	60,00	95.800	21,1	SEBA KLL-Q
23/10/2017	61,00	95.890	21,1	SEBA KLL-Q
23/10/2017	61,50	96.170	21,1	SEBA KLL-Q
23/10/2017	62,00	157.100	21,2	SEBA KLL-Q
23/10/2017	62,20	159.800	21,2	SEBA KLL-Q
23/10/2017	62,40	162.400	21,3	SEBA KLL-Q
23/10/2017	62,60	162.500	21,3	SEBA KLL-Q
23/10/2017	62,80	162.400	21,3	SEBA KLL-Q
23/10/2017	63,00	162.500	21,3	SEBA KLL-Q
23/10/2017	64,00	162.400	21,3	SEBA KLL-Q
23/10/2017	65,00	162.600	21,3	SEBA KLL-Q
23/10/2017	66,00	162.500	21,3	SEBA KLL-Q
23/10/2017	68,00	162.200	21,3	SEBA KLL-Q
23/10/2017	70,00	162.600	21,3	SEBA KLL-Q
23/10/2017	72,00	162.200	21,3	SEBA KLL-Q
23/10/2017	74,00	173.700	21,5	SEBA KLL-Q
23/10/2017	74,50	185.200	21,5	SEBA KLL-Q
23/10/2017	75,00	189.400	21,6	SEBA KLL-Q
23/10/2017	75,50	192.000	21,6	SEBA KLL-Q
23/10/2017	76,00	198.400	21,6	SEBA KLL-Q
23/10/2017	76,50	211.600	21,7	SEBA KLL-Q
23/10/2017	77,00	248.800	21,8	SEBA KLL-Q
23/10/2017	77,50	282.400	21,8	SEBA KLL-Q
23/10/2017	77,60	283.200	21,9	SEBA KLL-Q
23/10/2017	77,80	285.100	22,0	SEBA KLL-Q
23/10/2017	78,00	285.800	22,0	SEBA KLL-Q
23/10/2017	78,50	287.500	22,2	SEBA KLL-Q
23/10/2017	79,00	286.400	22,2	SEBA KLL-Q
23/10/2017	80,00	286.200	22,3	SEBA KLL-Q
23/10/2017	82,00	286.300	22,3	SEBA KLL-Q
23/10/2017	84,00	286.400	22,3	SEBA KLL-Q
23/10/2017	86,00	286.500	22,3	SEBA KLL-Q
23/10/2017	88,00	286.500	22,3	SEBA KLL-Q
23/10/2017	90,00	286.500	22,4	SEBA KLL-Q
23/10/2017	92,00	286.500	22,4	SEBA KLL-Q
23/10/2017	94,00	286.400	22,4	SEBA KLL-Q
23/10/2017	96,00	286.500	22,5	SEBA KLL-Q
23/10/2017	98,00	286.200	22,5	SEBA KLL-Q
11/01/2018	2,0	12.340	20,76	SEBA KLL-Q
11/01/2018	4,0	29.970	20,35	SEBA KLL-Q
11/01/2018	6,0	30.020	20,31	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/01/2018	8,0	30.020	20,32	SEBA KLL-Q
11/01/2018	10,0	30.050	20,33	SEBA KLL-Q
11/01/2018	12,0	30.040	20,34	SEBA KLL-Q
11/01/2018	14,0	30.050	20,32	SEBA KLL-Q
11/01/2018	16,0	30.050	20,36	SEBA KLL-Q
11/01/2018	18,0	30.060	20,37	SEBA KLL-Q
11/01/2018	20,0	30.080	20,40	SEBA KLL-Q
11/01/2018	22,0	30.110	20,44	SEBA KLL-Q
11/01/2018	24,0	30.170	20,46	SEBA KLL-Q
11/01/2018	26,0	30.320	20,47	SEBA KLL-Q
11/01/2018	28,0	30.540	20,47	SEBA KLL-Q
11/01/2018	28,5	31.780	20,47	SEBA KLL-Q
11/01/2018	29,0	37.100	20,47	SEBA KLL-Q
11/01/2018	29,5	41.830	20,49	SEBA KLL-Q
11/01/2018	30,0	42.850	20,53	SEBA KLL-Q
11/01/2018	31,0	43.910	20,54	SEBA KLL-Q
11/01/2018	32,0	52.430	20,59	SEBA KLL-Q
11/01/2018	34,0	54.040	20,76	SEBA KLL-Q
11/01/2018	36,0	54.110	20,84	SEBA KLL-Q
11/01/2018	38,0	54.100	20,87	SEBA KLL-Q
11/01/2018	40,0	54.100	20,88	SEBA KLL-Q
11/01/2018	42,0	54.100	20,88	SEBA KLL-Q
11/01/2018	44,0	54.100	20,88	SEBA KLL-Q
11/01/2018	46,0	54.140	20,89	SEBA KLL-Q
11/01/2018	48,0	54.980	20,96	SEBA KLL-Q
11/01/2018	49,0	56.000	20,96	SEBA KLL-Q
11/01/2018	50,0	77.540	21,13	SEBA KLL-Q
11/01/2018	51,0	78.080	21,18	SEBA KLL-Q
11/01/2018	52,0	78.130	21,18	SEBA KLL-Q
11/01/2018	54,0	78.170	21,21	SEBA KLL-Q
11/01/2018	56,0	78.180	21,20	SEBA KLL-Q
11/01/2018	58,0	78.270	21,20	SEBA KLL-Q
11/01/2018	60,0	79.080	21,22	SEBA KLL-Q
11/01/2018	61,0	79.170	21,23	SEBA KLL-Q
11/01/2018	61,5	79.460	21,21	SEBA KLL-Q
11/01/2018	62,0	131.200	21,33	SEBA KLL-Q
11/01/2018	62,2	134.500	21,38	SEBA KLL-Q
11/01/2018	62,4	135.000	21,42	SEBA KLL-Q
11/01/2018	62,6	135.000	21,44	SEBA KLL-Q
11/01/2018	62,8	135.100	21,45	SEBA KLL-Q
11/01/2018	63,0	135.100	21,45	SEBA KLL-Q
11/01/2018	64,0	135.100	21,45	SEBA KLL-Q
11/01/2018	65,0	135.200	21,44	SEBA KLL-Q
11/01/2018	66,0	135.000	21,45	SEBA KLL-Q
11/01/2018	68,0	135.300	21,46	SEBA KLL-Q
11/01/2018	70,0	135.200	21,45	SEBA KLL-Q
11/01/2018	72,0	135.200	21,46	SEBA KLL-Q
11/01/2018	74,0	142.000	21,65	SEBA KLL-Q
11/01/2018	74,5	150.500	21,71	SEBA KLL-Q
11/01/2018	75,0	157.200	21,74	SEBA KLL-Q
11/01/2018	75,5	160.400	21,78	SEBA KLL-Q
11/01/2018	76,0	170.500	21,86	SEBA KLL-Q
11/01/2018	76,5	185.000	21,91	SEBA KLL-Q
11/01/2018	77,0	207.400	22,00	SEBA KLL-Q
11/01/2018	77,5	230.600	22,12	SEBA KLL-Q
11/01/2018	77,8	233.100	22,20	SEBA KLL-Q
11/01/2018	78,0	234.800	22,20	SEBA KLL-Q
11/01/2018	78,5	235.800	22,36	SEBA KLL-Q
11/01/2018	79,0	235.700	22,45	SEBA KLL-Q
11/01/2018	80,0	235.300	22,46	SEBA KLL-Q
11/01/2018	82,0	235.300	22,47	SEBA KLL-Q
11/01/2018	84,0	235.400	22,46	SEBA KLL-Q
11/01/2018	86,0	235.300	22,49	SEBA KLL-Q
11/01/2018	88,0	235.200	22,51	SEBA KLL-Q
11/01/2018	90,0	235.600	22,54	SEBA KLL-Q
11/01/2018	92,0	235.300	22,59	SEBA KLL-Q
11/01/2018	94,0	235.300	22,61	SEBA KLL-Q
11/01/2018	96,0	235.400	22,60	SEBA KLL-Q
11/01/2018	98,0	235.200	22,65	SEBA KLL-Q
06/04/2018	1,2	11.290	20,93	SEBA KLL-Q
06/04/2018	1,4	11.270	20,77	SEBA KLL-Q
06/04/2018	1,6	11.280	20,76	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/04/2018	1,8	11.280	20,71	SEBA KLL-Q
06/04/2018	2,0	11.270	20,71	SEBA KLL-Q
06/04/2018	4,0	29.470	20,31	SEBA KLL-Q
06/04/2018	6,0	29.530	20,23	SEBA KLL-Q
06/04/2018	8,0	29.530	20,23	SEBA KLL-Q
06/04/2018	10,0	29.520	20,22	SEBA KLL-Q
06/04/2018	12,0	29.520	20,22	SEBA KLL-Q
06/04/2018	14,0	29.530	20,22	SEBA KLL-Q
06/04/2018	16,0	29.520	20,22	SEBA KLL-Q
06/04/2018	18,0	29.520	20,24	SEBA KLL-Q
06/04/2018	20,0	29.500	20,26	SEBA KLL-Q
06/04/2018	22,0	29.500	20,28	SEBA KLL-Q
06/04/2018	24,0	29.640	20,36	SEBA KLL-Q
06/04/2018	26,0	29.680	20,39	SEBA KLL-Q
06/04/2018	28,0	29.900	20,38	SEBA KLL-Q
06/04/2018	30,0	38.070	20,42	SEBA KLL-Q
06/04/2018	32,0	49.940	20,50	SEBA KLL-Q
06/04/2018	34,0	51.190	20,70	SEBA KLL-Q
06/04/2018	36,0	51.200	20,75	SEBA KLL-Q
06/04/2018	38,0	51.520	20,81	SEBA KLL-Q
06/04/2018	40,0	51.300	20,84	SEBA KLL-Q
06/04/2018	42,0	51.340	20,85	SEBA KLL-Q
06/04/2018	44,0	52.130	20,88	SEBA KLL-Q
06/04/2018	46,0	52.150	20,88	SEBA KLL-Q
06/04/2018	48,0	52.140	20,88	SEBA KLL-Q
06/04/2018	50,0	73.700	21,07	SEBA KLL-Q
06/04/2018	52,0	74.020	21,13	SEBA KLL-Q
06/04/2018	54,0	74.000	21,14	SEBA KLL-Q
06/04/2018	56,0	74.030	21,14	SEBA KLL-Q
06/04/2018	58,0	74.100	21,14	SEBA KLL-Q
06/04/2018	60,0	74.820	21,15	SEBA KLL-Q
06/04/2018	62,0	121.500	21,29	SEBA KLL-Q
06/04/2018	62,2	122.800	21,37	SEBA KLL-Q
06/04/2018	62,4	122.900	21,38	SEBA KLL-Q
06/04/2018	62,6	123.000	21,38	SEBA KLL-Q
06/04/2018	62,8	122.900	21,39	SEBA KLL-Q
06/04/2018	63,0	123.000	21,39	SEBA KLL-Q
06/04/2018	63,2	123.000	21,38	SEBA KLL-Q
06/04/2018	63,4	123.000	21,38	SEBA KLL-Q
06/04/2018	63,6	123.000	21,38	SEBA KLL-Q
06/04/2018	63,8	123.000	21,38	SEBA KLL-Q
06/04/2018	64,0	122.900	21,38	SEBA KLL-Q
06/04/2018	65,0	123.000	21,38	SEBA KLL-Q
06/04/2018	66,0	122.900	21,39	SEBA KLL-Q
06/04/2018	68,0	122.900	21,39	SEBA KLL-Q
06/04/2018	70,0	123.000	21,39	SEBA KLL-Q
06/04/2018	72,0	123.000	21,40	SEBA KLL-Q
06/04/2018	73,0	127.000	21,55	SEBA KLL-Q
06/04/2018	73,2	127.000	21,55	SEBA KLL-Q
06/04/2018	73,4	128.000	21,58	SEBA KLL-Q
06/04/2018	73,6	128.100	21,61	SEBA KLL-Q
06/04/2018	73,8	128.100	21,61	SEBA KLL-Q
06/04/2018	74,0	130.300	21,62	SEBA KLL-Q
06/04/2018	74,2	131.900	21,64	SEBA KLL-Q
06/04/2018	74,4	137.300	21,65	SEBA KLL-Q
06/04/2018	74,6	138.500	21,67	SEBA KLL-Q
06/04/2018	74,8	142.700	21,68	SEBA KLL-Q
06/04/2018	75,0	146.100	21,70	SEBA KLL-Q
06/04/2018	75,2	143.700	21,73	SEBA KLL-Q
06/04/2018	75,4	149.000	21,75	SEBA KLL-Q
06/04/2018	75,6	152.500	21,78	SEBA KLL-Q
06/04/2018	75,8	157.200	21,79	SEBA KLL-Q
06/04/2018	76,0	161.700	21,83	SEBA KLL-Q
06/04/2018	76,2	166.100	21,85	SEBA KLL-Q
06/04/2018	76,4	170.700	21,88	SEBA KLL-Q
06/04/2018	76,6	176.400	21,90	SEBA KLL-Q
06/04/2018	76,8	184.800	21,94	SEBA KLL-Q
06/04/2018	77,0	191.900	21,98	SEBA KLL-Q
06/04/2018	77,2	200.100	22,02	SEBA KLL-Q
06/04/2018	77,5	209.400	22,08	SEBA KLL-Q
06/04/2018	78,0	211.800	22,23	SEBA KLL-Q
06/04/2018	80,0	212.300	22,39	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/04/2018	82,0	212.300	22,39	SEBA KLL-Q
06/04/2018	84,0	212.300	22,40	SEBA KLL-Q
06/04/2018	86,0	212.300	22,46	SEBA KLL-Q
06/04/2018	88,0	212.300	22,46	SEBA KLL-Q
06/04/2018	90,0	212.300	22,50	SEBA KLL-Q
06/04/2018	92,0	212.200	22,53	SEBA KLL-Q
06/04/2018	94,0	212.300	22,54	SEBA KLL-Q
06/04/2018	96,0	212.300	22,55	SEBA KLL-Q
06/04/2018	98,0	212.200	22,56	SEBA KLL-Q
30/07/2018	1,0	16.420	16,18	SEBA KLL-Q
30/07/2018	1,2	16.290	16,59	SEBA KLL-Q
30/07/2018	1,4	16.240	16,58	SEBA KLL-Q
30/07/2018	1,6	16.250	16,68	SEBA KLL-Q
30/07/2018	1,8	20.680	18,13	SEBA KLL-Q
30/07/2018	2,0	21.110	19,26	SEBA KLL-Q
30/07/2018	3,0	33.530	20,21	SEBA KLL-Q
30/07/2018	3,5	33.610	20,34	SEBA KLL-Q
30/07/2018	4,0	33.590	20,36	SEBA KLL-Q
30/07/2018	5,0	33.610	20,34	SEBA KLL-Q
30/07/2018	6,0	33.630	20,57	SEBA KLL-Q
30/07/2018	8,0	33.630	20,37	SEBA KLL-Q
30/07/2018	10,0	33.610	20,37	SEBA KLL-Q
30/07/2018	12,0	33.630	20,34	SEBA KLL-Q
30/07/2018	14,0	33.630	20,37	SEBA KLL-Q
30/07/2018	16,0	33.600	20,36	SEBA KLL-Q
30/07/2018	18,0	33.570	20,42	SEBA KLL-Q
30/07/2018	20,0	33.570	20,45	SEBA KLL-Q
30/07/2018	22,0	33.580	20,46	SEBA KLL-Q
30/07/2018	24,0	33.630	20,45	SEBA KLL-Q
30/07/2018	26,0	33.790	20,47	SEBA KLL-Q
30/07/2018	28,0	33.760	20,48	SEBA KLL-Q
30/07/2018	30,0	62.230	20,53	SEBA KLL-Q
30/07/2018	30,2	62.310	20,63	SEBA KLL-Q
30/07/2018	30,4	62.490	20,60	SEBA KLL-Q
30/07/2018	30,6	62.590	20,61	SEBA KLL-Q
30/07/2018	30,8	62.710	20,62	SEBA KLL-Q
30/07/2018	31,0	62.840	20,62	SEBA KLL-Q
30/07/2018	32,0	67.170	20,70	SEBA KLL-Q
30/07/2018	34,0	67.500	20,76	SEBA KLL-Q
30/07/2018	36,0	67.550	20,84	SEBA KLL-Q
30/07/2018	38,0	67.550	20,85	SEBA KLL-Q
30/07/2018	40,0	67.560	20,86	SEBA KLL-Q
30/07/2018	42,0	67.590	20,89	SEBA KLL-Q
30/07/2018	44,0	67.620	20,88	SEBA KLL-Q
30/07/2018	46,0	67.650	20,93	SEBA KLL-Q
30/07/2018	48,0	67.630	20,92	SEBA KLL-Q
30/07/2018	50,0	95.770	21,07	SEBA KLL-Q
30/07/2018	50,5	96.880	21,16	SEBA KLL-Q
30/07/2018	51,0	97.050	21,17	SEBA KLL-Q
30/07/2018	52,0	97.110	21,17	SEBA KLL-Q
30/07/2018	54,0	97.130	21,21	SEBA KLL-Q
30/07/2018	56,0	97.160	21,18	SEBA KLL-Q
30/07/2018	58,0	97.200	21,22	SEBA KLL-Q
30/07/2018	60,0	98.200	21,20	SEBA KLL-Q
30/07/2018	62,0	160.400	21,32	SEBA KLL-Q
30/07/2018	62,2	166.000	21,39	SEBA KLL-Q
30/07/2018	62,4	166.400	21,41	SEBA KLL-Q
30/07/2018	62,6	166.500	21,40	SEBA KLL-Q
30/07/2018	62,8	166.500	21,41	SEBA KLL-Q
30/07/2018	63,0	166.600	21,41	SEBA KLL-Q
30/07/2018	63,5	166.600	21,44	SEBA KLL-Q
30/07/2018	64,0	166.700	21,41	SEBA KLL-Q
30/07/2018	66,0	166.700	21,39	SEBA KLL-Q
30/07/2018	68,0	166.700	21,41	SEBA KLL-Q
30/07/2018	70,0	166.800	21,44	SEBA KLL-Q
30/07/2018	72,0	166.800	21,45	SEBA KLL-Q
30/07/2018	74,0	175.400	21,67	SEBA KLL-Q
30/07/2018	75,0	195.400	21,72	SEBA KLL-Q
30/07/2018	75,2	199.300	21,75	SEBA KLL-Q
30/07/2018	75,4	201.600	21,77	SEBA KLL-Q
30/07/2018	75,6	205.500	21,80	SEBA KLL-Q
30/07/2018	75,8	211.300	21,82	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
30/07/2018	76,0	216.600	21,85	SEBA KLL-Q
30/07/2018	77,0	243.000	21,86	SEBA KLL-Q
30/07/2018	78,0	287.700	22,10	SEBA KLL-Q
30/07/2018	78,2	288.300	22,14	SEBA KLL-Q
30/07/2018	78,4	291.000	22,23	SEBA KLL-Q
30/07/2018	78,6	290.700	22,29	SEBA KLL-Q
30/07/2018	78,8	291.000	22,29	SEBA KLL-Q
30/07/2018	79,0	290.900	22,26	SEBA KLL-Q
30/07/2018	80,0	290.900	22,27	SEBA KLL-Q
30/07/2018	82,0	290.700	22,29	SEBA KLL-Q
30/07/2018	84,0	290.700	22,28	SEBA KLL-Q
30/07/2018	86,0	290.900	22,28	SEBA KLL-Q
30/07/2018	88,0	290.900	22,31	SEBA KLL-Q
30/07/2018	90,0	291.100	22,42	SEBA KLL-Q
22/08/2018	1,0	9.420	17,78	SEBA KLL-Q
22/08/2018	1,5	14.640	16,75	SEBA KLL-Q
22/08/2018	2,0	18.590	19,02	SEBA KLL-Q
22/08/2018	2,5	29.630	20,26	SEBA KLL-Q
22/08/2018	3,0	29.790	20,45	SEBA KLL-Q
22/08/2018	3,5	29.830	20,47	SEBA KLL-Q
22/08/2018	4,0	29.800	20,51	SEBA KLL-Q
22/08/2018	5,0	29.820	20,49	SEBA KLL-Q
22/08/2018	6,0	29.820	20,49	SEBA KLL-Q
22/08/2018	8,0	29.840	20,51	SEBA KLL-Q
22/08/2018	10,0	29.820	20,50	SEBA KLL-Q
22/08/2018	12,0	29.840	20,51	SEBA KLL-Q
22/08/2018	14,0	29.820	20,49	SEBA KLL-Q
22/08/2018	16,0	29.810	20,51	SEBA KLL-Q
22/08/2018	18,0	29.770	20,53	SEBA KLL-Q
22/08/2018	20,0	29.820	20,53	SEBA KLL-Q
22/08/2018	22,0	29.840	20,59	SEBA KLL-Q
22/08/2018	24,0	29.810	20,60	SEBA KLL-Q
22/08/2018	26,0	29.820	20,61	SEBA KLL-Q
22/08/2018	28,0	29.940	20,62	SEBA KLL-Q
22/08/2018	28,5	49.810	20,66	SEBA KLL-Q
22/08/2018	29,0	49.720	20,68	SEBA KLL-Q
22/08/2018	29,5	55.190	20,70	SEBA KLL-Q
22/08/2018	30,0	55.530	20,74	SEBA KLL-Q
22/08/2018	30,5	55.850	20,75	SEBA KLL-Q
22/08/2018	31,0	56.050	20,77	SEBA KLL-Q
22/08/2018	32,0	59.440	20,83	SEBA KLL-Q
22/08/2018	33,0	59.710	20,90	SEBA KLL-Q
22/08/2018	34,0	59.720	20,94	SEBA KLL-Q
22/08/2018	36,0	59.770	20,96	SEBA KLL-Q
22/08/2018	38,0	59.770	21,01	SEBA KLL-Q
22/08/2018	40,0	59.790	20,98	SEBA KLL-Q
22/08/2018	42,0	59.800	20,99	SEBA KLL-Q
22/08/2018	44,0	59.800	21,06	SEBA KLL-Q
22/08/2018	46,0	59.820	21,04	SEBA KLL-Q
22/08/2018	48,0	59.810	21,05	SEBA KLL-Q
22/08/2018	48,5	59.790	21,08	SEBA KLL-Q
22/08/2018	49,0	59.820	21,05	SEBA KLL-Q
22/08/2018	49,5	59.830	21,05	SEBA KLL-Q
22/08/2018	50,0	85.260	21,16	SEBA KLL-Q
22/08/2018	50,2	85.860	21,25	SEBA KLL-Q
22/08/2018	50,4	86.120	21,30	SEBA KLL-Q
22/08/2018	50,6	86.180	21,27	SEBA KLL-Q
22/08/2018	50,8	86.260	21,30	SEBA KLL-Q
22/08/2018	51,0	86.310	21,28	SEBA KLL-Q
22/08/2018	51,5	86.370	21,28	SEBA KLL-Q
22/08/2018	52,0	86.340	21,32	SEBA KLL-Q
22/08/2018	53,0	86.390	21,30	SEBA KLL-Q
22/08/2018	54,0	86.410	21,33	SEBA KLL-Q
22/08/2018	56,0	86.460	21,31	SEBA KLL-Q
22/08/2018	58,0	86.580	21,29	SEBA KLL-Q
22/08/2018	60,0	87.460	21,34	SEBA KLL-Q
22/08/2018	62,0	143.100	21,46	SEBA KLL-Q
22/08/2018	62,2	147.700	21,52	SEBA KLL-Q
22/08/2018	62,4	148.100	21,54	SEBA KLL-Q
22/08/2018	62,6	147.900	21,63	SEBA KLL-Q
22/08/2018	62,8	148.000	21,60	SEBA KLL-Q
22/08/2018	63,0	148.200	21,55	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/08/2018	63,5	148.200	21,54	SEBA KLL-Q
22/08/2018	64,0	148.300	21,54	SEBA KLL-Q
22/08/2018	65,0	148.300	21,53	SEBA KLL-Q
22/08/2018	66,0	148.200	21,59	SEBA KLL-Q
22/08/2018	68,0	148.400	21,54	SEBA KLL-Q
22/08/2018	70,0	148.400	21,55	SEBA KLL-Q
22/08/2018	72,0	148.300	21,62	SEBA KLL-Q
22/08/2018	74,0	156.500	21,70	SEBA KLL-Q
22/08/2018	74,5	164.800	21,80	SEBA KLL-Q
22/08/2018	75,0	176.100	21,83	SEBA KLL-Q
22/08/2018	75,5	181.300	21,86	SEBA KLL-Q
22/08/2018	76,0	192.200	21,95	SEBA KLL-Q
22/08/2018	76,2	198.900	21,93	SEBA KLL-Q
22/08/2018	76,4	202.900	22,01	SEBA KLL-Q
22/08/2018	76,6	208.700	22,03	SEBA KLL-Q
22/08/2018	76,8	215.700	22,04	SEBA KLL-Q
22/08/2018	77,0	222.600	21,99	SEBA KLL-Q
22/08/2018	77,5	248.400	22,04	SEBA KLL-Q
22/08/2018	78,0	256.500	22,13	SEBA KLL-Q
22/08/2018	78,5	259.500	22,35	SEBA KLL-Q
22/08/2018	79,0	259.500	22,36	SEBA KLL-Q
22/08/2018	80,0	259.400	22,36	SEBA KLL-Q
22/08/2018	81,0	259.100	22,42	SEBA KLL-Q
22/08/2018	82,0	259.300	22,37	SEBA KLL-Q
22/08/2018	84,0	259.200	22,38	SEBA KLL-Q
22/08/2018	86,0	259.100	22,46	SEBA KLL-Q
22/08/2018	89,0	258.900	22,56	SEBA KLL-Q
22/08/2018	92,0	259.000	22,59	SEBA KLL-Q
22/08/2018	95,0	259.200	22,63	SEBA KLL-Q
22/08/2018	98,0	258.600	22,72	SEBA KLL-Q
22/08/2018	98,8	259.500	22,67	SEBA KLL-Q
22/08/2018	99,3	187.400	22,64	SEBA KLL-Q
08/09/2018	1,0	14.480	17,50	SEBA KLL-Q
08/09/2018	1,2	14.530	17,60	SEBA KLL-Q
08/09/2018	1,4	14.530	17,60	SEBA KLL-Q
08/09/2018	1,6	14.540	17,60	SEBA KLL-Q
08/09/2018	1,8	16.990	18,50	SEBA KLL-Q
08/09/2018	2,0	20.900	19,20	SEBA KLL-Q
08/09/2018	2,5	30.610	20,30	SEBA KLL-Q
08/09/2018	3,0	30.730	20,40	SEBA KLL-Q
08/09/2018	4,0	30.770	20,40	SEBA KLL-Q
08/09/2018	5,0	30.760	20,40	SEBA KLL-Q
08/09/2018	6,0	30.780	20,40	SEBA KLL-Q
08/09/2018	8,0	30.780	20,40	SEBA KLL-Q
08/09/2018	10,0	30.780	20,40	SEBA KLL-Q
08/09/2018	12,0	30.780	20,40	SEBA KLL-Q
08/09/2018	14,0	30.780	20,50	SEBA KLL-Q
08/09/2018	16,0	30.750	20,50	SEBA KLL-Q
08/09/2018	18,0	30.750	20,50	SEBA KLL-Q
08/09/2018	20,0	30.690	20,50	SEBA KLL-Q
08/09/2018	22,0	30.710	20,50	SEBA KLL-Q
08/09/2018	24,0	30.790	20,50	SEBA KLL-Q
08/09/2018	26,0	30.930	20,50	SEBA KLL-Q
08/09/2018	27,0	30.910	20,50	SEBA KLL-Q
08/09/2018	28,0	30.910	20,50	SEBA KLL-Q
08/09/2018	29,0	51.900	20,60	SEBA KLL-Q
08/09/2018	30,0	57.100	20,70	SEBA KLL-Q
08/09/2018	31,0	57.680	20,70	SEBA KLL-Q
08/09/2018	32,0	60.410	20,80	SEBA KLL-Q
08/09/2018	33,0	60.670	20,90	SEBA KLL-Q
08/09/2018	34,0	60.690	20,90	SEBA KLL-Q
08/09/2018	36,0	60.790	20,90	SEBA KLL-Q
08/09/2018	38,0	60.820	20,90	SEBA KLL-Q
08/09/2018	40,0	60.840	20,90	SEBA KLL-Q
08/09/2018	42,0	60.870	21,00	SEBA KLL-Q
08/09/2018	44,0	60.900	21,00	SEBA KLL-Q
08/09/2018	46,0	60.960	21,00	SEBA KLL-Q
08/09/2018	48,0	60.970	21,00	SEBA KLL-Q
08/09/2018	50,0	86.800	21,20	SEBA KLL-Q
08/09/2018	51,0	87.520	21,20	SEBA KLL-Q
08/09/2018	52,0	87.620	21,30	SEBA KLL-Q
08/09/2018	53,0	87.690	21,30	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/09/2018	54,0	87.740	21,30	SEBA KLL-Q
08/09/2018	56,0	87.800	21,30	SEBA KLL-Q
08/09/2018	58,0	87.860	21,30	SEBA KLL-Q
08/09/2018	60,0	88.800	21,30	SEBA KLL-Q
08/09/2018	61,0	88.920	21,30	SEBA KLL-Q
08/09/2018	62,0	145.000	21,40	SEBA KLL-Q
08/09/2018	62,5	149.900	21,50	SEBA KLL-Q
08/09/2018	63,0	149.900	21,50	SEBA KLL-Q
08/09/2018	64,0	150.000	21,50	SEBA KLL-Q
08/09/2018	66,0	150.100	21,50	SEBA KLL-Q
08/09/2018	68,0	150.100	21,50	SEBA KLL-Q
08/09/2018	69,0	150.200	21,50	SEBA KLL-Q
08/09/2018	70,0	150.200	21,50	SEBA KLL-Q
08/09/2018	71,0	150.300	21,50	SEBA KLL-Q
08/09/2018	72,0	150.400	21,50	SEBA KLL-Q
08/09/2018	72,5	150.300	21,50	SEBA KLL-Q
08/09/2018	73,0	154.200	21,70	SEBA KLL-Q
08/09/2018	74,0	158.700	21,80	SEBA KLL-Q
08/09/2018	74,5	167.400	21,80	SEBA KLL-Q
08/09/2018	75,0	178.700	21,80	SEBA KLL-Q
08/09/2018	75,2	181.700	21,80	SEBA KLL-Q
08/09/2018	75,4	183.400	21,90	SEBA KLL-Q
08/09/2018	75,6	183.500	21,90	SEBA KLL-Q
08/09/2018	75,8	192.400	21,90	SEBA KLL-Q
08/09/2018	76,0	197.100	21,90	SEBA KLL-Q
08/09/2018	76,2	202.400	21,90	SEBA KLL-Q
08/09/2018	76,4	206.400	21,90	SEBA KLL-Q
08/09/2018	76,6	212.300	21,90	SEBA KLL-Q
08/09/2018	76,8	218.500	22,00	SEBA KLL-Q
08/09/2018	77,0	225.400	22,00	SEBA KLL-Q
08/09/2018	77,5	250.900	22,10	SEBA KLL-Q
08/09/2018	78,0	260.800	22,20	SEBA KLL-Q
08/09/2018	79,0	263.600	22,30	SEBA KLL-Q
08/09/2018	80,0	263.400	22,40	SEBA KLL-Q
08/09/2018	82,0	263.400	22,40	SEBA KLL-Q
08/09/2018	84,0	263.400	22,40	SEBA KLL-Q
08/09/2018	86,0	263.300	22,40	SEBA KLL-Q
08/09/2018	88,0	263.300	22,40	SEBA KLL-Q
08/09/2018	90,0	263.200	22,60	SEBA KLL-Q
08/09/2018	92,0	263.200	22,60	SEBA KLL-Q
08/09/2018	94,0	263.300	22,70	SEBA KLL-Q
08/09/2018	96,0	263.300	22,70	SEBA KLL-Q
08/09/2018	98,0	263.100	22,70	SEBA KLL-Q
05/11/2018	1,1	13.330	22,42	SEBA KLL-Q
05/11/2018	1,5	13.230	21,36	SEBA KLL-Q
05/11/2018	2,0	19.850	20,13	SEBA KLL-Q
05/11/2018	3,0	30.100	20,67	SEBA KLL-Q
05/11/2018	4,0	30.330	20,70	SEBA KLL-Q
05/11/2018	6,0	30.410	20,71	SEBA KLL-Q
05/11/2018	8,0	30.470	20,73	SEBA KLL-Q
05/11/2018	10,0	30.570	20,74	SEBA KLL-Q
05/11/2018	12,0	30.610	20,76	SEBA KLL-Q
05/11/2018	14,0	30.650	20,76	SEBA KLL-Q
05/11/2018	16,0	30.650	20,75	SEBA KLL-Q
05/11/2018	18,0	30.650	20,76	SEBA KLL-Q
05/11/2018	20,0	30.630	20,76	SEBA KLL-Q
05/11/2018	22,0	30.710	20,78	SEBA KLL-Q
05/11/2018	24,0	30.720	20,78	SEBA KLL-Q
05/11/2018	26,0	30.800	20,79	SEBA KLL-Q
05/11/2018	28,0	54.410	20,93	SEBA KLL-Q
05/11/2018	29,0	56.940	20,98	SEBA KLL-Q
05/11/2018	30,0	57.220	21,02	SEBA KLL-Q
05/11/2018	31,0	59.560	21,08	SEBA KLL-Q
05/11/2018	32,0	59.730	21,11	SEBA KLL-Q
05/11/2018	33,0	59.750	21,11	SEBA KLL-Q
05/11/2018	35,0	59.770	21,15	SEBA KLL-Q
05/11/2018	37,0	59.890	21,19	SEBA KLL-Q
05/11/2018	39,0	59.990	21,21	SEBA KLL-Q
05/11/2018	41,0	60.060	21,21	SEBA KLL-Q
05/11/2018	43,0	60.080	21,22	SEBA KLL-Q
05/11/2018	45,0	60.070	21,23	SEBA KLL-Q
05/11/2018	47,0	60.020	21,24	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/11/2018	49,0	59.980	21,23	SEBA KLL-Q
05/11/2018	51,0	85.880	21,46	SEBA KLL-Q
05/11/2018	51,5	85.920	21,47	SEBA KLL-Q
05/11/2018	52,0	85.940	21,49	SEBA KLL-Q
05/11/2018	53,0	85.950	21,49	SEBA KLL-Q
05/11/2018	54,0	85.970	21,48	SEBA KLL-Q
05/11/2018	56,0	86.000	21,48	SEBA KLL-Q
05/11/2018	58,0	86.550	21,49	SEBA KLL-Q
05/11/2018	60,0	87.000	21,49	SEBA KLL-Q
05/11/2018	62,0	144.900	21,69	SEBA KLL-Q
05/11/2018	62,5	144.900	21,71	SEBA KLL-Q
05/11/2018	63,0	145.000	21,71	SEBA KLL-Q
05/11/2018	64,0	145.100	21,70	SEBA KLL-Q
05/11/2018	65,0	145.000	21,71	SEBA KLL-Q
05/11/2018	66,0	145.100	21,70	SEBA KLL-Q
05/11/2018	67,0	145.100	21,70	SEBA KLL-Q
05/11/2018	68,0	145.200	21,70	SEBA KLL-Q
05/11/2018	70,0	145.200	21,71	SEBA KLL-Q
05/11/2018	71,0	145.100	21,72	SEBA KLL-Q
05/11/2018	72,0	145.100	21,73	SEBA KLL-Q
05/11/2018	73,0	149.600	21,90	SEBA KLL-Q
05/11/2018	73,5	151.200	21,94	SEBA KLL-Q
05/11/2018	74,0	153.700	21,96	SEBA KLL-Q
05/11/2018	74,5	162.200	21,98	SEBA KLL-Q
05/11/2018	75,0	176.000	22,01	SEBA KLL-Q
05/11/2018	75,5	182.000	22,06	SEBA KLL-Q
05/11/2018	76,0	194.200	22,11	SEBA KLL-Q
05/11/2018	76,2	199.100	22,14	SEBA KLL-Q
05/11/2018	76,4	204.100	22,16	SEBA KLL-Q
05/11/2018	76,6	209.000	22,17	SEBA KLL-Q
05/11/2018	76,8	218.100	22,22	SEBA KLL-Q
05/11/2018	77,0	228.000	22,26	SEBA KLL-Q
05/11/2018	78,0	254.300	22,49	SEBA KLL-Q
05/11/2018	80,0	255.000	22,74	SEBA KLL-Q
05/11/2018	82,0	255.000	22,77	SEBA KLL-Q
05/11/2018	84,0	255.000	22,76	SEBA KLL-Q
05/11/2018	86,0	255.100	22,80	SEBA KLL-Q
05/11/2018	88,0	255.100	22,86	SEBA KLL-Q
05/11/2018	90,0	255.100	22,87	SEBA KLL-Q
24/01/2019	1,20	13.480	24,25	SEBA KLL-Q
24/01/2019	1,40	13.500	22,58	SEBA KLL-Q
24/01/2019	1,60	13.450	21,20	SEBA KLL-Q
24/01/2019	1,80	13.480	20,76	SEBA KLL-Q
24/01/2019	2,00	13.500	20,68	SEBA KLL-Q
24/01/2019	2,50	13.990	20,45	SEBA KLL-Q
24/01/2019	3,00	34.240	20,37	SEBA KLL-Q
24/01/2019	4,00	34.350	20,31	SEBA KLL-Q
24/01/2019	6,00	34.350	20,30	SEBA KLL-Q
24/01/2019	8,00	34.380	20,30	SEBA KLL-Q
24/01/2019	10,00	34.420	20,30	SEBA KLL-Q
24/01/2019	12,00	34.430	20,30	SEBA KLL-Q
24/01/2019	14,00	34.410	20,29	SEBA KLL-Q
24/01/2019	16,00	34.440	20,31	SEBA KLL-Q
24/01/2019	18,00	34.430	20,36	SEBA KLL-Q
24/01/2019	20,00	34.470	20,39	SEBA KLL-Q
24/01/2019	22,00	34.520	20,40	SEBA KLL-Q
24/01/2019	24,00	34.640	20,41	SEBA KLL-Q
24/01/2019	26,00	34.800	20,42	SEBA KLL-Q
24/01/2019	28,00	35.010	20,43	SEBA KLL-Q
24/01/2019	28,50	43.230	20,43	SEBA KLL-Q
24/01/2019	29,00	46.490	20,44	SEBA KLL-Q
24/01/2019	29,50	51.460	20,46	SEBA KLL-Q
24/01/2019	30,00	51.890	20,48	SEBA KLL-Q
24/01/2019	30,50	52.390	20,50	SEBA KLL-Q
24/01/2019	31,00	52.590	20,51	SEBA KLL-Q
24/01/2019	32,00	61.940	20,58	SEBA KLL-Q
24/01/2019	33,00	63.400	20,73	SEBA KLL-Q
24/01/2019	34,00	63.410	20,75	SEBA KLL-Q
24/01/2019	36,00	63.520	20,85	SEBA KLL-Q
24/01/2019	38,00	63.590	20,87	SEBA KLL-Q
24/01/2019	40,00	63.570	20,88	SEBA KLL-Q
24/01/2019	42,00	63.630	20,89	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/01/2019	44,00	63.600	20,91	SEBA KLL-Q
24/01/2019	46,00	63.580	20,91	SEBA KLL-Q
24/01/2019	48,00	63.580	20,92	SEBA KLL-Q
24/01/2019	50,00	89.220	21,07	SEBA KLL-Q
24/01/2019	50,20	89.690	21,10	SEBA KLL-Q
24/01/2019	50,40	89.990	21,11	SEBA KLL-Q
24/01/2019	50,60	90.030	21,13	SEBA KLL-Q
24/01/2019	50,80	90.090	21,15	SEBA KLL-Q
24/01/2019	51,00	90.050	21,15	SEBA KLL-Q
24/01/2019	51,50	90.100	21,15	SEBA KLL-Q
24/01/2019	52,00	90.040	21,16	SEBA KLL-Q
24/01/2019	54,00	90.040	21,16	SEBA KLL-Q
24/01/2019	56,00	90.100	21,17	SEBA KLL-Q
24/01/2019	58,00	90.220	21,18	SEBA KLL-Q
24/01/2019	60,00	91.100	21,18	SEBA KLL-Q
24/01/2019	62,00	147.300	21,32	SEBA KLL-Q
24/01/2019	62,20	148.400	21,37	SEBA KLL-Q
24/01/2019	62,40	148.500	21,41	SEBA KLL-Q
24/01/2019	62,60	148.600	21,42	SEBA KLL-Q
24/01/2019	62,80	148.600	21,42	SEBA KLL-Q
24/01/2019	63,00	148.700	21,41	SEBA KLL-Q
24/01/2019	64,00	148.700	21,42	SEBA KLL-Q
24/01/2019	66,00	148.600	21,42	SEBA KLL-Q
24/01/2019	68,00	148.600	21,42	SEBA KLL-Q
24/01/2019	70,00	148.600	21,42	SEBA KLL-Q
24/01/2019	72,00	148.700	21,44	SEBA KLL-Q
24/01/2019	74,00	158.100	21,62	SEBA KLL-Q
24/01/2019	75,00	182.200	21,71	SEBA KLL-Q
24/01/2019	75,50	189.500	21,76	SEBA KLL-Q
24/01/2019	76,00	203.800	21,83	SEBA KLL-Q
24/01/2019	76,20	209.700	21,85	SEBA KLL-Q
24/01/2019	76,40	215.000	21,87	SEBA KLL-Q
24/01/2019	76,60	222.000	21,91	SEBA KLL-Q
24/01/2019	76,80	232.300	21,95	SEBA KLL-Q
24/01/2019	77,00	240.800	21,99	SEBA KLL-Q
24/01/2019	78,00	260.600	22,07	SEBA KLL-Q
24/01/2019	79,00	260.300	22,38	SEBA KLL-Q
24/01/2019	80,00	260.200	22,40	SEBA KLL-Q
24/01/2019	82,00	260.200	22,41	SEBA KLL-Q
24/01/2019	84,00	260.200	22,42	SEBA KLL-Q
24/01/2019	86,00	260.200	22,48	SEBA KLL-Q
24/01/2019	88,00	260.200	22,52	SEBA KLL-Q
24/01/2019	90,00	260.200	22,53	SEBA KLL-Q
24/01/2019	92,00	260.200	22,55	SEBA KLL-Q
24/01/2019	94,00	260.300	22,55	SEBA KLL-Q
24/01/2019	96,00	260.300	22,57	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/01/2019	98,00	260.100	22,58	SEBA KLL-Q
24/03/2019	1,50	20.950	21,38	SEBA KLL-Q
24/03/2019	2,00	21.020	21,03	SEBA KLL-Q
24/03/2019	2,50	30.470	20,53	SEBA KLL-Q
24/03/2019	3,00	30.610	20,40	SEBA KLL-Q
24/03/2019	4,00	30.630	20,38	SEBA KLL-Q
24/03/2019	6,00	30.610	20,37	SEBA KLL-Q
24/03/2019	8,00	30.590	20,37	SEBA KLL-Q
24/03/2019	10,00	30.630	20,36	SEBA KLL-Q
24/03/2019	12,00	30.610	20,37	SEBA KLL-Q
24/03/2019	14,00	30.590	20,38	SEBA KLL-Q
24/03/2019	16,00	30.580	20,37	SEBA KLL-Q
24/03/2019	18,00	30.610	20,41	SEBA KLL-Q
24/03/2019	20,00	30.670	20,42	SEBA KLL-Q
24/03/2019	22,00	30.710	20,43	SEBA KLL-Q
24/03/2019	24,00	30.870	20,45	SEBA KLL-Q
24/03/2019	26,00	30.870	20,45	SEBA KLL-Q
24/03/2019	26,50	30.870	20,45	SEBA KLL-Q
24/03/2019	27,00	30.900	20,46	SEBA KLL-Q
24/03/2019	27,50	30.920	20,46	SEBA KLL-Q
24/03/2019	28,00	31.050	20,46	SEBA KLL-Q
24/03/2019	28,50	50.470	20,52	SEBA KLL-Q
24/03/2019	29,00	52.050	20,57	SEBA KLL-Q
24/03/2019	30,00	56.950	20,63	SEBA KLL-Q
24/03/2019	32,00	60.070	20,73	SEBA KLL-Q
24/03/2019	34,00	60.040	20,80	SEBA KLL-Q
24/03/2019	36,00	60.050	20,83	SEBA KLL-Q
24/03/2019	38,00	60.050	20,85	SEBA KLL-Q
24/03/2019	40,00	60.040	20,85	SEBA KLL-Q
24/03/2019	42,00	60.030	20,87	SEBA KLL-Q
24/03/2019	44,00	60.070	20,89	SEBA KLL-Q
24/03/2019	46,00	60.100	20,92	SEBA KLL-Q
24/03/2019	48,00	60.070	20,93	SEBA KLL-Q
24/03/2019	48,50	60.080	20,93	SEBA KLL-Q
24/03/2019	49,00	60.130	20,93	SEBA KLL-Q
24/03/2019	49,50	60.160	20,93	SEBA KLL-Q
24/03/2019	50,00	83.550	21,08	SEBA KLL-Q
24/03/2019	50,20	84.330	21,10	SEBA KLL-Q
24/03/2019	50,40	84.310	21,11	SEBA KLL-Q
24/03/2019	50,60	84.400	21,13	SEBA KLL-Q
24/03/2019	50,80	84.410	21,14	SEBA KLL-Q
24/03/2019	51,00	84.440	21,14	SEBA KLL-Q
24/03/2019	52,00	84.390	21,15	SEBA KLL-Q
24/03/2019	54,00	84.390	21,15	SEBA KLL-Q
24/03/2019	56,00	84.360	21,17	SEBA KLL-Q
24/03/2019	58,00	84.480	21,17	SEBA KLL-Q
24/03/2019	60,00	85.240	21,18	SEBA KLL-Q
24/03/2019	61,00	85.310	21,19	SEBA KLL-Q
24/03/2019	62,00	137.300	21,32	SEBA KLL-Q
24/03/2019	62,50	139.400	21,40	SEBA KLL-Q
24/03/2019	63,00	139.300	21,41	SEBA KLL-Q
24/03/2019	64,00	139.300	21,41	SEBA KLL-Q
24/03/2019	66,00	139.200	21,40	SEBA KLL-Q
24/03/2019	68,00	139.200	21,41	SEBA KLL-Q
24/03/2019	70,00	139.200	21,41	SEBA KLL-Q
24/03/2019	71,00	139.300	21,41	SEBA KLL-Q
24/03/2019	72,00	139.300	21,42	SEBA KLL-Q
24/03/2019	73,00	144.000	21,56	SEBA KLL-Q
24/03/2019	74,00	148.000	21,64	SEBA KLL-Q
24/03/2019	74,50	155.400	21,68	SEBA KLL-Q
24/03/2019	75,00	163.100	21,71	SEBA KLL-Q
24/03/2019	75,20	164.800	21,73	SEBA KLL-Q
24/03/2019	75,40	165.900	21,76	SEBA KLL-Q
24/03/2019	75,60	167.800	21,78	SEBA KLL-Q
24/03/2019	75,80	170.800	21,79	SEBA KLL-Q
24/03/2019	76,00	176.700	21,82	SEBA KLL-Q
24/03/2019	76,20	193.200	21,83	SEBA KLL-Q
24/03/2019	76,40	212.700	21,86	SEBA KLL-Q
24/03/2019	76,80	224.000	21,87	SEBA KLL-Q
24/03/2019	77,00	233.400	21,93	SEBA KLL-Q
24/03/2019	77,50	238.700	21,94	SEBA KLL-Q
24/03/2019	78,00	243.900	21,99	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/03/2019	79,00	244.200	22,41	SEBA KLL-Q
24/03/2019	80,00	244.100	22,43	SEBA KLL-Q
24/03/2019	82,00	244.100	22,44	SEBA KLL-Q
24/03/2019	84,00	244.000	22,45	SEBA KLL-Q
24/03/2019	86,00	244.000	22,47	SEBA KLL-Q
24/03/2019	88,00	244.100	22,49	SEBA KLL-Q
24/03/2019	90,00	244.000	22,50	SEBA KLL-Q
24/03/2019	92,00	244.000	22,52	SEBA KLL-Q
24/03/2019	94,00	244.100	22,53	SEBA KLL-Q
24/03/2019	96,00	244.100	22,55	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/03/2019	98,00	243.900	22,57	SEBA KLL-Q
16/04/2019	1,20	17.860	21,32	SEBA KLL-Q
16/04/2019	1,40	17.870	21,27	SEBA KLL-Q
16/04/2019	1,60	18.090	21,26	SEBA KLL-Q
16/04/2019	1,80	18.130	21,27	SEBA KLL-Q
16/04/2019	2,00	18.160	21,27	SEBA KLL-Q
16/04/2019	3,00	31.990	20,38	SEBA KLL-Q
16/04/2019	4,00	31.990	20,31	SEBA KLL-Q
16/04/2019	6,00	32.020	20,31	SEBA KLL-Q
16/04/2019	8,00	32.060	20,30	SEBA KLL-Q
16/04/2019	10,00	32.070	20,30	SEBA KLL-Q
16/04/2019	12,00	32.100	20,32	SEBA KLL-Q
16/04/2019	14,00	32.140	20,34	SEBA KLL-Q
16/04/2019	16,00	32.190	20,36	SEBA KLL-Q
16/04/2019	18,00	32.240	20,38	SEBA KLL-Q
16/04/2019	20,00	32.300	20,40	SEBA KLL-Q
16/04/2019	22,00	32.330	20,41	SEBA KLL-Q
16/04/2019	24,00	32.380	20,41	SEBA KLL-Q
16/04/2019	26,00	32.550	20,42	SEBA KLL-Q
16/04/2019	28,00	32.590	20,44	SEBA KLL-Q
16/04/2019	28,50	46.980	20,45	SEBA KLL-Q
16/04/2019	28,70	47.550	20,47	SEBA KLL-Q
16/04/2019	28,90	48.210	20,48	SEBA KLL-Q
16/04/2019	29,30	53.610	20,51	SEBA KLL-Q
16/04/2019	29,50	53.710	20,51	SEBA KLL-Q
16/04/2019	30,00	54.630	20,54	SEBA KLL-Q
16/04/2019	31,00	55.760	20,59	SEBA KLL-Q
16/04/2019	32,00	60.440	20,65	SEBA KLL-Q
16/04/2019	34,00	60.960	20,77	SEBA KLL-Q
16/04/2019	36,00	60.990	20,83	SEBA KLL-Q
16/04/2019	38,00	61.100	20,87	SEBA KLL-Q
16/04/2019	40,00	61.120	20,89	SEBA KLL-Q
16/04/2019	42,00	61.110	20,90	SEBA KLL-Q
16/04/2019	44,00	61.150	20,91	SEBA KLL-Q
16/04/2019	46,00	61.170	20,91	SEBA KLL-Q
16/04/2019	48,00	61.260	20,92	SEBA KLL-Q
16/04/2019	49,00	61.420	20,93	SEBA KLL-Q
16/04/2019	49,20	61.780	20,93	SEBA KLL-Q
16/04/2019	49,40	62.630	20,92	SEBA KLL-Q
16/04/2019	49,60	65.240	20,92	SEBA KLL-Q
16/04/2019	49,80	85.280	21,06	SEBA KLL-Q
16/04/2019	50,00	85.670	21,10	SEBA KLL-Q
16/04/2019	50,50	86.190	21,12	SEBA KLL-Q
16/04/2019	51,00	86.450	21,14	SEBA KLL-Q
16/04/2019	52,00	86.360	21,16	SEBA KLL-Q
16/04/2019	54,00	86.320	21,17	SEBA KLL-Q
16/04/2019	56,00	86.360	21,17	SEBA KLL-Q
16/04/2019	58,00	86.380	21,17	SEBA KLL-Q
16/04/2019	60,00	87.070	21,18	SEBA KLL-Q
16/04/2019	60,50	87.112	21,19	SEBA KLL-Q
16/04/2019	61,00	87.140	21,18	SEBA KLL-Q
16/04/2019	61,20	87.190	21,19	SEBA KLL-Q
16/04/2019	61,40	87.200	21,19	SEBA KLL-Q
16/04/2019	61,60	136.300	21,27	SEBA KLL-Q
16/04/2019	61,80	137.400	21,32	SEBA KLL-Q
16/04/2019	62,00	139.500	21,34	SEBA KLL-Q
16/04/2019	62,50	141.900	21,38	SEBA KLL-Q
16/04/2019	63,00	141.700	21,39	SEBA KLL-Q
16/04/2019	64,00	141.800	21,40	SEBA KLL-Q
16/04/2019	66,00	141.800	21,41	SEBA KLL-Q
16/04/2019	68,00	141.700	21,40	SEBA KLL-Q
16/04/2019	70,00	141.700	21,41	SEBA KLL-Q
16/04/2019	72,00	141.600	21,42	SEBA KLL-Q
16/04/2019	74,00	150.900	21,65	SEBA KLL-Q
16/04/2019	74,50	158.100	21,68	SEBA KLL-Q
16/04/2019	75,00	167.700	21,72	SEBA KLL-Q
16/04/2019	75,20	169.400	21,73	SEBA KLL-Q
16/04/2019	75,40	171.500	21,74	SEBA KLL-Q
16/04/2019	75,60	177.200	21,77	SEBA KLL-Q
16/04/2019	75,80	185.600	21,80	SEBA KLL-Q
16/04/2019	76,00	195.000	21,82	SEBA KLL-Q
16/04/2019	76,20	207.200	21,84	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/04/2019	76,40	215.700	21,86	SEBA KLL-Q
16/04/2019	76,60	222.200	21,90	SEBA KLL-Q
16/04/2019	76,80	228.900	21,89	SEBA KLL-Q
16/04/2019	77,00	233.900	21,96	SEBA KLL-Q
16/04/2019	77,50	247.500	22,09	SEBA KLL-Q
16/04/2019	78,00	248.200	22,21	SEBA KLL-Q
16/04/2019	80,00	248.400	22,41	SEBA KLL-Q
16/04/2019	82,00	248.500	22,43	SEBA KLL-Q
16/04/2019	84,00	248.100	22,43	SEBA KLL-Q
16/04/2019	86,00	247.900	22,48	SEBA KLL-Q
16/04/2019	88,00	247.800	22,50	SEBA KLL-Q
16/04/2019	90,00	247.800	22,52	SEBA KLL-Q
16/04/2019	92,00	247.500	22,53	SEBA KLL-Q
16/04/2019	94,00	247.400	22,54	SEBA KLL-Q
16/04/2019	96,00	247.300	22,56	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/04/2019	98,00	247.100	22,58	SEBA KLL-Q
29/06/2019	1,00	18.840	19,10	SEBA KLL-Q
29/06/2019	1,20	18.800	19,10	SEBA KLL-Q
29/06/2019	1,40	18.800	19,29	SEBA KLL-Q
29/06/2019	1,60	18.820	19,29	SEBA KLL-Q
29/06/2019	1,80	18.830	19,29	SEBA KLL-Q
29/06/2019	2,00	18.980	19,52	SEBA KLL-Q
29/06/2019	2,50	30.450	19,52	SEBA KLL-Q
29/06/2019	3,00	30.480	20,32	SEBA KLL-Q
29/06/2019	4,00	30.480	20,34	SEBA KLL-Q
29/06/2019	6,00	30.500	20,34	SEBA KLL-Q
29/06/2019	8,00	30.500	20,34	SEBA KLL-Q
29/06/2019	10,00	30.500	20,34	SEBA KLL-Q
29/06/2019	12,00	30.470	20,34	SEBA KLL-Q
29/06/2019	14,00	30.490	20,34	SEBA KLL-Q
29/06/2019	16,00	30.470	20,34	SEBA KLL-Q
29/06/2019	18,00	30.460	20,35	SEBA KLL-Q
29/06/2019	20,00	30.470	20,35	SEBA KLL-Q
29/06/2019	22,00	30.580	20,43	SEBA KLL-Q
29/06/2019	24,00	30.760	20,43	SEBA KLL-Q
29/06/2019	26,00	30.840	20,45	SEBA KLL-Q
29/06/2019	28,00	30.920	20,45	SEBA KLL-Q
29/06/2019	28,20	31.240	20,46	SEBA KLL-Q
29/06/2019	28,40	33.940	20,46	SEBA KLL-Q
29/06/2019	28,60	49.500	20,50	SEBA KLL-Q
29/06/2019	28,80	49.870	20,50	SEBA KLL-Q
29/06/2019	29,00	51.010	20,54	SEBA KLL-Q
29/06/2019	29,20	54.780	20,54	SEBA KLL-Q
29/06/2019	29,40	54.810	20,57	SEBA KLL-Q
29/06/2019	29,60	54.890	20,57	SEBA KLL-Q
29/06/2019	29,80	55.230	20,57	SEBA KLL-Q
29/06/2019	30,00	55.370	20,61	SEBA KLL-Q
29/06/2019	31,00	55.980	20,61	SEBA KLL-Q
29/06/2019	32,00	58.130	20,61	SEBA KLL-Q
29/06/2019	34,00	59.010	20,77	SEBA KLL-Q
29/06/2019	36,00	59.000	20,77	SEBA KLL-Q
29/06/2019	38,00	59.000	20,80	SEBA KLL-Q
29/06/2019	40,00	59.010	20,80	SEBA KLL-Q
29/06/2019	42,00	59.010	20,82	SEBA KLL-Q
29/06/2019	44,00	59.040	20,82	SEBA KLL-Q
29/06/2019	46,00	59.060	20,88	SEBA KLL-Q
29/06/2019	48,00	59.100	20,88	SEBA KLL-Q
29/06/2019	49,00	59.080	20,88	SEBA KLL-Q
29/06/2019	49,50	59.090	20,92	SEBA KLL-Q
29/06/2019	50,00	83.110	20,92	SEBA KLL-Q
29/06/2019	50,20	83.530	20,92	SEBA KLL-Q
29/06/2019	50,40	83.820	20,92	SEBA KLL-Q
29/06/2019	50,60	83.900	21,12	SEBA KLL-Q
29/06/2019	50,80	83.970	21,12	SEBA KLL-Q
29/06/2019	51,00	84.000	21,12	SEBA KLL-Q
29/06/2019	51,20	84.070	21,14	SEBA KLL-Q
29/06/2019	51,40	84.070	21,14	SEBA KLL-Q
29/06/2019	51,60	84.100	21,14	SEBA KLL-Q
29/06/2019	51,80	84.120	21,14	SEBA KLL-Q
29/06/2019	52,00	84.120	21,15	SEBA KLL-Q
29/06/2019	53,00	84.130	21,15	SEBA KLL-Q
29/06/2019	54,00	84.140	21,15	SEBA KLL-Q
29/06/2019	56,00	84.160	21,16	SEBA KLL-Q
29/06/2019	58,00	84.230	21,16	SEBA KLL-Q
29/06/2019	60,00	85.030	21,16	SEBA KLL-Q
29/06/2019	61,00	85.130	21,18	SEBA KLL-Q
29/06/2019	61,20	85.150	21,18	SEBA KLL-Q
29/06/2019	61,40	85.250	21,18	SEBA KLL-Q
29/06/2019	61,60	98.930	21,18	SEBA KLL-Q
29/06/2019	61,80	133.200	21,29	SEBA KLL-Q
29/06/2019	62,00	134.000	21,29	SEBA KLL-Q
29/06/2019	62,20	137.200	21,29	SEBA KLL-Q
29/06/2019	62,40	137.400	21,29	SEBA KLL-Q
29/06/2019	63,00	137.500	21,41	SEBA KLL-Q
29/06/2019	64,00	137.500	21,41	SEBA KLL-Q
29/06/2019	66,00	137.500	21,41	SEBA KLL-Q
29/06/2019	68,00	137.500	21,41	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
29/06/2019	70,00	137.500	21,41	SEBA KLL-Q
29/06/2019	72,00	137.500	21,43	SEBA KLL-Q
29/06/2019	74,00	146.200	21,43	SEBA KLL-Q
29/06/2019	76,00	190.500	21,43	SEBA KLL-Q
29/06/2019	76,20	197.800	21,85	SEBA KLL-Q
29/06/2019	76,40	202.300	21,85	SEBA KLL-Q
29/06/2019	76,60	207.300	21,85	SEBA KLL-Q
29/06/2019	76,80	212.400	21,85	SEBA KLL-Q
29/06/2019	77,00	217.800	21,85	SEBA KLL-Q
29/06/2019	77,50	236.000	21,85	SEBA KLL-Q
29/06/2019	78,00	239.800	21,97	SEBA KLL-Q
29/06/2019	79,00	240.600	22,33	SEBA KLL-Q
29/06/2019	80,00	240.600	22,33	SEBA KLL-Q
29/06/2019	82,00	240.400	22,38	SEBA KLL-Q
29/06/2019	84,00	240.300	22,38	SEBA KLL-Q
29/06/2019	86,00	240.400	22,40	SEBA KLL-Q
29/06/2019	88,00	240.300	22,40	SEBA KLL-Q
29/06/2019	90,00	240.300	22,50	SEBA KLL-Q
29/06/2019	92,00	240.400	22,50	SEBA KLL-Q
29/06/2019	94,00	240.300	22,54	SEBA KLL-Q
16/09/2019	1,50	16.330	18,01	SEBA KLL-Q
16/09/2019	2,00	20.680	18,87	SEBA KLL-Q
16/09/2019	2,50	29.830	19,71	SEBA KLL-Q
16/09/2019	3,00	30.040	20,33	SEBA KLL-Q
16/09/2019	4,00	30.070	20,36	SEBA KLL-Q
16/09/2019	6,00	30.070	20,36	SEBA KLL-Q
16/09/2019	8,00	30.080	20,36	SEBA KLL-Q
16/09/2019	10,00	30.070	20,36	SEBA KLL-Q
16/09/2019	12,00	30.080	20,36	SEBA KLL-Q
16/09/2019	14,00	30.060	20,36	SEBA KLL-Q
16/09/2019	16,00	30.050	20,38	SEBA KLL-Q
16/09/2019	18,00	30.040	20,39	SEBA KLL-Q
16/09/2019	20,00	30.040	20,43	SEBA KLL-Q
16/09/2019	22,00	30.070	20,44	SEBA KLL-Q
16/09/2019	24,00	30.090	20,45	SEBA KLL-Q
16/09/2019	26,00	30.230	20,46	SEBA KLL-Q
16/09/2019	26,50	30.250	20,46	SEBA KLL-Q
16/09/2019	27,00	30.240	20,47	SEBA KLL-Q
16/09/2019	27,50	30.200	20,47	SEBA KLL-Q
16/09/2019	28,00	30.200	20,47	SEBA KLL-Q
16/09/2019	28,50	47.400	20,53	SEBA KLL-Q
16/09/2019	29,00	51.220	20,57	SEBA KLL-Q
16/09/2019	30,00	55.900	20,65	SEBA KLL-Q
16/09/2019	32,00	58.700	20,47	SEBA KLL-Q
16/09/2019	34,00	58.750	20,80	SEBA KLL-Q
16/09/2019	36,00	58.760	20,83	SEBA KLL-Q
16/09/2019	38,00	58.000	20,85	SEBA KLL-Q
16/09/2019	40,00	58.790	20,86	SEBA KLL-Q
16/09/2019	42,00	58.840	20,87	SEBA KLL-Q
16/09/2019	44,00	58.830	20,89	SEBA KLL-Q
16/09/2019	46,00	58.850	20,91	SEBA KLL-Q
16/09/2019	48,00	58.830	20,92	SEBA KLL-Q
16/09/2019	48,50	58.810	20,92	SEBA KLL-Q
16/09/2019	49,00	58.820	20,93	SEBA KLL-Q
16/09/2019	49,50	58.000	20,93	SEBA KLL-Q
16/09/2019	50,00	82.710	21,06	SEBA KLL-Q
16/09/2019	50,20	83.290	21,11	SEBA KLL-Q
16/09/2019	50,40	83.520	21,12	SEBA KLL-Q
16/09/2019	50,60	83.590	21,13	SEBA KLL-Q
16/09/2019	50,80	83.620	21,14	SEBA KLL-Q
16/09/2019	51,00	83.690	21,15	SEBA KLL-Q
16/09/2019	52,00	83.730	21,16	SEBA KLL-Q
16/09/2019	54,00	83.740	21,16	SEBA KLL-Q
16/09/2019	56,00	83.760	21,17	SEBA KLL-Q
16/09/2019	58,00	83.810	21,18	SEBA KLL-Q
16/09/2019	60,00	84.660	21,19	SEBA KLL-Q
16/09/2019	61,00	84.690	21,20	SEBA KLL-Q
16/09/2019	62,00	133.000	21,23	SEBA KLL-Q
16/09/2019	62,50	136.600	21,41	SEBA KLL-Q
16/09/2019	63,00	136.600	21,42	SEBA KLL-Q
16/09/2019	64,00	136.600	21,42	SEBA KLL-Q
16/09/2019	66,00	136.600	21,42	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/09/2019	68,00	136.600	21,43	SEBA KLL-Q
16/09/2019	70,00	136.600	21,43	SEBA KLL-Q
16/09/2019	71,00	136.600	21,43	SEBA KLL-Q
16/09/2019	72,00	136.600	21,44	SEBA KLL-Q
16/09/2019	73,00	141.700	21,61	SEBA KLL-Q
16/09/2019	74,00	145.600	21,66	SEBA KLL-Q
16/09/2019	74,50	153.500	21,70	SEBA KLL-Q
16/09/2019	75,00	167.600	21,73	SEBA KLL-Q
16/09/2019	75,20	171.200	21,76	SEBA KLL-Q
16/09/2019	75,40	173.600	21,77	SEBA KLL-Q
16/09/2019	75,60	177.200	21,80	SEBA KLL-Q
16/09/2019	75,80	185.800	21,82	SEBA KLL-Q
16/09/2019	76,00	190.500	21,83	SEBA KLL-Q
16/09/2019	76,20	195.600	21,85	SEBA KLL-Q
16/09/2019	76,40	199.700	21,89	SEBA KLL-Q
16/09/2019	76,80	209.700	21,93	SEBA KLL-Q
16/09/2019	77,00	215.800	21,96	SEBA KLL-Q
16/09/2019	77,50	235.500	22,04	SEBA KLL-Q
16/09/2019	78,00	238.700	22,16	SEBA KLL-Q
16/09/2019	79,00	239.200	22,35	SEBA KLL-Q
16/09/2019	80,00	239.000	22,39	SEBA KLL-Q
16/09/2019	82,00	239.000	22,39	SEBA KLL-Q
16/09/2019	84,00	239.000	22,39	SEBA KLL-Q
16/09/2019	86,00	239.000	22,41	SEBA KLL-Q
16/09/2019	88,00	239.000	22,49	SEBA KLL-Q
16/09/2019	90,00	239.000	22,50	SEBA KLL-Q
16/09/2019	92,00	238.900	22,53	SEBA KLL-Q
16/09/2019	94,00	239.000	22,55	SEBA KLL-Q
16/09/2019	96,00	239.100	22,57	SEBA KLL-Q
16/09/2019	98,00	238.900	22,59	SEBA KLL-Q
23/11/2019	1,50	14.720	21,39	SEBA KLL-Q
23/11/2019	2,00	17.850	20,02	SEBA KLL-Q
23/11/2019	2,50	31.100	20,30	SEBA KLL-Q
23/11/2019	3,00	31.210	20,33	SEBA KLL-Q
23/11/2019	4,00	31.210	20,33	SEBA KLL-Q
23/11/2019	6,00	31.230	20,34	SEBA KLL-Q
23/11/2019	8,00	31.230	20,33	SEBA KLL-Q
23/11/2019	10,00	31.210	20,33	SEBA KLL-Q
23/11/2019	12,00	31.210	20,33	SEBA KLL-Q
23/11/2019	14,00	31.190	20,33	SEBA KLL-Q
23/11/2019	16,00	31.180	20,34	SEBA KLL-Q
23/11/2019	18,00	31.200	20,35	SEBA KLL-Q
23/11/2019	20,00	31.280	20,41	SEBA KLL-Q
23/11/2019	22,00	31.370	20,43	SEBA KLL-Q
23/11/2019	24,00	31.530	20,44	SEBA KLL-Q
23/11/2019	26,00	31.610	20,45	SEBA KLL-Q
23/11/2019	26,50	31.650	20,45	SEBA KLL-Q
23/11/2019	27,00	31.650	20,45	SEBA KLL-Q
23/11/2019	27,50	31.650	20,45	SEBA KLL-Q
23/11/2019	28,00	31.790	20,45	SEBA KLL-Q
23/11/2019	28,50	40.000	20,47	SEBA KLL-Q
23/11/2019	29,00	50.810	20,53	SEBA KLL-Q
23/11/2019	30,00	55.770	20,60	SEBA KLL-Q
23/11/2019	32,00	58.960	20,70	SEBA KLL-Q
23/11/2019	34,00	58.400	20,77	SEBA KLL-Q
23/11/2019	36,00	59.420	20,79	SEBA KLL-Q
23/11/2019	38,00	59.410	20,81	SEBA KLL-Q
23/11/2019	40,00	59.400	20,82	SEBA KLL-Q
23/11/2019	42,00	59.440	20,83	SEBA KLL-Q
23/11/2019	44,00	59.490	20,86	SEBA KLL-Q
23/11/2019	46,00	59.510	20,88	SEBA KLL-Q
23/11/2019	48,00	59.540	20,90	SEBA KLL-Q
23/11/2019	48,50	59.540	20,90	SEBA KLL-Q
23/11/2019	49,00	59.570	20,91	SEBA KLL-Q
23/11/2019	49,50	59.590	20,92	SEBA KLL-Q
23/11/2019	50,00	83.080	21,07	SEBA KLL-Q
23/11/2019	50,20	83.760	21,09	SEBA KLL-Q
23/11/2019	50,40	83.900	21,11	SEBA KLL-Q
23/11/2019	50,60	83.980	21,12	SEBA KLL-Q
23/11/2019	50,80	84.120	21,13	SEBA KLL-Q
23/11/2019	51,00	84.160	21,13	SEBA KLL-Q
23/11/2019	52,00	84.160	21,14	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-01				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
23/11/2019	54,00	84.180	21,15	SEBA KLL-Q
23/11/2019	56,00	84.130	21,16	SEBA KLL-Q
23/11/2019	58,00	84.250	21,17	SEBA KLL-Q
23/11/2019	60,00	85.050	21,17	SEBA KLL-Q
23/11/2019	61,00	85.200	21,18	SEBA KLL-Q
23/11/2019	62,00	133.400	21,33	SEBA KLL-Q
23/11/2019	62,50	136.600	21,38	SEBA KLL-Q
23/11/2019	63,00	136.500	21,40	SEBA KLL-Q
23/11/2019	64,00	136.500	21,41	SEBA KLL-Q
23/11/2019	66,00	136.600	21,40	SEBA KLL-Q
23/11/2019	68,00	136.500	21,42	SEBA KLL-Q
23/11/2019	70,00	136.600	21,42	SEBA KLL-Q
23/11/2019	71,00	136.600	21,42	SEBA KLL-Q
23/11/2019	72,00	136.700	21,42	SEBA KLL-Q
23/11/2019	73,00	141.600	21,56	SEBA KLL-Q
23/11/2019	74,00	145.400	21,63	SEBA KLL-Q
23/11/2019	74,50	154.900	21,67	SEBA KLL-Q
23/11/2019	75,00	171.000	21,72	SEBA KLL-Q
23/11/2019	75,20	174.600	21,73	SEBA KLL-Q
23/11/2019	75,40	177.200	21,75	SEBA KLL-Q
23/11/2019	75,60	179.400	21,76	SEBA KLL-Q
23/11/2019	75,80	189.300	21,79	SEBA KLL-Q
23/11/2019	76,00	194.300	21,82	SEBA KLL-Q
23/11/2019	76,20	198.800	21,84	SEBA KLL-Q
23/11/2019	76,40	203.000	21,86	SEBA KLL-Q
23/11/2019	76,60	203.100	21,88	SEBA KLL-Q
23/11/2019	76,80	206.700	21,89	SEBA KLL-Q
23/11/2019	77,00	222.100	21,97	SEBA KLL-Q
23/11/2019	77,50	237.800	22,07	SEBA KLL-Q
23/11/2019	78,00	240.600	22,29	SEBA KLL-Q
23/11/2019	79,00	240.100	22,43	SEBA KLL-Q
23/11/2019	80,00	240.200	22,43	SEBA KLL-Q
23/11/2019	82,00	240.200	22,43	SEBA KLL-Q
23/11/2019	84,00	240.200	22,43	SEBA KLL-Q
23/11/2019	86,00	240.200	22,46	SEBA KLL-Q
23/11/2019	88,00	240.200	22,50	SEBA KLL-Q
23/11/2019	90,00	240.100	22,51	SEBA KLL-Q
23/11/2019	92,00	240.200	22,52	SEBA KLL-Q
23/11/2019	94,00	240.300	22,54	SEBA KLL-Q
23/11/2019	96,00	240.300	22,55	SEBA KLL-Q
23/11/2019	98,00	240.300	22,57	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/10/2016	0,70	63.403	21,2	SEBA KLL-Q
11/10/2016	2,00	63.325	21,2	SEBA KLL-Q
11/10/2016	3,00	63.316	21,3	SEBA KLL-Q
11/10/2016	4,00	63.289	21,3	SEBA KLL-Q
11/10/2016	5,00	63.242	21,3	SEBA KLL-Q
11/10/2016	7,00	63.237	21,3	SEBA KLL-Q
11/10/2016	9,00	63.228	21,3	SEBA KLL-Q
11/10/2016	11,00	63.167	21,3	SEBA KLL-Q
11/10/2016	12,00	63.214	21,3	SEBA KLL-Q
11/10/2016	13,00	63.224	21,3	SEBA KLL-Q
11/10/2016	14,00	63.210	21,3	SEBA KLL-Q
11/10/2016	15,00	63.214	21,3	SEBA KLL-Q
11/10/2016	16,00	63.116	21,3	SEBA KLL-Q
11/10/2016	17,00	63.163	21,3	SEBA KLL-Q
11/10/2016	18,00	63.252	21,3	SEBA KLL-Q
11/10/2016	19,00	63.397	21,3	SEBA KLL-Q
11/10/2016	20,00	63.996	21,4	SEBA KLL-Q
11/10/2016	21,00	64.089	21,4	SEBA KLL-Q
11/10/2016	22,00	65.223	21,4	SEBA KLL-Q
11/10/2016	23,00	65.522	21,4	SEBA KLL-Q
11/10/2016	24,00	67.019	21,6	SEBA KLL-Q
11/10/2016	25,00	67.236	21,6	SEBA KLL-Q
11/10/2016	26,00	67.286	21,6	SEBA KLL-Q
11/10/2016	27,00	67.305	21,6	SEBA KLL-Q
11/10/2016	28,00	67.397	21,6	SEBA KLL-Q
11/10/2016	29,00	67.598	21,7	SEBA KLL-Q
11/10/2016	30,00	67.815	21,7	SEBA KLL-Q
11/10/2016	31,00	68.600	21,7	SEBA KLL-Q
11/10/2016	32,00	69.569	21,8	SEBA KLL-Q
11/10/2016	33,00	72.124	21,9	SEBA KLL-Q
11/10/2016	34,00	80.779	22,4	SEBA KLL-Q
11/10/2016	34,50	80.841	22,4	SEBA KLL-Q
11/10/2016	35,00	80.842	22,4	SEBA KLL-Q
11/10/2016	36,00	80.946	22,4	SEBA KLL-Q
11/10/2016	37,00	80.940	22,4	SEBA KLL-Q
11/10/2016	38,00	80.947	22,4	SEBA KLL-Q
11/10/2016	39,00	81.020	22,4	SEBA KLL-Q
11/10/2016	40,00	81.080	22,4	SEBA KLL-Q
11/10/2016	41,00	81.080	22,4	SEBA KLL-Q
11/10/2016	42,00	81.099	22,4	SEBA KLL-Q
11/10/2016	43,00	81.044	22,4	SEBA KLL-Q
11/10/2016	45,00	82.228	22,4	SEBA KLL-Q
11/10/2016	46,00	84.284	22,4	SEBA KLL-Q
11/10/2016	47,00	84.546	22,4	SEBA KLL-Q
11/10/2016	48,00	84.692	22,4	SEBA KLL-Q
11/10/2016	50,00	84.897	22,3	SEBA KLL-Q
11/10/2016	52,00	84.938	22,2	SEBA KLL-Q
11/10/2016	54,00	85.199	22,1	SEBA KLL-Q
11/10/2016	55,00	92.971	22,1	SEBA KLL-Q
11/10/2016	55,50	93.770	22,1	SEBA KLL-Q
11/10/2016	56,00	95.068	22,1	SEBA KLL-Q
11/10/2016	56,20	95.222	22,1	SEBA KLL-Q
11/10/2016	56,50	95.252	22,1	SEBA KLL-Q
11/10/2016	57,00	95.505	22,1	SEBA KLL-Q
11/10/2016	58,00	96.245	22,0	SEBA KLL-Q
11/10/2016	58,50	96.489	22,0	SEBA KLL-Q
11/10/2016	59,00	101.069	22,0	SEBA KLL-Q
11/10/2016	59,20	101.817	22,0	SEBA KLL-Q
11/10/2016	59,40	108.622	22,0	SEBA KLL-Q
11/10/2016	59,60	108.740	22,0	SEBA KLL-Q
11/10/2016	59,80	110.298	22,0	SEBA KLL-Q
11/10/2016	60,00	110.327	22,0	SEBA KLL-Q
11/10/2016	60,20	119.997	22,0	SEBA KLL-Q
11/10/2016	60,40	122.633	22,0	SEBA KLL-Q
11/10/2016	60,60	124.918	22,0	SEBA KLL-Q
11/10/2016	60,80	124.991	22,0	SEBA KLL-Q
11/10/2016	61,00	131.854	22,0	SEBA KLL-Q
11/10/2016	61,20	131.946	22,0	SEBA KLL-Q
11/10/2016	61,40	138.218	22,0	SEBA KLL-Q
11/10/2016	61,60	140.908	22,0	SEBA KLL-Q
11/10/2016	61,80	141.055	22,0	SEBA KLL-Q
11/10/2016	62,00	141.201	22,0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/10/2016	62,20	141.579	22,0	SEBA KLL-Q
11/10/2016	62,40	141.618	22,0	SEBA KLL-Q
11/10/2016	62,60	146.074	22,0	SEBA KLL-Q
11/10/2016	62,80	147.814	22,0	SEBA KLL-Q
11/10/2016	63,00	147.924	22,0	SEBA KLL-Q
11/10/2016	63,20	147.922	22,0	SEBA KLL-Q
11/10/2016	63,40	147.898	22,0	SEBA KLL-Q
11/10/2016	63,60	151.921	22,0	SEBA KLL-Q
11/10/2016	63,80	151.940	22,0	SEBA KLL-Q
11/10/2016	64,00	152.024	22,0	SEBA KLL-Q
11/10/2016	64,20	152.006	22,0	SEBA KLL-Q
11/10/2016	64,40	157.676	22,0	SEBA KLL-Q
11/10/2016	64,60	158.822	22,0	SEBA KLL-Q
11/10/2016	64,80	159.087	22,0	SEBA KLL-Q
11/10/2016	65,00	161.906	22,0	SEBA KLL-Q
11/10/2016	65,20	161.779	22,0	SEBA KLL-Q
11/10/2016	65,40	168.065	22,0	SEBA KLL-Q
11/10/2016	65,60	168.071	22,0	SEBA KLL-Q
11/10/2016	65,80	168.053	22,0	SEBA KLL-Q
11/10/2016	66,00	177.588	22,0	SEBA KLL-Q
11/10/2016	66,20	178.993	22,0	SEBA KLL-Q
11/10/2016	66,40	179.048	22,0	SEBA KLL-Q
11/10/2016	66,60	188.069	22,1	SEBA KLL-Q
11/10/2016	66,80	188.188	22,1	SEBA KLL-Q
11/10/2016	67,00	192.447	22,1	SEBA KLL-Q
11/10/2016	67,20	195.683	22,1	SEBA KLL-Q
11/10/2016	67,40	199.727	22,1	SEBA KLL-Q
11/10/2016	67,60	199.696	22,1	SEBA KLL-Q
11/10/2016	67,80	204.053	22,1	SEBA KLL-Q
11/10/2016	68,00	204.086	22,1	SEBA KLL-Q
11/10/2016	68,20	203.998	22,1	SEBA KLL-Q
11/10/2016	68,40	208.070	22,1	SEBA KLL-Q
11/10/2016	68,60	212.276	22,1	SEBA KLL-Q
11/10/2016	68,80	213.985	22,1	SEBA KLL-Q
11/10/2016	69,00	214.102	22,1	SEBA KLL-Q
11/10/2016	69,20	216.371	22,1	SEBA KLL-Q
11/10/2016	69,40	216.423	22,1	SEBA KLL-Q
11/10/2016	69,60	218.974	22,1	SEBA KLL-Q
11/10/2016	69,80	219.069	22,1	SEBA KLL-Q
11/10/2016	70,00	219.134	22,1	SEBA KLL-Q
11/10/2016	70,20	219.128	22,1	SEBA KLL-Q
11/10/2016	70,40	219.100	22,1	SEBA KLL-Q
11/10/2016	70,60	219.066	22,1	SEBA KLL-Q
11/10/2016	70,80	219.134	22,1	SEBA KLL-Q
11/10/2016	71,00	219.097	22,1	SEBA KLL-Q
11/10/2016	71,50	221.428	22,1	SEBA KLL-Q
11/10/2016	72,00	221.547	22,1	SEBA KLL-Q
11/10/2016	72,20	221.547	22,1	SEBA KLL-Q
11/10/2016	72,40	221.526	22,1	SEBA KLL-Q
11/10/2016	72,60	221.531	22,1	SEBA KLL-Q
11/10/2016	72,80	221.500	22,1	SEBA KLL-Q
11/10/2016	73,00	221.500	22,1	SEBA KLL-Q
11/10/2016	74,00	221.759	22,1	SEBA KLL-Q
11/10/2016	75,00	221.804	22,1	SEBA KLL-Q
11/10/2016	76,00	222.287	22,2	SEBA KLL-Q
11/10/2016	77,00	222.754	22,2	SEBA KLL-Q
11/10/2016	78,00	223.728	22,2	SEBA KLL-Q
11/10/2016	79,00	224.160	22,2	SEBA KLL-Q
11/10/2016	80,00	224.107	22,2	SEBA KLL-Q
11/10/2016	80,60	102.303	22,2	SEBA KLL-Q
06/11/2016	0,70	46.610	21,0	SEBA KLL-Q
06/11/2016	2,00	46.550	20,9	SEBA KLL-Q
06/11/2016	3,00	46.550	20,9	SEBA KLL-Q
06/11/2016	4,00	48.510	21,0	SEBA KLL-Q
06/11/2016	5,00	48.510	21,0	SEBA KLL-Q
06/11/2016	6,00	48.530	21,0	SEBA KLL-Q
06/11/2016	7,00	48.560	21,0	SEBA KLL-Q
06/11/2016	8,00	48.620	21,0	SEBA KLL-Q
06/11/2016	9,00	48.870	21,0	SEBA KLL-Q
06/11/2016	10,00	49.280	21,0	SEBA KLL-Q
06/11/2016	11,00	49.540	21,0	SEBA KLL-Q
06/11/2016	12,00	49.510	21,0	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/11/2016	13,00	49.450	21,0	SEBA KLL-Q
06/11/2016	14,00	49.390	21,0	SEBA KLL-Q
06/11/2016	15,00	49.310	21,0	SEBA KLL-Q
06/11/2016	16,00	49.310	21,0	SEBA KLL-Q
06/11/2016	17,00	49.290	21,0	SEBA KLL-Q
06/11/2016	18,00	49.570	21,1	SEBA KLL-Q
06/11/2016	19,00	49.830	21,0	SEBA KLL-Q
06/11/2016	20,00	63.000	21,3	SEBA KLL-Q
06/11/2016	21,00	64.950	21,4	SEBA KLL-Q
06/11/2016	22,00	64.980	21,4	SEBA KLL-Q
06/11/2016	23,00	65.050	21,4	SEBA KLL-Q
06/11/2016	24,00	66.570	21,5	SEBA KLL-Q
06/11/2016	25,00	67.130	21,6	SEBA KLL-Q
06/11/2016	26,00	67.190	21,6	SEBA KLL-Q
06/11/2016	27,00	67.180	21,6	SEBA KLL-Q
06/11/2016	28,00	67.310	21,6	SEBA KLL-Q
06/11/2016	29,00	67.500	21,7	SEBA KLL-Q
06/11/2016	30,00	67.660	21,7	SEBA KLL-Q
06/11/2016	31,00	68.200	21,8	SEBA KLL-Q
06/11/2016	32,00	69.400	21,8	SEBA KLL-Q
06/11/2016	33,00	72.380	22,1	SEBA KLL-Q
06/11/2016	34,00	80.980	22,4	SEBA KLL-Q
06/11/2016	35,00	81.040	22,4	SEBA KLL-Q
06/11/2016	36,00	81.050	22,4	SEBA KLL-Q
06/11/2016	37,00	81.070	22,5	SEBA KLL-Q
06/11/2016	38,00	81.090	22,4	SEBA KLL-Q
06/11/2016	39,00	81.110	22,4	SEBA KLL-Q
06/11/2016	40,00	81.130	22,4	SEBA KLL-Q
06/11/2016	41,00	81.160	22,4	SEBA KLL-Q
06/11/2016	42,00	81.160	22,4	SEBA KLL-Q
06/11/2016	43,00	81.190	22,4	SEBA KLL-Q
06/11/2016	44,00	81.300	22,4	SEBA KLL-Q
06/11/2016	45,00	82.100	22,4	SEBA KLL-Q
06/11/2016	46,00	84.060	22,4	SEBA KLL-Q
06/11/2016	47,00	84.230	22,4	SEBA KLL-Q
06/11/2016	48,00	88.310	22,4	SEBA KLL-Q
06/11/2016	49,00	84.400	22,3	SEBA KLL-Q
06/11/2016	50,00	84.410	22,3	SEBA KLL-Q
06/11/2016	51,00	84.470	22,2	SEBA KLL-Q
06/11/2016	52,00	84.530	22,2	SEBA KLL-Q
06/11/2016	53,00	84.580	22,2	SEBA KLL-Q
06/11/2016	54,00	93.790	22,1	SEBA KLL-Q
06/11/2016	54,50	93.890	22,1	SEBA KLL-Q
06/11/2016	55,00	94.490	22,1	SEBA KLL-Q
06/11/2016	55,50	94.970	22,1	SEBA KLL-Q
06/11/2016	56,00	95.740	22,1	SEBA KLL-Q
06/11/2016	56,50	95.910	22,0	SEBA KLL-Q
06/11/2016	57,00	95.990	22,0	SEBA KLL-Q
06/11/2016	57,50	96.070	22,0	SEBA KLL-Q
06/11/2016	58,00	96.430	22,0	SEBA KLL-Q
06/11/2016	58,50	98.880	22,0	SEBA KLL-Q
06/11/2016	59,00	101.700	22,0	SEBA KLL-Q
06/11/2016	59,20	106.200	22,0	SEBA KLL-Q
06/11/2016	59,40	108.000	22,0	SEBA KLL-Q
06/11/2016	59,60	109.000	22,0	SEBA KLL-Q
06/11/2016	59,80	110.300	22,0	SEBA KLL-Q
06/11/2016	60,00	117.400	22,0	SEBA KLL-Q
06/11/2016	60,20	118.800	22,0	SEBA KLL-Q
06/11/2016	60,40	120.200	22,0	SEBA KLL-Q
06/11/2016	60,60	124.300	22,0	SEBA KLL-Q
06/11/2016	60,80	126.200	22,0	SEBA KLL-Q
06/11/2016	61,00	130.300	22,0	SEBA KLL-Q
06/11/2016	61,20	130.400	22,0	SEBA KLL-Q
06/11/2016	61,40	137.400	22,0	SEBA KLL-Q
06/11/2016	61,60	142.300	22,0	SEBA KLL-Q
06/11/2016	61,80	142.400	22,0	SEBA KLL-Q
06/11/2016	62,00	142.500	22,0	SEBA KLL-Q
06/11/2016	62,20	142.700	22,0	SEBA KLL-Q
06/11/2016	62,40	144.200	22,0	SEBA KLL-Q
06/11/2016	62,60	146.700	22,0	SEBA KLL-Q
06/11/2016	62,80	147.300	22,0	SEBA KLL-Q
06/11/2016	63,00	148.800	22,0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/11/2016	63,20	148.800	22,0	SEBA KLL-Q
06/11/2016	63,40	148.800	22,0	SEBA KLL-Q
06/11/2016	63,80	152.800	22,1	SEBA KLL-Q
06/11/2016	63,60	151.200	22,0	SEBA KLL-Q
06/11/2016	64,00	152.900	22,0	SEBA KLL-Q
06/11/2016	64,20	155.100	22,0	SEBA KLL-Q
06/11/2016	64,40	157.100	22,0	SEBA KLL-Q
06/11/2016	64,60	159.600	22,0	SEBA KLL-Q
06/11/2016	64,80	160.000	22,1	SEBA KLL-Q
06/11/2016	65,00	162.000	22,1	SEBA KLL-Q
06/11/2016	65,20	165.300	22,1	SEBA KLL-Q
06/11/2016	65,40	167.600	22,1	SEBA KLL-Q
06/11/2016	65,60	167.800	22,1	SEBA KLL-Q
06/11/2016	65,80	169.800	22,1	SEBA KLL-Q
06/11/2016	66,00	177.300	22,1	SEBA KLL-Q
06/11/2016	66,20	178.400	22,1	SEBA KLL-Q
06/11/2016	66,40	182.000	22,1	SEBA KLL-Q
06/11/2016	66,60	187.700	22,1	SEBA KLL-Q
06/11/2016	66,80	188.100	22,1	SEBA KLL-Q
06/11/2016	67,00	193.900	22,1	SEBA KLL-Q
06/11/2016	67,20	197.300	22,1	SEBA KLL-Q
06/11/2016	67,40	202.700	22,1	SEBA KLL-Q
06/11/2016	67,60	202.700	22,1	SEBA KLL-Q
06/11/2016	67,80	207.700	22,1	SEBA KLL-Q
06/11/2016	68,00	207.900	22,1	SEBA KLL-Q
06/11/2016	68,20	210.000	22,1	SEBA KLL-Q
06/11/2016	68,40	212.900	22,1	SEBA KLL-Q
06/11/2016	68,60	216.100	22,1	SEBA KLL-Q
06/11/2016	68,80	216.700	22,1	SEBA KLL-Q
06/11/2016	69,00	217.900	22,1	SEBA KLL-Q
06/11/2016	69,20	218.100	22,1	SEBA KLL-Q
06/11/2016	69,40	220.300	22,1	SEBA KLL-Q
06/11/2016	69,60	220.000	22,1	SEBA KLL-Q
06/11/2016	69,80	220.200	22,1	SEBA KLL-Q
06/11/2016	70,00	220.300	22,1	SEBA KLL-Q
06/11/2016	70,50	220.300	22,1	SEBA KLL-Q
06/11/2016	71,00	220.300	22,1	SEBA KLL-Q
06/11/2016	71,50	222.000	22,1	SEBA KLL-Q
06/11/2016	72,00	222.200	22,1	SEBA KLL-Q
06/11/2016	72,50	222.200	22,1	SEBA KLL-Q
06/11/2016	73,00	222.200	22,1	SEBA KLL-Q
06/11/2016	74,00	222.500	22,1	SEBA KLL-Q
06/11/2016	75,00	223.000	22,2	SEBA KLL-Q
06/11/2016	77,00	224.000	22,2	SEBA KLL-Q
06/11/2016	79,00	225.500	22,2	SEBA KLL-Q
06/11/2016	80,42	80.300	22,2	SEBA KLL-Q
14/01/2017	0,70	33.880	20,7	SEBA KLL-Q
14/01/2017	2,00	33.780	20,5	SEBA KLL-Q
14/01/2017	4,00	33.740	20,5	SEBA KLL-Q
14/01/2017	6,00	33.760	20,5	SEBA KLL-Q
14/01/2017	8,00	33.850	20,5	SEBA KLL-Q
14/01/2017	10,00	34.020	20,5	SEBA KLL-Q
14/01/2017	12,00	34.410	20,5	SEBA KLL-Q
14/01/2017	14,00	34.450	20,5	SEBA KLL-Q
14/01/2017	16,00	34.430	20,6	SEBA KLL-Q
14/01/2017	18,00	34.600	20,6	SEBA KLL-Q
14/01/2017	20,00	62.660	20,8	SEBA KLL-Q
14/01/2017	22,00	67.900	21,0	SEBA KLL-Q
14/01/2017	23,00	67.880	21,0	SEBA KLL-Q
14/01/2017	24,00	69.260	21,1	SEBA KLL-Q
14/01/2017	25,00	73.270	21,3	SEBA KLL-Q
14/01/2017	25,50	73.590	21,4	SEBA KLL-Q
14/01/2017	26,00	73.800	21,5	SEBA KLL-Q
14/01/2017	26,50	73.810	21,5	SEBA KLL-Q
14/01/2017	27,00	73.830	21,5	SEBA KLL-Q
14/01/2017	28,00	73.910	21,5	SEBA KLL-Q
14/01/2017	29,00	74.330	21,6	SEBA KLL-Q
14/01/2017	30,00	74.360	21,7	SEBA KLL-Q
14/01/2017	31,00	74.990	21,8	SEBA KLL-Q
14/01/2017	32,00	76.180	21,9	SEBA KLL-Q
14/01/2017	33,00	78.730	22,1	SEBA KLL-Q
14/01/2017	34,00	89.440	22,4	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/01/2017	34,50	89.550	22,4	SEBA KLL-Q
14/01/2017	35,00	89.570	22,4	SEBA KLL-Q
14/01/2017	35,50	89.590	22,4	SEBA KLL-Q
14/01/2017	36,00	89.590	22,4	SEBA KLL-Q
14/01/2017	37,00	89.570	22,4	SEBA KLL-Q
14/01/2017	38,00	89.610	22,4	SEBA KLL-Q
14/01/2017	39,00	89.600	22,4	SEBA KLL-Q
14/01/2017	40,00	89.620	22,4	SEBA KLL-Q
14/01/2017	42,00	89.630	22,4	SEBA KLL-Q
14/01/2017	44,00	89.670	22,4	SEBA KLL-Q
14/01/2017	46,00	91.960	22,4	SEBA KLL-Q
14/01/2017	48,00	92.230	22,4	SEBA KLL-Q
14/01/2017	50,00	92.320	22,3	SEBA KLL-Q
14/01/2017	51,00	92.330	22,2	SEBA KLL-Q
14/01/2017	52,00	92.580	22,1	SEBA KLL-Q
14/01/2017	53,00	100.400	22,1	SEBA KLL-Q
14/01/2017	53,50	102.200	22,1	SEBA KLL-Q
14/01/2017	54,00	103.400	22,1	SEBA KLL-Q
14/01/2017	54,50	103.700	22,1	SEBA KLL-Q
14/01/2017	55,00	104.200	22,1	SEBA KLL-Q
14/01/2017	55,50	105.100	22,0	SEBA KLL-Q
14/01/2017	56,00	105.300	22,0	SEBA KLL-Q
14/01/2017	56,50	105.400	22,0	SEBA KLL-Q
14/01/2017	57,00	105.400	22,0	SEBA KLL-Q
14/01/2017	57,50	105.600	22,0	SEBA KLL-Q
14/01/2017	58,00	106.200	22,0	SEBA KLL-Q
14/01/2017	58,50	109.700	22,0	SEBA KLL-Q
14/01/2017	59,00	111.100	22,0	SEBA KLL-Q
14/01/2017	59,50	118.100	22,0	SEBA KLL-Q
14/01/2017	60,00	128.300	22,0	SEBA KLL-Q
14/01/2017	60,20	131.000	22,0	SEBA KLL-Q
14/01/2017	60,40	134.600	22,0	SEBA KLL-Q
14/01/2017	60,60	137.100	22,0	SEBA KLL-Q
14/01/2017	60,80	139.200	22,0	SEBA KLL-Q
14/01/2017	61,00	142.100	22,0	SEBA KLL-Q
14/01/2017	61,20	143.700	22,0	SEBA KLL-Q
14/01/2017	61,40	150.800	22,0	SEBA KLL-Q
14/01/2017	61,60	155.400	22,0	SEBA KLL-Q
14/01/2017	61,80	156.900	22,0	SEBA KLL-Q
14/01/2017	62,00	157.200	22,0	SEBA KLL-Q
14/01/2017	62,20	157.400	22,0	SEBA KLL-Q
14/01/2017	62,40	158.900	22,0	SEBA KLL-Q
14/01/2017	62,60	160.500	22,0	SEBA KLL-Q
14/01/2017	62,80	161.600	22,0	SEBA KLL-Q
14/01/2017	63,00	162.400	22,0	SEBA KLL-Q
14/01/2017	63,20	162.300	22,0	SEBA KLL-Q
14/01/2017	63,40	163.700	22,0	SEBA KLL-Q
14/01/2017	63,60	167.200	22,0	SEBA KLL-Q
14/01/2017	63,80	168.000	22,0	SEBA KLL-Q
14/01/2017	64,00	168.300	22,0	SEBA KLL-Q
14/01/2017	64,40	173.000	22,0	SEBA KLL-Q
14/01/2017	64,80	174.200	22,0	SEBA KLL-Q
14/01/2017	65,20	181.300	22,0	SEBA KLL-Q
14/01/2017	65,60	183.100	22,0	SEBA KLL-Q
14/01/2017	66,00	191.000	22,1	SEBA KLL-Q
14/01/2017	66,40	197.200	22,1	SEBA KLL-Q
14/01/2017	66,80	206.400	22,1	SEBA KLL-Q
14/01/2017	67,00	215.300	22,1	SEBA KLL-Q
14/01/2017	67,20	222.000	22,1	SEBA KLL-Q
14/01/2017	67,40	228.800	22,1	SEBA KLL-Q
14/01/2017	67,60	230.100	22,1	SEBA KLL-Q
14/01/2017	67,80	233.700	22,1	SEBA KLL-Q
14/01/2017	68,00	233.700	22,1	SEBA KLL-Q
14/01/2017	68,20	233.900	22,1	SEBA KLL-Q
14/01/2017	68,40	234.400	22,1	SEBA KLL-Q
14/01/2017	68,60	235.600	22,1	SEBA KLL-Q
14/01/2017	68,80	236.800	22,1	SEBA KLL-Q
14/01/2017	69,00	236.800	22,1	SEBA KLL-Q
14/01/2017	69,40	237.400	22,1	SEBA KLL-Q
14/01/2017	69,80	237.400	22,1	SEBA KLL-Q
14/01/2017	70,00	237.500	22,1	SEBA KLL-Q
14/01/2017	70,50	237.600	22,1	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/01/2017	71,00	237.700	22,1	SEBA KLL-Q
14/01/2017	72,00	239.800	22,1	SEBA KLL-Q
14/01/2017	74,00	240.400	22,1	SEBA KLL-Q
14/01/2017	76,00	242.100	22,1	SEBA KLL-Q
14/01/2017	78,00	244.100	22,2	SEBA KLL-Q
22/04/2017	1,00	36.450	20,5	SEBA KLL-Q
22/04/2017	3,00	37.620	20,5	SEBA KLL-Q
22/04/2017	5,00	37.640	20,5	SEBA KLL-Q
22/04/2017	7,00	37.650	20,5	SEBA KLL-Q
22/04/2017	9,00	37.600	20,5	SEBA KLL-Q
22/04/2017	11,00	38.640	20,5	SEBA KLL-Q
22/04/2017	13,00	44.320	20,6	SEBA KLL-Q
22/04/2017	15,00	57.130	20,7	SEBA KLL-Q
22/04/2017	17,00	57.760	20,7	SEBA KLL-Q
22/04/2017	19,00	65.190	20,8	SEBA KLL-Q
22/04/2017	21,00	69.390	20,9	SEBA KLL-Q
22/04/2017	23,00	70.110	21,0	SEBA KLL-Q
22/04/2017	25,00	74.060	21,3	SEBA KLL-Q
22/04/2017	27,00	74.320	21,4	SEBA KLL-Q
22/04/2017	29,00	74.620	21,4	SEBA KLL-Q
22/04/2017	31,00	75.200	21,7	SEBA KLL-Q
22/04/2017	33,00	78.870	21,9	SEBA KLL-Q
22/04/2017	35,00	90.110	22,3	SEBA KLL-Q
22/04/2017	37,00	90.120	22,3	SEBA KLL-Q
22/04/2017	39,00	90.130	22,3	SEBA KLL-Q
22/04/2017	41,00	90.130	22,3	SEBA KLL-Q
22/04/2017	43,00	90.180	22,3	SEBA KLL-Q
22/04/2017	45,00	90.920	22,3	SEBA KLL-Q
22/04/2017	47,00	91.760	22,3	SEBA KLL-Q
22/04/2017	49,00	92.250	22,2	SEBA KLL-Q
22/04/2017	51,00	92.350	22,1	SEBA KLL-Q
22/04/2017	53,00	101.200	22,0	SEBA KLL-Q
22/04/2017	55,00	104.900	21,9	SEBA KLL-Q
22/04/2017	57,00	106.000	21,9	SEBA KLL-Q
22/04/2017	59,00	112.000	21,9	SEBA KLL-Q
22/04/2017	61,00	143.800	21,9	SEBA KLL-Q
22/04/2017	61,50	155.400	21,9	SEBA KLL-Q
22/04/2017	62,00	158.200	22,0	SEBA KLL-Q
22/04/2017	63,00	163.700	22,0	SEBA KLL-Q
22/04/2017	63,50	168.700	22,0	SEBA KLL-Q
22/04/2017	64,00	171.500	22,0	SEBA KLL-Q
22/04/2017	64,50	176.200	22,0	SEBA KLL-Q
22/04/2017	65,00	180.400	22,0	SEBA KLL-Q
22/04/2017	65,50	184.800	22,0	SEBA KLL-Q
22/04/2017	66,00	192.900	22,0	SEBA KLL-Q
22/04/2017	66,20	195.800	22,0	SEBA KLL-Q
22/04/2017	66,40	199.500	22,0	SEBA KLL-Q
22/04/2017	66,60	204.700	22,0	SEBA KLL-Q
22/04/2017	67,00	229.500	22,0	SEBA KLL-Q
22/04/2017	69,00	241.000	22,0	SEBA KLL-Q
22/04/2017	71,00	241.600	22,0	SEBA KLL-Q
22/04/2017	73,00	246.000	22,0	SEBA KLL-Q
22/04/2017	73,50	246.000	22,0	SEBA KLL-Q
22/04/2017	74,00	246.100	22,0	SEBA KLL-Q
22/04/2017	79,80	246.100	22,0	SEBA KLL-Q
14/07/2017	2,00	34.360	19,8	SEBA KLL-Q
14/07/2017	4,00	34.460	20,6	SEBA KLL-Q
14/07/2017	6,00	34.570	20,6	SEBA KLL-Q
14/07/2017	8,00	34.580	20,6	SEBA KLL-Q
14/07/2017	10,00	34.570	20,6	SEBA KLL-Q
14/07/2017	12,00	34.640	20,6	SEBA KLL-Q
14/07/2017	14,00	39.970	20,6	SEBA KLL-Q
14/07/2017	16,00	40.490	20,7	SEBA KLL-Q
14/07/2017	18,00	60.200	20,9	SEBA KLL-Q
14/07/2017	20,00	62.930	21,1	SEBA KLL-Q
14/07/2017	22,00	63.220	21,1	SEBA KLL-Q
14/07/2017	24,00	65.010	21,2	SEBA KLL-Q
14/07/2017	26,00	67.620	21,5	SEBA KLL-Q
14/07/2017	28,00	67.880	21,6	SEBA KLL-Q
14/07/2017	30,00	68.120	21,6	SEBA KLL-Q
14/07/2017	32,00	69.740	21,9	SEBA KLL-Q
14/07/2017	34,00	83.000	22,3	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/07/2017	35,00	83.340	22,4	SEBA KLL-Q
14/07/2017	36,00	83.440	22,4	SEBA KLL-Q
14/07/2017	38,00	83.570	22,4	SEBA KLL-Q
14/07/2017	40,00	83.630	22,4	SEBA KLL-Q
14/07/2017	42,00	83.760	22,4	SEBA KLL-Q
14/07/2017	44,00	83.770	22,4	SEBA KLL-Q
14/07/2017	46,00	85.030	22,3	SEBA KLL-Q
14/07/2017	47,00	85.070	22,3	SEBA KLL-Q
14/07/2017	48,00	85.470	22,3	SEBA KLL-Q
14/07/2017	49,00	85.430	22,3	SEBA KLL-Q
14/07/2017	50,00	85.500	22,3	SEBA KLL-Q
14/07/2017	51,00	85.450	22,2	SEBA KLL-Q
14/07/2017	52,00	92.000	22,1	SEBA KLL-Q
14/07/2017	53,00	94.070	22,0	SEBA KLL-Q
14/07/2017	54,00	96.970	22,0	SEBA KLL-Q
14/07/2017	55,00	97.850	22,0	SEBA KLL-Q
14/07/2017	56,00	98.690	22,0	SEBA KLL-Q
14/07/2017	57,00	98.770	22,0	SEBA KLL-Q
14/07/2017	58,00	99.430	22,0	SEBA KLL-Q
14/07/2017	59,00	105.300	22,0	SEBA KLL-Q
14/07/2017	59,50	111.400	22,0	SEBA KLL-Q
14/07/2017	60,00	121.300	22,0	SEBA KLL-Q
14/07/2017	60,20	124.400	22,0	SEBA KLL-Q
14/07/2017	60,40	128.700	22,0	SEBA KLL-Q
14/07/2017	60,60	131.300	22,0	SEBA KLL-Q
14/07/2017	60,80	134.000	22,0	SEBA KLL-Q
14/07/2017	61,00	136.500	22,0	SEBA KLL-Q
14/07/2017	61,20	139.400	22,0	SEBA KLL-Q
14/07/2017	61,40	145.000	22,0	SEBA KLL-Q
14/07/2017	61,60	148.400	22,0	SEBA KLL-Q
14/07/2017	61,80	149.200	22,0	SEBA KLL-Q
14/07/2017	62,00	149.300	22,0	SEBA KLL-Q
14/07/2017	62,50	153.400	22,0	SEBA KLL-Q
14/07/2017	63,00	155.200	22,0	SEBA KLL-Q
14/07/2017	63,50	161.100	22,0	SEBA KLL-Q
14/07/2017	64,00	163.300	22,0	SEBA KLL-Q
14/07/2017	64,50	167.900	22,0	SEBA KLL-Q
14/07/2017	65,00	172.100	22,0	SEBA KLL-Q
14/07/2017	65,50	176.300	22,0	SEBA KLL-Q
14/07/2017	66,00	184.300	22,0	SEBA KLL-Q
14/07/2017	66,50	193.900	22,0	SEBA KLL-Q
14/07/2017	66,80	208.100	22,0	SEBA KLL-Q
14/07/2017	67,00	231.200	22,0	SEBA KLL-Q
14/07/2017	67,50	231.700	22,0	SEBA KLL-Q
14/07/2017	68,00	231.800	22,0	SEBA KLL-Q
14/07/2017	69,00	232.400	22,0	SEBA KLL-Q
14/07/2017	70,00	232.500	22,0	SEBA KLL-Q
14/07/2017	72,00	238.100	22,1	SEBA KLL-Q
14/07/2017	74,00	238.600	22,1	SEBA KLL-Q
14/07/2017	76,00	238.900	22,1	SEBA KLL-Q
14/07/2017	78,00	242.500	22,1	SEBA KLL-Q
11/10/2017	1,00	33.420	20,6	SEBA KLL-Q
11/10/2017	3,00	33.370	20,5	SEBA KLL-Q
11/10/2017	5,00	35.030	20,6	SEBA KLL-Q
11/10/2017	8,00	35.050	20,6	SEBA KLL-Q
11/10/2017	11,00	34.990	20,6	SEBA KLL-Q
11/10/2017	12,00	34.830	20,6	SEBA KLL-Q
11/10/2017	13,00	35.080	20,6	SEBA KLL-Q
11/10/2017	14,00	37.570	20,6	SEBA KLL-Q
11/10/2017	15,00	42.980	20,7	SEBA KLL-Q
11/10/2017	16,00	43.930	20,7	SEBA KLL-Q
11/10/2017	16,50	44.650	20,7	SEBA KLL-Q
11/10/2017	17,00	59.450	20,8	SEBA KLL-Q
11/10/2017	17,50	63.690	20,9	SEBA KLL-Q
11/10/2017	18,00	64.180	20,9	SEBA KLL-Q
11/10/2017	19,00	64.700	21,0	SEBA KLL-Q
11/10/2017	20,00	65.160	21,0	SEBA KLL-Q
11/10/2017	21,00	65.340	21,0	SEBA KLL-Q
11/10/2017	22,00	65.340	21,1	SEBA KLL-Q
11/10/2017	23,00	65.710	21,1	SEBA KLL-Q
11/10/2017	24,00	66.520	21,2	SEBA KLL-Q
11/10/2017	25,00	68.940	21,3	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/10/2017	26,00	69.890	21,5	SEBA KLL-Q
11/10/2017	28,00	70.250	21,5	SEBA KLL-Q
11/10/2017	30,00	70.510	21,6	SEBA KLL-Q
11/10/2017	31,00	70.940	21,7	SEBA KLL-Q
11/10/2017	32,00	72.170	21,8	SEBA KLL-Q
11/10/2017	32,50	72.870	21,9	SEBA KLL-Q
11/10/2017	33,00	74.500	22,0	SEBA KLL-Q
11/10/2017	33,50	85.470	22,3	SEBA KLL-Q
11/10/2017	34,00	85.810	22,3	SEBA KLL-Q
11/10/2017	36,00	85.910	22,4	SEBA KLL-Q
11/10/2017	38,00	85.840	22,3	SEBA KLL-Q
11/10/2017	40,00	85.950	22,3	SEBA KLL-Q
11/10/2017	42,00	85.970	22,3	SEBA KLL-Q
11/10/2017	44,00	86.020	22,3	SEBA KLL-Q
11/10/2017	46,00	87.270	22,3	SEBA KLL-Q
11/10/2017	48,00	87.830	22,3	SEBA KLL-Q
11/10/2017	50,00	87.880	22,2	SEBA KLL-Q
11/10/2017	51,50	88.000	22,1	SEBA KLL-Q
11/10/2017	52,00	94.910	22,0	SEBA KLL-Q
11/10/2017	53,00	96.620	22,0	SEBA KLL-Q
11/10/2017	54,00	99.700	22,0	SEBA KLL-Q
11/10/2017	55,00	100.600	22,0	SEBA KLL-Q
11/10/2017	56,00	101.500	22,0	SEBA KLL-Q
11/10/2017	57,00	101.700	22,0	SEBA KLL-Q
11/10/2017	58,00	103.000	22,0	SEBA KLL-Q
11/10/2017	59,00	108.300	22,0	SEBA KLL-Q
11/10/2017	60,00	124.600	22,0	SEBA KLL-Q
11/10/2017	61,00	141.100	22,0	SEBA KLL-Q
11/10/2017	62,00	154.200	22,0	SEBA KLL-Q
11/10/2017	63,00	159.800	22,0	SEBA KLL-Q
11/10/2017	64,00	168.500	22,0	SEBA KLL-Q
11/10/2017	65,00	177.400	22,0	SEBA KLL-Q
11/10/2017	66,00	188.500	22,0	SEBA KLL-Q
11/10/2017	67,00	237.600	22,0	SEBA KLL-Q
11/10/2017	68,00	237.800	22,0	SEBA KLL-Q
11/10/2017	69,00	238.200	22,0	SEBA KLL-Q
11/10/2017	70,00	238.300	22,0	SEBA KLL-Q
11/10/2017	71,00	241.000	22,0	SEBA KLL-Q
11/10/2017	72,00	244.800	22,0	SEBA KLL-Q
11/10/2017	73,00	245.100	22,0	SEBA KLL-Q
11/10/2017	74,00	245.200	22,0	SEBA KLL-Q
11/10/2017	75,00	245.100	22,1	SEBA KLL-Q
11/10/2017	76,00	245.400	22,1	SEBA KLL-Q
11/10/2017	77,00	246.300	22,1	SEBA KLL-Q
11/10/2017	78,00	248.700	22,1	SEBA KLL-Q
11/10/2017	79,00	249.100	22,1	SEBA KLL-Q
24/01/2018	1,0	26.430	20,17	SEBA KLL-Q
24/01/2018	2,0	26.450	20,33	SEBA KLL-Q
24/01/2018	4,0	27.830	20,59	SEBA KLL-Q
24/01/2018	6,0	27.960	20,62	SEBA KLL-Q
24/01/2018	8,0	27.960	20,62	SEBA KLL-Q
24/01/2018	10,0	27.960	20,62	SEBA KLL-Q
24/01/2018	12,0	27.730	20,62	SEBA KLL-Q
24/01/2018	14,0	29.010	20,64	SEBA KLL-Q
24/01/2018	16,0	50.810	20,80	SEBA KLL-Q
24/01/2018	16,5	51.200	20,83	SEBA KLL-Q
24/01/2018	17,0	51.030	20,84	SEBA KLL-Q
24/01/2018	18,0	57.380	20,91	SEBA KLL-Q
24/01/2018	18,5	57.840	20,94	SEBA KLL-Q
24/01/2018	19,0	57.940	20,96	SEBA KLL-Q
24/01/2018	19,5	58.040	20,99	SEBA KLL-Q
24/01/2018	20,0	58.880	21,00	SEBA KLL-Q
24/01/2018	21,0	59.120	21,03	SEBA KLL-Q
24/01/2018	22,0	59.230	21,07	SEBA KLL-Q
24/01/2018	23,0	59.400	21,09	SEBA KLL-Q
24/01/2018	24,0	60.850	21,16	SEBA KLL-Q
24/01/2018	25,0	63.970	21,34	SEBA KLL-Q
24/01/2018	26,0	64.600	21,51	SEBA KLL-Q
24/01/2018	27,0	64.680	21,53	SEBA KLL-Q
24/01/2018	28,0	64.770	21,59	SEBA KLL-Q
24/01/2018	29,0	65.070	21,71	SEBA KLL-Q
24/01/2018	30,0	65.120	21,74	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/01/2018	32,0	66.590	21,97	SEBA KLL-Q
24/01/2018	34,0	79.140	22,46	SEBA KLL-Q
24/01/2018	35,0	79.260	22,49	SEBA KLL-Q
24/01/2018	36,0	79.380	22,50	SEBA KLL-Q
24/01/2018	37,0	79.450	22,50	SEBA KLL-Q
24/01/2018	38,0	79.510	22,48	SEBA KLL-Q
24/01/2018	40,0	79.550	22,47	SEBA KLL-Q
24/01/2018	42,0	79.640	22,49	SEBA KLL-Q
24/01/2018	44,0	79.710	22,50	SEBA KLL-Q
24/01/2018	46,0	81.030	22,46	SEBA KLL-Q
24/01/2018	48,0	81.580	22,44	SEBA KLL-Q
24/01/2018	50,0	81.670	22,35	SEBA KLL-Q
24/01/2018	52,0	88.590	22,19	SEBA KLL-Q
24/01/2018	53,0	89.450	22,16	SEBA KLL-Q
24/01/2018	54,0	92.580	22,14	SEBA KLL-Q
24/01/2018	55,0	93.490	22,13	SEBA KLL-Q
24/01/2018	56,0	94.260	22,12	SEBA KLL-Q
24/01/2018	57,0	94.550	22,11	SEBA KLL-Q
24/01/2018	58,0	95.280	22,11	SEBA KLL-Q
24/01/2018	59,0	100.500	22,10	SEBA KLL-Q
24/01/2018	60,0	115.700	22,10	SEBA KLL-Q
24/01/2018	61,0	130.900	22,10	SEBA KLL-Q
24/01/2018	62,0	142.700	22,11	SEBA KLL-Q
24/01/2018	63,0	148.200	22,11	SEBA KLL-Q
24/01/2018	64,0	156.000	22,12	SEBA KLL-Q
24/01/2018	65,0	163.800	22,12	SEBA KLL-Q
24/01/2018	66,0	174.500	22,13	SEBA KLL-Q
24/01/2018	67,0	219.000	22,14	SEBA KLL-Q
24/01/2018	67,5	219.100	22,14	SEBA KLL-Q
24/01/2018	68,0	219.000	22,15	SEBA KLL-Q
24/01/2018	70,0	219.500	22,16	SEBA KLL-Q
24/01/2018	72,0	225.400	22,18	SEBA KLL-Q
24/01/2018	74,0	226.000	22,19	SEBA KLL-Q
24/01/2018	76,0	226.200	22,20	SEBA KLL-Q
24/01/2018	78,0	229.400	22,22	SEBA KLL-Q
06/04/2018	1,0	27.410	19,78	SEBA KLL-Q
06/04/2018	2,0	27.370	20,04	SEBA KLL-Q
06/04/2018	4,0	27.920	20,51	SEBA KLL-Q
06/04/2018	6,0	27.920	20,58	SEBA KLL-Q
06/04/2018	8,0	27.930	20,59	SEBA KLL-Q
06/04/2018	10,0	27.910	20,59	SEBA KLL-Q
06/04/2018	12,0	27.710	20,60	SEBA KLL-Q
06/04/2018	14,0	30.570	20,62	SEBA KLL-Q
06/04/2018	16,0	33.490	20,66	SEBA KLL-Q
06/04/2018	18,0	45.310	20,77	SEBA KLL-Q
06/04/2018	20,0	55.710	20,95	SEBA KLL-Q
06/04/2018	22,0	56.140	21,03	SEBA KLL-Q
06/04/2018	24,0	57.570	21,11	SEBA KLL-Q
06/04/2018	26,0	60.980	21,46	SEBA KLL-Q
06/04/2018	28,0	61.100	21,55	SEBA KLL-Q
06/04/2018	30,0	61.320	21,67	SEBA KLL-Q
06/04/2018	32,0	62.570	21,89	SEBA KLL-Q
06/04/2018	34,0	63.870	22,36	SEBA KLL-Q
06/04/2018	36,0	73.880	22,42	SEBA KLL-Q
06/04/2018	38,0	73.850	22,41	SEBA KLL-Q
06/04/2018	40,0	73.860	22,40	SEBA KLL-Q
06/04/2018	42,0	73.880	22,41	SEBA KLL-Q
06/04/2018	44,0	73.900	22,42	SEBA KLL-Q
06/04/2018	46,0	75.090	22,38	SEBA KLL-Q
06/04/2018	48,0	75.590	22,35	SEBA KLL-Q
06/04/2018	50,0	75.680	22,25	SEBA KLL-Q
06/04/2018	51,0	75.820	22,15	SEBA KLL-Q
06/04/2018	52,0	82.060	22,10	SEBA KLL-Q
06/04/2018	53,0	82.460	22,08	SEBA KLL-Q
06/04/2018	54,0	85.190	22,07	SEBA KLL-Q
06/04/2018	55,0	86.020	22,05	SEBA KLL-Q
06/04/2018	56,0	86.700	22,04	SEBA KLL-Q
06/04/2018	57,0	86.870	22,03	SEBA KLL-Q
06/04/2018	58,0	87.880	22,03	SEBA KLL-Q
06/04/2018	59,0	92.070	22,03	SEBA KLL-Q
06/04/2018	60,0	106.100	22,03	SEBA KLL-Q
06/04/2018	60,2	109.000	22,03	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/04/2018	60,4	112.100	22,03	SEBA KLL-Q
06/04/2018	60,6	114.300	22,03	SEBA KLL-Q
06/04/2018	60,8	117.100	22,03	SEBA KLL-Q
06/04/2018	61,0	119.000	22,03	SEBA KLL-Q
06/04/2018	61,2	122.100	22,03	SEBA KLL-Q
06/04/2018	61,4	125.100	22,03	SEBA KLL-Q
06/04/2018	61,6	126.900	22,03	SEBA KLL-Q
06/04/2018	61,8	127.700	22,03	SEBA KLL-Q
06/04/2018	62,0	128.900	22,03	SEBA KLL-Q
06/04/2018	62,2	130.000	22,03	SEBA KLL-Q
06/04/2018	62,4	131.400	22,03	SEBA KLL-Q
06/04/2018	62,6	132.200	22,03	SEBA KLL-Q
06/04/2018	62,8	132.900	22,04	SEBA KLL-Q
06/04/2018	63,0	133.300	22,04	SEBA KLL-Q
06/04/2018	63,2	135.600	22,04	SEBA KLL-Q
06/04/2018	63,4	135.400	22,04	SEBA KLL-Q
06/04/2018	63,6	136.800	22,04	SEBA KLL-Q
06/04/2018	63,8	138.200	22,04	SEBA KLL-Q
06/04/2018	64,0	139.000	22,04	SEBA KLL-Q
06/04/2018	64,2	141.800	22,05	SEBA KLL-Q
06/04/2018	64,4	143.100	22,04	SEBA KLL-Q
06/04/2018	64,6	144.400	22,05	SEBA KLL-Q
06/04/2018	64,8	145.400	22,05	SEBA KLL-Q
06/04/2018	65,0	147.400	22,05	SEBA KLL-Q
06/04/2018	65,2	148.900	22,06	SEBA KLL-Q
06/04/2018	65,4	149.900	22,06	SEBA KLL-Q
06/04/2018	65,6	150.600	22,06	SEBA KLL-Q
06/04/2018	65,8	152.800	22,05	SEBA KLL-Q
06/04/2018	66,0	155.500	22,05	SEBA KLL-Q
06/04/2018	66,2	157.400	22,06	SEBA KLL-Q
06/04/2018	66,4	161.300	22,07	SEBA KLL-Q
06/04/2018	66,6	164.900	22,06	SEBA KLL-Q
06/04/2018	66,8	191.100	22,07	SEBA KLL-Q
06/04/2018	67,0	193.600	22,06	SEBA KLL-Q
06/04/2018	67,2	193.700	22,06	SEBA KLL-Q
06/04/2018	67,4	193.700	22,06	SEBA KLL-Q
06/04/2018	67,6	193.700	22,07	SEBA KLL-Q
06/04/2018	67,8	193.700	22,07	SEBA KLL-Q
06/04/2018	68,0	193.700	22,07	SEBA KLL-Q
06/04/2018	68,2	193.700	22,07	SEBA KLL-Q
06/04/2018	68,4	193.700	22,07	SEBA KLL-Q
06/04/2018	68,6	193.800	22,08	SEBA KLL-Q
06/04/2018	68,8	193.900	22,08	SEBA KLL-Q
06/04/2018	69,0	193.900	22,08	SEBA KLL-Q
06/04/2018	69,2	193.900	22,08	SEBA KLL-Q
06/04/2018	69,4	194.000	22,08	SEBA KLL-Q
06/04/2018	69,6	194.000	22,08	SEBA KLL-Q
06/04/2018	69,8	194.000	22,08	SEBA KLL-Q
06/04/2018	70,0	194.000	22,08	SEBA KLL-Q
06/04/2018	70,5	194.500	22,09	SEBA KLL-Q
06/04/2018	71,0	195.900	22,09	SEBA KLL-Q
06/04/2018	71,5	197.100	22,10	SEBA KLL-Q
06/04/2018	72,0	198.800	22,11	SEBA KLL-Q
06/04/2018	72,5	199.100	22,11	SEBA KLL-Q
06/04/2018	73,0	199.200	22,11	SEBA KLL-Q
06/04/2018	73,5	199.300	22,12	SEBA KLL-Q
06/04/2018	74,0	199.300	22,12	SEBA KLL-Q
06/04/2018	74,5	199.400	22,12	SEBA KLL-Q
06/04/2018	75,0	199.400	22,13	SEBA KLL-Q
06/04/2018	75,5	199.500	22,13	SEBA KLL-Q
06/04/2018	76,0	199.600	22,14	SEBA KLL-Q
06/04/2018	76,5	200.000	22,14	SEBA KLL-Q
06/04/2018	77,0	200.400	22,14	SEBA KLL-Q
06/04/2018	78,0	202.300	22,15	SEBA KLL-Q
29/07/2018	1,0	42.970	19,25	SEBA KLL-Q
29/07/2018	1,2	42.840	19,21	SEBA KLL-Q
29/07/2018	1,4	42.850	19,76	SEBA KLL-Q
29/07/2018	1,6	42.710	19,90	SEBA KLL-Q
29/07/2018	1,8	42.620	19,92	SEBA KLL-Q
29/07/2018	2,0	42.660	20,03	SEBA KLL-Q
29/07/2018	3,0	42.640	20,30	SEBA KLL-Q
29/07/2018	4,0	43.570	20,73	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
29/07/2018	6,0	43.580	20,78	SEBA KLL-Q
29/07/2018	8,0	43.580	20,78	SEBA KLL-Q
29/07/2018	10,0	43.540	20,78	SEBA KLL-Q
29/07/2018	12,0	43.460	20,78	SEBA KLL-Q
29/07/2018	14,0	43.260	20,80	SEBA KLL-Q
29/07/2018	16,0	43.440	20,80	SEBA KLL-Q
29/07/2018	18,0	44.920	20,82	SEBA KLL-Q
29/07/2018	20,0	73.430	21,20	SEBA KLL-Q
29/07/2018	20,2	73.820	21,20	SEBA KLL-Q
29/07/2018	20,4	74.640	21,20	SEBA KLL-Q
29/07/2018	20,6	74.670	21,21	SEBA KLL-Q
29/07/2018	20,8	74.720	21,21	SEBA KLL-Q
29/07/2018	21,0	74.800	21,20	SEBA KLL-Q
29/07/2018	22,0	74.960	21,24	SEBA KLL-Q
29/07/2018	24,0	76.900	21,33	SEBA KLL-Q
29/07/2018	26,0	79.540	21,61	SEBA KLL-Q
29/07/2018	27,0	79.610	21,62	SEBA KLL-Q
29/07/2018	28,0	79.920	21,64	SEBA KLL-Q
29/07/2018	30,0	80.020	21,66	SEBA KLL-Q
29/07/2018	32,0	81.470	21,77	SEBA KLL-Q
29/07/2018	34,0	96.690	22,45	SEBA KLL-Q
29/07/2018	35,0	96.770	22,46	SEBA KLL-Q
29/07/2018	36,0	96.870	22,44	SEBA KLL-Q
29/07/2018	38,0	96.780	22,46	SEBA KLL-Q
29/07/2018	40,0	96.910	22,41	SEBA KLL-Q
29/07/2018	42,0	97.040	22,43	SEBA KLL-Q
29/07/2018	44,0	97.070	22,44	SEBA KLL-Q
29/07/2018	46,0	97.330	22,44	SEBA KLL-Q
29/07/2018	48,0	98.480	22,47	SEBA KLL-Q
29/07/2018	50,0	99.320	22,26	SEBA KLL-Q
29/07/2018	52,0	107.100	22,14	SEBA KLL-Q
29/07/2018	53,0	108.900	22,11	SEBA KLL-Q
29/07/2018	54,0	112.700	22,08	SEBA KLL-Q
29/07/2018	55,0	113.500	22,10	SEBA KLL-Q
29/07/2018	56,0	114.400	22,08	SEBA KLL-Q
29/07/2018	58,0	114.600	22,08	SEBA KLL-Q
29/07/2018	60,0	139.500	22,13	SEBA KLL-Q
29/07/2018	60,2	139.800	22,07	SEBA KLL-Q
29/07/2018	60,4	147.600	22,08	SEBA KLL-Q
29/07/2018	60,6	151.700	22,06	SEBA KLL-Q
29/07/2018	60,8	155.400	22,07	SEBA KLL-Q
29/07/2018	61,0	160.200	22,08	SEBA KLL-Q
29/07/2018	62,0	172.200	22,09	SEBA KLL-Q
29/07/2018	62,2	174.100	22,09	SEBA KLL-Q
29/07/2018	62,4	176.000	22,09	SEBA KLL-Q
29/07/2018	62,6	177.500	22,07	SEBA KLL-Q
29/07/2018	62,8	178.300	22,09	SEBA KLL-Q
29/07/2018	63,0	178.500	22,07	SEBA KLL-Q
29/07/2018	64,0	188.400	22,07	SEBA KLL-Q
29/07/2018	64,5	193.400	22,09	SEBA KLL-Q
29/07/2018	65,0	197.800	22,08	SEBA KLL-Q
29/07/2018	65,5	202.100	22,08	SEBA KLL-Q
29/07/2018	66,0	210.000	22,08	SEBA KLL-Q
29/07/2018	67,0	261.300	22,08	SEBA KLL-Q
29/07/2018	67,5	262.700	22,08	SEBA KLL-Q
29/07/2018	68,0	263.200	22,12	SEBA KLL-Q
29/07/2018	69,0	264.100	22,11	SEBA KLL-Q
29/07/2018	71,0	266.300	22,12	SEBA KLL-Q
29/07/2018	73,0	270.700	22,14	SEBA KLL-Q
29/07/2018	75,0	272.000	22,14	SEBA KLL-Q
21/08/2018	0,8	35.940	19,90	SEBA KLL-Q
21/08/2018	1,0	35.980	19,92	SEBA KLL-Q
21/08/2018	1,5	36.020	20,12	SEBA KLL-Q
21/08/2018	2,0	36.000	20,40	SEBA KLL-Q
21/08/2018	2,5	36.010	20,61	SEBA KLL-Q
21/08/2018	3,0	36.050	20,71	SEBA KLL-Q
21/08/2018	4,0	36.010	20,91	SEBA KLL-Q
21/08/2018	5,0	36.050	20,98	SEBA KLL-Q
21/08/2018	6,0	36.040	20,98	SEBA KLL-Q
21/08/2018	8,0	36.080	20,97	SEBA KLL-Q
21/08/2018	10,0	36.100	20,98	SEBA KLL-Q
21/08/2018	12,0	36.040	20,97	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/08/2018	14,0	35.610	20,97	SEBA KLL-Q
21/08/2018	16,0	36.020	20,97	SEBA KLL-Q
21/08/2018	17,0	35.020	20,98	SEBA KLL-Q
21/08/2018	17,5	36.950	21,00	SEBA KLL-Q
21/08/2018	18,0	37.080	20,96	SEBA KLL-Q
21/08/2018	18,5	38.210	20,90	SEBA KLL-Q
21/08/2018	19,0	38.600	21,01	SEBA KLL-Q
21/08/2018	19,5	52.310	21,21	SEBA KLL-Q
21/08/2018	20,0	63.560	21,33	SEBA KLL-Q
21/08/2018	20,2	63.760	21,36	SEBA KLL-Q
21/08/2018	20,4	63.910	21,35	SEBA KLL-Q
21/08/2018	20,6	64.180	21,36	SEBA KLL-Q
21/08/2018	20,8	64.400	21,36	SEBA KLL-Q
21/08/2018	21,0	64.450	21,38	SEBA KLL-Q
21/08/2018	21,5	64.710	21,38	SEBA KLL-Q
21/08/2018	22,0	64.760	21,39	SEBA KLL-Q
21/08/2018	23,0	65.030	21,42	SEBA KLL-Q
21/08/2018	24,0	66.450	21,52	SEBA KLL-Q
21/08/2018	26,0	69.050	21,07	SEBA KLL-Q
21/08/2018	28,0	69.410	21,81	SEBA KLL-Q
21/08/2018	30,0	69.660	21,87	SEBA KLL-Q
21/08/2018	32,0	71.100	22,02	SEBA KLL-Q
21/08/2018	33,0	72.930	22,17	SEBA KLL-Q
21/08/2018	33,5	78.560	22,47	SEBA KLL-Q
21/08/2018	34,0	84.720	22,61	SEBA KLL-Q
21/08/2018	34,5	84.910	22,60	SEBA KLL-Q
21/08/2018	35,0	85.070	22,61	SEBA KLL-Q
21/08/2018	36,0	85.260	22,60	SEBA KLL-Q
21/08/2018	38,0	85.450	22,58	SEBA KLL-Q
21/08/2018	40,0	85.600	22,57	SEBA KLL-Q
21/08/2018	42,0	85.800	22,58	SEBA KLL-Q
21/08/2018	44,0	85.950	22,60	SEBA KLL-Q
21/08/2018	46,0	87.150	22,58	SEBA KLL-Q
21/08/2018	48,0	87.820	22,57	SEBA KLL-Q
21/08/2018	50,0	88.150	22,44	SEBA KLL-Q
21/08/2018	52,0	96.060	22,33	SEBA KLL-Q
21/08/2018	52,5	96.530	22,26	SEBA KLL-Q
21/08/2018	53,0	96.700	22,28	SEBA KLL-Q
21/08/2018	54,0	100.100	22,24	SEBA KLL-Q
21/08/2018	54,5	100.600	22,24	SEBA KLL-Q
21/08/2018	55,0	101.200	22,24	SEBA KLL-Q
21/08/2018	56,0	102.100	22,25	SEBA KLL-Q
21/08/2018	58,0	103.000	22,20	SEBA KLL-Q
21/08/2018	60,0	124.700	22,24	SEBA KLL-Q
21/08/2018	60,2	128.500	22,25	SEBA KLL-Q
21/08/2018	60,4	132.100	22,21	SEBA KLL-Q
21/08/2018	60,6	135.500	22,23	SEBA KLL-Q
21/08/2018	60,8	138.800	22,22	SEBA KLL-Q
21/08/2018	61,0	142.300	22,22	SEBA KLL-Q
21/08/2018	61,5	149.700	22,23	SEBA KLL-Q
21/08/2018	62,0	154.300	22,24	SEBA KLL-Q
21/08/2018	62,5	157.900	22,20	SEBA KLL-Q
21/08/2018	63,0	160.200	22,24	SEBA KLL-Q
21/08/2018	64,0	167.800	22,24	SEBA KLL-Q
21/08/2018	65,0	176.700	22,25	SEBA KLL-Q
21/08/2018	66,0	187.800	22,24	SEBA KLL-Q
21/08/2018	67,0	234.100	22,24	SEBA KLL-Q
21/08/2018	67,2	234.200	22,24	SEBA KLL-Q
21/08/2018	67,4	234.300	22,22	SEBA KLL-Q
21/08/2018	67,6	234.300	22,22	SEBA KLL-Q
21/08/2018	67,8	234.400	22,22	SEBA KLL-Q
21/08/2018	68,0	234.200	22,22	SEBA KLL-Q
21/08/2018	68,5	234.200	22,26	SEBA KLL-Q
21/08/2018	69,0	234.500	22,23	SEBA KLL-Q
21/08/2018	70,0	234.600	22,22	SEBA KLL-Q
21/08/2018	72,0	240.100	22,23	SEBA KLL-Q
21/08/2018	74,0	240.900	22,25	SEBA KLL-Q
21/08/2018	76,0	241.500	22,27	SEBA KLL-Q
21/08/2018	79,0	244.600	22,29	SEBA KLL-Q
21/08/2018	79,5	224.200	22,29	SEBA KLL-Q
08/09/2018	0,3	39.410	24,30	SEBA KLL-Q
08/09/2018	0,5	38.380	22,50	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/09/2018	0,7	39.760	22,50	SEBA KLL-Q
08/09/2018	1,0	39.680	20,70	SEBA KLL-Q
08/09/2018	1,5	39.690	20,70	SEBA KLL-Q
08/09/2018	2,0	39.670	20,70	SEBA KLL-Q
08/09/2018	3,0	39.680	20,70	SEBA KLL-Q
08/09/2018	4,0	39.780	20,70	SEBA KLL-Q
08/09/2018	6,0	39.720	20,80	SEBA KLL-Q
08/09/2018	7,0	39.740	20,80	SEBA KLL-Q
08/09/2018	10,0	39.710	20,80	SEBA KLL-Q
08/09/2018	12,0	39.660	20,80	SEBA KLL-Q
08/09/2018	14,0	39.420	20,80	SEBA KLL-Q
08/09/2018	16,0	39.760	20,80	SEBA KLL-Q
08/09/2018	18,0	44.490	20,90	SEBA KLL-Q
08/09/2018	20,0	69.160	21,20	SEBA KLL-Q
08/09/2018	22,0	69.880	21,30	SEBA KLL-Q
08/09/2018	24,0	71.640	21,40	SEBA KLL-Q
08/09/2018	26,0	74.120	21,40	SEBA KLL-Q
08/09/2018	28,0	74.220	21,60	SEBA KLL-Q
08/09/2018	30,0	74.430	21,80	SEBA KLL-Q
08/09/2018	32,0	75.890	21,90	SEBA KLL-Q
08/09/2018	34,0	89.890	22,40	SEBA KLL-Q
08/09/2018	36,0	90.130	22,50	SEBA KLL-Q
08/09/2018	38,0	90.130	22,50	SEBA KLL-Q
08/09/2018	40,0	90.130	22,50	SEBA KLL-Q
08/09/2018	42,0	90.140	22,50	SEBA KLL-Q
08/09/2018	44,0	90.220	22,50	SEBA KLL-Q
08/09/2018	46,0	91.450	22,50	SEBA KLL-Q
08/09/2018	48,0	92.030	22,50	SEBA KLL-Q
08/09/2018	50,0	92.200	22,30	SEBA KLL-Q
08/09/2018	52,0	100.600	22,20	SEBA KLL-Q
08/09/2018	54,0	104.400	22,10	SEBA KLL-Q
08/09/2018	56,0	106.300	22,10	SEBA KLL-Q
08/09/2018	58,0	107.100	22,10	SEBA KLL-Q
08/09/2018	60,0	129.600	22,10	SEBA KLL-Q
08/09/2018	62,0	160.300	22,10	SEBA KLL-Q
08/09/2018	64,0	175.000	22,10	SEBA KLL-Q
08/09/2018	65,0	183.500	22,10	SEBA KLL-Q
08/09/2018	65,5	187.700	22,10	SEBA KLL-Q
08/09/2018	66,0	194.600	22,10	SEBA KLL-Q
08/09/2018	66,2	196.900	22,10	SEBA KLL-Q
08/09/2018	66,4	201.600	22,10	SEBA KLL-Q
08/09/2018	66,6	206.700	22,10	SEBA KLL-Q
08/09/2018	66,8	206.700	22,10	SEBA KLL-Q
08/09/2018	67,0	235.100	22,10	SEBA KLL-Q
08/09/2018	67,5	244.500	22,10	SEBA KLL-Q
08/09/2018	68,0	244.600	22,10	SEBA KLL-Q
08/09/2018	69,0	244.800	22,10	SEBA KLL-Q
08/09/2018	70,0	246.100	22,10	SEBA KLL-Q
08/09/2018	72,0	250.800	22,10	SEBA KLL-Q
08/09/2018	74,0	250.800	22,10	SEBA KLL-Q
08/09/2018	76,0	250.800	22,10	SEBA KLL-Q
05/11/2018	0,4	34.610	19,53	SEBA KLL-Q
05/11/2018	0,5	34.500	20,07	SEBA KLL-Q
05/11/2018	1,0	34.730	20,20	SEBA KLL-Q
05/11/2018	1,5	34.690	20,30	SEBA KLL-Q
05/11/2018	2,0	34.710	20,39	SEBA KLL-Q
05/11/2018	3,0	34.710	20,55	SEBA KLL-Q
05/11/2018	4,0	34.670	20,65	SEBA KLL-Q
05/11/2018	5,0	34.670	20,68	SEBA KLL-Q
05/11/2018	6,0	34.690	20,68	SEBA KLL-Q
05/11/2018	8,0	34.710	20,67	SEBA KLL-Q
05/11/2018	10,0	32.470	23,82	SEBA KLL-Q
05/11/2018	12,0	34.020	22,05	SEBA KLL-Q
05/11/2018	14,0	31.680	26,02	SEBA KLL-Q
05/11/2018	16,0	33.340	25,41	SEBA KLL-Q
05/11/2018	18,0	58.050	25,31	SEBA KLL-Q
05/11/2018	18,5	58.200	25,67	SEBA KLL-Q
05/11/2018	19,0	58.320	25,75	SEBA KLL-Q
05/11/2018	20,0	58.650	25,69	SEBA KLL-Q
05/11/2018	21,0	59.460	25,56	SEBA KLL-Q
05/11/2018	21,5	59.960	25,36	SEBA KLL-Q
05/11/2018	22,0	59.870	25,48	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/11/2018	23,0	60.360	25,30	SEBA KLL-Q
05/11/2018	24,0	62.010	25,19	SEBA KLL-Q
05/11/2018	24,5	63.610	25,23	SEBA KLL-Q
05/11/2018	25,0	64.310	25,21	SEBA KLL-Q
05/11/2018	25,5	64.600	25,10	SEBA KLL-Q
05/11/2018	26,0	64.570	25,18	SEBA KLL-Q
05/11/2018	27,0	64.870	25,02	SEBA KLL-Q
05/11/2018	28,0	65.110	25,07	SEBA KLL-Q
05/11/2018	29,0	64.790	25,41	SEBA KLL-Q
05/11/2018	30,0	65.310	25,12	SEBA KLL-Q
05/11/2018	31,0	65.080	25,72	SEBA KLL-Q
05/11/2018	32,0	66.770	25,32	SEBA KLL-Q
05/11/2018	33,0	68.770	25,55	SEBA KLL-Q
05/11/2018	34,0	79.110	25,80	SEBA KLL-Q
05/11/2018	34,5	79.360	25,80	SEBA KLL-Q
05/11/2018	35,0	79.580	25,77	SEBA KLL-Q
05/11/2018	35,5	78.940	26,21	SEBA KLL-Q
05/11/2018	36,0	78.570	26,49	SEBA KLL-Q
05/11/2018	37,0	77.540	27,18	SEBA KLL-Q
05/11/2018	38,0	79.570	25,95	SEBA KLL-Q
05/11/2018	39,0	79.640	25,95	SEBA KLL-Q
05/11/2018	40,0	79.720	25,94	SEBA KLL-Q
05/11/2018	41,0	79.770	25,93	SEBA KLL-Q
05/11/2018	42,0	79.850	25,96	SEBA KLL-Q
05/11/2018	43,0	79.880	25,98	SEBA KLL-Q
05/11/2018	44,0	80.010	25,94	SEBA KLL-Q
05/11/2018	45,0	80.590	25,96	SEBA KLL-Q
05/11/2018	46,0	80.900	26,11	SEBA KLL-Q
05/11/2018	47,0	81.460	25,86	SEBA KLL-Q
05/11/2018	48,0	80.640	26,65	SEBA KLL-Q
05/11/2018	49,0	82.260	25,70	SEBA KLL-Q
05/11/2018	50,0	82.440	25,63	SEBA KLL-Q
05/11/2018	51,0	82.340	25,67	SEBA KLL-Q
05/11/2018	52,0	88.430	26,12	SEBA KLL-Q
05/11/2018	53,0	89.910	25,54	SEBA KLL-Q
05/11/2018	54,0	92.860	25,67	SEBA KLL-Q
05/11/2018	55,0	94.250	25,39	SEBA KLL-Q
05/11/2018	56,0	95.090	25,36	SEBA KLL-Q
05/11/2018	57,0	94.880	25,55	SEBA KLL-Q
05/11/2018	58,0	95.590	25,59	SEBA KLL-Q
05/11/2018	59,0	101.200	25,36	SEBA KLL-Q
05/11/2018	59,5	106.100	25,61	SEBA KLL-Q
05/11/2018	60,0	115.500	25,66	SEBA KLL-Q
05/11/2018	60,5	125.200	25,29	SEBA KLL-Q
05/11/2018	61,0	131.800	25,59	SEBA KLL-Q
05/11/2018	61,5	138.600	25,63	SEBA KLL-Q
05/11/2018	62,0	143.800	25,21	SEBA KLL-Q
05/11/2018	62,5	145.800	25,58	SEBA KLL-Q
05/11/2018	63,0	149.700	25,32	SEBA KLL-Q
05/11/2018	63,5	153.200	25,41	SEBA KLL-Q
05/11/2018	64,0	156.900	25,21	SEBA KLL-Q
05/11/2018	64,5	161.200	25,09	SEBA KLL-Q
05/11/2018	65,0	165.500	24,98	SEBA KLL-Q
05/11/2018	65,5	169.200	24,89	SEBA KLL-Q
05/11/2018	66,0	175.700	24,81	SEBA KLL-Q
05/11/2018	66,2	177.800	24,83	SEBA KLL-Q
05/11/2018	66,4	182.000	24,83	SEBA KLL-Q
05/11/2018	66,6	186.700	24,76	SEBA KLL-Q
05/11/2018	66,8	214.700	24,71	SEBA KLL-Q
05/11/2018	67,0	220.300	24,79	SEBA KLL-Q
05/11/2018	67,2	220.600	24,72	SEBA KLL-Q
05/11/2018	67,4	220.800	24,66	SEBA KLL-Q
05/11/2018	67,6	221.000	24,62	SEBA KLL-Q
05/11/2018	67,8	221.300	24,55	SEBA KLL-Q
05/11/2018	68,0	220.900	24,64	SEBA KLL-Q
05/11/2018	68,5	221.400	24,57	SEBA KLL-Q
05/11/2018	69,0	221.800	24,52	SEBA KLL-Q
05/11/2018	70,0	222.100	24,49	SEBA KLL-Q
05/11/2018	72,0	226.700	24,57	SEBA KLL-Q
05/11/2018	74,0	227.500	24,64	SEBA KLL-Q
05/11/2018	76,0	228.800	24,54	SEBA KLL-Q
05/11/2018	78,0	231.500	24,59	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/01/2019	0,5	39.790	21,77	SEBA KLL-Q
24/01/2019	1,0	39.770	21,07	SEBA KLL-Q
24/01/2019	1,5	39.780	20,82	SEBA KLL-Q
24/01/2019	2,0	39.800	20,81	SEBA KLL-Q
24/01/2019	3,0	40.180	20,81	SEBA KLL-Q
24/01/2019	4,0	40.950	20,82	SEBA KLL-Q
24/01/2019	6,0	40.950	20,81	SEBA KLL-Q
24/01/2019	8,0	40.990	20,82	SEBA KLL-Q
24/01/2019	10,0	41.000	20,81	SEBA KLL-Q
24/01/2019	12,0	40.870	20,81	SEBA KLL-Q
24/01/2019	14,0	40.670	20,82	SEBA KLL-Q
24/01/2019	16,0	40.840	20,82	SEBA KLL-Q
24/01/2019	17,0	41.120	20,83	SEBA KLL-Q
24/01/2019	18,0	58.700	20,89	SEBA KLL-Q
24/01/2019	18,2	67.730	20,97	SEBA KLL-Q
24/01/2019	18,4	67.840	21,03	SEBA KLL-Q
24/01/2019	18,6	68.190	21,09	SEBA KLL-Q
24/01/2019	18,8	68.280	21,11	SEBA KLL-Q
24/01/2019	19,0	69.830	21,18	SEBA KLL-Q
24/01/2019	19,5	70.010	21,22	SEBA KLL-Q
24/01/2019	20,0	69.710	21,23	SEBA KLL-Q
24/01/2019	21,0	70.870	21,27	SEBA KLL-Q
24/01/2019	22,0	71.110	21,30	SEBA KLL-Q
24/01/2019	24,0	72.790	21,39	SEBA KLL-Q
24/01/2019	26,0	74.610	21,63	SEBA KLL-Q
24/01/2019	28,0	74.890	21,66	SEBA KLL-Q
24/01/2019	30,0	75.350	21,78	SEBA KLL-Q
24/01/2019	32,0	76.620	21,93	SEBA KLL-Q
24/01/2019	34,0	90.010	22,42	SEBA KLL-Q
24/01/2019	34,2	90.100	22,43	SEBA KLL-Q
24/01/2019	34,4	90.160	22,44	SEBA KLL-Q
24/01/2019	34,6	90.090	22,44	SEBA KLL-Q
24/01/2019	34,8	90.140	22,44	SEBA KLL-Q
24/01/2019	35,0	90.160	22,44	SEBA KLL-Q
24/01/2019	35,5	90.100	22,44	SEBA KLL-Q
24/01/2019	36,0	90.110	22,44	SEBA KLL-Q
24/01/2019	38,0	90.120	22,42	SEBA KLL-Q
24/01/2019	40,0	90.170	22,41	SEBA KLL-Q
24/01/2019	42,0	90.170	22,43	SEBA KLL-Q
24/01/2019	44,0	90.310	22,43	SEBA KLL-Q
24/01/2019	46,0	91.710	22,39	SEBA KLL-Q
24/01/2019	48,0	92.320	22,37	SEBA KLL-Q
24/01/2019	50,0	92.830	22,26	SEBA KLL-Q
24/01/2019	51,0	92.940	22,16	SEBA KLL-Q
24/01/2019	51,5	99.760	22,12	SEBA KLL-Q
24/01/2019	52,0	100.900	22,11	SEBA KLL-Q
24/01/2019	52,5	101.000	22,11	SEBA KLL-Q
24/01/2019	53,0	101.100	22,69	SEBA KLL-Q
24/01/2019	54,0	104.500	22,08	SEBA KLL-Q
24/01/2019	56,0	106.300	22,05	SEBA KLL-Q
24/01/2019	58,0	107.500	22,04	SEBA KLL-Q
24/01/2019	60,0	130.300	22,04	SEBA KLL-Q
24/01/2019	60,5	139.300	22,05	SEBA KLL-Q
24/01/2019	61,0	147.100	22,05	SEBA KLL-Q
24/01/2019	61,2	150.500	22,05	SEBA KLL-Q
24/01/2019	61,4	154.800	22,05	SEBA KLL-Q
24/01/2019	61,6	155.600	22,05	SEBA KLL-Q
24/01/2019	61,8	157.300	22,05	SEBA KLL-Q
24/01/2019	62,0	158.600	22,05	SEBA KLL-Q
24/01/2019	62,5	162.300	22,05	SEBA KLL-Q
24/01/2019	63,0	164.600	22,06	SEBA KLL-Q
24/01/2019	64,0	172.800	22,07	SEBA KLL-Q
24/01/2019	65,0	181.300	22,07	SEBA KLL-Q
24/01/2019	66,0	192.200	22,07	SEBA KLL-Q
24/01/2019	66,2	194.200	22,07	SEBA KLL-Q
24/01/2019	66,4	199.500	22,08	SEBA KLL-Q
24/01/2019	66,6	204.000	22,08	SEBA KLL-Q
24/01/2019	66,8	238.600	22,08	SEBA KLL-Q
24/01/2019	67,0	239.100	22,09	SEBA KLL-Q
24/01/2019	67,2	239.200	22,08	SEBA KLL-Q
24/01/2019	67,4	239.200	22,09	SEBA KLL-Q
24/01/2019	67,6	239.200	22,09	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/01/2019	67,8	239.700	22,10	SEBA KLL-Q
24/01/2019	68,0	239.600	22,09	SEBA KLL-Q
24/01/2019	69,0	239.900	22,09	SEBA KLL-Q
24/01/2019	70,0	240.000	22,11	SEBA KLL-Q
24/01/2019	72,0	245.200	22,12	SEBA KLL-Q
24/01/2019	74,0	246.500	22,13	SEBA KLL-Q
24/01/2019	76,0	247.400	22,14	SEBA KLL-Q
24/01/2019	78,0	249.800	22,16	SEBA KLL-Q
24/03/2019	1,0	34.310	20,07	SEBA KLL-Q
24/03/2019	1,5	34.480	20,32	SEBA KLL-Q
24/03/2019	2,0	34.490	20,39	SEBA KLL-Q
24/03/2019	3,0	35.020	20,77	SEBA KLL-Q
24/03/2019	4,0	37.770	20,80	SEBA KLL-Q
24/03/2019	6,4	37.750	20,81	SEBA KLL-Q
24/03/2019	7,0	37.780	20,81	SEBA KLL-Q
24/03/2019	8,0	37.760	20,81	SEBA KLL-Q
24/03/2019	10,0	37.730	20,81	SEBA KLL-Q
24/03/2019	12,0	37.760	20,81	SEBA KLL-Q
24/03/2019	14,0	37.850	20,82	SEBA KLL-Q
24/03/2019	16,0	37.720	20,83	SEBA KLL-Q
24/03/2019	16,5	37.870	20,83	SEBA KLL-Q
24/03/2019	17,0	38.130	20,82	SEBA KLL-Q
24/03/2019	17,2	38.560	20,83	SEBA KLL-Q
24/03/2019	17,4	43.490	20,83	SEBA KLL-Q
24/03/2019	17,6	45.000	20,84	SEBA KLL-Q
24/03/2019	17,8	45.700	20,85	SEBA KLL-Q
24/03/2019	18,0	45.700	20,86	SEBA KLL-Q
24/03/2019	18,5	65.090	21,05	SEBA KLL-Q
24/03/2019	19,0	65.670	21,12	SEBA KLL-Q
24/03/2019	20,0	65.780	21,17	SEBA KLL-Q
24/03/2019	21,0	66.140	21,31	SEBA KLL-Q
24/03/2019	22,0	66.340	21,35	SEBA KLL-Q
24/03/2019	24,0	67.680	21,43	SEBA KLL-Q
24/03/2019	26,0	69.150	21,64	SEBA KLL-Q
24/03/2019	28,0	69.120	21,66	SEBA KLL-Q
24/03/2019	30,0	69.280	21,75	SEBA KLL-Q
24/03/2019	32,0	70.490	21,93	SEBA KLL-Q
24/03/2019	33,0	72.800	22,09	SEBA KLL-Q
24/03/2019	34,0	83.080	22,40	SEBA KLL-Q
24/03/2019	35,0	83.140	22,44	SEBA KLL-Q
24/03/2019	36,0	83.220	22,44	SEBA KLL-Q
24/03/2019	38,0	83.260	22,41	SEBA KLL-Q
24/03/2019	40,0	83.210	22,40	SEBA KLL-Q
24/03/2019	42,0	83.300	22,43	SEBA KLL-Q
24/03/2019	44,0	83.330	22,44	SEBA KLL-Q
24/03/2019	46,0	84.950	22,40	SEBA KLL-Q
24/03/2019	48,0	85.520	22,39	SEBA KLL-Q
24/03/2019	50,0	85.580	22,29	SEBA KLL-Q
24/03/2019	52,0	92.890	22,12	SEBA KLL-Q
24/03/2019	54,0	96.480	22,08	SEBA KLL-Q
24/03/2019	56,0	98.170	22,06	SEBA KLL-Q
24/03/2019	58,0	99.200	22,04	SEBA KLL-Q
24/03/2019	60,0	120.400	22,04	SEBA KLL-Q
24/03/2019	60,5	128.800	22,05	SEBA KLL-Q
24/03/2019	61,0	136.300	22,05	SEBA KLL-Q
24/03/2019	61,5	142.900	22,05	SEBA KLL-Q
24/03/2019	62,0	146.600	22,05	SEBA KLL-Q
24/03/2019	62,5	150.000	22,06	SEBA KLL-Q
24/03/2019	63,0	151.500	22,06	SEBA KLL-Q
24/03/2019	63,5	156.000	22,06	SEBA KLL-Q
24/03/2019	64,0	159.700	22,07	SEBA KLL-Q
24/03/2019	64,5	163.600	22,07	SEBA KLL-Q
24/03/2019	65,0	167.600	22,07	SEBA KLL-Q
24/03/2019	65,5	170.700	22,07	SEBA KLL-Q
24/03/2019	66,0	177.600	22,08	SEBA KLL-Q
24/03/2019	66,2	180.100	22,08	SEBA KLL-Q
24/03/2019	66,4	185.000	22,08	SEBA KLL-Q
24/03/2019	66,6	189.000	22,08	SEBA KLL-Q
24/03/2019	66,8	219.800	22,08	SEBA KLL-Q
24/03/2019	67,0	221.300	22,08	SEBA KLL-Q
24/03/2019	67,2	221.400	22,09	SEBA KLL-Q
24/03/2019	67,4	221.400	22,09	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/03/2019	67,6	221.400	22,09	SEBA KLL-Q
24/03/2019	67,8	221.400	22,08	SEBA KLL-Q
24/03/2019	68,0	221.400	22,08	SEBA KLL-Q
24/03/2019	69,0	221.700	22,09	SEBA KLL-Q
24/03/2019	70,0	221.800	22,10	SEBA KLL-Q
24/03/2019	72,0	226.600	22,10	SEBA KLL-Q
24/03/2019	74,0	228.100	22,13	SEBA KLL-Q
24/03/2019	76,0	228.800	22,14	SEBA KLL-Q
24/03/2019	78,0	232.600	22,16	SEBA KLL-Q
16/04/2019	0,7	36.290	20,06	SEBA KLL-Q
16/04/2019	1,0	36.310	20,09	SEBA KLL-Q
16/04/2019	1,5	36.300	20,19	SEBA KLL-Q
16/04/2019	2,0	36.180	20,38	SEBA KLL-Q
16/04/2019	3,0	36.080	20,48	SEBA KLL-Q
16/04/2019	4,0	37.730	20,79	SEBA KLL-Q
16/04/2019	6,0	37.640	20,79	SEBA KLL-Q
16/04/2019	8,0	37.530	20,80	SEBA KLL-Q
16/04/2019	10,0	37.470	20,80	SEBA KLL-Q
16/04/2019	12,0	37.380	20,79	SEBA KLL-Q
16/04/2019	14,0	37.330	20,81	SEBA KLL-Q
16/04/2019	16,0	37.440	20,82	SEBA KLL-Q
16/04/2019	17,0	37.540	20,81	SEBA KLL-Q
16/04/2019	17,5	39.410	20,82	SEBA KLL-Q
16/04/2019	18,0	39.520	20,82	SEBA KLL-Q
16/04/2019	18,5	47.360	20,83	SEBA KLL-Q
16/04/2019	18,7	65.660	20,93	SEBA KLL-Q
16/04/2019	18,9	66.290	21,14	SEBA KLL-Q
16/04/2019	19,1	66.280	21,19	SEBA KLL-Q
16/04/2019	19,4	66.250	21,19	SEBA KLL-Q
16/04/2019	19,6	66.290	21,19	SEBA KLL-Q
16/04/2019	19,8	66.370	21,23	SEBA KLL-Q
16/04/2019	20,0	66.570	21,27	SEBA KLL-Q
16/04/2019	21,0	66.790	21,30	SEBA KLL-Q
16/04/2019	22,0	67.020	21,33	SEBA KLL-Q
16/04/2019	24,0	68.530	21,42	SEBA KLL-Q
16/04/2019	26,0	70.040	21,63	SEBA KLL-Q
16/04/2019	28,0	70.430	21,68	SEBA KLL-Q
16/04/2019	30,0	70.810	21,74	SEBA KLL-Q
16/04/2019	32,0	72.080	21,94	SEBA KLL-Q
16/04/2019	34,0	84.910	22,42	SEBA KLL-Q
16/04/2019	34,2	85.050	22,43	SEBA KLL-Q
16/04/2019	34,4	85.110	22,44	SEBA KLL-Q
16/04/2019	34,6	85.170	22,44	SEBA KLL-Q
16/04/2019	35,0	85.180	22,44	SEBA KLL-Q
16/04/2019	36,0	85.290	22,44	SEBA KLL-Q
16/04/2019	38,0	85.320	22,41	SEBA KLL-Q
16/04/2019	40,0	85.400	22,40	SEBA KLL-Q
16/04/2019	42,0	85.460	22,43	SEBA KLL-Q
16/04/2019	44,0	85.510	22,44	SEBA KLL-Q
16/04/2019	46,0	87.310	22,39	SEBA KLL-Q
16/04/2019	48,0	87.730	22,38	SEBA KLL-Q
16/04/2019	50,0	87.750	22,29	SEBA KLL-Q
16/04/2019	52,0	95.570	22,12	SEBA KLL-Q
16/04/2019	52,2	95.700	22,11	SEBA KLL-Q
16/04/2019	52,4	95.750	22,11	SEBA KLL-Q
16/04/2019	53,0	95.780	22,09	SEBA KLL-Q
16/04/2019	54,0	99.030	22,08	SEBA KLL-Q
16/04/2019	56,0	100.700	22,05	SEBA KLL-Q
16/04/2019	58,0	101.900	22,04	SEBA KLL-Q
16/04/2019	59,0	107.300	22,04	SEBA KLL-Q
16/04/2019	59,5	114.100	22,04	SEBA KLL-Q
16/04/2019	60,0	123.500	22,04	SEBA KLL-Q
16/04/2019	60,5	132.600	22,05	SEBA KLL-Q
16/04/2019	61,0	139.600	22,04	SEBA KLL-Q
16/04/2019	61,5	146.600	22,05	SEBA KLL-Q
16/04/2019	62,0	150.500	22,05	SEBA KLL-Q
16/04/2019	62,5	153.600	22,06	SEBA KLL-Q
16/04/2019	63,0	155.700	22,05	SEBA KLL-Q
16/04/2019	63,5	160.300	22,06	SEBA KLL-Q
16/04/2019	64,0	163.700	22,06	SEBA KLL-Q
16/04/2019	64,5	168.000	22,07	SEBA KLL-Q
16/04/2019	65,0	171.700	22,06	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/04/2019	65,5	174.900	22,07	SEBA KLL-Q
16/04/2019	66,0	181.900	22,07	SEBA KLL-Q
16/04/2019	66,2	183.800	22,08	SEBA KLL-Q
16/04/2019	66,4	188.400	22,08	SEBA KLL-Q
16/04/2019	66,6	193.100	22,08	SEBA KLL-Q
16/04/2019	66,8	223.200	22,08	SEBA KLL-Q
16/04/2019	67,0	226.000	22,08	SEBA KLL-Q
16/04/2019	67,2	226.200	22,08	SEBA KLL-Q
16/04/2019	67,4	226.200	22,09	SEBA KLL-Q
16/04/2019	67,6	226.200	22,08	SEBA KLL-Q
16/04/2019	67,8	226.200	22,08	SEBA KLL-Q
16/04/2019	68,0	226.100	22,09	SEBA KLL-Q
16/04/2019	68,5	226.300	22,09	SEBA KLL-Q
16/04/2019	69,0	226.400	22,09	SEBA KLL-Q
16/04/2019	71,0	228.400	22,11	SEBA KLL-Q
16/04/2019	73,0	232.200	22,13	SEBA KLL-Q
16/04/2019	75,0	232.600	22,14	SEBA KLL-Q
16/04/2019	77,0	235.400	22,14	SEBA KLL-Q
16/04/2019	78,0	237.100	22,16	SEBA KLL-Q
13/06/2019	1,0	34.290	19,27	SEBA KLL-Q
13/06/2019	1,5	34.350	19,66	SEBA KLL-Q
13/06/2019	2,0	34.380	19,92	SEBA KLL-Q
13/06/2019	3,0	34.390	20,42	SEBA KLL-Q
13/06/2019	4,0	34.300	20,70	SEBA KLL-Q
13/06/2019	6,0	34.330	20,74	SEBA KLL-Q
13/06/2019	8,0	34.310	20,74	SEBA KLL-Q
13/06/2019	10,0	34.290	20,74	SEBA KLL-Q
13/06/2019	12,0	34.250	20,74	SEBA KLL-Q
13/06/2019	14,0	35.750	20,76	SEBA KLL-Q
13/06/2019	16,0	43.320	20,80	SEBA KLL-Q
13/06/2019	18,0	63.810	21,06	SEBA KLL-Q
13/06/2019	18,2	63.830	21,09	SEBA KLL-Q
13/06/2019	18,4	63.800	21,11	SEBA KLL-Q
13/06/2019	18,6	63.770	21,12	SEBA KLL-Q
13/06/2019	18,8	63.800	21,14	SEBA KLL-Q
13/06/2019	19,0	63.790	21,13	SEBA KLL-Q
13/06/2019	19,5	63.840	21,16	SEBA KLL-Q
13/06/2019	20,0	63.980	21,20	SEBA KLL-Q
13/06/2019	21,0	65.070	21,22	SEBA KLL-Q
13/06/2019	22,0	65.200	21,26	SEBA KLL-Q
13/06/2019	23,0	65.270	21,28	SEBA KLL-Q
13/06/2019	24,0	64.750	21,35	SEBA KLL-Q
13/06/2019	25,0	68.870	21,55	SEBA KLL-Q
13/06/2019	27,0	68.740	21,61	SEBA KLL-Q
13/06/2019	29,0	69.010	21,69	SEBA KLL-Q
13/06/2019	31,0	69.430	21,80	SEBA KLL-Q
13/06/2019	33,0	72.530	22,12	SEBA KLL-Q
13/06/2019	35,0	82.860	22,41	SEBA KLL-Q
13/06/2019	37,0	82.890	22,43	SEBA KLL-Q
13/06/2019	39,0	82.840	22,40	SEBA KLL-Q
13/06/2019	41,0	82.880	22,41	SEBA KLL-Q
13/06/2019	43,0	82.920	22,43	SEBA KLL-Q
13/06/2019	45,0	83.560	22,40	SEBA KLL-Q
13/06/2019	47,0	84.250	22,38	SEBA KLL-Q
13/06/2019	49,0	84.830	22,34	SEBA KLL-Q
13/06/2019	51,0	85.000	22,19	SEBA KLL-Q
13/06/2019	53,0	92.700	22,09	SEBA KLL-Q
13/06/2019	55,0	96.530	22,07	SEBA KLL-Q
13/06/2019	57,0	97.510	22,04	SEBA KLL-Q
13/06/2019	58,0	98.400	22,04	SEBA KLL-Q
13/06/2019	58,5	99.710	22,04	SEBA KLL-Q
13/06/2019	59,0	103.200	22,04	SEBA KLL-Q
13/06/2019	59,5	109.200	22,04	SEBA KLL-Q
13/06/2019	60,0	118.300	22,04	SEBA KLL-Q
13/06/2019	60,5	127.000	22,04	SEBA KLL-Q
13/06/2019	61,0	133.700	22,04	SEBA KLL-Q
13/06/2019	61,5	140.100	22,04	SEBA KLL-Q
13/06/2019	62,0	144.300	22,05	SEBA KLL-Q
13/06/2019	62,5	148.000	22,05	SEBA KLL-Q
13/06/2019	63,0	149.700	22,05	SEBA KLL-Q
13/06/2019	63,5	153.900	22,06	SEBA KLL-Q
13/06/2019	64,0	157.100	22,06	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/06/2019	64,5	161.200	22,06	SEBA KLL-Q
13/06/2019	65,0	165.000	22,06	SEBA KLL-Q
13/06/2019	65,5	168.200	22,07	SEBA KLL-Q
13/06/2019	66,0	174.300	22,07	SEBA KLL-Q
13/06/2019	66,2	175.800	22,07	SEBA KLL-Q
13/06/2019	66,4	179.600	22,07	SEBA KLL-Q
13/06/2019	66,6	184.200	22,08	SEBA KLL-Q
13/06/2019	66,8	206.700	22,08	SEBA KLL-Q
13/06/2019	67,0	216.800	22,08	SEBA KLL-Q
13/06/2019	67,2	216.900	22,08	SEBA KLL-Q
13/06/2019	67,4	216.900	22,08	SEBA KLL-Q
13/06/2019	67,6	216.900	22,08	SEBA KLL-Q
13/06/2019	67,8	216.900	22,08	SEBA KLL-Q
13/06/2019	68,0	216.900	22,08	SEBA KLL-Q
13/06/2019	68,5	217.100	22,08	SEBA KLL-Q
13/06/2019	69,0	217.200	22,08	SEBA KLL-Q
13/06/2019	70,0	217.200	22,09	SEBA KLL-Q
13/06/2019	72,0	219.100	22,10	SEBA KLL-Q
13/06/2019	74,0	222.700	22,12	SEBA KLL-Q
13/06/2019	76,0	223.100	22,15	SEBA KLL-Q
13/06/2019	77,0	225.700	22,16	SEBA KLL-Q
13/06/2019	78,0	227.500	22,17	SEBA KLL-Q
24/09/2019	1,0	34.950	20,63	SEBA KLL-Q
24/09/2019	1,5	34.970	20,61	SEBA KLL-Q
24/09/2019	2,0	34.980	20,65	SEBA KLL-Q
24/09/2019	3,0	36.840	20,77	SEBA KLL-Q
24/09/2019	4,0	36.830	20,81	SEBA KLL-Q
24/09/2019	6,4	36.830	20,81	SEBA KLL-Q
24/09/2019	7,0	36.820	20,82	SEBA KLL-Q
24/09/2019	8,0	36.790	20,81	SEBA KLL-Q
24/09/2019	10,0	36.810	20,81	SEBA KLL-Q
24/09/2019	12,0	37.400	20,82	SEBA KLL-Q
24/09/2019	14,0	37.160	20,83	SEBA KLL-Q
24/09/2019	16,0	39.370	20,85	SEBA KLL-Q
24/09/2019	16,5	41.130	20,87	SEBA KLL-Q
24/09/2019	17,0	42.890	20,88	SEBA KLL-Q
24/09/2019	17,2	49.200	20,91	SEBA KLL-Q
24/09/2019	17,4	49.610	20,93	SEBA KLL-Q
24/09/2019	17,6	58.960	20,95	SEBA KLL-Q
24/09/2019	17,8	61.690	21,12	SEBA KLL-Q
24/09/2019	18,0	62.620	21,12	SEBA KLL-Q
24/09/2019	18,5	65.360	21,18	SEBA KLL-Q
24/09/2019	19,0	65.520	21,20	SEBA KLL-Q
24/09/2019	20,0	65.950	21,28	SEBA KLL-Q
24/09/2019	21,0	66.070	21,30	SEBA KLL-Q
24/09/2019	22,0	66.160	21,33	SEBA KLL-Q
24/09/2019	24,0	67.750	21,42	SEBA KLL-Q
24/09/2019	26,0	69.240	21,64	SEBA KLL-Q
24/09/2019	28,0	69.410	21,68	SEBA KLL-Q
24/09/2019	30,0	69.560	21,74	SEBA KLL-Q
24/09/2019	32,0	70.930	21,92	SEBA KLL-Q
24/09/2019	33,0	72.880	22,11	SEBA KLL-Q
24/09/2019	34,0	83.460	22,41	SEBA KLL-Q
24/09/2019	35,0	83.450	22,45	SEBA KLL-Q
24/09/2019	36,0	83.460	22,45	SEBA KLL-Q
24/09/2019	38,0	83.470	22,42	SEBA KLL-Q
24/09/2019	40,0	83.450	22,41	SEBA KLL-Q
24/09/2019	42,0	83.480	22,43	SEBA KLL-Q
24/09/2019	44,0	83.570	22,45	SEBA KLL-Q
24/09/2019	46,0	84.790	22,41	SEBA KLL-Q
24/09/2019	48,0	85.270	22,39	SEBA KLL-Q
24/09/2019	50,0	85.410	22,29	SEBA KLL-Q
24/09/2019	52,0	93.180	22,14	SEBA KLL-Q
24/09/2019	54,0	96.410	22,09	SEBA KLL-Q
24/09/2019	56,0	98.040	22,07	SEBA KLL-Q
24/09/2019	58,0	98.760	22,06	SEBA KLL-Q
24/09/2019	60,0	118.500	22,06	SEBA KLL-Q
24/09/2019	60,5	127.600	22,06	SEBA KLL-Q
24/09/2019	61,0	134.900	22,06	SEBA KLL-Q
24/09/2019	61,2	137.000	22,06	SEBA KLL-Q
24/09/2019	61,4	140.500	22,06	SEBA KLL-Q
24/09/2019	61,6	142.000	22,06	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/09/2019	61,8	143.600	22,06	SEBA KLL-Q
24/09/2019	62,0	145.100	22,07	SEBA KLL-Q
24/09/2019	62,5	149.000	22,07	SEBA KLL-Q
24/09/2019	63,0	150.400	22,07	SEBA KLL-Q
24/09/2019	63,5	154.700	22,07	SEBA KLL-Q
24/09/2019	64,0	157.900	22,07	SEBA KLL-Q
24/09/2019	64,5	162.100	22,08	SEBA KLL-Q
24/09/2019	65,0	165.900	22,08	SEBA KLL-Q
24/09/2019	65,5	165.200	22,09	SEBA KLL-Q
24/09/2019	66,0	175.400	22,08	SEBA KLL-Q
24/09/2019	66,2	177.000	22,09	SEBA KLL-Q
24/09/2019	66,4	180.600	22,09	SEBA KLL-Q
24/09/2019	66,6	185.600	22,09	SEBA KLL-Q
24/09/2019	66,8	205.400	22,09	SEBA KLL-Q
24/09/2019	67,0	218.400	22,09	SEBA KLL-Q
24/09/2019	67,2	218.300	22,10	SEBA KLL-Q
24/09/2019	67,4	218.400	22,10	SEBA KLL-Q
24/09/2019	67,6	218.400	22,09	SEBA KLL-Q
24/09/2019	67,8	218.400	22,09	SEBA KLL-Q
24/09/2019	68,0	218.400	22,09	SEBA KLL-Q
24/09/2019	69,0	218.700	22,11	SEBA KLL-Q
24/09/2019	70,0	218.800	22,11	SEBA KLL-Q
24/09/2019	72,0	222.900	22,13	SEBA KLL-Q
24/09/2019	74,0	224.600	22,15	SEBA KLL-Q
24/09/2019	76,0	225.100	22,16	SEBA KLL-Q
24/09/2019	78,0	229.200	22,18	SEBA KLL-Q
14/11/2019	1,0	39.570	20,88	SEBA KLL-Q
14/11/2019	1,5	39.600	20,82	SEBA KLL-Q
14/11/2019	2,0	39.590	20,81	SEBA KLL-Q
14/11/2019	3,0	39.570	20,80	SEBA KLL-Q
14/11/2019	4,0	39.600	20,82	SEBA KLL-Q
14/11/2019	6,4	39.530	20,82	SEBA KLL-Q
14/11/2019	7,0	39.550	20,81	SEBA KLL-Q
14/11/2019	8,0	39.490	20,82	SEBA KLL-Q
14/11/2019	10,0	39.470	20,81	SEBA KLL-Q
14/11/2019	12,0	40.100	20,83	SEBA KLL-Q
14/11/2019	14,0	40.970	20,84	SEBA KLL-Q
14/11/2019	16,0	47.390	20,89	SEBA KLL-Q
14/11/2019	16,5	47.780	20,90	SEBA KLL-Q
14/11/2019	17,0	48.130	20,91	SEBA KLL-Q
14/11/2019	17,2	48.200	20,91	SEBA KLL-Q
14/11/2019	17,4	48.740	20,92	SEBA KLL-Q
14/11/2019	17,6	53.370	20,95	SEBA KLL-Q
14/11/2019	17,8	53.620	20,97	SEBA KLL-Q
14/11/2019	18,0	54.260	20,98	SEBA KLL-Q
14/11/2019	18,5	56.920	21,09	SEBA KLL-Q
14/11/2019	19,0	68.250	21,09	SEBA KLL-Q
14/11/2019	20,0	70.980	21,26	SEBA KLL-Q
14/11/2019	21,0	71.460	21,31	SEBA KLL-Q
14/11/2019	22,0	71.430	21,33	SEBA KLL-Q
14/11/2019	24,0	72.960	21,41	SEBA KLL-Q
14/11/2019	26,0	74.430	21,62	SEBA KLL-Q
14/11/2019	28,0	74.400	21,67	SEBA KLL-Q
14/11/2019	30,0	74.500	21,73	SEBA KLL-Q
14/11/2019	32,0	76.060	21,92	SEBA KLL-Q
14/11/2019	33,0	78.770	22,13	SEBA KLL-Q
14/11/2019	34,0	89.130	22,41	SEBA KLL-Q
14/11/2019	35,0	88.890	22,43	SEBA KLL-Q
14/11/2019	36,0	88.670	22,44	SEBA KLL-Q
14/11/2019	38,0	88.470	22,41	SEBA KLL-Q
14/11/2019	40,0	88.360	22,40	SEBA KLL-Q
14/11/2019	42,0	88.540	22,43	SEBA KLL-Q
14/11/2019	44,0	88.070	22,43	SEBA KLL-Q
14/11/2019	46,0	89.350	22,40	SEBA KLL-Q
14/11/2019	48,0	89.880	22,37	SEBA KLL-Q
14/11/2019	50,0	90.020	22,28	SEBA KLL-Q
14/11/2019	52,0	97.960	22,14	SEBA KLL-Q
14/11/2019	54,0	101.500	22,08	SEBA KLL-Q
14/11/2019	56,0	103.200	22,05	SEBA KLL-Q
14/11/2019	58,0	127.100	22,02	SEBA KLL-Q
14/11/2019	60,0	136.000	22,04	SEBA KLL-Q
14/11/2019	60,5	143.800	22,04	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-02				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/11/2019	61,0	146.700	22,04	SEBA KLL-Q
14/11/2019	61,2	149.700	22,04	SEBA KLL-Q
14/11/2019	61,4	151.600	22,04	SEBA KLL-Q
14/11/2019	61,6	151.600	22,05	SEBA KLL-Q
14/11/2019	61,8	153.300	22,05	SEBA KLL-Q
14/11/2019	62,0	154.500	22,05	SEBA KLL-Q
14/11/2019	62,5	158.400	22,05	SEBA KLL-Q
14/11/2019	63,0	159.700	22,05	SEBA KLL-Q
14/11/2019	63,5	159.700	22,06	SEBA KLL-Q
14/11/2019	64,0	164.100	22,06	SEBA KLL-Q
14/11/2019	64,5	168.600	22,06	SEBA KLL-Q
14/11/2019	65,0	172.400	22,06	SEBA KLL-Q
14/11/2019	65,5	177.700	22,07	SEBA KLL-Q
14/11/2019	66,0	180.500	22,07	SEBA KLL-Q
14/11/2019	66,2	187.500	22,07	SEBA KLL-Q
14/11/2019	66,4	189.100	22,07	SEBA KLL-Q
14/11/2019	66,6	193.900	22,08	SEBA KLL-Q
14/11/2019	66,8	198.700	22,08	SEBA KLL-Q
14/11/2019	67,0	231.200	22,09	SEBA KLL-Q
14/11/2019	67,2	233.300	22,08	SEBA KLL-Q
14/11/2019	67,4	233.300	22,07	SEBA KLL-Q
14/11/2019	67,6	233.300	22,08	SEBA KLL-Q
14/11/2019	67,8	233.300	22,08	SEBA KLL-Q
14/11/2019	68,0	233.300	22,09	SEBA KLL-Q
14/11/2019	69,0	233.200	22,09	SEBA KLL-Q
14/11/2019	70,0	233.600	22,10	SEBA KLL-Q
14/11/2019	72,0	238.700	22,12	SEBA KLL-Q
14/11/2019	74,0	240.300	22,13	SEBA KLL-Q
14/11/2019	76,0	240.800	22,15	SEBA KLL-Q
14/11/2019	78,0	245.800	22,16	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
01/08/2016	0,70	26.640	25,4	SEBA KLL-Q
01/08/2016	1,00	24.630	25,5	SEBA KLL-Q
01/08/2016	2,00	24.660	25,5	SEBA KLL-Q
01/08/2016	3,00	24.660	25,5	SEBA KLL-Q
01/08/2016	4,00	25.640	25,5	SEBA KLL-Q
01/08/2016	5,00	24.660	25,5	SEBA KLL-Q
01/08/2016	6,00	24.660	25,5	SEBA KLL-Q
01/08/2016	7,00	24.650	25,5	SEBA KLL-Q
01/08/2016	8,00	24.640	25,5	SEBA KLL-Q
01/08/2016	9,00	24.650	25,5	SEBA KLL-Q
01/08/2016	10,00	24.650	25,5	SEBA KLL-Q
01/08/2016	12,00	24.650	25,5	SEBA KLL-Q
01/08/2016	14,00	24.650	25,5	SEBA KLL-Q
01/08/2016	16,00	24.650	25,5	SEBA KLL-Q
01/08/2016	18,00	24.650	25,5	SEBA KLL-Q
01/08/2016	20,00	24.650	25,5	SEBA KLL-Q
01/08/2016	22,00	24.640	25,5	SEBA KLL-Q
01/08/2016	24,00	24.660	25,5	SEBA KLL-Q
01/08/2016	26,00	24.650	25,5	SEBA KLL-Q
01/08/2016	28,00	24.650	25,5	SEBA KLL-Q
01/08/2016	30,00	24.650	25,5	SEBA KLL-Q
01/08/2016	32,00	24.650	25,5	SEBA KLL-Q
01/08/2016	34,00	24.670	25,5	SEBA KLL-Q
01/08/2016	36,00	24.670	25,5	SEBA KLL-Q
01/08/2016	38,00	24.660	25,5	SEBA KLL-Q
01/08/2016	40,00	24.640	25,6	SEBA KLL-Q
01/08/2016	42,00	24.640	25,6	SEBA KLL-Q
01/08/2016	44,00	24.630	25,6	SEBA KLL-Q
01/08/2016	46,00	24.630	25,6	SEBA KLL-Q
01/08/2016	48,00	24.620	25,6	SEBA KLL-Q
01/08/2016	50,00	24.620	25,6	SEBA KLL-Q
01/08/2016	52,00	24.620	25,6	SEBA KLL-Q
01/08/2016	54,00	24.630	25,6	SEBA KLL-Q
01/08/2016	56,00	24.670	25,6	SEBA KLL-Q
01/08/2016	58,00	24.920	25,6	SEBA KLL-Q
01/08/2016	59,00	24.900	25,6	SEBA KLL-Q
01/08/2016	60,00	24.910	25,7	SEBA KLL-Q
01/08/2016	61,00	24.870	25,6	SEBA KLL-Q
01/08/2016	62,00	24.810	25,6	SEBA KLL-Q
01/08/2016	63,00	24.820	25,7	SEBA KLL-Q
01/08/2016	64,00	24.880	25,7	SEBA KLL-Q
01/08/2016	65,00	24.740	25,7	SEBA KLL-Q
01/08/2016	66,00	24.740	25,7	SEBA KLL-Q
01/08/2016	67,00	24.760	25,7	SEBA KLL-Q
01/08/2016	68,00	24.770	25,7	SEBA KLL-Q
01/08/2016	70,00	24.810	25,7	SEBA KLL-Q
01/08/2016	71,00	24.850	25,7	SEBA KLL-Q
01/08/2016	72,00	24.830	25,9	SEBA KLL-Q
01/08/2016	73,00	25.000	25,7	SEBA KLL-Q
01/08/2016	74,00	25.100	25,7	SEBA KLL-Q
01/08/2016	75,00	24.870	25,7	SEBA KLL-Q
01/08/2016	76,00	24.980	25,7	SEBA KLL-Q
01/08/2016	77,00	24.980	25,7	SEBA KLL-Q
01/08/2016	78,00	25.360	25,7	SEBA KLL-Q
01/08/2016	79,00	25.280	25,7	SEBA KLL-Q
01/08/2016	80,00	25.280	25,7	SEBA KLL-Q
01/08/2016	81,00	25.490	25,7	SEBA KLL-Q
01/08/2016	82,00	25.480	25,7	SEBA KLL-Q
01/08/2016	83,00	25.390	25,7	SEBA KLL-Q
01/08/2016	84,00	25.390	25,7	SEBA KLL-Q
01/08/2016	85,00	25.930	25,7	SEBA KLL-Q
01/08/2016	86,00	26.350	25,7	SEBA KLL-Q
01/08/2016	86,50	27.160	25,7	SEBA KLL-Q
01/08/2016	87,00	28.300	25,7	SEBA KLL-Q
01/08/2016	87,50	28.300	25,7	SEBA KLL-Q
01/08/2016	88,00	28.280	25,7	SEBA KLL-Q
01/08/2016	89,00	28.380	25,7	SEBA KLL-Q
01/08/2016	90,00	29.290	25,7	SEBA KLL-Q
01/08/2016	91,00	62.620	25,5	SEBA KLL-Q
01/08/2016	91,50	63.220	25,5	SEBA KLL-Q
01/08/2016	92,00	63.380	25,5	SEBA KLL-Q
01/08/2016	92,50	63.520	25,5	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
01/08/2016	93,00	64.050	25,5	SEBA KLL-Q
01/08/2016	93,50	66.950	25,6	SEBA KLL-Q
01/08/2016	94,00	67.680	25,6	SEBA KLL-Q
01/08/2016	95,00	69.180	25,5	SEBA KLL-Q
01/08/2016	95,50	70.930	25,6	SEBA KLL-Q
01/08/2016	96,00	74.870	25,6	SEBA KLL-Q
01/08/2016	96,50	77.530	25,6	SEBA KLL-Q
01/08/2016	97,00	78.870	25,7	SEBA KLL-Q
01/08/2016	98,00	80.930	25,8	SEBA KLL-Q
01/08/2016	99,00	85.490	25,8	SEBA KLL-Q
01/08/2016	100,00	111.100	25,8	SEBA KLL-Q
12/10/2016	0,70	24.963	25,1	SEBA KLL-Q
12/10/2016	2,00	25.088	25,6	SEBA KLL-Q
12/10/2016	4,00	25.087	25,6	SEBA KLL-Q
12/10/2016	6,00	25.101	25,7	SEBA KLL-Q
12/10/2016	8,00	25.102	25,7	SEBA KLL-Q
12/10/2016	10,00	25.102	25,7	SEBA KLL-Q
12/10/2016	12,00	25.102	25,7	SEBA KLL-Q
12/10/2016	14,00	25.102	25,7	SEBA KLL-Q
12/10/2016	16,00	25.116	25,7	SEBA KLL-Q
12/10/2016	18,00	25.102	25,7	SEBA KLL-Q
12/10/2016	20,00	25.101	25,7	SEBA KLL-Q
12/10/2016	22,00	25.097	25,7	SEBA KLL-Q
12/10/2016	24,00	25.116	25,7	SEBA KLL-Q
12/10/2016	26,00	25.099	25,7	SEBA KLL-Q
12/10/2016	28,00	25.094	25,7	SEBA KLL-Q
12/10/2016	30,00	25.096	25,7	SEBA KLL-Q
12/10/2016	32,00	25.106	25,7	SEBA KLL-Q
12/10/2016	34,00	25.092	25,7	SEBA KLL-Q
12/10/2016	36,00	25.091	25,7	SEBA KLL-Q
12/10/2016	38,00	25.101	25,7	SEBA KLL-Q
12/10/2016	40,00	25.100	25,7	SEBA KLL-Q
12/10/2016	45,00	25.147	25,7	SEBA KLL-Q
12/10/2016	50,00	25.210	25,7	SEBA KLL-Q
12/10/2016	55,00	25.410	25,7	SEBA KLL-Q
12/10/2016	60,00	25.740	25,7	SEBA KLL-Q
12/10/2016	65,00	25.575	25,8	SEBA KLL-Q
12/10/2016	70,00	25.841	25,8	SEBA KLL-Q
12/10/2016	71,00	25.982	25,8	SEBA KLL-Q
12/10/2016	72,00	26.084	25,8	SEBA KLL-Q
12/10/2016	72,50	25.965	25,8	SEBA KLL-Q
12/10/2016	73,00	26.099	25,8	SEBA KLL-Q
12/10/2016	74,00	26.130	25,8	SEBA KLL-Q
12/10/2016	75,00	26.216	25,8	SEBA KLL-Q
12/10/2016	76,00	26.150	25,8	SEBA KLL-Q
12/10/2016	77,00	26.064	25,8	SEBA KLL-Q
12/10/2016	78,00	26.267	25,8	SEBA KLL-Q
12/10/2016	79,00	26.300	25,8	SEBA KLL-Q
12/10/2016	80,00	26.486	25,8	SEBA KLL-Q
12/10/2016	81,00	26.617	25,8	SEBA KLL-Q
12/10/2016	82,00	26.686	25,8	SEBA KLL-Q
12/10/2016	83,00	26.602	25,8	SEBA KLL-Q
12/10/2016	84,00	26.886	25,8	SEBA KLL-Q
12/10/2016	85,00	27.763	25,8	SEBA KLL-Q
12/10/2016	85,50	28.018	25,8	SEBA KLL-Q
12/10/2016	86,00	28.842	25,8	SEBA KLL-Q
12/10/2016	86,50	29.113	25,8	SEBA KLL-Q
12/10/2016	87,00	29.927	25,8	SEBA KLL-Q
12/10/2016	87,20	30.063	25,8	SEBA KLL-Q
12/10/2016	87,40	29.976	25,8	SEBA KLL-Q
12/10/2016	87,60	29.891	25,8	SEBA KLL-Q
12/10/2016	87,80	29.997	25,8	SEBA KLL-Q
12/10/2016	88,00	30.555	25,8	SEBA KLL-Q
12/10/2016	88,20	30.837	25,8	SEBA KLL-Q
12/10/2016	88,40	30.939	25,8	SEBA KLL-Q
12/10/2016	88,60	30.970	25,8	SEBA KLL-Q
12/10/2016	88,80	30.954	25,8	SEBA KLL-Q
12/10/2016	89,00	31.089	25,8	SEBA KLL-Q
12/10/2016	89,20	31.176	25,8	SEBA KLL-Q
12/10/2016	89,40	31.223	25,8	SEBA KLL-Q
12/10/2016	89,60	31.394	25,8	SEBA KLL-Q
12/10/2016	89,80	31.379	25,8	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
12/10/2016	90,00	59.954	25,9	SEBA KLL-Q
12/10/2016	90,20	68.729	25,9	SEBA KLL-Q
12/10/2016	90,40	68.902	25,9	SEBA KLL-Q
12/10/2016	90,60	69.084	25,9	SEBA KLL-Q
12/10/2016	90,80	69.147	25,9	SEBA KLL-Q
12/10/2016	91,00	69.126	25,9	SEBA KLL-Q
12/10/2016	91,20	69.109	25,9	SEBA KLL-Q
12/10/2016	91,40	69.121	25,9	SEBA KLL-Q
12/10/2016	91,60	69.112	25,9	SEBA KLL-Q
12/10/2016	91,80	69.100	25,9	SEBA KLL-Q
12/10/2016	92,00	69.125	25,9	SEBA KLL-Q
12/10/2016	92,20	69.134	25,9	SEBA KLL-Q
12/10/2016	92,40	69.188	25,9	SEBA KLL-Q
12/10/2016	92,60	69.243	25,9	SEBA KLL-Q
12/10/2016	92,80	69.582	25,9	SEBA KLL-Q
12/10/2016	93,00	71.385	25,9	SEBA KLL-Q
12/10/2016	93,20	72.006	25,9	SEBA KLL-Q
12/10/2016	93,40	72.573	25,9	SEBA KLL-Q
12/10/2016	93,60	72.764	25,9	SEBA KLL-Q
12/10/2016	93,80	72.776	25,9	SEBA KLL-Q
12/10/2016	94,00	73.030	25,9	SEBA KLL-Q
12/10/2016	94,50	73.398	26,0	SEBA KLL-Q
12/10/2016	95,00	74.092	26,0	SEBA KLL-Q
12/10/2016	95,50	75.347	26,0	SEBA KLL-Q
12/10/2016	95,70	76.560	26,0	SEBA KLL-Q
12/10/2016	95,90	79.862	26,0	SEBA KLL-Q
12/10/2016	96,10	81.854	26,0	SEBA KLL-Q
12/10/2016	96,30	82.937	26,0	SEBA KLL-Q
12/10/2016	96,50	83.530	26,0	SEBA KLL-Q
12/10/2016	96,70	84.370	26,0	SEBA KLL-Q
12/10/2016	96,90	86.491	26,0	SEBA KLL-Q
12/10/2016	97,10	87.026	26,0	SEBA KLL-Q
12/10/2016	97,30	87.246	26,0	SEBA KLL-Q
12/10/2016	97,50	87.432	26,0	SEBA KLL-Q
12/10/2016	98,00	87.979	26,0	SEBA KLL-Q
12/10/2016	98,50	90.791	26,0	SEBA KLL-Q
12/10/2016	98,70	92.408	26,0	SEBA KLL-Q
12/10/2016	98,90	94.409	26,0	SEBA KLL-Q
12/10/2016	99,10	95.959	26,0	SEBA KLL-Q
12/10/2016	99,30	97.102	26,0	SEBA KLL-Q
12/10/2016	99,50	97.468	26,0	SEBA KLL-Q
12/10/2016	100,00	110.597	26,0	SEBA KLL-Q
07/11/2016	0,70	25.040	25,7	SEBA KLL-Q
07/11/2016	2,00	24.990	25,7	SEBA KLL-Q
07/11/2016	3,00	24.990	25,7	SEBA KLL-Q
07/11/2016	4,00	24.970	25,7	SEBA KLL-Q
07/11/2016	5,00	24.970	25,7	SEBA KLL-Q
07/11/2016	6,00	24.980	25,7	SEBA KLL-Q
07/11/2016	7,00	24.970	25,7	SEBA KLL-Q
07/11/2016	8,00	24.970	25,7	SEBA KLL-Q
07/11/2016	9,00	24.970	25,7	SEBA KLL-Q
07/11/2016	10,00	24.970	25,7	SEBA KLL-Q
07/11/2016	11,00	24.970	25,7	SEBA KLL-Q
07/11/2016	12,00	24.970	25,7	SEBA KLL-Q
07/11/2016	13,00	24.970	25,7	SEBA KLL-Q
07/11/2016	14,00	24.970	25,7	SEBA KLL-Q
07/11/2016	15,00	24.970	25,7	SEBA KLL-Q
07/11/2016	16,00	24.970	25,7	SEBA KLL-Q
07/11/2016	17,00	24.980	25,6	SEBA KLL-Q
07/11/2016	18,00	24.960	25,7	SEBA KLL-Q
07/11/2016	19,00	24.960	25,6	SEBA KLL-Q
07/11/2016	20,00	24.960	25,7	SEBA KLL-Q
07/11/2016	21,00	24.970	25,7	SEBA KLL-Q
07/11/2016	22,00	24.970	25,7	SEBA KLL-Q
07/11/2016	23,00	24.970	25,7	SEBA KLL-Q
07/11/2016	24,00	24.970	25,7	SEBA KLL-Q
07/11/2016	25,00	24.970	25,7	SEBA KLL-Q
07/11/2016	26,00	24.980	25,7	SEBA KLL-Q
07/11/2016	27,00	24.970	25,7	SEBA KLL-Q
07/11/2016	28,00	24.970	25,7	SEBA KLL-Q
07/11/2016	29,00	24.970	25,7	SEBA KLL-Q
07/11/2016	30,00	24.980	25,7	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/11/2016	31,00	24.980	25,7	SEBA KLL-Q
07/11/2016	32,00	24.960	25,7	SEBA KLL-Q
07/11/2016	33,00	24.970	25,7	SEBA KLL-Q
07/11/2016	34,00	24.980	25,7	SEBA KLL-Q
07/11/2016	35,00	24.980	25,7	SEBA KLL-Q
07/11/2016	36,00	24.980	25,7	SEBA KLL-Q
07/11/2016	37,00	24.990	25,7	SEBA KLL-Q
07/11/2016	38,00	24.970	25,7	SEBA KLL-Q
07/11/2016	39,00	24.980	25,7	SEBA KLL-Q
07/11/2016	40,00	24.990	25,7	SEBA KLL-Q
07/11/2016	41,00	24.980	25,7	SEBA KLL-Q
07/11/2016	42,00	25.030	25,7	SEBA KLL-Q
07/11/2016	43,00	25.040	25,7	SEBA KLL-Q
07/11/2016	44,00	25.040	25,7	SEBA KLL-Q
07/11/2016	45,00	25.040	25,7	SEBA KLL-Q
07/11/2016	46,00	25.030	25,7	SEBA KLL-Q
07/11/2016	47,00	25.030	25,7	SEBA KLL-Q
07/11/2016	48,00	25.040	25,7	SEBA KLL-Q
07/11/2016	49,00	25.040	25,7	SEBA KLL-Q
07/11/2016	50,00	25.070	25,7	SEBA KLL-Q
07/11/2016	51,00	25.080	25,7	SEBA KLL-Q
07/11/2016	52,00	25.050	25,7	SEBA KLL-Q
07/11/2016	53,00	25.070	25,7	SEBA KLL-Q
07/11/2016	54,00	25.090	25,7	SEBA KLL-Q
07/11/2016	55,00	25.010	25,7	SEBA KLL-Q
07/11/2016	56,00	25.290	25,7	SEBA KLL-Q
07/11/2016	57,00	25.290	25,8	SEBA KLL-Q
07/11/2016	58,00	25.430	25,7	SEBA KLL-Q
07/11/2016	59,00	25.450	25,7	SEBA KLL-Q
07/11/2016	60,00	25.420	25,8	SEBA KLL-Q
07/11/2016	61,00	25.450	25,7	SEBA KLL-Q
07/11/2016	62,00	25.410	25,7	SEBA KLL-Q
07/11/2016	63,00	25.430	25,7	SEBA KLL-Q
07/11/2016	64,00	25.460	25,8	SEBA KLL-Q
07/11/2016	65,00	25.470	25,8	SEBA KLL-Q
07/11/2016	66,00	25.460	25,8	SEBA KLL-Q
07/11/2016	67,00	25.470	25,8	SEBA KLL-Q
07/11/2016	68,00	25.530	25,8	SEBA KLL-Q
07/11/2016	69,00	25.590	25,8	SEBA KLL-Q
07/11/2016	70,00	25.640	25,8	SEBA KLL-Q
07/11/2016	71,00	25.770	25,8	SEBA KLL-Q
07/11/2016	72,00	25.930	25,8	SEBA KLL-Q
07/11/2016	73,00	25.790	25,8	SEBA KLL-Q
07/11/2016	74,00	25.880	25,8	SEBA KLL-Q
07/11/2016	75,00	26.030	25,8	SEBA KLL-Q
07/11/2016	76,00	25.950	25,8	SEBA KLL-Q
07/11/2016	77,00	26.070	25,8	SEBA KLL-Q
07/11/2016	78,00	26.100	25,8	SEBA KLL-Q
07/11/2016	79,00	26.180	25,8	SEBA KLL-Q
07/11/2016	80,00	26.320	25,8	SEBA KLL-Q
07/11/2016	81,00	26.180	25,8	SEBA KLL-Q
07/11/2016	82,00	26.480	25,8	SEBA KLL-Q
07/11/2016	83,00	26.460	25,8	SEBA KLL-Q
07/11/2016	84,00	26.570	25,8	SEBA KLL-Q
07/11/2016	85,00	27.250	25,8	SEBA KLL-Q
07/11/2016	85,50	27.390	25,8	SEBA KLL-Q
07/11/2016	86,00	28.010	25,8	SEBA KLL-Q
07/11/2016	86,50	28.960	25,8	SEBA KLL-Q
07/11/2016	87,00	29.610	25,8	SEBA KLL-Q
07/11/2016	87,20	29.490	25,8	SEBA KLL-Q
07/11/2016	87,40	29.770	25,8	SEBA KLL-Q
07/11/2016	87,60	29.770	25,8	SEBA KLL-Q
07/11/2016	87,80	29.520	25,8	SEBA KLL-Q
07/11/2016	88,00	30.280	25,8	SEBA KLL-Q
07/11/2016	88,20	31.310	25,8	SEBA KLL-Q
07/11/2016	88,40	31.190	25,8	SEBA KLL-Q
07/11/2016	88,60	31.810	25,8	SEBA KLL-Q
07/11/2016	88,80	31.870	25,8	SEBA KLL-Q
07/11/2016	89,00	32.080	25,8	SEBA KLL-Q
07/11/2016	89,20	33.360	25,8	SEBA KLL-Q
07/11/2016	89,40	34.210	25,8	SEBA KLL-Q
07/11/2016	89,60	35.270	25,9	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
07/11/2016	89,80	37.700	25,8	SEBA KLL-Q
07/11/2016	90,00	68.440	25,9	SEBA KLL-Q
07/11/2016	90,20	68.460	25,9	SEBA KLL-Q
07/11/2016	90,40	68.530	25,9	SEBA KLL-Q
07/11/2016	90,60	68.840	25,9	SEBA KLL-Q
07/11/2016	90,80	69.070	25,9	SEBA KLL-Q
07/11/2016	91,00	69.050	25,9	SEBA KLL-Q
07/11/2016	91,50	69.090	25,9	SEBA KLL-Q
07/11/2016	92,00	69.120	25,9	SEBA KLL-Q
07/11/2016	93,00	71.490	25,9	SEBA KLL-Q
07/11/2016	94,00	73.080	25,9	SEBA KLL-Q
07/11/2016	95,00	74.240	26,0	SEBA KLL-Q
07/11/2016	95,20	75.080	26,0	SEBA KLL-Q
07/11/2016	95,40	75.370	26,0	SEBA KLL-Q
07/11/2016	95,60	76.090	26,0	SEBA KLL-Q
07/11/2016	95,80	77.610	26,0	SEBA KLL-Q
07/11/2016	96,00	81.240	26,0	SEBA KLL-Q
07/11/2016	96,20	82.290	26,0	SEBA KLL-Q
07/11/2016	96,40	82.650	26,0	SEBA KLL-Q
07/11/2016	96,60	83.460	26,0	SEBA KLL-Q
07/11/2016	96,80	84.940	26,0	SEBA KLL-Q
07/11/2016	97,00	86.140	26,0	SEBA KLL-Q
07/11/2016	98,00	87.030	26,0	SEBA KLL-Q
07/11/2016	98,50	89.190	26,0	SEBA KLL-Q
07/11/2016	99,00	92.000	26,0	SEBA KLL-Q
07/11/2016	99,50	93.560	26,0	SEBA KLL-Q
07/11/2016	100,00	104.800	26,0	SEBA KLL-Q
20/12/2016	0,70	25.450	25,5	SEBA KLL-Q
20/12/2016	1,00	25.420	25,6	SEBA KLL-Q
20/12/2016	2,00	25.440	25,6	SEBA KLL-Q
20/12/2016	4,00	25.440	25,6	SEBA KLL-Q
20/12/2016	6,00	25.420	25,6	SEBA KLL-Q
20/12/2016	8,00	25.440	25,6	SEBA KLL-Q
20/12/2016	10,00	25.420	25,6	SEBA KLL-Q
20/12/2016	12,00	25.420	25,6	SEBA KLL-Q
20/12/2016	14,00	25.420	25,6	SEBA KLL-Q
20/12/2016	16,00	25.420	25,6	SEBA KLL-Q
20/12/2016	18,00	25.440	25,6	SEBA KLL-Q
20/12/2016	20,00	25.440	25,6	SEBA KLL-Q
20/12/2016	22,00	25.430	25,6	SEBA KLL-Q
20/12/2016	24,00	25.440	25,6	SEBA KLL-Q
20/12/2016	26,00	25.420	25,6	SEBA KLL-Q
20/12/2016	28,00	25.430	25,6	SEBA KLL-Q
20/12/2016	30,00	25.460	25,6	SEBA KLL-Q
20/12/2016	32,00	25.460	25,6	SEBA KLL-Q
20/12/2016	34,00	25.460	25,6	SEBA KLL-Q
20/12/2016	36,00	25.440	25,6	SEBA KLL-Q
20/12/2016	38,00	25.440	25,6	SEBA KLL-Q
20/12/2016	40,00	25.470	25,6	SEBA KLL-Q
20/12/2016	42,00	25.490	25,6	SEBA KLL-Q
20/12/2016	44,00	25.520	25,7	SEBA KLL-Q
20/12/2016	46,00	25.500	25,7	SEBA KLL-Q
20/12/2016	48,00	25.520	25,7	SEBA KLL-Q
20/12/2016	50,00	25.540	25,6	SEBA KLL-Q
20/12/2016	52,00	25.550	25,7	SEBA KLL-Q
20/12/2016	54,00	25.550	25,7	SEBA KLL-Q
20/12/2016	56,00	25.530	25,7	SEBA KLL-Q
20/12/2016	58,00	25.890	25,7	SEBA KLL-Q
20/12/2016	60,00	25.900	25,7	SEBA KLL-Q
20/12/2016	62,00	25.880	25,7	SEBA KLL-Q
20/12/2016	64,00	25.940	25,7	SEBA KLL-Q
20/12/2016	66,00	25.870	25,7	SEBA KLL-Q
20/12/2016	68,00	26.010	25,7	SEBA KLL-Q
20/12/2016	70,00	26.180	25,7	SEBA KLL-Q
20/12/2016	72,00	26.320	25,7	SEBA KLL-Q
20/12/2016	74,00	26.410	25,8	SEBA KLL-Q
20/12/2016	76,00	26.340	25,8	SEBA KLL-Q
20/12/2016	78,00	26.570	25,8	SEBA KLL-Q
20/12/2016	80,00	26.670	25,8	SEBA KLL-Q
20/12/2016	82,00	26.940	25,8	SEBA KLL-Q
20/12/2016	84,00	27.070	25,8	SEBA KLL-Q
20/12/2016	85,00	27.560	25,8	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/12/2016	86,00	28.350	25,8	SEBA KLL-Q
20/12/2016	87,00	30.270	25,8	SEBA KLL-Q
20/12/2016	88,00	30.490	25,8	SEBA KLL-Q
20/12/2016	88,20	31.310	25,8	SEBA KLL-Q
20/12/2016	88,40	31.520	25,8	SEBA KLL-Q
20/12/2016	88,60	31.500	25,8	SEBA KLL-Q
20/12/2016	88,80	31.510	25,8	SEBA KLL-Q
20/12/2016	89,00	31.710	25,8	SEBA KLL-Q
20/12/2016	89,20	32.180	25,8	SEBA KLL-Q
20/12/2016	89,40	32.470	25,8	SEBA KLL-Q
20/12/2016	89,60	33.100	25,8	SEBA KLL-Q
20/12/2016	89,80	34.770	25,8	SEBA KLL-Q
20/12/2016	90,00	67.270	25,9	SEBA KLL-Q
20/12/2016	90,20	68.740	25,7	SEBA KLL-Q
20/12/2016	90,40	68.880	25,9	SEBA KLL-Q
20/12/2016	90,60	69.120	25,9	SEBA KLL-Q
20/12/2016	90,80	69.290	25,9	SEBA KLL-Q
20/12/2016	91,00	69.340	25,9	SEBA KLL-Q
20/12/2016	92,00	69.470	25,9	SEBA KLL-Q
20/12/2016	93,00	71.840	25,9	SEBA KLL-Q
20/12/2016	94,00	73.460	25,9	SEBA KLL-Q
20/12/2016	95,00	74.820	25,9	SEBA KLL-Q
20/12/2016	95,50	75.920	25,9	SEBA KLL-Q
20/12/2016	96,00	81.480	25,9	SEBA KLL-Q
20/12/2016	96,50	83.190	25,9	SEBA KLL-Q
20/12/2016	97,00	86.180	26,0	SEBA KLL-Q
20/12/2016	97,50	86.810	26,0	SEBA KLL-Q
20/12/2016	98,00	87.250	26,0	SEBA KLL-Q
20/12/2016	98,50	89.280	26,0	SEBA KLL-Q
20/12/2016	99,00	91.630	26,0	SEBA KLL-Q
20/12/2016	99,20	92.210	26,0	SEBA KLL-Q
20/12/2016	99,40	92.700	26,0	SEBA KLL-Q
20/12/2016	99,60	92.930	26,0	SEBA KLL-Q
20/12/2016	99,80	93.490	26,0	SEBA KLL-Q
20/12/2016	100,00	99.740	26,0	SEBA KLL-Q
20/12/2016	100,20	111.700	26,0	SEBA KLL-Q
20/12/2016	100,40	114.000	26,0	SEBA KLL-Q
20/12/2016	100,60	115.600	26,0	SEBA KLL-Q
20/12/2016	100,80	119.400	26,0	SEBA KLL-Q
20/12/2016	101,00	120.400	26,0	SEBA KLL-Q
20/12/2016	101,20	120.700	26,0	SEBA KLL-Q
20/12/2016	101,40	120.800	26,0	SEBA KLL-Q
20/12/2016	101,60	120.900	26,0	SEBA KLL-Q
20/12/2016	101,80	120.800	26,0	SEBA KLL-Q
20/12/2016	102,00	120.800	26,0	SEBA KLL-Q
20/12/2016	102,20	120.900	26,0	SEBA KLL-Q
20/12/2016	102,40	120.900	26,0	SEBA KLL-Q
20/12/2016	102,60	120.900	26,0	SEBA KLL-Q
20/12/2016	102,80	121.100	26,0	SEBA KLL-Q
20/12/2016	103,00	121.400	26,0	SEBA KLL-Q
20/12/2016	103,20	125.600	26,0	SEBA KLL-Q
20/12/2016	103,40	132.800	26,0	SEBA KLL-Q
20/12/2016	103,60	136.500	26,0	SEBA KLL-Q
20/12/2016	103,80	138.000	26,0	SEBA KLL-Q
20/12/2016	104,00	139.900	26,0	SEBA KLL-Q
20/12/2016	104,20	141.300	26,1	SEBA KLL-Q
20/12/2016	104,40	142.700	26,1	SEBA KLL-Q
20/12/2016	104,60	147.100	26,1	SEBA KLL-Q
20/12/2016	104,80	155.100	26,1	SEBA KLL-Q
20/12/2016	105,00	165.500	26,1	SEBA KLL-Q
20/12/2016	105,20	173.300	26,1	SEBA KLL-Q
20/12/2016	105,40	181.400	26,1	SEBA KLL-Q
20/12/2016	105,60	187.400	26,1	SEBA KLL-Q
20/12/2016	105,80	188.900	26,1	SEBA KLL-Q
20/12/2016	106,00	189.200	26,1	SEBA KLL-Q
20/12/2016	106,20	189.900	26,1	SEBA KLL-Q
20/12/2016	106,40	190.900	26,1	SEBA KLL-Q
20/12/2016	106,60	193.700	26,1	SEBA KLL-Q
20/12/2016	106,80	196.600	26,1	SEBA KLL-Q
20/12/2016	107,00	199.500	26,1	SEBA KLL-Q
20/12/2016	107,20	201.900	26,1	SEBA KLL-Q
20/12/2016	107,40	205.100	26,1	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
20/12/2016	107,60	207.100	26,1	SEBA KLL-Q
20/12/2016	107,80	207.600	26,1	SEBA KLL-Q
20/12/2016	108,00	208.900	26,1	SEBA KLL-Q
20/12/2016	108,20	211.400	26,1	SEBA KLL-Q
20/12/2016	108,40	212.100	26,1	SEBA KLL-Q
20/12/2016	108,60	212.400	26,1	SEBA KLL-Q
20/12/2016	108,80	212.400	26,1	SEBA KLL-Q
20/12/2016	109,00	212.400	26,1	SEBA KLL-Q
20/12/2016	109,20	212.500	26,2	SEBA KLL-Q
20/12/2016	109,40	212.400	26,2	SEBA KLL-Q
20/12/2016	109,60	212.500	26,2	SEBA KLL-Q
20/12/2016	109,80	212.700	26,2	SEBA KLL-Q
20/12/2016	110,00	213.300	26,2	SEBA KLL-Q
20/12/2016	110,20	213.800	26,2	SEBA KLL-Q
20/12/2016	110,40	214.400	26,2	SEBA KLL-Q
20/12/2016	110,60	214.600	26,2	SEBA KLL-Q
20/12/2016	110,80	214.800	26,2	SEBA KLL-Q
20/12/2016	111,00	214.900	26,2	SEBA KLL-Q
20/12/2016	111,20	215.100	26,2	SEBA KLL-Q
20/12/2016	111,40	215.200	26,2	SEBA KLL-Q
20/12/2016	111,60	215.300	26,2	SEBA KLL-Q
20/12/2016	111,80	215.300	26,2	SEBA KLL-Q
20/12/2016	112,00	215.400	26,2	SEBA KLL-Q
20/12/2016	112,20	215.400	26,2	SEBA KLL-Q
20/12/2016	112,40	215.400	26,2	SEBA KLL-Q
20/12/2016	112,60	215.500	26,2	SEBA KLL-Q
20/12/2016	112,80	215.500	26,2	SEBA KLL-Q
20/12/2016	113,00	215.500	26,3	SEBA KLL-Q
20/12/2016	113,20	215.600	26,3	SEBA KLL-Q
20/12/2016	113,40	215.500	26,3	SEBA KLL-Q
20/12/2016	113,60	215.400	26,3	SEBA KLL-Q
20/12/2016	113,80	215.300	26,3	SEBA KLL-Q
20/12/2016	114,00	215.200	26,3	SEBA KLL-Q
20/12/2016	114,20	215.100	26,3	SEBA KLL-Q
20/12/2016	114,40	215.000	26,3	SEBA KLL-Q
20/12/2016	114,60	214.800	26,3	SEBA KLL-Q
20/12/2016	114,80	214.700	26,3	SEBA KLL-Q
20/12/2016	115,00	214.700	26,3	SEBA KLL-Q
20/12/2016	115,20	214.600	26,3	SEBA KLL-Q
20/12/2016	115,40	214.500	26,3	SEBA KLL-Q
20/12/2016	115,60	214.500	26,3	SEBA KLL-Q
20/12/2016	115,80	214.400	26,3	SEBA KLL-Q
20/12/2016	116,00	214.300	26,3	SEBA KLL-Q
20/12/2016	116,20	214.300	26,3	SEBA KLL-Q
20/12/2016	116,40	214.300	26,4	SEBA KLL-Q
20/12/2016	116,60	214.500	26,4	SEBA KLL-Q
20/12/2016	116,80	216.600	26,4	SEBA KLL-Q
20/12/2016	117,00	217.000	26,4	SEBA KLL-Q
20/12/2016	117,20	217.100	26,4	SEBA KLL-Q
20/12/2016	117,40	219.000	26,4	SEBA KLL-Q
20/12/2016	117,60	220.100	26,4	SEBA KLL-Q
20/12/2016	117,80	220.100	26,4	SEBA KLL-Q
20/12/2016	118,00	220.100	26,4	SEBA KLL-Q
20/12/2016	118,20	135.400	26,4	SEBA KLL-Q
20/12/2016	118,40	119.200	26,4	SEBA KLL-Q
20/12/2016	118,60	119.900	26,4	SEBA KLL-Q
14/01/2017	0,70	27.660	25,6	SEBA KLL-Q
14/01/2017	2,00	27.640	25,6	SEBA KLL-Q
14/01/2017	4,00	27.640	25,6	SEBA KLL-Q
14/01/2017	6,00	27.650	25,6	SEBA KLL-Q
14/01/2017	8,00	27.650	25,6	SEBA KLL-Q
14/01/2017	10,00	27.660	25,6	SEBA KLL-Q
14/01/2017	12,00	27.670	25,6	SEBA KLL-Q
14/01/2017	14,00	27.670	25,6	SEBA KLL-Q
14/01/2017	16,00	27.670	25,6	SEBA KLL-Q
14/01/2017	18,00	27.670	25,6	SEBA KLL-Q
14/01/2017	20,00	27.680	25,6	SEBA KLL-Q
14/01/2017	22,00	27.680	25,6	SEBA KLL-Q
14/01/2017	24,00	27.680	25,6	SEBA KLL-Q
14/01/2017	26,00	27.690	25,6	SEBA KLL-Q
14/01/2017	28,00	27.690	25,6	SEBA KLL-Q
14/01/2017	30,00	27.690	25,6	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/01/2017	32,00	27.690	25,6	SEBA KLL-Q
14/01/2017	34,00	27.700	25,6	SEBA KLL-Q
14/01/2017	36,00	27.690	25,6	SEBA KLL-Q
14/01/2017	38,00	27.690	25,6	SEBA KLL-Q
14/01/2017	40,00	27.700	25,6	SEBA KLL-Q
14/01/2017	42,00	27.760	25,6	SEBA KLL-Q
14/01/2017	44,00	27.780	25,7	SEBA KLL-Q
14/01/2017	46,00	27.790	25,7	SEBA KLL-Q
14/01/2017	48,00	27.800	25,7	SEBA KLL-Q
14/01/2017	50,00	27.800	25,7	SEBA KLL-Q
14/01/2017	52,00	27.810	25,7	SEBA KLL-Q
14/01/2017	54,00	27.840	25,7	SEBA KLL-Q
14/01/2017	56,00	28.030	25,7	SEBA KLL-Q
14/01/2017	57,00	28.240	25,7	SEBA KLL-Q
14/01/2017	58,00	28.240	25,7	SEBA KLL-Q
14/01/2017	59,00	28.240	25,7	SEBA KLL-Q
14/01/2017	60,00	28.230	25,7	SEBA KLL-Q
14/01/2017	62,00	28.240	25,7	SEBA KLL-Q
14/01/2017	64,00	28.310	25,7	SEBA KLL-Q
14/01/2017	66,00	28.260	25,7	SEBA KLL-Q
14/01/2017	68,00	28.380	25,7	SEBA KLL-Q
14/01/2017	70,00	28.530	25,7	SEBA KLL-Q
14/01/2017	72,00	28.720	25,7	SEBA KLL-Q
14/01/2017	74,00	28.790	25,7	SEBA KLL-Q
14/01/2017	76,00	28.730	25,8	SEBA KLL-Q
14/01/2017	78,00	29.050	25,8	SEBA KLL-Q
14/01/2017	79,00	29.000	25,8	SEBA KLL-Q
14/01/2017	80,00	28.940	25,8	SEBA KLL-Q
14/01/2017	81,00	29.190	25,8	SEBA KLL-Q
14/01/2017	82,00	29.290	25,8	SEBA KLL-Q
14/01/2017	84,00	29.330	25,8	SEBA KLL-Q
14/01/2017	86,00	30.050	25,8	SEBA KLL-Q
14/01/2017	87,00	32.910	25,8	SEBA KLL-Q
14/01/2017	87,50	23.920	25,8	SEBA KLL-Q
14/01/2017	88,00	31.520	25,8	SEBA KLL-Q
14/01/2017	88,50	33.930	25,8	SEBA KLL-Q
14/01/2017	89,00	34.330	25,8	SEBA KLL-Q
14/01/2017	89,20	34.280	25,8	SEBA KLL-Q
14/01/2017	89,40	35.310	25,8	SEBA KLL-Q
14/01/2017	89,60	35.820	25,8	SEBA KLL-Q
14/01/2017	89,80	37.460	25,8	SEBA KLL-Q
14/01/2017	90,00	73.710	25,9	SEBA KLL-Q
14/01/2017	90,20	74.580	25,9	SEBA KLL-Q
14/01/2017	90,40	74.860	25,9	SEBA KLL-Q
14/01/2017	90,60	75.100	25,9	SEBA KLL-Q
14/01/2017	90,80	75.240	25,9	SEBA KLL-Q
14/01/2017	91,00	75.410	25,9	SEBA KLL-Q
14/01/2017	91,50	75.480	25,9	SEBA KLL-Q
14/01/2017	92,00	75.510	25,9	SEBA KLL-Q
14/01/2017	92,50	75.680	25,9	SEBA KLL-Q
14/01/2017	93,00	78.470	25,9	SEBA KLL-Q
14/01/2017	93,50	79.500	25,9	SEBA KLL-Q
14/01/2017	94,00	79.990	25,9	SEBA KLL-Q
14/01/2017	94,50	80.790	25,9	SEBA KLL-Q
14/01/2017	95,00	81.500	25,9	SEBA KLL-Q
14/01/2017	95,50	82.780	25,9	SEBA KLL-Q
14/01/2017	96,00	88.490	25,9	SEBA KLL-Q
14/01/2017	96,50	90.570	26,0	SEBA KLL-Q
14/01/2017	97,00	93.770	26,0	SEBA KLL-Q
14/01/2017	97,50	94.420	26,0	SEBA KLL-Q
14/01/2017	98,00	94.870	26,0	SEBA KLL-Q
14/01/2017	98,50	96.870	26,0	SEBA KLL-Q
14/01/2017	99,00	98.750	26,0	SEBA KLL-Q
14/01/2017	99,50	100.100	26,0	SEBA KLL-Q
14/01/2017	100,00	106.900	26,0	SEBA KLL-Q
14/01/2017	100,50	126.400	26,0	SEBA KLL-Q
14/01/2017	100,70	128.500	26,0	SEBA KLL-Q
14/01/2017	100,90	131.500	26,0	SEBA KLL-Q
14/01/2017	101,10	131.700	26,0	SEBA KLL-Q
14/01/2017	101,30	131.800	26,0	SEBA KLL-Q
14/01/2017	101,50	131.900	26,0	SEBA KLL-Q
14/01/2017	101,70	131.900	26,0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/01/2017	101,90	131.900	26,0	SEBA KLL-Q
14/01/2017	102,10	131.900	26,0	SEBA KLL-Q
14/01/2017	102,30	131.900	26,0	SEBA KLL-Q
14/01/2017	102,50	132.000	26,0	SEBA KLL-Q
14/01/2017	102,70	132.000	26,0	SEBA KLL-Q
14/01/2017	102,90	132.300	26,0	SEBA KLL-Q
14/01/2017	103,50	147.900	26,0	SEBA KLL-Q
14/01/2017	103,70	150.100	26,1	SEBA KLL-Q
14/01/2017	103,90	151.700	26,1	SEBA KLL-Q
14/01/2017	104,10	153.800	26,1	SEBA KLL-Q
14/01/2017	104,30	154.100	26,1	SEBA KLL-Q
14/01/2017	104,50	157.800	26,1	SEBA KLL-Q
14/01/2017	104,70	165.000	26,1	SEBA KLL-Q
14/01/2017	104,90	174.700	26,1	SEBA KLL-Q
14/01/2017	105,10	185.800	26,1	SEBA KLL-Q
14/01/2017	105,30	192.900	26,1	SEBA KLL-Q
14/01/2017	105,50	201.500	26,1	SEBA KLL-Q
14/01/2017	105,70	205.800	26,1	SEBA KLL-Q
14/01/2017	105,90	206.500	26,1	SEBA KLL-Q
14/01/2017	106,10	207.200	26,1	SEBA KLL-Q
14/01/2017	106,30	207.600	26,1	SEBA KLL-Q
14/01/2017	106,50	210.500	26,1	SEBA KLL-Q
14/01/2017	106,70	213.700	26,1	SEBA KLL-Q
14/01/2017	106,90	215.900	26,1	SEBA KLL-Q
14/01/2017	107,10	219.700	26,1	SEBA KLL-Q
14/01/2017	107,30	222.800	26,1	SEBA KLL-Q
14/01/2017	107,50	225.800	26,1	SEBA KLL-Q
14/01/2017	107,70	226.400	26,1	SEBA KLL-Q
14/01/2017	107,90	227.400	26,1	SEBA KLL-Q
14/01/2017	108,10	229.600	26,1	SEBA KLL-Q
14/01/2017	108,30	231.300	26,1	SEBA KLL-Q
14/01/2017	108,50	231.800	26,1	SEBA KLL-Q
14/01/2017	109,00	232.000	26,2	SEBA KLL-Q
14/01/2017	109,50	232.000	26,2	SEBA KLL-Q
14/01/2017	110,00	232.700	26,2	SEBA KLL-Q
14/01/2017	110,50	233.900	26,2	SEBA KLL-Q
14/01/2017	111,00	234.300	26,2	SEBA KLL-Q
14/01/2017	111,50	234.500	26,2	SEBA KLL-Q
14/01/2017	112,00	234.600	26,2	SEBA KLL-Q
14/01/2017	113,00	235.000	26,3	SEBA KLL-Q
14/01/2017	114,00	235.200	26,3	SEBA KLL-Q
14/01/2017	115,00	235.100	26,3	SEBA KLL-Q
14/01/2017	116,00	235.000	26,3	SEBA KLL-Q
14/01/2017	117,00	238.400	26,4	SEBA KLL-Q
22/04/2017	0,50	27.550	25,5	SEBA KLL-Q
22/04/2017	2,00	27.500	25,5	SEBA KLL-Q
22/04/2017	4,00	27.500	25,5	SEBA KLL-Q
22/04/2017	6,00	27.500	25,5	SEBA KLL-Q
22/04/2017	8,00	27.500	25,5	SEBA KLL-Q
22/04/2017	10,00	27.600	25,5	SEBA KLL-Q
22/04/2017	12,00	27.600	25,5	SEBA KLL-Q
22/04/2017	14,00	27.600	25,5	SEBA KLL-Q
22/04/2017	16,00	27.600	25,5	SEBA KLL-Q
22/04/2017	18,00	27.600	25,5	SEBA KLL-Q
22/04/2017	20,00	27.600	25,5	SEBA KLL-Q
22/04/2017	22,00	27.600	25,5	SEBA KLL-Q
22/04/2017	24,00	27.600	25,5	SEBA KLL-Q
22/04/2017	26,00	27.600	25,5	SEBA KLL-Q
22/04/2017	28,00	27.600	25,5	SEBA KLL-Q
22/04/2017	30,00	27.600	25,5	SEBA KLL-Q
22/04/2017	32,00	27.600	25,5	SEBA KLL-Q
22/04/2017	34,00	27.500	25,5	SEBA KLL-Q
22/04/2017	36,00	27.500	25,5	SEBA KLL-Q
22/04/2017	38,00	27.500	25,5	SEBA KLL-Q
22/04/2017	40,00	27.500	25,5	SEBA KLL-Q
22/04/2017	42,00	27.500	25,5	SEBA KLL-Q
22/04/2017	44,00	27.600	25,5	SEBA KLL-Q
22/04/2017	46,00	27.600	25,5	SEBA KLL-Q
22/04/2017	48,00	27.600	25,5	SEBA KLL-Q
22/04/2017	50,00	27.700	26,0	SEBA KLL-Q
22/04/2017	52,00	27.700	26,0	SEBA KLL-Q
22/04/2017	54,00	27.700	26,0	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
22/04/2017	56,00	27.700	26,0	SEBA KLL-Q
22/04/2017	58,00	27.700	26,0	SEBA KLL-Q
22/04/2017	60,00	27.060	26,0	SEBA KLL-Q
22/04/2017	62,00	27.900	25,6	SEBA KLL-Q
22/04/2017	64,00	27.920	25,6	SEBA KLL-Q
22/04/2017	66,00	28.030	25,6	SEBA KLL-Q
22/04/2017	68,00	28.050	25,6	SEBA KLL-Q
22/04/2017	70,00	28.000	25,6	SEBA KLL-Q
22/04/2017	72,00	28.500	25,6	SEBA KLL-Q
22/04/2017	74,00	28.600	25,6	SEBA KLL-Q
22/04/2017	76,00	28.670	25,6	SEBA KLL-Q
22/04/2017	78,00	28.800	25,6	SEBA KLL-Q
22/04/2017	80,00	29.010	25,6	SEBA KLL-Q
22/04/2017	82,00	29.290	25,6	SEBA KLL-Q
22/04/2017	84,00	29.300	25,7	SEBA KLL-Q
22/04/2017	86,00	30.590	25,7	SEBA KLL-Q
22/04/2017	88,00	33.640	25,7	SEBA KLL-Q
22/04/2017	90,00	45.930	25,7	SEBA KLL-Q
22/04/2017	92,00	76.540	25,8	SEBA KLL-Q
22/04/2017	94,00	81.030	25,8	SEBA KLL-Q
22/04/2017	95,00	82.600	25,8	SEBA KLL-Q
22/04/2017	96,00	89.400	25,8	SEBA KLL-Q
22/04/2017	98,00	96.210	25,9	SEBA KLL-Q
22/04/2017	99,00	100.300	25,9	SEBA KLL-Q
22/04/2017	100,00	104.200	25,9	SEBA KLL-Q
22/04/2017	101,00	134.400	25,9	SEBA KLL-Q
22/04/2017	102,00	134.500	25,9	SEBA KLL-Q
22/04/2017	103,00	134.600	25,9	SEBA KLL-Q
22/04/2017	104,00	155.700	26,0	SEBA KLL-Q
22/04/2017	105,00	181.600	26,0	SEBA KLL-Q
22/04/2017	106,00	212.400	26,0	SEBA KLL-Q
22/04/2017	107,00	222.700	26,0	SEBA KLL-Q
22/04/2017	108,00	233.800	26,0	SEBA KLL-Q
22/04/2017	110,00	238.000	26,0	SEBA KLL-Q
22/04/2017	112,00	240.000	26,1	SEBA KLL-Q
22/04/2017	114,00	240.200	26,2	SEBA KLL-Q
22/04/2017	116,00	240.100	26,2	SEBA KLL-Q
22/04/2017	118,00	247.400	26,5	SEBA KLL-Q
14/07/2017	2,00	22.360	25,6	SEBA KLL-Q
14/07/2017	4,00	24.360	25,6	SEBA KLL-Q
14/07/2017	6,00	24.360	25,6	SEBA KLL-Q
14/07/2017	8,00	24.340	25,6	SEBA KLL-Q
14/07/2017	10,00	24.350	25,6	SEBA KLL-Q
14/07/2017	12,00	24.340	25,6	SEBA KLL-Q
14/07/2017	14,00	24.340	25,6	SEBA KLL-Q
14/07/2017	16,00	24.350	25,6	SEBA KLL-Q
14/07/2017	18,00	24.340	25,6	SEBA KLL-Q
14/07/2017	20,00	24.340	25,6	SEBA KLL-Q
14/07/2017	22,00	24.340	25,6	SEBA KLL-Q
14/07/2017	24,00	24.340	25,6	SEBA KLL-Q
14/07/2017	26,00	24.350	25,6	SEBA KLL-Q
14/07/2017	28,00	24.340	25,6	SEBA KLL-Q
14/07/2017	30,00	24.350	25,6	SEBA KLL-Q
14/07/2017	32,00	24.360	25,6	SEBA KLL-Q
14/07/2017	34,00	24.350	25,6	SEBA KLL-Q
14/07/2017	36,00	24.360	25,6	SEBA KLL-Q
14/07/2017	38,00	24.360	25,6	SEBA KLL-Q
14/07/2017	40,00	24.370	25,6	SEBA KLL-Q
14/07/2017	42,00	24.420	25,6	SEBA KLL-Q
14/07/2017	44,00	24.450	25,6	SEBA KLL-Q
14/07/2017	46,00	24.480	25,6	SEBA KLL-Q
14/07/2017	48,00	24.480	25,6	SEBA KLL-Q
14/07/2017	50,00	24.510	25,6	SEBA KLL-Q
14/07/2017	52,00	24.520	25,6	SEBA KLL-Q
14/07/2017	54,00	24.520	25,6	SEBA KLL-Q
14/07/2017	56,00	24.620	25,7	SEBA KLL-Q
14/07/2017	58,00	24.620	25,7	SEBA KLL-Q
14/07/2017	60,00	24.620	25,7	SEBA KLL-Q
14/07/2017	62,00	24.590	25,7	SEBA KLL-Q
14/07/2017	64,00	24.590	25,7	SEBA KLL-Q
14/07/2017	66,00	24.660	25,7	SEBA KLL-Q
14/07/2017	68,00	24.710	25,7	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/07/2017	70,00	24.740	25,7	SEBA KLL-Q
14/07/2017	72,00	25.120	25,7	SEBA KLL-Q
14/07/2017	74,00	25.290	25,7	SEBA KLL-Q
14/07/2017	76,00	25.290	25,7	SEBA KLL-Q
14/07/2017	78,00	25.290	25,7	SEBA KLL-Q
14/07/2017	80,00	25.290	25,7	SEBA KLL-Q
14/07/2017	82,00	25.290	25,7	SEBA KLL-Q
14/07/2017	84,00	25.290	25,7	SEBA KLL-Q
14/07/2017	86,00	27.600	25,7	SEBA KLL-Q
14/07/2017	87,00	29.880	25,8	SEBA KLL-Q
14/07/2017	88,00	29.890	25,8	SEBA KLL-Q
14/07/2017	89,00	30.350	25,8	SEBA KLL-Q
14/07/2017	89,50	30.880	25,8	SEBA KLL-Q
14/07/2017	90,00	69.180	25,8	SEBA KLL-Q
14/07/2017	90,20	69.290	25,8	SEBA KLL-Q
14/07/2017	90,40	69.420	25,8	SEBA KLL-Q
14/07/2017	90,60	69.620	25,8	SEBA KLL-Q
14/07/2017	90,80	69.730	25,9	SEBA KLL-Q
14/07/2017	91,00	69.900	25,9	SEBA KLL-Q
14/07/2017	91,50	69.960	25,9	SEBA KLL-Q
14/07/2017	92,00	69.990	25,9	SEBA KLL-Q
14/07/2017	92,50	70.160	25,9	SEBA KLL-Q
14/07/2017	93,00	72.750	25,9	SEBA KLL-Q
14/07/2017	93,50	73.820	25,9	SEBA KLL-Q
14/07/2017	94,00	74.020	25,9	SEBA KLL-Q
14/07/2017	94,50	75.000	25,9	SEBA KLL-Q
14/07/2017	95,00	75.320	25,9	SEBA KLL-Q
14/07/2017	95,50	76.790	25,9	SEBA KLL-Q
14/07/2017	96,00	81.630	25,9	SEBA KLL-Q
14/07/2017	96,50	84.380	25,9	SEBA KLL-Q
14/07/2017	97,00	87.220	25,9	SEBA KLL-Q
14/07/2017	97,50	88.220	25,9	SEBA KLL-Q
14/07/2017	98,00	88.670	26,0	SEBA KLL-Q
14/07/2017	98,50	90.420	26,0	SEBA KLL-Q
14/07/2017	99,00	92.380	26,0	SEBA KLL-Q
14/07/2017	99,50	93.430	26,0	SEBA KLL-Q
14/07/2017	100,00	97.330	26,0	SEBA KLL-Q
14/07/2017	100,50	117.400	26,0	SEBA KLL-Q
14/07/2017	101,00	125.200	26,0	SEBA KLL-Q
14/07/2017	101,50	125.400	26,0	SEBA KLL-Q
14/07/2017	102,00	126.100	26,0	SEBA KLL-Q
14/07/2017	102,50	126.300	26,0	SEBA KLL-Q
14/07/2017	103,00	125.700	26,0	SEBA KLL-Q
14/07/2017	103,50	139.900	26,0	SEBA KLL-Q
14/07/2017	104,00	146.200	26,1	SEBA KLL-Q
14/07/2017	104,50	150.400	26,1	SEBA KLL-Q
14/07/2017	105,00	171.800	26,1	SEBA KLL-Q
14/07/2017	105,50	192.100	26,1	SEBA KLL-Q
14/07/2017	106,00	201.100	26,1	SEBA KLL-Q
14/07/2017	106,50	204.900	26,1	SEBA KLL-Q
14/07/2017	107,00	211.500	26,1	SEBA KLL-Q
14/07/2017	108,00	222.000	26,1	SEBA KLL-Q
14/07/2017	109,00	226.100	26,1	SEBA KLL-Q
14/07/2017	110,00	226.000	26,2	SEBA KLL-Q
14/07/2017	112,00	227.500	26,2	SEBA KLL-Q
14/07/2017	114,00	227.600	26,2	SEBA KLL-Q
14/07/2017	116,00	227.600	26,3	SEBA KLL-Q
14/07/2017	118,00	234.200	26,4	SEBA KLL-Q
11/10/2017	1,00	24.770	25,1	SEBA KLL-Q
11/10/2017	3,00	24.840	25,5	SEBA KLL-Q
11/10/2017	6,00	24.850	25,5	SEBA KLL-Q
11/10/2017	9,00	24.870	25,5	SEBA KLL-Q
11/10/2017	12,00	24.870	25,6	SEBA KLL-Q
11/10/2017	15,00	24.900	25,6	SEBA KLL-Q
11/10/2017	18,00	24.920	25,6	SEBA KLL-Q
11/10/2017	21,00	24.920	25,6	SEBA KLL-Q
11/10/2017	24,00	24.930	25,6	SEBA KLL-Q
11/10/2017	27,00	24.930	25,6	SEBA KLL-Q
11/10/2017	30,00	24.950	25,6	SEBA KLL-Q
11/10/2017	33,00	24.940	25,6	SEBA KLL-Q
11/10/2017	36,00	24.960	25,6	SEBA KLL-Q
11/10/2017	39,00	24.970	25,6	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
11/10/2017	42,00	25.020	25,6	SEBA KLL-Q
11/10/2017	45,00	25.060	25,6	SEBA KLL-Q
11/10/2017	48,00	25.120	25,6	SEBA KLL-Q
11/10/2017	51,00	25.150	25,6	SEBA KLL-Q
11/10/2017	54,00	25.160	25,6	SEBA KLL-Q
11/10/2017	57,00	25.180	25,6	SEBA KLL-Q
11/10/2017	60,00	25.330	25,6	SEBA KLL-Q
11/10/2017	63,00	25.280	25,6	SEBA KLL-Q
11/10/2017	66,00	25.360	25,6	SEBA KLL-Q
11/10/2017	69,00	25.410	25,6	SEBA KLL-Q
11/10/2017	72,00	25.830	25,7	SEBA KLL-Q
11/10/2017	75,00	25.940	25,7	SEBA KLL-Q
11/10/2017	78,00	26.300	25,7	SEBA KLL-Q
11/10/2017	81,00	26.430	25,7	SEBA KLL-Q
11/10/2017	83,00	26.570	25,7	SEBA KLL-Q
11/10/2017	85,00	27.680	25,7	SEBA KLL-Q
11/10/2017	86,00	28.080	25,7	SEBA KLL-Q
11/10/2017	87,00	30.500	25,7	SEBA KLL-Q
11/10/2017	88,00	30.530	25,7	SEBA KLL-Q
11/10/2017	88,50	30.770	25,7	SEBA KLL-Q
11/10/2017	89,00	30.840	25,7	SEBA KLL-Q
11/10/2017	89,50	31.130	25,7	SEBA KLL-Q
11/10/2017	89,80	31.990	25,7	SEBA KLL-Q
11/10/2017	90,00	42.860	25,7	SEBA KLL-Q
11/10/2017	90,20	71.010	25,8	SEBA KLL-Q
11/10/2017	90,40	71.110	25,8	SEBA KLL-Q
11/10/2017	90,60	71.420	25,8	SEBA KLL-Q
11/10/2017	90,80	71.610	25,8	SEBA KLL-Q
11/10/2017	91,00	71.850	25,8	SEBA KLL-Q
11/10/2017	91,50	72.000	25,8	SEBA KLL-Q
11/10/2017	92,00	72.060	25,8	SEBA KLL-Q
11/10/2017	92,50	72.280	25,9	SEBA KLL-Q
11/10/2017	93,00	75.060	25,9	SEBA KLL-Q
11/10/2017	93,50	76.060	25,9	SEBA KLL-Q
11/10/2017	94,00	76.620	25,9	SEBA KLL-Q
11/10/2017	94,50	74.600	25,9	SEBA KLL-Q
11/10/2017	95,00	78.230	25,9	SEBA KLL-Q
11/10/2017	95,50	79.500	25,9	SEBA KLL-Q
11/10/2017	96,00	85.090	25,9	SEBA KLL-Q
11/10/2017	96,50	87.060	25,9	SEBA KLL-Q
11/10/2017	97,00	90.600	25,9	SEBA KLL-Q
11/10/2017	97,50	91.150	25,9	SEBA KLL-Q
11/10/2017	98,00	95.690	25,9	SEBA KLL-Q
11/10/2017	98,50	93.570	25,9	SEBA KLL-Q
11/10/2017	99,00	95.600	25,9	SEBA KLL-Q
11/10/2017	100,00	99.510	26,0	SEBA KLL-Q
11/10/2017	101,00	129.600	26,0	SEBA KLL-Q
11/10/2017	102,00	130.000	26,0	SEBA KLL-Q
11/10/2017	103,00	130.200	26,0	SEBA KLL-Q
11/10/2017	104,00	150.800	26,0	SEBA KLL-Q
11/10/2017	105,00	178.700	26,0	SEBA KLL-Q
11/10/2017	105,50	199.400	26,0	SEBA KLL-Q
11/10/2017	106,00	209.300	26,1	SEBA KLL-Q
11/10/2017	106,50	212.700	26,1	SEBA KLL-Q
11/10/2017	107,00	219.500	26,1	SEBA KLL-Q
11/10/2017	107,50	227.900	26,1	SEBA KLL-Q
11/10/2017	108,00	230.200	26,1	SEBA KLL-Q
11/10/2017	108,50	233.300	26,1	SEBA KLL-Q
11/10/2017	109,00	234.100	26,1	SEBA KLL-Q
11/10/2017	109,50	234.200	26,1	SEBA KLL-Q
11/10/2017	110,00	234.900	26,1	SEBA KLL-Q
11/10/2017	110,50	235.150	26,2	SEBA KLL-Q
11/10/2017	111,00	236.700	26,2	SEBA KLL-Q
11/10/2017	111,50	237.100	26,2	SEBA KLL-Q
11/10/2017	112,00	237.400	26,2	SEBA KLL-Q
11/10/2017	113,00	237.500	26,2	SEBA KLL-Q
11/10/2017	114,00	237.700	26,3	SEBA KLL-Q
11/10/2017	115,00	237.600	26,3	SEBA KLL-Q
11/10/2017	116,00	237.600	26,3	SEBA KLL-Q
11/10/2017	117,00	237.500	26,3	SEBA KLL-Q
11/10/2017	118,00	245.000	26,4	SEBA KLL-Q
24/01/2018	1,0	23.570	25,55	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/01/2018	2,0	23.580	25,73	SEBA KLL-Q
24/01/2018	4,0	23.560	25,74	SEBA KLL-Q
24/01/2018	6,0	23.550	25,74	SEBA KLL-Q
24/01/2018	8,0	23.560	25,74	SEBA KLL-Q
24/01/2018	10,0	23.550	25,74	SEBA KLL-Q
24/01/2018	12,0	23.560	25,74	SEBA KLL-Q
24/01/2018	14,0	23.550	25,73	SEBA KLL-Q
24/01/2018	16,0	23.550	25,74	SEBA KLL-Q
24/01/2018	18,0	23.550	25,74	SEBA KLL-Q
24/01/2018	20,0	23.550	25,74	SEBA KLL-Q
24/01/2018	22,0	23.550	25,74	SEBA KLL-Q
24/01/2018	24,0	23.560	25,74	SEBA KLL-Q
24/01/2018	26,0	23.550	25,74	SEBA KLL-Q
24/01/2018	28,0	23.550	25,74	SEBA KLL-Q
24/01/2018	30,0	23.540	25,75	SEBA KLL-Q
24/01/2018	32,0	23.540	25,75	SEBA KLL-Q
24/01/2018	34,0	23.550	25,74	SEBA KLL-Q
24/01/2018	36,0	23.550	25,74	SEBA KLL-Q
24/01/2018	38,0	23.540	25,76	SEBA KLL-Q
24/01/2018	40,0	23.580	25,76	SEBA KLL-Q
24/01/2018	42,0	23.610	25,76	SEBA KLL-Q
24/01/2018	44,0	23.630	25,76	SEBA KLL-Q
24/01/2018	46,0	23.670	25,77	SEBA KLL-Q
24/01/2018	48,0	23.720	25,79	SEBA KLL-Q
24/01/2018	50,0	23.730	25,79	SEBA KLL-Q
24/01/2018	52,0	23.740	25,79	SEBA KLL-Q
24/01/2018	54,0	23.770	25,79	SEBA KLL-Q
24/01/2018	56,0	23.830	25,80	SEBA KLL-Q
24/01/2018	58,0	23.870	25,81	SEBA KLL-Q
24/01/2018	60,0	23.890	25,81	SEBA KLL-Q
24/01/2018	62,0	23.850	25,82	SEBA KLL-Q
24/01/2018	64,0	23.880	25,82	SEBA KLL-Q
24/01/2018	66,0	23.870	25,82	SEBA KLL-Q
24/01/2018	68,0	23.950	25,82	SEBA KLL-Q
24/01/2018	70,0	24.060	25,83	SEBA KLL-Q
24/01/2018	72,0	24.420	25,84	SEBA KLL-Q
24/01/2018	74,0	24.550	25,85	SEBA KLL-Q
24/01/2018	76,0	24.600	25,86	SEBA KLL-Q
24/01/2018	78,0	24.650	25,86	SEBA KLL-Q
24/01/2018	80,0	24.930	25,87	SEBA KLL-Q
24/01/2018	82,0	25.070	25,87	SEBA KLL-Q
24/01/2018	84,0	25.070	25,88	SEBA KLL-Q
24/01/2018	86,0	26.750	25,88	SEBA KLL-Q
24/01/2018	88,0	28.720	25,90	SEBA KLL-Q
24/01/2018	90,0	39.810	25,92	SEBA KLL-Q
24/01/2018	91,0	67.190	26,00	SEBA KLL-Q
24/01/2018	91,2	67.390	26,01	SEBA KLL-Q
24/01/2018	91,4	67.420	26,01	SEBA KLL-Q
24/01/2018	91,6	67.460	26,01	SEBA KLL-Q
24/01/2018	91,8	67.470	26,02	SEBA KLL-Q
24/01/2018	92,0	67.470	26,01	SEBA KLL-Q
24/01/2018	93,0	70.120	26,03	SEBA KLL-Q
24/01/2018	94,0	71.190	26,05	SEBA KLL-Q
24/01/2018	95,0	72.930	26,05	SEBA KLL-Q
24/01/2018	96,0	79.220	26,07	SEBA KLL-Q
24/01/2018	97,0	84.300	26,08	SEBA KLL-Q
24/01/2018	98,0	85.890	26,11	SEBA KLL-Q
24/01/2018	99,0	88.930	26,12	SEBA KLL-Q
24/01/2018	100,0	92.660	26,13	SEBA KLL-Q
24/01/2018	101,0	120.200	26,16	SEBA KLL-Q
24/01/2018	101,5	120.500	26,17	SEBA KLL-Q
24/01/2018	102,0	120.700	26,17	SEBA KLL-Q
24/01/2018	103,0	120.800	26,20	SEBA KLL-Q
24/01/2018	104,0	139.100	26,21	SEBA KLL-Q
24/01/2018	105,0	163.600	26,23	SEBA KLL-Q
24/01/2018	106,0	193.500	26,25	SEBA KLL-Q
24/01/2018	106,5	197.600	26,26	SEBA KLL-Q
24/01/2018	107,0	202.900	26,28	SEBA KLL-Q
24/01/2018	108,0	212.400	26,29	SEBA KLL-Q
24/01/2018	109,0	215.800	26,31	SEBA KLL-Q
24/01/2018	110,0	216.900	26,34	SEBA KLL-Q
24/01/2018	112,0	218.100	26,37	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/01/2018	114,0	218.500	26,44	SEBA KLL-Q
24/01/2018	116,0	218.300	26,48	SEBA KLL-Q
24/01/2018	118,0	225.100	26,54	SEBA KLL-Q
06/04/2018	0,6	22.100	25,30	Solinst TLC 107
06/04/2018	0,8	23.500	25,40	Solinst TLC 107
06/04/2018	1,0	23.700	25,40	Solinst TLC 107
06/04/2018	2,0	24.300	25,60	Solinst TLC 107
06/04/2018	4,0	25.300	25,80	Solinst TLC 107
06/04/2018	6,0	25.400	25,80	Solinst TLC 107
06/04/2018	8,0	25.200	25,80	Solinst TLC 107
06/04/2018	10,0	25.200	25,80	Solinst TLC 107
06/04/2018	12,0	25.400	25,80	Solinst TLC 107
06/04/2018	14,0	25.500	25,80	Solinst TLC 107
06/04/2018	16,0	25.500	25,80	Solinst TLC 107
06/04/2018	18,0	25.400	25,80	Solinst TLC 107
06/04/2018	20,0	25.600	25,80	Solinst TLC 107
06/04/2018	22,0	25.600	25,80	Solinst TLC 107
06/04/2018	24,0	25.700	25,80	Solinst TLC 107
06/04/2018	26,0	25.900	25,80	Solinst TLC 107
06/04/2018	28,0	25.900	25,80	Solinst TLC 107
06/04/2018	30,0	26.000	25,80	Solinst TLC 107
06/04/2018	32,0	26.100	25,80	Solinst TLC 107
06/04/2018	34,0	26.100	25,80	Solinst TLC 107
06/04/2018	36,0	26.100	25,80	Solinst TLC 107
06/04/2018	38,0	26.200	25,80	Solinst TLC 107
06/04/2018	40,0	26.200	25,80	Solinst TLC 107
06/04/2018	42,0	26.300	25,80	Solinst TLC 107
06/04/2018	44,0	26.300	25,80	Solinst TLC 107
06/04/2018	46,0	26.300	25,80	Solinst TLC 107
06/04/2018	48,0	26.400	25,80	Solinst TLC 107
06/04/2018	50,0	26.400	25,80	Solinst TLC 107
06/04/2018	52,0	26.400	25,80	Solinst TLC 107
06/04/2018	54,0	26.400	25,80	Solinst TLC 107
06/04/2018	56,0	26.500	25,80	Solinst TLC 107
06/04/2018	58,0	26.600	25,80	Solinst TLC 107
06/04/2018	60,0	26.600	25,80	Solinst TLC 107
06/04/2018	62,0	26.600	25,80	Solinst TLC 107
06/04/2018	64,0	26.500	25,80	Solinst TLC 107
06/04/2018	66,0	26.600	25,80	Solinst TLC 107
06/04/2018	68,0	26.700	25,90	Solinst TLC 107
06/04/2018	70,0	27.000	25,90	Solinst TLC 107
06/04/2018	72,0	27.200	25,90	Solinst TLC 107
06/04/2018	74,0	27.600	25,90	Solinst TLC 107
06/04/2018	76,0	27.400	25,90	Solinst TLC 107
06/04/2018	78,0	27.300	25,90	Solinst TLC 107
06/04/2018	80,0	27.600	25,90	Solinst TLC 107
06/04/2018	82,0	27.800	25,90	Solinst TLC 107
06/04/2018	84,0	28.100	25,90	Solinst TLC 107
06/04/2018	86,0	28.900	25,90	Solinst TLC 107
06/04/2018	88,0	31.000	25,90	Solinst TLC 107
06/04/2018	90,0	59.700	26,00	Solinst TLC 107
06/04/2018	91,0	60.700	26,00	Solinst TLC 107
06/04/2018	92,0	59.900	26,00	Solinst TLC 107
06/04/2018	93,0	59.400	26,00	Solinst TLC 107
06/04/2018	94,0	60.000	26,00	Solinst TLC 107
06/04/2018	95,0	60.500	26,00	Solinst TLC 107
06/04/2018	96,0	61.300	26,00	Solinst TLC 107
06/04/2018	97,0	63.600	26,10	Solinst TLC 107
06/04/2018	98,0	66.500	26,10	Solinst TLC 107
06/04/2018	99,0	69.300	26,10	Solinst TLC 107
06/04/2018	100,0	70.600	26,10	Solinst TLC 107
06/04/2018	101,0	81.100	26,10	Solinst TLC 107
06/04/2018	102,0	82.500	26,10	Solinst TLC 107
06/04/2018	103,0	82.900	26,20	Solinst TLC 107
06/04/2018	104,0	88.300	26,20	Solinst TLC 107
06/04/2018	105,0	94.900	26,20	Solinst TLC 107
06/04/2018	106,0	104.100	26,20	Solinst TLC 107
06/04/2018	106,2	109.000	26,20	Solinst TLC 107
06/04/2018	106,4	112.000	26,20	Solinst TLC 107
06/04/2018	106,6	114.700	26,20	Solinst TLC 107
06/04/2018	106,8	116.100	26,20	Solinst TLC 107
06/04/2018	107,0	118.000	26,20	Solinst TLC 107

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
06/04/2018	107,2	120.100	26,20	Solinst TLC 107
06/04/2018	107,4	122.500	26,20	Solinst TLC 107
06/04/2018	107,6	127.900	26,30	Solinst TLC 107
06/04/2018	107,8	132.800	26,30	Solinst TLC 107
06/04/2018	108,0	135.900	26,30	Solinst TLC 107
06/04/2018	108,5	156.100	26,30	Solinst TLC 107
06/04/2018	109,0	167.800	26,30	Solinst TLC 107
06/04/2018	109,2	184.700	26,30	Solinst TLC 107
06/04/2018	109,4	201.500	26,30	Solinst TLC 107
06/04/2018	109,6	223.200	26,30	Solinst TLC 107
06/04/2018	109,8	237.200	26,30	Solinst TLC 107
06/04/2018	110,0	250.700	26,30	Solinst TLC 107
06/04/2018	112,0	266.500	26,30	Solinst TLC 107
06/04/2018	114,0	279.200	26,50	Solinst TLC 107
06/04/2018	116,0	296.500	26,50	Solinst TLC 107
06/04/2018	118,0	315.700	26,60	Solinst TLC 107
29/07/2018	1,0	29.270	25,29	SEBA KLL-Q
29/07/2018	2,0	29.320	25,62	SEBA KLL-Q
29/07/2018	4,0	29.290	25,29	SEBA KLL-Q
29/07/2018	6,0	29.270	25,62	SEBA KLL-Q
29/07/2018	8,0	29.260	25,65	SEBA KLL-Q
29/07/2018	10,0	29.260	25,66	SEBA KLL-Q
29/07/2018	12,0	29.270	25,65	SEBA KLL-Q
29/07/2018	14,0	29.250	25,65	SEBA KLL-Q
29/07/2018	16,0	29.250	25,65	SEBA KLL-Q
29/07/2018	18,0	29.250	25,65	SEBA KLL-Q
29/07/2018	20,0	29.240	25,66	SEBA KLL-Q
29/07/2018	22,0	29.260	25,66	SEBA KLL-Q
29/07/2018	24,0	29.260	25,66	SEBA KLL-Q
29/07/2018	26,0	29.250	25,65	SEBA KLL-Q
29/07/2018	28,0	29.260	25,66	SEBA KLL-Q
29/07/2018	30,0	29.260	25,66	SEBA KLL-Q
29/07/2018	32,0	29.240	25,66	SEBA KLL-Q
29/07/2018	34,0	29.260	25,67	SEBA KLL-Q
29/07/2018	36,0	29.240	25,67	SEBA KLL-Q
29/07/2018	38,0	29.260	25,67	SEBA KLL-Q
29/07/2018	40,0	29.250	25,66	SEBA KLL-Q
29/07/2018	42,0	29.290	25,67	SEBA KLL-Q
29/07/2018	44,0	29.340	25,66	SEBA KLL-Q
29/07/2018	46,0	29.410	25,67	SEBA KLL-Q
29/07/2018	48,0	29.510	25,70	SEBA KLL-Q
29/07/2018	50,0	29.540	25,70	SEBA KLL-Q
29/07/2018	52,0	29.570	25,71	SEBA KLL-Q
29/07/2018	54,0	29.570	25,71	SEBA KLL-Q
29/07/2018	56,0	29.840	25,73	SEBA KLL-Q
29/07/2018	58,0	29.810	25,73	SEBA KLL-Q
29/07/2018	60,0	29.820	25,74	SEBA KLL-Q
29/07/2018	62,0	29.690	25,75	SEBA KLL-Q
29/07/2018	64,0	29.850	25,74	SEBA KLL-Q
29/07/2018	66,0	29.820	25,74	SEBA KLL-Q
29/07/2018	68,0	29.910	25,75	SEBA KLL-Q
29/07/2018	70,0	30.020	25,76	SEBA KLL-Q
29/07/2018	72,0	30.390	25,77	SEBA KLL-Q
29/07/2018	74,0	30.390	25,77	SEBA KLL-Q
29/07/2018	76,0	30.460	25,78	SEBA KLL-Q
29/07/2018	78,0	30.540	25,79	SEBA KLL-Q
29/07/2018	80,0	30.970	25,79	SEBA KLL-Q
29/07/2018	82,0	31.040	25,79	SEBA KLL-Q
29/07/2018	84,0	31.040	25,79	SEBA KLL-Q
29/07/2018	86,0	32.740	25,81	SEBA KLL-Q
29/07/2018	88,0	35.350	25,83	SEBA KLL-Q
29/07/2018	90,0	42.270	25,83	SEBA KLL-Q
29/07/2018	91,0	82.720	25,92	SEBA KLL-Q
29/07/2018	91,2	82.790	25,95	SEBA KLL-Q
29/07/2018	91,4	82.810	25,96	SEBA KLL-Q
29/07/2018	91,6	82.830	25,95	SEBA KLL-Q
29/07/2018	91,8	82.830	25,95	SEBA KLL-Q
29/07/2018	92,0	82.870	25,94	SEBA KLL-Q
29/07/2018	93,0	85.080	25,97	SEBA KLL-Q
29/07/2018	94,0	86.770	25,99	SEBA KLL-Q
29/07/2018	96,0	95.870	25,99	SEBA KLL-Q
29/07/2018	96,5	98.040	26,00	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
29/07/2018	97,0	102.200	26,03	SEBA KLL-Q
29/07/2018	98,0	103.700	26,03	SEBA KLL-Q
29/07/2018	100,0	114.000	26,06	SEBA KLL-Q
29/07/2018	101,0	141.900	26,07	SEBA KLL-Q
29/07/2018	101,5	145.400	26,09	SEBA KLL-Q
29/07/2018	102,0	147.100	26,10	SEBA KLL-Q
29/07/2018	103,0	148.600	26,15	SEBA KLL-Q
29/07/2018	105,0	189.800	26,15	SEBA KLL-Q
29/07/2018	105,5	221.700	26,17	SEBA KLL-Q
29/07/2018	106,0	232.000	26,17	SEBA KLL-Q
29/07/2018	106,5	237.500	26,19	SEBA KLL-Q
29/07/2018	107,0	243.500	26,20	SEBA KLL-Q
29/07/2018	108,0	255.900	26,23	SEBA KLL-Q
29/07/2018	109,0	259.200	26,24	SEBA KLL-Q
29/07/2018	110,0	260.800	26,29	SEBA KLL-Q
21/08/2018	0,8	26.040	25,34	SEBA KLL-Q
21/08/2018	1,0	25.990	25,37	SEBA KLL-Q
21/08/2018	1,5	25.940	25,77	SEBA KLL-Q
21/08/2018	2,0	25.900	25,81	SEBA KLL-Q
21/08/2018	3,0	25.900	25,82	SEBA KLL-Q
21/08/2018	4,0	25.910	25,82	SEBA KLL-Q
21/08/2018	6,0	25.890	25,83	SEBA KLL-Q
21/08/2018	8,0	25.890	25,82	SEBA KLL-Q
21/08/2018	10,0	25.890	25,82	SEBA KLL-Q
21/08/2018	12,0	25.890	25,86	SEBA KLL-Q
21/08/2018	14,0	25.890	25,86	SEBA KLL-Q
21/08/2018	16,0	25.890	25,86	SEBA KLL-Q
21/08/2018	18,0	25.880	25,84	SEBA KLL-Q
21/08/2018	20,0	25.890	25,82	SEBA KLL-Q
21/08/2018	22,0	25.890	25,85	SEBA KLL-Q
21/08/2018	24,0	25.900	25,83	SEBA KLL-Q
21/08/2018	26,0	25.880	25,85	SEBA KLL-Q
21/08/2018	28,0	25.890	25,83	SEBA KLL-Q
21/08/2018	30,0	25.860	25,88	SEBA KLL-Q
21/08/2018	32,0	25.890	25,83	SEBA KLL-Q
21/08/2018	34,0	25.880	25,84	SEBA KLL-Q
21/08/2018	36,0	25.880	25,84	SEBA KLL-Q
21/08/2018	38,0	25.890	25,85	SEBA KLL-Q
21/08/2018	40,0	25.900	25,87	SEBA KLL-Q
21/08/2018	42,0	25.970	25,86	SEBA KLL-Q
21/08/2018	44,0	25.970	25,94	SEBA KLL-Q
21/08/2018	46,0	26.040	25,96	SEBA KLL-Q
21/08/2018	48,0	26.110	25,94	SEBA KLL-Q
21/08/2018	50,0	26.130	25,90	SEBA KLL-Q
21/08/2018	52,0	26.150	25,91	SEBA KLL-Q
21/08/2018	54,0	26.150	25,88	SEBA KLL-Q
21/08/2018	56,0	26.390	25,97	SEBA KLL-Q
21/08/2018	58,0	26.410	25,92	SEBA KLL-Q
21/08/2018	60,0	26.390	25,96	SEBA KLL-Q
21/08/2018	62,0	26.390	25,96	SEBA KLL-Q
21/08/2018	64,0	26.440	25,95	SEBA KLL-Q
21/08/2018	66,0	26.460	25,96	SEBA KLL-Q
21/08/2018	68,0	26.540	25,95	SEBA KLL-Q
21/08/2018	70,0	26.620	25,95	SEBA KLL-Q
21/08/2018	72,0	26.850	25,96	SEBA KLL-Q
21/08/2018	74,0	26.810	25,97	SEBA KLL-Q
21/08/2018	76,0	26.940	25,96	SEBA KLL-Q
21/08/2018	78,0	27.100	26,05	SEBA KLL-Q
21/08/2018	80,0	27.310	25,99	SEBA KLL-Q
21/08/2018	82,0	27.450	25,97	SEBA KLL-Q
21/08/2018	84,0	27.430	25,97	SEBA KLL-Q
21/08/2018	86,0	28.610	25,98	SEBA KLL-Q
21/08/2018	88,0	31.030	26,00	SEBA KLL-Q
21/08/2018	90,0	39.830	26,01	SEBA KLL-Q
21/08/2018	91,0	74.020	26,09	SEBA KLL-Q
21/08/2018	91,5	74.160	26,10	SEBA KLL-Q
21/08/2018	92,0	74.260	26,12	SEBA KLL-Q
21/08/2018	93,0	76.730	26,12	SEBA KLL-Q
21/08/2018	94,0	77.780	26,19	SEBA KLL-Q
21/08/2018	95,0	80.190	26,16	SEBA KLL-Q
21/08/2018	96,0	86.510	26,17	SEBA KLL-Q
21/08/2018	97,0	92.020	26,19	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
21/08/2018	97,5	92.500	26,25	SEBA KLL-Q
21/08/2018	98,0	92.860	26,23	SEBA KLL-Q
21/08/2018	99,0	96.930	26,28	SEBA KLL-Q
21/08/2018	100,0	103.400	26,27	SEBA KLL-Q
21/08/2018	101,0	128.800	26,31	SEBA KLL-Q
21/08/2018	101,5	131.100	26,28	SEBA KLL-Q
21/08/2018	102,0	131.200	26,34	SEBA KLL-Q
21/08/2018	102,5	131.300	26,28	SEBA KLL-Q
21/08/2018	103,0	131.700	26,36	SEBA KLL-Q
21/08/2018	103,5	144.200	26,37	SEBA KLL-Q
21/08/2018	104,0	151.900	26,32	SEBA KLL-Q
21/08/2018	105,0	176.700	26,37	SEBA KLL-Q
21/08/2018	105,5	197.600	26,42	SEBA KLL-Q
21/08/2018	106,0	207.600	26,41	SEBA KLL-Q
21/08/2018	106,2	209.700	26,34	SEBA KLL-Q
21/08/2018	106,4	211.000	26,40	SEBA KLL-Q
21/08/2018	106,6	212.700	26,41	SEBA KLL-Q
21/08/2018	106,8	214.800	26,37	SEBA KLL-Q
21/08/2018	107,0	217.900	26,34	SEBA KLL-Q
21/08/2018	107,5	226.400	26,39	SEBA KLL-Q
21/08/2018	108,0	226.700	26,36	SEBA KLL-Q
21/08/2018	109,0	233.000	26,37	SEBA KLL-Q
21/08/2018	110,0	234.500	26,38	SEBA KLL-Q
21/08/2018	112,0	235.300	26,48	SEBA KLL-Q
21/08/2018	114,0	236.100	26,56	SEBA KLL-Q
21/08/2018	116,0	235.400	26,59	SEBA KLL-Q
21/08/2018	118,0	243.400	26,59	SEBA KLL-Q
08/09/2018	0,5	26.560	25,51	SEBA KLL-Q
08/09/2018	0,7	26.520	25,60	SEBA KLL-Q
08/09/2018	1,0	26.530	25,70	SEBA KLL-Q
08/09/2018	1,5	26.550	25,80	SEBA KLL-Q
08/09/2018	2,0	26.540	25,80	SEBA KLL-Q
08/09/2018	3,0	26.540	25,80	SEBA KLL-Q
08/09/2018	4,0	26.540	25,80	SEBA KLL-Q
08/09/2018	6,0	26.560	25,80	SEBA KLL-Q
08/09/2018	8,0	26.560	25,80	SEBA KLL-Q
08/09/2018	10,0	26.560	25,80	SEBA KLL-Q
08/09/2018	12,0	26.560	25,80	SEBA KLL-Q
08/09/2018	14,0	26.580	25,80	SEBA KLL-Q
08/09/2018	16,0	26.580	25,80	SEBA KLL-Q
08/09/2018	18,0	26.590	25,80	SEBA KLL-Q
08/09/2018	20,0	26.580	25,80	SEBA KLL-Q
08/09/2018	22,0	26.580	25,80	SEBA KLL-Q
08/09/2018	24,0	26.580	25,80	SEBA KLL-Q
08/09/2018	26,0	26.590	25,80	SEBA KLL-Q
08/09/2018	28,0	26.590	25,80	SEBA KLL-Q
08/09/2018	30,0	26.590	25,80	SEBA KLL-Q
08/09/2018	32,0	26.590	25,80	SEBA KLL-Q
08/09/2018	34,0	26.590	25,80	SEBA KLL-Q
08/09/2018	36,0	26.590	25,80	SEBA KLL-Q
08/09/2018	38,0	26.590	25,80	SEBA KLL-Q
08/09/2018	40,0	26.590	25,80	SEBA KLL-Q
08/09/2018	42,0	26.670	25,80	SEBA KLL-Q
08/09/2018	44,0	26.720	25,80	SEBA KLL-Q
08/09/2018	46,0	26.790	25,80	SEBA KLL-Q
08/09/2018	48,0	26.830	25,80	SEBA KLL-Q
08/09/2018	50,0	26.870	25,80	SEBA KLL-Q
08/09/2018	52,0	26.870	25,80	SEBA KLL-Q
08/09/2018	54,0	26.890	25,80	SEBA KLL-Q
08/09/2018	56,0	27.880	25,80	SEBA KLL-Q
08/09/2018	58,0	27.080	25,80	SEBA KLL-Q
08/09/2018	60,0	27.100	25,80	SEBA KLL-Q
08/09/2018	62,0	27.080	25,80	SEBA KLL-Q
08/09/2018	64,0	27.100	25,80	SEBA KLL-Q
08/09/2018	66,0	27.100	25,80	SEBA KLL-Q
08/09/2018	68,0	27.100	25,80	SEBA KLL-Q
08/09/2018	70,0	27.140	25,80	SEBA KLL-Q
08/09/2018	72,0	27.510	25,90	SEBA KLL-Q
08/09/2018	74,0	27.590	25,90	SEBA KLL-Q
08/09/2018	76,0	27.700	25,90	SEBA KLL-Q
08/09/2018	78,0	27.870	25,90	SEBA KLL-Q
08/09/2018	80,0	27.970	25,90	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [ $\mu$ S/cm]	TEMP [°C]	Equipo
08/09/2018	82,0	28.230	25,90	SEBA KLL-Q
08/09/2018	84,0	28.160	25,90	SEBA KLL-Q
08/09/2018	86,0	29.650	25,90	SEBA KLL-Q
08/09/2018	88,0	30.960	25,90	SEBA KLL-Q
08/09/2018	90,0	40.100	25,90	SEBA KLL-Q
08/09/2018	92,0	75.900	26,00	SEBA KLL-Q
08/09/2018	94,0	79.180	26,00	SEBA KLL-Q
08/09/2018	96,0	88.010	26,00	SEBA KLL-Q
08/09/2018	98,0	95.060	26,00	SEBA KLL-Q
08/09/2018	100,0	98.720	26,00	SEBA KLL-Q
08/09/2018	102,0	134.000	26,00	SEBA KLL-Q
08/09/2018	103,0	135.500	26,20	SEBA KLL-Q
08/09/2018	104,0	156.000	26,20	SEBA KLL-Q
08/09/2018	104,5	160.200	26,20	SEBA KLL-Q
08/09/2018	104,7	167.200	26,20	SEBA KLL-Q
08/09/2018	104,9	176.200	26,20	SEBA KLL-Q
08/09/2018	105,1	184.300	26,30	SEBA KLL-Q
08/09/2018	105,3	198.300	26,30	SEBA KLL-Q
08/09/2018	105,5	203.800	26,30	SEBA KLL-Q
08/09/2018	105,7	208.700	26,30	SEBA KLL-Q
08/09/2018	106,0	214.300	26,30	SEBA KLL-Q
08/09/2018	106,5	218.500	26,30	SEBA KLL-Q
08/09/2018	107,0	224.300	26,30	SEBA KLL-Q
08/09/2018	108,0	224.500	26,30	SEBA KLL-Q
08/09/2018	110,0	241.700	26,30	SEBA KLL-Q
08/09/2018	112,0	243.300	26,30	SEBA KLL-Q
08/09/2018	114,0	243.500	26,50	SEBA KLL-Q
08/09/2018	116,0	243.000	26,50	SEBA KLL-Q
08/09/2018	117,0	243.300	26,50	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
08/09/2018	117,5	249.500	26,89	SEBA KLL-Q
05/11/2018	0,6	25.320	26,24	SEBA KLL-Q
05/11/2018	0,8	25.180	26,62	SEBA KLL-Q
05/11/2018	1,0	25.220	26,64	SEBA KLL-Q
05/11/2018	1,5	25.220	26,83	SEBA KLL-Q
05/11/2018	2,0	25.250	26,90	SEBA KLL-Q
05/11/2018	3,0	25.230	26,91	SEBA KLL-Q
05/11/2018	4,0	25.220	26,91	SEBA KLL-Q
05/11/2018	6,0	25.200	26,95	SEBA KLL-Q
05/11/2018	8,0	25.190	26,98	SEBA KLL-Q
05/11/2018	10,0	25.130	27,09	SEBA KLL-Q
05/11/2018	12,0	25.120	27,12	SEBA KLL-Q
05/11/2018	14,0	25.110	27,12	SEBA KLL-Q
05/11/2018	16,0	25.100	27,15	SEBA KLL-Q
05/11/2018	18,0	25.090	27,17	SEBA KLL-Q
05/11/2018	20,0	25.080	27,21	SEBA KLL-Q
05/11/2018	22,0	25.070	27,21	SEBA KLL-Q
05/11/2018	24,0	25.060	27,23	SEBA KLL-Q
05/11/2018	26,0	25.050	27,27	SEBA KLL-Q
05/11/2018	28,0	24.850	27,65	SEBA KLL-Q
05/11/2018	30,0	24.870	27,63	SEBA KLL-Q
05/11/2018	32,0	24.870	27,63	SEBA KLL-Q
05/11/2018	34,0	24.880	27,59	SEBA KLL-Q
05/11/2018	36,0	24.870	27,61	SEBA KLL-Q
05/11/2018	38,0	24.900	27,54	SEBA KLL-Q
05/11/2018	40,0	24.940	27,52	SEBA KLL-Q
05/11/2018	42,0	24.980	27,50	SEBA KLL-Q
05/11/2018	44,0	25.070	27,51	SEBA KLL-Q
05/11/2018	46,0	25.110	27,52	SEBA KLL-Q
05/11/2018	48,0	25.160	27,54	SEBA KLL-Q
05/11/2018	50,0	25.190	27,55	SEBA KLL-Q
05/11/2018	52,0	25.200	27,57	SEBA KLL-Q
05/11/2018	54,0	25.190	27,56	SEBA KLL-Q
05/11/2018	56,0	25.410	27,60	SEBA KLL-Q
05/11/2018	58,0	25.450	27,56	SEBA KLL-Q
05/11/2018	60,0	25.430	27,56	SEBA KLL-Q
05/11/2018	62,0	25.460	27,56	SEBA KLL-Q
05/11/2018	64,0	25.470	27,58	SEBA KLL-Q
05/11/2018	66,0	25.500	27,55	SEBA KLL-Q
05/11/2018	68,0	25.550	27,57	SEBA KLL-Q
05/11/2018	70,0	25.700	27,55	SEBA KLL-Q
05/11/2018	72,0	25.860	27,58	SEBA KLL-Q
05/11/2018	74,0	25.970	27,56	SEBA KLL-Q
05/11/2018	76,0	25.920	27,54	SEBA KLL-Q
05/11/2018	78,0	26.200	27,52	SEBA KLL-Q
05/11/2018	80,0	26.240	27,52	SEBA KLL-Q
05/11/2018	82,0	26.590	27,49	SEBA KLL-Q
05/11/2018	84,0	26.420	27,49	SEBA KLL-Q
05/11/2018	86,0	27.540	27,50	SEBA KLL-Q
05/11/2018	88,0	29.250	27,47	SEBA KLL-Q
05/11/2018	89,0	30.670	27,48	SEBA KLL-Q
05/11/2018	90,0	38.150	27,48	SEBA KLL-Q
05/11/2018	90,5	68.500	27,54	SEBA KLL-Q
05/11/2018	91,0	70.920	27,52	SEBA KLL-Q
05/11/2018	91,2	71.110	27,52	SEBA KLL-Q
05/11/2018	91,4	71.150	27,51	SEBA KLL-Q
05/11/2018	91,6	71.210	27,50	SEBA KLL-Q
05/11/2018	91,8	71.220	27,53	SEBA KLL-Q
05/11/2018	92,0	71.290	27,48	SEBA KLL-Q
05/11/2018	92,5	71.510	27,49	SEBA KLL-Q
05/11/2018	93,0	73.830	27,47	SEBA KLL-Q
05/11/2018	93,5	74.490	27,49	SEBA KLL-Q
05/11/2018	94,0	75.170	27,46	SEBA KLL-Q
05/11/2018	94,5	76.340	27,47	SEBA KLL-Q
05/11/2018	95,0	77.260	27,44	SEBA KLL-Q
05/11/2018	95,5	78.470	27,44	SEBA KLL-Q
05/11/2018	96,0	83.350	27,44	SEBA KLL-Q
05/11/2018	96,5	84.910	27,41	SEBA KLL-Q
05/11/2018	97,0	88.690	27,41	SEBA KLL-Q
05/11/2018	97,5	89.080	27,43	SEBA KLL-Q
05/11/2018	98,0	89.570	27,41	SEBA KLL-Q
05/11/2018	98,5	91.570	27,42	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [ $\mu$ S/cm]	TEMP [°C]	Equipo
05/11/2018	99,0	93.520	27,41	SEBA KLL-Q
05/11/2018	99,5	94.590	27,40	SEBA KLL-Q
05/11/2018	100,0	98.690	27,41	SEBA KLL-Q
05/11/2018	100,5	117.200	27,43	SEBA KLL-Q
05/11/2018	101,0	123.500	27,42	SEBA KLL-Q
05/11/2018	101,2	126.600	27,44	SEBA KLL-Q
05/11/2018	101,4	126.800	27,43	SEBA KLL-Q
05/11/2018	101,6	126.900	27,47	SEBA KLL-Q
05/11/2018	101,8	126.900	27,47	SEBA KLL-Q
05/11/2018	102,0	127.000	27,46	SEBA KLL-Q
05/11/2018	102,5	127.000	27,46	SEBA KLL-Q
05/11/2018	103,0	127.600	27,47	SEBA KLL-Q
05/11/2018	103,5	140.900	27,41	SEBA KLL-Q
05/11/2018	104,0	147.400	27,40	SEBA KLL-Q
05/11/2018	104,5	151.300	27,40	SEBA KLL-Q
05/11/2018	105,0	174.700	27,43	SEBA KLL-Q
05/11/2018	105,2	184.200	27,43	SEBA KLL-Q
05/11/2018	105,4	190.100	27,41	SEBA KLL-Q
05/11/2018	105,6	195.400	27,41	SEBA KLL-Q
05/11/2018	105,8	198.600	27,49	SEBA KLL-Q
05/11/2018	106,0	202.100	27,49	SEBA KLL-Q
05/11/2018	106,5	206.100	27,49	SEBA KLL-Q
05/11/2018	107,0	211.300	27,49	SEBA KLL-Q
05/11/2018	108,0	222.000	27,51	SEBA KLL-Q
05/11/2018	110,0	227.500	27,52	SEBA KLL-Q
05/11/2018	112,0	229.500	27,51	SEBA KLL-Q
05/11/2018	114,0	230.000	27,56	SEBA KLL-Q
05/11/2018	116,0	230.200	27,58	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
05/11/2018	118,0	236.700	27,64	SEBA KLL-Q
24/01/2019	0,7	27.590	25,58	SEBA KLL-Q
24/01/2019	0,9	27.590	25,57	SEBA KLL-Q
24/01/2019	1,0	27.590	25,63	SEBA KLL-Q
24/01/2019	1,5	27.600	25,65	SEBA KLL-Q
24/01/2019	2,0	27.580	25,65	SEBA KLL-Q
24/01/2019	3,0	27.600	25,65	SEBA KLL-Q
24/01/2019	4,0	27.580	25,65	SEBA KLL-Q
24/01/2019	6,0	27.570	25,65	SEBA KLL-Q
24/01/2019	8,0	27.610	25,65	SEBA KLL-Q
24/01/2019	10,0	27.600	25,65	SEBA KLL-Q
24/01/2019	12,0	27.600	25,65	SEBA KLL-Q
24/01/2019	14,0	27.610	25,65	SEBA KLL-Q
24/01/2019	16,0	27.600	25,65	SEBA KLL-Q
24/01/2019	18,0	27.600	25,65	SEBA KLL-Q
24/01/2019	20,0	27.580	25,65	SEBA KLL-Q
24/01/2019	22,0	27.580	25,65	SEBA KLL-Q
24/01/2019	24,0	27.610	25,65	SEBA KLL-Q
24/01/2019	26,0	27.580	25,65	SEBA KLL-Q
24/01/2019	28,0	27.580	25,65	SEBA KLL-Q
24/01/2019	30,0	27.580	25,65	SEBA KLL-Q
24/01/2019	32,0	27.580	25,65	SEBA KLL-Q
24/01/2019	34,0	27.620	25,66	SEBA KLL-Q
24/01/2019	36,0	27.590	25,66	SEBA KLL-Q
24/01/2019	38,0	27.590	25,66	SEBA KLL-Q
24/01/2019	40,0	27.600	25,66	SEBA KLL-Q
24/01/2019	42,0	27.640	25,67	SEBA KLL-Q
24/01/2019	44,0	27.740	25,68	SEBA KLL-Q
24/01/2019	46,0	27.760	25,68	SEBA KLL-Q
24/01/2019	48,0	27.810	25,69	SEBA KLL-Q
24/01/2019	50,0	27.860	25,70	SEBA KLL-Q
24/01/2019	52,0	27.830	25,70	SEBA KLL-Q
24/01/2019	54,0	27.890	25,71	SEBA KLL-Q
24/01/2019	56,0	27.980	25,72	SEBA KLL-Q
24/01/2019	58,0	28.130	25,73	SEBA KLL-Q
24/01/2019	60,0	28.130	25,73	SEBA KLL-Q
24/01/2019	62,0	28.130	25,73	SEBA KLL-Q
24/01/2019	64,0	28.130	25,73	SEBA KLL-Q
24/01/2019	66,0	28.220	25,74	SEBA KLL-Q
24/01/2019	68,0	28.290	25,74	SEBA KLL-Q
24/01/2019	70,0	28.300	25,74	SEBA KLL-Q
24/01/2019	72,0	28.530	25,76	SEBA KLL-Q
24/01/2019	74,0	28.580	25,76	SEBA KLL-Q
24/01/2019	76,0	28.610	25,76	SEBA KLL-Q
24/01/2019	78,0	28.770	25,77	SEBA KLL-Q
24/01/2019	80,0	28.940	25,77	SEBA KLL-Q
24/01/2019	82,0	29.120	25,78	SEBA KLL-Q
24/01/2019	84,0	29.370	25,78	SEBA KLL-Q
24/01/2019	86,0	30.250	25,79	SEBA KLL-Q
24/01/2019	88,0	30.280	25,79	SEBA KLL-Q
24/01/2019	90,0	70.540	25,82	SEBA KLL-Q
24/01/2019	90,2	73.920	25,85	SEBA KLL-Q
24/01/2019	90,4	73.980	25,86	SEBA KLL-Q
24/01/2019	90,6	75.800	25,88	SEBA KLL-Q
24/01/2019	90,8	76.300	25,90	SEBA KLL-Q
24/01/2019	91,0	76.460	25,91	SEBA KLL-Q
24/01/2019	92,0	76.540	25,92	SEBA KLL-Q
24/01/2019	94,0	80.810	25,94	SEBA KLL-Q
24/01/2019	96,0	89.300	25,97	SEBA KLL-Q
24/01/2019	98,0	95.540	26,00	SEBA KLL-Q
24/01/2019	100,0	106.800	26,04	SEBA KLL-Q
24/01/2019	102,0	134.300	26,08	SEBA KLL-Q
24/01/2019	102,5	134.400	26,08	SEBA KLL-Q
24/01/2019	103,0	135.400	26,10	SEBA KLL-Q
24/01/2019	104,0	155.400	26,12	SEBA KLL-Q
24/01/2019	105,0	181.200	26,13	SEBA KLL-Q
24/01/2019	105,5	202.700	26,15	SEBA KLL-Q
24/01/2019	105,7	206.400	26,15	SEBA KLL-Q
24/01/2019	106,0	212.400	26,16	SEBA KLL-Q
24/01/2019	106,2	214.200	26,17	SEBA KLL-Q
24/01/2019	106,4	215.100	26,17	SEBA KLL-Q
24/01/2019	106,6	217.000	26,17	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [ $\mu\text{S}/\text{cm}$ ]	TEMP [°C]	Equipo
24/01/2019	106,8	218.900	26,18	SEBA KLL-Q
24/01/2019	107,0	222.600	26,18	SEBA KLL-Q
24/01/2019	109,0	236.300	26,22	SEBA KLL-Q
24/01/2019	111,0	239.900	26,27	SEBA KLL-Q
24/01/2019	113,0	240.200	26,30	SEBA KLL-Q
24/01/2019	115,0	240.200	26,36	SEBA KLL-Q
24/01/2019	117,0	240.100	26,38	SEBA KLL-Q
24/01/2019	117,5	245.700	26,41	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/01/2019	118,0	245.300	26,44	SEBA KLL-Q
24/03/2019	1,0	24.630	24,60	SEBA KLL-Q
24/03/2019	2,0	24.750	25,61	SEBA KLL-Q
24/03/2019	3,0	24.730	25,64	SEBA KLL-Q
24/03/2019	4,0	24.730	25,64	SEBA KLL-Q
24/03/2019	6,0	24.760	25,65	SEBA KLL-Q
24/03/2019	8,0	24.770	25,65	SEBA KLL-Q
24/03/2019	10,0	24.780	25,65	SEBA KLL-Q
24/03/2019	12,0	24.780	25,65	SEBA KLL-Q
24/03/2019	14,0	24.760	25,65	SEBA KLL-Q
24/03/2019	16,0	24.770	25,65	SEBA KLL-Q
24/03/2019	18,0	24.790	25,65	SEBA KLL-Q
24/03/2019	20,0	24.780	25,65	SEBA KLL-Q
24/03/2019	22,0	24.780	25,65	SEBA KLL-Q
24/03/2019	24,0	24.790	25,65	SEBA KLL-Q
24/03/2019	26,0	24.790	25,65	SEBA KLL-Q
24/03/2019	28,0	24.780	25,65	SEBA KLL-Q
24/03/2019	30,0	24.790	25,66	SEBA KLL-Q
24/03/2019	32,0	24.810	25,66	SEBA KLL-Q
24/03/2019	34,0	24.810	25,66	SEBA KLL-Q
24/03/2019	36,0	24.800	25,66	SEBA KLL-Q
24/03/2019	38,0	24.820	25,67	SEBA KLL-Q
24/03/2019	40,0	24.820	25,67	SEBA KLL-Q
24/03/2019	42,0	24.850	25,67	SEBA KLL-Q
24/03/2019	44,0	24.910	25,67	SEBA KLL-Q
24/03/2019	46,0	24.960	25,68	SEBA KLL-Q
24/03/2019	48,0	25.000	25,69	SEBA KLL-Q
24/03/2019	50,0	25.040	25,70	SEBA KLL-Q
24/03/2019	52,0	25.060	25,70	SEBA KLL-Q
24/03/2019	54,0	25.070	25,71	SEBA KLL-Q
24/03/2019	56,0	25.290	25,73	SEBA KLL-Q
24/03/2019	58,0	25.320	25,73	SEBA KLL-Q
24/03/2019	60,0	25.300	25,73	SEBA KLL-Q
24/03/2019	62,0	25.360	25,74	SEBA KLL-Q
24/03/2019	64,0	25.300	25,74	SEBA KLL-Q
24/03/2019	66,0	25.370	25,74	SEBA KLL-Q
24/03/2019	68,0	25.490	25,75	SEBA KLL-Q
24/03/2019	70,0	25.400	25,75	SEBA KLL-Q
24/03/2019	72,0	25.640	25,76	SEBA KLL-Q
24/03/2019	74,0	25.760	25,76	SEBA KLL-Q
24/03/2019	76,0	25.800	25,76	SEBA KLL-Q
24/03/2019	78,0	25.870	25,76	SEBA KLL-Q
24/03/2019	80,0	26.030	25,77	SEBA KLL-Q
24/03/2019	82,0	26.180	25,77	SEBA KLL-Q
24/03/2019	84,0	26.210	25,78	SEBA KLL-Q
24/03/2019	86,0	27.780	25,79	SEBA KLL-Q
24/03/2019	88,0	27.850	25,79	SEBA KLL-Q
24/03/2019	90,0	48.430	25,82	SEBA KLL-Q
24/03/2019	90,2	66.430	25,82	SEBA KLL-Q
24/03/2019	90,4	67.060	25,86	SEBA KLL-Q
24/03/2019	90,6	69.540	25,89	SEBA KLL-Q
24/03/2019	90,8	70.090	25,90	SEBA KLL-Q
24/03/2019	91,0	70.270	25,91	SEBA KLL-Q
24/03/2019	91,5	70.380	25,91	SEBA KLL-Q
24/03/2019	92,0	70.350	25,92	SEBA KLL-Q
24/03/2019	93,0	72.940	25,93	SEBA KLL-Q
24/03/2019	94,0	73.790	25,94	SEBA KLL-Q
24/03/2019	96,0	82.190	25,97	SEBA KLL-Q
24/03/2019	98,0	88.390	26,00	SEBA KLL-Q
24/03/2019	99,0	91.960	26,02	SEBA KLL-Q
24/03/2019	100,0	97.120	26,04	SEBA KLL-Q
24/03/2019	100,2	108.800	26,05	SEBA KLL-Q
24/03/2019	100,4	112.900	26,05	SEBA KLL-Q
24/03/2019	100,6	115.500	26,05	SEBA KLL-Q
24/03/2019	100,8	117.000	26,06	SEBA KLL-Q
24/03/2019	101,0	122.400	26,06	SEBA KLL-Q
24/03/2019	101,5	124.800	26,07	SEBA KLL-Q
24/03/2019	102,0	124.700	26,08	SEBA KLL-Q
24/03/2019	102,5	124.800	26,08	SEBA KLL-Q
24/03/2019	103,0	125.700	26,10	SEBA KLL-Q
24/03/2019	103,5	138.700	26,12	SEBA KLL-Q
24/03/2019	104,0	144.200	26,12	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [ $\mu$ S/cm]	TEMP [°C]	Equipo
24/03/2019	104,5	148.000	26,13	SEBA KLL-Q
24/03/2019	105,0	169.400	26,14	SEBA KLL-Q
24/03/2019	105,2	179.700	26,15	SEBA KLL-Q
24/03/2019	105,4	185.400	26,15	SEBA KLL-Q
24/03/2019	105,6	189.100	26,15	SEBA KLL-Q
24/03/2019	105,8	193.800	26,16	SEBA KLL-Q
24/03/2019	106,0	196.900	26,16	SEBA KLL-Q
24/03/2019	106,2	198.500	26,17	SEBA KLL-Q
24/03/2019	106,4	199.200	26,17	SEBA KLL-Q
24/03/2019	106,6	200.700	26,17	SEBA KLL-Q
24/03/2019	106,8	202.700	26,18	SEBA KLL-Q
24/03/2019	107,0	205.900	26,18	SEBA KLL-Q
24/03/2019	107,2	209.000	26,19	SEBA KLL-Q
24/03/2019	107,4	212.700	26,18	SEBA KLL-Q
24/03/2019	107,6	213.400	26,19	SEBA KLL-Q
24/03/2019	107,8	214.400	26,20	SEBA KLL-Q
24/03/2019	108,0	215.500	26,20	SEBA KLL-Q
24/03/2019	108,5	219.100	26,21	SEBA KLL-Q
24/03/2019	109,0	219.800	26,23	SEBA KLL-Q
24/03/2019	110,0	221.400	26,23	SEBA KLL-Q
24/03/2019	112,0	222.600	26,28	SEBA KLL-Q
24/03/2019	114,0	223.000	26,33	SEBA KLL-Q
24/03/2019	116,0	223.100	26,37	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
24/03/2019	118,0	229.500	26,43	SEBA KLL-Q
16/04/2019	1,0	25.430	25,59	SEBA KLL-Q
16/04/2019	1,5	25.450	25,65	SEBA KLL-Q
16/04/2019	2,0	25.470	25,65	SEBA KLL-Q
16/04/2019	4,0	25.480	25,65	SEBA KLL-Q
16/04/2019	6,0	25.490	25,65	SEBA KLL-Q
16/04/2019	8,0	25.490	25,65	SEBA KLL-Q
16/04/2019	10,0	25.490	25,65	SEBA KLL-Q
16/04/2019	12,0	25.500	25,65	SEBA KLL-Q
16/04/2019	14,0	25.510	25,65	SEBA KLL-Q
16/04/2019	16,0	25.510	25,65	SEBA KLL-Q
16/04/2019	18,0	25.510	25,65	SEBA KLL-Q
16/04/2019	20,0	25.520	25,65	SEBA KLL-Q
16/04/2019	22,0	25.520	25,65	SEBA KLL-Q
16/04/2019	24,0	25.520	25,65	SEBA KLL-Q
16/04/2019	26,0	25.520	25,65	SEBA KLL-Q
16/04/2019	28,0	25.510	25,65	SEBA KLL-Q
16/04/2019	30,0	25.510	25,66	SEBA KLL-Q
16/04/2019	32,0	25.520	25,66	SEBA KLL-Q
16/04/2019	34,0	25.510	25,66	SEBA KLL-Q
16/04/2019	36,0	25.530	25,66	SEBA KLL-Q
16/04/2019	38,0	25.520	25,67	SEBA KLL-Q
16/04/2019	40,0	25.520	25,67	SEBA KLL-Q
16/04/2019	42,0	25.560	25,67	SEBA KLL-Q
16/04/2019	44,0	25.640	25,68	SEBA KLL-Q
16/04/2019	46,0	25.690	25,69	SEBA KLL-Q
16/04/2019	48,0	25.720	25,69	SEBA KLL-Q
16/04/2019	50,0	25.760	25,70	SEBA KLL-Q
16/04/2019	52,0	25.770	25,70	SEBA KLL-Q
16/04/2019	54,0	25.770	25,71	SEBA KLL-Q
16/04/2019	56,0	25.970	25,72	SEBA KLL-Q
16/04/2019	58,0	26.040	25,73	SEBA KLL-Q
16/04/2019	60,0	26.040	25,73	SEBA KLL-Q
16/04/2019	62,0	26.050	25,73	SEBA KLL-Q
16/04/2019	64,0	26.040	25,73	SEBA KLL-Q
16/04/2019	66,0	26.040	25,73	SEBA KLL-Q
16/04/2019	68,0	26.190	25,74	SEBA KLL-Q
16/04/2019	70,0	26.250	25,75	SEBA KLL-Q
16/04/2019	72,0	26.380	25,76	SEBA KLL-Q
16/04/2019	74,0	26.490	25,76	SEBA KLL-Q
16/04/2019	76,0	26.520	25,76	SEBA KLL-Q
16/04/2019	78,0	26.690	25,76	SEBA KLL-Q
16/04/2019	80,0	26.830	25,77	SEBA KLL-Q
16/04/2019	82,0	27.010	25,77	SEBA KLL-Q
16/04/2019	84,0	27.280	25,78	SEBA KLL-Q
16/04/2019	86,0	28.460	25,79	SEBA KLL-Q
16/04/2019	87,0	30.360	25,80	SEBA KLL-Q
16/04/2019	87,5	30.270	25,81	SEBA KLL-Q
16/04/2019	88,5	30.670	25,81	SEBA KLL-Q
16/04/2019	89,5	31.490	25,81	SEBA KLL-Q
16/04/2019	90,0	52.330	25,82	SEBA KLL-Q
16/04/2019	90,2	69.430	25,83	SEBA KLL-Q
16/04/2019	90,4	69.490	25,86	SEBA KLL-Q
16/04/2019	90,6	71.700	25,87	SEBA KLL-Q
16/04/2019	90,8	72.180	25,89	SEBA KLL-Q
16/04/2019	91,0	72.270	25,91	SEBA KLL-Q
16/04/2019	91,5	72.220	25,92	SEBA KLL-Q
16/04/2019	92,0	72.340	25,92	SEBA KLL-Q
16/04/2019	93,0	74.840	25,93	SEBA KLL-Q
16/04/2019	94,0	76.490	25,94	SEBA KLL-Q
16/04/2019	96,0	84.260	25,97	SEBA KLL-Q
16/04/2019	98,0	90.490	26,00	SEBA KLL-Q
16/04/2019	99,0	94.120	26,02	SEBA KLL-Q
16/04/2019	99,5	94.770	26,03	SEBA KLL-Q
16/04/2019	100,0	100.800	26,04	SEBA KLL-Q
16/04/2019	100,2	113.000	26,05	SEBA KLL-Q
16/04/2019	100,4	116.700	26,05	SEBA KLL-Q
16/04/2019	100,6	118.300	26,06	SEBA KLL-Q
16/04/2019	100,8	121.300	26,06	SEBA KLL-Q
16/04/2019	101,0	125.200	26,06	SEBA KLL-Q
16/04/2019	101,5	127.400	26,07	SEBA KLL-Q
16/04/2019	102,0	127.400	26,08	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [ $\mu$ S/cm]	TEMP [°C]	Equipo
16/04/2019	103,0	128.200	26,10	SEBA KLL-Q
16/04/2019	104,0	147.000	26,12	SEBA KLL-Q
16/04/2019	104,5	152.200	26,13	SEBA KLL-Q
16/04/2019	104,7	159.400	26,14	SEBA KLL-Q
16/04/2019	104,9	168.000	26,14	SEBA KLL-Q
16/04/2019	105,2	183.700	26,15	SEBA KLL-Q
16/04/2019	105,4	189.300	26,15	SEBA KLL-Q
16/04/2019	105,6	194.000	26,15	SEBA KLL-Q
16/04/2019	105,8	197.200	26,16	SEBA KLL-Q
16/04/2019	106,0	200.700	26,16	SEBA KLL-Q
16/04/2019	106,2	202.500	26,17	SEBA KLL-Q
16/04/2019	106,4	203.500	26,17	SEBA KLL-Q
16/04/2019	106,6	205.100	26,17	SEBA KLL-Q
16/04/2019	106,8	206.900	26,18	SEBA KLL-Q
16/04/2019	107,0	210.300	26,18	SEBA KLL-Q
16/04/2019	107,2	213.100	26,18	SEBA KLL-Q
16/04/2019	107,4	218.000	26,19	SEBA KLL-Q
16/04/2019	107,6	218.400	26,19	SEBA KLL-Q
16/04/2019	107,8	219.400	26,20	SEBA KLL-Q
16/04/2019	108,0	220.700	26,21	SEBA KLL-Q
16/04/2019	108,5	223.900	26,22	SEBA KLL-Q
16/04/2019	109,0	224.600	26,22	SEBA KLL-Q
16/04/2019	110,0	226.000	26,23	SEBA KLL-Q
16/04/2019	112,0	227.400	26,27	SEBA KLL-Q
16/04/2019	114,0	227.800	26,35	SEBA KLL-Q
16/04/2019	116,0	227.900	26,36	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
16/04/2019	118,0	234.400	26,44	SEBA KLL-Q
13/06/2019	1,0	25.230	24,97	SEBA KLL-Q
13/06/2019	1,5	25.490	25,58	SEBA KLL-Q
13/06/2019	2,0	25.530	25,64	SEBA KLL-Q
13/06/2019	3,0	25.530	25,63	SEBA KLL-Q
13/06/2019	4,0	25.520	25,65	SEBA KLL-Q
13/06/2019	6,0	25.520	25,65	SEBA KLL-Q
13/06/2019	8,0	25.520	25,65	SEBA KLL-Q
13/06/2019	10,0	25.520	25,65	SEBA KLL-Q
13/06/2019	12,0	25.520	25,65	SEBA KLL-Q
13/06/2019	14,0	25.520	25,65	SEBA KLL-Q
13/06/2019	16,0	25.540	25,65	SEBA KLL-Q
13/06/2019	18,0	25.520	25,65	SEBA KLL-Q
13/06/2019	20,0	25.540	25,65	SEBA KLL-Q
13/06/2019	22,0	25.520	25,65	SEBA KLL-Q
13/06/2019	24,0	25.520	25,65	SEBA KLL-Q
13/06/2019	26,0	25.520	25,65	SEBA KLL-Q
13/06/2019	28,0	25.540	25,65	SEBA KLL-Q
13/06/2019	30,0	25.520	25,65	SEBA KLL-Q
13/06/2019	32,0	25.520	25,66	SEBA KLL-Q
13/06/2019	34,0	25.520	25,66	SEBA KLL-Q
13/06/2019	36,0	25.520	25,66	SEBA KLL-Q
13/06/2019	38,0	25.530	25,67	SEBA KLL-Q
13/06/2019	40,0	25.550	25,67	SEBA KLL-Q
13/06/2019	42,0	25.600	25,67	SEBA KLL-Q
13/06/2019	44,0	25.660	25,68	SEBA KLL-Q
13/06/2019	46,0	25.670	25,69	SEBA KLL-Q
13/06/2019	48,0	25.720	25,69	SEBA KLL-Q
13/06/2019	50,0	25.740	25,70	SEBA KLL-Q
13/06/2019	52,0	25.760	25,70	SEBA KLL-Q
13/06/2019	54,0	25.840	25,70	SEBA KLL-Q
13/06/2019	56,0	26.000	25,73	SEBA KLL-Q
13/06/2019	58,0	26.000	25,73	SEBA KLL-Q
13/06/2019	60,0	26.020	25,73	SEBA KLL-Q
13/06/2019	62,0	26.020	25,73	SEBA KLL-Q
13/06/2019	64,0	26.000	25,73	SEBA KLL-Q
13/06/2019	66,0	26.050	25,77	SEBA KLL-Q
13/06/2019	68,0	26.050	25,74	SEBA KLL-Q
13/06/2019	70,0	26.090	25,74	SEBA KLL-Q
13/06/2019	72,0	26.410	25,76	SEBA KLL-Q
13/06/2019	74,0	26.320	25,76	SEBA KLL-Q
13/06/2019	76,0	26.500	25,76	SEBA KLL-Q
13/06/2019	78,0	26.690	25,76	SEBA KLL-Q
13/06/2019	80,0	26.760	25,77	SEBA KLL-Q
13/06/2019	82,0	26.980	25,77	SEBA KLL-Q
13/06/2019	84,0	26.760	25,77	SEBA KLL-Q
13/06/2019	86,0	27.920	25,79	SEBA KLL-Q
13/06/2019	88,0	30.410	25,81	SEBA KLL-Q
13/06/2019	88,5	30.780	25,81	SEBA KLL-Q
13/06/2019	89,0	30.800	25,81	SEBA KLL-Q
13/06/2019	89,5	31.250	25,81	SEBA KLL-Q
13/06/2019	90,0	40.330	25,83	SEBA KLL-Q
13/06/2019	90,5	69.520	25,88	SEBA KLL-Q
13/06/2019	91,0	70.580	25,91	SEBA KLL-Q
13/06/2019	91,5	70.640	25,92	SEBA KLL-Q
13/06/2019	92,0	70.680	25,92	SEBA KLL-Q
13/06/2019	93,0	73.050	25,94	SEBA KLL-Q
13/06/2019	94,0	73.910	25,95	SEBA KLL-Q
13/06/2019	95,0	76.260	25,96	SEBA KLL-Q
13/06/2019	96,0	81.760	25,97	SEBA KLL-Q
13/06/2019	97,0	86.890	25,99	SEBA KLL-Q
13/06/2019	98,0	87.800	26,01	SEBA KLL-Q
13/06/2019	99,0	91.400	26,02	SEBA KLL-Q
13/06/2019	100,0	95.040	26,04	SEBA KLL-Q
13/06/2019	102,0	122.900	26,07	SEBA KLL-Q
13/06/2019	102,2	122.900	26,08	SEBA KLL-Q
13/06/2019	102,4	123.000	26,08	SEBA KLL-Q
13/06/2019	102,6	123.000	26,08	SEBA KLL-Q
13/06/2019	102,8	122.900	26,09	SEBA KLL-Q
13/06/2019	103,0	123.700	26,10	SEBA KLL-Q
13/06/2019	103,5	135.200	26,11	SEBA KLL-Q
13/06/2019	104,0	141.500	26,12	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
13/06/2019	104,5	145.200	26,13	SEBA KLL-Q
13/06/2019	105,0	161.900	26,14	SEBA KLL-Q
13/06/2019	105,5	182.500	26,15	SEBA KLL-Q
13/06/2019	105,7	186.900	26,16	SEBA KLL-Q
13/06/2019	106,0	192.400	26,16	SEBA KLL-Q
13/06/2019	106,2	194.200	26,17	SEBA KLL-Q
13/06/2019	106,4	195.200	26,17	SEBA KLL-Q
13/06/2019	106,6	196.700	26,17	SEBA KLL-Q
13/06/2019	106,8	198.100	26,17	SEBA KLL-Q
13/06/2019	107,0	200.200	26,18	SEBA KLL-Q
13/06/2019	107,2	203.900	26,18	SEBA KLL-Q
13/06/2019	107,4	207.200	26,19	SEBA KLL-Q
13/06/2019	107,6	208.700	26,19	SEBA KLL-Q
13/06/2019	107,8	209.400	26,20	SEBA KLL-Q
13/06/2019	108,0	210.200	26,20	SEBA KLL-Q
13/06/2019	108,2	211.600	26,20	SEBA KLL-Q
13/06/2019	108,4	213.000	26,21	SEBA KLL-Q
13/06/2019	108,6	213.800	26,22	SEBA KLL-Q
13/06/2019	108,8	214.100	26,23	SEBA KLL-Q
13/06/2019	109,0	214.400	26,22	SEBA KLL-Q
13/06/2019	109,5	214.500	26,24	SEBA KLL-Q
13/06/2019	110,0	215.700	26,25	SEBA KLL-Q
13/06/2019	110,5	216.000	26,26	SEBA KLL-Q
13/06/2019	111,0	216.700	26,26	SEBA KLL-Q
13/06/2019	112,0	216.900	26,28	SEBA KLL-Q
13/06/2019	114,0	217.300	26,34	SEBA KLL-Q
13/06/2019	116,0	217.200	26,36	SEBA KLL-Q
13/06/2019	118,0	217.200	26,38	SEBA KLL-Q
17/09/2019	1,0	25.820	25,34	SEBA KLL-Q
17/09/2019	2,0	25.760	25,65	SEBA KLL-Q
17/09/2019	3,0	25.730	25,66	SEBA KLL-Q
17/09/2019	4,0	25.750	25,66	SEBA KLL-Q
17/09/2019	6,0	25.770	25,67	SEBA KLL-Q
17/09/2019	8,0	25.770	25,67	SEBA KLL-Q
17/09/2019	10,0	25.770	25,67	SEBA KLL-Q
17/09/2019	12,0	25.750	25,67	SEBA KLL-Q
17/09/2019	14,0	25.750	25,67	SEBA KLL-Q
17/09/2019	16,0	25.770	25,67	SEBA KLL-Q
17/09/2019	18,0	25.750	25,67	SEBA KLL-Q
17/09/2019	20,0	25.770	25,67	SEBA KLL-Q
17/09/2019	22,0	25.750	25,67	SEBA KLL-Q
17/09/2019	24,0	25.750	25,67	SEBA KLL-Q
17/09/2019	26,0	25.750	25,67	SEBA KLL-Q
17/09/2019	28,0	25.770	25,67	SEBA KLL-Q
17/09/2019	30,0	25.760	25,68	SEBA KLL-Q
17/09/2019	32,0	25.760	25,68	SEBA KLL-Q
17/09/2019	34,0	25.760	25,68	SEBA KLL-Q
17/09/2019	36,0	25.760	25,68	SEBA KLL-Q
17/09/2019	38,0	25.780	25,69	SEBA KLL-Q
17/09/2019	40,0	25.760	25,68	SEBA KLL-Q
17/09/2019	42,0	25.800	25,69	SEBA KLL-Q
17/09/2019	44,0	25.870	25,69	SEBA KLL-Q
17/09/2019	46,0	25.920	25,70	SEBA KLL-Q
17/09/2019	48,0	25.990	25,71	SEBA KLL-Q
17/09/2019	50,0	26.000	25,71	SEBA KLL-Q
17/09/2019	52,0	26.000	25,71	SEBA KLL-Q
17/09/2019	54,0	26.020	25,72	SEBA KLL-Q
17/09/2019	56,0	25.830	25,73	SEBA KLL-Q
17/09/2019	58,0	26.280	25,75	SEBA KLL-Q
17/09/2019	60,0	26.300	25,75	SEBA KLL-Q
17/09/2019	62,0	26.280	25,75	SEBA KLL-Q
17/09/2019	64,0	26.260	25,75	SEBA KLL-Q
17/09/2019	66,0	26.260	25,75	SEBA KLL-Q
17/09/2019	68,0	26.370	25,76	SEBA KLL-Q
17/09/2019	70,0	26.400	25,77	SEBA KLL-Q
17/09/2019	72,0	26.600	25,77	SEBA KLL-Q
17/09/2019	74,0	26.650	25,78	SEBA KLL-Q
17/09/2019	76,0	26.730	25,78	SEBA KLL-Q
17/09/2019	78,0	26.910	25,78	SEBA KLL-Q
17/09/2019	80,0	26.930	25,79	SEBA KLL-Q
17/09/2019	82,0	27.180	25,79	SEBA KLL-Q
17/09/2019	84,0	27.390	25,79	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
17/09/2019	86,0	28.880	25,81	SEBA KLL-Q
17/09/2019	88,0	28.620	25,81	SEBA KLL-Q
17/09/2019	89,0	30.680	25,83	SEBA KLL-Q
17/09/2019	90,0	35.980	25,83	SEBA KLL-Q
17/09/2019	90,2	70.090	25,89	SEBA KLL-Q
17/09/2019	90,4	70.200	25,90	SEBA KLL-Q
17/09/2019	90,6	70.630	25,91	SEBA KLL-Q
17/09/2019	90,8	71.000	25,92	SEBA KLL-Q
17/09/2019	91,0	71.250	25,93	SEBA KLL-Q
17/09/2019	91,5	71.330	25,94	SEBA KLL-Q
17/09/2019	92,0	71.340	25,94	SEBA KLL-Q
17/09/2019	93,0	73.710	25,95	SEBA KLL-Q
17/09/2019	94,0	74.530	25,96	SEBA KLL-Q
17/09/2019	96,0	82.380	25,98	SEBA KLL-Q
17/09/2019	98,0	88.400	26,02	SEBA KLL-Q
17/09/2019	99,1	92.180	26,04	SEBA KLL-Q
17/09/2019	100,0	96.020	26,06	SEBA KLL-Q
17/09/2019	100,2	110.800	26,06	SEBA KLL-Q
17/09/2019	100,4	113.800	26,07	SEBA KLL-Q
17/09/2019	100,6	115.600	26,07	SEBA KLL-Q
17/09/2019	100,8	117.100	26,07	SEBA KLL-Q
17/09/2019	101,0	112.500	26,07	SEBA KLL-Q
17/09/2019	101,5	123.800	26,09	SEBA KLL-Q
17/09/2019	102,0	123.800	26,09	SEBA KLL-Q
17/09/2019	102,5	123.800	26,10	SEBA KLL-Q
17/09/2019	103,0	124.400	26,11	SEBA KLL-Q
17/09/2019	103,5	136.100	26,13	SEBA KLL-Q
17/09/2019	104,0	142.600	26,13	SEBA KLL-Q
17/09/2019	104,5	145.800	26,15	SEBA KLL-Q
17/09/2019	105,0	164.700	26,16	SEBA KLL-Q
17/09/2019	105,2	173.800	26,16	SEBA KLL-Q
17/09/2019	105,4	181.600	26,16	SEBA KLL-Q
17/09/2019	105,6	186.200	26,17	SEBA KLL-Q
17/09/2019	105,8	189.300	26,17	SEBA KLL-Q
17/09/2019	106,0	190.000	26,17	SEBA KLL-Q
17/09/2019	106,2	195.700	26,18	SEBA KLL-Q
17/09/2019	106,4	196.600	26,18	SEBA KLL-Q
17/09/2019	106,6	198.000	26,19	SEBA KLL-Q
17/09/2019	106,8	199.600	26,20	SEBA KLL-Q
17/09/2019	107,0	201.800	26,20	SEBA KLL-Q
17/09/2019	107,2	204.600	26,19	SEBA KLL-Q
17/09/2019	107,4	208.100	26,20	SEBA KLL-Q
17/09/2019	107,6	210.200	26,21	SEBA KLL-Q
17/09/2019	107,8	210.800	26,21	SEBA KLL-Q
17/09/2019	108,0	211.600	26,22	SEBA KLL-Q
17/09/2019	108,5	215.100	26,23	SEBA KLL-Q
17/09/2019	109,0	215.900	26,24	SEBA KLL-Q
17/09/2019	110,0	217.300	26,26	SEBA KLL-Q
17/09/2019	112,0	218.600	26,29	SEBA KLL-Q
17/09/2019	114,0	219.000	26,36	SEBA KLL-Q
17/09/2019	116,0	219.000	26,38	SEBA KLL-Q
17/09/2019	118,0	224.800	26,44	SEBA KLL-Q
14/11/2019	1,0	26.070	25,91	SEBA KLL-Q
14/11/2019	2,0	26.120	25,68	SEBA KLL-Q
14/11/2019	3,0	25.660	26,12	SEBA KLL-Q
14/11/2019	4,0	26.120	25,65	SEBA KLL-Q
14/11/2019	6,0	26.100	25,65	SEBA KLL-Q
14/11/2019	8,0	26.090	25,65	SEBA KLL-Q
14/11/2019	10,0	26.090	25,65	SEBA KLL-Q
14/11/2019	12,0	26.080	25,65	SEBA KLL-Q
14/11/2019	14,0	26.080	25,65	SEBA KLL-Q
14/11/2019	16,0	26.070	25,65	SEBA KLL-Q
14/11/2019	18,0	26.070	25,65	SEBA KLL-Q
14/11/2019	20,0	26.070	25,65	SEBA KLL-Q
14/11/2019	22,0	26.060	25,66	SEBA KLL-Q
14/11/2019	24,0	26.060	25,66	SEBA KLL-Q
14/11/2019	26,0	26.070	25,66	SEBA KLL-Q
14/11/2019	28,0	26.070	25,66	SEBA KLL-Q
14/11/2019	30,0	26.050	25,66	SEBA KLL-Q
14/11/2019	32,0	26.050	25,66	SEBA KLL-Q
14/11/2019	34,0	26.050	25,66	SEBA KLL-Q
14/11/2019	36,0	26.030	25,66	SEBA KLL-Q



Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [uS/cm]	TEMP [°C]	Equipo
14/11/2019	38,0	26.080	25,67	SEBA KLL-Q
14/11/2019	40,0	26.070	25,67	SEBA KLL-Q
14/11/2019	42,0	22.110	25,67	SEBA KLL-Q
14/11/2019	44,0	26.190	25,68	SEBA KLL-Q
14/11/2019	46,0	26.220	25,69	SEBA KLL-Q
14/11/2019	48,0	26.190	25,69	SEBA KLL-Q
14/11/2019	50,0	26.310	25,70	SEBA KLL-Q
14/11/2019	52,0	26.310	25,71	SEBA KLL-Q
14/11/2019	54,0	26.360	25,71	SEBA KLL-Q
14/11/2019	56,0	26.110	25,69	SEBA KLL-Q
14/11/2019	58,0	26.600	25,73	SEBA KLL-Q
14/11/2019	60,0	26.610	25,74	SEBA KLL-Q
14/11/2019	62,0	26.610	25,74	SEBA KLL-Q
14/11/2019	64,0	26.600	25,74	SEBA KLL-Q
14/11/2019	66,0	26.600	25,74	SEBA KLL-Q
14/11/2019	68,0	26.700	25,75	SEBA KLL-Q
14/11/2019	70,0	26.790	25,75	SEBA KLL-Q
14/11/2019	72,0	26.950	25,76	SEBA KLL-Q
14/11/2019	74,0	26.980	25,76	SEBA KLL-Q
14/11/2019	76,0	27.120	25,76	SEBA KLL-Q
14/11/2019	78,0	27.330	25,76	SEBA KLL-Q
14/11/2019	80,0	27.400	25,77	SEBA KLL-Q
14/11/2019	82,0	27.570	25,77	SEBA KLL-Q
14/11/2019	84,0	27.730	25,77	SEBA KLL-Q
14/11/2019	86,0	29.110	25,79	SEBA KLL-Q
14/11/2019	88,0	30.620	25,81	SEBA KLL-Q
14/11/2019	89,0	31.780	25,81	SEBA KLL-Q
14/11/2019	90,0	73.270	25,87	SEBA KLL-Q
14/11/2019	90,2	73.200	25,88	SEBA KLL-Q
14/11/2019	90,4	73.280	25,89	SEBA KLL-Q
14/11/2019	90,6	73.820	25,90	SEBA KLL-Q
14/11/2019	90,8	74.150	25,90	SEBA KLL-Q
14/11/2019	91,0	74.320	25,91	SEBA KLL-Q
14/11/2019	91,5	74.270	25,92	SEBA KLL-Q
14/11/2019	92,0	74.280	25,92	SEBA KLL-Q
14/11/2019	93,0	76.880	25,94	SEBA KLL-Q
14/11/2019	94,0	78.590	25,94	SEBA KLL-Q
14/11/2019	96,0	86.470	25,97	SEBA KLL-Q
14/11/2019	98,0	92.490	26,01	SEBA KLL-Q
14/11/2019	99,1	96.590	26,02	SEBA KLL-Q
14/11/2019	100,0	104.300	26,04	SEBA KLL-Q
14/11/2019	100,2	117.800	26,05	SEBA KLL-Q
14/11/2019	100,4	120.200	26,05	SEBA KLL-Q
14/11/2019	100,6	121.000	26,05	SEBA KLL-Q
14/11/2019	100,8	123.500	26,06	SEBA KLL-Q
14/11/2019	101,0	128.400	26,06	SEBA KLL-Q
14/11/2019	101,5	129.900	26,07	SEBA KLL-Q
14/11/2019	102,0	130.100	26,08	SEBA KLL-Q
14/11/2019	102,5	130.100	26,09	SEBA KLL-Q
14/11/2019	103,0	131.500	26,10	SEBA KLL-Q
14/11/2019	103,5	144.700	26,11	SEBA KLL-Q
14/11/2019	104,0	150.500	26,12	SEBA KLL-Q
14/11/2019	104,5	156.300	26,14	SEBA KLL-Q
14/11/2019	105,0	177.700	26,14	SEBA KLL-Q
14/11/2019	105,2	187.300	26,15	SEBA KLL-Q
14/11/2019	105,4	193.100	26,15	SEBA KLL-Q
14/11/2019	105,6	197.000	26,15	SEBA KLL-Q
14/11/2019	105,8	201.900	26,16	SEBA KLL-Q
14/11/2019	106,0	205.500	26,17	SEBA KLL-Q
14/11/2019	106,2	207.200	26,17	SEBA KLL-Q
14/11/2019	106,4	208.100	26,17	SEBA KLL-Q
14/11/2019	106,6	209.800	26,18	SEBA KLL-Q
14/11/2019	106,8	211.300	26,18	SEBA KLL-Q
14/11/2019	107,0	214.800	26,18	SEBA KLL-Q
14/11/2019	107,2	217.600	26,19	SEBA KLL-Q
14/11/2019	107,4	221.600	26,19	SEBA KLL-Q
14/11/2019	107,6	222.600	26,20	SEBA KLL-Q
14/11/2019	107,8	223.600	26,20	SEBA KLL-Q
14/11/2019	108,0	225.000	26,20	SEBA KLL-Q
14/11/2019	108,5	228.300	26,21	SEBA KLL-Q
14/11/2019	109,0	229.100	26,23	SEBA KLL-Q
14/11/2019	110,0	230.600	26,24	SEBA KLL-Q

Anexo G: Posición de la Interfase Salina

PP-03				
Fecha	Prof. [m]	C.E. [ $\mu\text{S}/\text{cm}$ ]	TEMP [ $^{\circ}\text{C}$ ]	Equipo
14/11/2019	112,0	232.200	26,28	SEBA KLL-Q
14/11/2019	114,0	232.700	26,35	SEBA KLL-Q
14/11/2019	116,0	232.900	26,37	SEBA KLL-Q
14/11/2019	118,0	239.600	26,38	SEBA KLL-Q